Possible 200 MHz Cooling Experiment Designs

R. B. Palmer, R Fernow DRAFT 3 9/27/01

Abstract

Two possible magnetic designs for a 200 MHz cooling experiment are suggested. Both cases are based on 2 cells of the Study II 2.75 m SFOFO lattice, with up to 3 absorbers, and 2 rf sections. At either end, the beam is matched to a long solenoid, in which the tracks can be measured (as in the European proposal). Several different experimental set ups are discussed, with differing rf power requirements, numbers of absorbers, rf phases, and strictness in following the Study 2 parameters. ICOOL simulations are reported for some of these, and URL's given for the ICOOL input files used.

Contents

1	Introduction	2
2	Choice of cell	2
3	Experimental geometries3.1Geometry A (1.5 cells)3.2Geometry B (2.5 cells)	3 3 5
4	Experimental Options	6
5	ICOOL Simulations5.1Continuous Cooling Lattice5.2Experiment without rf or absorber5.3Example with rf and absorbers5.4Summary of simulation results	7 7 11 14 16
6	Conclusion	16
7	APPENDIX: ICOOL files on the web	17

1 Introduction

An ideal cooling experiment would involve a section of a cooling channel that could be used in a real neutrino factory. The second Feasibility Study provides two such channels: the tapered SFOFO and the double flip. This paper looks at an experiment that would test a part of the baseline SFOFO channel.

2 Choice of cell

The following figures show the rates of cooling, and rates of increase in accepted mu/p, in a simulation of the Study 2 system. We see that at the start, in the 2.75 m lattice, with an initial emittance of 10 mm rad, the transverse cooling is 4.0 % per cell (1.45 %/m). This rate may be compared to the maximum theoretical rate $(\Delta \epsilon / \epsilon = \Delta p/p)$ of 5.6 %.

The numbers for the 1.65 m cells are lower, partly because of the condition of the beam where it is used, partly because the lattice has a 20% poorer acceleration packing factor, and, per cell, because it is shorter. We therefore consider an experiment using a cell, or cells, from the 2.75 m lattice.

In Study 2, there are three different current settings for this cell. These current settings adjust the minimum beta, and are thus matched to differing transverse emittances, as the emittance drops. In the following discussion I will assume the settings corresponding to the start of the channel. This allows cooling from the largest emittance ($\approx 10 \pi$ mm) which, it is assumed, would be the easiest to measure.



3 Experimental geometries

We want, initially, to test the shortest section that will give a sufficiently significant result. If we can measure emittances to about 0.5 % [Janot] then one absorber yielding 4 % might be considered sufficient. At full gradient, one rf section (cavities) would be enough to restore the lost energy and demonstrate un-normalized cooling (no re-acceleration is needed to show normalized cooling). But at full gradient, 16 MW of rf power is required, and the X-ray production may well prove too much for the measurement technology now being considered (fiber scintilators). We therefore propose a minimum system including two rf sections. Full energy recovery then requires only half gradient: the rf power required is only 8 MW and the X-radiation is down by 3 orders of magnitude (\propto (gradient)¹⁰). It is then tempting to add the possibility of two additional absorbers at the ends, allowing more cooling if a) more rf power becomes available, b) we operate on crest [Zisman], or c) we drop the requirement of full energy recovery [Kaplan]. We will consider two magnetic geometries.

For emittance measurement, we assume [Janot, Blondel] planes of detectors in continuous solenoids. In the examples shown here, a field of 3.1 T, radius of 33 cm, and length 2 m, were chosen, but this could be changed. A betatron match is provided between the measurement solenoids and the cooling cells.

In all cases, the rf cavity, stepped Be window, hydrogen absorber, and Al window, dimensions are all assumed identical to those given in Study 2.

3.1 Geometry A (1.5 cells)

In this, the lower cost geometry, there is only a single pair of high gradient "focus coils" at the center, and two large diameter "coupling" coils over the rf sections. Beyond these, at either end, there are single matching coils followed by the solenoids in which the detector planes measure the beam parameters. The focus coil dimensions and current will be identical to those in Study 2. The coupling coils would have the identical dimensions, but be operated at slightly lower current to aid the match into the experimental solenoids. In the following simulations, the dimensions are from a slightly earlier version, but will be updated in the next round.

A single absorber (in blue in the following figure) placed at the center can operate in all respects like the absorbers in the study 2 case, and with the two rf sections at 1/2 full gradient, give the same cooling as a cell in that study. This is found to be approximately 4% transverse cooling, 2% longitudinal heating, yielding 6% 6-dimensional cooling.

If more cooling is desired then 1/2, or full, length absorbers can be placed at the ends of the rf sections. Full length absorbers are indicated in green in the following figure. It is seen that the focus beta at these locations is almost identical to that inside the "focus coils" at the center. With full rf gradient and 1/2 length end cells, we would now obtain 8 % transverse cooling.

With full length end cells we would get 12 % transverse cooling, but in this case, even with full rf gradient, the initial and final energies would be different.

The main objection to this geometry is that the fields over the end absorbers, and the angular momenta of the trajectories are not at all like those in the continuous cooling channel. As a simple demonstration of cooling, this is irrelevant; but it is not a test of cooling in a usable cooling lattice.

The geometry A, with rms and maximum orbits, followed by the axial fields and beta functions are shown in the figure.



The coil Parameters for geometry A are given in the following table.

len1	gap	dl	rad	dr	I/A	n I	n I l
m	m	m	m	m	A/mm^2	Α	A m
4.000	0.000	2.000	0.330	0.025	-100.00	5.00	10.76
6.330	0.330	0.167	0.330	0.175	-39.11	1.14	3.00
7.365	0.868	0.330	0.770	0.080	-89.39	2.36	12.01
8.563	0.868	0.167	0.330	0.175	-75.96	2.22	5.82
9.080	0.175	0.167	0.330	0.175	75.96	2.22	5.82
10.115	0.868	0.330	0.770	0.080	89.39	2.36	12.01
11.313	0.868	0.167	0.330	0.175	39.11	1.14	3.00
11.810	0.330	2.000	0.330	0.025	100.00	5.00	10.76

3.2 Geometry B (2.5 cells)

In this, slightly more expensive, geometry there are three "focus coils" over the three absorbers, and all three are operating in the same fields as in the continuous geometry. Less work has been done on the matching in this case, but it will probably be as good as in the first case.

The geometry and axial fields are shown in the following figure.



len1	gap	dl	rad	dr	I/A	n I	n I l
m	m	m	m	m	A/mm^2	Α	A m
4.000	0.000	2.000	0.330	0.025	-100.00	5.00	10.76
6.390	0.390	0.167	0.330	0.175	-87.44	2.56	6.70
6.907	0.175	0.167	0.330	0.175	75.96	2.22	5.82
7.942	0.868	0.330	0.770	0.080	99.24	2.62	13.33
9.140	0.868	0.167	0.330	0.175	75.96	2.22	5.82
9.657	0.175	0.167	0.330	0.175	-75.96	2.22	5.82
10.692	0.868	0.330	0.770	0.080	-99.24	2.62	13.33
11.890	0.868	0.167	0.330	0.175	-75.96	2.22	5.82
12.407	0.175	0.167	0.330	0.175	87.44	2.56	6.70
12.964	0.390	2.000	0.330	0.025	100.00	5.00	10.76

The coil dimensions and currents are given in the following table.

The matching is not yet final in these parameters, but they would provide starting values for a comparison in cost between this and geometry A.

4 Experimental Options

With either of the above geometries, we could do a number of different tests, a sample of which we list in the following table.

The examples are given in pairs: in the first of which the initial and final energies are required to be the same; in the second, they are not (which some might object to, since the un-normalized emittance cooling is not the same as that of the normalized).

Examples a) and b) use full gradient and represent 2 or 3 cells respectively. In c) and d) the rf power and gradient are reduced, but the same acceleration is achieved by running on crest (which some may object to since this cannot be done in a continuous channel). In e) and f) the rf power is lowered some more to obtain exactly half the gradient, but the phase is maintained equal to that in the continuous channel. In g) and h) the power is lowered yet more to give acceleration, on the crest, equals half the continuous value. Finally, in examples i) and j) we note that cooling of normalized emittance will be achieved even without any rf, but again, it may be objected that there is in this case, no cooling of un-normalized emittance.

Three of these examples have been simulated; that of example a) is given in section 5.3, and some results of all simulations are given in section 5.4.

From the study 2 simulation we saw that there was 4.1 % transverse cooling per stage. Simulations of continuous cooling with Gaussian input gives 4.6 %/cell (see section 5.1), while simulations of the cooling experiment (see section 5.4) give a little less than 4%. Taking 4%/cell as the approximate cooling expected to be observed, we can list the cooling and required rf power in a number of cases:

	$\mathbf{E}_1 = E_2 ?$	$n_{\rm absorbers}$	rf grad	rf phase	$\Delta \epsilon_{\perp}$	rf Power	simulated
			MV/m	\deg	%	MW	
a	yes	1/2 + 1 + 1/2	15.5	30	8	32.3	yes
b	no	1 + 1 + 1	15.5	30	12	32.3	
с	yes	1/2 + 1 + 1/2	8.7	90	2	10.3	yes
d	no	1 + 1 + 1	8.7	90	12	10.3	
е	yes	0+1+0	7.7	30	4	8.1	yes
f	no	1 + 0 + 1	7.7	30	8	8.1	
g	yes	0+1+0	4.4	90	4	2.6	
h	no	1 + 0 + 1	4.4	90	8	2.6	
i	no	0 + 1 + 0	0	0	4	0	
j	no	1 + 1 + 1	0	0	12	0	

In addition to these variants, the experiment, offline, could observe cooling from different initial emittances; and online, try different beta functions by adjusting the lattice coil currents. In the following simulations, we restrict ourselves to a transverse emittance slightly less than that at the start of the Study 2 cooling (9 mm vs. 12 mm); and longitudinal emittance significantly less (11 mm vs. 30 mm). These smaller emittances give good transmission (97%) making the study of the cooling easier, but as noted above, an actual experiment could, offline, make many differing initial assumptions.

5 ICOOL Simulations

5.1 Continuous Cooling Lattice

For a comparison with the cooling experiment, it is desirable to have a "clean" simulation of the cooling channel using the same Gaussian initial distributions as will be used in the experiments. The parameters used here are:

particles		5000
uncorrelated momentum	MeV	200
Transverse emittance	$\pi \ \mathrm{mm}$	9
Longitudinal emittance	$\pi \ \mathrm{mm}$	11
uncorrelated dp/p	%	7
rms ct	cm	9
$mom-amp^2$ correlation	${\rm GeV/c}$	0.34

If no cuts are applied to the transmitted particles, then the longitudinal emittance was found to rise rapidly. This was found to be due to a few particles not captured by the rf. We thus apply the following cuts, treating the particles outside these cuts as lost.

ct cuts	+/- 30 cm
pmax cut	$315 { m MeV}$
pmin cut	$95 { m MeV}$

Results from the simulation are shown in the following figure.







m 1		•
The	transmission	1S:

Transmission through 4 cells	96~%
Transmission through 12 cells	94~%

The observed initial rate of changes of emittances per cell are:

Transverse emittance	-4.6 %
Longitudinal emittance	+2.0~%
6-D emittance	-6.9%

5.2 Experiment without rf or absorber

In order to observe unperturbed emittances, it is necessary to introduce and correct for 3 correlations: 1) the familiar (momentum) - (betatron amplitude)² correlation needed because the forward velocities of large amplitude particles are otherwise slower than for small amplitudes, resulting in mixing between longitudinal and transverse planes; 2) a correlation between angular momentum and time. This second correlation is not large, and does not rise, if the axial magnetic field alternates reasonably frequently, but in the experiment case, this is not well satisfied and correction is needed; and 3) an initial time-momentum correlation corresponding to a finite synchrotron α_o .

particles		5000
uncorrelated momentum	MeV	200
Transverse emittance	$\pi \text{ mm}$	9
Longitudinal emittance	$\pi \text{ mm}$	11
uncorrelated dp/p	%	7
rms ct	$^{\mathrm{cm}}$	9
$mom-amp^2$ correlation	GeV/c	.34
ct-angmom correlation	${\rm GeV^{-1}}$	-35
ct-dp/p correlation	m	1.14

The initial conditions used were:

Results from the simulation are shown in the following figures.







Although the simulation needs to be done with more statistics, it does already show statistically significant heating due to various higher order effects.

particle loss	0 %
Transverse emittance change	+.4%
Longitudinal emittance change	+.7%
6-D emittance change	+ 1.6%

Clearly more work could be done to correct for these, but it is unlikely that all effects can be easily identified. It is probably fair to deduct these growths from the emittance changes observed with material, but I will refrain from doing so here.

5.3 Example with rf and absorbers

This is the example a) in the above table, with full rf gradient, a full absorber in the center and half length absorbers at the front and back. It is thus an experiment with 2 full cells of the continuous lattice. The initial conditions are:

particles		5000
uncorrelated momentum	MeV	200
Transverse emittance	$\pi \text{ mm}$	9
Longitudinal emittance	$\pi \text{ mm}$	11
uncorrelated dp/p	%	7
rms ct	cm	9
$mom-amp^2$ correlation	$\mathrm{GeV/c}$.34
ct-angmom correlation	${\rm GeV}^{-1}$	-35
ct-dp/p correlation	m	1.14

Results from the simulation are shown in the following figures.





When material and rf are introduced, there is significant particle loss (2.6 %. The lost particles are mostly in the transverse amplitude tails that are collimated by the rf windows. In order to separate emittance reduction due to this collimation from that due to cooling, we determine the emittance changes for only those particles that arrive at the end.

The observed emittance changes (2 cells), with and without the selection, are:

	all tracks	ending tracks	
Transverse emittance change	-13	-7.7	%
Longitudinal emittance change	+7.7	+7.6	%
6-D emittance change	-18.9	8.9	%

The longitudinal heating is a little more than that for 2 cells in the continuous lattice (7.6% vs. 4%), and the transverse cooling is somewhat less (7.7% vs. 8.2%), the differenced being probably due to failure to provide perfect matching.

5.4	Summary	of	simu	lation	resul	lts
-----	---------	----	------	--------	-------	-----

example	file	absorbers	loss	$d\epsilon_{\perp}/cell$	$d\epsilon_{\parallel}/cell$	$d\epsilon_6/cell$
			%	%	%	%
continuous	c2	12	6.1	-4.5	+2.0	-6.5
exp a)	ex6	2	2.7	-3.9	+3.6	-4.5
$\exp c$)	ex8	2	4.7	-3.6	+3.9	-3.9
exp e)	ex4	1	3.6	-4.0	+4.2	-4.8

The statistical errors on the emittance changes are about 0.3%. We see that, within errors, the cooling rates, transverse, longitudinal, and 6 dimensional, are the same for all experiment simulations. The transverse experimental cooling rate is about half a % point less than in the continuous case. The longitudinal experimental heating is about 2 % points higher than in the continuous case. The differences are presumed to be due to imperfections in the experiment matching. Such differences can, presumably, be identified and corrected for the real experiment. But even without such improvements, the simulations indicate that the experiment should, if the detectors can measure tracks with sufficient accuracy, see cooling that is substantially the same as in an actual cooling channel.

6 Conclusion

Much work is still needed, but the two geometries proposed here may be a good start for the design of a 200 MHz experiment. The simulations suggest that such a short section should provide easily verifiable cooling, providing the detectors can measure transverse and longitudinal emittance to better than 1 %.

7 APPENDIX: ICOOL files on the web

There are files for some simulations at:

http://pubweb.bnl.gov/people/palmer/coolexp/icool

The files in this directory are for problems:c2, ex4, ex6, and ex8.

• c2 is for continuous cooling in the chosen lattice

The others are for the experiments as listed in the above table:

- e) ex4 has 1/2 grad rf, at 30 deg phase, 1 absorber.
- a) ex6 has full grad rf, at 30 deg phase, 1+1/2+1/2 absorbers.
- c) ex8 has approx 1/2 grad rf, at 90 degrees, 1+1/2+1/2 absorbers

For each problem there are the following files:

- *.dat to be copied to for001.dat
- *.sht to be copied to for020.dat
- *.gen to be copied to for003.dat

icool.exe should then run the problem

Note:

The *.dat files use coils and stepped Be foils that are not the final study 2 designs.

The version of icool I used was 2.08.

There are also some other files, including

- *.coi gives the coil dimensions as blocks. These are used as input to sheet2.exe to create the file *.sht.
- *gen.bas is a basic program that generates *.gen
- *.td and *.tex give TOPDRAW and LATEX plots from my postprocessor.

Note:

The tex files mostly show plots only for particles that exited the system, but the loss plots are for all, and the emittance plots are shown for all (green) and surviving (red) tracks.