

INTEGRATED SEQUENCE FOR JST A041F JSX B113F WEEK 43 DOY 01-295/00:00 - 01-302/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
1	295 00:00:00	31				VGR-31 OWLT IS 11H 32M 33S					1L
2	295 00:00:00	32				VGR-32 OWLT IS 09H 05M 02S					2L
3	295 00:26:57	31	40RISE			10 DEGREE RISE DSC-40					1V
4	295 00:36:21	31			AC7SSB	(3 +017) SS BIAS CONTROL - PITCH	AACS		19674:38:003F	01-294/13:03:48	1ECa
5	295 03:40:00	31	25 LO	OPCH ACE		LOS DSS-25 PASS-8837					1DP
6	295 04:28:50	31	10 SET			10 DEGREE SET DSC-10					1V
7	295 09:25:29	31	60RISE			10 DEGREE RISE DSC-60					1V
8	295 09:34:49	31	40 SET			10 DEGREE SET DSC-40					1V
9	295 10:15:00	32	43 AO	OPCH ACE		AOS DSS-43 PASS-8853 (U/L PASS) XMTR ON PER TELECOM MESSAGE					2DP
10	295 12:00:00	31				VGR-31 OWLT IS 11H 32M 38S					1L
11	295 12:00:00	32				VGR-32 OWLT IS 09H 05M 08S					2L
12	295 12:40:00	31	63 AO	OPCH ACE		AOS DSS-63 PASS-8837 (D/L ONLY)					1DP
13	295 14:15:00	32	43 LO	OPCH ACE		LOS DSS-43 PASS-8853					2DP
14	295 15:32:17	32	40 SET			10 DEGREE SET DSC-40					2V
15	295 16:58:05	31	10RISE			10 DEGREE RISE DSC-10					1V
16	295 17:00:00	31	63 LO	OPCH ACE		LOS DSS-63 PASS-8837					1DP
17	295 17:55:00	31	25 AO	OPCH ACE		AOS DSS-25 PASS-8838 (D/L ONLY)					1DP
18	295 20:58:45	31	60 SET			10 DEGREE SET DSC-60					1V
19	295 21:30:00	31	24 AO	OPCH ACE		AOS DSS-24 PASS-8838 (D/L ONLY)					1DP
20	295 21:45:00	31	25 LO	OPCH ACE		LOS DSS-25 PASS-8838					1DP
21	295 23:34:32	32	40RISE			10 DEGREE RISE DSC-40					2V
22	296 00:00:00	31				VGR-31 OWLT IS 11H 32M 42S					1L
23	296 00:00:00	32				VGR-32 OWLT IS 09H 05M 14S					2L

INTEGRATED SEQUENCE FOR JST A041F JSX B113F WEEK 43 DOY 01-295/00:00 - 01-302/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
24	296 00:00:00	32	34 AO	OPCH ACE		AOS DSS-34 PASS-8854 (D/L ONLY)					2DP
25	296 00:23:02	31	40RISE			10 DEGREE RISE DSC-40					1V
26	296 00:58:21	32				B- MISCMD			13563:15:001F	01-295/15:54:23	2TB
27	296 00:58:21	32				MISCMD - Gyro Init			13563:15:001F	01-295/15:54:23	2T
28	296 00:58:21	32			CC7GY	(3) DRIRU INITIALIZE [P/Y/R]	AACS		13563:15:001F	01-295/15:54:23	2ECa
29	296 03:25:00	31	24 LO	OPCH ACE		LOS DSS-24 PASS-8838					1DP
30	296 03:29:35	32			AC7SSB	(3 -013) SS BIAS CONTROL - PITCH	AACS		13566:24:003F	01-295/18:25:35	2ECa
31	296 04:24:55	31	10 SET			10 DEGREE SET DSC-10					1V
32	296 06:00:00	32	34 LO	OPCH ACE		LOS DSS-34 PASS-8854					2DP
33	296 09:21:37	31	60RISE			10 DEGREE RISE DSC-60					1V
34	296 09:30:56	31	40 SET			10 DEGREE SET DSC-40					1V
35	296 12:00:00	31				VGR-31 OWLT IS 11H 32M 47S					1L
36	296 12:00:00	32				VGR-32 OWLT IS 09H 05M 20S					2L
37	296 15:08:37	31				B- RFSTLC			19722:48:001F	01-296/03:35:47	1TB
38	296 15:28:21	32	40 SET			10 DEGREE SET DSC-40					2V
39	296 16:54:12	31	10RISE			10 DEGREE RISE DSC-10					1V
40	296 18:00:00	31	25 AO	OPCH ACE		AOS DSS-25 PASS-8839 (D/L ONLY)					1DP
41	296 20:30:00	31	25 LO	OPCH ACE		LOS DSS-25 PASS-8839					1DP
42	296 20:54:50	31	60 SET			10 DEGREE SET DSC-60					1V
43	296 23:30:39	32	40RISE			10 DEGREE RISE DSC-40					2V
44	296 23:45:00	32	34 AO	OPCH ACE		AOS DSS-34 PASS-8855 (D/L ONLY)					2DP
45	297 00:00:00	31				VGR-31 OWLT IS 11H 32M 52S					1L
46	297 00:00:00	32				VGR-32 OWLT IS 09H 05M 26S					2L

INTEGRATED SEQUENCE FOR JST A041F JSX B113F WEEK 43 DOY 01-295/00:00 - 01-302/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
81	297 03:27:06	31			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		19738:11:026F	01-296/15:54:13	1ECf
82	297 03:27:53	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	19738:12:001F	01-296/15:54:59	1ESf
83	297 03:27:53	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		19738:12:002F	01-296/15:55:00	1ECs
84	297 03:27:53	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		19738:12:002F	01-296/15:55:00	1ECd
85	297 03:27:53	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:3232	DTR		19738:12:002F	01-296/15:55:00	1ESd
86	297 03:28:41	31			SC32AJ	(11) PLS CONFIG CMD	FDS		19738:13:009F	01-296/15:55:48	1ECf
87	297 03:28:42	31				END PWSREC.31			19738:13:018F	01-296/15:55:48	1T
88	297 04:10:00	32	34 LO	OPCH ACE		LOS DSS-34 PASS-8855					2DP
89	297 04:21:00	31	10 SET			10 DEGREE SET DSC-10					1V
90	297 06:31:55	31			AC7SSB	(4 +150) SS BIAS CONTROL --- YAW	AACS		19742:02:003F	01-296/18:59:00	1ECa
91	297 09:17:44	31	60RISE			10 DEGREE RISE DSC-60					1V
92	297 09:27:04	31	40 SET			10 DEGREE SET DSC-40					1V
93	297 10:15:00	31	65 AO	OPCH ACE		AOS DSS-65 PASS-8839 (D/L ONLY)					1DP
94	297 12:00:00	31				VGR-31 OWLT IS 11H 32M 57S					1L
95	297 12:00:00	32				VGR-32 OWLT IS 09H 05M 31S					2L
96	297 13:05:00	31	65 LO	OPCH ACE		LOS DSS-65 PASS-8839					1DP

INTEGRATED SEQUENCE FOR JST A041F JSX B113F WEEK 43 DOY 01-295/00:00 - 01-302/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
146	298 02:47:15	31			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		19767:21:009F	01-297/15:14:12	1ECf
147	298 02:48:03	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	19767:22:001F	01-297/15:14:59	1ESf
148	298 02:48:03	31			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		19767:22:002F	01-297/15:14:59	1ECs
149	298 02:48:03	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		19767:22:002F	01-297/15:15:00	1ECd
150	298 02:48:03	31				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:5 TIC:3469	DTR		19767:22:002F	01-297/15:15:00	1ESd
151	298 02:48:03	31			CC6AD	(3 2 0 0) SVC-W4 FDS MEM B WRT PROTECT	FDS		19767:22:003F	01-297/15:15:00	1ECf
152	298 02:48:03	31		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PA/FDS11	FDS	CR-5T	19767:22:003F	01-297/15:15:00	1ESf
153	298 02:48:04	31				END PLAYBACK			19767:22:018F	01-297/15:15:00	1T
154	298 03:02:27	31				B- YAWDB			19767:40:001F	01-297/15:29:23	1TB
155	298 03:02:27	31				YAWDB - .10			19767:40:001F	01-297/15:29:23	1T
156	298 03:02:27	31			AC7PAR	(6741 001700) +YAW DB=.10 DEG	AACS		19767:40:004F	01-297/15:29:24	1ECa
157	298 03:30:00	31	25	LO	OPCH ACE	LOS DSS-25 PASS-8840					1DP
158	298 04:10:00	32	34	AO	OPCH ACE	AOS DSS-34 PASS-8856 (D/L ONLY)					2DP

INTEGRATED SEQUENCE FOR JST A041F JSX B113F WEEK 43 DOY 01-295/00:00 - 01-302/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
159	298 04:17:06	31	10	SET		10 DEGREE SET DSC-10					1V
160	298 09:13:52	31	60	RISE		10 DEGREE RISE DSC-60					1V
161	298 09:23:11	31	40	SET		10 DEGREE SET DSC-40					1V
162	298 12:00:00	31				VGR-31 OWLT IS 11H 33M 06S					1L
163	298 12:00:00	32				VGR-32 OWLT IS 09H 05M 43S					2L
164	298 14:20:00	32	34	LO	OPCH ACE	LOS DSS-34 PASS-8856					2DP
165	298 15:20:29	32	40	SET		10 DEGREE SET DSC-40					2V
166	298 16:46:27	31	10	RISE		10 DEGREE RISE DSC-10					1V
167	298 18:36:09	31				TAPPOS-0550			19787:07:001F	01-298/07:02:59	1T
168	298 18:36:09	31			CC16C	(2221) DTR STATE SELECT: SLEW	DTR		19787:07:002F	01-298/07:02:59	1ECd
169	298 18:36:09	31				DTR STATUS MODE:SLEW RATE:007.2K DIR:R TRK:1 TIC:3470	DTR		19787:07:002F	01-298/07:02:59	1ESd
170	298 18:45:00	31	24	AO	OPCH ACE	AOS DSS-24 PASS-8841 (D/L ONLY)					1DP
171	298 20:47:01	31	60	SET		10 DEGREE SET DSC-60					1V
172	298 20:51:18	31			CC16C	(7000) DTR STATE SELECT: READY	DTR		19789:55:741F	01-298/09:18:08	1ECd
173	298 20:51:18	31				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:1 TIC:0550	DTR		19789:55:741F	01-298/09:18:08	1ESd
174	298 21:24:10	31				FWD/TRK 1			19790:37:001F	01-298/09:50:59	1T
175	298 21:24:10	31			CC16C	(7011) DTR STATE SELECT: READY	DTR		19790:37:002F	01-298/09:50:59	1ECd

INTEGRATED SEQUENCE FOR JST A041F JSX B113F WEEK 43 DOY 01-295/00:00 - 01-302/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
195	299 16:00:00	31	54 AO	OPCH ACE		AOS DSS-54 PASS-8841 (U/L PASS) PERFORM RFSTLC PER TELECOM MESSAGE					1DP
196	299 16:42:34	31	10RISE			10 DEGREE RISE DSC-10					1V
197	299 17:45:00	31	54	OPCH 54		== START TLC TEST UP-LINK == == EXECUTE PER DSN SUPPLIED == == TUNING INSTRUCTIONS ==					1TD
198	299 17:45:00	31	54	OPCH 54		== TLC TEST UP-LINK == TURN RANGING MOD OFF (IF APPL)					1TD
199	299 17:46:00	31	54	OPCH 54		== TLC TEST UP-LINK == TURN COMMAND MOD OFF (IF APPL) NO COMMANDING FOR 1 HR 56 MIN					1TD
200	299 17:47:00	31	54	OPCH 54		== TLC TEST UP-LINK == == TUNE U/L AT 48 HZ/SEC == == TO XA-65 KHZ (S-BAND) ==					1TD
201	299 17:56:41	32				BHEL11 PWSREC 17			13674:27:018F	01-299/08:52:00	2T
202	299 17:56:41	32				B- PWSREC			13674:27:018F	01-299/08:52:00	2TB
203	299 17:56:41	32				BEGIN PWSREC			13674:27:018F	01-299/08:52:00	2T
204	299 17:56:41	32				B- DRGS4B			13674:27:018F	01-299/08:52:00	2TB
205	299 17:57:25	32				BEGIN RECORDING PWS DATA			13674:27:751F	01-299/08:52:44	2T
206	299 17:57:30	32				B- DRCRUS			13674:28:034F	01-299/08:52:49	2TB
207	299 17:58:19	32				END PWSREC			13674:29:034F	01-299/08:53:37	2T

INTEGRATED SEQUENCE FOR JST A041F JSX B113F WEEK 43 DOY 01-295/00:00 - 01-302/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
208	299 18:12:00	31	54	OPCH 54		== END TLC TEST UP-LINK == == TURN TRANSMITTER OFF == TUNE TO TSF @ 48 HZ/SEC (S-BAND)					1TD
209	299 18:45:00	31	54	LO OPCH ACE		LOS DSS-54 PASS-8841					1DP
210	299 19:00:00	31	15	AO OPCH ACE		AOS DSS-15 PASS-8842 (D/L ONLY)					1DP
211	299 19:21:06	31				B- MISCMD			19818:03:001F	01-299/07:47:47	1TB
212	299 19:21:06	31				MISCMD -			19818:03:001F	01-299/07:47:47	1T
213	299 19:21:06	31			AC7PAR	(6740 001700) +PITCH DB=.10 DEG	AACS		19818:03:004F	01-299/07:47:48	1ECa
214	299 19:21:54	31				B- GYONBC.31			19818:04:001F	01-299/07:48:35	1TB
215	299 19:21:54	31				BEGIN GYONBC31			19818:04:001F	01-299/07:48:35	1T
216	299 19:21:54	31			AC7GYP	(111) DRIRU PATTERN CONTROL GYRO/AXIS=B/PITCH C/YAW & ROLL	AACS		19818:04:003F	01-299/07:48:36	1ECa
217	299 19:21:54	31			CC7GARP	GYRO A OFF	PWR		19818:04:004F	01-299/07:48:36	1ECp
218	299 19:21:54	31				AACS STATUS MODE : CRU GYRO A: OFF HYBIC: 2 GYRO B: OFF CST : ON GRYO C: OFF	AACS		19818:04:004F	01-299/07:48:36	1ESa
219	299 19:21:54	31			CC7GARP	GYRO A OFF	PWR		19818:04:006F	01-299/07:48:36	1ECp
220	299 19:21:54	31			CC7PC	(352) GYRO A OFF	AACS		19818:04:008F	01-299/07:48:36	1ECa
221	299 19:21:54	31			CC7GCP	GYRO C ON	PWR		19818:04:009F	01-299/07:48:36	1ECp
222	299 19:21:54	31				AACS STATUS MODE : CRU GYRO A: OFF HYBIC: 2 GYRO B: OFF CST : ON GRYO C: ON	AACS		19818:04:009F	01-299/07:48:36	1ESa
223	299 19:21:55	31			CC7GCP	GYRO C ON	PWR		19818:04:011F	01-299/07:48:36	1ECp

INTEGRATED SEQUENCE FOR JST A041F JSX B113F WEEK 43 DOY 01-295/00:00 - 01-302/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
224	299 19:21:55	31			CC7PC	(373) GYRO C ON	AACS		19818:04:013F	01-299/07:48:36	1ECa
225	299 19:21:55	31			CC7GBP	GYRO B ON	PWR		19818:04:013F	01-299/07:48:36	1ECp
226	299 19:21:55	31				AACS STATUS MODE : CRU GYRO A: OFF HYBIC: 2 GYRO B: ON CST : ON GRYO C: ON	AACS	19818:04:013F	01-299/07:48:36	1ESa	
227	299 19:21:55	31			CC7GBP	GYRO B ON	PWR		19818:04:015F	01-299/07:48:36	1ECp
228	299 19:21:55	31			CC7PC	(363) GYRO B ON	AACS		19818:04:018F	01-299/07:48:36	1ECa
229	299 19:22:23	31				DRIRU INITIALIZATION			19818:04:484F	01-299/07:49:04	1T
230	299 19:22:24	31			CC7GY	(3) DRIRU INITIALIZE [P/Y/R]	AACS		19818:04:502F	01-299/07:49:06	1ECa
231	299 19:22:53	31				SET CALIB			19818:05:184F	01-299/07:49:34	1T
232	299 19:22:54	31			AC7PAR	(7530 000001) PARAMETER LOAD	AACS		19818:05:204F	01-299/07:49:36	1ECa
233	299 19:31:53	31				START GYRO FAULT TEST			19818:16:384F	01-299/07:58:34	1T
234	299 19:31:54	31			CC7GY	(4) DRIRU FAULT TEST START	AACS		19818:16:402F	01-299/07:58:36	1ECa
235	299 19:31:55	31				END GYONBC31			19818:16:418F	01-299/07:58:36	1T
236	299 20:21:55	31				B- CCSTIMB			19819:19:001F	01-299/08:48:35	1TB
237	299 20:21:55	31				EXECUTE CCSTIMB FINE			19819:19:001F	01-299/08:48:35	1T
238	299 20:35:00	31	15 LO	OPCH ACE		LOS DSS-15 PASS-8842					1DP
239	299 20:43:06	31	60 SET			10 DEGREE SET DSC-60					1V
240	299 23:19:00	32	40RISE			10 DEGREE RISE DSC-40					2V
241	299 23:30:00	31	25 AO	OPCH ACE		AOS DSS-25 PASS-8842 (D/L ONLY)					1DP
242	300 00:00:00	31				VGR-31 OWLT IS 11H 33M 20S					1L
243	300 00:00:00	32				VGR-32 OWLT IS 09H 06M 00S					2L
244	300 00:00:00	32	34 AO	OPCH ACE		AOS DSS-34 PASS-8858 (D/L ONLY)					2DP

INTEGRATED SEQUENCE FOR JST A041F JSX B113F WEEK 43 DOY 01-295/00:00 - 01-302/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
245	300 00:07:23	31	40RISE			10 DEGREE RISE DSC-40					1V
246	300 00:13:32	32				B- MISCMD			13682:18:001F	01-299/15:08:47	2TB
247	300 00:13:32	32				MISCMD - GYRO FAULT TEST DIS			13682:18:001F	01-299/15:08:47	2T
248	300 00:13:32	32			CC7GY	(5) DRIRU FAULT TEST STOP	AACS		13682:18:001F	01-299/15:08:47	2ECa
249	300 00:14:20	32				B- GYONBC.32			13682:19:001F	01-299/15:09:35	2TB
250	300 00:14:20	32				BEGIN GYONBC32			13682:19:001F	01-299/15:09:35	2T
251	300 00:14:20	32			AC7GYP	(111) DRIRU PATTERN CONTROL GYRO/AXIS=B/PITCH C/YAW & ROLL	AACS		13682:19:003F	01-299/15:09:35	2ECa
252	300 00:14:20	32			CC7GARP	GYRO A OFF	PWR		13682:19:004F	01-299/15:09:35	2ECp
253	300 00:14:20	32				AACS STATUS MODE : CRU GYRO A: OFF HYBIC: 2 GYRO B: ON CST : ON GRYO C: OFF	AACS	13682:19:004F	01-299/15:09:35	2ESa	
254	300 00:14:20	32			CC7GARP	GYRO A OFF	PWR		13682:19:006F	01-299/15:09:36	2ECp
255	300 00:14:20	32			CC7PC	(352) GYRO A OFF	AACS		13682:19:008F	01-299/15:09:36	2ECa
256	300 00:14:20	32			CC7GCP	GYRO C ON	PWR		13682:19:009F	01-299/15:09:36	2ECp
257	300 00:14:20	32				AACS STATUS MODE : CRU GYRO A: OFF HYBIC: 2 GYRO B: ON CST : ON GRYO C: ON	AACS	13682:19:009F	01-299/15:09:36	2ESa	
258	300 00:14:20	32			CC7GCP	GYRO C ON	PWR		13682:19:011F	01-299/15:09:36	2ECp
259	300 00:14:20	32			CC7PC	(373) GYRO C ON	AACS		13682:19:013F	01-299/15:09:36	2ECa
260	300 00:14:49	32				DRIRU INITIALIZATION			13682:19:484F	01-299/15:10:04	2T
261	300 00:14:50	32			CC7GY	(3) DRIRU INITIALIZE [P/Y/R]	AACS		13682:19:501F	01-299/15:10:05	2ECa
262	300 00:15:19	32				SET CALIB			13682:20:184F	01-299/15:10:34	2T

INTEGRATED SEQUENCE FOR JST A041F JSX B113F WEEK 43 DOY 01-295/00:00 - 01-302/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
289	300 14:21:38	32			CC3A	(41310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=41 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		13699:58:002F	01-300/05:16:47	2ECs
290	300 14:21:39	32			SC06BB	(53 0 07 0) FDS MODE TO: PLS INTEGRATION MODE: N/A PPS SAFING COMMAND : N/A ENGINEERING FORMAT : CRUISE AACS READOUT MODE : TELEMETRY	FDS		13699:58:025F	01-300/05:16:49	2ECf
291	300 14:22:26	32		ACE OPCH		FDS STATUS CR-5T/X160/S10 MEM:PB/FDS11 SA/FDS11	FDS	CR-5T	13699:59:001F	01-300/05:17:35	2ESf
292	300 14:22:26	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		13699:59:001F	01-300/05:17:35	2ECd
293	300 14:22:26	32				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:7 TIC:2649	DTR		13699:59:001F	01-300/05:17:35	2ESd
294	300 14:22:26	32			CC3A	(32310) X-BD TMU STATE CHANGE DRIVER(S) 1 AND 2 ON MOD INDEX=32 DATA RATE=HIGH SUBCARRIER FREQ=22.5KHZ	MDS		13699:59:002F	01-300/05:17:35	2ECs
295	300 15:12:37	32	40	SET		10 DEGREE SET DSC-40					2V
296	300 15:15:00	31	54	AO	OPCH ACE	AOS DSS-54 PASS-8842 (D/L ONLY)					1DP
297	300 16:29:39	32			CC16C	(2221) DTR STATE SELECT: SLEW	DTR		13702:38:001F	01-300/07:24:47	2ECd
298	300 16:29:39	32				DTR STATUS MODE:SLEW RATE:007.2K DIR:R TRK:1 TIC:2656	DTR		13702:38:001F	01-300/07:24:47	2ESd
299	300 16:30:34	32			CC16C	(7000) DTR STATE SELECT: READY	DTR		13702:39:115F	01-300/07:25:42	2ECd

INTEGRATED SEQUENCE FOR JST A041F JSX B113F WEEK 43 DOY 01-295/00:00 - 01-302/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
300	300 16:30:34	32				DTR STATUS MODE:RDY RATE:000.0K DIR:R TRK:1 TIC:2636	DTR		13702:39:115F	01-300/07:25:42	2ESd
301	300 16:38:42	31	10RISE			10 DEGREE RISE DSC-10					1V
302	300 17:18:49	31	54	OPCH 54		== START TLC TEST DOWN-LINK ==					1TD
303	300 18:19:49	31	54	OPCH 54		== END TLC TEST DOWN-LINK ==					1TD
304	300 18:25:00	31	15 AO	OPCH ACE		AOS DSS-15 PASS-8843 (D/L ONLY)					1DP
305	300 18:45:00	31	54 LO	OPCH ACE		LOS DSS-54 PASS-8842					1DP
306	300 19:29:41	32			CC16C	(7011) DTR STATE SELECT: READY	DTR		13706:23:001F	01-300/10:24:47	2ECd
307	300 19:29:41	32				DTR STATUS MODE:RDY RATE:000.0K DIR:F TRK:1 TIC:2636	DTR		13706:23:001F	01-300/10:24:47	2ESd
308	300 20:39:12	31	60 SET			10 DEGREE SET DSC-60					1V
309	300 23:15:08	32	40RISE			10 DEGREE RISE DSC-40					2V
310	301 00:00:00	31				VGR-31 OWLT IS 11H 33M 29S					1L
311	301 00:00:00	32				VGR-32 OWLT IS 09H 06M 12S					2L
312	301 00:03:29	31	40RISE			10 DEGREE RISE DSC-40					1V
313	301 01:30:00	32	34 AO	OPCH ACE		AOS DSS-34 PASS-8859 (D/L ONLY)					2DP
314	301 03:35:00	31	15 LO	OPCH ACE		LOS DSS-15 PASS-8843					1DP
315	301 04:05:23	31	10 SET			10 DEGREE SET DSC-10					1V

INTEGRATED SEQUENCE FOR JST A041F JSX B113F WEEK 43 DOY 01-295/00:00 - 01-302/00:00

ITEM NO	TRM-OR-ERT DOY-HH:MM:SS	SC ID	DSN	ACTION BY>>TO	COMMAND	EVENT-DESCRIPTION	S/C SBSYS	TLM FMT	FDS-COUNT	SCE-TIME	SORT CODE
316	301 06:02:01	32		ACE ALL		END S/C-32 COMMAND MORATORIUM					2T
317	301 09:02:14	31	60RISE			10 DEGREE RISE DSC-60					1V
318	301 09:11:34	31	40 SET			10 DEGREE SET DSC-40					1V
319	301 10:00:00	31	65 AO	OPCH ACE		AOS DSS-65 PASS-8843 (D/L ONLY)					1DP
320	301 12:00:00	31				VGR-31 OWLT IS 11H 33M 34S					1L
321	301 12:00:00	32				VGR-32 OWLT IS 09H 06M 18S					2L
322	301 12:42:10	31			AC7SSB	(4 +151) SS BIAS CONTROL --- YAW	AACS		19869:44:003F	01-301/01:08:36	1ECa
323	301 13:35:00	32	34 LO	OPCH ACE		LOS DSS-34 PASS-8859					2DP
324	301 15:08:41	32	40 SET			10 DEGREE SET DSC-40					2V
325	301 16:34:49	31	10RISE			10 DEGREE RISE DSC-10					1V
326	301 19:45:00	31	25 AO	OPCH ACE		AOS DSS-25 PASS-8844 (D/L ONLY)					1DP
327	301 20:05:00	31	65 LO	OPCH ACE		LOS DSS-65 PASS-8843					1DP
328	301 20:35:17	31	60 SET			10 DEGREE SET DSC-60					1V
329	301 23:05:00	32	45 AO	OPCH ACE		AOS DSS-45 PASS-8860 (D/L ONLY)					2DP
330	301 23:11:15	32	40RISE			10 DEGREE RISE DSC-40					2V
331	301 23:59:34	31	40RISE			10 DEGREE RISE DSC-40					1V
332	302 00:00:00	31				VGR-31 OWLT IS 11H 33M 38S					1L
333	302 00:00:00	32				VGR-32 OWLT IS 09H 06M 23S					2L