

# The Arrow Book

---

## The Arrow Book

---

---

# Table of Contents

1. Arrows .....	1
-----------------	---

---

# List of Tables

1.1. The Arrows ..... 1

---

# Chapter 1. Arrows

This test book demonstrates rendering arrows using `xsltproc` and `fop`. The character entities were taken from Oasis's XML Character Entities [<http://www.oasis-open.org/docbook/specs/wd-docbook-xmlcharent-0.3.html>].

**Table 1.1. The Arrows**

Character	Entity or Code Point	Rendered
Left arrow	<code>&amp;larr;</code>	#
	<code>&amp;#x2190;</code>	#
Right arrow	<code>&amp;rarr;</code>	#
	<code>&amp;#x2192;</code>	#
Up arrow	<code>&amp;uarr;</code>	#
	<code>&amp;#x2191;</code>	#
Down arrow	<code>&amp;darr;</code>	#
	<code>&amp;#x2193;</code>	#

The attached FO was produced using `xsltproc 2.7.6` on Ubuntu 10.04 (x64). `xsltproc` used a stock Ubuntu style sheet located at `/usr/share/xml/docbook/stylesheet/docbook-xsl-ns/fop/docbook.xsl`. The FO was then processed with `fop 0.95` to produce a PDF.