



Scheiben, Distanzhülsen und Rollen

Unterlegscheiben aus PA und PVC

Artikel	A mm	B mm	C mm
003 0202	2,5	8,0	1,0
041 0251	2,7	5,0	0,5
041 0250	2,7	5,0	1,0
031 0250	2,7	5,0	1,5
003 0251	2,7	6,5	0,5
003 0250	2,7	6,8	1,1
031 0300	3,2	5,5	2,2
041 0301	3,2	6,0	0,5
041 0300	3,2	6,0	1,0
003 0305	3,2	7,0	0,5
003 0300	3,2	7,0	1,4
032 0301 000 01	3,2	9,0	0,8
032 0300 000 01	3,2	9,0	1,5
033 0300 000 01	3,2	15,0	1,5
033 0300 114 07	3,2	15,0	1,5
032 0300 114 07	3,2	9,0	1,5
003 0303	3,3	8,0	1,0
003 0304	3,4	5,7	0,6
003 0306	3,2	7,0	1,0
003 0401	4,1	10,0	1,0
031 0400	4,3	7,0	2,3
041 0401	4,3	8,0	0,5
041 0400	4,3	8,0	1,0
003 0407	4,3	9,0	0,8
003 0400	4,3	9,0	1,4
032 0401 000 01	4,3	12,0	1,0
032 0400 000 01	4,3	12,0	1,5
032 0400 114 07	4,3	12,0	1,5
033 0400 000 01	4,3	18,0	2,0
033 0400 114 07	4,3	18,0	2,0
003 0404	4,9	9,5	1,4
003 0402	4,9	12,7	1,4
003 0405	4,9	12,7	3,2
003 0403	4,9	15,9	2,5
003 0406	4,9	22,2	1,0
003 0503	5,2	10,0	1,0
031 0500	5,3	8,5	2,8
041 0500	5,3	10,0	1,0
003 0500	5,3	11,5	1,4
032 0500 000 01	5,3	15,0	1,5
032 0500 114 07	5,3	15,0	1,5
033 0500 000 01	5,3	25,0	2,5



Artikel	A mm	B mm	C mm
032 0600 000 01	6,4	18,0	1,6
032 0600 114 07	6,4	18,0	2,0
033 0600 000 01	6,4	30,0	3,0
033 0600 114 07	6,4	30,0	3,0
003 0606	6,5	14,0	1,2
003 0608	6,6	14,3	1,4
003 0812	8,1	14,0	1,0
031 0800	8,4	13,0	2,8
041 0800	8,4	15,0	1,5
003 0800	8,4	17,0	2,0
032 0800 000 01	8,4	25,0	2,0
032 0800 114 07	8,4	25,0	2,5
033 0800 000 01	8,4	40,0	3,0
033 0800 114 07	8,4	40,0	3,0
003 0813	9,6	18,0	1,2
003 1001	10,2	17,0	2,0
041 1000	10,5	18,0	1,5
003 1000	10,5	21,0	2,5
032 1000 000 01	10,5	30,0	3,0
032 1000 114 07	10,5	30,0	3,0
003 1007	11,2	18,0	1,2
003 1204	12,2	24,0	1,3
003 1200	13,0	24,0	2,5
032 1200 000 01	13,0	40,0	3,0
032 1200 114 07	13,0	40,0	3,0
003 1205	13,4	24,0	1,4
003 1400	15,0	28,0	2,5
003 1403	15,2	26,0	1,4
003 1601	16,2	32,3	2,0
003 1600	17,0	30,0	3,0
003 1605	17,2	26,0	1,4
003 1805	19,2	34,0	1,5
003 2000	21,0	37,0	3,0
003 2003	21,2	34,0	1,5
003 2203	22,2	34,0	1,5
003 2204	23,2	38,0	1,7
003 2504	25,2	40,0	1,7

Schraubenrosetten

Schraubenrosetten passend für DIN 95, 97, 963, 964, 965, 966,
7963, 7972, 7982, 7983, 7991, 7995, 7997

Artikel	A mm	B mm	C mm	D mm	M	alpha °	WW
007 0090	3,2	10,5	7,0	3,0	3,0	90	1/8"
007 0110	4,3	12,5	9,0	3,0	4,0	90	5/32"



7963, 7972, 7982, 7983, 7991, 7995, 7997

Artikel	A mm	B mm	C mm	D mm	M	alpha °	WW
007 1025	2,7	6,8	5,0	2,0	2,5	90	3/32"
007 1030	3,2	8,5	6,0	2,2	3,0	90	1/8"
007 1040	4,3	10,5	8,0	2,8	4,0	90	5/32"
007 1050	5,3	12,7	10,0	3,4	5,0	90	3/16"
007 1060	6,4	15,0	12,0	4,0	6,0	90	1/4"
007 1080	8,4	20,0	16,0	5,0	8,0	90	5/16"

Schraubenrosetten passend für DIN 85, 96, 7971, 7981, 7985, 7996

Artikel	A mm	B mm	C mm	D mm	E mm	M	WW
007 2025	2,7	6,8	5,0	2,0	1,0	2,5	3/32"
007 2030	3,2	8,5	6,0	2,2	1,2	3,0	1/8"
007 2040	4,3	10,5	8,0	2,8	1,7	4,0	5/32"
007 2050	5,3	12,7	10,0	3,4	2,2	5,0	3/16"
007 2060	6,4	15,0	12,0	4,0	2,7	6,0	1/4"
007 2080	8,4	20,0	16,0	5,0	3,5	8,0	5/16"

Schraubenrosetten passend für DIN 95, 97, 963, 964, 965, 966, 7963, 7972, 7982, 7983, 7991, 7995, 7997

Artikel	A mm	B mm	C mm	D mm	M	alpha °	WW
007 3030	3,2	14,0	7,0	2,9	3,0	90	1/8"
007 3040	4,3	16,0	9,0	3,5	4,0	90	5/32"
007 3050	5,3	18,0	11,0	3,8	5,0	90	3/16"
007 3060	6,4	22,0	13,0	4,5	6,0	90	1/4"

Schraubenrosetten passend für DIN 84, 912, 6912, 7984

Artikel	A mm	B mm	C mm	D mm	E mm	M	WW
007 4030	3,2	14,0	5,5	2,8	1,7	3,0	1/8"
007 4040	4,3	16,0	7,0	3,5	2,3	4,0	5/32"
007 4050	5,3	18,0	8,5	4,0	2,7	5,0	3/16"
007 4060	6,4	22,0	10,0	4,9	3,5	6,0	1/4"

Schraubenrosetten passend für DIN 84, 912, 6912, 7984

Artikel	A mm	B mm	C mm	D mm	E mm	M	WW
007 5030	3,2	6,5	5,5	2,0	1,1	3,0	1/8"
007 5040	4,3	8,5	7,0	2,2	1,2	4,0	5/32"
007 5050	5,3	10,5	8,5	2,8	1,6	5,0	3/16"



Artikel	A mm	B mm
176 0008	11,2	19,4

Sattelscheiben

Artikel	A mm	B mm	C mm	D mm	E mm
102 0130	12-14	4,2	13,0	2,2	5,5
102 0140	12-14	5,2	13,0	2,2	5,5
102 0160	15-17	5,0	16,0	2,4	6,8
102 0190	18-20	5,2	19,0	2,7	8,0
102 0200	18-20	6,2	19,0	2,7	8,0
102 0220	21-23	5,2	22,0	3,0	9,0
102 0230	21-23	6,2	22,0	3,0	9,0
102 0250	24-26	6,2	25,0	3,1	10,0
102 0260	24-26	8,3	25,0	3,1	10,0
102 0280	27-29	6,2	28,0	3,3	11,0
102 0290	27-29	8,3	28,0	3,3	11,0
102 0320	30-34	8,3	32,0	3,4	12,0
102 0330	30-34	10,4	32,0	3,4	12,0
102 0550	50-60	6,6	40,0	5,0	12,0
102 0570	50-60	10,4	40,0	5,0	12,0
102 0560	50-60	16,5	40,0	5,0	12,0

Distanzhülsen aus PA

Artikel	A mm	B mm	C mm
005 1500	2,2	4,0	2,0
005 1506	2,2	4,0	3,0
005 1512	2,2	4,0	4,0
005 1518	2,2	4,0	5,0
005 1536	2,2	4,0	8,0
005 1548	2,2	4,0	10,0
005 1560	2,2	4,0	12,0
005 1578	2,2	4,0	15,0
005 1596	2,2	4,0	18,0
005 1608	2,2	4,0	20,0
005 1638	2,2	4,0	25,0
005 1668	2,2	4,0	30,0
005 2000*	2,6	4,0	2,0
005 2030*	2,6	4,0	3,0
005 2060*	2,6	4,0	5,0
005 2090*	2,6	4,0	7,5
005 2120*	2,6	4,0	10,5
005 2150*	2,6	4,0	15,0
005 2180*	2,6	4,0	20,0
005 2210*	2,6	4,0	25,0
005 2240*	2,6	4,0	30,0
005 2370*	2,6	5,0	2,0



Artikel	A mm	B mm	C mm
005 2550*	2,6	5,0	20,0
005 2580*	2,6	5,0	25,0
005 2610*	2,6	5,0	30,0
005 2740*	3,1	5,0	2,0
005 2770*	3,1	5,0	3,0
005 2800*	3,1	5,0	5,0
005 2830*	3,1	5,0	7,5
005 2860*	3,1	5,0	10,0
005 2890*	3,1	5,0	15,0
005 2920*	3,1	5,0	20,0
005 2950*	3,1	5,0	25,0
005 2980*	3,1	5,0	30,0
005 3110	3,1	6,0	2,0
005 3140	3,1	6,0	3,0
005 3155	3,1	6,0	4,0
005 3170	3,1	6,0	5,0
005 3182	3,1	6,0	6,0
005 3200	3,1	6,0	7,5
005 3206	3,1	6,0	8,0
005 3230	3,1	6,0	10,0
005 3242	3,1	6,0	12,0
005 3260	3,1	6,0	15,0
005 3278	3,1	6,0	18,0
005 3290	3,1	6,0	20,0
005 3320	3,1	6,0	25,0
005 3350	3,1	6,0	30,0
005 3480	3,1	8,0	3,0
005 3510	3,1	8,0	5,0
005 3540	3,1	8,0	7,5
005 3570	3,1	8,0	10,0
005 3600	3,1	8,0	15,0
005 3630	3,1	8,0	20,0
005 3660	3,1	8,0	25,0
005 3690	3,1	8,0	30,0
005 3820	3,6	6,0	2,0
005 3850	3,6	6,0	3,0
005 3865	3,6	6,0	4,0
005 3880	3,6	6,0	5,0
005 3910	3,6	6,0	7,5
005 3916	3,6	6,0	8,0
005 3940	3,6	6,0	10,0
005 3952	3,6	6,0	12,0
005 3970	3,6	6,0	15,0
005 3988	3,6	6,0	18,0
005 4000	3,6	6,0	20,0
005 4030	3,6	6,0	25,0
005 4060	3,6	6,0	30,0
005 4190	4,2	8,0	3,0
005 4205	4,2	8,0	4,0



Artikel	A mm	B mm	C mm
005 4292	4,2	8,0	12,0
005 4310	4,2	8,0	15,0
005 4328	4,2	8,0	18,0
005 4340	4,2	8,0	20,0
005 4370	4,2	8,0	25,0
005 4400	4,2	8,0	30,0
005 4530	5,2	10,0	3,0
005 4545	5,2	10,0	4,0
005 4560	5,2	10,0	5,0
005 4590	5,2	10,0	7,5
005 4596	5,2	10,0	8,0
005 4620	5,2	10,0	10,0
005 4632	5,2	10,0	12,0
005 4650	5,2	10,0	15,0
005 4668	5,2	10,0	18,0
005 4680	5,2	10,0	20,0
005 4710	5,2	10,0	25,0
005 4740	5,2	10,0	30,0
005 4870	6,2	10,0	3,0
005 4900	6,2	10,0	5,0
005 4930	6,2	10,0	7,5
005 4960	6,2	10,0	10,0
005 4990	6,2	10,0	15,0
005 5020	6,2	10,0	20,0
005 5050	6,2	10,0	25,0
005 5080	6,2	10,0	30,0
005 5210	6,3	15,0	3,0
005 5240	6,3	15,0	5,0
005 5270	6,3	15,0	7,5
005 5300	6,3	15,0	10,0
005 5330	6,3	15,0	15,0
005 5360	6,3	15,0	20,0
005 5390	6,3	15,0	25,0
005 5420	6,3	15,0	30,0
005 5550	8,2	12,0	3,0
005 5580	8,2	12,0	5,0
005 5610	8,2	12,0	7,5
005 5640	8,2	12,0	10,0
005 5670	8,2	12,0	15,0
005 5700	8,2	12,0	20,0
005 5730	8,2	12,0	25,0
005 5760	8,2	12,0	30,0
005 5890	8,2	18,0	3,0
005 5920	8,2	18,0	5,0
005 5950	8,2	18,0	7,5
005 5980	8,2	18,0	10,0
005 6010	8,2	18,0	15,0
005 6040	8,2	18,0	20,0
005 6070	8,2	18,0	25,0



Artikel	A mm	B mm	C mm
005 6350	10,3	15,0	15,0
005 6380	10,3	15,0	20,0
005 6410	10,5	15,0	25,0
005 6440	10,3	15,0	30,0
005 6600	10,3	22,0	5,0
005 6630	10,3	22,0	10,0
005 6690	10,3	22,0	15,0
005 6710	10,3	22,0	20,0
005 6750	10,3	22,0	25,0
005 6780	10,3	22,0	30,0
005 6810	10,3	22,0	35,0
005 6840	10,3	22,0	40,0
005 6870	10,3	22,0	45,0
005 6900	10,3	22,0	50,0
005 7030	12,8	18,0	3,0
005 7060	12,8	18,0	5,0
005 7090	12,8	18,0	7,5
005 7120	12,8	18,0	10,0
005 7150	12,8	18,0	15,0
005 7180	12,8	18,0	20,0
005 7210	12,8	18,0	25,0
005 7240	12,8	18,0	30,0
005 7400	12,6	25,0	5,0
005 7430	12,6	25,0	10,0
005 7460	12,6	25,0	15,0
005 7490	12,6	25,0	20,0
005 7520	12,6	25,0	25,0
005 7550	12,6	25,0	30,0
005 7580	12,6	25,0	35,0
005 7610	12,6	25,0	40,0
005 7640	12,6	25,0	45,0
005 7670	12,6	25,0	50,0
005 8196	16,5	25,0	5,0
005 8216	16,5	25,0	10,0
005 8236	16,5	25,0	15,0
005 8256	16,5	25,0	20,0
005 8276	16,5	25,0	25,0
005 8296	16,5	25,0	30,0
005 8316	16,5	25,0	35,0
005 8336	16,5	25,0	40,0
005 8356	16,5	25,0	45,0
005 8376	16,5	25,0	50,0

Distanzscheiben mit variabler Dicke



Artikel	A mm	B mm	C mm
05-10-5,3-3	10,0	5,3	3,0
05-10-5,3-4	10,0	5,3	4,0
05-10-5,3-5	10,0	5,3	5,0
05-10-5,3-6	10,0	5,3	6,0
05-10-5,3-7	10,0	5,3	7,0
05-10-5,3-8	10,0	5,3	8,0
05-10-5,3-9	10,0	5,3	9,0
05-10-5,3-10	10,0	5,3	10,0
05-10-5,3-11	10,0	5,3	11,0
05-10-5,3-12	10,0	5,3	12,0
05-10-5,3-13	10,0	5,3	13,0
05-10-5,3-14	10,0	5,3	14,0
05-10-5,3-15	10,0	5,3	15,0
05-10-5,3-16	10,0	5,3	16,0
05-10-5,3-17	10,0	5,3	17,0
05-10-5,3-18	10,0	5,3	18,0
05-10-5,3-19	10,0	5,3	19,0
05-10-5,3-20	10,0	5,3	20,0
05-10-5,3-21	10,0	5,3	21,0
05-10-5,3-22	10,0	5,3	22,0
05-10-5,3-23	10,0	5,3	23,0
05-10-5,3-24	10,0	5,3	24,0
05-10-5,3-25	10,0	5,3	25,0
05-10-5,3-26	10,0	5,3	26,0
05-10-5,3-27	10,0	5,3	27,0
05-10-5,3-28	10,0	5,3	28,0
05-10-5,3-29	10,0	5,3	29,0
05-10-5,3-30	10,0	5,3	30,0
05-10-5,3-31	10,0	5,3	31,0
05-10-5,3-32	10,0	5,3	32,0
05-10-5,3-33	10,0	5,3	33,0
05-10-5,3-34	10,0	5,3	34,0
05-10-5,3-35	10,0	5,3	35,0
05-10-6,4-1	10,0	6,4	1,0
05-10-6,4-2	10,0	6,4	2,0
05-10-6,4-3	10,0	6,4	3,0
05-10-6,4-4	10,0	6,4	4,0
05-10-6,4-5	10,0	6,4	5,0
05-10-6,4-6	10,0	6,4	6,0
05-10-6,4-7	10,0	6,4	7,0
05-10-6,4-8	10,0	6,4	8,0
05-10-6,4-9	10,0	6,4	9,0
05-10-6,4-10	10,0	6,4	10,0
05-10-6,4-11	10,0	6,4	11,0
05-10-6,4-12	10,0	6,4	12,0
05-10-6,4-13	10,0	6,4	13,0
05-10-6,4-14	10,0	6,4	14,0
05-10-6,4-15	10,0	6,4	15,0
05-10-6,4-16	10,0	6,4	16,0



Artikel	A mm	B mm	C mm
05-10-6,4-22	10,0	6,4	22,0
05-10-6,4-23	10,0	6,4	23,0
05-10-6,4-24	10,0	6,4	24,0
05-10-6,4-25	10,0	6,4	25,0
05-10-6,4-26	10,0	6,4	26,0
05-10-6,4-27	10,0	6,4	27,0
05-10-6,4-28	10,0	6,4	28,0
05-10-6,4-29	10,0	6,4	29,0
05-10-6,4-30	10,0	6,4	30,0
05-10-6,4-31	10,0	6,4	31,0
05-10-6,4-32	10,0	6,4	32,0
05-10-6,4-33	10,0	6,4	33,0
05-10-6,4-34	10,0	6,4	34,0
05-10-6,4-35	10,0	6,4	35,0
05-10-8,4-1	10,0	8,4	1,0
05-10-8,4-2	10,0	8,4	2,0
05-10-8,4-3	10,0	8,4	3,0
05-10-8,4-4	10,0	8,4	4,0
05-10-8,4-5	10,0	8,4	5,0
05-10-8,4-6	10,0	8,4	6,0
05-10-8,4-7	10,0	8,4	7,0
05-10-8,4-8	10,0	8,4	8,0
05-10-8,4-9	10,0	8,4	9,0
05-10-8,4-10	10,0	8,4	10,0
05-10-8,4-11	10,0	8,4	11,0
05-10-8,4-12	10,0	8,4	12,0
05-10-8,4-13	10,0	8,4	13,0
05-10-8,4-14	10,0	8,4	14,0
05-10-8,4-15	10,0	8,4	15,0
05-10-8,4-16	10,0	8,4	16,0
05-10-8,4-17	10,0	8,4	17,0
05-10-8,4-18	10,0	8,4	18,0
05-10-8,4-19	10,0	8,4	19,0
05-10-8,4-20	10,0	8,4	20,0
05-10-8,4-21	10,0	8,4	21,0
05-10-8,4-22	10,0	8,4	22,0
05-10-8,4-23	10,0	8,4	23,0
05-10-8,4-24	10,0	8,4	24,0
05-10-8,4-25	10,0	8,4	25,0
05-10-8,4-26	10,0	8,4	26,0
05-10-8,4-27	10,0	8,4	27,0
05-10-8,4-28	10,0	8,4	28,0
05-10-8,4-29	10,0	8,4	29,0
05-10-8,4-30	10,0	8,4	30,0
05-10-8,4-31	10,0	8,4	31,0
05-10-8,4-32	10,0	8,4	32,0
05-10-8,4-33	10,0	8,4	33,0
05-10-8,4-34	10,0	8,4	34,0
05-10-8,4-35	10,0	8,4	35,0