



## 2000 SILICON VALLEY CT. SAN JOSE, CALIFORNIA

07/08/04 OWNER COMMENTS

PROJECT NO. DATE 09.01.04 drawn by TGL scale CO - ORDINATION PLAN N \_\_\_\_

DATE PLOTTED: \_\_\_\_\_

# FEC FIRE EXTINGUISHER CABINET. CR EXIT SIGN - CEILING MOUNTED

1/ID1.1

#### LINEAR SUPPLY DIFFUSER PENDANT WALL WASHER PENDANT LIGHT FIXTURE DOWN LIGHT

EXIT SIGN - CEILING MOUNTED

2'x 4' LAY-IN CEILING

2'x 2' LAY-IN CEILING

INDIRECT PENDANT LIGHT FIXTURE

2'X 4' FLUORESCENT LIGHT FIXTURE. WALL SCONCE REFER TO ELECT. DRAWINGS CONTROL POINT FOR CEILING GRID CEILING HEIGHT ELEVATON ABOVE FINISHED FLOOR

#### GENERAL NOTES

REFER TO SHEET A9.0 FOR FINISH LOCATIONS

SOLID LINES INDICATE NEW CONSTRUCTION SCREENED LINE INDICATED EXISTING CONSTRUCTION. VERIFY EXISTING CONDITIONS IN FIELD. REPORT DISCREPANCIES TO THE ARCHITECT. CONTRACTOR SHALL, AT ALL TIMES, MAINTAIN THE BUILDING IN A WEATHER TIGHT CONDITION. DIMENSIONS ARE FROM FACE OF PARTITION TO FACE OF PARTITION UNLESS NOTED OTHERWISE.

FIELD COORDINATE LOCATIONS OF ALL ELECTRICAL FLOOR BOXES BEFORE INSTALLATION. PROVIDE 20 GA. x 6" WIDE BLOCKING FOR ANCHORAGE AT PARTITION MOUNTED ACCESSORIES, WHITE BOARDS, MILLWORK ETC. BLOCKING TO SPAN A MIN. OF 2 STUDS, ATTACH TO STOPS WITH MIN. 2 SCREWS EA. STUD. FOR FURTHER INFORMATION REFER TO MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS REFER TO INTERIOIR ELEVATIONS FOR DIMENSIONS OF REVEALS, FIRE EXTINGUISHER CABINETS, SIGNAGE AND WALL SCONCES FOR TYPICAL DEVICE, SWITCH AND OUTLET ALIGNMENT REFER TO DETAIL 3/A8.3 AND 4/A3.3

SOLID LINES INDICATE NEW CONSTRUCTION SCREENED LINE INDICATED EXISTING CONSTRUCTION. FOR FURTHER INFORMATION REFER TO MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS REFER TO ELECTRICAL DRAWINGS FOR ALL LIGHTING ALL LIGHTS ARE DIMENSIONED TO CENTER OF FIXTURE UNLESS NOTED OTHERWISE

SPEAKER - REFER TO A/V DRAWINGS

STROBE/HORN - REFER TO FIRE ALARM DRAWINGS

#### KEYNOTES

LINE OF BULKHEAD/ SOFFIT/CLG. ABOVE TERMINATE ADDITIONAL LAYER OF 5/8" GYP.


ADDITIONAL LAYER OF 5/8" GYP. BD. APPLIED TO EXIST. PARTITION AT BUILDING CORE. REFER TO INTERIOR ELEVATION TYP. OPEN TO STRUCTURE ABOVE. REFER TO FINISH

FLOORESCENT LIGHTING MOUNTED AT UNDERSIDE OF UPPER CABINETS FURR OUT EXISTING SHAFT/CORE WALL W/ 5/8" GYPSUM BOARD OVER 3 5/8" METAL STUD FRAMING

DISPLAY REFRIGERATOR: BEVERAGE - AIR MODEL NO. MT27-W WHITE FINISH GE REFRIGERATOR MODEL NO. GTS221BMWW-

LINE OF DUSTWORK ABOVE PROVIDE GYP.BD. WRAP AT DUCT - SEE DETAIL 13/A8.9 LINE OF CABLE TRAY ABOVE.

DASHED LINE INDICATES SMOKE COMPARTMENTALIZED AREA. ALL PARTITIONS AND SOFFITS TO CONTINUE TO UNDERSIDE OF STRUCTURE. REFER TO DETAILS



(( \_\_\_\_\_

### 30021 PARK AVENUE S A N J O S E , C A 95110

CONSULTANT

ſАР

REVISION	DESCRIPTION	DATE
	OWNER COMMENTS	07/08/04
2	FOR FINAL REVIEW	11/03/04

GRAPHIC SCALE

APHIC SCALE			
ROJECT NO.	DATE 09.01.04		
rawn by TGL	SCALE		
CO - ORDINATION PLAN			
ORTH N	TI1.0		
C 2004 GLOBAL CORP, INC.			
DATE PLOTTED:			