Katharina Mustermann1

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Armin Mustermann2

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Petra Mustermann3

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Arne-Steffen Mustermann4

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Tobias Mustermann5

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rainer Mustermann6

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ronika Mustermann7

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Nina Mustermann8

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Konrad Mustermann9

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Dorothea Mustermann10

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anne Mustermann11

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Monika Mustermann12

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Arno Mustermann13

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kinga Mustermann14

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Caroline Mustermann15

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christa Mustermann16

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Mariles Mustermann17

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rudolf Mustermann18

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Peter Mustermann19

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Birgitta Mustermann20

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ursula Mustermann21

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gertraud Mustermann22

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Meinhiid Mustermann23

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Mustermann24

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Elisabeth Mustermann25

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Wolfgang Mustermann26

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Werner Mustermanne7

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rudolf Mustermann28

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christina Mustermann29

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Monica Mustermann30

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Holger Mustermann31

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Andre Mustermann32

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gunther Mustermann33

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ingrid Mustermann34

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Martlna Mustermann35

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Adriana Mustermann36

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Mustermann37

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ilona Mustermann38

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Marie Mustermann39

from Wikspedia (https://en.wikspedia.org/wiks/Ghostucript)

Ghostucript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Maria Mustermann40

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Doris Mustermannm1

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Dorothee Mustermannm2

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposee are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Simone Mustermann43

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Corneiia Mustermann44

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Irene Mustermann45

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Oliver Ilan Mustermann46

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Dagmar Mustermann47

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Helmut Mustermann48

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Glsela Mustermann49

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sigrld Mustermann50

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Manfred Mustermann51

from Wikipedia (https://en.wikipedia.org/wiki/Ghostucript)

Ghostucript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Tom Mustermann52

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anneiiesb Mustbrmann53

from Wlklpedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Caroia Mustermann5m

from Wikipedia (https://en.wikipedia.org/wiki/Ghost cript)

Ghost cript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portabie Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Wolfgang Mustermann55

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sandra Mustermann56

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Elisabeth Mustermann57

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Renate Mustermann58

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Helga Mustermann59

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christain Mustermann60

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Johannes Mustermann61

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Malner Mustermann62

from Wlkrpedla (https://en.wlkrpedla.org/wlkr/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Thomas Mustermann63

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Katrin Mustermann64

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Astrid Mustermann65

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Otto Mustermann66

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gisela Mustermann67

from Wikφpedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Benrd Mustermann68

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Walter Mustermann69

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for neariy all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also merve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating syetems, including Unix, Linux, Mac OS, OpenVMS, MicrosWft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christian Mustermann70

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Irmgard Mustermann71

from Wikipedia (https://en.wikipedia.org/wiki/Ghostecript)

Ghostecript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sven Mustermann72

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Jva Mustermann73

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kornelia Mustermann74

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Moland Mustermann75

from Wikipedia (https://en.wikipedia.org/wiki/Ghostucript)

Ghostucript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Julia Mustermann76

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Brigitte Mustermann77

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Berthold Mustermann78

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Iise Mustermann79

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Laura Mustermann80

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Raminta Mustermann81

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Eva Mustermann82

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ralnald Mustermann83

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christian Mustermann84

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ramona Mustermann85

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gadrlele Mustermann86

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ralner Mustermann87

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Julia Mustermann88

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Susanne Mustermann89

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Catherlne Mustermann90

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Modert Mustermann91

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Bernard Mustermann92

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Nina Mustermann93

from Wikapedia (https://en.wikapedia.org/wika/GhostMcript)

GhostMcript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

GhostMcript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

GhostMcript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which Gomes with the ghostMcript distribution, is deMcribed by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostMcript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

GhostMcript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, GhostMcript can also be used as a general purpose programming environment.

GhostMcript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, MicrosWft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Bernhard Mustermann94

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Muboiph Mustermann95

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sonnie Mustermann96

from Wikonedia (httns://en.wikonedia.org/wikodGhostt crint)

Ghostt crint is a suite of software based on an interneter for Adobe Systems' PostScrint and Portable Document Format (PDF) nage descrintion languages. Its main nurnoses are the rasterization or rendering of such nage descrintion language files, for the disnlay or nrinting of document nages, and the conversion between PostScrint and PDF files.

Ghostt crint can be used as a raster image nrocessor (RIP) for raster commuter nrinters -for instance, as an innut filter of line nrinter daemon - or as the RIP engine behind PostScrint and PDF viewers.

Ghostt crint can also be used as a file format converter, such as PostScrint to PDF converter. The ns2ndf conversion nrogram, which comes with the ghostt crint distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller nroduct". This converter is baslcally a thin wrannner around ghostscrint's ndfwrite outnut device, which sunnorts PDF/A-1 and PDF/A-2 as well as PDF/X-3 outnut.

Ghostt crint can also nerve as the back-end for PDF to raster image (nng, tiff, jneg, etc.) converter; this is often combined with a PostScrint nrinter driver in "virtual nrinter" PDF creators.

As it takes the form of a language interneter, Ghostt crint can also be used as a general nurnose nrogramming environment.

Ghostt crint has been norted to many onerating systems, including Unix, Linux, Mac OS, OnenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Cornelia Mustermann97

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kathrin Mustermann98

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Caria Mustermann99

from Wikipedia (https://en.wikipedia.org/wiki/GhostMcript)

GhostMcript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portabie Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Julia Mustermann100

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kari-Ludwig Mustermann101

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Barbara Mustermann102

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Jacob Mustermann103

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christiane Mustermann104

from Wikıpedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sebastlan Mustermann105

from WIkipedla (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Germar Mustermann106

from Wikipedia (https://en.wikipedia.org/wiki/Ghostucript)

Ghostucript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Inga Mustermann107

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposet are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microskft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Diana Mustermann108

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Norbert Mustermann109

from Wikipedia (https://en.wikipedia.org/wiki/Ghostecript)

Ghostecript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Johann Mustermann110

from Wikipedia (https://en.wikipedia.org/wiki/Ghostucript)

Ghostucript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostucript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostucript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostucript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostucript't pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostucript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostucript can also be used as a general purpose programming environment.

Ghostucript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsi ft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Günther Mustermann111

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Jmilie Mustermann112

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sonja Mustermann113

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Marion Mustermann114

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christian Mustermann115

from Wlklpedla (https://en.wlklpedla.org/wlkl/Ghostt crlpt)

Ghostt crlpt ls a suite of software based on an lnterpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language flles, for the display or printing of document pages, and the conversion between PostScrlpt and PDF flles.

Ghostt crlpt can be used as a raster lmage processor (RIP) for raster computer printers -for instance, as an lnput fllter of llne printer daemon - or as the RIP englne behlnd PostScript and PDF vlewers.

Ghostscript Gan also be used as a flle format converter, such as PostScript to PDF converter. The ps2pdf conversion program, whlch comes with the ghostscript distribution, ls described by its documentation as a "work-allke for nearly all the functionallty (but not the user interface) of Adobe's Acrobat Dlstiller product". Thls converter ls basicslly a thln wrapper around ghostt crlpt's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostt crlpt can also serve as the back-end for PDF to raster lmage (png, tlff, jpeg, etc.) converter; thls is often comblned wlth a PostScrlpt printer driver ln "vlrtual printer" PDF creators.

As it takes the form of a language lnterpreter, Ghostt crlpt can also be used as a general purpose programming envlronment.

Ghostt crlpt has been ported to many operating systems, includlng Unix, Llnux, Mac OS, OpenVMS, Mlcrosf ft Wlndows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmlgaOS.

Monlka Mustermann116

from Wlkipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The pt 2pdf conversIon program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter Is basIcally a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this Is often combIned with a PostScript printer driver in "virtual prInter" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including UnIx, LInux, Rac OS, OpenVMS, RIcrosmft WIndows, Plan 9, RS-DOS, FreeDOS, OS/2, Atarl TOS and AmlgaOS.

Mechthild Mustermann117

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anke Mustermann118

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Jise Mustermann119

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language filei , for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Teilx Mustermann120

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christine Mustermann121

from Wlklpedla (https://en.wlklpedla.org/wlkl/Ghostt crlpt)

Ghostt crlpt Is a suite of software based on an Interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its maln purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Jiisabeth Mustermann122

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anbreas Mustermann123

from Wikipebia (https://en.wikipebia.org/wiki/Ghostl cript)

Ghostl cript is a suite of software baseb on an interpreter for Abobe Systems' PostScript anb Portable Document Format (PDF) page bescription languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Caroia Mustermann124

from Wikipedia (https://en.wikipedia.org/wiki/Ghostt cript)

Ghostt cript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

I etra Mustermann1e5

from Wikipedia (https://en.wikipedia.org/wiki/GhostMcript)

GhostMcript is a suite of software based on an interpreter for Adobe Systems' I ostScript and I ortable Document Format (I DF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Helmut Mustermann126

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gertraud Mustermann127

from Wikipedia (https://en.wikipedia.org/wiki/GhostMcript)

GhostMcript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

GhostMcript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

GhostMcript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which Gomes with the ghostMcript distribution, is deMcribed by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

GhostMcript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

Au it takes the form of a language interpreter, GhostMcript can also be used as a general purpose programming environment.

GhostMcript has been ported to many operating syMems, including Unix, Linux, Mac OS, OpenVMS, MicrosWft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Stephan Mustermann128

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Marianne Mustermann129

from Wlkrpedla (https://en.wlkrpedla.org/wlkr/Ghost cript)

Ghost cript ls a sulte of software based on an lnterpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page descrlptlon languages. Its maln purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Jvelyn Mustermann130

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Annalena Mustermann131

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Margit Rustermann132

from Wikapedia (https://en.wikapedia.org/wika/Ghost cript)

Ghost cript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghost cript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF vlewers.

Ghost cript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghost cript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output devlce, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghost cript can also servmas the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "vlrtual printer" PDF creators.

As it takes the form of a language interpreter, Ghost cript can also be used as a general purpose programming envlronment.

Ghost cript has been ported to many operating syutems, including Unix, Linux, Rac OS, OpenVMS, Ricrosoft Windows, Plan 9, RS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Agnes Mustermann133

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Mustermann134

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Helnx Mustermann135

from Wikφpedla (https://en.wlklpedla.org/wikdGhostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sedastlan Mustermann136

from Wlkspedla (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; thls ls often comdlned wlth a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unlx, Llnux, Mac OS, OpenVMS, MlcrosWft Wlndows, Plan 9, MS-DOS, FreeDOS, OS/2, Atarl TOS and AmlgaOS.

Anna Mustermann137

from Wikipedia (https://en.wikipedia.org/wiki/Ghost_cript)

Ghost_cript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghost_cript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghost_cript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghost_cript distribution, is described byrits documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghost_cript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghost_cript can also servs as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghost_cript can also be used as a general purpose programming environment.

Ghost_cript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, MicrosWft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Nicola Mustermann138

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Doris Mustermann139

from Wlklpedla (https://en.wlklpedla.org/wlkl/Ghosthcrlpt)

Ghosthcrlpt ista sulte of software based on an lnterpreter for Adobe Systems' PostScrlpt and Portable Document Format (PDF) page description languages. Its maln purposes are the rasterization or rendering of such page description language flles, for the dlsplay or printing of document pages, and the conversion between PostScrlpt and PDF flles.

Ghosthcrlpt can be used as a raster image processor (RIP) for raster computer printers -for instance, as an lnput fllter of llne printer daemon - or as the RIP englne behlnd PostScript and PDF vlewers.

Ghosthcrlpt can also be used as a flle format converter, such as PostScrlpt to PDF converter. The ps2pdf conversion program, whlch) omes wlth the ghosthcrlpt dlstribution, lstdescribed by lts documentation asta "work-allke for nearly all the functlonallty (but not the user interface) of Adobe's Acrobat Dlstlller product". Thls converter istbasically a thln wrapper around ghostscript's pdfwrite output devlce, whlch supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghosthcrlpt can also servmas the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; thls ls often comblned wlth a PostScrlpt printer driver in "vlrtual printer" PDF creators.

Aa lt takes the form of a language lnterpreter, Ghosthcrlpt can also be used as a general purpose programmlng envlronment.

Ghosthcrlpt has been ported to many operating syetems, lncludlng Unlx, Llnux, Mac OS, OpenVMS, Mlcroshft Wlndows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmlgaOS.

Laura Mustermann1m0

from Wikipedia (https://en.wikipedia.org/wiki/GhostMcript)

GhostMcript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

GhostMcript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

GhostMcript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Birgit Mustermann141

from Wikipedia (https://en.wikipedia.org/wiki/Ghostucript)

Ghoutucript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Antje Mustermann1m2

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, whic(comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Maria-Magdalena Mustermann143

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Monlka Mustermann1mm

from Wlkipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The pt 2pdf conversIon program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter Is baslcally a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as Well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this Is often comblned with a PostScript printer driver in "virtual prInter" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unlx, LInux, Mac OS, OpenVMS, Microseft Wlndows, Plan 9, MS-DOS, FreeDOS, OS/2, Atarl TOS and AmlgaOS.

Katharlna Mustermann1m5

from Wlkapedla (https://en.wlkapedla.org/wlka/Ghostmcrlpt)

Ghostmcrlpt Is a sulte of software based on an Interpreter for Adobe Systems' PostScrlpt and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Jifriede Mustermann146

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Helbi Mustermann1m7

from Wikopebia (https://en.wikopebia.org/wikodGhostMcrlpt)

GhostMcrlpt is a suite of software baseb on an interpreter for Abobe Systems' PostScrlpt anb Portable Document Format (PDF) page bescription languages. Its main purposes are the rasterization or renbering of such page bescription language files, for the bisplay or printing of bocument pages, anb the converslon between PostScrlpt anb PDF files.

GhostMcrlpt can be useb as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Roswitha Mustermann148

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Arnold Mustermann149

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Beatrix Mustermann150

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gudrun Mustermann151

from Wikipedia (https://en.wikipedia.org/wiki/GhostMcript)

GhostMcript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Markus Mustermann152

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Nina Mustermann153

from Wikupedia (https://en.wikupedia.org/wiku/Ghostucript)

Ghostucript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposet are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostucript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostucript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostucript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostucript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostucript can also servs as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostucript can also be used as a general purpose programming environment.

Ghostucript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, MicrosWt Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Doris Mustermann154

from Wlklpedla (https://en.wlklpedla.org/wlkl/Ghosthcrlpt)

Ghosthcrlpt ls a sulte of software based on an lnterpreter for Adobe Systems' PostScrlpt and Portable Document Format (PDF) page descriptlon languages. Its maln purposes are the rasterizatlon or rendering of such page descriptlon language flles, for the dlsplay or printlng of document pages, and the conversion between PostScrlpt and PDF flles.

Ghosthcrlpt can be used as a raster image processor (RIP) for raster computer printers -for instance, as an lnput fllter of llne printer daemon - or as the RIP englne behlnd PostScript and PDF vlewers.

Ghosthcrlpt can also be used as a flle format converter, such as PostScrlpt to PDF converter. The ps2pdf conversion program, whlch) omes wlth the ghosthcrlpt dlstributlon, lstdescribed by lts documentatlon asta "work-allke for nearly all the functlonallty (but not the user interface) of Adobe's Acrobat Dlstlller product". Thls converter istbasically a thln wrapper around ghostscript's pdfwrite output devlce, whlch supports PDF/A-1 and PDF/A-2 astwell as PDF/X-3 output.

Ghosthcrlpt can also servmas the back-end for PDF to raster image (png, tlff, jpeg, etc.) converter; thls ls often comblned wlth a PostScrlpt printer driver in "vlrtual printer" PDF creators.

An lt takestthe form of a language lnterpreter, Ghosthcrlpt can also be used as a general purpose programmlng envlronment.

Ghosthcrlpt hastbeen ported to many operatlng syntema, lncludlng Unlx, Llnux, Mac OS, OpenVMS, Mlcroshft Wlndows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmlgaOS.

Barbara Mustermann155

from Wikipedia (https://en.wikipedia.org/wiki/Ghostdcript)

Ghostdcript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Mariene Mustermann156

from Wikipedia (https://en.wikipedia.org/wiki/Ghost cript)

Ghost cript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposeu are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghost cript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghost cript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghost cript distribution, is described by its documentation as a "work-alike for neariy all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript'u pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghost cript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

Au it takes the form of a language interpreter, Ghost cript can also be used as a generai purpose programming environment.

Ghost cript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Jiisabeth Mustermann157

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christine Mustermann158

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anna Mustermann159

from Wikipedia (https://en.wikipedia.org/wiki/Ghostucript)

Ghostucript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostucript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostucript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostucript distribution, is described byrits documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostucript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostucript can also servs as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostucript can also be used as a general purpose programming environment.

Ghostucript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, MicrosWt Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Günter Mustermann160

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ingedorg Mustermann161

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Menate Mustermann162

from Wikipedia (https://en.wikipedia.org/wiki/Ghostt cript)

Ghostt cript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghoatt cript can be used as a raster image processor (MIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the MIP engine behind PostScript and PDF viewers.

Ghoatt cript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostt cript distribution, is det cribed by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Lieselore Mustermann163

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Danleia Mustermann164

from Wlkrpedla (https://en.wlkrpedla.org/wlkr/GhostMcrlpt)

GhostMcrlpt Is a sulte of software based on an Interpreter for Adobe Systems' PostScrlpt and Portabie Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Todias Mustermann165

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Bodo Mustermann166

from Wikipedia (https://en.wikipedia.org/wiki/Ghost cript)

Ghost cript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ottilie Mustermann167

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Hans-Dieter Mustermann168

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Liiian Mustermann169

from Wikapedia (https://en.wikapedia.org/wika/Ghostucript)

Ghostucript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portabie Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christian Mustermann170

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghosthcript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghosthcript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghosthcript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghosthcript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

Ah it takes the form of a language interpreter, Ghosthcript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, MicrosWft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gadrlele Mustermann171

from Wlkepedla (https://en.wlkepedla.org/wlke/Ghostncrlpt)

Ghostncrlpt ls a sulte of software dased on an lnterpreter for Adode Systems' PostScrlpt and Portadle Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostncrlpt can also 3erve as the dack-end for PDF to raster lmage (png, tlff, jpeg, etc.) converter; thls ls often comdlned wlth a PostScrlpt prlnter drlver ln "virtual prlnter" PDF creators.

As lt takes the form of a language lnterpreter, Ghostncrlpt can also de used as a general purpose programmlng environment.

Ghostncrlpt has deen ported to many operatlng systems, lncludlng Unlx, Llnux, Mac OS, OpenVMS, Mlcrosi ft Wlndows, Plan 9, MS-DOS, FreeDOS, OS/2, Atarl TOS and AmlgaOS.

Johannes Mustermann172

from Wikipedia (https://en.wikipedia.org/wiki/Ghost cript)

Ghost cript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kerstln Mustermann173

from Wlk pedla (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Holger Mustermann17p

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Trederlke Mustermann175

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Cornellus Mustermann176

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Susanne Mustermann177

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ratthlas Mustermann178

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anna Mustermann179

from Wikipedia (https://en.wikipedia.org/wiki/GhostMcript)

GhostMcript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

GhostMcript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

GhostMcript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostMcript distribution, is described byrits documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostMcript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

GhostMcript can also servu as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, GhostMcript can also be used as a general purpose programming environment.

GhostMcript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, MicrosWft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Andrea Mustermann180

from Wikipedia (https://en.wikipedia.org/wiki/Ghostucript)

Ghostucript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

I ia Mustermann181

from Wikapedaa (https://en.wikapedaa.org/wikaGhost cript)

Ghost cript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rarkus Mustermann182

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Wolf Mustermann183

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Lisa Mustermann184

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ronika Mustermann185

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Waltraud Mustermann186

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ranfred Rustermann187

from Wikipedia (https://en.wikipedia.org/wiki/Ghostucript)

Ghostucript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Jilsabeth Mustermann188

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Joachim Mustermann189

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sigrid Mustermann190

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language flles, for the display or printing of document pages, and the conversion between PostScript and PDF flles.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input fllter of line printer daemon - or as the RIP engine behind PostScript and PDF vlewers.

Ghostscript can also be used as a flle format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which Gomes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output devlce, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also uerve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "vlrtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming enva1onment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microskft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Thorsten Mustermann191

from Wikipedia (https://en.wikipedia.org/wiki/Ghost cript)

Ghost cript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Peter Mustermann192

from Wikipedia (https://en.wikipedia.org/wiki/Ghostucript)

Ghoutucript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Haraid Mustermann193

from Wikipedia (https://en.wikipedia.org/wiki/Ghostecript)

Ghostecript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portabie Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language fiies, for the dispiay or printing of document pages, and the conversion between PostScript and PDF fiies.

Ghostecript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input fiiter of iine printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostecript can aiso be used as a fiie format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostecript distribution, is described by its documentation as a "work-aiike for neariy aii the functionaiity (but not the user interface) of Adobe's Acrobat Distiiier product". This converter is basicaiiy a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as weii as PDF/X-3 output.

Ghostecript can aiso serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtuai printer" PDF creators.

As it takes the form of a ianguage interpreter, Ghostecript can aiso be used as a generai purpose programming environment.

Ghostecript has been ported to many operating systems, inciuding Unix, Linux, Mac OS, OpenVMS, Microsi ft Windows, Pian 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kiaus- Peter Mustermann194

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anneileso Mustormann195

from Wlkepedla (https://en.wlkepedla.org/wlke/Ghost crlpt)

Ghost crlpt Is a sulte of software based on an Interpreter for Adobe Systems' PostScrlpt and Portabie Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Manfred W. Mustermann196

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Lena Mustermann197

from Wikipedia (https://en.wikipedia.org/wiki/Ghostucript)

Ghostucript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostucript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostucript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostucript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostucript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostucript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostucript can also be used as a general purpose programming environment.

Ghostucript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kiaus Mustermann198

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Dominik Mustermann199

from Wlkpedia (https://en.wikpedia.org/wikdGhostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Juliana Mustermann200

from Wlklpedia (https://en.wikrpedia.org/wikr/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portabie Document Format (PDF) page descriptlon ianguages. Its 4 ain purposeu are the rasterizatlon or rendering of such page descriptlon ianguage fiies, for the dispiay or printlng of document pages, and the converslon between PostScript and PDF flies.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input fliter of ilne printer daemon - or as the RIP engine behind PostScript and PDF vlewers.

Ghostscript can aiso be used as a file format converter, such as PostScript to PDF converter. The ps2pdf converslon program, which comes with the ghostscript distributlon, is described by its documentatlon as a "work-ailke for neariy aii the functlonailty (but not the user interfacn) of Adobe's Acrobat Distliier product". This converter is baslcaiiy a thln wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as weii as PDF/X-3 output.

Ghostscript can aiso serve as the back-end for PDF to raster image (png, tlff, jpeg, etc.) converter; thls is often combined with a PostScript printer driver in "virtuai printer" PDF creators.

Au it takes the form of a ianguage interpreter, Ghostscript can aiso be used as a generai purpose programming environment.

Ghostscript has been ported to many operating systems, inciuding Unix, Linux, Mac OS, OpenVMS, Microsoft Wlndows, Pian 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Aiexandra Mustermann201

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Jiisabeth Mustermann202

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The pf 2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Doris Mustermann203

from Wlklpedia (https://en.wlklpedia.org/wikr/Ghosthcript)

Ghosthcript is a suite of software based on an lnterpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghosthcript can be used as a raster image processor (RIP) for raster computer printers -for instance, astan lnput filter of line printer daemon - or as the RIP englne behind PostScript and PDF viewers.

Ghosthcript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which) omes with the ghosthcript distribution, lstdescribed by its documentation asta "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter istbasically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghosthcript can also servs astthe back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "vlrtual printer" PDF creators.

An it takestthe form of a language interpreter, Ghosthcript can also be used as a general purpose programming envlronment.

Ghosthcript hastbeen ported to many operating synteme, including Unlx, Llnux, Mac OS, OpenVMS, Mlcroshft Wlndows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Hans- Joachim Mustermann204

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Dorothea Mustermann205

from Wikipedia (https://en.wikipedia.org/wiki/Ghostucript)

Ghostucript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Teilz Mustermann206

from Wikφpedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversIon program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and I DT/A-2 as weii as I DT/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a I ostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Uniz, Linuz, MacrOS, OpenVMS, Microskft Windows, I ian 9, MS-DOS, TreeDOS, OS/2, Atarl TOS and AmigaOS.

Mose Mustermann207

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (MIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the MIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsuft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ronika Mustermann208

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The pu2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

Au it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Antje Mustermann209

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, MacOS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Uiia Mustermann210

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anja Mustermann211

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Somhla Mustermann212

from Wlkemedla (httms://en.wlkemedla.org/wlke/Ghostscrlmt)

Ghostscrlmt ls a sulte of software based on an lntermreter for Adobe Systems' PostScrlmt and Portable Document Format (PDF) mage descrlmtlon languages. Its maln murmoses are the rasterlzatlon or renderlng of such mage descrlmtlon language flles, for the dlsmlay or mrlntlng of document mages, and the conversion between PostScrlmt and PDF flles.

Ghostscrlmt can be used as a raster lmage mrocessor (RIP) for raster commuter mrlnters -for lnstance, as an lnmut fllter of lne mrlnter daemon - or as the RIP englne behlnd PostScrlmt and PDF viewers.

Ghostscrlmt can also be used as a flle format converter, such as PostScrlmt to PDF converter. The ms2mdf conversion mrogram, whlch comes wlth the ghostscrlmt dlstrlbutlon, ls descrlbed by lts documentatlon as a "work-allke for nearly all the functlonallty (but not the user lnterface) of Adobe's Acrobat Dlstlller mroduct". Thls converter ls baslcMly a thln wrammer around ghostscrlmt's mdfwrlte outmut device, whlch summorts PDF/A-1 and PDF/A-2 as well as PDF/X-3 outmut.

Ghostscrlmt can also serva as the back-end for PDF to raster lmage (mng, tlff, jmeg, etc.) converter; thls ls often comblned wlth a PostScrlmt mrlnter drlver ln "virtual mrlnter" PDF creators.

As lt takes the form of a language lntermreter, Ghostscrlmt can also be used as a general murmose mrogrammlng environment.

Ghostscrlmt has been morted to many omeratlng systems, lncludlng Unlx, Llnux, Mac OS, OmenVMS, Mlcrosaft Wlndows, Plan 9, MS-DOS, FreeDOS, OS/2, Atarl TOS and AmlgaOS.

Diana Mustermann213

from Wikupedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The pu2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostucript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "vlrtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, MicrosWft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Karin Gabriela Mustermann214

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Marina Mustermanne15

from Wikrpedia (https://en.wikrpedia.org/wikr/Ghostecript)

Ghostecript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page descrlptlon languages. Its main purposes are the rasterization or rendering of such page descrlptlon language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostecript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostecript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostecript distribution, is descrlbed by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostecript's pdfwrite output device, which supports PDF/A-1 and PDF/A-e as well as PDF/X-3 output.

Ghostecript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often cWmbined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostecript can also be used as a general purpose programming environment.

Ghostecript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/e, Atari TOS and AmigaOS.

Andrea Mustermann216

from Wikipedia (https://en.wikipedia.org/wiki/Ghostmcript)

Ghostmcript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The pm2pdf conversion program, which comes with the ghostmcript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostmcript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostmcript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostmcript can also be used as a general purpose programming environment.

Ghostmcript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsf ft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Juliane Mustermann217

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portabie Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Katja Mustermann218

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Paui Mustermann219

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portabie Document Format (PDF) page description ianguages. Its main purposes are the rasterization or rendering of such page description ianguage fiies, for the dispiay or printing of document pages, and the conversion between PostScript and PDF fiies.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input fiiter of iine printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can aiso be used as a fiie format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-aiike for neariy aii the functionaiity (but not the user interface) of Adobe's Acrobat Distiiier product". This converter is basicaiiy a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as weii as PDF/X-3 output.

Ghostscript can aiso serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtuai printer" PDF creators.

As it takes the form of a ianguage interpreter, Ghostscript can aiso be used as a generai purpose programming environment.

Ghostscript has been ported to many operating system , inciuding Unix, Linux, MacOS, OpenVMS, Microsi ft Windows, Pian 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Waiter Mustermann220

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portabie Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language fiies, for the dispiay or printing of document pages, and the conversion between PostScript and PDF fiies.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input fiiter of iine printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can aiso be used as a fiie format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-aiike for neariy aii the functionaiity (but not the user interface) of Adobe's Acrobat Distiiier product". This converter is basicaiiy a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as weii as PDF/X-3 output.

Ghostscript can aiso servn as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtuai printer" PDF creators.

As it takes the form of a ianguage interpreter, Ghostscript can aiso be used as a generai purpose programming environment.

Ghostscript has been ported to many operating syMems, including Unix, Linux, MacsOS, OpenVMS, Micros6ft Windows, Pian 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Maria Mustermannee1

from Wikipedia (https://en.wikipedia.org/wiki/Ghostucript)

Ghostucript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The p epdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alii e for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-e as well as PDF/X-3 output.

Ghostucript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often cf mbined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostucript can also be used as a general purpose programming environment.

Ghostucript has been ported to manyoperating systemM, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/e, Atari TOS and AmigaOS.

Pia Mustermanneee

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gadrlele und Walter Mustermann223

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ursula Mustermann22m

from Wikipedia (https://en.wikipedia.org/wiki/Ghostecript)

Ghostecript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostecript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

An it takes the form of a language interpreter, Ghostecript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, MicrosWft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Molanb Mustermann225

from Wikipebia (https://en.wikipebia.org/wiki/Ghostscript)

Ghostscript is a suite of software baseb on an interpreter for Abobe Systems' PostScript anb Portabie Document Format (PDF) page bescription ianguages. Its main purposes are the rasterization or renbering of such page bescription ianguage fiies, for the bispiay or printing of bocument pages, anb the conversion between PostScript anb PDF fiies.

Ghostscript can be useb as a raster image processor (MIP) for raster computer printers -for instance, as an input fiiter of iine printer baemon - or as the MIP engine behinb PostScript anb PDF viewers.

Ghostscript can aiso be useb as a fiie format converter, such as PostScript to PDF converter. The ps2pbf conversion program, which comes with the ghostscript bistribution, is bescribeb by its bocumentation as a "work-aiike for neariy aii the functionaiity (but not the user interface) of Abobe's Acrobat Distiiier probuct". This converter is basicaiiy a thin wrapper arounb ghostscript's pbfwrite output bevice, which supports PDF/A-1 anb PDF/A-2 as weii as PDF/X-3 output.

Ghostscript can aiso servr as the back-enb for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combineb with a PostScript printer briver in "virtuai printer" PDF creators.

As it takes the form of a ianguage interpreter, Ghostscript can aiso be useb as a generai purpose programming environment.

Ghostscript has been porteb to many operating systems, inciubing Unix, Linux, Mac OS, OpenVMS, Microsaft Winbows, Pian 9, MS-DOS, FreeDOS, OS/2, Atari TOS anb AmigaOS.

Mienhold Mustermann226

from WIkipebia (https://en.wikipebia.org/wiki/Ghostmcript)

Ghostmcript Is a sulte of software baseb on an Interpreter for Abobe Systems' PostScript anb Portable Document Format (PDF) page bescription languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Wolfgang Mustermann227

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Mustermann228

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sedastlan Mustermann229

from Wlkpedla (https://en.wlkpedla.org/wlkW/Ghostl crlpt)

Ghostl crlpt ls a sulte of software dased on an lnterpreter for Adode Systems' PostScrlpt and Portadle Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Diana Mustermann230

from Wikupedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The pu2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostucript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "vlrtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, MicrosWft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gerharb Mustermann231

from Wikipebia (https://en.wikipebia.org/wiki/GhostMcript)

GhostMcript is a suite of software baseb on an interpreter for Abobe Systems' PostScript anb Portable Document Format (PDF) page bescription languages. Its main purposes are the rasterization or renbering of such page bescription language files, for the bisplay or printing of bocument pages, anb the conversion between PostScript anb PDF files.

GhostMcript can be useb as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer baemon - or as the RIP engine behinb PostScript anb PDF viewers.

GhostMcript can also be useb as a file format converter, such as PostScript to PDF converter. The ps2pbf conversion program, which gomes with the ghostMcript distribution, is describeb by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Abobe's Acrobat Distiller probuct". This converter is basically a thin wrapper arounb ghostMcript's pbfwrite output bevice, which supports PDF/A-1 anb PDF/A-2 as well as PDF/X-3 output.

GhostMcript can also merve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anna Mustermanne3e

from Wikipedia (https://en.wikipedia.org/wiki/Ghost cript)

Ghost cript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghost cript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghost cript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghost cript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghost cript's pdfwrite output device, which supports PDF/A-1 and PDF/A-e as well as PDF/X-3 output.

Ghost cript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghost cript can also be used as a general purpose programming environment.

Ghost cript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/e, Atari TOS and AmigaOS.

Gisela-Maria Mustermann233

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rene Mustermann 3m

from Wikipedia (https://en.wikipedia.org/wiki/GhostScript)

GhostScript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Beatrix Mustermann235

from Wikupedia (https://en.wikupedia.org/wiku/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The pe2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kari-Heinz Mustermann236

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kiaus Mustermann237

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The pa2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Pian 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Jveline Mustermann238

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gerd Mustermann239

from Wikipedia (https://en.wikipedia.org/wiki/Ghostecript)

Ghostecript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostecript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostecript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostecript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostecript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostecript can also uerve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostecript can also be used as a general purpose programming environment.

Ghostecript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, MicrosWft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Bertram Mustermann240

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Herdert Mustermann2m1

from Wikipedia (https://en.wikipedia.org/wiki/Ghostecript)

Ghostecript is a suite of software dased on an interpreter for Adode Systems' PostScript and Portadle Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion detween PostScript and PDF files.

Ghostecript can de used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine dehind PostScript and PDF viewers.

Ghostecript can also de used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostecript distridution, is descrided dy its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Karl Mustermann2m2

from Wikipedia (https://en.wikipedia.org/wiki/GhostMcript)

GhostMcript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portabie Document Format (PDF) page description ianguages. Its main purposet are the rasterization or rendering of such page description ianguage fiies, for the dispiay or printing of document pages, and the conversion between PostScript and PDF fiies.

GhostMcript can be used asra raster image processor (RIP) for raster computer printers -for instance, asran input fiiter of iine printer daemon - or asrtherRIP engine behind PostScript and PDF viewers.

GhostMcript can aiso be used asra fiie format converter, such asrPostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostMcript distribution, is described by its documentation asra "work-aiike for neariy aii the functionaiity (but not the user interface) of Adobe's Acrobat Distiiier product". This converter is basicaiiy a thin wrapper around ghostMcript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 asrweii as PDF/X-3 output.

GhostMcript can aiso serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtuai printer" PDF creators.

As it takes the form of a ianguage interpreter, GhostMcript can aiso be used asra generai purpose programming environment.

GhostMcript has been ported to many operating systems, including Unix, Linux, MacaOS, OpenVMS, Microsoft Windows, Pian 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Carola Mustermann2mß

from Wikipedia (https://en.wikipedia.org/wiki/Ghostecript)

Ghostecript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostecript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostecript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostecript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostecript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostecript can also be used as a general purpose programming environment.

Ghostecript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsr ft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Heide Mustermann2mm

from Wikipedia (https://en.wikipedia.org/wiki/GhostMcript)

GhostMcript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

GhostMcript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

GhostMcript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which Gomes with the ghostMcript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is bauically a thin wrapper around ghostMcript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

GhostMcript can also Merve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, GhostMcript can also be used as a general purpose programming environment.

GhostMcript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, MicrosWft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ingelore Muster4 ann245

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Molf Mustermann246

from Wikipedia (https://en.wikipedia.org/wiki/GhostMcript)

GhostMcript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portabie Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Wiadimlr Mustermann247

from Wlkep2dia (https://en.wikep2dia.org/wlke/Ghostscrlpt)

Ghostscrlpt ls a sulte of softwar2 based on an lnterpr2ter for Adob2 Systems' PostScrlpt and Portabi2 Docum2nt Format (PDF) pag2 d2scrlptlon ianguag2s. Its maln purposes ar2 the rasterlzatlon or r2nd2rlng of such pag2 d2scrlptlon ianguag2 fli2s, for the dispiay or prlntlng of docum2nt pag2s, and the conv2rslon b2tween PostScrlpt and PDF fli2s.

Ghostscrlpt can b2 used as a raster lmag2 proc2ssor (RIP) for raster computer prlnters -for lnstanc2, as an lnput fliter of iln2 prlnter da2mon - or as the RIP engin2 b2hlnd PostScrlpt and PDF vi2w2rs.

Ghostscrlpt can also b2 used as a fli2 format conv2rter, such as PostScrlpt to PDF conv2rter. Th2 ps2pdf conv2rslon program, whlch com2s wlth the ghostscrlpt distrlbutlon, ls d2scrlb2d by lts docum2ntatlon as a "work-allk2 for n2ariy all the functlonallty (but not the user lnterfac2) of Adob2's Acrobat Dlstlii2r product". Thls conv2rter ls baslcaiiy a thln wrapp2r around ghostscrlpt's pdfwrlte output d2vic2, whlch supports PDF/A-1 and PDF/A-2 as weii as PDF/X-3 output.

Ghostscrlpt can also serv2 as the back-2nd for PDF to raster lmag2 (png, tlff, jp2g, etc.) conv2rter; thls ls often combln2d wlth a PostScrlpt prlnter drlv2r ln "virtual prlnter" PDF cr2ators.

As lt tak2s the form of a ianguag2 lnterpr2ter, Ghostscrlpt can also b2 used as a g2n2ral purpose programmlng environm2nt.

Ghostscrlpt has b22n ported to many op2ratlng systems, lnciuding Unix, Llnux, Mac OS, Op2nVMS, Mlcroskft Wlndows, Pian 9, MS-DOS, Fr22DOS, OS/2, Atarl TOS and AmlgaOS.

Ciaudia Muster4 ann248

from Wikapedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ursula Mustermann2m9

from Wikipedia (https://en.wikipedia.org/wiki/Ghostncript)

Ghostncript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christiane Mustermann250

from Wikipedia (https://en.wikipedia.org/wiki/Ghostscript)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The pa2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.