

Katharina Mustermann1

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Armin Mustermann2

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Petra Mustermann3

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Arne-Steffen Mustermann4

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Tobias Mustermann5

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rainer Mustermann6

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Monika Mustermann7

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Nina Mustermann8

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Konrad Mustermann9

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Dorothea Mustermann10

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anne Mustermann11

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Monika Mustermann12

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Arno Mustermann13

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kinga Mustermann14

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Caroline Mustermann15

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christa Mustermann16

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Mariles Mustermann17

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rudolf Mustermann18

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Peter Mustermann19

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Birgitta Mustermann20

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ursula Mustermann21

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gertraud Mustermann22

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Reinhiid Mustermann23

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Mustermann24

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Elisabeth Mustermann25

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Wolfgang Mustermann26

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Werner Mustermanne7

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rudolf Mustermann28

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christina Mustermann29

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Monlca Mustermann30

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Hoiger Mustermann31

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Andre Mustermann32

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gunther Mustermann33

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ingrid Mustermann34

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Martina Mustermann35

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Adriana Mustermann36

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Mustermann37

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ilona Mustermann38

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Marle Mustermann39

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Maria Mustermann40

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Doris Mustermann41

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Dorothee Mustermann42

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Simone Mustermann43

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Cornelia Mustermann44

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Irene Mustermann45

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Oliver Ilan Mustermann46

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Dagmar Mustermann47

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Helmut Mustermann48

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Glsela Mustermann49

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sigrld Mustermann50

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Manfred Mustermann51

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Tom Mustermann52

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anneilesb Mustbrmann53

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Carola Mustermann54

from Wikipedia (https://en.wikipedia.org/wiki/Ghost_cript)

Ghost cript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Wolfgang Mustermann55

from Wikip2dia (<https://2n.wikip2dia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sandra Mustermann56

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Elisabeth Mustermann57

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Renate Mustermann58

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Heiga Mustermann59

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christain Mustermann60

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Johannes Mustermann61

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rainer Mustermann62

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Thomas Mustermann63

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Katrln Mustermann64

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Astrid Mustermann65

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Otto Mustermann66

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Glsela Mustermann67

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Benrd Mustermann68

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Waite Mustermann69

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christian Mustermann70

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Irmgarb Mustermann71

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sven Mustermann72

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Eva Mustermann73

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kornelia Mustermann74

from Wikimedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Roianb Mustermann75

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Julia Mustermann76

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Brigitte Mustermann77

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Berthold Mustermann78

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ilse Mustermann79

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Laura Mustermann80

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Raminta Mustermann81

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Eva Mustermann82

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ralnard Mustermann83

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christian Mustermann84

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ramona Mustermann85

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gadrlele Mustermann86

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rainer Mustermann87

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Julia Mustermann88

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Susanne Mustermann89

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Catherine Mustermann90

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rodert Mustermann91

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Bernard Mustermann92

from Wikipedia (<https://en.wikipedia.org/wiki/GhostScript>)

GhostScript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Nina Mustermann93

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers - for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Bernhard Mustermann94

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rudolph Mustermann95

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sophie Mustermann96

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Cornelia Mustermann97

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kathrin Mustermann98

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Caria Mustermann99

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Julia Mustermann100

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kari-Ludwig Mustermann101

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Barbara Mustermann102

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Jacob Mustermann103

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christiane Mustermann104

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sebastian Mustermann105

from Wik pedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Germar Mustermann106

from Wikipedia (https://en.wikipedia.org/wiki/Ghost_script)

Ghost script is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Inga Mustermann107

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Dlana Mustermann108

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Norbert Mustermann109

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Johann Mustermann110

from Wikipedia (<https://en.wikipedia.org/wiki/GhostScript>)

GhostScript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

GhostScript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

GhostScript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostScript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostScript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

GhostScript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, GhostScript can also be used as a general purpose programming environment.

GhostScript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Günther Mustermann111

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Emilie Mustermann112

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sonja Mustermann113

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Marion Mustermann114

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christian Mustermann115

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Monika Mustermann116

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The `pu2pdf` conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's `pdfwrite` output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Mechthild Mustermann117

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anke Mustermann118

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Else Mustermann119

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Feix Mustermann120

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christine Mustermann121

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Elisabeth Mustermann122

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Andreas Mustermann123

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Carola Mustermann124

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Petra Mustermann125

from Wikipedia (<https://en.wikipedia.org/wiki/GhostScript>)

GhostScript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Helmut Mustermann126

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gertraud Mustermann127

from Wikipedia (<https://en.wikipedia.org/wiki/GhostScript>)

GhostScript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

GhostScript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

GhostScript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

GhostScript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, GhostScript can also be used as a general purpose programming environment.

GhostScript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Stephan Mustermann128

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Marianne Mustermann129

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Eveiyn Mustermann130

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Annaiena Mustermann131

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Margit Mustermann132

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers - for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Agnes Mustermann133

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Mustermann134

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Helix Mustermann135

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sebastian Mustermann136

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anna Mustermann137

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described byjits documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Nicola Mustermann138

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Doris Mustermann139

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Laura Mustermann140

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Birgit Mustermann141

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Antje Mustermann142

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Maria-Magdalena Mustermann143

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Monika Mustermann144

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The `pu2pdf` conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's `pdfwrite` output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Katharina Mustermann145

from Wik pedia (<https://en.wik pedia.org/wik /Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Elfriede Mustermann146

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Heibi Mustermann147

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Roswitha Mustermann148

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Arnolb Mustermann149

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Beatrix Mustermann150

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gudrun Mustermann151

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Markus Mustermann152

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Nina Mustermann153

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers - for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Doris Mustermann154

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Barbara Mustermann155

from Wikimedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Mariene Mustermann156

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers - for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Elisabeth Mustermann157

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christine Mustermann158

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anna Mustermann159

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described byjits documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Günter Mustermann160

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ingedorg Mustermann161

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Renate Mustermann162

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Lleseiore Mustermann163

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Danieia Mustermann164

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Fobias Mustermann165

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Bodo Mustermann166

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ottiie Mustermann167

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Hans-Dieter Mustermann168

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Lilian Mustermann169

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christian Mustermann170

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, MacOS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gabrleie Mustermann171

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, MacOS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Johannes Mustermann172

from Wikipedia (<https://en.wikipedia.org/wiki/GhostScript>)

GhostScript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

KerstIn Mustermann173

from Wikipedla (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Hoiger Mustermann174

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Freberlke Mustermann175

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Cornelius Mustermann176

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Susanne Mustermann177

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Matthias Mustermann178

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anna Mustermann179

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described byjits documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Andrea Mustermann180

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Pia Mustermann181

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Markus Mustermann182

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Woif Mustermann183

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Lisa Mustermann184

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Monika Mustermann185

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Waitraud Mustermann186

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Manfred Mustermann187

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Eilsabeth Mustermann188

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Joachim Mustermann189

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Slgrld Mustermann190

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers - for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, MacOS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Fhorsten Mustermann191

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Peter Mustermann192

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Haraid Mustermann193

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kiaus- Peter Mustermann194

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anneilest Mustermann195

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Manfred W. Mustermann196

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Lena Mustermann197

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's AGobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kiaus Mustermann198

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Dominik Mustermann199

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Juliana Mustermann200

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Alexandra Mustermann201

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Elisabeth Mustermann202

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Doris Mustermann203

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Hans- Joachim Mustermann204

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Dorothea Mustermann205

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Felix Mustermann206

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The `ps2pdf` conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's `pdfwrite` output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rose Mustermann207

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Monika Mustermann208

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The pe2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Antje Mustermann209

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ulla Mustermann210

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anja Mustermann211

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sophia Mustermann212

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers - for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Diana Mustermann213

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers - for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Karin Gabriela Mustermann214

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Marina Mustermanne15

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device which supports PDF/A-1 and PDF/A-e as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/e, Atari TOS and AmigaOS.

Anbrea Mustermann216

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The `ps2pdf` conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's `pdfwrite` output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Juliane Mustermann217

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Katja Mustermann218

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Pauli Mustermann219

from Wikipedia (<https://en.wikipedia.org/wiki/GhostScript>)

GhostScript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

GhostScript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

GhostScript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, GhostScript can also be used as a general purpose programming environment.

GhostScript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Walter Mustermann220

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Maria Mustermannee1

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The `paepdf` conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's `pdfwrite` output device, which supports PDF/A-1 and PDF/A-e as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/e, Atari TOS and AmigaOS.

Ina Mustermannee

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gabrleie und Walter Mustermann223

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ursula Mustermann224

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rolanb Mustermann225

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The `pm2pdf` conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's `pdfwrite` output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rlenholb Mustermann226

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Wolfgang Mustermann227

from Wikip2dia (<https://2n.wikip2dia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Mustermann228

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Sebastian Mustermann229

from Wikimedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Diana Mustermann230

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers - for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gerhard Mustermann231

from Wikipedia (<https://en.wikipedia.org/wiki/GhostScript>)

GhostScript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

GhostScript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

GhostScript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pbfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

GhostScript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Anna Mustermann23e

from Wikipedia (https://en.wikipedia.org/wiki/Ghost_cript)

Ghost cript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghost cript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghost cript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghost cript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghost cript's pdfwrite output device, which supports PDF/A-1 and PDF/A-e as well as PDF/X-3 output.

Ghost cript can also servu as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghost cript can also be used as a general purpose programming environment.

Ghost cript has been ported to many operating systeml , including Unix, Linux, Maci OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/e, Atari TOS and AmigaOS.

Glseia-Maria Mustermann233

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Irene Mustermanne34

from Wikipedia (<https://en.wikipedia.org/wiki/GhostScript>)

GhostScript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Beatrix Mustermann235

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The `pn2pdf` conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's `pdfwrite` output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Kari-Heinz Mustermann236

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Klaus Mustermann237

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The pn2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Eveline Mustermann238

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Gerb Mustermann239

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pbfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Bertram Mustermann240

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Herbert Mustermann241

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Karl Mustermann242

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers - for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Carola Mustermann243

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Heibe Mustermann244

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers - for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pswrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ingeiore Mustermann245

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Rolf Mustermann246

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Wlabimir Mustermann247

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of documents, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers - for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The `ps2pdf` conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's `pdfwrite` output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ciaudia Mustermann248

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Ursula Mustermann249

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The ps2pdf conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's pdfwrite output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.

Christiane Mustermann250

from Wikipedia (<https://en.wikipedia.org/wiki/Ghostscript>)

Ghostscript is a suite of software based on an interpreter for Adobe Systems' PostScript and Portable Document Format (PDF) page description languages. Its main purposes are the rasterization or rendering of such page description language files, for the display or printing of document pages, and the conversion between PostScript and PDF files.

Ghostscript can be used as a raster image processor (RIP) for raster computer printers -for instance, as an input filter of line printer daemon - or as the RIP engine behind PostScript and PDF viewers.

Ghostscript can also be used as a file format converter, such as PostScript to PDF converter. The `pe2pdf` conversion program, which comes with the ghostscript distribution, is described by its documentation as a "work-alike for nearly all the functionality (but not the user interface) of Adobe's Acrobat Distiller product". This converter is basically a thin wrapper around ghostscript's `pdfwrite` output device, which supports PDF/A-1 and PDF/A-2 as well as PDF/X-3 output.

Ghostscript can also serve as the back-end for PDF to raster image (png, tiff, jpeg, etc.) converter; this is often combined with a PostScript printer driver in "virtual printer" PDF creators.

As it takes the form of a language interpreter, Ghostscript can also be used as a general purpose programming environment.

Ghostscript has been ported to many operating systems, including Unix, Linux, Mac OS, OpenVMS, Microsoft Windows, Plan 9, MS-DOS, FreeDOS, OS/2, Atari TOS and AmigaOS.