

```
$
cd /QOPENSYS/ghostpdl-9.26
$
gmake
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-bui
ltin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1
-DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-
aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -I./base -o ./obj/aux/genconf ./base/genconf.c -lm -ldl -liconv
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-bui
ltin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1
-DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-
aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -I./base -o ./obj/aux/echogs ./base/echogs.c -lm -ldl -liconv
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-bui
ltin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1
-DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-
aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -I./base -o ./obj/aux/genarch ./base/genarch.c -lm -ldl -liconv
./base/genarch.c: In function 'main':
./base/genarch.c:123: warning: unused variable 'sp'
./obj/aux/genarch ./obj/arch.h
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gp_getnv.o -c ./base/gp_getnv.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gp_upapr.o -c ./base/gp_upapr.c
./obj/aux/echogs -w ./obj/gconfig.h -x 2f2a -s This file was generated automatically by unix-aux.mak. -s -x 2a2f
./obj/aux/echogs -a ./obj/gconfig.h
./obj/aux/echogs -a ./obj/gconfig.h -x 23 ifndef HAVE_DIRENT_H
if ( test -f /usr/include/dirent.h ); then ./obj/aux/echogs -a ./obj/gconfig.h -x 23 define HAVE_DIRENT_H 1; \
    else ./obj/aux/echogs -a ./obj/gconfig.h -x 23 define HAVE_DIRENT_H 0; fi
./obj/aux/echogs -a ./obj/gconfig.h -x 23 endif
./obj/aux/echogs -a ./obj/gconfig.h
./obj/aux/echogs -a ./obj/gconfig.h -x 23 ifndef HAVE_NDIR_H
if ( test -f /usr/include/ndir.h ); then ./obj/aux/echogs -a ./obj/gconfig.h -x 23 define HAVE_NDIR_H 1; \
    else ./obj/aux/echogs -a ./obj/gconfig.h -x 23 define HAVE_NDIR_H 0; fi
./obj/aux/echogs -a ./obj/gconfig.h -x 23 endif
./obj/aux/echogs -a ./obj/gconfig.h
./obj/aux/echogs -a ./obj/gconfig.h -x 23 ifndef HAVE_SYS_DIR_H
if ( test -f /usr/include/sys/dir.h ); then ./obj/aux/echogs -a ./obj/gconfig.h -x 23 define HAVE_SYS_DIR_H 1; \
    else ./obj/aux/echogs -a ./obj/gconfig.h -x 23 define HAVE_SYS_DIR_H 0; fi
./obj/aux/echogs -a ./obj/gconfig.h -x 23 endif
./obj/aux/echogs -a ./obj/gconfig.h
./obj/aux/echogs -a ./obj/gconfig.h -x 23 ifndef HAVE_SYS_NDIR_H
if ( test -f /usr/include/sys/ndir.h ); then ./obj/aux/echogs -a ./obj/gconfig.h -x 23 define HAVE_SYS_NDIR_H 1; \
    else ./obj/aux/echogs -a ./obj/gconfig.h -x 23 define HAVE_SYS_NDIR_H 0; fi
./obj/aux/echogs -a ./obj/gconfig.h -x 23 endif
./obj/aux/echogs -a ./obj/gconfig.h
./obj/aux/echogs -a ./obj/gconfig.h -x 23 ifndef HAVE_SYS_TIME_H
if ( test -f /usr/include/sys/time.h ); then ./obj/aux/echogs -a ./obj/gconfig.h -x 23 define HAVE_SYS_TIME_H 1; \
```

```
else ./obj/aux/echogs -a ./obj/gconfig.h -x 23 define HAVE_SYS_TIME_H 0; fi
./obj/aux/echogs -a ./obj/gconfig.h -x 23 endif
./obj/aux/echogs -a ./obj/gconfig.h
./obj/aux/echogs -a ./obj/gconfig.h -x 23 ifndef HAVE_SYS_TIMES_H
if ( test -f /usr/include/sys/times.h ); then ./obj/aux/echogs -a ./obj/gconfig.h -x 23 define HAVE_SYS_TIMES_H 1; \
else ./obj/aux/echogs -a ./obj/gconfig.h -x 23 define HAVE_SYS_TIMES_H 0; fi
./obj/aux/echogs -a ./obj/gconfig.h -x 23 endif
./obj/aux/echogs -a ./obj/gconfig.h
if ( test -f ./jpeg/jmemsys.h); then true; else ./obj/aux/echogs -a ./obj/gconfig.h -x 23 define DONT_HAVE_JMEMSYS_H; fi
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gp_unix.o -c ./base/gp_unix.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gp_unifs.o -c ./base/gp_unifs.c
In file included from ./base/gp_unifs.c:33:
./base/unistd.h:55:1: warning: "_XOPEN_SOURCE" redefined
In file included from /QOpenSys/usr/local/bin/./lib/gcc/powerpc-ibm-aix5.3.0.0/4.1.0/include/sys/types.h:46,
from ./base/stdpre.h:310,
from ./base/std.h:22,
from ./base/stdio.h:26,
from ./base/gp_unifs.c:22:
/usr/include/standards.h:157:1: warning: this is the location of the previous definition
In file included from ./base/gp_unifs.c:33:
./base/unistd.h:56:1: warning: "__USE_UNIX98" redefined
<command line>:1:1: warning: this is the location of the previous definition
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gp_unifn.o -c ./base/gp_unifn.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gp_stdia.o -c ./base/gp_stdia.c
In file included from ./base/gp_stdia.c:22:
./base/unistd.h:55:1: warning: "_XOPEN_SOURCE" redefined
In file included from /QOpenSys/usr/local/bin/./lib/gcc/powerpc-ibm-aix5.3.0.0/4.1.0/include/sys/types.h:46,
from ./base/stdpre.h:310,
from ./base/std.h:22,
from ./base/stdio.h:26,
from ./base/gp_stdia.c:20:
/usr/include/standards.h:157:1: warning: this is the location of the previous definition
In file included from ./base/gp_stdia.c:22:
./base/unistd.h:56:1: warning: "__USE_UNIX98" redefined
<command line>:1:1: warning: this is the location of the previous definition
```

```
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gp_nxpsprn.o -c ./base/gp_nxpsprn.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gp_nsync.o -c ./base/gp_nsync.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/nosync ./obj/gp_nsync.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/smd5.o -c ./base/smd5.c
./obj/aux/echogs -w ./obj/gsmd5.h -x 23 include -x 2022 memory_.h -x 22
./obj/aux/echogs -a ./obj/gsmd5.h --R ./base/gsmd5.h
cp ./base/gsmd5.c ./obj/gsmd5.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsmd5.o -c ./obj/gsmd5.c
rm -f ./obj/gsmd5.c ./obj/gsmd5.h
./obj/aux/echogs -e .dev -w- -l-obj ./obj/smd5 ./obj/smd5.o ./obj/gsmd5.o
./obj/aux/echogs -e .dev -w- -l-obj ./obj/unix_ ./obj/gp_getnv.o ./obj/gp_upapr.o ./obj/gp_unix.o ./obj/gp_unifs.o ./obj/gp_unifn.o
./obj/gp_stdia.o ./obj/gp_nxpsprn.o -include ./obj/nosync
./obj/aux/echogs -e .dev -a- ./obj/unix_ -include ./obj/smd5
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gdevpipe.o -c ./base/gdevpipe.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/pipe ./obj/gdevpipe.o
./obj/aux/echogs -e .dev -a- ./obj/pipe -iodev pipe
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsnogc.o -c ./base/gsnogc.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/gsnogc ./obj/gsnogc.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gshtx.o -c ./base/gshtx.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/htxlib ./obj/gshtx.o
```



```
./obj/aux/echogs -e .dev -w- -l-obj ./obj/funclib ./obj/gdsrco ./obj/gsfunc.o ./obj/gsfunc0.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gscolor1.o -c ./base/gscolor1.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsht1.o -c ./base/gsht1.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/cmyklib ./obj/gscolor1.o ./obj/gsht1.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gscolor2.o -c ./base/gscolor2.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psl2cs ./obj/gscolor2.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gspcolor.o -c ./base/gspcolor.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsptypel.o -c ./base/gsptypel.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gxclip2.o -c ./base/gxclip2.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gxplfill.o -c ./base/gxplfill.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gxpcmap.o -c ./base/gxpcmap.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/patlib -include ./obj/cmyklib ./obj/imasklib ./obj/psl2cs
./obj/aux/echogs -e .dev -a- ./obj/patlib -obj ./obj/gspcolor.o ./obj/gsptypel.o ./obj/gxclip2.o
./obj/aux/echogs -e .dev -a- ./obj/patlib -obj ./obj/gxclip.o ./obj/gxplfill.o ./obj/gxpcmap.o
./obj/aux/echogs -e .dev -w- -l-obj ./obj/shadelib ./obj/gscolor3.o ./obj/gsfunc3.o ./obj/gsptype2.o ./obj/gsshade.o
```

```
./obj/aux/echogs -e .dev -a- ./obj/shadelib -obj ./obj/gxshade.o ./obj/gxshadel.o ./obj/gxshade4.o ./obj/gxshade6.o
./obj/aux/echogs -e .dev -a- ./obj/shadelib -include ./obj/funclib ./obj/patlib
./obj/aux/echogs -e .dev -w- -l-obj ./obj/gxfapiu
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psl3lib ./obj/gsclipsr.o ./obj/gscdevn.o ./obj/gxdevndi.o
./obj/aux/echogs -e .dev -a- ./obj/psl3lib -include ./obj/imasklib ./obj/shadelib
./obj/aux/echogs -e .dev -a- ./obj/psl3lib -include ./obj/gxfapiu
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gxicolor.o -c ./base/gxicolor.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/colimlib ./obj/gxicolor.o
./obj/aux/echogs -e .dev -a- ./obj/colimlib -imageclass 4_color
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psl2lib -include ./obj/colimlib ./obj/psl2cs
./obj/aux/echogs -e .dev -a- ./obj/psl2lib -imageclass 2_fracs
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsdps1.o -c ./base/gsdps1.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/dps2lib ./obj/gsdps1.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gspath1.o -c ./base/gspath1.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/pathllib ./obj/gspath1.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/srld.o -c ./base/srld.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/rld ./obj/srld.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gstype42.o -c ./base/gstype42.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gxchROUT.o -c ./base/gxchROUT.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/ttcalc.o -c ./base/ttcalc.c
```



```
CH_CMS="lcms2mt" -o ./obj/gscie.o -c ./base/gscie.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsciemap.o -c ./base/gsciemap.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gscscie.o -c ./base/gscscie.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gscrd.o -c ./base/gscrd.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gscrdp.o -c ./base/gscrdp.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gxctable.o -c ./base/gxctable.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/cielib ./obj/gscie.o ./obj/gsciemap.o ./obj/gscscie.o
./obj/aux/echogs -e .dev -a- ./obj/cielib ./obj/gscrd.o ./obj/gscrdp.o ./obj/gxctable.o
./obj/aux/echogs -w ./obj/jconfig0.h -+R ./base/stdpre.h -+R ./base/gsjconf.h
rm -f ./obj/jconfig1.h
cp ./obj/jconfig0.h ./obj/jconfig.h
cp ./jpeg/jmorecfg.h ./obj/jmorig.h
cp ./base/gsjmorec.h ./obj/jmorecf0.h
rm -f ./obj/jmorecf1.h
cp ./obj/jmorecf0.h ./obj/jmorecfg.h
cp ./jpeg/jpeglib.h ./obj/jpeglib0.h
cp ./obj/jpeglib0.h ./obj/jpeglib.h
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/sdctc.o -c ./base/sdctc.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -I./jpeg -DSHARE_JPEG=0 -o ./obj/sjpegc_0.o -c ./base/sjpegc.c
cp ./obj/sjpegc_0.o ./obj/sjpegc.o
```

```
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -I./jpeg -DSHARE_JPEG=0 -o ./obj/sdctd_0.o -c ./base/sdctd.c
cp ./obj/sdctd_0.o ./obj/sdctd.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -I./jpeg -DSHARE_JPEG=0 -o ./obj/sjpegd_0.o -c ./base/sjpegd.c
cp ./obj/sjpegd_0.o ./obj/sjpegd.o
cp ./jpeg/jinclude.h ./obj/jinclude.h
cp ./jpeg/jpeglib.h ./obj/jpeglib.h
cp ./jpeg/jcomapi.c ./obj/jcomapi.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jcomapi.o -c ./obj/jcomapi.c
rm -f ./obj/jcomapi.c
cp ./jpeg/jutils.c ./obj/jutils.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jutils.o -c ./obj/jutils.c
rm -f ./obj/jutils.c
cp ./jpeg/jmemmgr.c ./obj/jmemmgr.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jmemmgr.o -c ./obj/jmemmgr.c
rm -f ./obj/jmemmgr.c
cp ./jpeg/jerror.c ./obj/jerror.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jerror.o -c ./obj/jerror.c
rm -f ./obj/jerror.c
cp ./jpeg/jaricom.c ./obj/jaricom.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jaricom.o -c ./obj/jaricom.c
```

```
rm -f ./obj/jaricom.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jmemcust.o -c ./base/jmemcust.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/jpegc0 ./obj/jcomapi.o ./obj/jutils.o ./obj/jmemmgr.o ./obj/jerror.o ./obj/jaricom.o ./obj/jmemcust.o
cp ./jpeg/jdapimin.c ./obj/jdapimin.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jdapimin.o -c ./obj/jdapimin.c
rm -f ./obj/jdapimin.c
cp ./jpeg/jdapistd.c ./obj/jdapistd.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jdapistd.o -c ./obj/jdapistd.c
rm -f ./obj/jdapistd.c
cp ./jpeg/jdinput.c ./obj/jdinput.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jdinput.o -c ./obj/jdinput.c
rm -f ./obj/jdinput.c
cp ./jpeg/jdhuff.c ./obj/jdhuff.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jdhuff.o -c ./obj/jdhuff.c
rm -f ./obj/jdhuff.c
cp ./jpeg/jdcoefct.c ./obj/jdcoefct.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jdcoefct.o -c ./obj/jdcoefct.c
rm -f ./obj/jdcoefct.c
cp ./jpeg/jdcolor.c ./obj/jdcolor.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jdcolor.o -c ./obj/jdcolor.c
```

```
o -c ./obj/jdcolor.c
rm -f ./obj/jdcolor.c
cp ./jpeg/jddctmgr.c ./obj/jddctmgr.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jddctmgr.o
o -c ./obj/jddctmgr.c
rm -f ./obj/jddctmgr.c
cp ./jpeg/jdmainct.c ./obj/jdmainct.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jdmainct.o
o -c ./obj/jdmainct.c
rm -f ./obj/jdmainct.c
cp ./jpeg/jdmarker.c ./obj/jdmarker.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jdmarker.o
o -c ./obj/jdmarker.c
rm -f ./obj/jdmarker.c
cp ./jpeg/jdmaster.c ./obj/jdmaster.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jdmaster.o
o -c ./obj/jdmaster.c
rm -f ./obj/jdmaster.c
cp ./jpeg/jdpostct.c ./obj/jdpostct.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jdpostct.o
o -c ./obj/jdpostct.c
rm -f ./obj/jdpostct.c
cp ./jpeg/jdsample.c ./obj/jdsample.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jdsample.o
o -c ./obj/jdsample.c
rm -f ./obj/jdsample.c
cp ./jpeg/jidctint.c ./obj/jidctint.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jidctint.o
```

```
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jidctint.o -c ./obj/jidctint.c
rm -f ./obj/jidctint.c
cp ./jpeg/jdarith.c ./obj/jdarith.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jdarith.o -c ./obj/jdarith.c
rm -f ./obj/jdarith.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/jpegd6 ./obj/jdapimin.o ./obj/jdapistd.o ./obj/jdinput.o ./obj/jdhuff.o
./obj/aux/echogs -e .dev -a- ./obj/jpegd6 -include ./obj/jpegc0.dev
./obj/aux/echogs -e .dev -a- ./obj/jpegd6 -obj ./obj/jdcoefct.o ./obj/jdcolor.o
./obj/aux/echogs -e .dev -a- ./obj/jpegd6 -obj ./obj/jddctmgr.o ./obj/jdhuff.o ./obj/jdmainct.o ./obj/jdmarker.o
./obj/aux/echogs -e .dev -a- ./obj/jpegd6 -obj ./obj/jdmaster.o ./obj/jdpostct.o ./obj/jdsample.o ./obj/jidctint.o ./obj/jdarith.o
cp ./obj/jpegd6.dev ./obj/jpegd_0.dev
cp ./obj/jpegd_0.dev ./obj/jpegd.dev
./obj/aux/echogs -e .dev -w- -l-obj ./obj/sdctd ./obj/sdctc.o ./obj/sjpegc.o ./obj/sdctd.o ./obj/sjpegd.o
./obj/aux/echogs -e .dev -a- ./obj/sdctd -include ./obj/jpegd.dev
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -I./jpeg -DSHARE_JPEG=0 -o ./obj/sdcte_0.o -c ./base/sdcte.c
cp ./obj/sdcte_0.o ./obj/sdcte.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -I./jpeg -DSHARE_JPEG=0 -o ./obj/sjpege_0.o -c ./base/sjpege.c
cp ./obj/sjpege_0.o ./obj/sjpege.o
cp ./jpeg/jcapimin.c ./obj/jcapimin.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jcapimin.o -c ./obj/jcapimin.c
rm -f ./obj/jcapimin.c
cp ./jpeg/jcapistd.c ./obj/jcapistd.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jcapistd.o -c ./obj/jcapistd.c
rm -f ./obj/jcapistd.c
cp ./jpeg/jcinit.c ./obj/jcinit.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jcinit.o -c ./obj/jcinit.c
```

```
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jcinit.o
-c ./obj/jcinit.c
rm -f ./obj/jcinit.c
cp ./jpeg/jccoefct.c ./obj/jccoefct.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jccoefct
.o -c ./obj/jccoefct.c
rm -f ./obj/jccoefct.c
cp ./jpeg/jccolor.c ./obj/jccolor.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jccolor.
o -c ./obj/jccolor.c
rm -f ./obj/jccolor.c
cp ./jpeg/jcdctmgr.c ./obj/jcdctmgr.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jcdctmgr
.o -c ./obj/jcdctmgr.c
rm -f ./obj/jcdctmgr.c
cp ./jpeg/jcarith.c ./obj/jcarith.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jcarith.
o -c ./obj/jcarith.c
rm -f ./obj/jcarith.c
cp ./jpeg/jchuff.c ./obj/jchuff.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jchuff.o
-c ./obj/jchuff.c
rm -f ./obj/jchuff.c
cp ./jpeg/jcmainct.c ./obj/jcmainct.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jcmainct
.o -c ./obj/jcmainct.c
rm -f ./obj/jcmainct.c
cp ./jpeg/jcmarker.c ./obj/jcmarker.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR
```

```
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jcmarker
.o -c ./obj/jcmarker.c
rm -f ./obj/jcmarker.c
cp ./jpeg/jcmaster.c ./obj/jcmaster.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jcmaster
.o -c ./obj/jcmaster.c
rm -f ./obj/jcmaster.c
cp ./jpeg/jcparam.c ./obj/jcparam.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jcparam.
o -c ./obj/jcparam.c
rm -f ./obj/jcparam.c
cp ./jpeg/jcprepct.c ./obj/jcprepct.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jcprepct
.o -c ./obj/jcprepct.c
rm -f ./obj/jcprepct.c
cp ./jpeg/jcsample.c ./obj/jcsample.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jcsample
.o -c ./obj/jcsample.c
rm -f ./obj/jcsample.c
cp ./jpeg/jfdctint.c ./obj/jfdctint.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jpeg -o ./obj/jfdctint
.o -c ./obj/jfdctint.c
rm -f ./obj/jfdctint.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/jpege6 ./obj/jcapimin.o ./obj/jcapistd.o ./obj/jcinit.o
./obj/aux/echogs -e .dev -a- ./obj/jpege6 -include ./obj/jpegc0.dev
./obj/aux/echogs -e .dev -a- ./obj/jpege6 -obj ./obj/jccoefct.o ./obj/jccolor.o ./obj/jcdctmgr.o ./obj/jcarith.o
./obj/aux/echogs -e .dev -a- ./obj/jpege6 -obj ./obj/jchuff.o ./obj/jcmainct.o ./obj/jcmarker.o ./obj/jcmaster.o
./obj/aux/echogs -e .dev -a- ./obj/jpege6 -obj ./obj/jcparam.o ./obj/jcprepct.o ./obj/jcsample.o ./obj/jfdctint.o
cp ./obj/jpege6.dev ./obj/jpege_0.dev
cp ./obj/jpege_0.dev ./obj/jpege.dev
./obj/aux/echogs -e .dev -w- -l-obj ./obj/sdcte ./obj/sdctc.o ./obj/sjpegc.o ./obj/sdcte.o ./obj/sjpege.o
./obj/aux/echogs -e .dev -a- ./obj/sdcte -include ./obj/jpege.dev
./obj/aux/echogs -e .dev -w- -l-obj ./obj/sdct -include ./obj/sdctd.dev ./obj/sdcte.dev
cp ./libpng/scripts/pnglibconf.h.prebuilt ./obj/pnglibconf.h
```



```
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./libpng -I./zlib -I./obj -DPNG_NO_ASSEMBLER_CODE -DPNG_INTEL_SSE_OPT=0 -DPNG_INTEL_SSE_IMPLEMENTATION=0 -o ./obj/pngrutil.o -c ./libpng/pngrutil.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./libpng -I./zlib -I./obj -DPNG_NO_ASSEMBLER_CODE -DPNG_INTEL_SSE_OPT=0 -DPNG_INTEL_SSE_IMPLEMENTATION=0 -o ./obj/pngrtran.o -c ./libpng/pngrtran.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./libpng -I./zlib -I./obj -DPNG_NO_ASSEMBLER_CODE -DPNG_INTEL_SSE_OPT=0 -DPNG_INTEL_SSE_IMPLEMENTATION=0 -o ./obj/pngrio.o -c ./libpng/pngrio.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./libpng -I./zlib -I./obj -DPNG_NO_ASSEMBLER_CODE -DPNG_INTEL_SSE_OPT=0 -DPNG_INTEL_SSE_IMPLEMENTATION=0 -o ./obj/pngget.o -c ./libpng/pngget.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -Wno-write-strings -I./zlib -Dverbose=-1 -o ./obj/zutil.o -c ./zlib/zutil.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/zlibc ./obj/zutil.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -Wno-write-strings -I./zlib -Dverbose=-1 -o ./obj/adler32.o -c ./zlib/adler32.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -Wno-write-strings -I./zlib -Dverbose=-1 -o ./obj/deflate.o -c ./zlib/deflate.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -Wno-write-strings -I./zlib -Dverbose=-1 -o ./obj/compress.o -c ./zlib/compress.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -Wno-write-strings -I./zlib -Dverbose=-1 -o ./obj/trees.o -c ./zlib/trees.c
```

```
ose=-1 -o ./obj/crc32.o -c ./zlib/crc32.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/zlibe_0 ./obj/adler32.o ./obj/deflate.o ./obj/compress.o ./obj/trees.o ./obj/crc32.o
./obj/aux/echogs -e .dev -a- ./obj/zlibe_0 -include ./obj/zlibc.dev
cp ./obj/zlibe_0.dev ./obj/zlibe.dev
./obj/aux/echogs -e .dev -w- -l-obj ./obj/crc32_0 ./obj/crc32.o
cp ./obj/crc32_0.dev ./obj/crc32.dev
./obj/aux/echogs -e .dev -w- -l-obj ./obj/libpng_0 ./obj/png.o ./obj/pngmem.o ./obj/pngerror.o ./obj/pngset.o
./obj/aux/echogs -e .dev -a- ./obj/libpng_0 ./obj/pngtrans.o ./obj/pngwrite.o ./obj/pngwtran.o ./obj/pngwutil.o ./obj/pngwio.o
./obj/aux/echogs -e .dev -a- ./obj/libpng_0 ./obj/pngread.o ./obj/pngrutil.o ./obj/pngrtran.o ./obj/pngrio.o ./obj/pngget.o
./obj/aux/echogs -e .dev -a- ./obj/libpng_0 ./obj/pngwio.o
./obj/aux/echogs -e .dev -a- ./obj/libpng_0 -include ./obj/zlibe.dev ./obj/crc32.dev
cp ./obj/libpng_0.dev ./obj/libpng.dev
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gscsepr.o -c ./base/gscsepr.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/ganamecl.o -c ./base/ganamecl.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsncdummy.o -c ./base/gsncdummy.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/sepplib ./obj/gscsepr.o ./obj/ganamecl.o ./obj/gsncdummy.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gstrans.o -c ./base/gstrans.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gximag3x.o -c ./base/gximag3x.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gxblend.o -c ./base/gxblend.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gxblend1.o -c ./base/gxblend1.c
```

```
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gdevp14.o -c ./base/gdevp14.c
./base/gdevp14.c: In function 'pdf14_push_text_group':
./base/gdevp14.c:3869: warning: missing braces around initializer
./base/gdevp14.c:3869: warning: (near initialization for 'bbox.p')
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gdevdevn.o -c ./base/gdevdevn.c
./base/gdevdevn.c: In function 'devn_printer_put_params':
./base/gdevdevn.c:800: warning: 'saved_equiv_colors.all_color_info_valid' may be used uninitialized in this function
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsequivc.o -c ./base/gsequivc.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gdevdcrd.o -c ./base/gdevdcrd.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gscpixel.o -c ./base/gscpixel.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/cspixlib ./obj/gscpixel.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gdevbbox.o -c ./base/gdevbbox.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/bboxutil ./obj/gdevbbox.o
./obj/aux/echogs -e .dev -w- -l-obj ./obj/translib ./obj/gstrans.o ./obj/gximag3x.o ./obj/gxblend.o ./obj/gxblend1.o ./obj/gdevp14.o ./obj/gdevdevn.o ./obj/gsequivc.o ./obj/gdevdcrd.o
./obj/aux/echogs -e .dev -a- ./obj/translib -imagedtype 3x
./obj/aux/echogs -e .dev -a- ./obj/translib -include ./obj/cspixlib ./obj/bboxutil
./obj/aux/echogs -e .dev -a- ./obj/translib -include ./obj/cielib.dev
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsfcid.o -c ./base/gsfcid.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
```

```
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsfcid2.o -c ./base/gsfcid2.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/cidlib ./obj/gsfcid.o ./obj/gsfcid2.o
./obj/aux/echogs -e .dev -a- ./obj/cidlib -include ./obj/ttflib
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsfcmmap.o -c ./base/gsfcmmap.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsfcmmap1.o -c ./base/gsfcmmap1.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/cmaplib ./obj/gsfcmmap.o ./obj/gsfcmmap1.o
./obj/aux/echogs -e .dev -a- ./obj/cmaplib -include ./obj/cidlib
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gschar0.o -c ./base/gschar0.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsfont0.o -c ./base/gsfont0.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psf0lib ./obj/gschar0.o ./obj/gsfont0.o
./obj/aux/echogs -e .dev -a- ./obj/psf0lib -include ./obj/cmaplib
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gstypel.o -c ./base/gstypel.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gxtypel.o -c ./base/gxtypel.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gxhintn.o -c ./base/gxhintn.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
```

```
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gxhintn1.o -c ./base/gxhintn1.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gscrypt1.o -c ./base/gscrypt1.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psfllib ./obj/gstypel.o
./obj/aux/echogs -e .dev -a- ./obj/psfllib ./obj/gxtypel.o ./obj/gxhintn.o ./obj/gxhintn1.o ./obj/gscrypt1.o ./obj/gxchrou.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gstype2.o -c ./base/gstype2.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psf2lib ./obj/gstype2.o
./obj/aux/echogs -e .dev -a- ./obj/psf2lib ./obj/gxtypel.o ./obj/gxhintn.o ./obj/gxhintn1.o ./obj/gscrypt1.o ./obj/gxchrou.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/slzewd.o -c ./base/slzewd.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/slzewc.o -c ./base/slzewc.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/lzwd ./obj/slzewd.o ./obj/slzewc.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsicc.o -c ./base/gsicc.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsicc_manage.o -c ./base/gsicc_manage.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsicc_cache.o -c ./base/gsicc_cache.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -I./lcms2mt/include -o ./obj/gsicc_lcms2mt_0.o -c ./base/gsicc_lcms2mt
```

.c

```
cp ./obj/gsicc_lcms2mt_0.o ./obj/gsicc_lcms2mt.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEX_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsicc_profilecache.o -c ./base/gsicc_profilecache.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEX_PROTO=1 -I./obj -I./base -I./devices -I./lcms2mt/include -o ./obj/gsicc_create_0.o -c ./base/gsicc_create.c
./base/gsicc_create.c: In function 'gsicc_create_getv2buffer':
./base/gsicc_create.c:3242: warning: 'tag_signature' is used uninitialized in this function
cp ./obj/gsicc_create_0.o ./obj/gsicc_create.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEX_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsicc_nocm.o -c ./base/gsicc_nocm.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEX_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsicc_replacecm.o -c ./base/gsicc_replacecm.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEX_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsicc_monitorcm.o -c ./base/gsicc_monitorcm.c
gcc -DSHARE_LCMS=0 -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEX_PROTO=1 -DSHARE_LCMS=0 -DCMS_USE_BIG_ENDIAN=1 -DCMS_PTR_ALIGNMENT=8 -I./lcms2mt/include -o ./obj/cmcam02.o -c ./lcms2mt/src/cmcam02.c
gcc -DSHARE_LCMS=0 -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEX_PROTO=1 -DSHARE_LCMS=0 -DCMS_USE_BIG_ENDIAN=1 -DCMS_PTR_ALIGNMENT=8 -I./lcms2mt/include -o ./obj/cmcamgats.o -c ./lcms2mt/src/cmcamgats.c
gcc -DSHARE_LCMS=0 -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEX_PROTO=1 -DSHARE_LCMS=0 -DCMS_USE_BIG_ENDIAN=1 -DCMS_PTR_ALIGNMENT=8 -I./lcms2mt/include -o ./obj/cmcamvrt.o -c ./lcms2mt/src/cmcamvrt.c
gcc -DSHARE_LCMS=0 -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long
```



```
gcc -DSHARE_LCMS=0 -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DSHARE_LCMS=0 -DCMS_USE_BIG_ENDIAN=1 -DCMS_PTR_ALIGNMENT=8 -I./lcms2mt/include -o ./obj/cmswtpnt.o -c ./lcms2mt/src/cmswtpnt.c
gcc -DSHARE_LCMS=0 -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DSHARE_LCMS=0 -DCMS_USE_BIG_ENDIAN=1 -DCMS_PTR_ALIGNMENT=8 -I./lcms2mt/include -o ./obj/cmsxform.o -c ./lcms2mt/src/cmsxform.c
gcc -DSHARE_LCMS=0 -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DSHARE_LCMS=0 -DCMS_USE_BIG_ENDIAN=1 -DCMS_PTR_ALIGNMENT=8 -I./lcms2mt/include -o ./obj/cmsalpha.o -c ./lcms2mt/src/cmsalpha.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/lcms2mt_0 ./obj/cmcam02.o ./obj/cmcamgats.o ./obj/cmcamnvt.o ./obj/cmcamerr.o ./obj/cmcamgamma.o ./obj/cmcamgmt.o ./obj/cmcamhalf.o ./obj/cmcamintrap.o ./obj/cmcamio0.o ./obj/cmcamio1.o ./obj/cmcamlut.o ./obj/cmcammd5.o ./obj/cmcammtx.o ./obj/cmcamnamed.o ./obj/cmcamopt.o ./obj/cmcampack.o ./obj/cmcamspcs.o ./obj/cmcamplugin.o ./obj/cmcamsp2.o ./obj/cmcamssamp.o ./obj/cmcamstypes.o ./obj/cmcamsvirt.o ./obj/cmcamwtpnt.o ./obj/cmcamxform.o ./obj/cmcamalpha.o
cp ./obj/lcms2mt_0.dev ./obj/lcms2mt.dev
./obj/aux/echogs -e .dev -w- -l-obj ./obj/sicclib ./obj/gsiccc.o
./obj/aux/echogs -e .dev -a- ./obj/sicclib ./obj/gsiccc_manage.o ./obj/gsiccc_cache.o ./obj/gsiccc_lcms2mt.o ./obj/gsiccc_profilecache.o ./obj/gsiccc_create.o ./obj/gsiccc_nocm.o ./obj/gsiccc_replacecm.o ./obj/gsiccc_monitorcm.o
./obj/aux/echogs -e .dev -a- ./obj/sicclib ./obj/gcamd5.o
./obj/aux/echogs -e .dev -a- ./obj/sicclib -include ./obj/lcms2mt.dev
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jbig2dec -DHAVE_STDINT_H=1 -DWORDS_BIGENDIAN -DJBIG_EXTERNAL_MEMENTO_H=\"../base/memento.h\" -o ./obj/jbig2.o -c ./jbig2dec/jbig2.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jbig2dec -DHAVE_STDINT_H=1 -DWORDS_BIGENDIAN -DJBIG_EXTERNAL_MEMENTO_H=\"../base/memento.h\" -o ./obj/jbig2_arith.o -c ./jbig2dec/jbig2_arith.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="un
```

```
signed long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj
-I./jbig2dec -DHAVE_STDINT_H=1 -DWORDS_BIGENDIAN -DJBIG_EXTERNAL_MEMENTO_H=\"../base/memento.h\" -o ./obj/jbig2_arith_iaid.o -c ./jbig2dec/jbig2_arith_iaid.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj
-I./jbig2dec -DHAVE_STDINT_H=1 -DWORDS_BIGENDIAN -DJBIG_EXTERNAL_MEMENTO_H=\"../base/memento.h\" -o ./obj/jbig2_arith_int.o -c ./jbig2dec/jbig2_arith_int.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj
-I./jbig2dec -DHAVE_STDINT_H=1 -DWORDS_BIGENDIAN -DJBIG_EXTERNAL_MEMENTO_H=\"../base/memento.h\" -o ./obj/jbig2_generic.o -c ./jbig2dec/jbig2_generic.c
./jbig2dec/jbig2_generic.c: In function 'jbig2_decode_generic_template0_unopt':
./jbig2dec/jbig2_generic.c:440: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:440: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:440: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:441: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:441: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:441: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:442: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:442: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:442: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:443: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:443: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:443: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c: In function 'jbig2_decode_generic_template1_unopt':
./jbig2dec/jbig2_generic.c:493: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:493: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:493: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c: In function 'jbig2_decode_generic_template2_unopt':
./jbig2dec/jbig2_generic.c:606: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:606: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:606: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c: In function 'jbig2_decode_generic_template3_unopt':
./jbig2dec/jbig2_generic.c:776: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:776: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:776: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c: In function 'jbig2_decode_generic_template0_TPGDON':
./jbig2dec/jbig2_generic.c:835: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:835: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:835: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:836: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:836: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:836: warning: comparison is always false due to limited range of data type
```

```
./jbig2dec/jbig2_generic.c:837: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:837: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:837: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:838: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:838: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:838: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c: In function 'jbig2_decode_generic_template1_TPGDON':
./jbig2dec/jbig2_generic.c:894: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:894: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:894: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c: In function 'jbig2_decode_generic_template2_TPGDON':
./jbig2dec/jbig2_generic.c:947: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:947: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:947: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c: In function 'jbig2_decode_generic_template3_TPGDON':
./jbig2dec/jbig2_generic.c:997: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:997: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_generic.c:997: warning: comparison is always false due to limited range of data type
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jbig2dec -DHAVE_STDINT_H=1 -DWORDS_BIGENDIAN -DJBIG_EXTERNAL_MEMENTO_H=\"../base/memento.h\" -o ./obj/jbig2_refinement.o -c ./jbig2dec/jbig2_refinement.c
./jbig2dec/jbig2_refinement.c: In function 'jbig2_decode_refinement_template0_unopt':
./jbig2dec/jbig2_refinement.c:63: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_refinement.c:63: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_refinement.c:63: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_refinement.c:64: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_refinement.c:64: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_refinement.c:64: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_refinement.c:64: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_refinement.c: In function 'jbig2_decode_refinement_TPGRON':
./jbig2dec/jbig2_refinement.c:317: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_refinement.c:317: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_refinement.c:317: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_refinement.c:318: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_refinement.c:318: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_refinement.c:318: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_refinement.c:318: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_refinement.c:318: warning: comparison is always false due to limited range of data type
./jbig2dec/jbig2_refinement.c:318: warning: comparison is always false due to limited range of data type
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./jbig2dec -DHAVE_STDINT_H=1 -DWORDS_BIGENDIAN -DJBIG_EXTERNAL_MEMENTO_H=\"../base/memento.h\" -o ./obj/jbig2_huffman.o -c ./jbig2dec/jbig2_huffman.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
```



```
_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="un
signed long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEX_PROTO=1 -I./obj
-I./jbig2dec -DHAVE_STDINT_H=1 -DWORDS_BIGENDIAN -DJBIG_EXTERNAL_MEMENTO_H="\../base/memento.h\" -o ./obj/jbig2_text.o -c ./jbig2dec
/jbig2_text.c
./jbig2dec/jbig2_text.c: In function 'jbig2_decode_text_region':
./jbig2dec/jbig2_text.c:99: warning: 'range' may be used uninitialized in this function
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEX_PROTO=1 -O -Wall -Wstrict-prototypes -Wundef
f -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE
_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="un
signed long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEX_PROTO=1 -I./obj
-I./jbig2dec -DHAVE_STDINT_H=1 -DWORDS_BIGENDIAN -DJBIG_EXTERNAL_MEMENTO_H="\../base/memento.h\" -o ./obj/jbig2_halftone.o -c ./jbig
2dec/jbig2_halftone.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/jbig2dec_0 ./obj/jbig2.o ./obj/jbig2_arith.o ./obj/jbig2_arith_iaid.o ./obj/jbig2_arith_in
t.o ./obj/jbig2_generic.o ./obj/jbig2_refinement.o ./obj/jbig2_huffman.o ./obj/jbig2_image.o ./obj/jbig2_mmr.o
./obj/aux/echogs -e .dev -a- ./obj/jbig2dec_0 ./obj/jbig2_page.o ./obj/jbig2_segment.o ./obj/jbig2_symbol_dict.o ./obj/jbig2_text.o
./obj/jbig2_halftone.o
cp ./obj/jbig2dec_0.dev ./obj/jbig2dec.dev
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEX_PROTO=1 -I./obj -I./base -I./devices -I./jb
ig2dec -DHAVE_STDINT_H=1 -DWORDS_BIGENDIAN -o ./obj/sjbig2.o -c ./base/sjbig2.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/sjbig2_jbig2dec ./obj/sjbig2.o
./obj/aux/echogs -e .dev -a- ./obj/sjbig2_jbig2dec -include ./obj/jbig2dec.dev
cp ./obj/sjbig2_jbig2dec.dev ./obj/sjbig2.dev
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_bio.o -c ./openjpeg/src/lib/openjp2/bio.c
In file included from ./openjpeg/src/lib/openjp2/bio.c:38:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_cidx_manager.o -c ./openjpeg/src/lib/openjp2/cidx_manager.c
In file included from ./openjpeg/src/lib/openjp2/cidx_manager.c:32:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_cio.o -c ./openjpeg/src/lib/openjp2/cio.c
In file included from ./openjpeg/src/lib/openjp2/cio.c:40:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
./openjpeg/src/lib/openjp2/cio.c: In function 'opj_stream_set_read_function':
```

```
./openjpeg/src/lib/openjp2/cio.c:223: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/cio.c: In function 'opj_stream_set_seek_function':
./openjpeg/src/lib/openjp2/cio.c:234: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/cio.c: In function 'opj_stream_set_write_function':
./openjpeg/src/lib/openjp2/cio.c:246: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/cio.c: In function 'opj_stream_set_skip_function':
./openjpeg/src/lib/openjp2/cio.c:258: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/cio.c: In function 'opj_stream_set_user_data':
./openjpeg/src/lib/openjp2/cio.c:269: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/cio.c: In function 'opj_stream_set_user_data_length':
./openjpeg/src/lib/openjp2/cio.c:279: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/cio.c: In function 'opj_stream_destroy':
./openjpeg/src/lib/openjp2/cio.c:211: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/cio.c: In function 'opj_stream_create':
./openjpeg/src/lib/openjp2/cio.c:192: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/cio.c: In function 'opj_stream_default_create':
./openjpeg/src/lib/openjp2/cio.c:197: warning: visibility attribute not supported in this configuration; ignored
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_dwt.o -c ./openjpeg/src/lib/openjp2/dwt.c
In file included from ./openjpeg/src/lib/openjp2/dwt.c:44:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_event.o -c ./openjpeg/src/lib/openjp2/event.c
In file included from ./openjpeg/src/lib/openjp2/event.c:34:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_function_list.o -c ./openjpeg/src/lib/openjp2/function_list.c
In file included from ./openjpeg/src/lib/openjp2/function_list.c:32:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_image.o -c ./openjpeg/src/lib/openjp2/image.c
In file included from ./openjpeg/src/lib/openjp2/image.c:32:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
./openjpeg/src/lib/openjp2/image.c: In function 'opj_image_destroy':
./openjpeg/src/lib/openjp2/image.c:114: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/image.c: In function 'opj_image_tile_create':
./openjpeg/src/lib/openjp2/image.c:264: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/image.c: In function 'opj_image_create':
./openjpeg/src/lib/openjp2/image.c:90: warning: visibility attribute not supported in this configuration; ignored
```

```
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_invert.o -c ./openjpeg/src/lib/openjp2/invert.c
In file included from ./openjpeg/src/lib/openjp2/invert.c:32:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_j2k.o -c ./openjpeg/src/lib/openjp2/j2k.c
In file included from ./openjpeg/src/lib/openjp2/j2k.c:44:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_jp2.o -c ./openjpeg/src/lib/openjp2/jp2.c
In file included from ./openjpeg/src/lib/openjp2/jp2.c:40:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_mct.o -c ./openjpeg/src/lib/openjp2/mct.c
In file included from ./openjpeg/src/lib/openjp2/mct.c:50:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_mqc.o -c ./openjpeg/src/lib/openjp2/mqc.c
In file included from ./openjpeg/src/lib/openjp2/mqc.c:39:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_openjpeg.o -c ./openjpeg/src/lib/openjp2/openjpeg.c
In file included from ./openjpeg/src/lib/openjp2/openjpeg.c:38:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_set_info_handler':
./openjpeg/src/lib/openjp2/openjpeg.c:57: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_set_warning_handler':
./openjpeg/src/lib/openjp2/openjpeg.c:72: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_set_error_handler':
./openjpeg/src/lib/openjp2/openjpeg.c:87: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_version':
```

./openjpeg/src/lib/openjp2/openjpeg.c:163: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_codec_set_threads':
./openjpeg/src/lib/openjp2/openjpeg.c:396: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_decode':
./openjpeg/src/lib/openjp2/openjpeg.c:490: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_set_decode_area':
./openjpeg/src/lib/openjp2/openjpeg.c:513: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_read_tile_header':
./openjpeg/src/lib/openjp2/openjpeg.c:544: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_decode_tile_data':
./openjpeg/src/lib/openjp2/openjpeg.c:570: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_get_decoded_tile':
./openjpeg/src/lib/openjp2/openjpeg.c:594: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_set_decoded_resolution_factor':
./openjpeg/src/lib/openjp2/openjpeg.c:609: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_setup_encoder':
./openjpeg/src/lib/openjp2/openjpeg.c:789: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_start_compress':
./openjpeg/src/lib/openjp2/openjpeg.c:808: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_encode':
./openjpeg/src/lib/openjp2/openjpeg.c:825: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_end_compress':
./openjpeg/src/lib/openjp2/openjpeg.c:842: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_end_decompress':
./openjpeg/src/lib/openjp2/openjpeg.c:862: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_write_tile':
./openjpeg/src/lib/openjp2/openjpeg.c:917: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_dump_codec':
./openjpeg/src/lib/openjp2/openjpeg.c:953: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_get_cstr_info':
./openjpeg/src/lib/openjp2/openjpeg.c:964: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_get_cstr_index':
./openjpeg/src/lib/openjp2/openjpeg.c:992: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_image_data_free':
./openjpeg/src/lib/openjp2/openjpeg.c:1065: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_image_data_alloc':
./openjpeg/src/lib/openjp2/openjpeg.c:1059: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_stream_create_file_stream':
./openjpeg/src/lib/openjp2/openjpeg.c:1051: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_stream_create_default_file_stream':
./openjpeg/src/lib/openjp2/openjpeg.c:1007: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_destroy_cstr_index':
./openjpeg/src/lib/openjp2/openjpeg.c:1000: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_destroy_cstr_info':
./openjpeg/src/lib/openjp2/openjpeg.c:981: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_destroy_codec':
./openjpeg/src/lib/openjp2/openjpeg.c:935: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_set_MCT':
./openjpeg/src/lib/openjp2/openjpeg.c:892: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_set_default_encoder_parameters':
./openjpeg/src/lib/openjp2/openjpeg.c:771: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_set_default_decoder_parameters':
./openjpeg/src/lib/openjp2/openjpeg.c:384: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_create_compress':
./openjpeg/src/lib/openjp2/openjpeg.c:710: warning: visibility attribute not supported in this configuration; ignored


```
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_set_decoded_components':
./openjpeg/src/lib/openjp2/openjpeg.c:469: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_read_header':
./openjpeg/src/lib/openjp2/openjpeg.c:439: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_setup_decoder':
./openjpeg/src/lib/openjp2/openjpeg.c:416: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/openjpeg.c: In function 'opj_create_decompress':
./openjpeg/src/lib/openjp2/openjpeg.c:362: warning: visibility attribute not supported in this configuration; ignored
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_phix_manager.o -c ./openjpeg/src/lib/openjp2/phix_manager.c
In file included from ./openjpeg/src/lib/openjp2/phix_manager.c:36:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_pi.o -c ./openjpeg/src/lib/openjp2/pi.c
In file included from ./openjpeg/src/lib/openjp2/pi.c:39:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_ppix_manager.o -c ./openjpeg/src/lib/openjp2/ppix_manager.c
In file included from ./openjpeg/src/lib/openjp2/ppix_manager.c:36:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_t1.o -c ./openjpeg/src/lib/openjp2/t1.c
In file included from ./openjpeg/src/lib/openjp2/t1.c:42:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_t2.o -c ./openjpeg/src/lib/openjp2/t2.c
In file included from ./openjpeg/src/lib/openjp2/t2.c:41:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-built
in -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -
DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-al
iasing -DHAVE_POPEX_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openj
p2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_IN
TTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_tcd.o -c ./openjpeg/src/lib/openjp2/tcd.c
In file included from ./openjpeg/src/lib/openjp2/tcd.c:42:
```

```
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openjp2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_INTTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_tgt.o -c ./openjpeg/src/lib/openjp2/tgt.c
In file included from ./openjpeg/src/lib/openjp2/tgt.c:40:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openjp2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_INTTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_thix_manager.o -c ./openjpeg/src/lib/openjp2/thix_manager.c
In file included from ./openjpeg/src/lib/openjp2/thix_manager.c:36:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openjp2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_INTTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_tpix_manager.o -c ./openjpeg/src/lib/openjp2/tpix_manager.c
In file included from ./openjpeg/src/lib/openjp2/tpix_manager.c:36:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openjp2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_INTTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_thread.o -c ./openjpeg/src/lib/openjp2/thread.c
In file included from ./openjpeg/src/lib/openjp2/thread.c:431:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
./openjpeg/src/lib/openjp2/thread.c: In function 'opj_has_thread_support':
./openjpeg/src/lib/openjp2/thread.c:436: warning: visibility attribute not supported in this configuration; ignored
./openjpeg/src/lib/openjp2/thread.c: In function 'opj_get_num_cpus':
./openjpeg/src/lib/openjp2/thread.c:441: warning: visibility attribute not supported in this configuration; ignored
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -DOPJ_STATIC -DSTANDARD_SLOW_VERSION -I./obj/ -I./openjpeg/src/lib/openjp2 -I./openjpeg/src/lib/openjp2/.. -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_INTTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/opj_sparse_array.o -c ./openjpeg/src/lib/openjp2/sparse_array.c
In file included from ./openjpeg/src/lib/openjp2/sparse_array.c:32:
./openjpeg/src/lib/openjp2/opj_includes.h:107:6: warning: "__STDC_VERSION__" is not defined
./obj/aux/echogs -e .dev -w- -l-obj ./obj/openjpeg_0 ./obj/opj_bio.o ./obj/opj_cidx_manager.o ./obj/opj_cio.o ./obj/opj_dwt.o ./obj/opj_event.o ./obj/opj_function_list.o ./obj/opj_image.o ./obj/opj_invert.o ./obj/opj_j2k.o ./obj/opj_jp2.o ./obj/opj_mct.o ./obj/opj_mqc.o ./obj/opj_openjpeg.o ./obj/opj_phix_manager.o ./obj/opj_pi.o ./obj/opj_ppix_manager.o ./obj/opj_t1.o ./obj/opj_t2.o ./obj/opj_tcd.o ./obj/opj_tgt.o ./obj/opj_thix_manager.o ./obj/opj_tpix_manager.o ./obj/opj_thread.o ./obj/opj_sparse_array.o
cp ./obj/openjpeg_0.dev ./obj/openjpeg.dev
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./openjpeg/src/lib/openjp2/.. -I.
```

```
/openjpeg/src/lib/openjp2 -I./obj -I./base -I./devices -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE
_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_INTTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/sjpx_openjpeg.o
\
-c ./base/sjpx_openjpeg.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/sjpx_openjpeg ./obj/sjpx_openjpeg.o
./obj/aux/echogs -e .dev -a- ./obj/sjpx_openjpeg -include ./obj/openjpeg.dev
cp ./obj/sjpx_openjpeg.dev ./obj/sjpx.dev
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsioram.o -c ./base/gsioram.c
In file included from ./base/gsioram.c:37:
./base/unistd.h:55:1: warning: "_XOPEN_SOURCE" redefined
In file included from /QOpenSys/usr/local/bin/./lib/gcc/powerpc-ibm-aix5.3.0.0/4.1.0/include/sys/types.h:46,
from ./base/stdpre.h:310,
from ./base/std.h:22,
from ./base/string.h:23,
from ./base/gsioram.c:36:
/usr/include/standards.h:157:1: warning: this is the location of the previous definition
In file included from ./base/gsioram.c:37:
./base/unistd.h:56:1: warning: "__USE_UNIX98" redefined
<command line>:1:1: warning: this is the location of the previous definition
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/ramfs.o -c ./base/ramfs.c
In file included from ./base/ramfs.c:20:
./base/unistd.h:55:1: warning: "_XOPEN_SOURCE" redefined
In file included from /QOpenSys/usr/local/bin/./lib/gcc/powerpc-ibm-aix5.3.0.0/4.1.0/include/sys/types.h:46,
from ./base/stdpre.h:310,
from ./base/std.h:22,
from ./base/unistd.h:23,
from ./base/ramfs.c:20:
/usr/include/standards.h:157:1: warning: this is the location of the previous definition
In file included from ./base/ramfs.c:20:
./base/unistd.h:56:1: warning: "__USE_UNIX98" redefined
<command line>:1:1: warning: this is the location of the previous definition
./obj/aux/echogs -e .dev -w- -l-obj ./obj/ramfs ./obj/gsioram.o ./obj/ramfs.o
./obj/aux/echogs -e .dev -a- ./obj/ramfs -iodev ram
./obj/aux/echogs -e .dev -a- ./obj/ramfs -obj ./obj/ramfs.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/spwgd.o -c ./base/spwgd.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/pwgd ./obj/spwgd.o
./obj/aux/echogs -w ./obj/fdevs.tr - -include ./obj/unix_
./obj/aux/echogs -a ./obj/fdevs.tr + ./obj/pipe.dev ./obj/gsnogc.dev ./obj/htxlib.dev ./obj/psl3lib.dev ./obj/psl2lib.dev ./obj/dps
2lib.dev ./obj/path1lib.dev ./obj/patlib.dev ./obj/psl2cs.dev ./obj/rld.dev ./obj/gxfapiu.dev ./obj/ttflib.dev ./obj/cielib.dev ./o
bj/pipe.dev ./obj/htxlib.dev ./obj/sdct.dev ./obj/libpng.dev ./obj/sepplib.dev ./obj/translib.dev ./obj/cidlib.dev ./obj/psf0lib.dev
```

```
./obj/psf1lib.dev ./obj/psf2lib.dev ./obj/lzwd.dev ./obj/sicclib.dev ./obj/sjbig2.dev ./obj/sjpx.dev ./obj/ramfs.dev ./obj/pwgd.dev
./obj/aux/echogs -a ./obj/fdevs.tr +-
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/bbox ./obj/gdevbbox.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWH
ICH_CMS="lcms2mt" -o ./obj/gdevx.o -c ./devices/gdevx.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWH
ICH_CMS="lcms2mt" -o ./obj/gdevxcmp.o -c ./devices/gdevxcmp.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWH
ICH_CMS="lcms2mt" -o ./obj/gdevxini.o -c ./devices/gdevxini.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWH
ICH_CMS="lcms2mt" -o ./obj/gdevxres.o -c ./devices/gdevxres.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWH
ICH_CMS="lcms2mt" -o ./obj/gsparmx.o -c ./base/gsparmx.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/x11_ ./obj/gdevx.o ./obj/gdevxcmp.o ./obj/gdevxini.o ./obj/gdevxres.o ./obj/gsparmx.o
./obj/aux/echogs -e .dev -a- ./obj/x11_ -link
./obj/aux/echogs -e .dev -a- ./obj/x11_ -lib Xt SM ICE Xext X11
./obj/aux/echogs -e .dev -a- ./obj/x11_ -include ./obj/bboxutil
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/x11 -include ./obj/x11_
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWH
ICH_CMS="lcms2mt" -o ./obj/gdevxalt.o -c ./devices/gdevxalt.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/x11alt_ ./obj/gdevxalt.o
./obj/aux/echogs -e .dev -a- ./obj/x11alt_ -include ./obj/x11_
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/x11alpha -include ./obj/x11alt_
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/x11cmyk -include ./obj/x11alt_
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/x11cmyk2 -include ./obj/x11alt_
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/x11cmyk4 -include ./obj/x11alt_
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/x11cmyk8 -include ./obj/x11alt_
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/x11gray2 -include ./obj/x11alt_
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/x11gray4 -include ./obj/x11alt_
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/x11mono -include ./obj/x11alt_
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/x11rg16x -include ./obj/x11alt_
```

```
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/x11rg32x -include ./obj/x11alt_
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevpdfimg.o -c ./devices/gdevpdfimg.c
./devices/gdevpdfimg.c: In function 'write_xref_entry':
./devices/gdevpdfimg.c:614: warning: integer constant is too large for 'long' type
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gdevprn.o -c ./base/gdevprn.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gdevppla.o -c ./base/gdevppla.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gdevmplt.o -c ./base/gdevmplt.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gdevflp.o -c ./base/gdevflp.c
./base/gdevflp.c:1217: warning: 'flp_transform_pixel_region' defined but not used
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gxdownscale.o -c ./base/gxdownscale.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/claptrap.o -c ./base/claptrap.c
./base/claptrap.c: In function 'process_at_pixel':
./base/claptrap.c:88: warning: 'max_v' may be used uninitialized in this function
./base/claptrap.c:88: warning: 'min_v' may be used uninitialized in this function
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/claptrap-init.o -c ./base/claptrap-init.c
```

```
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/claptrap-planar.o -c ./base/claptrap-planar.c
./base/claptrap-planar.c: In function 'process_at_pixel':
./base/claptrap-planar.c:87: warning: 'max_v' may be used uninitialized in this function
./base/claptrap-planar.c:87: warning: 'min_v' may be used uninitialized in this function
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/ets.o -c ./base/ets.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gdevoflt.o -c ./base/gdevoflt.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gdevsclass.o -c ./base/gdevsclass.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gdevpo.o -c ./base/gdevpo.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/page ./obj/gdevprn.o ./obj/gdevppla.o ./obj/gdevmplt.o ./obj/gdevflp.o ./obj/gxdownscale.o ./obj/claptrap.o ./obj/claptrap-init.o ./obj/claptrap-planar.o ./obj/ets.o ./obj/gdevoflt.o ./obj/gdevsclass.o ./obj/gdevpo.o
./obj/aux/echogs -e .dev -a- ./obj/page -include ./obj/clist
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/PCLm ./obj/gdevpdfimg.o
./obj/aux/echogs -e .dev -a- ./obj/PCLm -include ./obj/page
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevbit.o -c ./devices/gdevbit.c
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/bit ./obj/gdevbit.o ./obj/gdevdcrd.o
./obj/aux/echogs -e .dev -a- ./obj/bit -include ./obj/cielib
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/bitcmyk ./obj/gdevbit.o ./obj/gdevdcrd.o
./obj/aux/echogs -e .dev -a- ./obj/bitcmyk -include ./obj/cielib
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/bitrgb ./obj/gdevbit.o ./obj/gdevdcrd.o
./obj/aux/echogs -e .dev -a- ./obj/bitrgb -include ./obj/cielib
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/bitrgbtags ./obj/gdevbit.o ./obj/gdevdcrd.o
./obj/aux/echogs -e .dev -a- ./obj/bitrgbtags -include ./obj/cielib
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1
```

```
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevbmp.o -c ./devices/gdevbmp.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevbmpc.o -c ./devices/gdevbmpc.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gdevpccm.o -c ./base/gdevpccm.c
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/bmp16 ./obj/gdevbmp.o ./obj/gdevbmpc.o ./obj/gdevpcc
m.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/bmp16m ./obj/gdevbmp.o ./obj/gdevbmpc.o ./obj/gdevpc
cm.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/bmp256 ./obj/gdevbmp.o ./obj/gdevbmpc.o ./obj/gdevpc
cm.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/bmp32b ./obj/gdevbmp.o ./obj/gdevbmpc.o ./obj/gdevpc
cm.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/bmpgray ./obj/gdevbmp.o ./obj/gdevbmpc.o ./obj/gdevp
ccm.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/bmpmono ./obj/gdevbmp.o ./obj/gdevbmpc.o ./obj/gdevp
ccm.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/bmpsep1 ./obj/gdevbmp.o ./obj/gdevbmpc.o ./obj/gdevp
ccm.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/bmpsep8 ./obj/gdevbmp.o ./obj/gdevbmpc.o ./obj/gdevp
ccm.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevccr.o -c ./devices/gdevccr.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/ccr ./obj/gdevccr.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevcfax.o -c ./devices/gdevcfax.c
cp tiff-config/libtiff/tif_config.h ./obj/tif_config.h
cp tiff-config/libtiff/tiffconf.h ./obj/tiffconf.h
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -Wno-write-strings -Wno-undef -DJP
EG_LIB_MK1_OR_12BIT=0 -I./tiff/libtiff -Itiff-config/libtiff -I./obj -I./zlib -I./jpeg -o ./obj/tif_aux.o -c ./tiff/libtiff/tif_au
x.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
```



```
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -Wno-write-strings -Wno-undef -DJPEG_LIB_MK1_OR_12BIT=0 -I./tiff/libtiff -Itiff-config/libtiff -I./obj -I./zlib -I./jpeg -o ./obj/tif_jpeg.o -c ./tiff//libtiff/tif_jpeg.c
```

```
In file included from /usr/include/fcntl.h:219,  
from ./tiff//libtiff/tiffiop.h:36,  
from ./tiff//libtiff/tif_jpeg.c:32:  
/usr/include/unistd.h:198: error: conflicting types for 'lseek64'  
/usr/include/unistd.h:196: error: previous declaration of 'lseek64' was here  
In file included from /usr/include/unistd.h:826,  
from /usr/include/fcntl.h:219,  
from ./tiff//libtiff/tiffiop.h:36,  
from ./tiff//libtiff/tif_jpeg.c:32:  
/usr/include/sys/lockf.h:64: error: conflicting types for 'lockf64'  
/usr/include/sys/lockf.h:62: error: previous declaration of 'lockf64' was here  
In file included from /usr/include/fcntl.h:219,  
from ./tiff//libtiff/tiffiop.h:36,  
from ./tiff//libtiff/tif_jpeg.c:32:  
/usr/include/unistd.h:899: error: conflicting types for 'ftruncate64'  
/usr/include/unistd.h:897: error: previous declaration of 'ftruncate64' was here  
/usr/include/unistd.h:956: error: conflicting types for 'truncate64'  
/usr/include/unistd.h:954: error: previous declaration of 'truncate64' was here  
/usr/include/unistd.h:975: error: conflicting types for 'pread64'  
/usr/include/unistd.h:972: error: previous declaration of 'pread64' was here  
/usr/include/unistd.h:976: error: conflicting types for 'pwrite64'  
/usr/include/unistd.h:973: error: previous declaration of 'pwrite64' was here  
/usr/include/unistd.h:1059: error: conflicting types for 'fclear64'  
/usr/include/unistd.h:1056: error: previous declaration of 'fclear64' was here  
/usr/include/unistd.h:1060: error: conflicting types for 'fsync_range64'  
/usr/include/unistd.h:1057: error: previous declaration of 'fsync_range64' was here
```

```
gmake: *** [obj/tif_jpeg.o] Error 1
```

```
$  
gmake  
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -Wno-write-strings -Wno-undef -DJPEG_LIB_MK1_OR_12BIT=0 -I./tiff/libtiff -Itiff-config/libtiff -I./obj -I./zlib -I./jpeg -o ./obj/tif_jpeg.o -c ./tiff//libtiff/tif_jpeg.c
```

```
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -Wno-write-strings -Wno-undef -DJPEG_LIB_MK1_OR_12BIT=0 -I./tiff/libtiff -Itiff-config/libtiff -I./obj -I./zlib -I./jpeg -o ./obj/tif_luv.o -c ./tiff//libtiff/tif_luv.c
```

```
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -Wno-write-strings -Wno-undef -DJPEG
```



```
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -Wno-write-strings -Wno-undef -DJP
EG_LIB_MK1_OR_12BIT=0 -I./tiff/libtiff -Itiff-config/libtiff -I./obj -I./zlib -I./jpeg -o ./obj/tif_zip.o -c ./tiff/libtiff/tif_zi
p.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -Wno-write-strings -Wno-undef -DJP
EG_LIB_MK1_OR_12BIT=0 -I./tiff/libtiff -Itiff-config/libtiff -I./obj -I./zlib -I./jpeg -o ./obj/gstiffio_0.o -DSHARE_LIBTIFF=0 -c .
/base/gstiffio.c
cp ./obj/gstiffio_0.o ./obj/gstiffio.o
./obj/aux/echogs -e .dev -w- -l-obj ./obj/libtiff_0 ./obj/tif_aux.o ./obj/tif_close.o ./obj/tif_codec.o ./obj/tif_color.o
./obj/aux/echogs -e .dev -a- ./obj/libtiff_0 ./obj/tif_compress.o ./obj/tif_dir.o ./obj/tif_dirinfo.o ./obj/tif_dirread.o
./obj/aux/echogs -e .dev -a- ./obj/libtiff_0 ./obj/tif_dirwrite.o ./obj/tif_dumpmode.o ./obj/tif_error.o ./obj/tif_extension.o
./obj/aux/echogs -e .dev -a- ./obj/libtiff_0 ./obj/tif_fax3.o ./obj/tif_fax3sm.o ./obj/tif_flush.o ./obj/tif_getimage.o
./obj/aux/echogs -e .dev -a- ./obj/libtiff_0 ./obj/tif_jbig.o ./obj/tif_jpeg.o ./obj/tif_luv.o ./obj/tif_lzw.o
./obj/aux/echogs -e .dev -a- ./obj/libtiff_0 ./obj/tif_next.o ./obj/tif_ojpeg.o ./obj/tif_open.o ./obj/tif_packbits.o
./obj/aux/echogs -e .dev -a- ./obj/libtiff_0 ./obj/tif_pixarlog.o ./obj/tif_predict.o ./obj/tif_print.o ./obj/tif_read.o
./obj/aux/echogs -e .dev -a- ./obj/libtiff_0 ./obj/tif_strip.o ./obj/tif_swab.o ./obj/tif_thunder.o ./obj/tif_tile.o
./obj/aux/echogs -e .dev -a- ./obj/libtiff_0 ./obj/tif_version.o ./obj/tif_warning.o ./obj/tif_write.o
./obj/aux/echogs -e .dev -a- ./obj/libtiff_0 ./obj/tif_zip.o
./obj/aux/echogs -e .dev -a- ./obj/libtiff_0 ./obj/gstiffio.o
./obj/aux/echogs -e .dev -a- ./obj/libtiff_0 -include ./obj/jpegd.dev
./obj/aux/echogs -e .dev -a- ./obj/libtiff_0 -include ./obj/jpege.dev
cp ./obj/libtiff_0.dev ./obj/libtiff.dev
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevfax.o -c ./devices/gdevfax.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/minftrsz.o -c ./devices/minftrsz.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/scfe.o -c ./base/scfe.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/scfetas.o -c ./base/scfetas.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
```

```
CH_CMS="lcms2mt" -o ./obj/shc.o -c ./base/shc.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/cfe ./obj/scfe.o ./obj/scfetab.o ./obj/shc.o
./obj/aux/echogs -e .dev -w- -l-obj ./obj/fax ./obj/gdevfax.o ./obj/minftrszo
./obj/aux/echogs -e .dev -a- ./obj/fax -include ./obj/cfe -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-obj ./obj/cfax ./obj/gdevcfax.o
./obj/aux/echogs -e .dev -a- ./obj/cfax -include ./obj/fax
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevcif.o -c ./devices/gdevcif.c
./devices/gdevcif.c: In function 'cif_print_page':
./devices/gdevcif.c:51: warning: 'start' may be used uninitialized in this function
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/cif ./obj/gdevcif.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-obj ./obj/devicen ./obj/gdevdevn.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevdfax.o -c ./devices/gdevdfax.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -I./tiff/libtiff -Itiff-config/libtiff -I./obj -I./zlib -o ./obj/gdevtfax.o -c ./devices/gdevtfax.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/slzwe.o -c ./base/slzwe.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/lzwe ./obj/slzwe.o ./obj/slzwc.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/srle.o -c ./base/srle.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/rle ./obj/srle.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -I./obj -I./base -I./obj -I./devices -I./tiff/libtiff -Itiff-config/libtiff -I./obj -I./zlib -o ./obj/gdevtifs.o -c ./devices/gdevtifs.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/tiffs ./obj/gdevtifs.o ./obj/minftrszo
./obj/aux/echogs -e .dev -a- ./obj/tiffs -include ./obj/page -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-obj ./obj/tfax ./obj/gdevtfax.o ./obj/minftrszo
./obj/aux/echogs -e .dev -a- ./obj/tfax -include ./obj/cfe ./obj/lzwe ./obj/rle
./obj/aux/echogs -e .dev -a- ./obj/tfax -include ./obj/fax ./obj/tiffs -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-obj ./obj/dfaxhigh ./obj/gdevdfax.o
```

```
./obj/aux/echogs -e .dev -a- ./obj/dfaxhigh -include ./obj/tfax
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-obj ./obj/dfaxlow ./obj/gdevdfax.o
./obj/aux/echogs -e .dev -a- ./obj/dfaxlow -include ./obj/tfax
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevdsp.o -c ./devices/gdevdsp.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-obj ./obj/display ./obj/gdevdsp.o ./obj/gdevpccm.o ./obj/gdevdevn.o ./obj/gsequivc.o ./obj/gdevdcrd.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevpdf.o -c ./devices/vector/gdevpdf.c
In file included from ./devices/vector/gdevpdf.c:21:
./base/unistd.h:55:1: warning: "_XOPEN_SOURCE" redefined
In file included from /QOpenSys/usr/local/bin/./lib/gcc/powerpc-ibm-aix5.3.0.0/4.1.0/include/sys/types.h:46,
    from ./base/stdpre.h:310,
    from ./base/std.h:22,
    from ./base/fcntl.h:30,
    from ./devices/vector/gdevpdf.c:18:
/usr/include/standards.h:157:1: warning: this is the location of the previous definition
In file included from ./devices/vector/gdevpdf.c:21:
./base/unistd.h:56:1: warning: "__USE_UNIX98" redefined
<command line>:1:1: warning: this is the location of the previous definition
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevpdfb.o -c ./devices/vector/gdevpdfb.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevpdfc.o -c ./devices/vector/gdevpdfc.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevpdfd.o -c ./devices/vector/gdevpdfd.c
./devices/vector/gdevpdfd.c: In function 'pdf_write_path':
./devices/vector/gdevpdfd.c:355: warning: missing braces around initializer
./devices/vector/gdevpdfd.c:355: warning: (near initialization for 'segments[0]')
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevpdfe.o -c ./devices/vector/gdevpdfe.c
```



```
s -I./devices/vector -o ./obj/gdevpdf.o -c ./devices/vector/gdevpdf.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-bui
ltin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1
-DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-
aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -I./base -o ./obj/aux/packps ./base/pack_ps.c -lm -ldl -liconv
./obj/aux/packps -c -n opdfread_ps -o ./obj/opdfread.h ./devices/vector/opdfread.ps
./obj/aux/packps:
Input file: ./devices/vector/opdfread.ps
Output file: ./obj/opdfread.h
Array name: opdfread_ps
Processed 4009 lines of PostScript data.
145041 bytes of PostScript data packed down to 67522 bytes.
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./jbig2dec/source/libraries -I./openjpeg/library/source -DHAVE_STDINT_H=1 -DWORDS_BIGENDIAN -DSHARE_JPX=0 -D"memalign(a,b)=mall
oc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_INTTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FS
EEXO=1 -U__SSE__ -o ./obj/gdevpdfu.o -c ./devices/vector/gdevpdfu.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevpdfv.o -c ./devices/vector/gdevpdfv.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevagl.o -c ./devices/vector/gdevagl.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsflip.o -c ./base/gsflip.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/scantab.o -c ./base/scantab.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/sfilter2.o -c ./base/sfilter2.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
```

```
CH_CMS="lcms2mt" -o ./obj/sdeparam.o -c ./base/sdeparam.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/sdcparam.o -c ./base/sdcparam.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/sdeparam ./obj/sdeparam.o ./obj/sdcparam.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -I./zlib -DSHARE_ZLIB=0 -o ./obj/szlibc_0.o -c ./base/szlibc.c
cp ./obj/szlibc_0.o ./obj/szlibc.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -I./zlib -DSHARE_ZLIB=0 -o ./obj/szlibe_0.o -c ./base/szlibe.c
cp ./obj/szlibe_0.o ./obj/szlibe.o
./obj/aux/echogs -e .dev -w- -l-obj ./obj/szlibe ./obj/szlibc.o ./obj/szlibe.o
./obj/aux/echogs -e .dev -a- ./obj/szlibe -include ./obj/zlibe.dev
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./jbig2dec/source/libraries -I./openjpeg/library/source -DHAVE_STDINT_H=1 -DWORDS_BIGENDIAN -DSHARE_JPX=0 -D"memalign(a,b)=mall
oc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_INTTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/gdevpsdi.o -c ./devices/vector/gdevpsdi.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./jbig2dec/source/libraries -I./openjpeg/library/source -DHAVE_STDINT_H=1 -DWORDS_BIGENDIAN -DSHARE_JPX=0 -D"memalign(a,b)=mall
oc(b)" -DMUTEX_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_INTTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/gdevpsdp.o -c ./devices/vector/gdevpsdp.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevpsds.o -c ./devices/vector/gdevpsds.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -I./jpeg -DSHARE_JPEG=0 -o ./obj/gdevpsdu.o -c ./devices/vector/gdevpsdu.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -I./jpe
```

```
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/scfparam.o -c ./base/scfparam.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/spprint.o -c ./base/spprint.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/spsdf.o -c ./base/spsdf.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/sstring.o -c ./base/sstring.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gdevvec.o -c ./base/gdevvec.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/sfxstdio.o -c ./base/sfxstdio.c
In file included from ./base/sfxstdio.c:20:
./base/unistd.h:55:1: warning: "_XOPEN_SOURCE" redefined
In file included from /QOpenSys/usr/local/bin/./lib/gcc/powerpc-ibm-aix5.3.0.0/4.1.0/include/sys/types.h:46,
    from ./base/stdpre.h:310,
    from ./base/std.h:22,
    from ./base/stdio.h:26,
    from ./base/sfxstdio.c:18:
/usr/include/standards.h:157:1: warning: this is the location of the previous definition
In file included from ./base/sfxstdio.c:20:
./base/unistd.h:56:1: warning: "__USE_UNIX98" redefined
<command line>:1:1: warning: this is the location of the previous definition
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/sfxcommon.o -c ./base/sfxcommon.c
In file included from ./base/sfxcommon.c:21:
./base/unistd.h:55:1: warning: "_XOPEN_SOURCE" redefined
In file included from /QOpenSys/usr/local/bin/./lib/gcc/powerpc-ibm-aix5.3.0.0/4.1.0/include/sys/types.h:46,
    from ./base/stdpre.h:310,
    from ./base/std.h:22,
```

```
from ./base/stdio.h:26,
from ./base/sfxcommon.c:19:
/usr/include/standards.h:157:1: warning: this is the location of the previous definition
In file included from ./base/sfxcommon.c:21:
./base/unistd.h:56:1: warning: "__USE_UNIX98" redefined
<command line>:1:1: warning: this is the location of the previous definition
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/stream.o -c ./base/stream.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/sfile ./obj/sfxstdio.o ./obj/sfxcommon.o ./obj/stream.o
./obj/aux/echogs -e .dev -w- -l-obj ./obj/vector ./obj/gdevvec.o
./obj/aux/echogs -e .dev -a- ./obj/vector -include ./obj/bboxutil ./obj/sfile
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/spngp.o -c ./base/spngp.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/pngp ./obj/spngp.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/seexec.o -c ./base/seexec.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/seexec ./obj/seexec.o ./obj/gscrypt1.o
cp ./obj/lzwe.dev ./obj/slzwe.dev
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psdf ./obj/gdevpsdi.o ./obj/gdevpsdp.o
./obj/aux/echogs -e .dev -a- ./obj/psdf -obj ./obj/gdevpsds.o ./obj/gdevpsdu.o
./obj/aux/echogs -e .dev -a- ./obj/psdf -obj ./obj/scfparam.o ./obj/sdcparam.o ./obj/sdeparam.o
./obj/aux/echogs -e .dev -a- ./obj/psdf -obj ./obj/spprint.o ./obj/spsdf.o ./obj/sstring.o
./obj/aux/echogs -e .dev -a- ./obj/psdf -obj ./obj/gsparamx.o
./obj/aux/echogs -e .dev -a- ./obj/psdf -include ./obj/vector.dev ./obj/pngp.dev ./obj/seexec.dev
./obj/aux/echogs -e .dev -a- ./obj/psdf -include ./obj/sdcte.dev ./obj/slzwe.dev ./obj/szlibe.dev
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/sarc4.o -c ./base/sarc4.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/sarc4 ./obj/sarc4.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevpdt.o -c ./devices/vector/gdevpdt.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
```



```
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psf ./obj/gdevpsf1.o ./obj/gdevpsf2.o ./obj/gdevpsfm.o
./obj/aux/echogs -e .dev -a- ./obj/psf -obj ./obj/gdevpsft.o ./obj/gdevpsfu.o ./obj/gdevpsfx.o
./obj/aux/echogs -e .dev -a- ./obj/psf -obj ./obj/spsdf.o
./obj/aux/echogs -e .dev -w- -l-obj ./obj/pdxttext ./obj/gdevpdt.o ./obj/gdevpdtb.o
./obj/aux/echogs -e .dev -a- ./obj/pdxttext ./obj/gdevpdtc.o ./obj/gdevpdt.d.o ./obj/gdevpdt.e.o
./obj/aux/echogs -e .dev -a- ./obj/pdxttext ./obj/gdevpdtf.o
./obj/aux/echogs -e .dev -a- ./obj/pdxttext ./obj/gdevpdti.o
./obj/aux/echogs -e .dev -a- ./obj/pdxttext
./obj/aux/echogs -e .dev -a- ./obj/pdxttext
./obj/aux/echogs -e .dev -a- ./obj/pdxttext ./obj/gdevpdt.s.o ./obj/gdevpdt.t.o
./obj/aux/echogs -e .dev -a- ./obj/pdxttext ./obj/gdevpdt.v.o ./obj/gdevpdt.w.o ./obj/whitelst.o
./obj/aux/echogs -e .dev -a- ./obj/pdxttext
./obj/aux/echogs -e .dev -a- ./obj/pdxttext ./obj/gsfont0c.o
./obj/aux/echogs -e .dev -a- ./obj/pdxttext -include ./obj/fcopy ./obj/psf
./obj/aux/echogs -e .dev -w- -l-obj ./obj/pdtext -include ./obj/pdxttext
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/pdfwrite ./obj/gdevpdf.o ./obj/gdevpdfb.o
./obj/aux/echogs -e .dev -a- ./obj/pdfwrite ./obj/gdevpdfc.o ./obj/gdevpdfd.o ./obj/gdevpdf.e.o
./obj/aux/echogs -e .dev -a- ./obj/pdfwrite ./obj/gdevpdfg.o
./obj/aux/echogs -e .dev -a- ./obj/pdfwrite ./obj/gdevpdfi.o ./obj/gdevpdfj.o ./obj/gdevpdfk.o
./obj/aux/echogs -e .dev -a- ./obj/pdfwrite ./obj/gdevpdfm.o
./obj/aux/echogs -e .dev -a- ./obj/pdfwrite ./obj/gdevpdf.o ./obj/gdevpdfp.o ./obj/gdevpdf.t.o
./obj/aux/echogs -e .dev -a- ./obj/pdfwrite ./obj/gdevpdfr.o
./obj/aux/echogs -e .dev -a- ./obj/pdfwrite ./obj/gdevpdfu.o ./obj/gdevpdfv.o ./obj/gdevagl.o
./obj/aux/echogs -e .dev -a- ./obj/pdfwrite ./obj/gsflip.o
./obj/aux/echogs -e .dev -a- ./obj/pdfwrite ./obj/scantab.o ./obj/sfilter2.o
./obj/aux/echogs -e .dev -a- ./obj/pdfwrite
./obj/aux/echogs -e .dev -a- ./obj/pdfwrite -include ./obj/cmyklib ./obj/cfe ./obj/lzwe
./obj/aux/echogs -e .dev -a- ./obj/pdfwrite -include ./obj/rle ./obj/sdcte ./obj/sdeparam
./obj/aux/echogs -e .dev -a- ./obj/pdfwrite -include ./obj/smd5 ./obj/szlibe ./obj/sarc4.dev
./obj/aux/echogs -e .dev -a- ./obj/pdfwrite -include ./obj/psdf
./obj/aux/echogs -e .dev -a- ./obj/pdfwrite -include ./obj/pdtext
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/eps2write
./obj/aux/echogs -e .dev -a- ./obj/eps2write -include ./obj/pdfwrite.dev
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/faxg3 -include ./obj/fax
./obj/aux/echogs -e .dev -a- ./obj/faxg3 -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/faxg32d -include ./obj/fax
./obj/aux/echogs -e .dev -a- ./obj/faxg32d -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/faxg4 -include ./obj/fax
./obj/aux/echogs -e .dev -a- ./obj/faxg4 -include ./obj/libtiff
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./device -I./zlib -DSHARE_LIBPNG=0 -o ./obj/gdevfpng_0.o -c ./devices/gdevfpng.c
cp ./obj/gdevfpng_0.o ./obj/gdevfpng.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/fpng ./obj/gdevfpng.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -a- ./obj/fpng
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device -I./devices/vector -o ./obj/gdevgprf_0.o -I./zlib -c ./devices/gdevgprf.c
cp ./obj/gdevgprf_0.o ./obj/gdevgprf.o
```

```
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-obj ./obj/gprf ./obj/gdevgprf.o ./obj/gdevdevn.o ./obj/gsequivc.o ./obj/gdevppla.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevifno.o -c ./devices/gdevifno.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/inferno ./obj/gdevifno.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevicov.o -c ./devices/gdevicov.c
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/ink_cov ./obj/gdevicov.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/inkcov ./obj/gdevicov.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevjpeg.o -c ./devices/gdevjpeg.c
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/jpeg ./obj/gdevjpeg.o
./obj/aux/echogs -e .dev -a- ./obj/jpeg -include ./obj/sdcte
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/jpegcmyk ./obj/gdevjpeg.o
./obj/aux/echogs -e .dev -a- ./obj/jpegcmyk -include ./obj/sdcte
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/jpeggray ./obj/gdevjpeg.o
./obj/aux/echogs -e .dev -a- ./obj/jpeggray -include ./obj/sdcte
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevmgr.o -c ./devices/gdevmgr.c
./devices/gdevmgr.c:423: warning: 'swap_bwords' defined but not used
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/mgr4 ./obj/gdevmgr.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/mgr8 ./obj/gdevmgr.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/mgrgray2 ./obj/gdevmgr.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/mgrgray4 ./obj/gdevmgr.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/mgrgray8 ./obj/gdevmgr.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/mgrmono ./obj/gdevmgr.o ./obj/gdevpccm.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevmiff.o -c ./devices/gdevmiff.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/miff24 ./obj/gdevmiff.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevpbm.o -c ./devices/gdevpbm.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
```



```
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gdevmpla.o -c ./base/gdevmpla.c
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pam ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmpla.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pamcmyk32 ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmpla.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pamcmyk4 ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmpla.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pbm ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmpla.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pbmraw ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmpla.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevpcx.o -c ./devices/gdevpcx.c
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pcx16 ./obj/gdevpcx.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pcx24b ./obj/gdevpcx.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pcx256 ./obj/gdevpcx.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pcxcmyk ./obj/gdevpcx.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pcxgray ./obj/gdevpcx.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pcxmono ./obj/gdevpcx.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pdfimage24 ./obj/gdevpdfimg.o
./obj/aux/echogs -e .dev -a- ./obj/pdfimage24 -include ./obj/page
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pdfimage32 ./obj/gdevpdfimg.o
./obj/aux/echogs -e .dev -a- ./obj/pdfimage32 -include ./obj/page
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pdfimage8 ./obj/gdevpdfimg.o
./obj/aux/echogs -e .dev -a- ./obj/pdfimage8 -include ./obj/page
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pgm ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmpla.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pgmraw ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmpla.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pgnm ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmpla.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pgnmraw ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmpla.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pkm ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmpla.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pkmraw ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmpla.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pksm ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmpla.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pksmraw ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmpla.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevplan.o -c ./devices/gdevplan.c
```

```
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/plan ./obj/gdevplan.o ./obj/gdevppla.o ./obj/gdevmpl
a.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/plan9bm ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevm
pla.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/planc ./obj/gdevplan.o ./obj/gdevppla.o ./obj/gdevmp
la.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/plang ./obj/gdevplan.o ./obj/gdevppla.o ./obj/gdevmp
la.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/plank ./obj/gdevplan.o ./obj/gdevppla.o ./obj/gdevmp
la.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/planm ./obj/gdevplan.o ./obj/gdevppla.o ./obj/gdevmp
la.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevplib.o -c ./devices/gdevplib.c
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/plib ./obj/gdevplib.o ./obj/gdevppla.o ./obj/gdevmpl
a.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/plibc ./obj/gdevplib.o ./obj/gdevppla.o ./obj/gdevmp
la.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/plibg ./obj/gdevplib.o ./obj/gdevppla.o ./obj/gdevmp
la.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/plibk ./obj/gdevplib.o ./obj/gdevppla.o ./obj/gdevmp
la.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/plibm ./obj/gdevplib.o ./obj/gdevppla.o ./obj/gdevmp
la.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pnm ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmpla.
o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pnmraw ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmp
la.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/ppm ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmpla.
o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/ppmraw ./obj/gdevpbm.o ./obj/gdevppla.o ./obj/gdevmp
la.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/ps2write
./obj/aux/echogs -e .dev -a- ./obj/ps2write -include ./obj/pdfwrite.dev
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevpsd.o -c ./devices/gdevpsd.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-obj ./obj/psdcmyk ./obj/gdevpsd.o ./obj/gdevdevn.o ./obj/gsequivc.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevcmykog.o -c ./devices/gdevcmykog.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/psdcmykog ./obj/gdevcmykog.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-obj ./obj/psdrgb ./obj/gdevpsd.o ./obj/gdevdevn.o ./obj/gsequivc.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-obj ./obj/spotcmyk ./obj/gdevdevn.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
```

```
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -I./tiff/libtiff -Itiff-config/libtiff -I./obj -I./zlib -o ./obj/gdevtfnx.o -c ./devices/gdevtfnx.c
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/tiff12nc ./obj/gdevtfnx.o ./obj/minftrsz.o
./obj/aux/echogs -e .dev -a- ./obj/tiff12nc -include ./obj/tiffs -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/tiff24nc ./obj/gdevtfnx.o ./obj/minftrsz.o
./obj/aux/echogs -e .dev -a- ./obj/tiff24nc -include ./obj/tiffs -include ./obj/libtiff
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -I./tiff/libtiff -Itiff-config/libtiff -I./obj -I./zlib -o ./obj/gdevtsep.o -c ./devices/gdevtsep.c
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/tiff32nc ./obj/gdevtsep.o ./obj/gsequivc.o ./obj/minftrsz.o
./obj/aux/echogs -e .dev -a- ./obj/tiff32nc -include ./obj/tiffs -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/tiff48nc ./obj/gdevtfnx.o ./obj/minftrsz.o
./obj/aux/echogs -e .dev -a- ./obj/tiff48nc -include ./obj/tiffs -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/tiff64nc ./obj/gdevtsep.o ./obj/gsequivc.o ./obj/minftrsz.o
./obj/aux/echogs -e .dev -a- ./obj/tiff64nc -include ./obj/tiffs -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/tiffcrle -include ./obj/tfax
./obj/aux/echogs -e .dev -a- ./obj/tiffcrle -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/tiffg3 -include ./obj/tfax
./obj/aux/echogs -e .dev -a- ./obj/tiffg3 -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/tiffg32d -include ./obj/tfax
./obj/aux/echogs -e .dev -a- ./obj/tiffg32d -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/tiffg4 -include ./obj/tfax
./obj/aux/echogs -e .dev -a- ./obj/tiffg4 -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/tiffgray ./obj/gdevtsep.o ./obj/gsequivc.o ./obj/minftrsz.o
./obj/aux/echogs -e .dev -a- ./obj/tiffgray -include ./obj/tiffs -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/tiffllzw -include ./obj/tfax
./obj/aux/echogs -e .dev -a- ./obj/tiffllzw -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/tiffpack -include ./obj/tfax
./obj/aux/echogs -e .dev -a- ./obj/tiffpack -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/tiffscaled ./obj/gdevtsep.o ./obj/gsequivc.o ./obj/minftrsz.o ./obj/gdevdevn.o ./obj/gsequivc.o ./obj/gdevppla.o
./obj/aux/echogs -e .dev -a- ./obj/tiffscaled -include ./obj/tiffs -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/tiffscaled24 ./obj/gdevtsep.o ./obj/gsequivc.o ./obj/minftrsz.o ./obj/gdevdevn.o ./obj/gsequivc.o ./obj/gdevppla.o
./obj/aux/echogs -e .dev -a- ./obj/tiffscaled24 -include ./obj/tiffs -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/tiffscaled32 ./obj/gdevtsep.o ./obj/gsequivc.o ./obj/minftrsz.o ./obj/gdevdevn.o ./obj/gsequivc.o ./obj/gdevppla.o
./obj/aux/echogs -e .dev -a- ./obj/tiffscaled32 -include ./obj/tiffs -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/tiffscaled4 ./obj/gdevtsep.o ./obj/gsequivc.o ./obj/minftrsz.o ./obj/gdevdevn.o ./obj/gsequivc.o ./obj/gdevppla.o
./obj/aux/echogs -e .dev -a- ./obj/tiffscaled4 -include ./obj/tiffs -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/tiffscaled8 ./obj/gdevtsep.o ./obj/gsequivc.o ./obj/minftrsz.o ./obj/gdevdevn.o ./obj/gsequivc.o ./obj/gdevppla.o
./obj/aux/echogs -e .dev -a- ./obj/tiffscaled8 -include ./obj/tiffs -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/tiffsep ./obj/gdevtsep.o ./obj/gsequivc.o ./obj/minftrsz.o ./obj/gdevdevn.o ./obj/gsequivc.o ./obj/gdevppla.o
```

```
./obj/aux/echogs -e .dev -a- ./obj/tiffsep -include ./obj/tiffs -include ./obj/libtiff
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/tiffsep1 ./obj/gdevtsep.o ./obj/gsequivc.o ./obj/min
ftsrz.o ./obj/gdevdevn.o ./obj/gsequivc.o ./obj/gdevppla.o
./obj/aux/echogs -e .dev -a- ./obj/tiffsep1 -include ./obj/tiffs
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevtxtw.o -c ./devices/vector/gdevtxtw.c
./devices/vector/gdevtxtw.c: In function 'get_unicode':
./devices/vector/gdevtxtw.c:1793: warning: unused variable 'l'
./devices/vector/gdevtxtw.c:1792: warning: unused variable 'u'
./devices/vector/gdevtxtw.c:1792: warning: unused variable 'b'
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/txtwrite ./obj/gdevtxtw.o ./obj/gdevag1.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevxcf.o -c ./devices/gdevxcf.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-obj ./obj/xcf ./obj/gdevxcf.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -I./tiff/libtiff -Itiff-config/libtiff -I./obj -I./zlib -o ./obj/gdevxps_0.o -c ./devices/vector/gdevxps.c
cp ./obj/gdevxps_0.o ./obj/gdevxps.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/xpswrite ./obj/gdevxps.o
./obj/aux/echogs -e .dev -a- ./obj/xpswrite -include ./obj/vector -include ./obj/libtiff
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -DA4 -o ./obj/gdevescv.o -c -DGS_VERSION_MAJOR=9 ./contrib/eplaser/gdevescv.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/alc1900 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/alc2000 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/alc4000 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/alc4100 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/alc8500 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/alc8600 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/alc9100 ./obj/gdevescv.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevescp.o -c ./devices/gdevescp.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/ap3250 ./obj/gdevescp.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
```

```
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevatx.o -c ./devices/gdevatx.c
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/atx23 ./obj/gdevatx.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/atx24 ./obj/gdevatx.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/atx38 ./obj/gdevatx.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevbj10.o -c ./devices/gdevbj10.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/bj10e ./obj/gdevbj10.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o obj/gdevl0v.o -c ./contrib/japanese/gdevl0v.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/bj10v ./obj/gdevl0v.o ./obj/gdevprn.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/bj10vh ./obj/gdevl0v.o ./obj/gdevprn.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/bj200 ./obj/gdevbj10.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevcdj.o -c ./devices/gdevcdj.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevpcl.o -c ./devices/gdevpcl.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/bjc600 ./obj/gdevcdj.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/bjc800 ./obj/gdevcdj.o ./obj/gdevpcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -DA4 -o ./obj/gdevl4r.o -DGS_VERSION_MAJOR=9 -I./contrib/lips4/ -I./psi/ -c\
./contrib/lips4/gdevl4r.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevlips.o -DGS_VERSION_MAJOR=9 -I./contrib/lips4/ -I./psi/ -c ./contrib/lips4/gdevlips.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevlprn.o -DGS_VERSION_MAJOR=9 -I./contrib/lips4/ -I./psi/ -c ./contrib/lips4/gdevlprn.c
./contrib/lips4/gdevlprn.c: In function 'lprn_print_image':
```

```
./contrib/lips4/gdevlprn.c:299: warning: 'start' may be used uninitialized in this function
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/bjc880j ./obj/gdevl4r.o ./obj/gdevlips.o ./obj/gdevlprn.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevbjc.o -c ./contrib/gdevbjc.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevbjca.o -c ./contrib/gdevbjca.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/bjccmyk ./obj/gdevbjc.o ./obj/gdevbjca.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/bjccolor ./obj/gdevbjc.o ./obj/gdevbjca.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/bjcgray ./obj/gdevbjc.o ./obj/gdevbjca.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/bjcmono ./obj/gdevbjc.o ./obj/gdevbjca.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/cdeskjet ./obj/gdevcdj.o ./obj/gdevpcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevcd8.o -c ./contrib/gdevcd8.c
./contrib/gdevcd8.c: In function 'do_gcr':
./contrib/gdevcd8.c:2495: warning: comparison is always false due to limited range of data type
./contrib/gdevcd8.c:2496: warning: comparison is always false due to limited range of data type
./contrib/gdevcd8.c:2497: warning: comparison is always false due to limited range of data type
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/cdj1600 ./obj/gdevcd8.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/cdj500 ./obj/gdevcdj.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/cdj550 ./obj/gdevcdj.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/cdj670 ./obj/gdevcd8.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/cdj850 ./obj/gdevcd8.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/cdj880 ./obj/gdevcd8.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/cdj890 ./obj/gdevcd8.o ./obj/gdevpcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevdj9.o -c ./contrib/gdevdj9.c
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/cdj970 ./obj/gdevdj9.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/cdjcolor ./obj/gdevcdj.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/cdjmono ./obj/gdevcdj.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/cdnj500 ./obj/gdevcd8.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/chp2200 ./obj/gdevcd8.o ./obj/gdevpcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevclj.o -c ./devices/gdevclj.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/cljet5 ./obj/gdevclj.o ./obj/gdevpcl.o
```

```
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevcljc.o -c ./devices/gdevcljc.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/cljet5c ./obj/gdevcljc.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/cljet5pr ./obj/gdevcljc.o ./obj/gdevpcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevcslw.o -c ./devices/gdevcslw.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/coslw2p ./obj/gdevcslw.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/coslw1 ./obj/gdevcslw.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/declj250 ./obj/gdevcdj.o ./obj/gdevpcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevdjet.o -c ./devices/gdevdjet.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevdljm.o -c ./devices/gdevdljm.c
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/deskjet ./obj/gdevdjet.o ./obj/gdevdljm.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/dj505j ./obj/gdevcdj.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/djet500 ./obj/gdevdjet.o ./obj/gdevdljm.o ./obj/gdevpcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevdjtc.o -c ./devices/gdevdjtc.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/djet500c ./obj/gdevdjtc.o ./obj/gdevpcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevln03.o -c ./contrib/gdevln03.c
./contrib/gdevln03.c: In function 'sixel_print_page':
./contrib/gdevln03.c:277: warning: 'c' may be used uninitialized in this function
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/dl2100 ./obj/gdevln03.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/dnj650c ./obj/gdevcdj.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/epl2050 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/epl2050p ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/epl2120 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/epl2500 ./obj/gdevescv.o
```

```
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/epl2750 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/epl5800 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/epl5900 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/epl6100 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/epl6200 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/eplcolor ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/eplmono ./obj/gdevescv.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevepsn.o -c ./devices/gdevepsn.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/eps9high ./obj/gdevepsn.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/eps9mid ./obj/gdevepsn.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/epson ./obj/gdevepsn.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevepsc.o -c ./devices/gdevepsc.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/epsonc ./obj/gdevepsc.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/escp ./obj/gdevcdj.o ./obj/gdevpcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -DA4 -o ./obj/gdevespg.o -DGS_VERSION_MAJOR=9 -I./contrib/lips4/ -I./psi/ -c ./contrib/japanese/gdevespg.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/escpage ./obj/gdevespg.o ./obj/gdevlprn.o ./obj/gdevl
ips.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -DFMLBP_NOADJUST_MARGIN -o obj/gdevfmlbp.o -c ./contrib/japanese/gdevfmlbp.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/fmlbp ./obj/gdevfmlbp.o ./obj/gdevprn.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevfmpr.o -c ./contrib/japanese/gdevfmpr.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/fmpr ./obj/gdevfmpr.o ./obj/gdevprn.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/fs600 ./obj/gdevdjet.o ./obj/gdevdljm.o ./obj/gdevpc
l.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevgdi.o -c ./contrib/gdevgdi.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/gdi ./obj/gdevgdi.o ./obj/gdevpcl.o
```



```
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevhl12.o -c ./contrib/gdevhl12.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hl1240 ./obj/gdevhl12.o ./obj/gdevdljm.o ./obj/gdevpc1.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hl1250 ./obj/gdevhl12.o ./obj/gdevdljm.o ./obj/gdevpc1.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevhl7x.o -c ./devices/gdevhl7x.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hl7x0 ./obj/gdevhl7x.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -c -o obj/gdeveprn.o -DGS_REVISION=926 -I./psi ./contrib/pcl3/eprn/gdeveprn.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -c -o obj/pagecount.o -DGS_REVISION=926 -I./psi ./contrib/pcl3/eprn/pagecount.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -c -o obj/mediasize.o -DGS_REVISION=926 -I./psi ./contrib/pcl3/eprn/mediasize.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -c -o obj/eprnparm.o -DGS_REVISION=926 -I./psi ./contrib/pcl3/eprn/eprnparm.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -c -o obj/eprnrend.o -DGS_REVISION=926 -I./psi ./contrib/pcl3/eprn/eprnrend.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -c -o obj/eprnfs.o -DGS_REVISION=926 -I./psi \
./contrib/pcl3/eprn/eprnfs.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
```

```
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -c -o obj/gdevpcl3.o -DGS_REVISION=926 -I./contrib/pcl3/eprn ./contrib/pcl3/src/gdevpcl3.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -c -o obj/pclcap.o -DGS_REVISION=926 -I./contrib/pcl3/eprn ./contrib/pcl3/src/pclcap.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -c -o obj/pclgen.o -DGS_REVISION=926 -I./contrib/pcl3/eprn ./contrib/pcl3/src/pclgen.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -c -o obj/pclcomp.o -DGS_REVISION=926 -I./contrib/pcl3/eprn ./contrib/pcl3/src/pclcomp.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -c -o obj/pclsize.o -DGS_REVISION=926 -I./contrib/pcl3/eprn ./contrib/pcl3/src/pclsize.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj1120c ./obj/gdeveprn.o ./obj/pagecount.o ./obj/mediasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsize.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj310 ./obj/gdeveprn.o ./obj/pagecount.o ./obj/mediasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsize.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj320 ./obj/gdeveprn.o ./obj/pagecount.o ./obj/mediasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsize.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj340 ./obj/gdeveprn.o ./obj/pagecount.o ./obj/mediasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsize.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj400 ./obj/gdeveprn.o ./obj/pagecount.o ./obj/mediasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsize.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj500 ./obj/gdeveprn.o ./obj/pagecount.o ./obj/mediasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsize.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj500c ./obj/gdeveprn.o ./obj/pagecount.o ./obj/mediasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsize.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj510 ./obj/gdeveprn.o ./obj/pagecount.o ./obj/mediasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsize.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj520 ./obj/gdeveprn.o ./obj/pagecount.o ./obj/mediasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsize.o
```

e.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj540 ./obj/gdeveprn.o ./obj/pagecount.o ./obj/medi
asize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsiz
e.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj550c ./obj/gdeveprn.o ./obj/pagecount.o ./obj/medi
iasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsiz
e.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj560c ./obj/gdeveprn.o ./obj/pagecount.o ./obj/medi
iasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsiz
e.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj600 ./obj/gdeveprn.o ./obj/pagecount.o ./obj/medi
asize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsiz
e.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj660c ./obj/gdeveprn.o ./obj/pagecount.o ./obj/medi
iasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsiz
e.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj670c ./obj/gdeveprn.o ./obj/pagecount.o ./obj/medi
iasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsiz
e.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj680c ./obj/gdeveprn.o ./obj/pagecount.o ./obj/medi
iasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsiz
e.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj690c ./obj/gdeveprn.o ./obj/pagecount.o ./obj/medi
iasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsiz
e.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj850c ./obj/gdeveprn.o ./obj/pagecount.o ./obj/medi
iasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsiz
e.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj855c ./obj/gdeveprn.o ./obj/pagecount.o ./obj/medi
iasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsiz
e.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj870c ./obj/gdeveprn.o ./obj/pagecount.o ./obj/medi
iasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsiz
e.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdj890c ./obj/gdeveprn.o ./obj/pagecount.o ./obj/medi
iasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsiz
e.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdjplus ./obj/gdeveprn.o ./obj/pagecount.o ./obj/medi
iasize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsiz
e.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/hpdjportable ./obj/gdeveprn.o ./obj/pagecount.o ./obj/medi
asize.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsiz
e.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/ibmpro ./obj/gdevpsn.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevimgn.o -c ./devices/gdevimgn.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/imagen ./obj/gdevimgn.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/itk24i ./obj/gdevatx.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/itk38 ./obj/gdevatx.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W

```
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdev3852.o -c ./devices/gdev3852.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/jetp3852 ./obj/gdev3852.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o obj/gdevj100.o -c ./contrib/japanese/gdevj100.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/jj100 ./obj/gdevj100.o ./obj/gdevprn.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/la50 ./obj/gdevln03.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/la70 ./obj/gdevln03.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/la75 ./obj/gdevln03.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/la75plus ./obj/gdevln03.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/laserjet ./obj/gdevdjet.o ./obj/gdevdljm.o ./obj/gdevvpcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o obj/gdevlbp3.o -c ./contrib/japanese/gdevlbp3.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lbp310 ./obj/gdevlbp3.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lbp320 ./obj/gdevlbp3.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevlbp8.o -c ./devices/gdevlbp8.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lbp8 ./obj/gdevlbp8.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevlx7.o -c ./contrib/gdevlx7.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lex2050 ./obj/gdevlx7.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lex3200 ./obj/gdevlx7.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lex5700 ./obj/gdevlx7.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lex7000 ./obj/gdevlx7.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lips2p ./obj/gdevl4r.o ./obj/gdevlips.o ./obj/gdevlprn.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lips3 ./obj/gdevlbp8.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lips4 ./obj/gdevl4r.o ./obj/gdevlips.o ./obj/gdevlprn.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -DA4 -o ./obj/gdevl4v.o -DGS_VERSION_MAJOR=9 -I./contrib/lips4/ -I./psi/ -c\
./contrib/lips4/gdevl4v.c
```

```
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-obj ./obj/lips4v ./obj/gdevl4v.o ./obj/gdevlips.o
./obj/aux/echogs -e .dev -a- ./obj/lips4v -include ./obj/vector
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevpjjet.o -c ./devices/gdevpjjet.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lj250 ./obj/gdevpjjet.o ./obj/gdevpcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevl31s.o -c ./devices/gdevl31s.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevmeds.o -c ./devices/gdevmeds.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lj3100sw ./obj/gdevl31s.o ./obj/gdevmeds.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lj4dith ./obj/gdevcdj.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lj4dithp ./obj/gdevcdj.o ./obj/gdevpcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevlj56.o -c ./devices/gdevlj56.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./obj -I./devices -I./devices/vector -o ./obj/gdevpxut.o -c ./devices/gdevpxut.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lj5gray ./obj/gdevlj56.o ./obj/gdevpxut.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lj5mono ./obj/gdevlj56.o ./obj/gdevpxut.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/ljet2p ./obj/gdevdjet.o ./obj/gdevdljm.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/ljet3 ./obj/gdevdjet.o ./obj/gdevdljm.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/ljet3d ./obj/gdevdjet.o ./obj/gdevdljm.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/ljet4 ./obj/gdevdjet.o ./obj/gdevdljm.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/ljet4d ./obj/gdevdjet.o ./obj/gdevdljm.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/ljet4pjl ./obj/gdevdjet.o ./obj/gdevdljm.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/ljetplus ./obj/gdevdjet.o ./obj/gdevdljm.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/ln03 ./obj/gdevln03.o
```

```
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp1800 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp1900 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp2000 ./obj/gdevespg.o ./obj/gdevlprn.o ./obj/gdevli
ps.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp2200 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp2400 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp2500 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/lp2563 ./obj/gdevdjet.o ./obj/gdevdljm.o ./obj/gdevp
cl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp3000c ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp7500 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp7700 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp7900 ./obj/gdevescv.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevlp8k.o -c ./devices/gdevlp8k.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp8000 ./obj/gdevlp8k.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp8000c ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp8100 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp8200c ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp8300c ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp8300f ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp8400f ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp8500c ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp8600 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp8600f ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp8700 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp8800c ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp8900 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp9000b ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp9000c ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp9100 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp9200b ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp9200c ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp9300 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp9400 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp9500c ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp9600 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp9600s ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lp9800c ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lps4500 ./obj/gdevescv.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lps6500 ./obj/gdevescv.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevdm24.o -c ./devices/gdevdm24.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lq850 ./obj/gdevdm24.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
```

```
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevlx32.o -c ./contrib/gdevlx32.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lxm3200 ./obj/gdevlx32.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevlxm.o -c ./devices/gdevlxm.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/lxm5700m ./obj/gdevlxm.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdev8510.o -c ./devices/gdev8510.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/m8510 ./obj/gdev8510.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o obj/gdevalps.o -c ./contrib/japanese/gdevalps.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/md1xMono ./obj/gdevalps.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevmd2k.o -c ./contrib/gdevmd2k.c
./contrib/gdevmd2k.c: In function 'alps_map_cmy_color':
./contrib/gdevmd2k.c:682: warning: comparison is always false due to limited range of data type
./contrib/gdevmd2k.c:683: warning: comparison is always false due to limited range of data type
./contrib/gdevmd2k.c:684: warning: comparison is always false due to limited range of data type
./contrib/gdevmd2k.c: In function 'alps_print_page':
./contrib/gdevmd2k.c:372: warning: 'contflag' may be used uninitialized in this function
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/md2k ./obj/gdevmd2k.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/md50Eco ./obj/gdevalps.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/md50Mono ./obj/gdevalps.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/md5k ./obj/gdevmd2k.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -DA4 -o ./obj/gdevmjc.o -c ./contrib/japanese/gdevmjc.c
./contrib/japanese/gdevmjc.c:1771:5: warning: "__WORDSIZE" is not defined
./contrib/japanese/gdevmjc.c:1790:5: warning: "__WORDSIZE" is not defined
./contrib/japanese/gdevmjc.c:1820:5: warning: "__WORDSIZE" is not defined
./contrib/japanese/gdevmjc.c: In function 'mj_print_page':
./contrib/japanese/gdevmjc.c:974: warning: 'errors[0]' may be used uninitialized in this function
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/mj500c ./obj/gdevmjc.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/mj6000c ./obj/gdevmjc.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/mj700v2c ./obj/gdevmjc.o ./obj/gdevpcl.o
```

```
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/mj8000c ./obj/gdevmjc.o ./obj/gdevpcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o obj/gdevml6.o -c ./contrib/japanese/gdevml6.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/ml600 ./obj/gdevml6.o ./obj/gdevprn.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/necp6 ./obj/gdevdm24.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -DA4 -o ./obj/gdevnpdl.o -DGS_VERSION_MAJOR=9 -I./contrib/lips4/ -I./psi/ -c ./contrib/japanese/gdevnpdl.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/npdl ./obj/gdevnpdl.o ./obj/gdevlprn.o
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/oce9050 ./obj/gdevdjet.o ./obj/gdevdljm.o ./obj/gdev
pcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevol82.o -c ./devices/gdevol82.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/oki182 ./obj/gdevol82.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevop4w.o -c ./contrib/gdevop4w.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/oki4w ./obj/gdevop4w.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevokii.o -c ./devices/gdevokii.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/okiibm ./obj/gdevokii.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevopvp.o -DGS_VERSION_MAJOR=9 -I./psi/ -c ./contrib/opvp/gdevopvp.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/oprp ./obj/gdevopvp.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/opvp ./obj/gdevopvp.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/paintjet ./obj/gdevpjjet.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/pcl3 ./obj/gdeveprn.o ./obj/pagecount.o ./obj/mediasi
ze.o ./obj/eprnparm.o ./obj/eprnrend.o ./obj/eprnfs.o ./obj/gdevpcl3.o ./obj/pclcap.o ./obj/pclgen.o ./obj/pclcomp.o ./obj/pclsize.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
```



```
s -I./devices/vector -o ./obj/gdevphex.o -c ./devices/gdevphex.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/photoex ./obj/gdevphex.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/picty180 ./obj/gdevcdj.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/pj ./obj/gdevcdj.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/pjetxl ./obj/gdevpjet.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/pjxl ./obj/gdevcdj.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/pjxl300 ./obj/gdevcdj.o ./obj/gdevpcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevp201.o -c ./contrib/japanese/gdevp201.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/pr1000 ./obj/gdevp201.o ./obj/gdevprn.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/pr1000_4 ./obj/gdevp201.o ./obj/gdevprn.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/pr150 ./obj/gdevp201.o ./obj/gdevprn.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/pr201 ./obj/gdevp201.o ./obj/gdevprn.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevpx.o -c ./devices/vector/gdevpx.c
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/pxlcolor ./obj/gdevpx.o ./obj/gdevpxut.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -a- ./obj/pxlcolor -include ./obj/vector
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-obj ./obj/pxlmono ./obj/gdevpx.o ./obj/gdevpxut.o ./obj/gdevpcl.o
./obj/aux/echogs -e .dev -a- ./obj/pxlmono -include ./obj/vector
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdev4081.o -c ./devices/gdev4081.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/r4081 ./obj/gdev4081.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevrinkj.o -c ./devices/gdevrinkj.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./devices/rinkj -o ./obj/evenbetter-rl1.o -c ./devices/rinkj/evenbetter-rl1.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./devices/rinkj -o ./obj/rinkj-byte-stream.o -c ./devices/rinkj/rinkj-byte-stream.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./devices/rinkj -o ./obj/rinkj-byte-stream.o -c ./devices/rinkj/rinkj-byte-stream.c
```

```
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./devices/rinkj -o ./obj/rinkj-de
vice.o -c ./devices/rinkj/rinkj-device.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./devices/rinkj -o ./obj/rinkj-co
nfig.o -c ./devices/rinkj/rinkj-config.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./devices/rinkj -o ./obj/rinkj-di
ther.o -c ./devices/rinkj/rinkj-dither.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./devices/rinkj -o ./obj/rinkj-ep
son870.o -c ./devices/rinkj/rinkj-epson870.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./devices/rinkj -o ./obj/rinkj-sc
reen-eb.o -c ./devices/rinkj/rinkj-screen-eb.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-obj ./obj/rinkj ./obj/gdevrinkj.o ./obj/evenbetter-rll.o ./obj/rinkj-byte-stream.o ./ob
j/rinkj-device.o ./obj/rinkj-config.o ./obj/rinkj-dither.o ./obj/rinkj-epson870.o ./obj/rinkj-screen-eb.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevrpd1.o -DGS_VERSION_MAJOR=9 -I./contrib/lips4/ -I./psi/ -c ./contrib/japanese/gdevrpd1.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/rpd1 ./obj/gdevrpd1.o ./obj/gdevlprn.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/samsunggdi ./obj/gdevgdi.o ./obj/gdevpcl.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevsj48.o -c ./devices/gdevsj48.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/sj48 ./obj/gdevsj48.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/st800 ./obj/gdevescp.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevstc.o -c ./devices/gdevstc.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
```

```
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevstc1.o -c ./devices/gdevstc1.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevstc2.o -c ./devices/gdevstc2.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevstc3.o -c ./devices/gdevstc3.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevstc4.o -c ./devices/gdevstc4.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/stcolor ./obj/gdevstc.o ./obj/gdevstc1.o ./obj/gdevst
c2.o
./obj/aux/echogs -e .dev -a- ./obj/stcolor -obj ./obj/gdevstc3.o ./obj/gdevstc4.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdev4693.o -c ./devices/gdev4693.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/t4693d2 ./obj/gdev4693.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/t4693d4 ./obj/gdev4693.o
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/t4693d8 ./obj/gdev4693.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevtknk.o -c ./devices/gdevtknk.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/tek4696 ./obj/gdevtknk.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevupd.o -c ./devices/gdevupd.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/uniprint ./obj/gdevupd.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./devices/vector -o ./obj/gdevxes.o -c ./contrib/gdevxes.c
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/xes ./obj/gdevxes.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
```

```
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./ijs -I./ijs/.. \
    -o ./obj/gdevijs.o -c ./devices/gdevijs.c
In file included from ./devices/gdevijs.c:66:
./base/unistd.h:55:1: warning: "_XOPEN_SOURCE" redefined
In file included from /QOpenSys/usr/local/bin/./lib/gcc/powerpc-ibm-aix5.3.0.0/4.1.0/include/sys/types.h:46,
    from ./base/stdpre.h:310,
    from ./base/std.h:22,
    from ./base/unistd.h:23,
    from ./devices/gdevijs.c:66:
/usr/include/standards.h:157:1: warning: this is the location of the previous definition
In file included from ./devices/gdevijs.c:66:
./base/unistd.h:56:1: warning: "__USE_UNIX98" redefined
<command line>:1:1: warning: this is the location of the previous definition
./obj/aux/echogs -I./ijs

gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./ijs -o ./obj/ijs.o -c ./ijs/ijs.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./ijs -o ./obj/ijs_server.o -c ./ijs/ijs_server.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./ijs -o ./obj/ijs_client.o -c ./ijs/ijs_client.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./ijs -o ./obj/ijs_exec_unix.o -c ./ijs/ijs_exec_unix.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/ijslib_0 ./obj/ijs.o ./obj/ijs_server.o ./obj/ijs_client.o ./obj/ijs_exec_unix.o
cp ./obj/ijslib_0.dev ./obj/ijslib.dev
./obj/aux/echogs -e .dev -w- -l-dev -b -s -l-include -l./obj/page -l-obj ./obj/ijs ./obj/gdevijs.o
./obj/aux/echogs -e .dev -a- ./obj/ijs -include ./obj/ijslib
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./obj -I./device
s -I./libpng -I./zlib -DSHARE_LIBPNG=0 -o ./obj/gdevpng.o -c ./devices/gdevpng.c
./devices/gdevpng.c: In function 'do_png_print_page':
./devices/gdevpng.c:442: warning: unused variable 'endian_swap'
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/png16 ./obj/gdevpng.o ./obj/gdevpccm.o
```

./obj/aux/echogs -e .dev -a- ./obj/png16 -include ./obj/libpng
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/png16m ./obj/gdevpng.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -a- ./obj/png16m -include ./obj/libpng
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/png256 ./obj/gdevpng.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -a- ./obj/png256 -include ./obj/libpng
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/png48 ./obj/gdevpng.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -a- ./obj/png48 -include ./obj/libpng
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pngalpha ./obj/gdevpng.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -a- ./obj/pngalpha -include ./obj/libpng
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pnggray ./obj/gdevpng.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -a- ./obj/pnggray -include ./obj/libpng
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pngmono ./obj/gdevpng.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -a- ./obj/pngmono -include ./obj/libpng
./obj/aux/echogs -e .dev -w- -l-dev2 -b -s -l-include -l./obj/page -l-obj ./obj/pngmonod ./obj/gdevpng.o ./obj/gdevpccm.o
./obj/aux/echogs -e .dev -a- ./obj/pngmonod -include ./obj/libpng
./obj/aux/echogs -a ./obj/devdevs.tr +- ./obj/bbox.dev ./obj/x11.dev ./obj/x11_.dev ./obj/x11alpha.dev ./obj/x11alt_.dev ./obj/x11cm
yk.dev ./obj/x11cm2.dev ./obj/x11cm4.dev ./obj/x11cm8.dev ./obj/x11gray2.dev ./obj/x11gray4.dev ./obj/x11mono.dev ./obj/x11rg1
6x.dev ./obj/x11rg32x.dev
./obj/aux/echogs -a ./obj/devdevs.tr +- ./obj/PCLm.dev ./obj/bbox.dev ./obj/bit.dev ./obj/bitcmk.dev ./obj/bitrgb.dev ./obj/bitrgbt
ags.dev ./obj/bmp16.dev ./obj/bmp16m.dev ./obj/bmp256.dev ./obj/bmp32b.dev ./obj/bmpgray.dev ./obj/bmpmono.dev ./obj/bmpsepl.dev ./o
bj/bmpsep8.dev ./obj/ccr.dev ./obj/cfax.dev ./obj/cif.dev ./obj/devicen.dev ./obj/dfaxhigh.dev ./obj/dfaxlow.dev ./obj/display.dev .
./obj/eps2write.dev ./obj/fax.dev ./obj/faxg3.dev ./obj/faxg32d.dev ./obj/faxg4.dev ./obj/fpng.dev ./obj/gprf.dev ./obj/inferno.dev .
./obj/ink_cov.dev ./obj/inkcov.dev ./obj/jpeg.dev ./obj/jpegcmk.dev ./obj/jpeggray.dev ./obj/mgr4.dev ./obj/mgr8.dev ./obj/mgrgray2.
dev ./obj/mgrgray4.dev ./obj/mgrgray8.dev ./obj/mgrmono.dev ./obj/miff24.dev ./obj/pam.dev ./obj/pamcmk32.dev ./obj/pamcmk4.dev ./o
bj/pbm.dev ./obj/pbmraw.dev ./obj/pcx16.dev ./obj/pcx24b.dev ./obj/pcx256.dev ./obj/pcxcmk.dev ./obj/pcxgray.dev ./obj/pcxmono.dev
./obj/pdfimage24.dev ./obj/pdfimage32.dev ./obj/pdfimage8.dev ./obj/pdfwrite.dev ./obj/pgm.dev ./obj/pgmraw.dev ./obj/pgnm.dev ./ob
j/pgnmraw.dev ./obj/pkm.dev ./obj/pkmraw.dev ./obj/pksm.dev ./obj/pksmraw.dev ./obj/plan.dev ./obj/plan9bm.dev ./obj/planc.dev ./obj
/plang.dev ./obj/plank.dev ./obj/planm.dev ./obj/plib.dev ./obj/plibc.dev ./obj/plibg.dev ./obj/plibk.dev ./obj/plibm.dev ./obj/pnm.
dev ./obj/pnmraw.dev ./obj/ppm.dev ./obj/ppmraw.dev ./obj/ps2write.dev ./obj/psdcmk.dev ./obj/psdcmkog.dev ./obj/psdf.dev ./obj/ps
drgb.dev ./obj/spotcmk.dev ./obj/tfax.dev ./obj/tiff12nc.dev ./obj/tiff24nc.dev ./obj/tiff32nc.dev ./obj/tiff48nc.dev ./obj/tiff64n
c.dev ./obj/tiffcrle.dev ./obj/tiffg3.dev ./obj/tiffg32d.dev ./obj/tiffg4.dev ./obj/tiffgray.dev ./obj/tiffllzw.dev ./obj/tiffpack.de
v ./obj/tiffs.dev ./obj/tiffscaled.dev ./obj/tiffscaled24.dev ./obj/tiffscaled32.dev ./obj/tiffscaled4.dev ./obj/tiffscaled8.dev ./o
bj/tiffsep.dev ./obj/tiffsepl.dev ./obj/txtwrite.dev ./obj/xcf.dev ./obj/xpswrite.dev
./obj/aux/echogs -a ./obj/devdevs.tr +- ./obj/alc1900.dev ./obj/alc2000.dev ./obj/alc4000.dev ./obj/alc4100.dev ./obj/alc8500.dev ./o
bj/alc8600.dev ./obj/alc9100.dev ./obj/ap3250.dev ./obj/atx23.dev ./obj/atx24.dev ./obj/atx38.dev ./obj/bj10e.dev ./obj/bj10v.dev .
./obj/bj10vh.dev ./obj/bj200.dev ./obj/bjc600.dev ./obj/bjc800.dev ./obj/bjc880j.dev ./obj/bjccmk.dev ./obj/bjccolor.dev ./obj/bjcg
ray.dev ./obj/bjcmono.dev ./obj/cdeskjet.dev ./obj/cdjl600.dev ./obj/cdj500.dev ./obj/cdj550.dev ./obj/cdj670.dev ./obj/cdj850.dev ./o
bj/cdj880.dev ./obj/cdj890.dev ./obj/cdj970.dev ./obj/cdjcolor.dev ./obj/cdjmono.dev ./obj/cdnj500.dev ./obj/chp2200.dev ./obj/clje
t5.dev ./obj/cljet5c.dev ./obj/cljet5pr.dev ./obj/coslw2p.dev ./obj/coslwxl.dev ./obj/declj250.dev ./obj/deskjet.dev ./obj/dj505j.de
v ./obj/djet500.dev ./obj/djet500c.dev ./obj/dl2100.dev ./obj/dnj650c.dev ./obj/epl2050.dev ./obj/epl2050p.dev ./obj/epl2120.dev ./o
bj/epl2500.dev ./obj/epl2750.dev ./obj/epl5800.dev ./obj/epl5900.dev ./obj/epl6100.dev ./obj/epl6200.dev ./obj/eplcolor.dev ./obj/ep
lmono.dev ./obj/eps9high.dev ./obj/eps9mid.dev ./obj/epson.dev ./obj/epsonc.dev ./obj/escp.dev ./obj/escpage.dev ./obj/fmlbp.dev ./o
bj/fmpr.dev ./obj/fs600.dev ./obj/gdi.dev ./obj/hl1240.dev ./obj/hl1250.dev ./obj/hl7x0.dev ./obj/hpdj1120c.dev ./obj/hpdj310.dev ./o
bj/hpdj320.dev ./obj/hpdj340.dev ./obj/hpdj400.dev ./obj/hpdj500.dev ./obj/hpdj500c.dev ./obj/hpdj510.dev ./obj/hpdj520.dev ./obj/h
pdj540.dev ./obj/hpdj550c.dev ./obj/hpdj560c.dev ./obj/hpdj600.dev ./obj/hpdj660c.dev ./obj/hpdj670c.dev ./obj/hpdj680c.dev ./obj/hp
dj690c.dev ./obj/hpdj850c.dev ./obj/hpdj855c.dev ./obj/hpdj870c.dev ./obj/hpdj890c.dev ./obj/hpdjplus.dev ./obj/hpdjportable.dev ./o
bj/ibmpro.dev ./obj/imagen.dev ./obj/itk24i.dev ./obj/itk38.dev ./obj/jetp3852.dev ./obj/jjl100.dev ./obj/la50.dev ./obj/la70.dev ./o
bj/la75.dev ./obj/la75plus.dev ./obj/laserjet.dev ./obj/lbp310.dev ./obj/lbp320.dev ./obj/lbp8.dev ./obj/lex2050.dev ./obj/lex3200.d
ev ./obj/lex5700.dev ./obj/lex7000.dev ./obj/lips2p.dev ./obj/lips3.dev ./obj/lips4.dev ./obj/lips4v.dev ./obj/lj250.dev ./obj/lj310
0sw.dev ./obj/lj4dith.dev ./obj/lj4dithp.dev ./obj/lj5gray.dev ./obj/lj5mono.dev ./obj/ljet2p.dev ./obj/ljet3.dev ./obj/ljet3d.dev .
./obj/ljet4.dev ./obj/ljet4d.dev ./obj/ljet4pjl.dev ./obj/ljetplus.dev ./obj/ln03.dev ./obj/lp1800.dev ./obj/lp1900.dev ./obj/lp2000.
dev ./obj/lp2200.dev ./obj/lp2400.dev ./obj/lp2500.dev ./obj/lp2563.dev ./obj/lp3000c.dev ./obj/lp7500.dev ./obj/lp7700.dev ./obj/lp
7900.dev ./obj/lp8000.dev ./obj/lp8000c.dev ./obj/lp8100.dev ./obj/lp8200c.dev ./obj/lp8300c.dev ./obj/lp8300f.dev ./obj/lp8400f.dev
./obj/lp8500c.dev ./obj/lp8600.dev ./obj/lp8600f.dev ./obj/lp8700.dev ./obj/lp8800c.dev ./obj/lp8900.dev ./obj/lp9000b.dev ./obj/lp
9000c.dev ./obj/lp9100.dev ./obj/lp9200b.dev ./obj/lp9200c.dev ./obj/lp9300.dev ./obj/lp9400.dev ./obj/lp9500c.dev ./obj/lp9600.dev


```
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsdparam.o -c ./base/gsdparam.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsfname.o -c ./base/gsfname.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsfont.o -c ./base/gsfont.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsgdata.o -c ./base/gsgdata.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsgcache.o -c ./base/gsgcache.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsht.o -c ./base/gsht.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gshtscr.o -c ./base/gshtscr.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gen_ordered.o -c -DGS_LIB_BUILD \
./base/gen_ordered.c
./base/gen_ordered.c: In function 'htsc_create_dot_profile':
./base/gen_ordered.c:751: warning: integer constant is too large for 'long' type
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsimage.o -c ./base/gsimage.c
```

```
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsimpath.o -c ./base/gsimpath.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsinit.o -c ./base/gsinit.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsiodev.o -c ./base/gsiodev.c
In file included from ./base/gsiodev.c:20:
./base/unistd.h:55:1: warning: "_XOPEN_SOURCE" redefined
In file included from /QOpenSys/usr/local/bin/./lib/gcc/powerpc-ibm-aix5.3.0.0/4.1.0/include/sys/types.h:46,
from ./base/stdpre.h:310,
from ./base/std.h:22,
from ./base/errno.h:22,
from ./base/gsiodev.c:18:
/usr/include/standards.h:157:1: warning: this is the location of the previous definition
In file included from ./base/gsiodev.c:20:
./base/unistd.h:56:1: warning: "__USE_UNIX98" redefined
<command line>:1:1: warning: this is the location of the previous definition
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsgstate.o -c ./base/gsgstate.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsline.o -c ./base/gsline.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsmalloc.o -c ./base/gsmalloc.c
gcc -I./obj -I./base -I./devices -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -o ./obj/memento.o -c ./base/memento.c
gcc -I./obj -I./base -I./devices -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -o ./obj/bobbin.o -c ./base/bobbin.c
```



```
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsparms.o -c ./base/gsparms.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsproptab.o -c ./base/gsproptab.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsproprun.o -c ./base/gsproprun.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gxclimag.o -c ./base/gxclimag.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gxclpath.o -c ./base/gxclpath.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gxdhtserial.o -c ./base/gxdhtserial.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gxclthrd.o -c ./base/gxclthrd.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsmchunk.o -c ./base/gsmchunk.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gxclfile.o -c ./base/gxclfile.c
In file included from ./base/gxclfile.c:21:
./base/unistd.h:55:1: warning: "_XOPEN_SOURCE" redefined
In file included from /QOpenSys/usr/local/bin/./lib/gcc/powerpc-ibm-aix5.3.0.0/4.1.0/include/assert.h:64,
from ./base/gxclfile.c:18:
/usr/include/standards.h:157:1: warning: this is the location of the previous definition
```

In file included from ./base/gxclfile.c:21:

./base/unistd.h:56:1: warning: "__USE_UNIX98" redefined

<command line>:1:1: warning: this is the location of the previous definition

./obj/aux/echogs -e .dev -w- -l-obj ./obj/clfile ./obj/gxclfile.o

./obj/aux/echogs -e .dev -a- ./obj/clfile -init gxclfile

gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gxclmem.o -c ./base/gxclmem.c

gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gxclzlib.o -c ./base/gxclzlib.c

gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -Wno-write-strings -I./zlib -Dverbose=-1 -o ./obj/inffast.o -c ./zlib/inffast.c

gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -Wno-write-strings -I./zlib -Dverbose=-1 -o ./obj/inflate.o -c ./zlib/inflate.c

gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -Wno-write-strings -I./zlib -Dverbose=-1 -o ./obj/inftrees.o -c ./zlib/inftrees.c

gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -Wno-write-strings -I./zlib -Dverbose=-1 -o ./obj/uncompr.o -c ./zlib/uncompr.c

./obj/aux/echogs -e .dev -w- -l-obj ./obj/zlibd_0 ./obj/inffast.o ./obj/inflate.o ./obj/inftrees.o ./obj/uncompr.o

./obj/aux/echogs -e .dev -a- ./obj/zlibd_0 -include ./obj/zlibc.dev

cp ./obj/zlibd_0.dev ./obj/zlibd.dev

gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -I./zlib -DSHARE_ZLIB=0 -o ./obj/szlibd_0.o -c ./base/szlibd.c

cp ./obj/szlibd_0.o ./obj/szlibd.o

./obj/aux/echogs -e .dev -w- -l-obj ./obj/szlibd ./obj/szlibc.o ./obj/szlibd.o

./obj/aux/echogs -e .dev -a- ./obj/szlibd -include ./obj/zlibd.dev

./obj/aux/echogs -e .dev -w- -l-obj ./obj/clmemory ./obj/gxclmem.o ./obj/gxclzlib.o

./obj/aux/echogs -e .dev -a- ./obj/clmemory -include ./obj/szlibe

```
./obj/aux/echogs -e .dev -a- ./obj/clmemory -include ./obj/szlibd
./obj/aux/echogs -e .dev -a- ./obj/clmemory -init gxclmem
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gp_psync.o -c ./base/gp_psync.c
In file included from ./base/gp_psync.c:21:
./base/unistd.h:55:1: warning: "_XOPEN_SOURCE" redefined
In file included from /QOpenSys/usr/local/bin/./lib/gcc/powerpc-ibm-aix5.3.0.0/4.1.0/include/sys/types.h:46,
from ./base/stdpre.h:310,
from ./base/std.h:22,
from ./base/gp_psync.c:18:
/usr/include/standards.h:157:1: warning: this is the location of the previous definition
In file included from ./base/gp_psync.c:21:
./base/unistd.h:56:1: warning: "__USE_UNIX98" redefined
<command line>:1:1: warning: this is the location of the previous definition
./obj/aux/echogs -e .dev -w- -l-obj ./obj/posync ./obj/gp_psync.o
./obj/aux/echogs -e .dev -a- ./obj/posync -replace ./obj/nosync
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/scfd.o -c ./base/scfd.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/scfdtab.o -c ./base/scfdtab.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/cfd ./obj/scfd.o ./obj/scfdtab.o
./obj/aux/echogs -e .dev -w- -l-obj ./obj/clist ./obj/gxclist.o ./obj/gxclbits.o ./obj/gxclpage.o
./obj/aux/echogs -e .dev -a- ./obj/clist -obj ./obj/gxclrast.o ./obj/gxclread.o ./obj/gxclrect.o
./obj/aux/echogs -e .dev -a- ./obj/clist -obj ./obj/gxclutil.o ./obj/gsparams.o ./obj/gxshade6.o
./obj/aux/echogs -e .dev -a- ./obj/clist -obj ./obj/gsroptab.o ./obj/gsroprun.o ./obj/stream.o
./obj/aux/echogs -e .dev -a- ./obj/clist -obj ./obj/gxclimag.o ./obj/gxclpath.o ./obj/gxdhtserial.o
./obj/aux/echogs -e .dev -a- ./obj/clist -obj ./obj/gxclthrd.o ./obj/gsmchunk.o
./obj/aux/echogs -e .dev -a- ./obj/clist -include ./obj/clfile
./obj/aux/echogs -e .dev -a- ./obj/clist -include ./obj/clmemory ./obj/posync.dev
./obj/aux/echogs -e .dev -a- ./obj/clist -include ./obj/cfe ./obj/cfd ./obj/rle ./obj/rld ./obj/psl2cs
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gxfapi.o -c ./base/gxfapi.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/fapiu
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -I./freetype/include -o ./obj/fapi_ft.o -c ./base/fapi_ft.c
```



```
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./freetype/include -DFT2_BUILD_LIBRARY -DDARWIN_NO_CARBON -o ./obj/t42drivr.o -c ./freetype/src/type42/t42drivr.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./freetype/include -DFT2_BUILD_LIBRARY -DDARWIN_NO_CARBON -o ./obj/winfnt.o -c ./freetype/src/winfonts/winfnt.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/freetype_0 ./obj/afangles.o ./obj/afcjk.o ./obj/afdummy.o ./obj/afglobal.o ./obj/afhints.o ./obj/afindic.o ./obj/aflatin.o ./obj/afloader.o ./obj/afmodule.o ./obj/afwarp.o ./obj/afblue.o ./obj/afranges.o ./obj/afshaper.o ./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/ftadvanc.o ./obj/ftcalc.o ./obj/ftdbgmem.o ./obj/ftgloadr.o ./obj/ftobjs.o ./obj/ftoutln.o ./obj/ftrfork.o ./obj/ftsnames.o ./obj/ftstream.o ./obj/fttrigon.o ./obj/ftutil.o ./obj/ftbbox.o ./obj/ftbdf.o ./obj/ftbitmap.o ./obj/ftdebug.o ./obj/ftgasp.o ./obj/ftglyph.o ./obj/ftgxval.o ./obj/ftinit.o ./obj/ftlcdfil.o ./obj/ftmm.o ./obj/ftotval.o ./obj/ftpfr.o ./obj/ftstroke.o ./obj/ftsynth.o ./obj/ftsystem.o ./obj/fttyp1.o ./obj/ftwinfnt.o ./obj/ftpatent.o ./obj/ftmd5.o ./obj/ftj/ftjhash.o ./obj/ftj/ftjprops.o ./obj/ftj/ftjntfmt.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/bdflib.o ./obj/bdfdrivr.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/ftcbasic.o ./obj/ft2ccache.o ./obj/ftccmap.o ./obj/ftcglyph.o ./obj/ftcimage.o ./obj/ftcmanag.o ./obj/ftcmru.o ./obj/ftcsbits.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/cffdrivr.o ./obj/cffcmap.o ./obj/cffgload.o ./obj/cffload.o ./obj/cffobjs.o ./obj/cff/obj/cffparse.o ./obj/cff/cffpic.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/cidparse.o ./obj/cidload.o ./obj/cidriver.o ./obj/cidgload.o ./obj/cidobjs.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/ftgzip.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/ftlzw.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/pcfdrivr.o ./obj/pcfread.o ./obj/pcfutil.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/pfrload.o ./obj/pfrgload.o ./obj/pfrcmap.o ./obj/pfrdrivr.o ./obj/pfrsbit.o ./obj/pfr/obj/pfrobjs.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/psobjs.o ./obj/tldecode.o ./obj/tlcmmap.o ./obj/afmparse.o ./obj/psconv.o ./obj/psauxmod.o ./obj/psft.o ./obj/cffdecode.o ./obj/psfont.o ./obj/psblues.o ./obj/psintrp.o ./obj/pserror.o ./obj/psstack.o ./obj/pshints.o ./obj/psarrst.o ./obj/psread.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/pshrec.o ./obj/pshglob.o ./obj/pshmod.o ./obj/pshalgo.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/psmodule.o ./obj/pspic.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/ftraster.o ./obj/ftrendl.o ./obj/rastpic.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/ftgrays.o ./obj/ftsmooth.o ./obj/ftspic.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/sfobjs.o ./obj/sfdriver.o ./obj/ttcmmap.o ./obj/ttmtx.o ./obj/ttpost.o ./obj/ft2ttload.o ./obj/ttsbit.o ./obj/ttkern.o ./obj/ttbdf.o ./obj/sfntpic.o ./obj/pngshim.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/ttdriver.o ./obj/ft2ttobjs.o ./obj/ttload.o ./obj/ttgload.o ./obj/ft2ttinterp.o ./obj/ttgxvar.o ./obj/ttpic.o ./obj/ttsubpix.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/tlafm.o ./obj/tldriver.o ./obj/tlobjs.o ./obj/tlload.o ./obj/tlgload.o ./obj/tlparse.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/t42objs.o ./obj/t42parse.o ./obj/t42drivr.o
./obj/aux/echogs -e .dev -a- ./obj/freetype_0 ./obj/winfnt.o
cp ./obj/freetype_0.dev ./obj/freetype.dev
./obj/aux/echogs -e .dev -w- -l-obj ./obj/fapifl ./obj/fapi_ft.o ./obj/write_t1.o
./obj/aux/echogs -e .dev -a- ./obj/fapifl ./obj/write_t2.o ./obj/wrfont.o
./obj/aux/echogs -e .dev -a- ./obj/fapifl -include ./obj/freetype
./obj/aux/echogs -e .dev -a- ./obj/fapifl -fapi fapi_ft
./obj/aux/echogs -e .dev -w- -l-obj ./obj/fapib
./obj/aux/echogs -e .dev -w- -l-obj ./obj/gxfapi ./obj/gxfapi.o
./obj/aux/echogs -e .dev -a- ./obj/gxfapi -include ./obj/fapiu
./obj/aux/echogs -e .dev -a- ./obj/gxfapi -include ./obj/fapifl
./obj/aux/echogs -e .dev -a- ./obj/gxfapi -include ./obj/fapib
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
```



```
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gsiorom_0.o -I./zlib -c ./base/gsiorom.c
cp ./obj/gsiorom_0.o ./obj/gsiorom.o
./obj/aux/echogs -e .dev -w- -l-obj ./obj/romfs1 ./obj/gsiorom.o
./obj/aux/echogs -e .dev -a- ./obj/romfs1 -iodev rom
./obj/aux/echogs -e .dev -w- -l-obj ./obj/libs ./obj/gpmisc.o ./obj/stream.o ./obj/strmio.o
./obj/aux/echogs -e .dev -a- ./obj/libs ./obj/gsalloca.o ./obj/gsalph.o ./obj/gxdownscale.o ./obj/gxdownscale.o ./obj/claptrap.o ./obj/claptrap-init.o ./obj/claptrap-planar.o ./obj/ets.o ./obj/gdevprn.o ./obj/gdevflp.o ./obj/gdevkrnlscs.o ./obj/gdevpo.o
./obj/aux/echogs -e .dev -a- ./obj/libs ./obj/gdevmplt.o ./obj/gsbitcom.o ./obj/gsbitops.o ./obj/gsbittab.o ./obj/gdevoflt.o ./obj/gdevsclass.o
./obj/aux/echogs -e .dev -a- ./obj/libs ./obj/gscedata.o ./obj/gscencs.o ./obj/gschar.o ./obj/gscolor.o
./obj/aux/echogs -e .dev -a- ./obj/libs ./obj/gscoord.o ./obj/gscparam.o ./obj/gscspace.o ./obj/gscicach.o ./obj/gsovrc.o ./obj/gxoprect.o
./obj/aux/echogs -e .dev -a- ./obj/libs ./obj/gsdevice.o ./obj/gsdevmem.o ./obj/gsdparam.o
./obj/aux/echogs -e .dev -a- ./obj/libs ./obj/gsfname.o ./obj/gsfont.o ./obj/gsgdata.o ./obj/gsgcache.o
./obj/aux/echogs -e .dev -a- ./obj/libs ./obj/gsht.o ./obj/gshtscr.o ./obj/gen_ordered.o
./obj/aux/echogs -e .dev -a- ./obj/libs ./obj/gsimage.o ./obj/gsimpath.o ./obj/gsinit.o
./obj/aux/echogs -e .dev -a- ./obj/libs ./obj/gsiodev.o ./obj/gsgstate.o ./obj/gsline.o
./obj/aux/echogs -e .dev -a- ./obj/libs ./obj/gsmalloc.o ./obj/memento.o ./obj/bobbin.o ./obj/gsmatrix.o
./obj/aux/echogs -e .dev -a- ./obj/libs ./obj/gsmemory.o ./obj/gsmemret.o ./obj/gsmisc.o ./obj/gsnotify.o ./obj/gslibctx.o
./obj/aux/echogs -e .dev -a- ./obj/libs ./obj/gspaint.o ./obj/gsparam.o ./obj/gspath.o
./obj/aux/echogs -e .dev -a- ./obj/libs ./obj/gsserial.o ./obj/gsstext.o ./obj/gsutl.o ./obj/gssprintf.o ./obj/gsstrtok.o ./obj/gsstrlo.o
./obj/aux/echogs -e .dev -a- -l-comp ./obj/libs overprint
./obj/aux/echogs -e .dev -a- -l-comp ./obj/libs pdf14trans
./obj/aux/echogs -e .dev -a- ./obj/libs -init gshtscr
./obj/aux/echogs -e .dev -a- ./obj/libs -include ./obj/gsiodevs
./obj/aux/echogs -e .dev -a- ./obj/libs -include ./obj/translib
./obj/aux/echogs -e .dev -a- ./obj/libs -include ./obj/clist
./obj/aux/echogs -e .dev -a- ./obj/libs -include ./obj/romfs1
./obj/aux/echogs -e .dev -a- ./obj/libs ./obj/gxfapi
./obj/aux/echogs -e .dev -a- ./obj/libs -init fapi
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gxacpath.o -c ./base/gxacpath.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gxocache.o -c ./base/gxocache.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gxccache.o -c ./base/gxccache.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
```



```
CH_CMS="lcms2mt" -o ./obj/gxpcopy.o -c ./base/gxpcopy.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gxpdash.o -c ./base/gxpdash.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gxpflat.o -c ./base/gxpflat.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gxsample.o -c ./base/gxsample.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gxstroke.o -c ./base/gxstroke.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gxsync.o -c ./base/gxsync.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/libx ./obj/gxacpath.o ./obj/gxocache.o ./obj/gxccache.o
./obj/aux/echogs -e .dev -a- ./obj/libx ./obj/gxccman.o ./obj/gxchar.o ./obj/gxcht.o
./obj/aux/echogs -e .dev -a- ./obj/libx ./obj/gxclip.o ./obj/gxcmap.o ./obj/gxcpath.o
./obj/aux/echogs -e .dev -a- ./obj/libx ./obj/gxdcconv.o ./obj/gxdcolor.o ./obj/gxhldevc.o
./obj/aux/echogs -e .dev -a- ./obj/libx ./obj/gxfill.o ./obj/gxht.o ./obj/gxhtbit.o ./obj/gxht_thresh.o
./obj/aux/echogs -e .dev -a- ./obj/libx ./obj/gxidata.o ./obj/gxifast.o ./obj/gximage.o ./obj/gximdecode.o
./obj/aux/echogs -e .dev -a- ./obj/libx ./obj/gximagel.o ./obj/gximono.o ./obj/gxipixel.o ./obj/gximask.o
./obj/aux/echogs -e .dev -a- ./obj/libx ./obj/gxil2bit.o ./obj/gxil6bit.o ./obj/gxiscale.o ./obj/gxpaint.o ./obj/gxpath.o ./obj/gxp
ath2.o
./obj/aux/echogs -e .dev -a- ./obj/libx ./obj/gxpcopy.o ./obj/gxpdash.o ./obj/gxpflat.o
./obj/aux/echogs -e .dev -a- ./obj/libx ./obj/gxsample.o ./obj/gxstroke.o ./obj/gxsync.o
./obj/aux/echogs -e .dev -a- ./obj/libx -imageclass 0_interpolate
./obj/aux/echogs -e .dev -a- ./obj/libx -imageclass 1_simple 3_mono
./obj/aux/echogs -e .dev -a- ./obj/libx -imagerype 1_mask1
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gdevabuf.o -c ./base/gdevabuf.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
```



```
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gdevdsha.o -c ./base/gdevdsha.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gxscanc.o -c ./base/gxscanc.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/libd ./obj/gdevabuf.o ./obj/gdevdbit.o ./obj/gdevddrw.o ./obj/gdevdflt.o
./obj/aux/echogs -e .dev -a- ./obj/libd ./obj/gdevdgr.o ./obj/gdevnfw.o ./obj/gdevmem.o ./obj/gdevplnx.o
./obj/aux/echogs -e .dev -a- ./obj/libd ./obj/gdevm1.o ./obj/gdevm2.o ./obj/gdevm4.o ./obj/gdevm8.o
./obj/aux/echogs -e .dev -a- ./obj/libd ./obj/gdevm16.o ./obj/gdevm24.o ./obj/gdevm32.o ./obj/gdevmpla.o
./obj/aux/echogs -e .dev -a- ./obj/libd ./obj/gdevm40.o ./obj/gdevm48.o ./obj/gdevm56.o ./obj/gdevm64.o ./obj/gdevmx.o
./obj/aux/echogs -e .dev -a- ./obj/libd ./obj/gdevdsha.o ./obj/gxscanc.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/siinterp.o -c ./base/siinterp.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/siscale.o -c ./base/siscale.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/sidscale.o -c ./base/sidscale.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/iscale ./obj/siinterp.o ./obj/siscale.o ./obj/sidscale.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gdevdrop.o -c ./base/gdevdrop.c
./base/gdevdrop.c: In function 'mem_transform_pixel_region':
./base/gdevdrop.c:1558: warning: 'posture' may be used uninitialized in this function
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gdevm1.o -c ./base/gdevm1.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gdevm1.o -c ./base/gdevm1.c
```



```
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gdevmr2n.o -c ./base/gdevmr2n.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gdevmr8n.o -c ./base/gdevmr8n.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gdevrops.o -c ./base/gdevrops.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsrop.o -c ./base/gsrop.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/roplib ./obj/gdevdrop.o ./obj/gsroprun.o
./obj/aux/echogs -e .dev -a- ./obj/roplib ./obj/gdevmr1.o ./obj/gdevmr2n.o ./obj/gdevmr8n.o
./obj/aux/echogs -e .dev -a- ./obj/roplib ./obj/gdevrops.o ./obj/gsrop.o ./obj/gsroptab.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gp_strdl.o -c ./base/gp_strdl.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/strdline ./obj/gp_strdl.o
./obj/aux/echogs -e .dev -w- -l-obj ./obj/libcore
./obj/aux/echogs -e .dev -a- ./obj/libcore -dev2 nullpage
./obj/aux/echogs -e .dev -a- ./obj/libcore -include ./obj/libs ./obj/libx ./obj/libd
./obj/aux/echogs -e .dev -a- ./obj/libcore -include ./obj/iscale ./obj/roplib
./obj/aux/echogs -e .dev -a- ./obj/libcore -include ./obj/strdline
./obj/aux/genconf ./obj/devs.tr -h ./obj/gconfxx.h -p "%s&s&s&" -pl "&-l%s&s&s&" -pL "&-L%s&s&s&" -ol ./obj/ld.tr
./obj/aux/echogs -a ./obj/gconfxx.h
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zcid.o -c ./psi/zcid.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zfcid.o -c ./psi/zfcid.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zfcid0.o -c ./psi/zfcid0.c
```



```
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zdps1.o -c ./psi/zdps1.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/dps2int ./obj/zvmem2.o ./obj/zdps1.o
./obj/aux/echogs -e .dev -a- ./obj/dps2int -oper zvmem2 zdps1_l2
./obj/aux/echogs -e .dev -a- ./obj/dps2int -ps gs_dps1
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zusparam.o -c ./psi/zusparam.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/usparam ./obj/zusparam.o
./obj/aux/echogs -e .dev -a- ./obj/usparam -oper zusparam -replace ./obj/nousparm
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psl2int ./obj/iutil2.o ./obj/zmisc2.o
./obj/aux/echogs -e .dev -a- ./obj/psl2int -include ./obj/dps2int ./obj/usparam
./obj/aux/echogs -e .dev -a- ./obj/psl2int -oper zmisc2
./obj/aux/echogs -e .dev -a- ./obj/psl2int -ps gs_lev2 gs_res
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zchar2.o -c ./psi/zchar2.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zfont2.o -c ./psi/zfont2.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/type1 -include ./obj/psfl1lib ./obj/psflread
./obj/aux/echogs -e .dev -w- -l-obj ./obj/type2 ./obj/zchar2.o ./obj/zfont2.o
./obj/aux/echogs -e .dev -a- ./obj/type2 -oper zchar2 zfont2
./obj/aux/echogs -e .dev -a- ./obj/type2 -include ./obj/type1 ./obj/psf2lib
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zchar42.o -c ./psi/zchar42.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zfont42.o -c ./psi/zfont42.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/type42 ./obj/zchar42.o ./obj/zcharout.o ./obj/zfont42.o
./obj/aux/echogs -e .dev -a- ./obj/type42 -include ./obj/ttflib
./obj/aux/echogs -e .dev -a- ./obj/type42 -oper zchar42 zfont42
./obj/aux/echogs -e .dev -a- ./obj/type42 -ps gs_typ42
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
```

```
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zfrsd.o -c ./psi/zfrsd.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/zfrsd ./obj/zfrsd.o
./obj/aux/echogs -e .dev -a- ./obj/zfrsd -oper zfrsd
./obj/aux/echogs -e .dev -w- -l-obj ./obj/cidfont ./obj/zcid.o ./obj/zfcid.o ./obj/zfcid0.o ./obj/zfcid1.o
./obj/aux/echogs -e .dev -a- ./obj/cidfont -include ./obj/psflread ./obj/psl2int
./obj/aux/echogs -e .dev -a- ./obj/cidfont -include ./obj/type2 ./obj/type42 ./obj/zfrsd
./obj/aux/echogs -e .dev -a- ./obj/cidfont -oper zfcid0 zfcid1
./obj/aux/echogs -e .dev -a- ./obj/cidfont -ps gs_cidfn gs_cidcm gs_fntem gs_cidtt gs_cidfm
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zcie.o -c ./psi/zcie.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zcrd.o -c ./psi/zcrd.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/cie ./obj/zcie.o ./obj/zcrd.o
./obj/aux/echogs -e .dev -a- ./obj/cie -oper zcrd_l2
./obj/aux/echogs -e .dev -a- ./obj/cie -include ./obj/cielib
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zfcmap.o -c ./psi/zfcmap.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/cmapread ./obj/zcid.o ./obj/zfcmap.o
./obj/aux/echogs -e .dev -a- ./obj/cmapread -include ./obj/cmaplib ./obj/psl2int
./obj/aux/echogs -e .dev -a- ./obj/cmapread -oper zfcmap
./obj/aux/echogs -e .dev -a- ./obj/cmapread -ps gs_cmap
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zcfont.o -c ./psi/zcfont.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zfont0.o -c ./psi/zfont0.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psf0read ./obj/zcfont.o ./obj/zfont0.o
./obj/aux/echogs -e .dev -a- ./obj/psf0read -oper zcfont zfont0
./obj/aux/echogs -e .dev -a- ./obj/psf0read -include ./obj/cmapread
./obj/aux/echogs -e .dev -w- -l-obj ./obj/compfont -include ./obj/psf0lib ./obj/psf0read
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
```

```
./devices -o ./obj/zfdcte.o -c ./psi/zfdcte.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/dcte -include ./obj/sdcte ./obj/sdeparam
./obj/aux/echogs -e .dev -a- ./obj/dcte -obj ./obj/zfdcte.o
./obj/aux/echogs -e .dev -a- ./obj/dcte -oper zfdcte
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/sddparam.o -c ./base/sddparam.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/sddparam ./obj/sddparam.o ./obj/sdcparam.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zfdctd.o -c ./psi/zfdctd.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/dctd -include ./obj/sdctd ./obj/sddparam
./obj/aux/echogs -e .dev -a- ./obj/dctd -obj ./obj/zfdctd.o
./obj/aux/echogs -e .dev -a- ./obj/dctd -oper zfdctd
./obj/aux/echogs -e .dev -w- -l-obj ./obj/dct -include ./obj/dcte ./obj/dctd
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/iscanbin.o -c ./psi/iscanbin.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zbseq.o -c ./psi/zbseq.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/btoken ./obj/iscanbin.o ./obj/zbseq.o
./obj/aux/echogs -e .dev -a- ./obj/btoken -oper zbseq_l2 -replace ./obj/nobtoken
./obj/aux/echogs -e .dev -a- ./obj/btoken -ps gs_btokn
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zcolor1.o -c ./psi/zcolor1.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zht1.o -c ./psi/zht1.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/cmykread ./obj/zcolor1.o ./obj/zht1.o
./obj/aux/echogs -e .dev -a- ./obj/cmykread -oper zcolor1 zht1
./obj/aux/echogs -e .dev -w- -l-obj ./obj/color -include ./obj/cmyklib ./obj/colimlib ./obj/cmykread
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POOPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zcolor1.o -c ./psi/zcolor1.c
```

```
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zupath.o -c ./psi/zupath.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/ibnum.o -c ./psi/ibnum.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gdevhit.o -c ./base/gdevhit.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/upath ./obj/zupath.o ./obj/ibnum.o ./obj/gdevhit.o
./obj/aux/echogs -e .dev -a- ./obj/upath -oper zupath_l2
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zcharx.o -c ./psi/zcharx.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/dps2read ./obj/ibnum.o ./obj/zcharx.o
./obj/aux/echogs -e .dev -a- ./obj/dps2read -include ./obj/dps2int
./obj/aux/echogs -e .dev -a- ./obj/dps2read -oper ireclaim_l2 zcharx
./obj/aux/echogs -e .dev -a- ./obj/dps2read -ps gs_dps2
./obj/aux/echogs -e .dev -w- -l-obj ./obj/dpsand2 -include ./obj/btoken ./obj/color ./obj/upath ./obj/dps2lib ./obj/dps2read
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zfdecode.o -c ./psi/zfdecode.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/spdiff.o -c ./base/spdiff.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/pdiff ./obj/spdiff.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/sfilter1.o -c ./base/sfilter1.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psfilters ./obj/sfilter1.o ./obj/sfilter2.o
./obj/aux/echogs -e .dev -w- -l-obj ./obj/fdecode ./obj/scantab.o ./obj/scfparam.o ./obj/zfdecode.o
./obj/aux/echogs -e .dev -a- ./obj/fdecode -include ./obj/cfd ./obj/lzwd ./obj/pdiff ./obj/pngp ./obj/rld ./obj/psfilters.dev
./obj/aux/echogs -e .dev -a- ./obj/fdecode -oper zfdecode
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRIC=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
```

```
./devices -o ./obj/zfilter2.o -c ./psi/zfilter2.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/filter -include ./obj/fdecode
./obj/aux/echogs -e .dev -a- ./obj/filter -obj ./obj/zfilter2.o
./obj/aux/echogs -e .dev -a- ./obj/filter -include ./obj/cfe ./obj/lzwe ./obj/rle
./obj/aux/echogs -e .dev -a- ./obj/filter -oper zfilter2
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/ziodev2.o -c ./psi/ziodev2.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zdevcal.o -c ./psi/zdevcal.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/iodevice ./obj/ziodev2.o ./obj/zdevcal.o
./obj/aux/echogs -e .dev -a- ./obj/iodevice -oper ziodev2_l2
./obj/aux/echogs -e .dev -a- ./obj/iodevice -iodev null calendar
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zdevice2.o -c ./psi/zdevice2.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zmedia2.o -c ./psi/zmedia2.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/pagedev ./obj/zdevice2.o ./obj/zmedia2.o
./obj/aux/echogs -e .dev -a- ./obj/pagedev -oper zdevice2_l2 zmedia2_l2
./obj/aux/echogs -e .dev -a- ./obj/pagedev -ps gs_setpd
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zpcolor.o -c ./psi/zpcolor.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/patread ./obj/zpcolor.o
./obj/aux/echogs -e .dev -a- ./obj/patread -oper zpcolor_l2
./obj/aux/echogs -e .dev -w- -l-obj ./obj/pattern -include ./obj/patlib ./obj/patread
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/imain.o -c ./psi/imain.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
```



```
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zarith.o -c ./psi/zarith.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zarray.o -c ./psi/zarray.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zcontrol.o -c ./psi/zcontrol.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zdict.o -c ./psi/zdict.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zfile.o -c ./psi/zfile.c
In file included from ./psi/zfile.c:20:
./base/unistd.h:55:1: warning: "_XOPEN_SOURCE" redefined
In file included from /QOpenSys/usr/local/bin/./lib/gcc/powerpc-ibm-aix5.3.0.0/4.1.0/include/sys/types.h:46,
    from ./base/stdpre.h:310,
    from ./base/std.h:22,
    from ./base/memory.h:23,
    from ./psi/zfile.c:18:
/usr/include/standards.h:157:1: warning: this is the location of the previous definition
In file included from ./psi/zfile.c:20:
./base/unistd.h:56:1: warning: "__USE_UNIX98" redefined
<command line>:1:1: warning: this is the location of the previous definition
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zfile1.o -c ./psi/zfile1.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPOPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zfileio.o -c ./psi/zfileio.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1
```



```
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/inobtokn.o -c ./psi/inobtokn.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/nobtoken ./obj/inobtokn.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/inouparm.o -c ./psi/inouparm.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/nousparm ./obj/inouparm.o
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zdscpars.o -c ./psi/zdscpars.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/dscparse.o -c ./psi/dscparse.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/dscparse -obj ./obj/zdscpars.o ./obj/dscparse.o
./obj/aux/echogs -e .dev -a- ./obj/dscparse -oper zdscpars
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zfapi.o -c ./psi/zfapi.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/fapi_ps ./obj/zfapi.o
./obj/aux/echogs -e .dev -a- ./obj/fapi_ps -oper zfapi
./obj/aux/echogs -e .dev -a- ./obj/fapi_ps -ps gs_fntem gs_fapi
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psbase ./obj/imain.o ./obj/imainarg.o ./obj/gsargs.o ./obj/idisp.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/gconfig.o ./obj/gscdefs.o ./obj/iconfig.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/iapi.o ./obj/icontext.o ./obj/idebug.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/idict.o ./obj/idparam.o ./obj/idstack.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/iinit.o ./obj/interp.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/iparam.o ./obj/ireclaim.o ./obj/iplugin.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/iscan.o ./obj/iscannum.o ./obj/istack.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/iutil.o ./obj/sa85d.o ./obj/scantab.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/sstring.o ./obj/stream.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/zarith.o ./obj/zarray.o ./obj/zcontrol.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/zdict.o ./obj/zfile.o ./obj/zfile1.o ./obj/zfileio.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/zfilter.o ./obj/zfproc.o ./obj/zgeneric.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/ziodev.o ./obj/ziodevsc.o ./obj/zmath.o ./obj/zalg.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/zmisc.o ./obj/zpacked.o ./obj/zrelbit.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/zstack.o ./obj/zstring.o ./obj/zsysvm.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/ztoken.o ./obj/ztype.o ./obj/zvmem.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/zbfont.o ./obj/zchar.o ./obj/zcolor.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/zdevice.o ./obj/zfont.o ./obj/zfontenum.o ./obj/zgstate.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/zht.o ./obj/zimage.o ./obj/zmatrix.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/zpaint.o ./obj/zpath.o
./obj/aux/echogs -e .dev -a- ./obj/psbase -obj ./obj/zncdummy.o
```

```
./obj/aux/echogs -e .dev -a- ./obj/psbase -oper zarith zarray zcontrol1 zcontrol2 zcontrol3
./obj/aux/echogs -e .dev -a- ./obj/psbase -oper zdict1 zdict2 zfile zfile1 zfileio1 zfileio2
./obj/aux/echogs -e .dev -a- ./obj/psbase -oper zfilter zproc zgeneric ziodev zmath zalg
./obj/aux/echogs -e .dev -a- ./obj/psbase -oper zmisc_a zmisc_b zpacked zrelbit zstack zstring zsysvm
./obj/aux/echogs -e .dev -a- ./obj/psbase -oper ztoken ztype zvmem zbfont zchar_a zchar_b zcolor zcolor_ext
./obj/aux/echogs -e .dev -a- ./obj/psbase -oper zdevice zdevice_ext zfont zfontenum zgstatel zgstate2 zgstate3 zgstate4
./obj/aux/echogs -e .dev -a- ./obj/psbase -oper zht zimage zmatrix zmatrix2
./obj/aux/echogs -e .dev -a- ./obj/psbase -oper zpaint zpath pantone zcolor_pdf
./obj/aux/echogs -e .dev -a- ./obj/psbase -iodev stdin stdout stderr lineedit statementedit
./obj/aux/echogs -e .dev -a- ./obj/psbase -include ./obj/isupport ./obj/nobtoken ./obj/nousparm
./obj/aux/echogs -e .dev -a- ./obj/psbase -include ./obj/rld ./obj/rle ./obj/sfile ./obj/dscparse
./obj/aux/echogs -e .dev -a- ./obj/psbase -include ./obj/fapi_ps
./obj/aux/echogs -e .dev -a- ./obj/psbase -replace ./obj/gsiodevs
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/sbc.o -c ./base/sbc.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zfbc.o -c ./psi/zfbc.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/bcp ./obj/sbc.o ./obj/zfbc.o
./obj/aux/echogs -e .dev -a- ./obj/bcp -oper zfbc
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zpath1.o -c ./psi/zpath1.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/path1 ./obj/zpath1.o
./obj/aux/echogs -e .dev -a- ./obj/path1 -include ./obj/pathllib
./obj/aux/echogs -e .dev -a- ./obj/path1 -oper zpath1
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psl1 -include ./obj/psbase ./obj/bcp ./obj/path1 ./obj/type1
./obj/aux/echogs -e .dev -a- ./obj/psl1 -emulator PostScript PostScriptLevel1
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zcolor2.o -c ./psi/zcolor2.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zcsindex.o -c ./psi/zcsindex.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
```



```
./devices -o ./obj/zht2.o -I./toolbin/halftone/gen_ordered -c ./psi/zht2.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zimage2.o -c ./psi/zimage2.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psl2read ./obj/zcolor2.o ./obj/zcsindex.o ./obj/zht2.o ./obj/zimage2.o
./obj/aux/echogs -e .dev -a- ./obj/psl2read -include ./obj/psl2int ./obj/dps2read
./obj/aux/echogs -e .dev -a- ./obj/psl2read -oper zht2_l2
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zcssepr.o -c ./psi/zcssepr.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zfsample.o -c ./psi/zfsample.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zfunc4.o -c ./psi/zfunc4.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zfunc.o -c ./psi/zfunc.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zfunc0.o -c ./psi/zfunc0.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/func ./obj/zfunc.o ./obj/zfunc0.o
./obj/aux/echogs -e .dev -a- ./obj/func -oper zfunc
./obj/aux/echogs -e .dev -a- ./obj/func -functiontype 0
./obj/aux/echogs -e .dev -a- ./obj/func -include ./obj/func4lib
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsfunc4.o -c ./base/gsfunc4.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/func4lib ./obj/gsfunc4.o ./obj/spprint.o
./obj/aux/echogs -e .dev -a- ./obj/func4lib -include ./obj/func4lib
./obj/aux/echogs -e .dev -w- -l-obj ./obj/func4 ./obj/zfunc4.o
./obj/aux/echogs -e .dev -a- ./obj/func4 -functiontype 4
./obj/aux/echogs -e .dev -a- ./obj/func4 -include ./obj/func ./obj/func4lib
```

```
./obj/aux/echogs -e .dev -w- -l-obj ./obj/sepr ./obj/zcssepr.o ./obj/zfsample.o
./obj/aux/echogs -e .dev -a- ./obj/sepr -oper zcssepr_l2
./obj/aux/echogs -e .dev -a- ./obj/sepr -oper zfsample
./obj/aux/echogs -e .dev -a- ./obj/sepr -include ./obj/func4 ./obj/sepplib
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zchar32.o -c ./psi/zchar32.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zfont32.o -c ./psi/zfont32.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/type32 ./obj/zchar32.o ./obj/zfont32.o
./obj/aux/echogs -e .dev -a- ./obj/type32 -oper zchar32 zfont32
./obj/aux/echogs -e .dev -a- ./obj/type32 -ps gs_res gs_typ32
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zfimscale.o -c ./psi/zfimscale.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI CH_CMS="lcms2mt" -o ./obj/simscale.o -c ./base/simscale.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/simscale ./obj/simscale.o
./obj/aux/echogs -e .dev -w- -l-obj ./obj/fimscale ./obj/zfimscale.o
./obj/aux/echogs -e .dev -a- ./obj/fimscale -include ./obj/simscale
./obj/aux/echogs -e .dev -a- ./obj/fimscale -oper zfimscale
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zform.o -c ./psi/zform.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/form ./obj/zform.o
./obj/aux/echogs -e .dev -a- ./obj/form -oper zform
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zicc.o -c ./psi/zicc.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/icc ./obj/zicc.o
./obj/aux/echogs -e .dev -a- ./obj/icc -oper zicc_ll3
./obj/aux/echogs -e .dev -a- ./obj/icc -ps gs_icc
./obj/aux/echogs -e .dev -a- ./obj/icc -include ./obj/sicclib ./obj/cie
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psl2 -include ./obj/dpsand2
./obj/aux/echogs -e .dev -a- ./obj/psl2 -include ./obj/cidfont ./obj/cie ./obj/cmapread ./obj/compfont
```

```
./obj/aux/echogs -e .dev -a- ./obj/psl2 -include ./obj/dct ./obj/filter ./obj/iodevice
./obj/aux/echogs -e .dev -a- ./obj/psl2 -include ./obj/pagedev ./obj/pattern ./obj/psl1 ./obj/psl2lib ./obj/psl2read
./obj/aux/echogs -e .dev -a- ./obj/psl2 -include ./obj/sepr ./obj/type32 ./obj/type42
./obj/aux/echogs -e .dev -a- ./obj/psl2 -include ./obj/fimscale ./obj/form
./obj/aux/echogs -e .dev -a- ./obj/psl3 -include ./obj/icc
./obj/aux/echogs -e .dev -a- ./obj/psl2 -emulator PostScript PostScriptLevel2
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zcspixel.o -c ./psi/zcspixel.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/cspixel ./obj/zcspixel.o
./obj/aux/echogs -e .dev -a- ./obj/cspixel -include ./obj/cspixlib
./obj/aux/echogs -e .dev -w- -l-obj ./obj/frsd -include ./obj/zfrsd
./obj/aux/echogs -e .dev -a- ./obj/frsd -ps gs_lev2 gs_res gs_frsd
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zfunc3.o -c ./psi/zfunc3.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zimage3.o -c ./psi/zimage3.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zmisc3.o -c ./psi/zmisc3.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zcolor3.o -c ./psi/zcolor3.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zshade.o -c ./psi/zshade.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zfzlib.o -c ./psi/zfzlib.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/fzlib -include ./obj/szlibe ./obj/szlibd
./obj/aux/echogs -e .dev -a- ./obj/fzlib -obj ./obj/zfzlib.o
./obj/aux/echogs -e .dev -a- ./obj/fzlib -oper zfzlib
```

```
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psl3read ./obj/zfunc3.o ./obj/zfsample.o
./obj/aux/echogs -e .dev -a- ./obj/psl3read ./obj/zimage3.o ./obj/zmisc3.o ./obj/zcolor3.o ./obj/zshade.o
./obj/aux/echogs -e .dev -a- ./obj/psl3read -oper zfsample
./obj/aux/echogs -e .dev -a- ./obj/psl3read -oper zimage3 zmisc3 zcolor3_l3 zshade
./obj/aux/echogs -e .dev -a- ./obj/psl3read -functiontype 2 3
./obj/aux/echogs -e .dev -a- ./obj/psl3read -ps gs_ll3
./obj/aux/echogs -e .dev -a- ./obj/psl3read -include ./obj/frsd ./obj/fzlib
./obj/aux/echogs -e .dev -w- -l-obj ./obj/psl3 -include ./obj/psl2 ./obj/cspixel ./obj/frsd ./obj/func
./obj/aux/echogs -e .dev -a- ./obj/psl3 -include ./obj/psl3lib ./obj/psl3read
./obj/aux/echogs -e .dev -a- ./obj/psl3 -include ./obj/icc
./obj/aux/echogs -e .dev -a- ./obj/psl3 -emulator PostScript PostScriptLevel2 PostScriptLevel3
./obj/aux/echogs -e .dev -w- -l-obj ./obj/pdffonts -ps gs_mex_e gs_mro_e gs_pdf_e gs_wan_e
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/ztrans.o -c ./psi/ztrans.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/transpar ./obj/ztrans.o
./obj/aux/echogs -e .dev -a- ./obj/transpar -oper ztrans1 ztrans2 ztrans3
./obj/aux/echogs -e .dev -a- ./obj/transpar -include ./obj/psl2read ./obj/translib
./obj/aux/echogs -e .dev -w- -l-obj ./obj/pdfread -include ./obj/frsd ./obj/func4 ./obj/fzlib
./obj/aux/echogs -e .dev -a- ./obj/pdfread -include ./obj/transpar
./obj/aux/echogs -e .dev -a- ./obj/pdfread -ps pdf_ops gs_l2img
./obj/aux/echogs -e .dev -a- ./obj/pdfread -ps pdf_rbl
./obj/aux/echogs -e .dev -a- ./obj/pdfread -ps pdf_base pdf_draw pdf_font pdf_main pdf_sec
./obj/aux/echogs -e .dev -w- -l-obj ./obj/cff -include ./obj/psl2int -ps gs_cff
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zfmd5.o -c ./psi/zfmd5.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/fmd5 ./obj/zfmd5.o
./obj/aux/echogs -e .dev -a- ./obj/fmd5 -include ./obj/smd5
./obj/aux/echogs -e .dev -a- ./obj/fmd5 -oper zfmd5
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zfsha2.o -c ./psi/zfsha2.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/ssh2.o -c ./base/ssh2.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/sha2.o -c ./base/sha2.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/ssh2 ./obj/ssh2.o ./obj/sha2.o
```

```
./obj/aux/echogs -e .dev -w- -l-obj ./obj/fsha2 ./obj/zfsha2.o
./obj/aux/echogs -e .dev -a- ./obj/fsha2 -include ./obj/ssha2
./obj/aux/echogs -e .dev -a- ./obj/fsha2 -oper zfsha2
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zfarc4.o -c ./psi/zfarc4.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/farc4 ./obj/zfarc4.o
./obj/aux/echogs -e .dev -a- ./obj/farc4 -include ./obj/sarc4
./obj/aux/echogs -e .dev -a- ./obj/farc4 -oper zfarc4
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zfaes.o -c ./psi/zfaes.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI CH_CMS="lcms2mt" -o ./obj/saes.o -c ./base/saes.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI CH_CMS="lcms2mt" -o ./obj/aes.o -c ./base/aes.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/saes ./obj/saes.o ./obj/aes.o
./obj/aux/echogs -e .dev -w- -l-obj ./obj/faes ./obj/zfaes.o
./obj/aux/echogs -e .dev -a- ./obj/faes -include ./obj/saes
./obj/aux/echogs -e .dev -a- ./obj/faes -oper zfaes
./obj/aux/echogs -e .dev -w- -l-obj ./obj/macroman -ps gs_mro_e
./obj/aux/echogs -e .dev -w- -l-obj ./obj/macglyph -include ./obj/macroman -ps gs_mgl_e
./obj/aux/echogs -e .dev -w- -l-obj ./obj/ttfont -include ./obj/macglyph ./obj/type42
./obj/aux/echogs -e .dev -a- ./obj/ttfont -ps gs_wan_e gs_ttf
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zpdfops.o -c ./psi/zpdfops.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/pdfops ./obj/zpdfops.o
./obj/aux/echogs -e .dev -a- ./obj/pdfops -oper zpdfops
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/zpdf_r6.o -c ./psi/zpdf_r6.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/pdf_r6 ./obj/zpdf_r6.o
./obj/aux/echogs -e .dev -a- ./obj/pdf_r6 -oper zpdf_r6
./obj/aux/echogs -e .dev -w- -l-obj ./obj/pdf -include ./obj/psbase ./obj/dps2lib
```

```
./obj/aux/echogs -e .dev -a- ./obj/pdf -include ./obj/dps2read ./obj/pdffonts ./obj/psl3
./obj/aux/echogs -e .dev -a- ./obj/pdf -include ./obj/psl2lib ./obj/pdfread ./obj/cff
./obj/aux/echogs -e .dev -a- ./obj/pdf -include ./obj/fmd5 ./obj/fsha2
./obj/aux/echogs -e .dev -a- ./obj/pdf -include ./obj/farc4 ./obj/faes.dev
./obj/aux/echogs -e .dev -a- ./obj/pdf -include ./obj/ttfont ./obj/type2
./obj/aux/echogs -e .dev -a- ./obj/pdf -include ./obj/pdfops
./obj/aux/echogs -e .dev -a- ./obj/pdf -include ./obj/pdf_r6
./obj/aux/echogs -e .dev -a- ./obj/pdf -functiontype 4
./obj/aux/echogs -e .dev -a- ./obj/pdf -emulator PDF
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zdpnext.o -c ./psi/zdpnext.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsdps.o -c ./base/gsdps.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gximage2.o -c ./base/gximage2.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/dpslib ./obj/gsdps.o ./obj/gximage2.o
./obj/aux/echogs -e .dev -a- ./obj/dpslib -imagetype 2
./obj/aux/echogs -e .dev -a- ./obj/dpslib -include ./obj/cspixlib
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zdps.o -c ./psi/zdps.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I
./devices -o ./obj/zcontext.o -c ./psi/zcontext.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/dps -include ./obj/dpslib ./obj/psl2
./obj/aux/echogs -e .dev -a- ./obj/dps -obj ./obj/zdps.o ./obj/zcontext.o
./obj/aux/echogs -e .dev -a- ./obj/dps -oper zcontext1 zcontext2 zdps
./obj/aux/echogs -e .dev -a- ./obj/dps -ps gs_dps
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -
DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -W
missing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_
H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_U
NIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHI
CH_CMS="lcms2mt" -o ./obj/gsalphac.o -c ./base/gsalphac.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/dpnxtlib ./obj/gsalphac.o
./obj/aux/echogs -e .dev -a- -l-comp ./obj/dpnxtlib alpha
./obj/aux/echogs -e .dev -w- -l-obj ./obj/dpsnext -include ./obj/dps ./obj/dpnxtlib
```

```
./obj/aux/echogs -e .dev -a- ./obj/dpsnext -obj ./obj/zdpnext.o
./obj/aux/echogs -e .dev -a- ./obj/dpsnext -oper zdpnext
./obj/aux/echogs -e .dev -a- ./obj/dpsnext -ps gs_dpnxt
./obj/aux/echogs -e .dev -w- -l-obj ./obj/epsf -ps gs_epsf
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./openjpeg/src/lib/openjp2/.. -I./openjpeg/src/lib/openjp2 -I./psi -I./obj -I./obj -I./base -I./devices -DSHARE_JPX=0 -D"memalign(a,b)=malloc(b)" -DMutex_pthread=0 -DUSE_JPIP -DUSE_OPENJPEG_JP2 -DOPJ_HAVE_STDINT_H=1 -DOPJ_HAVE_INTTYPES_H=1 -DOPJ_BIG_ENDIAN -DOPJ_HAVE_FSEEKO=1 -U__SSE__ -o ./obj/zfjpx_openjpeg.o \
-c ./psi/zfjpx.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/jpx_openjpeg ./obj/zfjpx_openjpeg.o
./obj/aux/echogs -e .dev -a- ./obj/jpx_openjpeg -include ./obj/sjpx
./obj/aux/echogs -e .dev -a- ./obj/jpx_openjpeg -include ./obj/openjpeg
./obj/aux/echogs -e .dev -a- ./obj/jpx_openjpeg -oper zfjpx
cp ./obj/jpx_openjpeg.dev ./obj/jpx.dev
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./jbig2dec -I./psi -I./obj -I./obj -I./base -I./devices -DHAVE_STDINT_H=1 -DWORDS_BIGENDIAN -o ./obj/zfjbig2_jbig2dec.o -c ./psi/zfjbig2.c
./obj/aux/echogs -e .dev -w- -l-obj ./obj/jbig2_jbig2dec ./obj/zfjbig2_jbig2dec.o
./obj/aux/echogs -e .dev -a- ./obj/jbig2_jbig2dec -include ./obj/sjbig2
./obj/aux/echogs -e .dev -a- ./obj/jbig2_jbig2dec -oper zfjbig2
cp ./obj/jbig2_jbig2dec.dev ./obj/jbig2.dev
./obj/aux/echogs -e .dev -w- -l-obj ./obj/gs_pdfwr -include ./obj/psl3
./obj/aux/echogs -e .dev -a- ./obj/gs_pdfwr -ps gs_pdfwr
./obj/aux/echogs -w ./obj/igs.tr -include ./obj/psl3.dev ./obj/pdf.dev ./obj/dpsnext.dev ./obj/epsf.dev ./obj/ttfont.dev ./obj/fapi_ps.dev ./obj/jpx.dev ./obj/jbig2.dev ./obj/gs_pdfwr.dev
./obj/aux/genconf ./obj/igs.tr -h ./obj/iconfxx.h -p "%s&s&" -pl "&-l%s&s&" -pL "&-L%s&s&" -ol ./obj/gsl.d.tr
./obj/aux/echogs -w ./obj/iconfig.h -R ./obj/iconfxx.h
./obj/aux/echogs -w ./obj/gs.tr -R ./obj/devs.tr
./obj/aux/echogs -a ./obj/gs.tr -R ./obj/igs.tr
./obj/aux/genconf ./obj/gs.tr -h ./obj/unused.h -p "%s&s&" -pl "&-l%s&s&" -pL "&-L%s&s&" -ol ./obj/gsl.d.tr
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/gs.o -c ./psi/gs.c
rm -f ./obj/gconfig.h
cp ./obj/gconfxx.h ./obj/gconfig.h
./obj/aux/echogs -w ./obj/gconfigd.h -x 23 define -s -u GS_LIB_DEFAULT -x 2022 /QOpenSys/usr/local/share/ghostscript/9.26/Resource/Init:/QOpenSys/usr/local/share/ghostscript/9.26/lib:/QOpenSys/usr/local/share/ghostscript/9.26/Resource/Font:/QOpenSys/usr/local/share/ghostscript/fonts:/QOpenSys/usr/local/share/fonts/default/ghostscript:/QOpenSys/usr/local/share/fonts/default/Type1:/QOpenSys/usr/local/share/fonts/default/TrueType:/usr/lib/DPS/outline/base:/usr/openwin/lib/X11/fonts/Type1:/usr/openwin/lib/X11/fonts/TrueType -x 22
./obj/aux/echogs -a ./obj/gconfigd.h -x 23 define -s -u GS_DEV_DEFAULT -x 2022 "x11alpha bbox" -x 22
./obj/aux/echogs -a ./obj/gconfigd.h -x 23 define -s -u GS_CACHE_DIR -x 2022 "~/ghostscript/cache/" -x 22
./obj/aux/echogs -a ./obj/gconfigd.h -x 23 define -s -u SEARCH_HERE_FIRST -s 0
./obj/aux/echogs -a ./obj/gconfigd.h -x 23 define -s -u GS_DOCDIR -x 2022 /QOpenSys/usr/local/share/doc/ghostscript/9.26 -x 22
./obj/aux/echogs -a ./obj/gconfigd.h -x 23 define -s -u GS_INIT -x 2022 gs_init.ps -x 22
```

```
./obj/aux/echogs -a ./obj/gconfigd.h -x 23 define -s -u GS_REVISION -s 926
./obj/aux/echogs -a ./obj/gconfigd.h -x 23 define -s -u GS_REVISIONDATE -s 20181120
rm -f ./obj/iconfig.c
cp ./psi/iconf.c ./obj/iconfig.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./psi -I./obj -I./obj -I./base -I./devices -o ./obj/iconfig.o -c ./obj/iconfig.c
rm -f ./obj/gconfig.c
cp ./base/gconf.c ./obj/gconfig.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gconfig.o -c ./obj/gconfig.c
rm -f ./obj/gscdefs.c
cp ./base/gscdef.c ./obj/gscdefs.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MUTEXATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gscdefs.o -c ./obj/gscdefs.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -Wno-write-strings -I./zlib -Dverbose=-1 -o ./obj/aux/compress.o -c ./zlib/compress.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -Wno-write-strings -I./zlib -Dverbose=-1 -o ./obj/aux/deflate.o -c ./zlib/deflate.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -Wno-write-strings -I./zlib -Dverbose=-1 -o ./obj/aux/zutil.o -c ./zlib/zutil.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -Wno-write-strings -I./zlib -Dverbose=-1 -o ./obj/aux/adler32.o -c ./zlib/adler32.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -Wno-write-strings -I./zlib -Dverbose=-1 -o ./obj/aux/crc32.o -c ./zlib/crc32.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -Wno-write-strings -I./zlib -Dverbose=-1 -o ./obj/aux/trees.o -c ./zlib/trees.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1
```



```
-DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/aux/gpmisc.o -c ./base/gpmisc.c
In file included from ./base/gpmisc.c:20:
./base/unistd.h:55:1: warning: "_XOPEN_SOURCE" redefined
In file included from /QOpenSys/usr/local/bin/./lib/gcc/powerpc-ibm-aix5.3.0.0/4.1.0/include/sys/types.h:46,
    from ./base/stdpre.h:310,
    from ./base/std.h:22,
    from ./base/stat.h:23,
    from ./base/gpmisc.c:19:
/usr/include/standards.h:157:1: warning: this is the location of the previous definition
In file included from ./base/gpmisc.c:20:
./base/unistd.h:56:1: warning: "__USE_UNIX98" redefined
<command line>:1:1: warning: this is the location of the previous definition
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/aux/gp_getnv.o -c ./base/gp_getnv.c
rm -f ./obj/aux/gscdefs.c
cp ./base/gscdef.c ./obj/aux/gscdefs.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -c -o ./obj/aux/gscdefs.o ./obj/aux/gscdefs.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/aux/gp_unix.o -c ./base/gp_unix.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/aux/gp_unifs.o -c ./base/gp_unifs.c
In file included from ./base/gp_unifs.c:33:
./base/unistd.h:55:1: warning: "_XOPEN_SOURCE" redefined
In file included from /QOpenSys/usr/local/bin/./lib/gcc/powerpc-ibm-aix5.3.0.0/4.1.0/include/sys/types.h:46,
    from ./base/stdpre.h:310,
    from ./base/std.h:22,
    from ./base/stdio.h:26,
    from ./base/gp_unifs.c:22:
/usr/include/standards.h:157:1: warning: this is the location of the previous definition
In file included from ./base/gp_unifs.c:33:
./base/unistd.h:56:1: warning: "__USE_UNIX98" redefined
<command line>:1:1: warning: this is the location of the previous definition
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/aux/gp_unifn.o -c ./base/gp_unifn.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRUCT=1 -fno-strict-
```

```
aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/aux/gp_stdia.o -c ./base/gp_stdia.c
In file included from ./base/gp_stdia.c:22:
./base/unistd.h:55:1: warning: "_XOPEN_SOURCE" redefined
In file included from /QOpenSys/usr/local/bin/./lib/gcc/powerpc-ibm-aix5.3.0.0/4.1.0/include/sys/types.h:46,
    from ./base/stdpre.h:310,
    from ./base/std.h:22,
    from ./base/stdio.h:26,
    from ./base/gp_stdia.c:20:
/usr/include/standards.h:157:1: warning: this is the location of the previous definition
In file included from ./base/gp_stdia.c:22:
./base/unistd.h:56:1: warning: "__USE_UNIX98" redefined
<command line>:1:1: warning: this is the location of the previous definition
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -c -o ./obj/aux/gsutil.o ./base/gsutil.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/aux/memento.o -c ./base/memento.c
gcc -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -DHAVE_POPEN_PROTO=1 -I./base -I./obj/ -I./zlib ./base/mkromfs.c -o ./obj/aux/mkromfs_0 ./obj/aux/compress.o ./obj/aux/deflate.o ./obj/aux/zutil.o ./obj/aux/adler32.o ./obj/aux/crc32.o ./obj/aux/trees.o ./obj/aux/gpmisc.o ./obj/aux/gp_getnv.o ./obj/aux/gscdefs.o ./obj/aux/gp_unix.o ./obj/aux/gp_unifs.o ./obj/aux/gp_unifn.o ./obj/aux/gp_stdia.o ./obj/aux/gsutil.o ./obj/aux/memento.o -lm -ldl -liconv
cp ./obj/aux/mkromfs_0 ./obj/aux/mkromfs
./obj/aux/mkromfs -o ./obj/gsromfs1.c \
    -X .svn -X CVS -P ./base/./ iccprofiles/* \
    -c -d Resource/Init/ -P ./lib/./Resource/Init/ -g gs_init.ps ./obj/iconfig.h -d Resource/ -P ./lib/./Resource/ SubstCID/* CIDFSubst/* CIDFont/* -C CMap/* ColorSpace/* Decoding/* Encoding/* -c -C IdiomSet/* ProcSet/* -P ./lib/./Resource/Init/ -d Resource/Init/ -B FCOfontmap-PCLPS2 -C cidfmap FAPIcidfmap FAPIconfig FAPIfontmap Fontmap Fontmap.GS xlatmap gs_cet.ps gs_diskn.ps gs_dscp.ps gs_trap.ps -B -d lib/ -P ./lib/ -d Resource/ -P ./lib/./Resource/ -B -b Font/*
compression will use 16384 byte blocksize (zlib output buffer 16412 bytes)
writing romfs data to './obj/gsromfs1.c'
node 'iccprofiles/default_cmyk.icc' len=187484 12 blocks, compressed size=138957
node 'iccprofiles/default_gray.icc' len=416 1 blocks, compressed size=192
node 'iccprofiles/default_rgb.icc' len=2576 1 blocks, compressed size=2337
node 'iccprofiles/gray_to_k.icc' len=5340 1 blocks, compressed size=3525
node 'iccprofiles/lab.icc' len=1972 1 blocks, compressed size=491
node 'iccprofiles/ps_cmyk.icc' len=5340 1 blocks, compressed size=2013
node 'iccprofiles/ps_gray.icc' len=416 1 blocks, compressed size=223
node 'iccprofiles/ps_rgb.icc' len=564 1 blocks, compressed size=290
node 'iccprofiles/sgray.icc' len=416 1 blocks, compressed size=192
node 'iccprofiles/srgb.icc' len=2576 1 blocks, compressed size=2337
including: './lib/./Resource/Init/gs_std_e.ps'
including: './lib/./Resource/Init/gs_ill_e.ps'
including: './lib/./Resource/Init/gs_sym_e.ps'
including: './lib/./Resource/Init/gs_dbt_e.ps'
including: './lib/./Resource/Init/gs_statd.ps'
including: './lib/./Resource/Init/gs_fonts.ps'
```

```
including: './lib/./Resource/Init/Fontmap'  
including: './lib/./Resource/Init/Fontmap.GS'  
including: './lib/./Resource/Init/gs_cspace.ps'  
including: './lib/./Resource/Init/gs_img.ps'  
including: './lib/./Resource/Init/gs_btokn.ps'  
including: './lib/./Resource/Init/gs_dps1.ps'  
including: './lib/./Resource/Init/gs_dps2.ps'  
including: './lib/./Resource/Init/gs_agl.ps'  
including: './lib/./Resource/Init/gs_type1.ps'  
including: './lib/./Resource/Init/gs_lev2.ps'  
including: './lib/./Resource/Init/gs_res.ps'  
including: './lib/./Resource/Init/gs_resmp.ps'  
including: './lib/./Resource/Init/gs_typ42.ps'  
including: './lib/./Resource/Init/gs_cidfn.ps'  
including: './lib/./Resource/Init/gs_ciddc.ps'  
including: './lib/./Resource/Init/gs_cidcm.ps'  
including: './lib/./Resource/Init/gs_fntem.ps'  
including: './lib/./Resource/Init/xlatmap'  
including: './lib/./Resource/Init/gs_cidtt.ps'  
including: './lib/./Resource/Init/gs_cidfm.ps'  
including: './lib/./Resource/Init/gs_cmap.ps'  
including: './lib/./Resource/Init/gs_setpd.ps'  
including: './lib/./Resource/Init/gs_fapi.ps'  
including: './lib/./Resource/Init/gs_typ32.ps'  
including: './lib/./Resource/Init/gs_frzd.ps'  
including: './lib/./Resource/Init/gs_ll3.ps'  
including: './lib/./Resource/Init/gs_icc.ps'  
including: './lib/./Resource/Init/gs_mex_e.ps'  
including: './lib/./Resource/Init/gs_mro_e.ps'  
including: './lib/./Resource/Init/gs_pdf_e.ps'  
including: './lib/./Resource/Init/gs_wan_e.ps'  
including: './lib/./Resource/Init/pdf_ops.ps'  
including: './lib/./Resource/Init/gs_l2img.ps'  
including: './lib/./Resource/Init/pdf_rbld.ps'  
including: './lib/./Resource/Init/pdf_base.ps'  
including: './lib/./Resource/Init/pdf_draw.ps'  
including: './lib/./Resource/Init/pdf_font.ps'  
including: './lib/./Resource/Init/pdf_main.ps'  
including: './lib/./Resource/Init/pdf_sec.ps'  
including: './lib/./Resource/Init/gs_cff.ps'  
including: './lib/./Resource/Init/gs_mgl_e.ps'  
including: './lib/./Resource/Init/gs_ttf.ps'  
including: './lib/./Resource/Init/gs_dps.ps'  
including: './lib/./Resource/Init/gs_dpnxt.ps'  
including: './lib/./Resource/Init/gs_epsf.ps'  
including: './lib/./Resource/Init/gs_pdfwr.ps'  
node 'Resource/Init/gs_init.ps' len=685643 42 blocks, compressed size=198720  
node 'Resource/SubstCID/CNS1-WMode' len=1446 1 blocks, compressed size=735  
node 'Resource/SubstCID/GB1-WMode' len=1871 1 blocks, compressed size=951  
node 'Resource/SubstCID/Japan1-WMode' len=2490 1 blocks, compressed size=1150  
node 'Resource/SubstCID/Koreal-WMode' len=2036 1 blocks, compressed size=975  
node 'Resource/CIDFSubst/DroidSansFallback.ttf' len=3927096 240 blocks, compressed size=1950728  
node 'Resource/CIDFont/ArtifexBullet' len=2659 1 blocks, compressed size=1352  
node 'Resource/CMap/78-EUC-H' len=10619 1 blocks, compressed size=4578  
node 'Resource/CMap/78-EUC-V' len=785 1 blocks, compressed size=417
```

node 'Resource/CMap/78-H' len=10524 1 blocks, compressed size=4468
node 'Resource/CMap/78-RKSJ-H' len=10639 1 blocks, compressed size=4638
node 'Resource/CMap/78-RKSJ-V' len=787 1 blocks, compressed size=419
node 'Resource/CMap/78-V' len=777 1 blocks, compressed size=412
node 'Resource/CMap/78ms-RKSJ-H' len=12046 1 blocks, compressed size=5233
node 'Resource/CMap/78ms-RKSJ-V' len=1604 1 blocks, compressed size=741
node 'Resource/CMap/83pv-RKSJ-H' len=3998 1 blocks, compressed size=1838
node 'Resource/CMap/90ms-RKSJ-H' len=3212 1 blocks, compressed size=1513
node 'Resource/CMap/90ms-RKSJ-V' len=1623 1 blocks, compressed size=752
node 'Resource/CMap/90msp-RKSJ-H' len=3180 1 blocks, compressed size=1496
node 'Resource/CMap/90msp-RKSJ-V' len=1606 1 blocks, compressed size=742
node 'Resource/CMap/90pv-RKSJ-H' len=4709 1 blocks, compressed size=2119
node 'Resource/CMap/90pv-RKSJ-V' len=1193 1 blocks, compressed size=584
node 'Resource/CMap/Add-H' len=10660 1 blocks, compressed size=4519
node 'Resource/CMap/Add-RKSJ-H' len=10791 1 blocks, compressed size=4707
node 'Resource/CMap/Add-RKSJ-V' len=1287 1 blocks, compressed size=616
node 'Resource/CMap/Add-V' len=1277 1 blocks, compressed size=607
node 'Resource/CMap/Adobe-CNS1-0' len=1332 1 blocks, compressed size=692
node 'Resource/CMap/Adobe-CNS1-1' len=1517 1 blocks, compressed size=772
node 'Resource/CMap/Adobe-CNS1-2' len=1534 1 blocks, compressed size=782
node 'Resource/CMap/Adobe-CNS1-3' len=1619 1 blocks, compressed size=817
node 'Resource/CMap/Adobe-CNS1-4' len=1636 1 blocks, compressed size=823
node 'Resource/CMap/Adobe-CNS1-5' len=1636 1 blocks, compressed size=822
node 'Resource/CMap/Adobe-CNS1-6' len=1636 1 blocks, compressed size=823
node 'Resource/CMap/Adobe-CNS1-7' len=1616 1 blocks, compressed size=806
node 'Resource/CMap/Adobe-GB1-0' len=912 1 blocks, compressed size=501
node 'Resource/CMap/Adobe-GB1-1' len=1041 1 blocks, compressed size=559
node 'Resource/CMap/Adobe-GB1-2' len=1857 1 blocks, compressed size=920
node 'Resource/CMap/Adobe-GB1-3' len=1855 1 blocks, compressed size=916
node 'Resource/CMap/Adobe-GB1-4' len=2327 1 blocks, compressed size=1108
node 'Resource/CMap/Adobe-GB1-5' len=2412 1 blocks, compressed size=1146
node 'Resource/CMap/Adobe-Japan1-0' len=951 1 blocks, compressed size=517
node 'Resource/CMap/Adobe-Japan1-1' len=952 1 blocks, compressed size=517
node 'Resource/CMap/Adobe-Japan1-2' len=984 1 blocks, compressed size=531
node 'Resource/CMap/Adobe-Japan1-3' len=996 1 blocks, compressed size=537
node 'Resource/CMap/Adobe-Japan1-4' len=1402 1 blocks, compressed size=722
node 'Resource/CMap/Adobe-Japan1-5' len=1725 1 blocks, compressed size=860
node 'Resource/CMap/Adobe-Japan1-6' len=1912 1 blocks, compressed size=940
node 'Resource/CMap/Adobe-Japan2-0' len=806 1 blocks, compressed size=452
node 'Resource/CMap/Adobe-Korea1-0' len=996 1 blocks, compressed size=537
node 'Resource/CMap/Adobe-Korea1-1' len=1591 1 blocks, compressed size=805
node 'Resource/CMap/Adobe-Korea1-2' len=1589 1 blocks, compressed size=805
node 'Resource/CMap/B5-H' len=4476 1 blocks, compressed size=2117
node 'Resource/CMap/B5-V' len=549 1 blocks, compressed size=327
node 'Resource/CMap/B5pc-H' len=4511 1 blocks, compressed size=2137
node 'Resource/CMap/B5pc-V' len=553 1 blocks, compressed size=329
node 'Resource/CMap/CNS-EUC-H' len=8745 1 blocks, compressed size=2910
node 'Resource/CMap/CNS-EUC-V' len=9639 1 blocks, compressed size=3169
node 'Resource/CMap/CNS1-H' len=2865 1 blocks, compressed size=1344
node 'Resource/CMap/CNS1-V' len=549 1 blocks, compressed size=326
node 'Resource/CMap/CNS2-H' len=1752 1 blocks, compressed size=866
node 'Resource/CMap/CNS2-V' len=336 1 blocks, compressed size=227
node 'Resource/CMap/ETHK-B5-H' len=17815 2 blocks, compressed size=7998
node 'Resource/CMap/ETHK-B5-V' len=558 1 blocks, compressed size=334
node 'Resource/CMap/ETen-B5-H' len=4646 1 blocks, compressed size=2202

node 'Resource/CMap/ETen-B5-V' len=576 1 blocks, compressed size=342
node 'Resource/CMap/ETenms-B5-H' len=363 1 blocks, compressed size=245
node 'Resource/CMap/ETenms-B5-V' len=625 1 blocks, compressed size=364
node 'Resource/CMap/EUC-H' len=2399 1 blocks, compressed size=1174
node 'Resource/CMap/EUC-V' len=797 1 blocks, compressed size=424
node 'Resource/CMap/Ext-H' len=11137 1 blocks, compressed size=4762
node 'Resource/CMap/Ext-RKSJ-H' len=11266 1 blocks, compressed size=4936
node 'Resource/CMap/Ext-RKSJ-V' len=999 1 blocks, compressed size=511
node 'Resource/CMap/Ext-V' len=989 1 blocks, compressed size=501
node 'Resource/CMap/GB-EUC-H' len=1868 1 blocks, compressed size=948
node 'Resource/CMap/GB-EUC-V' len=674 1 blocks, compressed size=383
node 'Resource/CMap/GB-H' len=1787 1 blocks, compressed size=893
node 'Resource/CMap/GB-V' len=666 1 blocks, compressed size=379
node 'Resource/CMap/GBK-EUC-H' len=68558 5 blocks, compressed size=27507
node 'Resource/CMap/GBK-EUC-V' len=659 1 blocks, compressed size=378
node 'Resource/CMap/GBK2K-H' len=76149 5 blocks, compressed size=29837
node 'Resource/CMap/GBK2K-V' len=1011 1 blocks, compressed size=511
node 'Resource/CMap/GBKp-EUC-H' len=68541 5 blocks, compressed size=27504
node 'Resource/CMap/GBKp-EUC-V' len=661 1 blocks, compressed size=380
node 'Resource/CMap/GBT-EUC-H' len=37610 3 blocks, compressed size=15521
node 'Resource/CMap/GBT-EUC-V' len=677 1 blocks, compressed size=384
node 'Resource/CMap/GBT-H' len=37529 3 blocks, compressed size=15336
node 'Resource/CMap/GBT-V' len=669 1 blocks, compressed size=378
node 'Resource/CMap/GBTpc-EUC-H' len=37627 3 blocks, compressed size=15531
node 'Resource/CMap/GBTpc-EUC-V' len=681 1 blocks, compressed size=389
node 'Resource/CMap/GBpc-EUC-H' len=1883 1 blocks, compressed size=959
node 'Resource/CMap/GBpc-EUC-V' len=678 1 blocks, compressed size=389
node 'Resource/CMap/H' len=2304 1 blocks, compressed size=1100
node 'Resource/CMap/HKdla-B5-H' len=17899 2 blocks, compressed size=7482
node 'Resource/CMap/HKdla-B5-V' len=543 1 blocks, compressed size=324
node 'Resource/CMap/HKdlb-B5-H' len=15905 1 blocks, compressed size=6684
node 'Resource/CMap/HKdlb-B5-V' len=543 1 blocks, compressed size=323
node 'Resource/CMap/HKgccc-B5-H' len=9768 1 blocks, compressed size=4354
node 'Resource/CMap/HKgccc-B5-V' len=545 1 blocks, compressed size=325
node 'Resource/CMap/HKm314-B5-H' len=9611 1 blocks, compressed size=4203
node 'Resource/CMap/HKm314-B5-V' len=545 1 blocks, compressed size=325
node 'Resource/CMap/HKm471-B5-H' len=12139 1 blocks, compressed size=5160
node 'Resource/CMap/HKm471-B5-V' len=545 1 blocks, compressed size=325
node 'Resource/CMap/HKscs-B5-H' len=17856 2 blocks, compressed size=8014
node 'Resource/CMap/HKscs-B5-V' len=560 1 blocks, compressed size=334
node 'Resource/CMap/Hankaku' len=510 1 blocks, compressed size=325
node 'Resource/CMap/Hiragana' len=488 1 blocks, compressed size=314
node 'Resource/CMap/Hojo-EUC-H' len=2039 1 blocks, compressed size=904
node 'Resource/CMap/Hojo-EUC-V' len=345 1 blocks, compressed size=234
node 'Resource/CMap/Hojo-H' len=1697 1 blocks, compressed size=862
node 'Resource/CMap/Hojo-V' len=337 1 blocks, compressed size=228
node 'Resource/CMap/Identity-H' len=4762 1 blocks, compressed size=2109
node 'Resource/CMap/Identity-UTF16-H' len=405 1 blocks, compressed size=248
node 'Resource/CMap/Identity-V' len=335 1 blocks, compressed size=221
node 'Resource/CMap/KSC-EUC-H' len=8029 1 blocks, compressed size=3494
node 'Resource/CMap/KSC-EUC-V' len=628 1 blocks, compressed size=360
node 'Resource/CMap/KSC-H' len=7959 1 blocks, compressed size=3418
node 'Resource/CMap/KSC-Johab-H' len=69491 5 blocks, compressed size=28255
node 'Resource/CMap/KSC-Johab-V' len=633 1 blocks, compressed size=364
node 'Resource/CMap/KSC-V' len=620 1 blocks, compressed size=356

node 'Resource/CMap/KSCms-UHC-H' len=11610 1 blocks, compressed size=5072
node 'Resource/CMap/KSCms-UHC-HW-H' len=11601 1 blocks, compressed size=5070
node 'Resource/CMap/KSCms-UHC-HW-V' len=621 1 blocks, compressed size=357
node 'Resource/CMap/KSCms-UHC-V' len=633 1 blocks, compressed size=363
node 'Resource/CMap/KSCpc-EUC-H' len=8719 1 blocks, compressed size=3802
node 'Resource/CMap/KSCpc-EUC-V' len=632 1 blocks, compressed size=363
node 'Resource/CMap/Katakana' len=422 1 blocks, compressed size=273
node 'Resource/CMap/NWP-H' len=12617 1 blocks, compressed size=5358
node 'Resource/CMap/NWP-V' len=1115 1 blocks, compressed size=548
node 'Resource/CMap/RKSJ-H' len=2435 1 blocks, compressed size=1194
node 'Resource/CMap/RKSJ-V' len=799 1 blocks, compressed size=426
node 'Resource/CMap/Roman' len=408 1 blocks, compressed size=261
node 'Resource/CMap/UniCNS-UCS2-H' len=274633 17 blocks, compressed size=104563
node 'Resource/CMap/UniCNS-UCS2-V' len=558 1 blocks, compressed size=335
node 'Resource/CMap/UniCNS-UTF16-H' len=212652 13 blocks, compressed size=89485
node 'Resource/CMap/UniCNS-UTF16-V' len=548 1 blocks, compressed size=338
node 'Resource/CMap/UniCNS-UTF32-H' len=284072 18 blocks, compressed size=94414
node 'Resource/CMap/UniCNS-UTF32-V' len=628 1 blocks, compressed size=344
node 'Resource/CMap/UniCNS-UTF8-H' len=249289 16 blocks, compressed size=93167
node 'Resource/CMap/UniCNS-UTF8-V' len=587 1 blocks, compressed size=345
node 'Resource/CMap/UniGB-UCS2-H' len=230475 15 blocks, compressed size=90175
node 'Resource/CMap/UniGB-UCS2-V' len=726 1 blocks, compressed size=405
node 'Resource/CMap/UniGB-UTF16-H' len=166651 11 blocks, compressed size=73170
node 'Resource/CMap/UniGB-UTF16-V' len=635 1 blocks, compressed size=375
node 'Resource/CMap/UniGB-UTF32-H' len=234595 15 blocks, compressed size=77734
node 'Resource/CMap/UniGB-UTF32-V' len=751 1 blocks, compressed size=385
node 'Resource/CMap/UniGB-UTF8-H' len=203990 13 blocks, compressed size=77194
node 'Resource/CMap/UniGB-UTF8-V' len=692 1 blocks, compressed size=384
node 'Resource/CMap/UniHojo-UCS2-H' len=68557 5 blocks, compressed size=27853
node 'Resource/CMap/UniHojo-UCS2-V' len=335 1 blocks, compressed size=227
node 'Resource/CMap/UniHojo-UTF16-H' len=50843 4 blocks, compressed size=22907
node 'Resource/CMap/UniHojo-UTF16-V' len=337 1 blocks, compressed size=229
node 'Resource/CMap/UniHojo-UTF32-H' len=72736 5 blocks, compressed size=24286
node 'Resource/CMap/UniHojo-UTF32-V' len=337 1 blocks, compressed size=228
node 'Resource/CMap/UniHojo-UTF8-H' len=61552 4 blocks, compressed size=23886
node 'Resource/CMap/UniHojo-UTF8-V' len=336 1 blocks, compressed size=228
node 'Resource/CMap/UniJIS-UCS2-H' len=140613 9 blocks, compressed size=54965
node 'Resource/CMap/UniJIS-UCS2-HW-H' len=426 1 blocks, compressed size=277
node 'Resource/CMap/UniJIS-UCS2-HW-V' len=3611 1 blocks, compressed size=1523
node 'Resource/CMap/UniJIS-UCS2-V' len=3547 1 blocks, compressed size=1496
node 'Resource/CMap/UniJIS-UTF16-H' len=156908 10 blocks, compressed size=66436
node 'Resource/CMap/UniJIS-UTF16-V' len=2844 1 blocks, compressed size=1266
node 'Resource/CMap/UniJIS-UTF32-H' len=214116 14 blocks, compressed size=70874
node 'Resource/CMap/UniJIS-UTF32-V' len=3852 1 blocks, compressed size=1347
node 'Resource/CMap/UniJIS-UTF8-H' len=185078 12 blocks, compressed size=69103
node 'Resource/CMap/UniJIS-UTF8-V' len=3358 1 blocks, compressed size=1338
node 'Resource/CMap/UniJIS2004-UTF16-H' len=156977 10 blocks, compressed size=66526
node 'Resource/CMap/UniJIS2004-UTF16-V' len=2852 1 blocks, compressed size=1269
node 'Resource/CMap/UniJIS2004-UTF32-H' len=214185 14 blocks, compressed size=70950
node 'Resource/CMap/UniJIS2004-UTF32-V' len=3860 1 blocks, compressed size=1349
node 'Resource/CMap/UniJIS2004-UTF8-H' len=185146 12 blocks, compressed size=69261
node 'Resource/CMap/UniJIS2004-UTF8-V' len=3365 1 blocks, compressed size=1341
node 'Resource/CMap/UniJISPro-UCS2-HW-V' len=3728 1 blocks, compressed size=1567
node 'Resource/CMap/UniJISPro-UCS2-V' len=3636 1 blocks, compressed size=1532
node 'Resource/CMap/UniJISPro-UTF8-V' len=4481 1 blocks, compressed size=1590

```
node 'Resource/CMap/UniJISX0213-UTF32-H' len=214080 14 blocks, compressed size=70847
node 'Resource/CMap/UniJISX0213-UTF32-V' len=3881 1 blocks, compressed size=1357
node 'Resource/CMap/UniJISX02132004-UTF32-H' len=214150 14 blocks, compressed size=70922
node 'Resource/CMap/UniJISX02132004-UTF32-V' len=3889 1 blocks, compressed size=1359
node 'Resource/CMap/UniKS-UCS2-H' len=138446 9 blocks, compressed size=55485
node 'Resource/CMap/UniKS-UCS2-V' len=649 1 blocks, compressed size=368
node 'Resource/CMap/UniKS-UTF16-H' len=101459 7 blocks, compressed size=45348
node 'Resource/CMap/UniKS-UTF16-V' len=610 1 blocks, compressed size=361
node 'Resource/CMap/UniKS-UTF32-H' len=143547 9 blocks, compressed size=48311
node 'Resource/CMap/UniKS-UTF32-V' len=710 1 blocks, compressed size=369
node 'Resource/CMap/UniKS-UTF8-H' len=124108 8 blocks, compressed size=47418
node 'Resource/CMap/UniKS-UTF8-V' len=659 1 blocks, compressed size=368
node 'Resource/CMap/V' len=789 1 blocks, compressed size=417
node 'Resource/CMap/WP-Symbol' len=726 1 blocks, compressed size=436
node 'Resource/ColorSpace/DefaultCMYK' len=397 1 blocks, compressed size=261
node 'Resource/ColorSpace/DefaultGray' len=271 1 blocks, compressed size=206
node 'Resource/ColorSpace/DefaultRGB' len=325 1 blocks, compressed size=243
node 'Resource/ColorSpace/TrivialCMYK' len=397 1 blocks, compressed size=249
node 'Resource/ColorSpace/sGray' len=333 1 blocks, compressed size=248
node 'Resource/ColorSpace/sRGB' len=334 1 blocks, compressed size=249
node 'Resource/Decoding/FCO_Dingbats' len=2587 1 blocks, compressed size=911
node 'Resource/Decoding/FCO_Symbol' len=3215 1 blocks, compressed size=1252
node 'Resource/Decoding/FCO_Unicode' len=54079 4 blocks, compressed size=17280
node 'Resource/Decoding/FCO_Wingdings' len=4058 1 blocks, compressed size=1453
node 'Resource/Decoding/Latin1' len=4923 1 blocks, compressed size=2290
node 'Resource/Decoding/StandardEncoding' len=1497 1 blocks, compressed size=871
node 'Resource/Decoding/Unicode' len=113282 7 blocks, compressed size=32308
node 'Resource/Encoding/CEEncoding' len=1865 1 blocks, compressed size=730
node 'Resource/Encoding/ExpertEncoding' len=2671 1 blocks, compressed size=718
node 'Resource/Encoding/ExpertSubsetEncoding' len=2434 1 blocks, compressed size=438
node 'Resource/Encoding/NotDefEncoding' len=99 1 blocks, compressed size=94
node 'Resource/Encoding/Wingdings' len=4924 1 blocks, compressed size=1533
node 'Resource/IdiomSet/Pscript5Idiom' len=7759 1 blocks, compressed size=940
warning: no files found from path './lib/./Resource/ProcSet/*'
node 'Resource/Init/FCOfontmap-PCLPS2' len=2857 1 blocks, compressed size=1107
node 'Resource/Init/cidfmap' len=0 0 blocks, compressed size=0
node 'Resource/Init/FAPICidfmap' len=0 0 blocks, compressed size=0
node 'Resource/Init/FAPIconfig' len=0 0 blocks, compressed size=0
node 'Resource/Init/FAPIfontmap' len=0 0 blocks, compressed size=0
node 'Resource/Init/Fontmap' len=23 1 blocks, compressed size=31
node 'Resource/Init/Fontmap.GS' len=3667 1 blocks, compressed size=882
node 'Resource/Init/xlatmap' len=185 1 blocks, compressed size=146
node 'Resource/Init/gc_cet.ps' len=1616 1 blocks, compressed size=765
node 'Resource/Init/gc_diskn.ps' len=2449 1 blocks, compressed size=763
node 'Resource/Init/gc_dscp.ps' len=1317 1 blocks, compressed size=477
node 'Resource/Init/gc_trap.ps' len=1386 1 blocks, compressed size=553
node 'Resource/Font/C059-BdIta' len=152585 10 blocks
node 'Resource/Font/C059-Bold' len=146014 9 blocks
node 'Resource/Font/C059-Italic' len=148928 10 blocks
node 'Resource/Font/C059-Roman' len=145084 9 blocks
node 'Resource/Font/D050000L' len=43343 3 blocks
node 'Resource/Font/NimbusMonoPS-Bold' len=155992 10 blocks
node 'Resource/Font/NimbusMonoPS-BoldItalic' len=154177 10 blocks
node 'Resource/Font/NimbusMonoPS-Italic' len=142983 9 blocks
node 'Resource/Font/NimbusMonoPS-Regular' len=140353 9 blocks
```

```

node 'Resource/Font/NimbusRoman-Bold' len=133004 9 blocks
node 'Resource/Font/NimbusRoman-BoldItalic' len=140953 9 blocks
node 'Resource/Font/NimbusRoman-Italic' len=142085 9 blocks
node 'Resource/Font/NimbusRoman-Regular' len=133527 9 blocks
node 'Resource/Font/NimbusSans-Bold' len=107795 7 blocks
node 'Resource/Font/NimbusSans-BoldItalic' len=112011 7 blocks
node 'Resource/Font/NimbusSans-Italic' len=109766 7 blocks
node 'Resource/Font/NimbusSans-Regular' len=104001 7 blocks
node 'Resource/Font/NimbusSansNarrow-Bold' len=106239 7 blocks
node 'Resource/Font/NimbusSansNarrow-BoldOblique' len=109815 7 blocks
node 'Resource/Font/NimbusSansNarrow-Oblique' len=107359 7 blocks
node 'Resource/Font/NimbusSansNarrow-Regular' len=104252 7 blocks
node 'Resource/Font/P052-Bold' len=162196 10 blocks
node 'Resource/Font/P052-BoldItalic' len=163906 11 blocks
node 'Resource/Font/P052-Italic' len=161531 10 blocks
node 'Resource/Font/P052-Roman' len=159843 10 blocks
node 'Resource/Font/StandardSymbolsPS' len=31444 2 blocks
node 'Resource/Font/URWBookman-Demi' len=137163 9 blocks
node 'Resource/Font/URWBookman-DemiItalic' len=142686 9 blocks
node 'Resource/Font/URWBookman-Light' len=137614 9 blocks
node 'Resource/Font/URWBookman-LightItalic' len=143233 9 blocks
node 'Resource/Font/URWGothic-Book' len=100637 7 blocks
node 'Resource/Font/URWGothic-BookOblique' len=102403 7 blocks
node 'Resource/Font/URWGothic-Demi' len=103428 7 blocks
node 'Resource/Font/URWGothic-DemiOblique' len=105110 7 blocks
node 'Resource/Font/Z003-MediumItalic' len=166540 11 blocks
Total %rom% structure size is 8816828 bytes.
cp ./obj/gstromfs1.c ./obj/gstromfs1.c
gcc -DHAVE_MKSTEMP -DHAVE_FILE64 -DHAVE_FSEEKO -DHAVE_MKSTEMP64 -DHAVE_SETLOCALE -DHAVE_STRERROR -DHAVE_ISNAN -DHAVE_ISINF -DHAVE_PREAD_PWRITE=1 -DGS_RECURSIVE_MutexATTR=PTHREAD_MUTEX_RECURSIVE -O -Wall -Wstrict-prototypes -Wundef -Wmissing-declarations -Wmissing-prototypes -Wwrite-strings -fno-strict-aliasing -fno-builtin -fno-common -DHAVE_STDINT_H=1 -DHAVE_DIRENT_H=1 -DHAVE_SYS_DIR_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_SYS_TIMES_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_LIBDL=1 -DGX_COLOR_INDEX_TYPE="unsigned long long" -D__USE_UNIX98=1 -DGS_MEMPTR_ALIGNMENT=8 -DHAVE_RESTRICT=1 -fno-strict-aliasing -DHAVE_POPEN_PROTO=1 -I./obj -I./base -I./devices -DWHICH_CMS="lcms2mt" -o ./obj/gstromfs1.o -c ./obj/gstromfs1.c
./obj/aux/echogs -w ./obj/ldt.tr -n - gcc -o ./bin/gs
./obj/aux/echogs -a ./obj/ldt.tr -n -s ./obj/gstromfs1.o ./obj/gs.o -s
cat ./obj/gsld.tr >> ./obj/ldt.tr
./obj/aux/echogs -a ./obj/ldt.tr -s - -lm -ldl -liconv -lpthread -lm
if [ x != x ]; then LD_RUN_PATH=; export LD_RUN_PATH; fi; \
XCFLAGS= XINCLUDE= XLDFLAGS= XLIBDIRS= XLIBS= \
PSI_FEATURE_DEVS= FEATURE_DEVS= DEVICE_DEVS= DEVICE_DEVS1= DEVICE_DEVS2= DEVICE_DEVS3= \
DEVICE_DEVS4= DEVICE_DEVS5= DEVICE_DEVS6= DEVICE_DEVS7= DEVICE_DEVS8= \
DEVICE_DEVS9= DEVICE_DEVS10= DEVICE_DEVS11= DEVICE_DEVS12= \
DEVICE_DEVS13= DEVICE_DEVS14= DEVICE_DEVS15= DEVICE_DEVS16= \
DEVICE_DEVS17= DEVICE_DEVS18= DEVICE_DEVS19= DEVICE_DEVS20= \
DEVICE_DEVS_EXTRA= \
/bin/sh <./obj/ldt.tr
ld: 0711-781 ERRORE: Eccedenza del TOC. Dimensione del TOC: 66148 dimensione massima: 65536
collect2: ld returned 12 exit status
gmake: *** [bin/gs] Error 1
$
gmake
gmake
./obj/aux/echogs -w ./obj/ldt.tr -n - gcc -o ./bin/gs
./obj/aux/echogs -a ./obj/ldt.tr -n -s ./obj/gstromfs1.o ./obj/gs.o -s

```



```
cat ./obj/gslld.tr >> ./obj/ldt.tr
./obj/aux/echogs -a ./obj/ldt.tr -s - -lm -ldl -liconv -lpthread -lm
if [ x != x ]; then LD_RUN_PATH=; export LD_RUN_PATH; fi; \
XCFLAGS= XINCLUDE= XLDFLAGS= XLIBDIRS= XLIBS= \
PSI_FEATURE_DEVS= FEATURE_DEVS= DEVICE_DEVS= DEVICE_DEVS1= DEVICE_DEVS2= DEVICE_DEVS3= \
DEVICE_DEVS4= DEVICE_DEVS5= DEVICE_DEVS6= DEVICE_DEVS7= DEVICE_DEVS8= \
DEVICE_DEVS9= DEVICE_DEVS10= DEVICE_DEVS11= DEVICE_DEVS12= \
DEVICE_DEVS13= DEVICE_DEVS14= DEVICE_DEVS15= DEVICE_DEVS16= \
DEVICE_DEVS17= DEVICE_DEVS18= DEVICE_DEVS19= DEVICE_DEVS20= \
DEVICE_DEVS_EXTRA= \
/bin/sh <./obj/ldt.tr
ld: 0711-781 ERRORE: Eccedenza del TOC. Dimensione del TOC: 66148 dimensione massima: 65536
collect2: ld returned 12 exit status
gmake: *** [bin/gc] Error 1
$ ./obj/aux/echogs -w ./obj/ldt.tr -n - gcc -o ./bin/gc
./obj/aux/echogs -a ./obj/ldt.tr -n -s ./obj/gcromfs1.o ./obj/gc.o -s
cat ./obj/gslld.tr >> ./obj/ldt.tr
./obj/aux/echogs -a ./obj/ldt.tr -s - -lm -ldl -liconv -lpthread -lm
if [ x != x ]; then LD_RUN_PATH=; export LD_RUN_PATH; fi; \
XCFLAGS= XINCLUDE= XLDFLAGS= XLIBDIRS= XLIBS= \
PSI_FEATURE_DEVS= FEATURE_DEVS= DEVICE_DEVS= DEVICE_DEVS1= DEVICE_DEVS2= DEVICE_DEVS3= \
DEVICE_DEVS4= DEVICE_DEVS5= DEVICE_DEVS6= DEVICE_DEVS7= DEVICE_DEVS8= \
DEVICE_DEVS9= DEVICE_DEVS10= DEVICE_DEVS11= DEVICE_DEVS12= \
DEVICE_DEVS13= DEVICE_DEVS14= DEVICE_DEVS15= DEVICE_DEVS16= \
DEVICE_DEVS17= DEVICE_DEVS18= DEVICE_DEVS19= DEVICE_DEVS20= \
DEVICE_DEVS_EXTRA= \
/bin/sh <./obj/ldt.tr
ld: 0711-781 ERRORE: Eccedenza del TOC. Dimensione del TOC: 66148 dimensione massima: 65536
collect2: ld returned 12 exit status
gmake: *** [bin/gc] Error 1
$
```