Doc from 6.1.x – table with 4 situations – opened in 6.2.x with 2 settings

Test Doc created in 6.1.4.2

setting	value

Input in Tables
[ ] Number recognition
  [ ] Number format recognition
  [ ] Alignment
	3,0

	3,21

setting	value

[X] Number recognition
  [ ] Number format recognition
  [ ] Alignment
	3

	3,21

setting	value

[ ] Number recognition
  [X] Number format recognition
  [X] Alignment
	3,0

	3,21

setting	value

[X] Number recognition
  [X] Number format recognition
  [X] Alignment	

	3
	3,21

setting	value

Input in Tables
[ ] Number recognition
  [ ] Number format recognition
  [ ] Alignment
	3,0

	3,21

setting	value

[X] Number recognition
  [ ] Number format recognition
  [ ] Alignment
	3

	3,21

setting	value

[ ] Number recognition
  [X] Number format recognition
  [X] Alignment
	3,0

	3,21

setting	value

[X] Number recognition
  [X] Number format recognition
  [X] Alignment	

	3
	3,21

- Tabel

Invoer in tabellen

- ☐ Getalherkenning
- ☐ Herkenning getalnotatie
- ☐ Uitlijning

Test Doc created in 6.1.4.2

setting	value

Input in Tables
[ ] Number recognition
  [ ] Number format recognition
  [ ] Alignment
	3,0

	3,21

setting	value

[X] Number recognition
  [ ] Number format recognition
  [ ] Alignment
	3

	3,21

setting	value

[ ] Number recognition
  [X] Number format recognition
  [X] Alignment
	3,0

	3,21

setting	value

[X] Number recognition
  [X] Number format recognition
  [X] Alignment	

	3
	3,21

Situation after creating, document saved, but not reloaded.

setting	value

Input in Tables
[ ] Number recognition
  [ ] Number format recognition
  [ ] Alignment
	3,0

	3,21

setting	value

[X] Number recognition
  [ ] Number format recognition
  [ ] Alignment
	3

	3,21

setting	value

[ ] Number recognition
  [X] Number format recognition
  [X] Alignment
	3,0

	3,21

setting	value

[X] Number recognition
  [X] Number format recognition
  [X] Alignment	

	3
	3,21

622rc1 Writer - Tabel

Invoer in tabellen

- ☐ Getalherkenning
- ☑ Herkenning getalnotatie
- ☑ Uitlijning