

Some data and auto filter

🖬 Te	Test1.ods - LibreOffice Calc				
<u>D</u> atei	Bearbeiten Ansicht Einfügen Format E				
. 🖬	i 🖬 • 🖻 🔒 🛛 📝 📓 🗸 🗿 📍				
: 🗄	Arial 💌 10 💌 🌶				
B7	✓ f∞ Σ =				
	A B C				
1	Test1 🔽 Test2 🔽				
2	help				
3	help				
4	help				
5	nohelp				
6	nohelp				
7	nohelp				
8	nohelp				
9	help				
10	nohelp				
11	help				
12	nohelp				
13	nohelp				
14	nohelp				
15	help				
16					
17					

Step 2

Filter some one data

📄 Te	Test1.ods - LibreOffice Calc				
<u>D</u> atei	Bearbeiten Ansicht Einfügen Format Ext				
i 🖸 • 🖿 🔒 🛛 🖉 i 🔛 📇 👰 i 🕬					
🕂 🕂 Arial 💌 🔽					
B7	<u>ν</u> fω Σ =				
	A B C				
1	Test1 💽 Test2 🔽				
2	help				
3	help				
4	help				
9	help				
11	help				
15	help				
16					
17					

Step 3

change it

🖹 Te	Test1.ods - LibreOffice Calc			
<u>D</u> atei	Bearbeiten Ansicht Einfügen Format Ext			
. 🖸	🛛 🗸 🕒 🔚 🕾 📝 🔝 🖴 👼 👘			
Arial 💌 10 💌 🙈				
B16	fω Σ =			
	A B C			
1	Test1 💽 Test2 🔽			
2	help2			
3	help			
4	help			
9	help			
11	help			
15	help			
16				
17				
18				

Step 4

Use drag-fill function by selecting fist data and pull down to apply changes for other

Te	🖬 Test1.ods - LibreOffice Calc					
Datei Bearbeiten Ansicht Einfügen Forma						Eorma
🖸 - 🖻 🔒 🛛 💌 🛤 🖴 🖉						
: H	Arial 💙 10 👻					
A2:A15			✓ f	νΣ	=	he
	A	_		в		
1	Test1	Τ.	Test2		-	
2	help2					
3	help2					
4	help2					
9	help2					
11	help2					
15	help2					
16						
17						
18						
19						
20						

Step 5

Expand the filter, show all Now other data aredeleted

Test1.ods - LibreOffice Calc					
Datei Bearbeiten Ansicht Einfügen Format					
. 🖻	i 🖸 • 🖿 🔒 🛛 🖉 i 🐱 🔒				
į 🗄	Arial	▼ 10 ▼			
G18 🔮 fto \Sigma =					
	A	ВС			
1	Test1 💌	Test2 🔽			
2	help2				
3	help2				
4	help2				
5					
6					
7					
8					
9	help2				
10					
11	help2				
12					
13					
14					
15	help2				
16					
17					
18					
19					
20					