


# About testing environment



## Steps to reproduce

- 1 This is a sample table which I attached on Description.

	A	B	C	D
1	col1	col2		
2	A	1		
3	A			
4	A	2		
5	B	1		
6	B			
7	B	2		
8	C	1		
9	C			
10	A	2		
11	A	1		
12	A			
13	B	2		
14	B	1		
15	C			
16	C	2		


- 2 Click "Empty" in AutoFilter criteria on col2.

	A	B	C	D
1	col1	col2		
2	A			
3	A			
4	A			
5	B			
6	B			
7	B			
8	C			
9	C			
10	A			
11	A			
12	A			
13	B			
14	B			
15	C			
16	C			
17				
18				
19				


- 3 Empty cells are extracted. Then click "Standard Filter..." on col2.

	A	B	C	D
1	col1	col2		
3	A			
6	B			
9	C			
12	A			
15	C			
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				


- 4 You can see Value is set to "Empty" as you selected.  
(Close the dialog.)




- 5 Save the document.



- 6 Click 'File' - 'Reload'



- 7 The document is reopened. Then click "Standard Filter..." on col2.



- 8 Look at the filter criteria. Value changes to "66" from "Empty"!

Operator	Field name	Condition	Value
	col2	=	66
	- none -	=	
	- none -	=	
	- none -	=	

Options

Help OK Cancel

- 9 <Another Problem>  
There is no items in AutoFilter on col1 after reload.

	A	B	C	D
1	col1	col2		
3				
6				
9				
12				
15				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				