Source: orig/JAN03241-1-rlf.pdf
Page/Text Overlap Index[N]: 29.8 | Feature/Deletion Error[mm]: 193.3 | Horiz/Line Pos/Size Error[mm]: 69.22 | Text Weight Error[mm]: 1.57 | Checkum Differences: 0

VARIFLEX MANUAL

(Version 1.0; July 16, 1999)

Table of Contents

OVERVIEW 3
MORE DETAILED DESCRIPTION 4
INPUT 6
Rules for keyword input format 6
Debugging options: 7
INPUT SECTIONS 8
***** 1. TITLE ***** 8
***** 2. CALCULATION TYPE ***** 9
A. Ionic or neutral reactants 9
B. Reaction type. 9
C. Channels. 9
D. Level of Resolution in the Transition State Evaluations 9
E. Treatment of Collisional and Radiative Relaxation. 10
F. State-Counting. 11
G. Rotational Partition Functions. 12
H. Multiple Wells. 12
I. Collision Induced Dissociation Modeling. 13
J. Various Restrictions. 13
***** 3. CALCULATION RANGES ***** 14
***** 4. EXPERIMENTAL DATA ***** 18
***** 5. CONVOLUTION RANGES ***** 19
***** 6. CID ***** 20
***** 7. COLLISION ***** 21
***** 8. COMPLEX ***** 22
***** 9. CHANNEL ***** 23
***** 10. FRAGMENTS ***** 24
***** 11. TRANSITION STATE ***** 27
A. Input for keyword RRHOP 30
B. Input for keyword PSTP 31

VARIFLEX MANUAL

(Version 1.0; July 16, 1999)

Table of Contents

OVERVIEW 3MORE DETAILED DESCRIPTION 4
INPUT 6
RULES FOR KEYWORD INPUT FORMAT 6
Debugging options: 7
Input Sections 8
***** 1. TITLE ***** 8
***** 2. CALCULATION TYPE ***** 9
A. IONIC OR NEUTRAL REACTANTS 9
B. Reaction type. 9
C. Channels. 9
D. Level of Resolution in the Transition State Evaluations 9
E. Treatment of Collisional and Radiative Relaxation. 10
F. State-Counting. 11
G. Rotational Partition Functions. 12
H. Multiple Wells. 12
I. Collision Induced Dissociation Modeling. 13
J. Various Restrictions. 13
***** 3. Calculation Ranges ***** 14
***** 4. EXPERIMENTAL DATA ***** 18
***** 5. CONVOLUTION RANGES ***** 19
***** 6. CID ***** 20
***** 7. COLLISION ***** 21
***** 8. COMPLEX ***** 22
***** 9. CHANNEL ***** 23
***** 10. FRAGMENTS ***** 24
***** 11. TRANSITION STATE ***** 27
A. Input for keyword RRHOP 30
B. Input for keyword PSTP 31

C. Input for keyword VRCP 32
D. Input for keyword LaplaceP 39
E. Input for keyword ReadNP 40
***** 12. CHANNEL 2, 3, ETC. ***** 41
***** END ***** 41
***** STRUCTURE DATA MODULE ***** 42
***** POTENTIAL INPUT MODULE ***** 45
1. CustomP. 45
2. VStretchP 46
3. VBendP 46
4. AtomAtomP 47
5. AnisotropicP 47
6. Ion-neutral interaction potential. 48
7. Inverse sixth power potential 48
***** STANDARD HYDROCARBON RADIATIVE ASSOCIATION ***** 49
APPENDIX 1 50
Definitions of coordinates for bending potentials in the built-in potential 50
APPENDIX 2 52
Output Contained in the Auxiliary Output Files 52
APPENDIX 3 54
Convergence Parameters in E/J and E Resolved Calculations 54

***** POTENTIAL INPUT MODULE ***** 45
1. CustomP. 45
2. VStretchP 46
3. VBendP 46
4. AtomAtomP 47
5. AnisotropicP 47
6. Ion-neutral interaction potential. 48
7. Inverse sixth power potential 48
***** STANDARD HYDROCARBON RADIATIVE ASSOCIATION ***** 49
APPENDIX 1 50
Definitions of coordinates for bending potentials in the built-in potential 50
APPENDIX 2 52
Output Contained in the Auxiliary Output Files 52
APPENDIX 3 54
Convergence Parameters in E/J and E Resolved Calculations 54

VARIFLEX MANUAL

Overview

VariFlex is a program package for estimating rate constants of several types of gas phase reactions. Its focus is the application of transition state theory with an accurate treatment of the flexibility of the interfragment modes for variable definitions of the reaction coordinate. Although aimed at calculating rates at this high level of sophistication for barrierless reactions, the package also allows convenient estimates of the rates using various alternative approaches such as phase space theory (PST), tight transition state theory, [i.e., with rigid rotor harmonic oscillator estimates (RRHO)], inverse Laplace transformations, and generic standard hydrocarbon estimates.

The following reaction types may be considered:

I. **Bimolecular association** reactions A + B => C.

II. **Unimolecular dissociation** reactions A => B + C.

III. **Bimolecular** reactions A + B => C + D.

IV. Competitive **multichannel** versions of each of the above, where more than one set of products is available, but involving only one complex or in the low pressure limit.

For each of these reaction types one may consider either **ionic** or **neutral** species.

The program focuses on the description of the temperature and/or pressure dependence of thermal reactions, where the reactants have a Boltzmann distribution of energies and angular momenta. However, microcanonical and *E/J* resolved dissociation rates are also generally available as a subset of the thermal calculations (that is, rates for reactants of specified energy, or specified energy and total angular momentum).

Methods are described for calculating

I. **High-pressure** limiting thermal rates evaluated at the ***T***, ***E***, and/or ***E/J*** resolved levels.

II. **Pressure-dependence** of thermal rates using the **RRKM** or **master equation** or Troe's **modified strong collision** formalism.

III. Zero-pressure and **low-pressure** limit thermal rates.

Overview

VariFlex is a program package for estimating rate constants of several types of gas phase reactions. Its focus is the application of transition state theory with an accurate treatment of the flexibility of the interfragment modes for variable definitions of the reaction coordinate. Although aimed at calculating rates at this high level of sophistication for barrierless reactions, the package also allows convenient estimates of the rates using various alternative approaches such as phase space theory (PST), tight transition state theory, [i.e., with rigid rotor harmonic oscillator estimates (RRHO)], inverse Laplace transformations, and generic standard hydrocarbon estimates.

The following reaction types may be considered:

I. **Bimolecular association** reactions A + B => C.

II. **Unimolecular dissociation** reactions A => B + C.

III. **Bimolecular** reactions A + B => C + D.

IV. Competitive **multichannel** versions of each of the above, where more than one set of products is available, but involving only one complex or in the low pressure limit.

For each of these reaction types one may consider either **ionic** or **neutral** species.

The program focuses on the description of the temperature and/or pressure dependence of thermal reactions, where the reactants have a Boltzmann distribution of energies and angular momenta. However, microcanonical and *E/J* resolved dissociation rates are also generally available as a subset of the thermal calculations (that is, rates for reactants of specified energy, or specified energy and total angular momentum).

Methods are described for calculating

I. **High-pressure** limiting thermal rates evaluated at the ***T***, ***E***, and/or ***E/J*** resolved levels.

II. **Pressure-dependence** of thermal rates using the **RRKM** or **master equation** or Troe's **modified strong collision** formalism.

III. Zero-pressure and **low-pressure** limit thermal rates.