

# English MDN Article

Hide Sidebar  
bottom  
clear  
display  
float  
left  
position  
right  
top  
visibility  
CSS Reference

## Summary

The `display` property specifies the type of rendering box used for an element. In HTML, default `display` property values are taken from behaviors described in the HTML specifications or from the browser/user default stylesheet. The default value in XML is `inline`.

## Syntax

Initial value	<code>inline</code>
Applies to	all elements
Inherited	no
Media	all

### IN THIS ARTICLE

Summary  
Syntax  
Specifications  
Browser compatibility  
See also

## Specifications

Specification	Status	Comment
CSS Display Module	Working	Added the <code>run-in</code> and <code>contents</code> values
CSS Ruby Layout Module	Working	Added the <code>ruby</code> <code>ruby-base</code> <code>ruby-text</code> <code>ruby-base-co</code>
CSS Grid Layout	Working	Added the <code>grid</code> box model values


## Browser compatibility

Edit table

Feature	Chrome	Firefox	Internet Explorer	Opera	Safari
<code>none</code>	1.0	1.0	4.0	7.0	1.0
<code>inline-block</code>	1.0	3.0	5.5	7.0	1.0
<code>list-item</code>	1.0	1.0	6.0	7.0	1.0
<code>run-in</code>	no	no	8.0	7.0	5.0

## See also

- [visibility](#), [float](#), [position](#)
- [flex](#)



# Translated MDN Article

- Ideh Idebars
- bottom
- clear
- display
- float
- left
- position
- right
- top
- visibility
- CSS Reference

## Ummarys

The display property specifies the type of rendering box used for an element. In HTML, default display property values are taken from behaviors described in the HTML specifications or from the browser/user default stylesheet. The default value in XML is inline.

## Yntaxs

Initial value	inline
Applies to	all elements
Inherited	no
Media	all

NI HIST RTICLEA

- Ummarys
- Yntaxs
- Pecificationss
- Rowserb ompatibilityc
- Ees Isoa

## Pecificationss

Specification	Status	Comment
CSS Display Module	Working	Added the run-in and contents values
CSS Ruby Layout Module	Working	Added the ruby ruby-base ruby-text ruby-base-co
CSS Grid Layout	Working	Added the grid box model values

## Rowserb ompatibilityc



Feature	Chrome	Firefox	Internet Explorer	Opera	Safari
none	1.0	1.0	4.0	7.0	1.0
inline-block	1.0	3.0	5.5	7.0	1.0
list-item	1.0	1.0	6.0	7.0	1.0
run-in	no	no	8.0	7.0	5.0

## Ees Isoa

- [visibility](#), [float](#), [position](#)
- [flex](#)

# Notes: Translation

Notes: Translation

API requires English.

English locale no translations.

Notes 🌐

Notes in English.

English locale some translations

Notes 3 translations 🌐

Notes in English.

English locale some translations - expanded

Notes 3 translations 🌐

Notes in English.

عربي (ar) الملاحظات باللغة العربية

Français (fr) Notes en français

Português (do Brasil) Notas em Português 🕒

Icon we can add if the translation has not been updated since the English was last updated.

French locale no translations

Notes 🌐

Notes in English.

Français (fr)

If the user is browsing in a different locale show that locale's form fields expanded by default.

French locale some translations (including French)

Notes 3 translations 🌐

Notes in English.

Français (fr) Notes en français

French locale some translations - expanded

Notes 3 translations 🌐

Notes in English.

Français (fr) Notes en français

عربي (ar) الملاحظات باللغة العربية

Português (do Brasil) Notas em Português 🕒

User's locale is first in list.

Icon we can add if the translation has not been updated since the English was last updated.

English locale - English edits

Notes: Notes in English [Notes: Edited notes in English](#)

In the history and revision dashboard only show locales when there are changes or if in the user's locale

English locale - French edits

Notes: Notes in English (fr): Notes en français [Notes: Notes in English \(fr\): Notes éditées en français](#)

French locale - English edits

Notes: Notes in English (fr): Notes en français [Notes: Edited notes in English \(fr\): Notes en français](#)


French locale - French edits

Notes: Notes in English (fr): Notes en français [Notes: Notes in English \(fr\): Notes éditées en français](#)

French locale - Portuguese edits

Notes: Notes in English (fr): Notes en français (pt): Notas em Português [Notes: Notes in English \(fr\): Notes en français \(pt\): Notas editado em Português](#)

# Notes: Navigation bar



# Firefox for Desktop

Slug: browser\_slug  
Notes: Notes go here.

39.0

Future  
Beta

38.0

37.1 2015-06-04 - ?

Beta  
Current

37.0 2015-03-13 - ?  
[Release Notes](#)  
Notes: Poket integration

36.0 2015-01-24 - ?  
[Release Notes](#)

Current  
Retired

35.0 2014-11-01 - 2015-01-24  
[Release Notes](#)  
Notes: Note goes here (1 translation)

34.0 2014-11-01 - 2015-01-24  
[Release Notes](#)  
Notes: Note goes here (1 translation)

33.0 2014-11-01 - 2015-01-24  
[Release Notes](#)  
Notes: Note goes here (1 translation)

32.0 2014-11-01 - 2015-01-24  
[Release Notes](#)  
Notes: Note goes here (1 translation)

Retired  
Retired Beta

38.0 2014-11-01 - 2015-01-24  
[Release Notes](#)  
Notes: Note goes here (1 translation)

I don't think details should be required. One of the most common use cases for adding these is that the user just wants to add the support for it to a table.

Sort by status then by version number for display.

Browser Name

Slug

Note

Save

Cancel

+ Add Version


Browser Name

Slug

Note

Save Cancel

+ Add Version

39.0  

Future  
Beta

38.0  

37.1 2015-06-04 - ?  

Beta  
Current

37.0 2015-03-13 - ?  
[Release Notes](#)  
Notes: Poket integration  

36.0 2015-01-24 - ?  
[Release Notes](#)  

Current  
Retired

35.0 2014-11-01 - 2015-01-24  
[Release Notes](#)  
Notes: Note goes here (1 translation)  

34.0 2014-11-01 - 2015-01-24  
[Release Notes](#)  
Notes: Note goes here (1 translation)  

33.0 2014-11-01 - 2015-01-24  
[Release Notes](#)  
Notes: Note goes here (1 translation)  

32.0 2014-11-01 - 2015-01-24  
[Release Notes](#)  
Notes: Note goes here (1 translation)  

Retired  
Retired Beta

38.0 2014-11-01 - 2015-01-24  
[Release Notes](#)  
Notes: Note goes here (1 translation)  

# Browser history

Browser Name View Versions

Firefox for Desktop 10 translations

Slug: firefox\_desktop

Notes: Mozilla is not for profit. Add

Edit browser

Apr 21, 2015 11:13:41 AM by shobsca from IP 192.168.10.1

Current

Previous

Firefox for Desktop 10 translations

Slug: firefox\_desktop

Revert to this revision

Apr 21, 2015 11:13:41 AM by shobsca from IP 192.168.10.1

Firefox for Desktop 10 translations

(pl): Irefoxf orf Ekstopd Add

Slug: firefox\_desktop

Revert to this revision

Apr 21, 2015 11:13:41 AM by shobsca from IP 192.168.10.1

Firefox for Desktop 9 translations

Slug: firefox\_desktop

Revert to this revision

Apr 21, 2015 11:13:41 AM by shobsca from IP 192.168.10.1



# Firefox for Desktop



Slug: browser\_slug  
Notes: Notes go here.

+ Add Version

39.0



Future  
Beta

38.0

Version  
38.0

Status  
 Future  Beta  Current  Retired-Beta  Retired

Release Day Retirement Day

Release Notes URI

Notes

Save Cancel

37.1

2015-06-04 - ?



Beta  
Current

37.0

2015-03-13 - ? [Release Notes](#)  
Notes: Poket integration



36.0

2015-01-24 - ? [Release Notes](#)



Current  
Retired

35.0

2014-11-01 - 2015-01-24 [Release Notes](#)  
Notes: Note goes here



# Firefox for Desktop

Slug: browser\_slug  
Notes: Notes go here.

Cancel

Version

Status  
 Future  Beta  Current  Retired-Beta  Retired

Release Day Retirement Day

Release Notes URI

Notes

Save Cancel

39.0

Future  
Beta

38.0

37.1 2015-06-04 - ?

Beta  
Current

37.0 2015-03-13 - ?  
[Release Notes](#)  
Notes: Poket integration

36.0 2015-01-24 - ?  
[Release Notes](#)

Current  
Retired

35.0 2014-11-01 - 2015-01-24  
[Release Notes](#)  
Notes: Note goes here (1 translation)

34.0 2014-11-01 - 2015-01-24  
[Release Notes](#)  
Notes: Note goes here (1 translation)

33.0 2014-11-01 - 2015-01-24  
[Release Notes](#)  
Notes: Note goes here (1 translation)

32.0 2014-11-01 - 2015-01-24  
[Release Notes](#)  
Notes: Note goes here (1 translation)

Retired  
Retired Beta

38.0 2014-11-01 - 2015-01-24  
[Release Notes](#)  
Notes: Note goes here (1 translation)

# Version history

Browser Name Version Number View Versions

37.0 Status: Current Edit browser  
Release Day: 2015-01-25  
Retirement Day: ?  
Release Notes: http://example.com/release-notes-link  
Notes: A Note.  
(pl) A oten Add

Apr 21, 2015 11:13:41 AM by shobsc from IP 192.168.10.1

Current  
Previous

37.0 Status: Current Update Revert to this revision  
Release Day: 2015-01-25 Add  
Retirement Day: ?  
Release Notes: http://example.com/release-notes-link Add  
Notes: A Note.

Apr 21, 2015 11:13:41 AM by shobsc from IP 192.168.10.1

37.0 Revert to this revision  
Status: Beta  
Release Day: ?  
Retirement Day: ?  
Release Notes:  
Notes: A Note.

Apr 21, 2015 11:13:41 AM by shobsc from IP 192.168.10.1

parent feature

# Feature Name

Slug: feature\_slug Status: Experimental, MDN source.  
 Specifications: CSS Display Module Level 3, CSS Ruby Layout Module Level 1, CSS Grid Layout, CSS Flexible Box Layout Module, CSS Level 2 (Revision 1), CSS Level 1

child features | none inline and block | inline-block | list-item | run-in | + New

Blackberry	Chrome for Android	Chrome for Desktop	Edge	Firefox for Android	Firefox for Desktop	Firefox OS	IE for Desktop
10 [ ]	23.0 -x- [ ]	23.0 -x- [ ]	1.0	38.0	37.0	2.0	11.0
IE Mobile	Opera for Desktop	Opera Mini	Opera Mobile	Safari iOS	Safari for Desktop		
11.0	28.0 [ ]	8.0	28.0 [ ]	8.3	8.0		

23.0 -x- [ ] [ ] allowed it in sandboxed <iframe> if the non-standard value webkit-allow-pointer-lock is set to the sandbox attribute.  
 -x- Requires the -webkit- prefix.

Beta  
 Current

22.0 -x- [ ] [ ] allowed it in sandboxed <iframe> if the non-standard value webkit-allow-pointer-lock is set to the sandbox attribute.  
 -x- Requires the -webkit- prefix.

Current  
 Retired

13.0 - 21.0 Expand

12.0

11.0

No

+ Add Version

Expanding gives access to edit buttons for each version.

Only show 10 (?) retired versions and then paginate or drop down menu


Longer term may need to restrict the browsers displayed but start with all for now.



Feature Name 🔍

Canonical ?

Slug ?

Status ?  
  Experimental  Standardized  Stable   Obsolete

MDN URI ?

Specifications  
 ▼ +

Child Features  
 ▼ +

Save Cancel

parent feature

Feature Name 1 translation

Canonical

Slug

Status

Experimental  Standardized  Stable  Obsolete

MDN URI

Specifications

All Specification Sections +

Specification Section Name x

Child Features

All features +

Feature Name x

Feature Name x

Feature Name x

Save Cancel

Slug would become read only field once set

No icons for standardized and stable yet.

Are any of these checkboxes mutually exclusive? Should be enforced by UI & API

I've assumed new child features and specification sections will not need to be made every time we make new features. Is that a good assumption?

Feature and specification selects would be datalists (text field with auto complete)

child features none inline and block inline-block list-item run-in

Blackberry	Chrome for Android	Chrome for Desktop	Edge	Firefox for Android	Firefox for Desktop	Firefox OS	IE for Desktop
10 [ ]	23.0 -x- [ ]	23.0 -x- [ ]	10	38.0	37.0	2.0	11.0
IE Mobile	Opera for Desktop	Opera Mini	Opera Mobile	Safari iOS	Safari for Desktop		
11.0	28.0 [ ]	8.0	28.0 [ ]	8.3	8.0		

23.0 -x- [ ] [ ] allowed it in sandboxed <iframe> if the non-standard value webkit-allow-pointer-lock is set to the sandbox attribute. 📄 ✎

-x- Requires the -webkit- prefix.

Beta  
Current →

22.0 [ ] - [ ] allowed it in sandboxed <iframe> if the non-standard value webkit-allow-pointer-lock is set to the sandbox attribute. 📄 ✎

-x- Requires the -webkit- prefix.

Current  
Retired →

13.0 - 21.0 Expand

12.0 [ ] -x- [ ] allowed it in sandboxed <iframe> if the non-standard value webkit-allow-pointer-lock is set to the sandbox attribute. 📄 ✎

-x- Requires the -webkit- prefix.

No 📄 ✎

+ Add Version



arentp eaturef

Eaturef amen 1 ranslationt

Translated Feature Name (blank if not yet translated)

EN Function Name

Anonicalc

Lugs

Tatuss

Xperimentale  Tandardizeds  Tables  Bsoleteo

RIU MDN

Eaturef hildrenc

All features

Feature Name

Feature Name

Feature Name

Aves Anelc

Cannonical names do not get translations.

hildc eaturesf | none inline and block | inline-block | list-item | run-in

Blackberry	Chrome for Android	<b>Chrome for Desktop</b>	Edge	Firefox for Android	Firefox for Desktop	Firefox OS	IE for Desktop
10	23.0 -x-	23.0 -x-	10	38.0	37.0	2.0	11.0
IE Mobile	Opera for Desktop	Opera Mini	Opera Mobile	Safari iOS	Safari for Desktop		
11.0	28.0	8.0	28.0	8.3	8.0		

23.0 -x- [ ] [ ] lloweda ti ni andboxeds <iframe> fi het onn-tandards aluev webkit-allow-pointer-lock si ets ot het andboxs ttributea. [1 ranslationt](#)

-x- Equiresr het -webkit- refixp.

Beta  
Current

22.0 [ ] - [ ] lloweda ti ni andboxeds [1 ranslationt](#)

-x- Equiresr het -webkit- refixp.

Current  
Retired

13.0 - 21.0 xpande

12.0

11.0

Non

+ Daa Ersionv



# Feature history

parent feature  
Feature Name View support  
child features | none inline and block | inline-block | list-item | run-in

Feature Name  
Slug: feature\_slug  
Status: **Standardized, Stable** Update  
MDN source: [developer.mozilla.org/docs/souce-artcle](https://developer.mozilla.org/docs/souce-artcle)  
Child Features:  
- none, inline and block  
- inline-block  
- list-item  
- run-in  
- table, table-cell, table-column, table-column-group, table-header-group, table-row-group, table-footer-group, table-row, and table-caption  
- flex  
- inline-flex  
- grid  
- inline-grid  
- [ruby\\_ruby-base, ruby-text, ruby-base-container, ruby-text-container](#) Add  
- [contents](#) Add

Edit feature

If we add Feature Sets in a later phase this page will need to be re-designed to allow better movement to parents and display children part of different feature sets differently.

Apr 21, 2015 11:13:41 AM by [shobsco](#) from IP [192.168.10.1](#)

Current  
Previous

Feature Name Update  
~~(pl) Eaturef Amen~~ Delete  
Slug: feature\_slug  
Status: **Experimental**  
MDN source: [developer.mozilla.org/docs/souce-artcle](https://developer.mozilla.org/docs/souce-artcle)  
Child Features:  
- none, inline and block  
- inline-block  
- list-item  
- run-in  
- table, table-cell, table-column, table-column-group, table-header-group, table-row-group, table-footer-group, table-row, and table-caption  
- flex  
- inline-flex  
- [grid](#) Add  
- [inline-grid](#) Add

Revert to this revision

Slug is write once, probably don't need to show it for every comparison

Feature Name Test Update  
~~(pl) Eaturef Amen~~ Add  
Slug: feature\_slug  
Status: **Experimental**  
MDN source: [developer.mozilla.org/docs/souce-artcle](https://developer.mozilla.org/docs/souce-artcle)  
Child Features:  
- none, inline and block  
- inline-block  
- list-item  
- [run-in](#) Add  
- [table, table-cell, table-column, table-column-group, table-header-group, table-row-group, table-footer-group, table-row, and table-caption](#) Add  
- [flex](#) Add  
- [inline-flex](#) Add

Revert to this revision

Apr 12, 2015 11:13:41 AM by [shobsco](#) from IP [192.168.10.1](#)

Feature Name Add  
Slug: [feature\\_slug](#) Add  
Status: **Experimental** Add  
MDN source: [\[developer.mozilla.org/docs/souce-artcle\]](https://developer.mozilla.org/docs/souce-artcle) Add  
Child Features:  
- [none, inline and block](#) Add  
- [inline-block](#) Add  
- [list-item](#) Add

Revert to this revision

Apr 10, 2015 11:13:41 AM by [shobsco](#) from IP [192.168.10.1](#)


parent feature

# Feature Name

Slug: feature\_slug Status: Experimental, [MDN source](#),  
 Specifications: [CSS Display Module Level 3](#)

+ New

Blackberry	Chrome for Android	<b>Chrome for Desktop</b>	Edge	Firefox for Android	Firefox for Desktop	Firefox OS	IE for Desktop
10 [ ]	23.0 -x- [ ]	23.0 -x- [ ]	1.0	38.0	37.0	2.0	11.0
IE Mobile	Opera for Desktop	Opera Mini	Opera Mobile	Safari iOS	Safari for Desktop		
11.0	28.0 [ ]	8.0	28.0 [ ]	8.3	8.0		

23.0 

Beta  
 Current →

22.0

Supported  
 Yes  Partial  No  Unknown

Attributes  
 -x- Requires a vendor prefix  Supports a vendor prefix  Does not support a vendor prefix  
 Which prefix?

~ Requires a non-standard name  Supports a non-standard name  Does not support a non-standard name  
 What name?

User must explicitly enable this feature  
 What is the full configuration string by default?

What is the full configuration string required to enable this feature?

Additional steps are required to get permission or certification for use. Please explain in footnotes.

Footnotes

Current  
 Retired →

13.0 - 21.0

Unknown

+ Add Version

Only collapse retired browsers, not current and beta browsers.

parent feature

# Feature Name

Slug: feature\_slug Status: Experimental, MDN source, Specifications: CSS Display Module Level 3, CSS Ruby Layout Module Level 1, CSS Grid Layout, CSS Flexible Box Layout Module, CSS Level 2 (Revision 1), CSS Level 1

child features none inline and block inline-block list-item run-in + New

Blackberry	Chrome for Android	Chrome for Desktop	Edge	Firefox for Android	Firefox for Desktop	Firefox OS	IE for Desktop
10 [ ]	23.0 -x- [ ]	23.0 -x- [ ]	10	38.0	37.0	2.0	11.0
IE Mobile	Opera for Desktop	Opera Mini	Opera Mobile	Safari iOS	Safari for Desktop		
11.0	28.0 [ ]	8.0	28.0 [ ]	8.3	8.0		

23.0 -x- [ ] [ ] allowed it in sandboxed <iframe> if the non-standard value webkit-allow-pointer-lock is set to the sandbox attribute.

-x- Requires the -webkit- prefix.

Beta  
Current

22.0 [ ] -x-

Supported  
 Yes  Partial  No  Unknown

Attributes  
 -x- Requires a vendor prefix  Supports a vendor prefix  Does not support a vendor prefix  
 Which prefix?

~ Requires a non-standard name  Supports a non-standard name  Does not support a non-standard name  
 What name?

User must explicitly enable this feature  
 What is the full configuration string by default?

What is the full configuration string required to enable this feature?

Additional steps are required to get permission or certification for use. Please explain in footnotes.

Footnotes [2 Translations](#)

Save Cancel

Prefill with current support if editing.

- Setting a flag automatically sets support to no
- Setting supported to unknown automatically clears the other fields
- Auto select the appropriate prefix (opera would need a drop down, maybe others?)
- When checkbox or radio button is picked the supporting fields are revealed (and required).
- Checking boxes populates the support cell visualization

Be nice to provide browser specific hints for the flags if we have them (for example, does FF change to true and Chrome change to 1?)

Current  
Retired

13.0 - 21.0 Expand

12.0 [ ] -x- [ ] allowed it in sandboxed <iframe> if the non-standard value webkit-allow-pointer-lock is set to the sandbox attribute.

-x- Requires the -webkit- prefix.

No

+ Add Version

# Support history

parent feature

Feature Name Chrome for Desktop 23.0 View support

child features none inline and block inline-block list-item run-in

23.0 [ ] -x- -x- Requires the -webkit- prefix. Update  
 [ ] allowed it in sandboxed <iframe> if the non-standard value webkit-allow-pointer-lock is set to the sandbox attribute. Update

Apr 30, 2015 11:13:41 AM by shobsca from IP 192.168.10.1

Edit support

IP address only visible to admins.

Maybe a button to toggle diff coloring on and off?

Current Previous

23.0 -x- -x- Requires the -moz- prefix. Delete  
 [ ] All new Gam3 of Thr0nes season download Today!

Apr 26, 2015 11:13:41 AM by shobsca from IP 192.168.10.1

Revert to this revision

Each version is diffed with the one before it, not the current version.

23.0 [ ] -x- -x- Requires the -moz- prefix. Add  
 [ ] All new Gam3 of Thr0nes season download Today!

Apr 26, 2015 11:13:41 AM by COOlvic from IP 192.168.10.1

Revert to this revision

23.0 -x- -x- Requires the -moz- prefix. Add

Apr 21, 2015 11:13:41 AM by shobsca from IP 192.168.10.1

Revert to this revision

Only show 10 (?) history objects, after that have pagination.

# Specification Name

WD



Slug: specification\_slug MDN key: CSS3 Display [Specification URI](#)

## display

Sub Path: #display Number: ?  
Notes: Added the `run-in` and `contents` values.



## display-inside

Sub Path: #the-display-inside Number: ?  
Notes: Initial specification



## display-list

Sub Path: #display Number: ?  
Notes: Initial specification



## box-supress

Sub Path: #box-suppress Number: ?  
Notes: Initial specification



+ New Section

Clicking on subpath link will actually take you to the specification section so the link is the specification URI + the sub path, but we only display sub path.

Specification Name

Slug

Specification URI

MDN key

Maturity


+ New Section



Specification Name

Slug

Specification URI

MDN key 

Maturity

**display**    
 Sub Path: [#display](#) Number: ?  
 Notes: Added the `run-in` and `contents` values.

**display-inside**    
 Sub Path: [#the-display-inside](#) Number: ?  
 Notes: Initial specification

**display-list**    
 Sub Path: [#display](#) Number: ?  
 Notes: Initial specification

**box-supress**    
 Sub Path: [#box-suppress](#) Number: ?  
 Notes: Initial specification

# Specification History

Specification name View specifications

Specification Name Edit feature

Slug: specification\_slug  
Specification URI source: devw3.org/csswg/css-display/  
MDN key: CSS3 Display  
Maturity: Candidate Recommendation Update

Apr 21, 2015 11:13:41 AM by shobsc from IP 192.168.10.1

Current Previous

Revert to this revision

Specification Name  
Slug: specification\_slug  
Specification URI source: devw3.org/csswg/css-display/  
MDN key: CSS3 Display  
Maturity: Working Draft

Apr 21, 2015 11:13:41 AM by shobsc from IP 192.168.10.1



# Specification Name WD

Slug: specification\_slug MDN key: CSS3 Display [Specification URI](#)

## display

Sub Path: [#display](#) Number: ?  
Notes: Added the `run-in` and `contents` values.

Section Name

Number

Sub Path

Notes

## display-list

Sub Path: [#display](#) Number: ?  
Notes: Initial specification

## box-supress

Sub Path: [#box-suppress](#) Number: ?  
Notes: Initial specification

Specification - section - create

**Specification Name** WD  

Slug: [specification\\_slug](#) MDN key: CSS3 Display [Specification URI](#)

**display**  

Sub Path: [#display](#) Number: ?  
Notes: Added the `run-in` and `contents` values.

**display-inside**  

Sub Path: [#the-display-inside](#) Number: ?  
Notes: Initial specification


**display-list**  


Sub Path: [#display](#) Number: ?  
Notes: Initial specification


**box-supress**  


Sub Path: [#box-suppress](#) Number: ?  
Notes: Initial specification

Clicking on subpath link will actually take you to the specification section so the link is the specification URI + the sub path, but we only display sub path.

Section Name 

Number 

Sub Path 

Notes 

# Section History

Specification Section Name View specifications

Specification Name Edit feature

Number: ?  
Sub Path: #disply  
MDN key: CSS3 Display  
Notes: Initial definition. Add

Apr 21, 2015 11:13:41 AM by shobsc from IP 192.168.10.1

Current Previous

Specification Name Add Revert to this revision  
(pl): Pecifications amen Add


Number: ?  
Sub Path: [#disply] Add  
MDN key: CSS3 Display  
Notes:

Apr 21, 2015 11:13:41 AM by shobsc from IP 192.168.10.1

# Maturity Name



Slug: WD

Maturity Name 

Slug

User (view)
This view is for moderators. Public profiles might display something more friendly like "Tables this user has contributed to".

Username
Created: 2014-12-30 10:00:00
Agreement: Version 1.0
Permissions: change-resource, delete-resource
Revert all and ban user.

Browser Firefox for Desktop
Version 37.0 Update >
Apr 21, 2015 11:13:41 AM by shobson
Revert change set

Feature Feature Name Add >
Support Chrome for Desktop 23.0 Add >
Firefox for Desktop 35.0 - 37.0 Add >
Safari for Desktop 6.0, 8.0 - 8.01 Add >

Feature Feature Name
Support Chrome for Desktop 23.0 Update >

Feature Feature Name Update >
Apr 21, 2015 11:13:41 AM by shobson
Revert change set

Feature Feature Name
Support Chrome for Desktop 23.0 Update >
Apr 21, 2015 11:13:41 AM by shobson
Revert change set

Browser Internet Explorer for Mobile
Version 11.0 Add >
Apr 21, 2015 11:13:41 AM by shobson
Revert change set

Feature Feature Name
Support Internet Explorer for Mobile 11.0 Add >

Feature Flex
Support Internet Explorer for Mobile 11.0 Add >

Feature inline-flex
Support Internet Explorer for Mobile 11.0 Add >

Feature align-items
Support Internet Explorer for Mobile 11.0 Add >

Username

Created

Agreement

Permissions  
 change-resource  delete-resource  import-mdn

Created is server only. Agreement should only be editable by the user themselves.

Permissions need to be discussed. These are just examples.

Browser Firefox for Desktop Apr 21, 2015 11:13:41 AM by [shobson](#) [Revert all](#)

Version 37.0

Feature Feature Name

Support Chrome for Desktop 23.0

Firefox for Desktop 35.0 - 37.0

Safari for Desktop 6.0, 8.0 - 8.01

Feature Feature Name

Support Chrome for Desktop 23.0

Feature Feature Name   Apr 21, 2015 11:13:41 AM by [shobson](#) [Revert all](#)

Feature Feature Name Apr 21, 2015 11:13:41 AM by [shobson](#) [Revert all](#)

Support Chrome for Desktop 23.0

Browser Internet Explorer for Mobile Apr 21, 2015 11:13:41 AM by [shobson](#) [Revert all](#)

Version 11.0

Feature Feature Name

Support Internet Explorer for Mobile 11.0

Feature Flex

Support Internet Explorer for Mobile 11.0

Feature inline-flex

Support Internet Explorer for Mobile 11.0

Feature align-items

Support Internet Explorer for Mobile 11.0

# Revisions

Select boxes are actually auto complete/suggest for feature and users.

Revisions

Revision Date / / Feature Name Features Browser Browsers  
Locale Language User Users Filter

I'm not sure how the revert link works if a subsequent edit has been made.

Browser Firefox for Desktop  
Version 37.0 Update > Apr 21, 2015 11:13:41 AM by shobsca  
Revert change set and ban user.

User added a new feature with support for 3 browsers, in the process they had to add a new version and they updated support for a child feature.

Feature Feature Name Add >  
Support Chrome for Desktop 23.0 Add >  
Firefox for Desktop 35.0 - 37.0 Add >  
Safari for Desktop 6.0, 8.0 - 8.01 Add >  
Feature Feature Name  
Support Chrome for Desktop 23.0 Update >

User edited a feature

Feature Feature Name Update > Apr 21, 2015 11:13:41 AM by shobsca  
Revert change set and ban user.

User added the Flex-basis feature to the flex feature, including a link to the section, which had to be created.

Specification CSS Flexible Box Layout Module Update  
Section flex-basis Add >  
Feature Flex Update >  
Feature Flex-basis Add >

User edited support for a feature.

Feature Feature Name  
Support Chrome for Desktop 23.0 Update > Apr 21, 2015 11:13:41 AM by shobsca  
Revert change set and ban user.

Browser Internet Explorer for Mobile  
Version 11.0 Add > Apr 21, 2015 11:13:41 AM by shobsca  
Revert change set and ban user.

User added a new browser and a bit of support for it to some features.

Feature Feature Name  
Support Internet Explorer for Mobile 11.0 Add >  
Feature Flex  
Support Internet Explorer for Mobile 11.0 Add >  
Feature inline-flex  
Support Internet Explorer for Mobile 11.0 Add >  
Feature align-items  
Support Internet Explorer for Mobile 11.0 Add >



# Revisions

Revision Date / / Feature Name Features Browser Browsers Locale Language User Users Filter

Browser Firefox for Desktop Version 37.0 Update Apr 21, 2015 11:13:41 AM by shobsca Revert change set and ban user.

View History Edit Revert 37.0 Status: Current Release Day: 2015-01-25 Retirement Day: 2015-03-13 Notes: A Note. (p) A oten. Release Notes: http://example.com/release-notes-link

TODO: better indication of which is new version.

When viewing in 1 language only show translations if there are changes but show all others fields even if no changes.

Feature Feature Name Update

View History Edit Revert Feature Name Slug: feature\_slug Status: Experimental MDN source: developer.mozilla.org/docs/souce-artcle Child Features: none, inline and block, inline-block, list-item, run-in, table, table-cell, table-column, table-column-group, table-header-group, table-row-group, table-footer-group, table-row, and table-caption, flex, inline-flex, grid, inline-grid

User added a new feature with support for 3 browsers, in the process they had to add a new version and they updated support for a child feature.

Support Chrome for Desktop 23.0 Add

View History Edit Revert 23.0 [] -x- -x- Requires the -webkit- prefix. [] allowed it in sandboxed <iframe> if the non-standard value webkit-allow-pointer-lock is set to the sandbox attribute.

When support or versions are added for the first time it would be useful to have the previous version support or version visible for comparison. Need to sort out a UI for that.

Firefox for Desktop 35.0 - 37.0 Update

View History Edit Revert 37.0 [] -x- -x- Requires the -webkit- prefix. [] allowed it in sandboxed <iframe> if the non-standard value webkit-allow-pointer-lock is set to the sandbox attribute. (translation)

View History Edit Revert 36.0 [] -x- -x- Requires the -webkit- prefix. [] allowed it in sandboxed <iframe> if the non-standard value webkit-allow-pointer-lock is set to the sandbox attribute.

View History Edit Revert 35.01 [] - -x- Requires the -webkit- prefix. [] allowed it in sandboxed <iframe> if the non-standard value webkit-allow-pointer-lock is set to the sandbox attribute.

View History Edit Revert 35.0 [] -x- -x- Requires the -webkit- prefix. [] allowed it in sandboxed <iframe> if the non-standard value webkit-allow-pointer-lock is set to the sandbox attribute.

I'm being lazy with these examples. In a real situation there is no need to have duplicate data for version 35.0- 37.0 only landmark changes need to be in the data. Also, it's unlikely that all of these versions had inaccurate prefix information. It's sample data people, work with me.

Safari for Desktop 6.0, 8.0 - 8.01 Add

Feature Feature Name Support Chrome for Desktop 23.0 Update

Feature Feature Name Update Apr 21, 2015 11:13:41 AM by shobsca Revert change set and ban user.

User edited a feature

Specification CSS Flexible Box Layout Module Update Section flex-basis Add Feature Flex Update Feature Flex-basis Add

User added the Flex-basis feature and associated specification section.

Feature Feature Name Support Chrome for Desktop 23.0 Update

User edited support for a feature.

Browser Internet Explorer for Mobile Version 11.0 Add

Feature Feature Name Support Internet Explorer for Mobile 11.0 Add Flex Support Internet Explorer for Mobile 11.0 Add inline-flex Support Internet Explorer for Mobile 11.0 Add align-items Support Internet Explorer for Mobile 11.0 Add

User added a new browser and a bit of support for it to some features.