

Estadísticas de la sesión

[2147483673] <https://appr.tc/r/1122334455?vrc=H264> 16:15:59 GMT+0200 (Romance Standard Time)

ID de PeerConnection: 1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)

Estadísticas ICE

Candidato local	Candidato remoto	Estado ICE	Prioridad	Nominado	Seleccionado
192.168.12.14:51238/udp(host)	192.168.208.102:58207/udp(host)	failed	9115005270282354000		
192.168.12.14:51238/udp(host)	192.168.208.102:58207/udp(host)	failed	9115005270282354000		
192.168.12.14:51238/udp(host)	192.168.12.24:58643/udp(host)	succeeded	9114756780654461000	true	true
74.125.143.127:30210/udp(relayed-udp)	192.168.208.102:58207/udp(host)	cancelled	396069377041907200		
74.125.143.127:30210/udp(relayed-udp)	192.168.12.24:58643/udp(host)	cancelled	396069377041776100		
74.125.143.86:30379/udp(relayed-tcp)	192.168.208.102:58207/udp(host)	cancelled	35782506363895296		
74.125.143.86:30379/udp(relayed-tcp)	192.168.12.24:58643/udp(host)	cancelled	35782506363764224		

Reinicios de ICE:

Vueltas atrás de ICE:

SDP

SDP local

```
v=0
o=mozilla...THIS_IS_SDPARTA-54.0 5302671391076799453 0 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 1A:93:44:10:9F:B8:86:B4:94:93:43:59:E5:58:6F:E2:6E:26:1A:C1:EA:38:AB:BF:44:34:70:CA:BD:F1:DC:75
a=group:BUNDLE sdparta_0 sdparta_1
a=ice-options:trickle
a=msid-semantic:WMS *
m=audio 30210 UDP/TLS/RTP/SAVPF 109 9 0 8 101
c=IN IP4 74.125.143.127
a=candidate:0 1 UDP 2122252543 192.168.12.14 51238 typ host
a=candidate:6 1 TCP 2105524479 192.168.12.14 9 typ host tcptype active
a=candidate:9 1 TCP 2105458943 2001:0:9d38:953c:3c05:2330:3f57:f3f1 9 typ host tcptype active
a=candidate:0 2 UDP 2122252542 192.168.12.14 51239 typ host
a=candidate:6 2 TCP 2105524478 192.168.12.14 9 typ host tcptype active
a=candidate:9 2 TCP 2105458942 2001:0:9d38:953c:3c05:2330:3f57:f3f1 9 typ host tcptype active
a=candidate:2 1 UDP 1686052607 85.62.135.115 3661 typ srflx raddr 192.168.12.14 rport 51238
a=candidate:3 1 UDP 92217087 74.125.143.127 30210 typ relay raddr 74.125.143.127 rport 30210
a=candidate:7 1 UDP 8331263 74.125.143.86 30379 typ relay raddr 74.125.143.86 rport 30379
a=candidate:2 2 UDP 1686052606 85.62.135.115 35540 typ srflx raddr 192.168.12.14 rport 51239
a=candidate:3 2 UDP 92217086 74.125.143.127 26666 typ relay raddr 74.125.143.127 rport 26666
a=candidate:7 2 UDP 8331262 74.125.39.57 30107 typ relay raddr 74.125.39.57 rport 30107
a=candidate:1 1 UDP 1686052863 85.62.135.115 5028 typ srflx raddr 192.168.12.14 rport 51238
a=candidate:1 2 UDP 1686052862 85.62.135.115 16734 typ srflx raddr 192.168.12.14 rport 51239
a=sendrecv
a=end-of-candidates
a=extmap:1/sendonly urn:ietf:params:rtp-hdrext:ssrc-audio-level
a=fmtp:109 maxplaybackrate=48000;stereo=1;useinbandfec=1
a=fmtp:101 0-15
a=ice-pwd:1e44e4c776f1df98c18a0041be45ff58
a=ice-ufraq:1795c71f
a=mid:sdparta_0
a=msid:{f2b9bf0a-90d1-475b-bcfa-930ald52a28} {db519c25-5b71-4f97-9923-4ee36f3e1ec7}
a=rtcp:26666 IN IP4 74.125.143.127
a=rtcp-mux
a=rtpmap:109 opus/48000/2
a=rtpmap:9 G722/8000/1
a=rtpmap:0 PCMU/8000
a=rtpmap:8 PCMA/8000
a=rtpmap:101 telephone-event/8000
a=setup:actpass
a=ssrc:724422902 cname:{799e8540-6d57-44aa-9f69-7d5fae80be98}
m=video 30128 UDP/TLS/RTP/SAVPF 126 120 121 97
c=IN IP4 74.125.143.86
a=bundle-only
a=candidate:0 1 UDP 2122252543 192.168.12.14 51240 typ host
a=candidate:6 1 TCP 2105524479 192.168.12.14 9 typ host tcptype active
a=candidate:9 1 TCP 2105458943 2001:0:9d38:953c:3c05:2330:3f57:f3f1 9 typ host tcptype active
a=candidate:0 2 UDP 2122252542 192.168.12.14 51241 typ host
a=candidate:6 2 TCP 2105524478 192.168.12.14 9 typ host tcptype active
a=candidate:9 2 TCP 2105458942 2001:0:9d38:953c:3c05:2330:3f57:f3f1 9 typ host tcptype active
a=candidate:2 1 UDP 1686052607 85.62.135.115 16939 typ srflx raddr 192.168.12.14 rport 51240
a=candidate:3 1 UDP 92217087 74.125.143.86 30128 typ relay raddr 74.125.143.86 rport 30128
a=candidate:7 1 UDP 8331263 74.125.143.87 28574 typ relay raddr 74.125.143.87 rport 28574
a=candidate:2 2 UDP 1686052606 85.62.135.115 7428 typ srflx raddr 192.168.12.14 rport 51241
a=candidate:3 2 UDP 92217086 74.125.143.85 30470 typ relay raddr 74.125.143.85 rport 30470
a=candidate:7 2 UDP 8331262 74.125.39.57 30831 typ relay raddr 74.125.39.57 rport 30831
a=candidate:1 1 UDP 1686052863 85.62.135.115 43568 typ srflx raddr 192.168.12.14 rport 51240
a=candidate:1 2 UDP 1686052862 85.62.135.115 9245 typ srflx raddr 192.168.12.14 rport 51241
a=sendrecv
a=end-of-candidates
a=extmap:1 http://www.webrtc.org/experiments/rtp-hdrext/abs-send-time
a=extmap:2 urn:ietf:params:rtp-hdrext:toffset
a=fmtp:126 profile-level-id=42e01f;level-asymmetry-allowed=1;packetization-mode=1
a=fmtp:97 profile-level-id=42e01f;level-asymmetry-allowed=1
a=fmtp:120 max-fs=12288;max-fr=60
a=fmtp:121 max-fs=12288;max-fr=60
a=ice-pwd:1e44e4c776f1df98c18a0041be45ff58
```

```

a=ice-ufrag:1795c71f
a=mid:sdparta_1
a=msid:(f2b9bf0a-90d1-475b-bcfa-930a1db52a28) (e1a4a066-f67c-444f-9926-2477f04ed5e3)
a=rtcp:30470 IN IP4 74.125.143.85
a=rtcp-fb:120 nack
a=rtcp-fb:120 nack pli
a=rtcp-fb:120 ccm fir
a=rtcp-fb:120 goog-remb
a=rtcp-fb:121 nack
a=rtcp-fb:121 nack pli
a=rtcp-fb:121 ccm fir
a=rtcp-fb:121 goog-remb
a=rtcp-fb:126 nack
a=rtcp-fb:126 nack pli
a=rtcp-fb:126 ccm fir
a=rtcp-fb:126 goog-remb
a=rtcp-fb:97 nack
a=rtcp-fb:97 nack pli
a=rtcp-fb:97 ccm fir
a=rtcp-fb:97 goog-remb
a=rtcp-mux
a=rtpmap:120 VP8/90000
a=rtpmap:121 VP9/90000
a=rtpmap:126 H264/90000
a=rtpmap:97 H264/90000
a=setup:actpass
a=ssrc:1299304121 cname:{799e8540-6d57-44aa-9f69-7d5fae80be98}
    
```

SDP remoto

```

v=0
o=- 8565904952475216705 2 IN IP4 127.0.0.1
s=-
t=0 0
a=sendrecv
a=group:BUNDLE sdparta_0 sdparta_1
a=msid-semantic:WMS eOMRGIPs4mtRPB40t8mksRiCpzDMNSJieEon
m=audio 9 UDP/TLS/RTP/SAVPF 109 9 0 8 101
c=IN IP4 0.0.0.0
a=candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kfRi network-id 2
a=candidate:351914651 1 udp 2122194687 192.168.12.24 58643 typ host generation 0 ufrag kfRi network-id 1
a=candidate:1738237867 1 udp 1686052607 107.20.166.29 58207 typ srflx raddr 192.168.208.102 rport 58207 generation 0 ufrag kfRi network-id 2
a=sendrecv
a=extmap:1 urn:ietf:params:rtp-hdrext:ssrc-audio-level
a=fingerprint:sha-256 C4:30:1F:96:C4:F2:59:28:50:3C:71:72:78:35:09:14:E2:0F:C9:F6:65:06:D9:79:32:31:49:D7:26:B1:AE:16
a=fmtp:109 maxplaybackrate=0;stereo=0;useinbandfec=1
a=ice-options:trickle
a=ice-pwd:ob6cXf06VnTXkjMS7EBKdQuF
a=ice-ufrag:kfRi
a=mid:sdparta_0
a=rtcp:9 IN IP4 0.0.0.0
a=rtcp-mux
a=rtpmap:109 opus/48000/2
a=rtpmap:9 G722/8000/1
a=rtpmap:0 PCMU/8000
a=rtpmap:8 PCMA/8000
a=rtpmap:101 telephone-event/8000
a=setup:active
a=ssrc:733955534 cname:6OwYhNDbpVPGGMXH
a=ssrc:733955534 msid:eOMRGIPs4mtRPB40t8mksRiCpzDMNSJieEon 97ffa733-b9e8-4fbc-a801-8b285b1bf270
a=ssrc:733955534 mslabel:eOMRGIPs4mtRPB40t8mksRiCpzDMNSJieEon
a=ssrc:733955534 label:97ffa733-b9e8-4fbc-a801-8b285b1bf270
m=video 9 UDP/TLS/RTP/SAVPF 126 120 121
c=IN IP4 0.0.0.0
a=sendrecv
a=extmap:2 urn:ietf:params:rtp-hdrext:toffset
a=extmap:1 http://www.webrtc.org/experiments/rtp-hdrext/abs-send-time
a=fingerprint:sha-256 C4:30:1F:96:C4:F2:59:28:50:3C:71:72:78:35:09:14:E2:0F:C9:F6:65:06:D9:79:32:31:49:D7:26:B1:AE:16
a=fmtp:126 profile-level-id=42e01f;level-asymmetry-allowed=1;packetization-mode=1
a=ice-options:trickle
a=ice-pwd:ob6cXf06VnTXkjMS7EBKdQuF
a=ice-ufrag:kfRi
a=mid:sdparta_1
a=rtcp:9 IN IP4 0.0.0.0
a=rtcp-fb:126 ccm fir
a=rtcp-fb:126 nack
a=rtcp-fb:126 nack pli
a=rtcp-fb:126 goog-remb
a=rtcp-fb:120 ccm fir
a=rtcp-fb:120 nack
a=rtcp-fb:120 nack pli
a=rtcp-fb:120 goog-remb
a=rtcp-fb:121 ccm fir
a=rtcp-fb:121 nack
a=rtcp-fb:121 nack pli
a=rtcp-fb:121 goog-remb
a=rtcp-mux
a=rtpmap:126 H264/90000
a=rtpmap:120 VP8/90000
a=rtpmap:121 VP9/90000
a=setup:active
a=ssrc:868068764 cname:6OwYhNDbpVPGGMXH
a=ssrc:868068764 msid:eOMRGIPs4mtRPB40t8mksRiCpzDMNSJieEon 81f81745-f26e-4900-a202-3e3002a981c9
a=ssrc:868068764 mslabel:eOMRGIPs4mtRPB40t8mksRiCpzDMNSJieEon
a=ssrc:868068764 label:81f81745-f26e-4900-a202-3e3002a981c9
    
```

Estadísticas RDP

outbound_rtcp_audio_0

Local: 05:26:59 GMT+0100 (Romance Daylight Time) inbound-rtp SSRC: 724422902 Recibido: 37404 paquetes (3397.04 Kb) Perdido: 0 Jitter: 0.015 RTT: 1 ms

outbound_rtcp_video_1

Local: 05:26:59 GMT+0100 (Romance Daylight Time) inbound-rtp SSRC: 1299304121 Recibido: 68880 paquetes (63713.10 Kb) Perdido: 0 Jitter: 0.373 RTT: 2 ms

inbound_rtp_video_1

Decodificador: Tasa de bits promedio: 2.47 Mbps (0.20 SD)

Local: 16:15:59 GMT+0200 (Romance Standard Time) inbound-rtp SSRC: 868068764 Recibido: 210502 paquetes (232116.63 Kb) Perdido: 4 Jitter: 0.874

Remoto: 05:26:59 GMT+0100 (Romance Daylight Time) outbound-rtp SSRC: 868068764 Enviado: 210506 paquetes (227997.17 Kb)

inbound_rtp_audio_0

retraso de jitter-buffer: 64 ms

Local: 16:15:59 GMT+0200 (Romance Standard Time) inbound-rtp SSRC: 733955534 Recibido: 37732 paquetes (6669.43 Kb) Perdido: 0 Jitter: 0.004

Remoto: 16:16:00 GMT+0200 (Romance Standard Time) outbound-rtp SSRC: 733955534 Enviado: 37730 paquetes (5932.16 Kb)

outbound_rtp_audio_0

Local: 16:15:59 GMT+0200 (Romance Standard Time) outbound-rtp SSRC: 724422902 Enviado: 37591 paquetes (4548.46 Kb)

Remoto: 05:26:59 GMT+0100 (Romance Daylight Time) inbound-rtp SSRC: 724422902 Recibido: 37404 paquetes (3397.04 Kb) Perdido: 0 Jitter: 0.015 RTT: 1 ms

outbound_rtp_video_1

Codificador: Tasa de bits promedio: 0.73 Mbps (0.99 SD) Tasa de fotogramas promedio: 29.72 fps (2.92 SD) Fotogramas descartados: 7

Local: 16:15:59 GMT+0200 (Romance Standard Time) outbound-rtp SSRC: 1299304121 Enviado: 68880 paquetes (66000.13 Kb)

Remoto: 05:26:59 GMT+0100 (Romance Daylight Time) inbound-rtp SSRC: 1299304121 Recibido: 68880 paquetes (63713.10 Kb) Perdido: 0 Jitter: 0.373 RTT: 2 ms

inbound_rtp_video_1

Local: 05:26:59 GMT+0100 (Romance Daylight Time) outbound-rtp SSRC: 868068764 Enviado: 210506 paquetes (227997.17 Kb)

inbound_rtp_audio_0

Local: 16:16:00 GMT+0200 (Romance Standard Time) outbound-rtp SSRC: 733955534 Enviado: 37730 paquetes (5932.16 Kb)

Registro de conexión

```
(registry/INFO) insert 'ice' (registry) succeeded: ice
(registry/INFO) insert 'ice.pref' (registry) succeeded: ice.pref
(registry/INFO) insert 'ice.pref.type' (registry) succeeded: ice.pref.type
(registry/INFO) insert 'ice.pref.type.srv_rflx' (UCHAR) succeeded: 0x64
(registry/INFO) insert 'ice.pref.type.peer_rflx' (UCHAR) succeeded: 0x6e
(registry/INFO) insert 'ice.pref.type.host' (UCHAR) succeeded: 0x7e
(registry/INFO) insert 'ice.pref.type.relayed' (UCHAR) succeeded: 0x05
(registry/INFO) insert 'ice.pref.type.srv_rflx_tcp' (UCHAR) succeeded: 0x63
(registry/INFO) insert 'ice.pref.type.peer_rflx_tcp' (UCHAR) succeeded: 0x6d
(registry/INFO) insert 'ice.pref.type.host_tcp' (UCHAR) succeeded: 0x7d
(registry/INFO) insert 'ice.pref.type.relayed_tcp' (UCHAR) succeeded: 0x00
(registry/INFO) insert 'stun' (registry) succeeded: stun
(registry/INFO) insert 'stun.client' (registry) succeeded: stun.client
(registry/INFO) insert 'stun.client.maximum_transmits' (UINT4) succeeded: 7
(registry/INFO) insert 'ice.trickle_grace_period' (UINT4) succeeded: 5000
(registry/INFO) insert 'ice.tcp' (registry) succeeded: ice.tcp
(registry/INFO) insert 'ice.tcp.so_sock_count' (INT4) succeeded: 0
(registry/INFO) insert 'ice.tcp.listen_backlog' (INT4) succeeded: 10
(registry/INFO) insert 'ice.tcp.disable' (char) succeeded: \000
(generic/ERR) UDP socket error:Internal error at c:/builds/moz2_slave/m-rel-w32-000000000000000000/build/src/dom/network
/UDPSocketParent.cpp:111 this=10D929A0
(ice/WARNING) ICE(PC:1497880819457000 (id=2147483656 url=https://appr.tc/r/1122334455?vrc=H264)): couldn't create socket for address
IP6:[2001:0:9d38:953c:3c05:2330:3f57:f3f1]:0/UDP
(ice/INFO) c:/builds/moz2_slave/m-rel-w32-000000000000000000/build/src/media/mtransport/third_party/NICEr/src/net
/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping UDP STUN server(addr:)
(ice/INFO) c:/builds/moz2_slave/m-rel-w32-000000000000000000/build/src/media/mtransport/third_party/NICEr/src/net
/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping UDP STUN
server(addr:IP4:74.125.143.127:19305/UDP)
(ice/INFO) c:/builds/moz2_slave/m-rel-w32-000000000000000000/build/src/media/mtransport/third_party/NICEr/src/net
/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping UDP STUN server(addr:)
(ice/WARNING) c:/builds/moz2_slave/m-rel-w32-000000000000000000/build/src/media/mtransport/third_party/NICEr/src/net
/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
(ice/WARNING) ICE(PC:1497880819457000 (id=2147483656 url=https://appr.tc/r/1122334455?vrc=H264)): failed to create passive TCP host
candidate: 3
(ice/INFO) c:/builds/moz2_slave/m-rel-w32-000000000000000000/build/src/media/mtransport/third_party/NICEr/src/net
/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping UDP STUN server(addr:)
(ice/INFO) c:/builds/moz2_slave/m-rel-w32-000000000000000000/build/src/media/mtransport/third_party/NICEr/src/net
/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping UDP STUN
server(addr:IP4:74.125.143.127:19305/UDP)
(ice/INFO) c:/builds/moz2_slave/m-rel-w32-000000000000000000/build/src/media/mtransport/third_party/NICEr/src/net
/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping UDP STUN server(addr:)
(ice/INFO) c:/builds/moz2_slave/m-rel-w32-000000000000000000/build/src/media/mtransport/third_party/NICEr/src/net
/nr_socket_multi_tcp.c:179 function nr_socket_multi_tcp_create_stun_server_socket skipping STUN with different IP version (4) than
local socket (6),
(ice/WARNING) c:/builds/moz2_slave/m-rel-w32-000000000000000000/build/src/media/mtransport/third_party/NICEr/src/net
/nr_socket_multi_tcp.c:617 function nr_socket_multi_tcp_listen failed with error 3
(ice/WARNING) ICE(PC:1497880819457000 (id=2147483656 url=https://appr.tc/r/1122334455?vrc=H264)): failed to create passive TCP host
candidate: 3
(ice/INFO) ICE(PC:1497880819457000 (id=2147483656 url=https://appr.tc/r/1122334455?vrc=H264)): Skipping TURN server because of IP
version mis-match (6 - 4)
(generic/ERR) Error from TCP SocketChild: type: ConnectionRefusedError, name: Network
(generic/ERR) UDP socket error:Internal error at c:/builds/moz2_slave/m-rel-w32-000000000000000000/build/src/dom/network
/UDPSocketParent.cpp:111 this=10D939F0
(ice/WARNING) ICE(PC:1497880819457000 (id=2147483656 url=https://appr.tc/r/1122334455?vrc=H264)): couldn't create socket for address
IP6:[2001:0:9d38:953c:3c05:2330:3f57:f3f1]:0/UDP
(ice/INFO) c:/builds/moz2_slave/m-rel-w32-000000000000000000/build/src/media/mtransport/third_party/NICEr/src/net
/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping UDP STUN server(addr:)
(ice/INFO) c:/builds/moz2_slave/m-rel-w32-000000000000000000/build/src/media/mtransport/third_party/NICEr/src/net
/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping UDP STUN
```



```

    relay(IP4:192.168.12.14:0/TCP|[2A00:1450:4013:C03::7F]:443).
(ice/WARNING) ICE(PC:1497880819457000 (id=2147483656 url=https://appr.tc/r/1122334455?vrc=H264)): failed to resolve candidate relay(IP6:
[2001:0:9d38:953c:3c05:2330:3f57:f3f1]:0/TCP|[2A00:1450:4013:C03::7F]:443).
(ice/WARNING) ICE(PC:1497880819457000 (id=2147483656 url=https://appr.tc/r/1122334455?vrc=H264)): failed to resolve candidate
relay(IP4:192.168.12.14:51531/UDP|[2A00:1450:4013:C03::7F]:19305).
(ice/WARNING) ICE(PC:1497880819457000 (id=2147483656 url=https://appr.tc/r/1122334455?vrc=H264)): failed to resolve candidate
relay(IP4:192.168.12.14:0/TCP|[2A00:1450:4013:C03::7F]:443).
(ice/WARNING) ICE(PC:1497880819457000 (id=2147483656 url=https://appr.tc/r/1122334455?vrc=H264)): failed to resolve candidate relay(IP6:
[2001:0:9d38:953c:3c05:2330:3f57:f3f1]:0/TCP|[2A00:1450:4013:C03::7F]:443).
(generic/INFO) Write buffer not empty for IP4:74.125.143.127:443/TCP 44 - already armed (@10D92D30), not connected
(generic/EMERG) Firing write callback (0)
(generic/INFO) Invoking writable_cb on connected (44)
(generic/INFO) Writable_cb IP4:74.125.143.127:443/TCP (0 (10D92D30) pending)
(generic/ERR) UpdateBufferedAmount: (tracking 1): 0, waiting: no
(generic/EMERG) Firing write callback (0)
(generic/EMERG) Firing write callback (0)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:65099/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:65099/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Error processing response: Retry may
be possible, stun error code 401.
(generic/EMERG) Firing write callback (0)
(generic/ERR) UpdateBufferedAmount: (tracking 1): 0, waiting: no
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:65100/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:65100/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Error processing response: Retry may
be possible, stun error code 401.
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Error processing response: Retry may be
possible, stun error code 401.
(generic/ERR) UpdateBufferedAmount: (tracking 2): 0, waiting: no
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:65099/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:65099/UDP|IP4:74.125.143.127:19305/UDP)): Successfully allocated addr
IP4:74.125.143.127:30609/UDP lifetime=120
(generic/ERR) UpdateBufferedAmount: (tracking 1): 0, waiting: no
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Error processing response: Retry may be
possible, stun error code 401.
(generic/ERR) UpdateBufferedAmount: (tracking 2): 0, waiting: no
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:65100/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:65100/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Error processing response: Retry may
be possible, stun error code 401.
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:65100/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:65100/UDP|IP4:74.125.143.127:19305/UDP)): Successfully allocated addr IP4:74.125.39.57:29142/UDP
lifetime=120
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): Successfully allocated addr IP4:74.125.39.57:29758/UDP
lifetime=120
(generic/ERR) UpdateBufferedAmount: (tracking 1): 0, waiting: no
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Error processing response: Retry may be
possible, stun error code 401.
(generic/ERR) UpdateBufferedAmount: (tracking 2): 0, waiting: no
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): Successfully allocated addr IP4:74.125.143.127:27127/UDP
lifetime=120
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:51531/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:51531/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Error processing response: Retry may
be possible, stun error code 401.
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:61867/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:61867/UDP|IP4:74.125.143.127:19305/UDP)): Successfully allocated addr
IP4:74.125.143.86:27034/UDP lifetime=120
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Error processing response: Retry may be
possible, stun error code 401.
(stun/INFO) STUN-CLIENT(srflx(IP4:192.168.12.14:65099/UDP|stun.l.google.com:19302)): Received response; processing
(generic/ERR) UpdateBufferedAmount: (tracking 2): 0, waiting: no
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): Successfully allocated addr IP4:74.125.39.57:29663/UDP
lifetime=120
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:51531/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:51531/UDP|IP4:74.125.143.127:19305/UDP)): Successfully allocated addr
IP4:74.125.143.85:29277/UDP lifetime=120
(stun/INFO) STUN-CLIENT(srflx(IP4:192.168.12.14:65100/UDP|stun.l.google.com:19302)): Received response; processing
(stun/INFO) STUN-CLIENT(srflx(IP4:192.168.12.14:61867/UDP|stun.l.google.com:19302)): Received response; processing
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): Successfully allocated addr IP4:74.125.143.127:27391/UDP
lifetime=120
(stun/INFO) STUN-CLIENT(srflx(IP4:192.168.12.14:51531/UDP|stun.l.google.com:19302)): Received response; processing
(ice/WARNING) ICE(PC:1497880819457000 (id=2147483656 url=https://appr.tc/r/1122334455?vrc=H264)): peer (PC:1497880819457000
(id=2147483656 url=https://appr.tc/r/1122334455?vrc=H264):default) has no stream matching stream 0-1497880819457000 (id=2147483656
url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0
(turn/INFO) TURN(relay(IP4:192.168.12.14:65099/UDP|IP4:74.125.143.127:19305/UDP)): deallocating
(turn/INFO) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): deallocating
(generic/ERR) Write error for IP4:74.125.143.127:443/TCP - 10
(turn/WARNING) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): Failed sending request
(turn/INFO) TURN(relay(IP4:192.168.12.14:65100/UDP|IP4:74.125.143.127:19305/UDP)): deallocating
(turn/INFO) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): deallocating
(generic/ERR) Write error for IP4:74.125.143.127:443/TCP - 10
(turn/WARNING) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): Failed sending request
(ice/WARNING) ICE(PC:1497880819457000 (id=2147483656 url=https://appr.tc/r/1122334455?vrc=H264)): peer (PC:1497880819457000
(id=2147483656 url=https://appr.tc/r/1122334455?vrc=H264):default) has no stream matching stream 0-1497880819457000 (id=2147483656
url=https://appr.tc/r/1122334455?vrc=H264) aLevel=1
(turn/INFO) TURN(relay(IP4:192.168.12.14:61867/UDP|IP4:74.125.143.127:19305/UDP)): deallocating

```



```
PAIR(IaHp): setting pair to state FROZEN: IaHp|IP4:192.168.12.14:58825/UDP|IP4:192.168.12.24:50294/UDP (host (IP4:192.168.12.14:58825/UDP)|candidate:4 1 UDP 2013266431 192.168.12.24 50294 typ host)
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#))/CAND-PAIR(IaHp): Pairing candidate IP4:192.168.12.14:58825/UDP (7e7f00ff):IP4:192.168.12.24:50294/UDP (780001ff) priority=8646913483524145663 (780001fffcfe01ff)
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/ICE-STREAM(0-1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#) aLevel=0): Starting check timer for stream.
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/CAND-PAIR(IaHp): setting pair to state WAITING: IaHp|IP4:192.168.12.14:58825/UDP|IP4:192.168.12.24:50294/UDP (host (IP4:192.168.12.14:58825/UDP)|candidate:4 1 UDP 2013266431 192.168.12.24 50294 typ host)
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/CAND-PAIR(IaHp): setting pair to state IN_PROGRESS: IaHp|IP4:192.168.12.14:58825/UDP|IP4:192.168.12.24:50294/UDP (host (IP4:192.168.12.14:58825/UDP)|candidate:4 1 UDP 2013266431 192.168.12.24 50294 typ host)
(ice/NOTICE) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#)): peer (PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default) is now checking
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/CAND-PAIR(bbtb): setting pair to state FROZEN: bbtb|IP4:192.168.12.14:58825/UDP|IP4:192.168.12.24:45397/UDP (host (IP4:192.168.12.14:58825/UDP)|candidate:7 1 UDP 2013266431 192.168.12.24 45397 typ host)
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#))/CAND-PAIR(bbtb): Pairing candidate IP4:192.168.12.14:58825/UDP (7e7f00ff):IP4:192.168.12.24:45397/UDP (780001ff) priority=8646913483524145663 (780001fffcfe01ff)
(ice/ERR) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#)): peer (PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default) pairing local trickle ICE candidate host (IP4:192.168.12.14:61588/TCP) active
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/CAND-PAIR(d/P8): setting pair to state FROZEN: d/P8|IP4:192.168.12.14:61588/TCP|IP4:192.168.12.24:48006/TCP (host (IP4:192.168.12.14:61588/TCP) active|candidate:6 1 TCP 1015022079 192.168.12.24 48006 typ host tcptype passive)
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#))/CAND-PAIR(d/P8): Pairing candidate IP4:192.168.12.14:61588/TCP (7d7fc0ff):IP4:192.168.12.24:48006/TCP (3c8001ff) priority=435948663823397343 (3c8001ffaff81ff)
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/CAND-PAIR(2HMR): setting pair to state FROZEN: 2HMR|IP4:192.168.12.14:61588/TCP|IP4:192.168.12.24:44769/TCP (host (IP4:192.168.12.14:61588/TCP) active|candidate:9 1 TCP 1015022335 192.168.12.24 44769 typ host tcptype passive)
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#))/CAND-PAIR(2HMR): Pairing candidate IP4:192.168.12.14:61588/TCP (7d7fc0ff):IP4:192.168.12.24:44769/TCP (3c8002ff) priority=4359487737745605119 (3c8002ffaff81ff)
(ice/ERR) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#)): peer (PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default) pairing local trickle ICE candidate host (IP6:[2001:0:9d38:953c:3c05:2330:3f57:f3f1]:65131/TCP) active
(ice/ERR) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#)): peer (PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default) pairing local trickle ICE candidate host (IP4:192.168.12.14:58826/UDP)
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/CAND-PAIR(ipNZ): setting pair to state FROZEN: ipNZ|IP4:192.168.12.14:58826/UDP|IP4:192.168.12.24:53432/UDP (host (IP4:192.168.12.14:58826/UDP)|candidate:4 2 UDP 2013266430 192.168.12.24 53432 typ host)
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#))/CAND-PAIR(ipNZ): Pairing candidate IP4:192.168.12.14:58826/UDP (7e7f00fe):IP4:192.168.12.24:53432/UDP (780001fe) priority=8646913479229178365 (780001fefcfe01fd)
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/CAND-PAIR(dAfg): setting pair to state FROZEN: dAfg|IP4:192.168.12.14:58826/UDP|IP4:192.168.12.24:55624/UDP (host (IP4:192.168.12.14:58826/UDP)|candidate:7 2 UDP 2013266430 192.168.12.24 55624 typ host)
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#))/CAND-PAIR(dAfg): Pairing candidate IP4:192.168.12.14:58826/UDP (7e7f00fe):IP4:192.168.12.24:55624/UDP (780001fe) priority=8646913479229178365 (780001fefcfe01fd)
(ice/ERR) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#)): peer (PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default) pairing local trickle ICE candidate host (IP4:192.168.12.14:51508/TCP) active
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/CAND-PAIR(96y8): setting pair to state FROZEN: 96y8|IP4:192.168.12.14:51508/TCP|IP4:192.168.12.24:35090/TCP (host (IP4:192.168.12.14:51508/TCP) active|candidate:6 2 TCP 1015022078 192.168.12.24 35090 typ host tcptype passive)
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#))/CAND-PAIR(96y8): Pairing candidate IP4:192.168.12.14:51508/TCP (7d7fc0fe):IP4:192.168.12.24:35090/TCP (3c8001fe) priority=4359486633939010045 (3c8001fefaff81fd)
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/CAND-PAIR(3w21): setting pair to state FROZEN: 3w21|IP4:192.168.12.14:51508/TCP|IP4:192.168.12.24:34992/TCP (host (IP4:192.168.12.14:51508/TCP) active|candidate:9 2 TCP 1015022334 192.168.12.24 34992 typ host tcptype passive)
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#))/CAND-PAIR(3w21): Pairing candidate IP4:192.168.12.14:51508/TCP (7d7fc0fe):IP4:192.168.12.24:34992/TCP (3c8002fe) priority=4359487733450637821 (3c8002fefaff81fd)
(ice/ERR) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#)): peer (PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default) pairing local trickle ICE candidate host (IP6:[2001:0:9d38:953c:3c05:2330:3f57:f3f1]:55804/TCP) active
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/CAND-PAIR(bbtb): setting pair to state WAITING: bbtb|IP4:192.168.12.14:58825/UDP|IP4:192.168.12.24:45397/UDP (host (IP4:192.168.12.14:58825/UDP)|candidate:7 1 UDP 2013266431 192.168.12.24 45397 typ host)
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/CAND-PAIR(bbtb): setting pair to state IN_PROGRESS: bbtb|IP4:192.168.12.14:58825/UDP|IP4:192.168.12.24:45397/UDP (host (IP4:192.168.12.14:58825/UDP)|candidate:7 1 UDP 2013266431 192.168.12.24 45397 typ host)
(stun/INFO) STUN-CLIENT(bbtb)|IP4:192.168.12.14:58825/UDP|IP4:192.168.12.24:45397/UDP (host (IP4:192.168.12.14:58825/UDP)|candidate:7 1 UDP 2013266431 192.168.12.24 45397 typ host): Received response; processing
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/CAND-PAIR(bbtb): setting pair to state SUCCEEDED: bbtb|IP4:192.168.12.14:58825/UDP|IP4:192.168.12.24:45397/UDP (host (IP4:192.168.12.14:58825/UDP)|candidate:7 1 UDP 2013266431 192.168.12.24 45397 typ host)
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/CAND-PAIR(dAfg): setting pair to state WAITING: dAfg|IP4:192.168.12.14:58826/UDP|IP4:192.168.12.24:55624/UDP (host (IP4:192.168.12.14:58826/UDP)|candidate:7 2 UDP 2013266430 192.168.12.24 55624 typ host)
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/ICE-STREAM(0-1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#) aLevel=0)/COMP(1)/CAND-PAIR(bbtb): nominated pair is bbtb|IP4:192.168.12.14:58825/UDP|IP4:192.168.12.24:45397/UDP (host (IP4:192.168.12.14:58825/UDP)|candidate:7 1 UDP 2013266431 192.168.12.24 45397 typ host)
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/ICE-STREAM(0-1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#) aLevel=0)/COMP(1)/CAND-PAIR(bbtb): cancelling all pairs but bbtb|IP4:192.168.12.14:58825/UDP|IP4:192.168.12.24:45397/UDP (host (IP4:192.168.12.14:58825/UDP)|candidate:7 1 UDP 2013266431 192.168.12.24 45397 typ host)
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/ICE-STREAM(0-1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#) aLevel=0)/COMP(1)/CAND-PAIR(2HMR): cancelling FROZEN/WAITING pair 2HMR|IP4:192.168.12.14:61588/TCP|IP4:192.168.12.24:44769/TCP (host (IP4:192.168.12.14:61588/TCP) active|candidate:9 1 TCP 1015022335 192.168.12.24 44769 typ host tcptype passive) because CAND-PAIR(bbtb) was nominated.
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/CAND-PAIR(2HMR): setting pair to state CANCELLED: 2HMR|IP4:192.168.12.14:61588/TCP|IP4:192.168.12.24:44769/TCP (host (IP4:192.168.12.14:61588/TCP) active|candidate:9 1 TCP 1015022335 192.168.12.24 44769 typ host tcptype passive)
(ice/INFO) ICE-PEER(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#):default)/ICE-STREAM(0-1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#) aLevel=0)/COMP(1)/CAND-
```



```
(ice/WARNING) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)): failed to resolve candidate
relay(IP4:192.168.12.14:0/TCP|[2A00:1450:4013:C03::7F]:443).
(ice/WARNING) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)): failed to resolve candidate relay(IP6:
[2001:0:9d38:953c:3c05:2330:3f57:f3f1]:0/TCP|[2A00:1450:4013:C03::7F]:443).
(ice/WARNING) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)): failed to resolve candidate
relay(IP4:192.168.12.14:51240/UDP|[2A00:1450:4013:C03::7F]:19305).
(ice/WARNING) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)): failed to resolve candidate
relay(IP4:192.168.12.14:0/TCP|[2A00:1450:4013:C03::7F]:443).
(ice/WARNING) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)): failed to resolve candidate relay(IP6:
[2001:0:9d38:953c:3c05:2330:3f57:f3f1]:0/TCP|[2A00:1450:4013:C03::7F]:443).
(ice/WARNING) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)): failed to resolve candidate
relay(IP4:192.168.12.14:51241/UDP|[2A00:1450:4013:C03::7F]:19305).
(ice/WARNING) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)): failed to resolve candidate
relay(IP4:192.168.12.14:0/TCP|[2A00:1450:4013:C03::7F]:443).
(ice/WARNING) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)): failed to resolve candidate relay(IP6:
[2001:0:9d38:953c:3c05:2330:3f57:f3f1]:0/TCP|[2A00:1450:4013:C03::7F]:443).
(generic/ERR) Error from TCP/SocketChild: type: ConnectionRefusedError, name: Network
(generic/INFO) Write buffer not empty for IP4:74.125.143.127:443/TCP 44 - already armed (@10D94690), not connected
(generic/EMERG) Firing write callback (0)
(generic/INFO) Invoking writable_cb on connected (44)
(generic/INFO) Writable_cb IP4:74.125.143.127:443/TCP (0 (10D94690) pending)
(generic/EMERG) Firing write callback (0)
(generic/EMERG) Firing write callback (0)
(generic/ERR) UpdateBufferedAmount: (tracking 1): 0, waiting: no
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:51238/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:51238/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Error processing response: Retry may
be possible, stun error code 401.
(generic/EMERG) Firing write callback (0)
(generic/ERR) UpdateBufferedAmount: (tracking 1): 0, waiting: no
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Error processing response: Retry may be
possible, stun error code 401.
(generic/ERR) UpdateBufferedAmount: (tracking 2): 0, waiting: no
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:51239/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:51239/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Error processing response: Retry may
be possible, stun error code 401.
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:51238/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:51238/UDP|IP4:74.125.143.127:19305/UDP)): Successfully allocated addr
IP4:74.125.143.127:30210/UDP lifetime=120
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Error processing response: Retry may be
possible, stun error code 401.
(generic/ERR) UpdateBufferedAmount: (tracking 2): 0, waiting: no
(generic/ERR) UpdateBufferedAmount: (tracking 1): 0, waiting: no
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:51240/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:51240/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Error processing response: Retry may
be possible, stun error code 401.
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): Successfully allocated addr IP4:74.125.143.86:30379/UDP
lifetime=120
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:51239/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:51239/UDP|IP4:74.125.143.127:19305/UDP)): Successfully allocated addr
IP4:74.125.143.127:26666/UDP lifetime=120
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Error processing response: Retry may be
possible, stun error code 401.
(generic/ERR) UpdateBufferedAmount: (tracking 2): 0, waiting: no
(generic/ERR) UpdateBufferedAmount: (tracking 1): 0, waiting: no
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): Successfully allocated addr IP4:74.125.39.57:30107/UDP
lifetime=120
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:51241/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:51241/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Error processing response: Retry may
be possible, stun error code 401.
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:51240/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:51240/UDP|IP4:74.125.143.127:19305/UDP)): Successfully allocated addr
IP4:74.125.143.86:30128/UDP lifetime=120
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(stun/WARNING) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Error processing response: Retry may be
possible, stun error code 401.
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): Successfully allocated addr IP4:74.125.143.87:28574/UDP
lifetime=120
(generic/ERR) UpdateBufferedAmount: (tracking 2): 0, waiting: no
(stun/INFO) STUN-CLIENT(srflx(IP4:192.168.12.14:51238/UDP|stun.1.google.com:19302)): Received response; processing
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:51241/UDP|IP4:74.125.143.127:19305/UDP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:51241/UDP|IP4:74.125.143.127:19305/UDP)): Successfully allocated addr
IP4:74.125.143.85:30470/UDP lifetime=120
(stun/INFO) STUN-CLIENT(srflx(IP4:192.168.12.14:51239/UDP|stun.1.google.com:19302)): Received response; processing
(generic/EMERG) Firing read callback (1)
(stun/INFO) STUN-CLIENT(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)::TURN): Received response; processing
(turn/INFO) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): Successfully allocated addr IP4:74.125.39.57:30831/UDP
lifetime=120
(stun/INFO) STUN-CLIENT(srflx(IP4:192.168.12.14:51240/UDP|stun.1.google.com:19302)): Received response; processing
(stun/INFO) STUN-CLIENT(srflx(IP4:192.168.12.14:51241/UDP|stun.1.google.com:19302)): Received response; processing
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#))
/STREAM(0-1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#) aLevel=0)/COMP(1): Consent
refreshed
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#))
/STREAM(0-1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#) aLevel=0)/COMP(1): Consent
refreshed
```

```
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#))
/STREAM(0-1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#) aLevel=0)/COMP(1): Consent
refreshed
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#))
/STREAM(0-1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#) aLevel=0)/COMP(1): Consent
refreshed
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#))
/STREAM(0-1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#) aLevel=0)/COMP(1): Consent
refreshed
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#))
/STREAM(0-1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#) aLevel=0)/COMP(1): Consent
refreshed
(ice/WARNING) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)): peer (PC:1497880971983000
(id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default) has no stream matching stream 0-1497880971983000 (id=2147483673
url=https://appr.tc/r/1122334455?vrc=H264) aLevel=1
(turn/INFO) TURN(relay(IP4:192.168.12.14:51240/UDP|IP4:74.125.143.127:19305/UDP)): deallocating
(turn/INFO) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): deallocating
(generic/ERR) Write error for IP4:74.125.143.127:443/TCP - 10
(turn/WARNING) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): Failed sending request
(turn/INFO) TURN(relay(IP4:192.168.12.14:51241/UDP|IP4:74.125.143.127:19305/UDP)): deallocating
(turn/INFO) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): deallocating
(generic/ERR) Write error for IP4:74.125.143.127:443/TCP - 10
(turn/WARNING) TURN(relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.127:443/TCP)): Failed sending request
(ice/NOTICE) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)): peer (PC:1497880971983000
(id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default) no streams with non-empty check lists
(ice/NOTICE) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)): peer (PC:1497880971983000
(id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default) no streams with pre-answer requests
(ice/NOTICE) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)): peer (PC:1497880971983000
(id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default) no checks to start
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(m+vV): setting pair
to state FROZEN: m+vV|IP4:192.168.12.14:51238/UDP|IP4:192.168.208.102:58207/UDP (host (IP4:192.168.12.14:51238/UDP) |candidate:240199786
1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kFRi network-id 2)
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/CAND-PAIR(m+vV): Pairing candidate
IP4:192.168.12.14:51238/UDP (7e7f00ff):IP4:192.168.208.102:58207/UDP (7e7f1eff) priority=9115005270282354174 (7e7f00ffcf3dfe)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/ICE-STREAM(0-1497880971983000
(id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0): Starting check timer for stream.
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(m+vV): setting pair
to state WAITING: m+vV|IP4:192.168.12.14:51238/UDP|IP4:192.168.208.102:58207/UDP (host (IP4:192.168.12.14:51238
/UDP) |candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kFRi network-id 2)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(m+vV): setting pair
to state IN_PROGRESS: m+vV|IP4:192.168.12.14:51238/UDP|IP4:192.168.208.102:58207/UDP (host (IP4:192.168.12.14:51238
/UDP) |candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kFRi network-id 2)
(ice/NOTICE) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)): peer (PC:1497880971983000
(id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default) is now checking
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(Bqyq): setting pair
to state FROZEN: Bqyq|IP4:74.125.143.127:30210/UDP|IP4:192.168.208.102:58207/UDP (turn-relay (IP4:192.168.12.14:51238
/UDP|IP4:74.125.143.127:30210/UDP) |candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kFRi
network-id 2)
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/CAND-PAIR(Bqyq): Pairing candidate
IP4:74.125.143.127:30210/UDP (57f1eff):IP4:192.168.208.102:58207/UDP (7e7f1eff) priority=396069377041907198 (57f1effcf3dfe)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(1c66): setting pair
to state FROZEN: 1c66|IP4:74.125.143.86:30379/UDP|IP4:192.168.208.102:58207/UDP (turn-relay (IP4:192.168.12.14:0
/TCP|IP4:74.125.143.86:30379/UDP) |candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kFRi
network-id 2)
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/CAND-PAIR(1c66): Pairing candidate
IP4:74.125.143.86:30379/UDP (7f1fff):IP4:192.168.208.102:58207/UDP (7e7f1eff) priority=35782506363895294 (7f1fffcf3dfe)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(+Nwg): setting pair
to state FROZEN: +Nwg|IP4:192.168.12.14:51238/UDP|IP4:192.168.12.24:58643/UDP (host (IP4:192.168.12.14:51238/UDP) |candidate:351914651 1
udp 2122194687 192.168.12.24 58643 typ host generation 0 ufrag kFRi network-id 1)
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/CAND-PAIR(+Nwg): Pairing candidate
IP4:192.168.12.14:51238/UDP (7e7f00ff):IP4:192.168.12.24:58643/UDP (7e7e1eff) priority=9114756780654461439 (7e7e1effcf01ff)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(zf1q): setting pair
to state FROZEN: zf1q|IP4:74.125.143.127:30210/UDP|IP4:192.168.12.24:58643/UDP (turn-relay (IP4:192.168.12.14:51238
/UDP|IP4:74.125.143.127:30210/UDP) |candidate:351914651 1 udp 2122194687 192.168.12.24 58643 typ host generation 0 ufrag kFRi network-
id 1)
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/CAND-PAIR(zf1q): Pairing candidate
IP4:74.125.143.127:30210/UDP (57f1eff):IP4:192.168.12.24:58643/UDP (7e7e1eff) priority=396069377041776126 (57f1effcf3dfe)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(4bbf): setting pair
to state FROZEN: 4bbf|IP4:74.125.143.86:30379/UDP|IP4:192.168.12.24:58643/UDP (turn-relay (IP4:192.168.12.14:0
/TCP|IP4:74.125.143.86:30379/UDP) |candidate:351914651 1 udp 2122194687 192.168.12.24 58643 typ host generation 0 ufrag kFRi network-
id 1)
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/CAND-PAIR(4bbf): Pairing candidate
IP4:74.125.143.86:30379/UDP (7f1fff):IP4:192.168.12.24:58643/UDP (7e7e1eff) priority=35782506363764222 (7f1fffcf3dfe)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(+Nwg): setting pair
to state WAITING: +Nwg|IP4:192.168.12.14:51238/UDP|IP4:192.168.12.24:58643/UDP (host (IP4:192.168.12.14:51238/UDP) |candidate:351914651
1 udp 2122194687 192.168.12.24 58643 typ host generation 0 ufrag kFRi network-id 1)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(+Nwg): setting pair
to state IN_PROGRESS: +Nwg|IP4:192.168.12.14:51238/UDP|IP4:192.168.12.24:58643/UDP (host (IP4:192.168.12.14:51238
/UDP) |candidate:351914651 1 udp 2122194687 192.168.12.24 58643 typ host generation 0 ufrag kFRi network-id 1)
(stun/INFO) STUN-CLIENT(+Nwg)|IP4:192.168.12.14:51238/UDP|IP4:192.168.12.24:58643/UDP (host (IP4:192.168.12.14:51238
/UDP) |candidate:351914651 1 udp 2122194687 192.168.12.24 58643 typ host generation 0 ufrag kFRi network-id 1)): Received response;
processing
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(+Nwg): setting pair
to state SUCCEEDED: +Nwg|IP4:192.168.12.14:51238/UDP|IP4:192.168.12.24:58643/UDP (host (IP4:192.168.12.14:51238
/UDP) |candidate:351914651 1 udp 2122194687 192.168.12.24 58643 typ host generation 0 ufrag kFRi network-id 1)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/STREAM(0-1497880971983000
(id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0)/COMP(1)/CAND-PAIR(+Nwg): nominated pair is
+Nwg|IP4:192.168.12.14:51238/UDP|IP4:192.168.12.24:58643/UDP (host (IP4:192.168.12.14:51238/UDP) |candidate:351914651 1 udp 2122194687
192.168.12.24 58643 typ host generation 0 ufrag kFRi network-id 1)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/STREAM(0-1497880971983000
(id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0)/COMP(1)/CAND-PAIR(+Nwg): cancelling all pairs but
+Nwg|IP4:192.168.12.14:51238/UDP|IP4:192.168.12.24:58643/UDP (host (IP4:192.168.12.14:51238/UDP) |candidate:351914651 1 udp 2122194687
192.168.12.24 58643 typ host generation 0 ufrag kFRi network-id 1)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/STREAM(0-1497880971983000
(id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0)/COMP(1)/CAND-PAIR(Bqyq): cancelling FROZEN/WAITING pair
Bqyq|IP4:74.125.143.127:30210/UDP|IP4:192.168.208.102:58207/UDP (turn-relay (IP4:192.168.12.14:51238/UDP|IP4:74.125.143.127:30210
```

```

/UDP)|candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kfRi network-id 2) because CAND-PAIR(+Nwg) was nominated.
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(Bqyg): setting pair to state CANCELLED: Bqyg|IP4:74.125.143.127:30210/UDP|IP4:192.168.208.102:58207/UDP(turn-relay(IP4:192.168.12.14:51238 /UDP|IP4:74.125.143.127:30210/UDP)|candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kfRi network-id 2)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/STREAM(0-1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0)/COMP(1)/CAND-PAIR(zf1Q): cancelling FROZEN/WAITING pair zf1Q|IP4:74.125.143.127:30210/UDP|IP4:192.168.12.24:58643/UDP(turn-relay(IP4:192.168.12.14:51238/UDP|IP4:74.125.143.127:30210 /UDP)|candidate:351914651 1 udp 2122194687 192.168.12.24 58643 typ host generation 0 ufrag kfRi network-id 1) because CAND-PAIR(+Nwg) was nominated.
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(zf1Q): setting pair to state CANCELLED: zf1Q|IP4:74.125.143.127:30210/UDP|IP4:192.168.12.24:58643/UDP(turn-relay(IP4:192.168.12.14:51238 /UDP|IP4:74.125.143.127:30210/UDP)|candidate:351914651 1 udp 2122194687 192.168.12.24 58643 typ host generation 0 ufrag kfRi network-id 1)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/STREAM(0-1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0)/COMP(1)/CAND-PAIR(1c66): cancelling FROZEN/WAITING pair 1c66|IP4:74.125.143.86:30379/UDP|IP4:192.168.208.102:58207/UDP(turn-relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.86:30379 /UDP)|candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kfRi network-id 2) because CAND-PAIR(+Nwg) was nominated.
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(1c66): setting pair to state CANCELLED: 1c66|IP4:74.125.143.86:30379/UDP|IP4:192.168.208.102:58207/UDP(turn-relay(IP4:192.168.12.14:0 /TCP|IP4:74.125.143.86:30379/UDP)|candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kfRi network-id 2)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/STREAM(0-1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0)/COMP(1)/CAND-PAIR(4bBf): cancelling FROZEN/WAITING pair 4bBf|IP4:74.125.143.86:30379/UDP|IP4:192.168.12.24:58643/UDP(turn-relay(IP4:192.168.12.14:0/TCP|IP4:74.125.143.86:30379 /UDP)|candidate:351914651 1 udp 2122194687 192.168.12.24 58643 typ host generation 0 ufrag kfRi network-id 1) because CAND-PAIR(+Nwg) was nominated.
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(4bBf): setting pair to state CANCELLED: 4bBf|IP4:74.125.143.86:30379/UDP|IP4:192.168.12.24:58643/UDP(turn-relay(IP4:192.168.12.14:0 /TCP|IP4:74.125.143.86:30379/UDP)|candidate:351914651 1 udp 2122194687 192.168.12.24 58643 typ host generation 0 ufrag kfRi network-id 1)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/ICE-STREAM(0-1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0): all active components have nominated candidate pairs
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default): all checks completed success=1 fail=0
(stun/INFO) Unrecognized attribute: 0xc057
(ice/ERR) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)): peer (PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0) tried to trickle ICE in inappropriate state 4
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) Unrecognized attribute: 0xc057
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(m+vV): triggered check on m+vV|IP4:192.168.12.14:51238/UDP|IP4:192.168.208.102:58207/UDP(host(IP4:192.168.12.14:51238/UDP)|candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kfRi network-id 2)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(m+vV): setting pair to state FROZEN: m+vV|IP4:192.168.12.14:51238/UDP|IP4:192.168.208.102:58207/UDP(host(IP4:192.168.12.14:51238/UDP)|candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kfRi network-id 2)
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/CAND-PAIR(m+vV): Pairing candidate IP4:192.168.12.14:51238/UDP(7e7f00ff):IP4:192.168.208.102:58207/UDP(7e7f1eff) priority=9115005270282354174(7e7f00ffcf3dfe)
(ice/INFO) CAND-PAIR(m+vV): Adding pair to check list and trigger check queue: m+vV|IP4:192.168.12.14:51238/UDP|IP4:192.168.208.102:58207/UDP(host(IP4:192.168.12.14:51238/UDP)|candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kfRi network-id 2)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(m+vV): setting pair to state WAITING: m+vV|IP4:192.168.12.14:51238/UDP|IP4:192.168.208.102:58207/UDP(host(IP4:192.168.12.14:51238 /UDP)|candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kfRi network-id 2)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(m+vV): setting pair to state CANCELLED: m+vV|IP4:192.168.12.14:51238/UDP|IP4:192.168.208.102:58207/UDP(host(IP4:192.168.12.14:51238 /UDP)|candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kfRi network-id 2)
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/ICE-STREAM(0-1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0): Starting check timer for stream.
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(m+vV): setting pair to state IN_PROGRESS: m+vV|IP4:192.168.12.14:51238/UDP|IP4:192.168.208.102:58207/UDP(host(IP4:192.168.12.14:51238 /UDP)|candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kfRi network-id 2)
(ice/WARNING) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default): no pairs for 0-1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#)) /STREAM(0-1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#) aLevel=0)/COMP(1): Consent refreshed
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) STUN-CLIENT(m+vV|IP4:192.168.12.14:51238/UDP|IP4:192.168.208.102:58207/UDP(host(IP4:192.168.12.14:51238 /UDP)|candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kfRi network-id 2)): Timed out
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(m+vV): setting pair to state FAILED: m+vV|IP4:192.168.12.14:51238/UDP|IP4:192.168.208.102:58207/UDP(host(IP4:192.168.12.14:51238/UDP)|candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kfRi network-id 2)
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) Unrecognized attribute: 0xc057
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264)): peer (PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default) Trickle grace period is over; marking every component with only failed pairs as failed.
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/STREAM(0-1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0)/COMP(1): Consent refreshed
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#)) /STREAM(0-1497880922071000 (id=2147483670 url=https://192.168.12.24:8443/sfu.html?api=sfu&benchmark=true#) aLevel=0)/COMP(1): Consent refreshed
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/STREAM(0-1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0)/COMP(1): Consent refreshed
(stun/INFO) STUN-CLIENT(m+vV|IP4:192.168.12.14:51238/UDP|IP4:192.168.208.102:58207/UDP(host(IP4:192.168.12.14:51238 /UDP)|candidate:240199786 1 udp 2122260223 192.168.208.102 58207 typ host generation 0 ufrag kfRi network-id 2)): Timed out
(ice/INFO) ICE-PEER(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264):default)/CAND-PAIR(m+vV): setting pair to state FAILED: m+vV|IP4:192.168.12.14:51238/UDP|IP4:192.168.208.102:58207/UDP(host(IP4:192.168.12.14:51238/UDP)|candidate:240199786

```



```
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/STREAM(0-1497880971983000 (id=2147483673
url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0)/COMP(1): Consent refreshed
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/STREAM(0-1497880971983000 (id=2147483673
url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0)/COMP(1): Consent refreshed
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/STREAM(0-1497880971983000 (id=2147483673
url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0)/COMP(1): Consent refreshed
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/STREAM(0-1497880971983000 (id=2147483673
url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0)/COMP(1): Consent refreshed
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/STREAM(0-1497880971983000 (id=2147483673
url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0)/COMP(1): Consent refreshed
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/STREAM(0-1497880971983000 (id=2147483673
url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0)/COMP(1): Consent refreshed
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) Unrecognized attribute: 0xc057
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1497880971983000 (id=2147483673 url=https://appr.tc/r/1122334455?vrc=H264))/STREAM(0-1497880971983000 (id=2147483673
url=https://appr.tc/r/1122334455?vrc=H264) aLevel=0)/COMP(1): Consent refreshed
++++++ END ++++++
```