

Estadísticas de la sesión

[2147483674] <https://192.168.12.24:8443/sfu.html?api=sfu#> 15:51:11 GMT+0200 (Romance Standard Time)

ID de PeerConnection: 1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)

Estadísticas ICE

Candidato local	Candidato remoto	Estado ICE	Prioridad	Nominado	Seleccionado
192.168.12.14:62936/udp(host)	192.168.12.24:60836/udp(host)	failed	8646913483524145000		
192.168.12.14:62936/udp(host)	192.168.12.24:45294/udp(host)	succeeded	8646913483524145000	true	true
192.168.12.14:50184/tcp(host)	192.168.12.24:59287/tcp(host)	cancelled	4359487737745605000		
192.168.12.14:50184/tcp(host)	192.168.12.24:45911/tcp(host)	cancelled	4359486638233977300		

Reinicios de ICE:

Vueltas atrás de ICE:

SDP

SDP local

```
v=0
o=mozilla...THIS_IS_SDPARTA-54.0.1 5562405763030328352 1 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=fingerprint:sha-256 79:BC:47:8F:B1:0C:F6:CE:1B:7A:8D:30:51:7D:3E:0F:4E:1E:11:51:AA:36:B0:7B:87:57:06:8A:F6:3E:6C:4F
a=group:BUNDLE sdparta_0 sdparta_1
a=ice-options:trickle
a=msid-semantic:WMS *
m=audio 56884 UDP/TLS/RTP/SAVPF 109
c=IN IP4 85.62.135.115
a=candidate:0 1 UDP 2122252543 192.168.12.14 62936 typ host
a=candidate:3 1 TCP 2105524479 192.168.12.14 9 typ host tcptype active
a=candidate:4 1 TCP 2105458943 2001:0:9d38:953c:1cba:831f:aacl:788c 9 typ host tcptype active
a=candidate:0 2 UDP 2122252542 192.168.12.14 62937 typ host
a=candidate:3 2 TCP 2105524478 192.168.12.14 9 typ host tcptype active
a=candidate:4 2 TCP 2105458942 2001:0:9d38:953c:1cba:831f:aacl:788c 9 typ host tcptype active
a=candidate:1 1 UDP 1686052863 85.62.135.115 56884 typ srflx raddr 192.168.12.14 rport 62936
a=candidate:1 2 UDP 1686052862 85.62.135.115 45535 typ srflx raddr 192.168.12.14 rport 62937
a=candidate:2 1 UDP 1686052607 85.62.135.115 31549 typ srflx raddr 192.168.12.14 rport 62936
a=candidate:2 2 UDP 1686052606 85.62.135.115 47040 typ srflx raddr 192.168.12.14 rport 62937
a=sendrecv
a=end-of-candidates
a=fmtp:109 maxplaybackrate=48000;stereo=1;useinbandfec=1
a=ice-pwd:2d12b69a35e7bba31b1f9fc692ef9d49
a=ice-ufrag:78bc50dd
a=mid:sdparta_0
a=msid:{9ae043c4-036e-45e5-80f9-40fb5e7ae37b} {2c780b6b-f08c-4c26-a4c8-c60707a882ec}
a=rtcp-mux
a=rtpmap:109 opus/48000/2
a=setup:passive
a=ssrc:1605867005 cname:{8bdfbfd-570b-4eb4-821b-be17ddf3508f}
m=video 56884 UDP/TLS/RTP/SAVPF 126
c=IN IP4 85.62.135.115
a=sendrecv
a=extmap:1 http://www.webrtc.org/experiments/rtp-hdrext/abs-send-time
a=fmtp:126 profile-level-id=42e01f;level-asymmetry-allowed=1;packetization-mode=1
a=ice-pwd:2d12b69a35e7bba31b1f9fc692ef9d49
a=ice-ufrag:78bc50dd
a=mid:sdparta_1
a=msid:{9ae043c4-036e-45e5-80f9-40fb5e7ae37b} {061f5003-7c92-40ad-a517-a05919704103}
a=rtcp-fb:126 nack
a=rtcp-fb:126 nack pli
a=rtcp-fb:126 ccm fir
a=rtcp-fb:126 goog-remb
a=rtcp-mux
a=rtpmap:126 H264/90000
```

```

a=setup:passive
a:ssrc:3760275860 cname:{8bdffffd-570b-4eb4-821b-be17ddf3508f}

SDP remoto

v=0
o=- 3708164941 3708164942 IN IP4 0.0.0.0
s=-
t=0 0
a=sendrecv
a=group:BUNDLE sdparta_0 sdparta_1
a=ice-lite
a=msid-semantic:WMS *
m=audio 1 UDP/TLS/RTP/SAVPF 109 0
c=IN IP4 0.0.0.0
a=candidate:1 1 UDP 2013266431 fe80::d510:a0fe:6741:b326 58164 typ host
a=candidate:2 1 TCP 1019217407 fe80::d510:a0fe:6741:b326 9 typ host tcptype active
a=candidate:3 1 TCP 1015023103 fe80::d510:a0fe:6741:b326 59354 typ host tcptype passive
a=candidate:4 1 UDP 2013266431 192.168.12.24 60836 typ host
a=candidate:5 1 TCP 10192166383 192.168.12.24 9 typ host tcptype active
a=candidate:6 1 TCP 1015022079 192.168.12.24 45911 typ host tcptype passive
a=candidate:7 1 UDP 2013266431 192.168.12.24 45294 typ host
a=candidate:8 1 TCP 1019216639 192.168.12.24 9 typ host tcptype active
a=candidate:9 1 TCP 1015022335 192.168.12.24 59287 typ host tcptype passive
a=candidate:1 2 UDP 2013266430 fe80::d510:a0fe:6741:b326 38506 typ host
a=candidate:2 2 TCP 1019217406 fe80::d510:a0fe:6741:b326 9 typ host tcptype active
a=candidate:3 2 TCP 1015023102 fe80::d510:a0fe:6741:b326 55378 typ host tcptype passive
a=candidate:4 2 UDP 2013266430 192.168.12.24 49212 typ host
a=candidate:5 2 TCP 1019216382 192.168.12.24 9 typ host tcptype active
a=candidate:6 2 TCP 1015022078 192.168.12.24 44861 typ host tcptype passive
a=candidate:7 2 UDP 2013266430 192.168.12.24 58431 typ host
a=candidate:8 2 TCP 1019216638 192.168.12.24 9 typ host tcptype active
a=candidate:9 2 TCP 1015022334 192.168.12.24 56950 typ host tcptype passive
a=sendrecv
a=fingerprint:sha-256 E3:24:A8:B6:00:F5:20:33:37:E3:AA:A2:A8:6C:F2:B6:79:BB:2C:08:94:08:B2:60:6A:0E:E6:72:C7:C1:04:3F
a=fmtp:109 maxplaybackrate=48000;stereo=1;useinbandfec=1
a=ice-pwd:dQs21kZYhAaOZy+YxAKz19
a=ice-ufrag:ueAI
a=mid:sdparta_0
a=msid:429d64f4-038a-496f-8d9a-32e58fc834c6 82fba938-3ce5-42bb-93f2-27a5b9c3a657
a=rtcp:9 IN IP4 0.0.0.0
a=rtcp-mux
a=rtpmap:109 opus/48000/2
a=rtpmap:0 PCMU/8000
a=setup:active
a:ssrc:496387286 cname:user4086407029@host-5a4d6d32
m=video 1 UDP/TLS/RTP/SAVPF 126 97
c=IN IP4 0.0.0.0
a=candidate:1 1 UDP 2013266431 fe80::d510:a0fe:6741:b326 58164 typ host
a=candidate:2 1 TCP 1019217407 fe80::d510:a0fe:6741:b326 9 typ host tcptype active
a=candidate:3 1 TCP 1015023103 fe80::d510:a0fe:6741:b326 59354 typ host tcptype passive
a=candidate:4 1 UDP 2013266431 192.168.12.24 60836 typ host
a=candidate:5 1 TCP 10192166383 192.168.12.24 9 typ host tcptype active
a=candidate:6 1 TCP 1015022079 192.168.12.24 45911 typ host tcptype passive
a=candidate:7 1 UDP 2013266431 192.168.12.24 45294 typ host
a=candidate:8 1 TCP 1019216639 192.168.12.24 9 typ host tcptype active
a=candidate:9 1 TCP 1015022335 192.168.12.24 59287 typ host tcptype passive
a=candidate:1 2 UDP 2013266430 fe80::d510:a0fe:6741:b326 38506 typ host
a=candidate:2 2 TCP 1019217406 fe80::d510:a0fe:6741:b326 9 typ host tcptype active
a=candidate:3 2 TCP 1015023102 fe80::d510:a0fe:6741:b326 55378 typ host tcptype passive
a=candidate:4 2 UDP 2013266430 192.168.12.24 49212 typ host
a=candidate:5 2 TCP 1019216382 192.168.12.24 9 typ host tcptype active
a=candidate:6 2 TCP 1015022078 192.168.12.24 44861 typ host tcptype passive
a=candidate:7 2 UDP 2013266430 192.168.12.24 58431 typ host
a=candidate:8 2 TCP 1019216638 192.168.12.24 9 typ host tcptype active
a=candidate:9 2 TCP 1015022334 192.168.12.24 56950 typ host tcptype passive
a=sendrecv
a=extmap:1 http://www.webrtc.org/experiments/rtp-hdrext/abs-send-time
a=fingerprint:sha-256 E3:24:A8:B6:00:F5:20:33:37:E3:AA:A2:A8:6C:F2:B6:79:BB:2C:08:94:08:B2:60:6A:0E:E6:72:C7:C1:04:3F
a=fmtp:126 profile-level-id=42e01f;level-asymmetry-allowed=1;packetization-mode=1
a=fmtp:97 profile-level-id=42e01f;level-asymmetry-allowed=1
a=ice-pwd:dQs21kZYhAaOZy+YxAKz19
a=ice-ufrag:ueAI
a=mid:sdparta_1
a=msid:429d64f4-038a-496f-8d9a-32e58fc834c6 4224560c-a7bd-4688-b410-8aaf70f561af
a=rtcp:9 IN IP4 0.0.0.0
a=rtcp-fb:126 nack
a=rtcp-fb:126 nack pli
a=rtcp-fb:126 goog-remb
a=rtcp-fb:126 ccm fir
a=rtcp-fb:97 nack
a=rtcp-fb:97 nack pli
a=rtcp-fb:97 goog-remb
a=rtcp-fb:97 ccm fir
a=rtcp-mux
a=rtpmap:126 H264/90000
a=rtpmap:97 H264/90000
a=setup:active
a:ssrc:1401030410 cname:user4086407029@host-5a4d6d32
    
```

Estadísticas RDP

outbound_rtcp_video_1

Local: 06:49:19 GMT+0100 (Romance Daylight Time) inbound-rtp SSRC: 3760275860 Recibido: 33716 paquetes (37111.18 Kb) Perdido: 0 Jitter: 0.087 RTT: 1 ms

outbound_rtcp_audio_0

Local: 06:49:19 GMT+0100 (Romance Daylight Time) inbound-rtp SSRC: 1605867005 Recibido: 6306 paquetes (615.82 Kb) Perdido: 0 Jitter: 0.466 RTT: 2 ms

inbound_rtp_video_1

Decodificador: Tasa de bits promedio: 2.10 Mbps (0.72 SD)

Local: 15:51:11 GMT+0200 (Romance Standard Time) inbound-rtp SSRC: 1401030410 Recibido: 31101 paquetes (33912.32 Kb) Perdido: 0 Jitter: 0.471

Remoto: 06:49:19 GMT+0100 (Romance Daylight Time) outbound-rtp SSRC: 1401030410 Enviado: 30287 paquetes (32444.29 Kb)

inbound_rtp_audio_0

retraso de jitter-buffer: 102 ms

Local: 15:51:11 GMT+0200 (Romance Standard Time) inbound-rtp SSRC: 496387286 Recibido: 6375 paquetes (515.22 Kb) Perdido: 0 Jitter: 0.001

Remoto: 15:51:10 GMT+0200 (Romance Standard Time) outbound-rtp SSRC: 496387286 Enviado: 7118 paquetes (1237.11 Kb)

outbound_rtp_video_1

Codificador: Tasa de bits promedio: 2.49 Mbps (0.69 SD) Tasa de fotogramas promedio: 23.67 fps (2.12 SD) Fotogramas descartados: 20

Local: 15:51:11 GMT+0200 (Romance Standard Time) outbound-rtp SSRC: 3760275860 Enviado: 33716 paquetes (38098.95 Kb)

Remoto: 06:49:19 GMT+0100 (Romance Daylight Time) inbound-rtp SSRC: 3760275860 Recibido: 33716 paquetes (37111.18 Kb) Perdido: 0 Jitter: 0.087 RTT: 1 ms

outbound_rtp_audio_0

Local: 15:51:11 GMT+0200 (Romance Standard Time) outbound-rtp SSRC: 1605867005 Enviado: 6374 paquetes (759.53 Kb)

Remoto: 06:49:19 GMT+0100 (Romance Daylight Time) inbound-rtp SSRC: 1605867005 Recibido: 6306 paquetes (615.82 Kb) Perdido: 0 Jitter: 0.466 RTT: 2 ms

inbound_rtcp_video_1

Local: 06:49:19 GMT+0100 (Romance Daylight Time) outbound-rtp SSRC: 1401030410 Enviado: 30287 paquetes (32444.29 Kb)

inbound_rtcp_audio_0

Local: 15:51:10 GMT+0200 (Romance Standard Time) outbound-rtp SSRC: 496387286 Enviado: 7118 paquetes (1237.11 Kb)

Registro de conexión

```
(registry/INFO) insert 'ice' (registry) succeeded: ice
(registry/INFO) insert 'ice.pref' (registry) succeeded: ice.pref
(registry/INFO) insert 'ice.pref.type' (registry) succeeded: ice.pref.type
(registry/INFO) insert 'ice.pref.type.srv_rflx' (UCHAR) succeeded: 0x64
(registry/INFO) insert 'ice.pref.type.peer_rflx' (UCHAR) succeeded: 0x6e
(registry/INFO) insert 'ice.pref.type.host' (UCHAR) succeeded: 0x7e
(registry/INFO) insert 'ice.pref.type.relayed' (UCHAR) succeeded: 0x05
(registry/INFO) insert 'ice.pref.type.srv_rflx_tcp' (UCHAR) succeeded: 0x63
(registry/INFO) insert 'ice.pref.type.peer_rflx_tcp' (UCHAR) succeeded: 0x6d
(registry/INFO) insert 'ice.pref.type.host_tcp' (UCHAR) succeeded: 0x7d
(registry/INFO) insert 'ice.pref.type.relayed_tcp' (UCHAR) succeeded: 0x00
(registry/INFO) insert 'stun' (registry) succeeded: stun
(registry/INFO) insert 'stun.client' (registry) succeeded: stun.client
(registry/INFO) insert 'stun.client.maximum_transmits' (UINT4) succeeded: 7
(registry/INFO) insert 'ice.trickle_grace_period' (UINT4) succeeded: 5000
(registry/INFO) insert 'ice.tcp' (registry) succeeded: ice.tcp
(registry/INFO) insert 'ice.tcp.so_sock_count' (INT4) succeeded: 0
(registry/INFO) insert 'ice.tcp.listen_backlog' (INT4) succeeded: 10
(registry/INFO) insert 'ice.tcp.disable' (char) succeeded: \000
(generic/ERR) UDP socket error:Internal error at c:/builds/moz2_slave/m-rel-w32-000000000000000000/build
/src/dom/network/UDPSocketParent.cpp:111 this=11091B20
(ice/WARNING) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): couldn't
create socket for address IP6:[2001:0:9d38:953c:1cba:831f:aacl:788c]:0/UDP
(ice/INFO) c:/builds/moz2_slave/m-rel-w32-00000000000000000000/build/src/media/mtransport/third_party/nICer
/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping UDP STUN
server(addr:):
(ice/INFO) c:/builds/moz2_slave/m-rel-w32-00000000000000000000/build/src/media/mtransport/third_party/nICer
/src/net/nr_socket_multi_tcp.c:173 function nr_socket_multi_tcp_create_stun_server_socket skipping UDP STUN
server(addr:)
```



```
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) has no stream
matching stream 0-1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#) aLevel=1
(ice/NOTICE) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) no streams
with non-empty check lists
(ice/NOTICE) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) no streams
with pre-answer requests
(ice/NOTICE) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) no checks to
start
(ice/ERR) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) pairing local
trickle ICE candidate host(IP4:192.168.12.14:62936/UDP)
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(V6UH): setting pair to state FROZEN: V6UH|IP4:192.168.12.14:62936/UDP|IP4:192.168.12.24:60836
/UDP(host(IP4:192.168.12.14:62936/UDP)|candidate:4 1 UDP 2013266431 192.168.12.24 60836 typ host)
(ice/INFO) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#))/CAND-
PAIR(V6UH): Pairing candidate IP4:192.168.12.14:62936/UDP (7e7f00ff):IP4:192.168.12.24:60836/UDP (780001ff)
priority=8646913483524145663 (780001ffffcfe01fff)
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/ICE-STREAM(0-1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#) aLevel=0):
Starting check timer for stream.
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(V6UH): setting pair to state WAITING: V6UH|IP4:192.168.12.14:62936/UDP|IP4:192.168.12.24:60836
/UDP(host(IP4:192.168.12.14:62936/UDP)|candidate:4 1 UDP 2013266431 192.168.12.24 60836 typ host)
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(V6UH): setting pair to state IN_PROGRESS: V6UH|IP4:192.168.12.14:62936/UDP|IP4:192.168.12.24:60836
/UDP(host(IP4:192.168.12.14:62936/UDP)|candidate:4 1 UDP 2013266431 192.168.12.24 60836 typ host)
(ice/NOTICE) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) is now
checking
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(vYXe): setting pair to state FROZEN: vYXe|IP4:192.168.12.14:62936/UDP|IP4:192.168.12.24:45294
/UDP(host(IP4:192.168.12.14:62936/UDP)|candidate:7 1 UDP 2013266431 192.168.12.24 45294 typ host)
(ice/INFO) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#))/CAND-
PAIR(vYXe): Pairing candidate IP4:192.168.12.14:62936/UDP (7e7f00ff):IP4:192.168.12.24:45294/UDP (780001ff)
priority=8646913483524145663 (780001ffffcfe01fff)
(ice/ERR) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) pairing local
trickle ICE candidate host(IP4:192.168.12.14:50184/TCP) active
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(vyoE): setting pair to state FROZEN: vyoE|IP4:192.168.12.14:50184/TCP|IP4:192.168.12.24:45911
/TCP(host(IP4:192.168.12.14:50184/TCP) active|candidate:6 1 TCP 1015022079 192.168.12.24 45911 typ host
tcptype passive)
(ice/INFO) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#))/CAND-
PAIR(vyoE): Pairing candidate IP4:192.168.12.14:50184/TCP (7d7fc0ff):IP4:192.168.12.24:45911/TCP (3c8001ff)
priority=4359486638233977343 (3c8001ffffaff81fff)
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(4flj): setting pair to state FROZEN: 4flj|IP4:192.168.12.14:50184/TCP|IP4:192.168.12.24:59287
/TCP(host(IP4:192.168.12.14:50184/TCP) active|candidate:9 1 TCP 1015022335 192.168.12.24 59287 typ host
tcptype passive)
(ice/INFO) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#))/CAND-
PAIR(4flj): Pairing candidate IP4:192.168.12.14:50184/TCP (7d7fc0ff):IP4:192.168.12.24:59287/TCP (3c8002ff)
priority=4359487737745605119 (3c8002ffffaff81fff)
(ice/ERR) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) pairing local
trickle ICE candidate host(IP6:[2001:0:9d38:953c:lcb:a:831f:aacl:788c]:55880/TCP) active
(ice/ERR) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) pairing local
trickle ICE candidate host(IP4:192.168.12.14:62937/UDP)
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(dqqK): setting pair to state FROZEN: dqqK|IP4:192.168.12.14:62937/UDP|IP4:192.168.12.24:49212
/UDP(host(IP4:192.168.12.14:62937/UDP)|candidate:4 2 UDP 2013266430 192.168.12.24 49212 typ host)
(ice/INFO) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#))/CAND-
PAIR(dqqK): Pairing candidate IP4:192.168.12.14:62937/UDP (7e7f00fe):IP4:192.168.12.24:49212/UDP (780001fe)
priority=8646913479229178365 (780001fefcfe01fff)
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(jj93): setting pair to state FROZEN: jj93|IP4:192.168.12.14:62937/UDP|IP4:192.168.12.24:58431
/UDP(host(IP4:192.168.12.14:62937/UDP)|candidate:7 2 UDP 2013266430 192.168.12.24 58431 typ host)
(ice/INFO) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#))/CAND-
PAIR(jj93): Pairing candidate IP4:192.168.12.14:62937/UDP (7e7f00fe):IP4:192.168.12.24:58431/UDP (780001fe)
priority=8646913479229178365 (780001fefcfe01fff)
(ice/ERR) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) pairing local
trickle ICE candidate host(IP4:192.168.12.14:51705/TCP) active
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(aOLA): setting pair to state FROZEN: aOLA|IP4:192.168.12.14:51705/TCP|IP4:192.168.12.24:44861
/TCP(host(IP4:192.168.12.14:51705/TCP) active|candidate:6 2 TCP 1015022078 192.168.12.24 44861 typ host
tcptype passive)
(ice/INFO) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#))/CAND-
PAIR(aOLA): Pairing candidate IP4:192.168.12.14:51705/TCP (7d7fc0fe):IP4:192.168.12.24:44861/TCP (3c8001fe)
priority=435948663393010045 (3c8001fefaff81fff)
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(RK33): setting pair to state FROZEN: RK33|IP4:192.168.12.14:51705/TCP|IP4:192.168.12.24:56950
/TCP(host(IP4:192.168.12.14:51705/TCP) active|candidate:9 2 TCP 1015022334 192.168.12.24 56950 typ host
tcptype passive)
(ice/INFO) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#))/CAND-
```

```

PAIR(RK33): Pairing candidate IP4:192.168.12.14:51705/TCP (7d7fc0fe):IP4:192.168.12.24:56950/TCP (3c8002fe)
priority=4359487733450637821 (3c8002fefaff81fd)
(ice/ERR) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) pairing local
trickle ICE candidate host(IP6:[2001:0:9d38:953c:1cba:831f:aa1:788c]:61857/TCP) active
(ice/WARNING) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) has no stream
matching stream 0-1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#) aLevel=1
(ice/NOTICE) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) no streams
with non-empty check lists
(ice/NOTICE) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) no streams
with pre-answer requests
(ice/NOTICE) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) no checks to
start
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(vYXe): setting pair to state WAITING: vYXe|IP4:192.168.12.14:62936/UDP|IP4:192.168.12.24:45294
/UDP (host (IP4:192.168.12.14:62936/UDP)|candidate:7 1 UDP 2013266431 192.168.12.24 45294 typ host)
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(vYXe): setting pair to state IN_PROGRESS: vYXe|IP4:192.168.12.14:62936/UDP|IP4:192.168.12.24:45294
/UDP (host (IP4:192.168.12.14:62936/UDP)|candidate:7 1 UDP 2013266431 192.168.12.24 45294 typ host)
(stun/INFO) STUN-CLIENT(vYXe|IP4:192.168.12.14:62936/UDP|IP4:192.168.12.24:45294/UDP (host (IP4:192.168.12.14:62936
/UDP)|candidate:7 1 UDP 2013266431 192.168.12.24 45294 typ host)): Received response; processing
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(vYXe): setting pair to state SUCCEEDED: vYXe|IP4:192.168.12.14:62936/UDP|IP4:192.168.12.24:45294
/UDP (host (IP4:192.168.12.14:62936/UDP)|candidate:7 1 UDP 2013266431 192.168.12.24 45294 typ host)
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(jj93): setting pair to state WAITING: jj93|IP4:192.168.12.14:62937/UDP|IP4:192.168.12.24:58431
/UDP (host (IP4:192.168.12.14:62937/UDP)|candidate:7 2 UDP 2013266430 192.168.12.24 58431 typ host)
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/STREAM(0-1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#) aLevel=0)/COMP(1)
/CAND-PAIR(vYXe): nominated pair is vYXe|IP4:192.168.12.14:62936/UDP|IP4:192.168.12.24:45294
/UDP (host (IP4:192.168.12.14:62936/UDP)|candidate:7 1 UDP 2013266431 192.168.12.24 45294 typ host)
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/STREAM(0-1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#) aLevel=0)/COMP(1)
/CAND-PAIR(vYXe): cancelling all pairs but vYXe|IP4:192.168.12.14:62936/UDP|IP4:192.168.12.24:45294
/UDP (host (IP4:192.168.12.14:62936/UDP)|candidate:7 1 UDP 2013266431 192.168.12.24 45294 typ host)
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/STREAM(0-1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#) aLevel=0)/COMP(1)
/CAND-PAIR(4flj): cancelling FROZEN/WAITING pair 4flj|IP4:192.168.12.14:50184/TCP|IP4:192.168.12.24:59287
/TCP (host (IP4:192.168.12.14:50184/TCP) active|candidate:9 1 TCP 1015022335 192.168.12.24 59287 typ host
tcptype passive) because CAND-PAIR(vYXe) was nominated.
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(4flj): setting pair to state CANCELLED: 4flj|IP4:192.168.12.14:50184/TCP|IP4:192.168.12.24:59287
/TCP (host (IP4:192.168.12.14:50184/TCP) active|candidate:9 1 TCP 1015022335 192.168.12.24 59287 typ host
tcptype passive)
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/STREAM(0-1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#) aLevel=0)/COMP(1)
/CAND-PAIR(vyoE): cancelling FROZEN/WAITING pair vyoE|IP4:192.168.12.14:50184/TCP|IP4:192.168.12.24:45911
/TCP (host (IP4:192.168.12.14:50184/TCP) active|candidate:6 1 TCP 1015022079 192.168.12.24 45911 typ host
tcptype passive) because CAND-PAIR(vYXe) was nominated.
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/CAND-PAIR(vyoE): setting pair to state CANCELLED: vyoE|IP4:192.168.12.14:50184/TCP|IP4:192.168.12.24:45911
/TCP (host (IP4:192.168.12.14:50184/TCP) active|candidate:6 1 TCP 1015022079 192.168.12.24 45911 typ host
tcptype passive)
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default)
/ICE-STREAM(0-1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#) aLevel=0):
all active components have nominated candidate pairs
(ice/INFO) ICE-PEER(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443
/sfu.html?api=sfu#):default): all checks completed success=1 fail=0
(stun/INFO) STUN-CLIENT(srflx(IP4:192.168.12.14:62936/UDP|stun.1.google.com:19302)): Received response;
processing
(ice/ERR) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) pairing local
trickle ICE candidate srflx(IP4:192.168.12.14:62936/UDP|stun.1.google.com:19302)
(stun/INFO) STUN-CLIENT(srflx(IP4:192.168.12.14:62937/UDP|stun.1.google.com:19302)): Received response;
processing
(ice/ERR) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) pairing local
trickle ICE candidate srflx(IP4:192.168.12.14:62937/UDP|stun.1.google.com:19302)
(stun/INFO) STUN-CLIENT(srflx(IP4:192.168.12.14:62936/UDP|stun2.1.google.com:19302)): Received response;
processing
(ice/ERR) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) pairing local
trickle ICE candidate srflx(IP4:192.168.12.14:62936/UDP|stun2.1.google.com:19302)
(stun/INFO) STUN-CLIENT(srflx(IP4:192.168.12.14:62937/UDP|stun2.1.google.com:19302)): Received response;
processing
(ice/ERR) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) pairing local
trickle ICE candidate srflx(IP4:192.168.12.14:62937/UDP|stun2.1.google.com:19302)
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#))
/STREAM(0-1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)
aLevel=0)/COMP(1): Consent refreshed
(ice/INFO) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)): peer
(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#):default) Trickle grace

```



```
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#))
  /STREAM(0-1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)
    aLevel=0)/COMP(1): Consent refreshed
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#))
  /STREAM(0-1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)
    aLevel=0)/COMP(1): Consent refreshed
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#))
  /STREAM(0-1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)
    aLevel=0)/COMP(1): Consent refreshed
(stun/INFO) STUN-CLIENT(consent): Received response; processing
(ice/INFO) ICE(PC:1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#))
  /STREAM(0-1499176142504000 (id=2147483674 url=https://192.168.12.24:8443/sfu.html?api=sfu#)
    aLevel=0)/COMP(1): Consent refreshed
+++++++ END +++++++
```