

[Get Streaming TV on your PC](#)

www.AsciiTable.com

[Internet Marketing](#)

[ASCII Table](#)

[Scan Codes & EBCDIC](#)

[HTML Codes](#)

[Unicode V4 Tables](#)

[Domain Reg Only \\$5.95!](#)

[AllConv Unit Co](#)

[Dell™ PCs for Business](#)

Dell™ Small Business Computers with Intel® Technology. Buy Online

Now!

www.Dell.com/Business

[Binary Code Protection](#)

Binary Code Protection For Software Applications.

www.Arzan.com

[Ads by Google](#)

[Unicode Table](#)

[List of ASCII Codes](#)

[ASCII Table](#)

[ASCII Table and Descripti](#)

ASCII stands for American Standard Code for Information Interchange. Computers can only understand the representation of a character such as 'a' or '@' or an action of some sort. ASCII was developed a long time ago and is rarely used for their original purpose. Below is the ASCII character table and this includes descriptions. ASCII was actually designed for use with teletypes and so the descriptions are somewhat obscure. If some one asks you for a file in a certain format, all this means is they want 'plain' text with no formatting such as tabs, bold or underscoring - this is usually so they can easily import the file into their own applications without issues. Notepad.exe can save a file as 'text only'

Dec	Hx	Oct	Char	Dec	Hx	Oct	Html	Chr	Dec	Hx	Chr
0	0	000	NUL (null)	32	20	040	 	Space	64	40	1
1	1	001	SOH (start of heading)	33	21	041	!	!	65	41	1
2	2	002	STX (start of text)	34	22	042	"	"	66	42	1
3	3	003	ETX (end of text)	35	23	043	#	#	67	43	1
4	4	004	EOT (end of transmission)	36	24	044	$	\$	68	44	1
5	5	005	ENQ (enquiry)	37	25	045	%	%	69	45	1
6	6	006	ACK (acknowledge)	38	26	046	&	&	70	46	1
7	7	007	BEL (bell)	39	27	047	'	'	71	47	1
8	8	010	BS (backspace)	40	28	050	((72	48	1
9	9	011	TAB (horizontal tab)	41	29	051))	73	49	1
10	A	012	LF (NL line feed, new line)	42	2A	052	*	*	74	4A	1
11	B	013	VT (vertical tab)	43	2B	053	+	+	75	4B	1
12	C	014	FF (NP form feed, new page)	44	2C	054	,	,	76	4C	1
13	D	015	CR (carriage return)	45	2D	055	-	-	77	4D	1
14	E	016	SO (shift out)	46	2E	056	.	.	78	4E	1
15	F	017	SI (shift in)	47	2F	057	/	/	79	4F	1
16	10	020	DLE (data link escape)	48	30	060	0	0	80	50	1
17	11	021	DC1 (device control 1)	49	31	061	1	1	81	51	1
18	12	022	DC2 (device control 2)	50	32	062	2	2	82	52	1
19	13	023	DC3 (device control 3)	51	33	063	3	3	83	53	1
20	14	024	DC4 (device control 4)	52	34	064	4	4	84	54	1
21	15	025	NAK (negative acknowledge)	53	35	065	5	5	85	55	1
22	16	026	SYN (synchronous idle)	54	36	066	6	6	86	56	1
23	17	027	ETB (end of trans. block)	55	37	067	7	7	87	57	1
24	18	030	CAN (cancel)	56	38	070	8	8	88	58	1
25	19	031	EM (end of medium)	57	39	071	9	9	89	59	1
26	1A	032	SUB (substitute)	58	3A	072	:	:	90	5A	1
27	1B	033	ESC (escape)	59	3B	073	;	;	91	5B	1
28	1C	034	FS (file separator)	60	3C	074	<	<	92	5C	1
29	1D	035	GS (group separator)	61	3D	075	=	=	93	5D	1
30	1E	036	RS (record separator)	62	3E	076	>	>	94	5E	1
31	1F	037	US (unit separator)	63	3F	077	?	?	95	5F	1

[Ads by Google](#)

[Table Chart](#)

[Table Base](#)

[Table Runners](#)

Extended ASCII Codes

As people gradually required computers to understand additional characters and non-printing characters, most technology, it took a while to get a single standard for these extra characters and hence there are presented below.

128	Ç	144	É	161	í	177	⌘	193	⊥	209	⌞
129	ü	145	æ	162	ó	178	⌘	194	⌞	210	⌞
130	é	146	Æ	163	ú	179		195	⌞	211	⌞
131	â	147	ô	164	ñ	180	⌞	196	—	212	⌞
132	ä	148	ö	165	Ñ	181	⌞	197	⌞	213	⌞
133	à	149	ò	166	ª	182	⌞	198	⌞	214	⌞
134	â	150	û	167	º	183	⌞	199	⌞	215	⌞
135	ç	151	ù	168	¿	184	⌞	200	⌞	216	⌞
136	ê	152	—	169	—	185	⌞	201	⌞	217	⌞
137	ë	153	Ö	170	¬	186	⌞	202	⌞	218	⌞
138	è	154	Û	171	½	187	⌞	203	⌞	219	⌞
139	ï	156	£	172	¼	188	⌞	204	⌞	220	⌞
140	î	157	¥	173	¡	189	⌞	205	=	221	⌞
141	ì	158	—	174	«	190	⌞	206	⌞	222	
142	Ä	159	f	175	»	191	⌞	207	⌞	223	⌞
143	Å	160	á	176	⌘	192	L	208	⌞	224	o

Sour

[Submit your articles to ArticleEight - The Article Directory](http://www.articleeight.com/)