

SUNBIRD STARTUP

GET /*hidden*.ics HTTP/1.1

Host: *hidden*

User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9a1) Gecko/20060424 Mozilla Sunbird/0.3a1+

Accept:

text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,
text/plain;q=0.8,image/png,*/*;q=0.5

Accept-Language: en-us,en;q=0.5

Accept-Encoding: gzip,deflate

Accept-Charset: ISO-8859-1,utf-8;q=0.7,*;q=0.7

Keep-Alive: 300

Connection: keep-alive

Pragma: no-cache

Cache-Control: no-cache

HTTP/1.1 200 OK

Server: Microsoft-IIS/5.1

Date: Mon, 24 Apr 2006 20:28:11 GMT

Content-Type: text/calendar

Accept-Ranges: bytes

Last-Modified: Mon, 24 Apr 2006 15:27:10 GMT

ETag: "f0dec28db367c61:968"

Content-Length: 2747

BEGIN:VCALENDAR

VERSION:2.0

PRODID:-//Mozilla.org/NONSGML Mozilla Calendar V1.1//EN

hidden

END:VCALENDAR

PROPFIND /*hidden*.ics HTTP/1.1

Host: *hidden*

User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9a1) Gecko/20060424 Mozilla Sunbird/0.3a1+

Accept:text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,
text/plain;q=0.8,image/png,*/*;q=0.5

Accept-Language: en-us,en;q=0.5

Accept-Encoding: gzip,deflate

Accept-Charset: ISO-8859-1,utf-8;q=0.7,*;q=0.7

Keep-Alive: 300

Connection: keep-alive

Content-Length: 91

Content-Type: text/xml

Depth: 0

```
<?xml version="1.0"?>
<D:propfind
xmlns:D="DAV:"><D:prop><D:getetag/></D:prop></D:propfind>
```

```
HTTP/1.1 207 Multi-Status
Server: Microsoft-IIS/5.1
Date: Mon, 24 Apr 2006 20:28:25 GMT
Content-Type: text/xml
Transfer-Encoding: chunked
```

15f

```
<?xml version="1.0"?><a:multistatus
xmlns:b="urn:uuid:c2f41010-65b3-11d1-a29f-00aa00c14882/"
xmlns:c="xml:" xmlns:a="DAV:"><a:response><a:href> hidden
</a:href><a:propstat><a:status>HTTP/1.1 200
OK</a:status><a:prop><a:getetag>"f0dec28db367c61:1188"</a:gete
tag></a:prop></a:propstat></a:response></a:multistatus>
```

0

REPUBLISH ATTEMPT AFTER MODIFICATION

PUT /*hidden*.ics HTTP/1.1
Host: *hidden*
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.9a1) Gecko/20060424 Mozilla Sunbird/0.3a1+
Accept:
text/xml,application/xml,application/xhtml+xml,text/html;q=0.9
,text/plain;q=0.8,image/png,*/*;q=0.5
Accept-Language: en-us,en;q=0.5
Accept-Encoding: gzip,deflate
Accept-Charset: ISO-8859-1,utf-8;q=0.7,*;q=0.7
Keep-Alive: 300
Connection: keep-alive
If: (["f0dec28db367c61:968"])
Content-Length: 2749
Content-Type: text/calendar

BEGIN:VCALENDAR
VERSION:2.0
PRODID:-//Mozilla.org/NONSGML Mozilla Calendar V1.1//EN
hidden
END:VCALENDAR

HTTP/1.1 100 Continue
Server: Microsoft-IIS/5.1
Date: Mon, 24 Apr 2006 20:28:25 GMT

HTTP/1.1 412 Precondition Failed
Server: Microsoft-IIS/5.1
Date: Mon, 24 Apr 2006 20:28:25 GMT
Connection: close
Content-Type: text/html
Content-Length: 4449

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 3.2 Final//EN">
<html dir=ltr>
<head>
<META NAME="ROBOTS" CONTENT="NOINDEX">
<title>Impossible d'afficher la page</title>
<META HTTP-EQUIV="Content-Type" Content="text-html;
charset=Windows-1252">
</head>
hidden
</html>
```

AFTER WORKAROUND

(https://bugzilla.mozilla.org/show_bug.cgi?id=327933#c6)

```
GET / hidden.ics HTTP/1.1
Host: hidden
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US;
rv:1.9a1) Gecko/20060424 Mozilla Sunbird/0.3a1+
Accept:
text/xml,application/xml,application/xhtml+xml,text/html;q=0.9
,text/plain;q=0.8,image/png,*/*;q=0.5
Accept-Language: en-us,en;q=0.5
Accept-Encoding: gzip,deflate
Accept-Charset: ISO-8859-1,utf-8;q=0.7,*;q=0.7
Keep-Alive: 300
Connection: keep-alive
Pragma: no-cache
Cache-Control: no-cache
```

```
HTTP/1.1 200 OK
Server: Microsoft-IIS/5.1
Date: Mon, 24 Apr 2006 20:31:50 GMT
Content-Type: text/calendar
Accept-Ranges: bytes
Last-Modified: Mon, 24 Apr 2006 15:27:10 GMT
ETag: "f0dec28db367c61:968"
Content-Length: 2747
```

```
BEGIN:VCALENDAR
VERSION:2.0
PRODID:-//Mozilla.org/NONSGML Mozilla Calendar V1.1//EN
hidden
END:VCALENDAR
```

```
PUT / hidden.ics HTTP/1.1
Host: hidden
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US;
rv:1.9a1) Gecko/20060424 Mozilla Sunbird/0.3a1+
Accept:
text/xml,application/xml,application/xhtml+xml,text/html;q=0.9
,text/plain;q=0.8,image/png,*/*;q=0.5
Accept-Language: en-us,en;q=0.5
Accept-Encoding: gzip,deflate
Accept-Charset: ISO-8859-1,utf-8;q=0.7,*;q=0.7
Keep-Alive: 300
Connection: keep-alive
If: ([ "f0dec28db367c61:1188" ])
Content-Length: 2749
```

Content-Type: text/calendar

BEGIN:VCALENDAR
VERSION:2.0
PRODID:-//Mozilla.org/NONSGML Mozilla Calendar V1.1//EN
hidden
END:VCALENDAR

HTTP/1.1 100 Continue
Server: Microsoft-IIS/5.1
Date: Mon, 24 Apr 2006 20:31:50 GMT

HTTP/1.1 200 OK
Server: Microsoft-IIS/5.1
Date: Mon, 24 Apr 2006 20:31:50 GMT
Content-Length: 0
Allow: OPTIONS, TRACE, GET, HEAD, DELETE, PUT, COPY, MOVE,
PROPFIND, PROPPATCH, SEARCH, LOCK, UNLOCK

PROPFIND / *hidden.ics* HTTP/1.1
Host: *hidden*
User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US;
rv:1.9a1) Gecko/20060424 Mozilla Sunbird/0.3a1+
Accept:
text/xml,application/xml,application/xhtml+xml,text/html;q=0.9
,text/plain;q=0.8,image/png,*/*;q=0.5
Accept-Language: en-us,en;q=0.5
Accept-Encoding: gzip,deflate
Accept-Charset: ISO-8859-1,utf-8;q=0.7,*;q=0.7
Keep-Alive: 300
Connection: keep-alive
Content-Length: 91
Content-Type: text/xml
Depth: 0

```
<?xml version="1.0"?>  
<D:propfind  
xmlns:D="DAV:"><D:prop><D:getetag/></D:prop></D:propfind>
```

HTTP/1.1 207 Multi-Status
Server: Microsoft-IIS/5.1
Date: Mon, 24 Apr 2006 20:31:50 GMT
Content-Type: text/xml
Transfer-Encoding: chunked

15f

```
<?xml version="1.0"?><a:multistatus
xmlns:b="urn:uuid:c2f41010-65b3-11d1-a29f-00aa00c14882/"
xmlns:c="xml:" xmlns:a="DAV:"><a:response><a:href> hidden
</a:href><a:propstat><a:status>HTTP/1.1 200
OK</a:status><a:prop><a:getetag>"e06dd51dde67c61:1188"</a:gete
tag></a:prop></a:propstat></a:response></a:multistatus>
```

0