Bugzilla ID: 471045 Bugzilla Summary: Add "ACEDICOM Root" certificate

CAs wishing to have their certificates included in Mozilla products must comply with the requirements of the Mozilla CA certificate policy (http://www.mozilla.org/projects/security/certs/policy/) and must supply the information necessary to determine whether or not the policy's requirements have been satisfied, as per http://wiki.mozilla.org/CA:Information_checklist.

General Information	Data	
CA Name	ACEDICOM	
Website URL	http://acedicom.edicomgroup.com/en/index.htm	
Organizational type	Public corporation	
Primary market / customer	The Edicom Certification Authority (ACEDICOM) provides companies, communities and physical persons with	
base	secure electronic identification mechanisms that enable them to engage in activities where the digital signature	
	replaces the handwritten with identical legal guarantees. To this end, ACEDICOM issues certificates in accordance	
	with the stipulations of Directive 1999/93/EC of 13th December 1999 and Law 59/2003 of 19th December, on	
	electronic signature, and so has sufficient recognition to operate in all countries of the European Union. The Edicom	
	CA is responsible for obtaining the corresponding official authorisation in those places outside the Union where it	
	operates commercially.	
CA Contact Info	Email alias of CA: <u>acedicom@edicomgroup.com</u>	
	CA Phone number: +34902119229	
	Title/Department: IT Systems Department	
	Contact Person: Raúl Santisteban	

For Each Root CA whose certificate is to be included in Mozilla (or whose metadata is to be modified)

Info Needed	Data	
Certificate Name	CEDICOM Root	
Cert summary / comments	This root has three internally-operated subordinate CAs. The ACEDICOM 01 subordinate CA issues Qualified	
	certificates for identification and advanced electronic signature, for the use of physical persons or legal organisations.	
	The ACEDICOM 02 subordinate CA issues certificates for purposes other than Qualified electronic signature. The	
	ACEDICOM Servidores subordinate CA issues server/client certificates and code signing certificates.	
URL of root cert	http://acedicom.edicomgroup.com/archivos/certificados/ACEDICOM%20Root.crt	
SHA-1 fingerprint	e0:b4:32:2e:b2:f6:a5:68:b6:54:53:84:48:18:4a:50:36:87:43:84	
Valid from	2008-04-18	
Valid to	2028-04-13	
Cert Version	3	
Modulus length	4096	
Test website and certs	https://cartero.edicom.es/RootCertificatePrograms/test.htm	

CRL	Root: http://acedicom.edicomgroup.com/rootca.crl
	acedicom01: http://acedicom.edicomgroup.com/acedicom01.crl (next update 24 hours)
	acedicom02: http://acedicom.edicomgroup.com/acedicom02.crl (next update 24 hours)
	ACEDICOM Servidores: http://acedicom.edicomgroup.com/servidoresca.crl (next update 24 hours)
	CPS Section 4.9.9: ACEDICOM will publish a new CRL in the repository at 24 hour intervals maximum, even though
	no modifications have taken place in the same (changes in certificate status) during said period. This period is not
	affected in the event of certificate revocations, which already obtain immediate response in the publication by OCSP.
OCSP Responder URL	OCSP is available under all the sub-CAs
_	acedicom01: http://ocsp.acedicom.edicomgroup.com/acedicom01
	acedicom02: http://ocsp.acedicom.edicomgroup.com/acedicom02
	ACEDICOM Servidores: http://ocsp.acedicom.edicomgroup.com/servidores
CA Hierarchy	From CPS, The Certification Authorities that make up ACEDICOM are:
	• "ACEDICOM Root" as first level Certification Authority. Its function is to establish the root of the confidence
	model of the Public Key Infrastructure or PKI. This CA does not issue certificates for end-user entities.
	• ACEDICOM Root subordinate CAs. Their function is to issue end-user entity certificates for ACEDICOM
	subscribers.
	There are three internally-operated subordinate CAs:
	ACEDICOM 01
	http://acedicom.edicomgroup.com/archivos/certificados/ACEDICOM%2001.crt
	Issues Qualified certificates for identification and advanced electronic signature, for the use of physical persons or legal
	organisations (known collectively as subscribers) that need to engage in relations with the Public Administrations and
	other institutions or companies in the Electronic Data Interchange area and/or to equip themselves with certified storage
	systems.
	ACEDICOM 02
	http://acedicom.edicomgroup.com/archivos/certificados/ACEDICOM%2002.crt
	Issues certificates for purposes other than electronic signature. These certificates are not subject to the criteria and
	procedures required for Qualified certificates, although they do share the whole physical and security infrastructure
	established for said certificates.
	ACEDICOM Servidores
	Issues server/client certificates and code signing certificates as described in the TLS Certificate Policy,
	http://acedicom.edicomgroup.com/es/archivos/politicas/ACEDICOM%20-%20Politica%20Certificados%20TLS.pdf
	Specifically, the certificates issued under this policy may contain the following values in the extension
	extendedKeyUsage: Authentication Server, Client Authentication, Email Protection, MS Smart Card Logon, Internet
	Key Exchange for IPSEC.

Subordinate CAs operated	None. From ACEDICOM: All ACEDICOM CAs are and will be operated by ACEDICOM technical people. There is no
by third parties	subordinate CA operated by third parties.
Cross-signing	None.
	From ACEDICOM: ACEDICOM hasn't been involved in cross-signing processes.
Requested Trust Bits	Websites (SSL/TLS)
	Email (S/MIME)
	Code Signing
If SSL:	IV/OV
DV, OV, and/or EV	CPS section 3.2.2, Authentication of identity of an entity
	CPS section 3.2.3, Individual identity authentication.
	Comment #9: For SSL certificates identity/organization is verified also but It's not needed physical validation as on
	qualified certificates.
EV policy OID(s)	Not EV
CP/CPS	http://acedicom.edicomgroup.com/doc
	CPS in English: http://acedicom.edicomgroup.com/en/archivos/politicas/ACEDICOM_CertificationPractice.pdf
	CPS in Spanish: http://acedicom.edicomgroup.com/es/archivos/politicas/ACEDICOM_PracticasCertificacion.pdf
	Declaration of Certification Practices and Policies according to Certificate Type
	http://acedicom.edicomgroup.com/en/contenidos/practicasyPoliticas/punto1.htm
	The following Certification Policies apply to both the ACEDICOM 01 and ACEDICOM 02 sub-CAs:
	Certification Policies for Qualified certificates of signature on secure centralised device
	Certification Policies for Qualified certificates of signature on secure centralised device for electronic invoicing and certified storage
	Identification Policies for Qualified certificates of signature on secure centralised "Smart Card" device
	Certification Policies for Qualified certificates of signature on Software Support
	TI S Cartificate Delian (in Spanish).
	TLS Certificate Policy (in Spanish):
	http://acedicom.edicomgroup.com/es/archivos/politicas/ACEDICOM% 20-% 20Politica% 20Certificados% 20TLS.pdf Comment #9 in regards to the TLS Certificate Policy: Policy was defined and approved at June 2008. But It was
	"released" 2009-03-26. I mean, until now no certificate was issued with this policy. ACEDICOM was waiting passing
	this process to make this policy public, but as It was necessary to issue test certificates we "released" the policy and
	made it public. The policy was included on the audit process and also the subCA "ACEDICOM Servidores".
	"ACEDICOM Servidores" was signed by "ACEDICOM Root" at 04/28/08 09:53:40 GMT. You can check this on its
	certificate.
	Links to Standards: http://acedicom.edicomgroup.com/en/contenidos/documentacion/enlaces.htm
	Links to buildings, <u>http://woodcom.edicom.goog.com/en/concom/dos/documenter/on/concos.num</u>

AUDIT	Audit Type: ETSI 101 456		
	Auditor: S21sec, <u>http://www.s21sec.com/</u>		
	Audit Statement: http://acedicom.edicomgroup.com/archivos/pdf/ACEDICOM_s21sec.pdf (2008-09-15)		
	2009 WebTrust CA Audit is in progress by Ernst & Young, expected to complete in December:		
	https://bugzilla.mozilla.org/attachment.cgi?id=412828		
	Comment #9: Audit process by s21 included the root CA and all the level 2 CAs, as described on section "3 ALCANCE DE TRABAJO" ("SCOPE OF THE PROCESS").		
	Original Text: La propia AC raíz creada por EDICOM, Las Entidades de Certificación de nivel 2.		
	English translation: The root CA created by EDICOM, Level 2 certification authorities. That is: ACEDICOM Root, ACEDICOM 01, ACEDICOM 02, ACEDICOM Servidores were the level 2 CAs at that moment.		
	> From: Antonio Ramos <aramos@s21sec.com></aramos@s21sec.com>		
	> Subject: RE: Confirming Authenticity of Audit Report for Edicom		
	> To: "'Kathleen Wilson'" <kathleen95014@yahoo.com></kathleen95014@yahoo.com>		
	> Date: Monday, April 6, 2009, 1:28 AM		
> Dear Kathleen,			
	> I can confirm you that S21sec has issued the report published in the link you have provided me. Please do not		
	> hesitate to contact me if you need further assistance.		
	> Kind regards,		
 > Antonio Ramos, CISA, CISM, ITIL Found., QSA, Jonah > Director de Unified Management Security Services Additional Audit: 			
			There is a private initiative of a voluntary accreditation scheme managed by the "Asociación Multisectorial de Empresas
			Españolas de Electrónica y Comunicaciones" (ASIMELEC www.asimelec.es), as described at
	http://ec.europa.eu/information_society/policy/esignature/index_en.htm (Spain section)		
	"s21sec" proposed ACEDICOM to be certified by ASIMELEC. The result can be checked on ACEDICOM web site:		
	http://acedicom.edicomgroup.com/archivos/pdf/081016% 20CERTIFICADO% 20ASIMELEC% 20PSC.pdf		
Partial Translation of the	Translations provided by ACEDICOM, verified via Google Translate.		
TLS Certificate Policy	http://acedicom.edicomgroup.com/es/archivos/politicas/ACEDICOM%20-%20Politica%20Certificados%20TLS.pdf		
provided by ACEDICOM			
	3.2 INITIAL VERIFICATION OF IDENTITY		
	3.2.1. Test Methods for possession of the private key.		
	The keys pair associated with certificates through this policy are generated at all times by the applicant using a software		
	or hardware. It is the user who must at all times ensure that private keys are under its control by not using shared		
	computers and using protection mechanisms based on username and password.		
	computers and comp protocolor moduluisms cused on discrimine and pass nord.		

3.2.2. Proof of identity
Is required for the registration of the certificate prove the identity of the certificate to be registered. Specifically, the data
in the extensions that identify the subject, referred to in paragraph 3.1.1, must be verified or will not included.
The initial verification of the identity of the data required for inclusion in the certificate depends on the subject and the
same is as follows:
TLS client certificate / email: it will be verified the email address of the applicant, so that once the certificate application
process starts, the applicant will get the necessary instructions to continue the same through e-mail address specified in
the application and intended to be included in the certificate.
TLS server certificates: It is verified that the person or entity controls the Internet domain specified in the CN. Once the
certificate application process starts, it will be provided the necessary instructions to continue the same path through the
contact (email, phone or physical address) specified in the request and must match the administrative contact list whois
the domain.
Any other additional information to include in the certificate must be appropriately verified. In any case ACEDICOM
reserves the right to require the physical presence of the applicant or person authorized by it in points allowed for
registration in order to provide documentation and perform the appropriate checks on identity, as detailed in the
Statement of Practice Certification in points 3.2.2 and 3.2.3.
3.3. IDENTIFICATION AND AUTHENTICATION OF APPLICATIONS FOR RENEWAL OF THE KEY.
3.3.1. Identification and authentication of applications for renewal routine.
As specified in the certification practice statement (CPS) of the ACEDICOM.
3.3.2. Identification and authentication of applications for renewal of a key after revocation - Key not compromised.
The identification and authentication policy for the renewal of a license after a revocation without compromise of the
key is the same as for initial registration as described in this document in 3.2.2. so as to ensure reliable and unambiguous
manner the identity of the applicant and the authenticity of the request.
3.4. IDENTIFICATION AND AUTHENTICATION OF APPLICATIONS FOR THE KEY REVOCATION
The subscriber's certificate may request the revocation proving his identity by:
- Sending a document or e-mail signed with the certificate he/she wants to revoke
- Using the mechanisms described in section 3.2.2.
However, ACEDICOM or any of the entities that comprise the motion may request revocation of a certificate if they had
knowledge or suspicion of compromise of the Subscriber's private key, or anything else that would recommend take
such action. Shall be grounds for revocation of the certificate of loss of control by the subscriber:
The e-mail address included in the client certificate TLS / Email
The CN domain associated with the certificate in the case of TLS server certificates.
6. TECHNICAL SECURITY CONTROLS
6.1. GENERATION AND INSTALLATION OF keypair
There is always a reference to the keys generated for certificates issued under the scope of this Certificate Policy.

Information on the keys of the entities that make up the Certification Authority is found in paragraph 6.1 of the
Certification Practice Statement (CPS) of the ACEDICOM.
6.1.1. Generation of key pair
Key pairs for the certificates issued under the scope of this certification policy are generated in the device software that
is under the control of the subscriber, usually a browser. The only people who have access to the key signature are
owners by possession and protection of the team that made the request.
Private keys can be exported and must be protected by the user through mechanisms such as "key word".
6.1.2. Private Key Delivery to Entity
The private key is generated by a process initiated by the holder in the device software to it. There isn't any transfer of
private key.
6.1.3. Delivery of the public key of the issuer of the certificate
The public key to be certified is generated inside the cryptographic software or hardware device by the subscriber and is
sent to the PKI ACEDICOM as part of a request in PKCS # 10 format, digitally signed with the private key
corresponding to public key certification is sought.
6.1.4. Delivery of the public key of the CA to users
As specified in the certification practice statement (CPS) of the ACEDICOM.
6.1.5. Size of the keys
The size of the keys to the certificates issued under the scope of this Policy Certification is a minimum of 2048 bits.
6.1.6. Parameters of the public key generation
We use the parameters defined in the cryptographic suite 001 specified in the document ETSI SR 002 176 Electronic
Signatures and Infrastructures (ESI) Algorithms and Parameters for Secure Electronic Signature ".
Signature algorithm Signature algorithm parameters: RSA MinModLen = 2040
Key generation algorithm: rsagen1
Cryptographic method Padding: EMSA-pkcs1-v1_5
Hash function: shal
6.1.7. Checking the quality of the parameters
We use the parameters defined in the cryptographic suite 001 of the document specified in ETSI SR 002 176 Electronic
Signatures and Infrastructures (ESI) Algorithms and Parameters for Secure Electronic Signature ".
6.1.8. Hardware / software key generation
The key pair is generated in software or hardware device that is in exclusive controlled by the subscriber. The only
people who have access to the key signature are owners by possession and protection of the home team.
6.1.9. Purpose of the use of key
The keys defined by this policy will be used for purposes described in section 1.3 of this user community and scope.
The detailed definition of the profile of the certificate and uses the key is in paragraph 7 of this document "Professional
license and lists of revoked certificates. It should be noted that the effectiveness of limitations based on extensions of the
certificates depends, sometimes the functionality of applications that have not been manufactured or controlled by
ACEDICOM.
ACLDICOM.

Domain Name	TLS Certificate Policy, Section 3.2.2: Proof of identity	
Ownership / Control	TLS server certificates: It is verified that the person or entity controls the Internet domain specified in the CN.	
	Once the certificate application process starts, it will be provided the necessary instructions to continue the	
	same path through the contact (email, phone or physical address) specified in the request and must match the	
	administrative contact list whois the domain.	
Email Address	TLS Certificate Policy, Section 3.2.2: Proof of identity	
Ownership /	TLS client certificate / email: it will be verified the email address of the applicant, so that once the certificate	
Control	application process starts, the applicant will get the necessary instructions to continue the same through e-mail	
	address specified in the application and intended to be included in the certificate.	
Identity of Code	TLS Certificate Policy, Section 3.2.2: Proof of identity	
Signing	* Is required for the registration of the certificate prove the identity of the certificate to be registered.	
Subscriber	Specifically, the data in the extensions that identify the subject, referred to in paragraph 3.1.1, must be verified	
	or will not be included.	
	* Any other additional information to include in the certificate must be appropriately verified. In any case	
	ACEDICOM reserves the right to require the physical presence of the applicant or person authorized by it in	
	points allowed for registration in order to provide documentation and perform the appropriate checks on	
N	identity, as detailed in the Statement of Practice Certification in points 3.2.2 and 3.2.3.	
Potentially	http://wiki.mozilla.org/CA:Problematic Practices	
Problematic	• <u>Long-lived DV certificates</u>	
Practices	• SSL certs are IV/OV.	
	• TLS Certificate Policy, Section 6.3.2: Certificates issued under this policy are valid for 2 years.	
	<u>Wildcard DV SSL certificates</u>	
	• SSL certs are IV/OV.	
	 TLS Certificate Policy, Section 3.1.7: The wildcards in names are not allowed. Thus, although wildcards, like CN =*.dominio.tld, are common an accepted on the Internet, certificates 	
	containing a wildcard will not be issued under this policy. There is one exception: the certificates	
	issued for domains under the control of the organization administering ACEDICOM (see 1.5.1) it	
	may contain wildcards and the ACEDICOM always have control of the domains and subdomains	
	for which the organization administering owns.	
	Delegation of Domain / Email validation to third parties	
	 ACEDICOM does not delegate Domain / Email validation to third parties 	
	<u>Issuing end entity certificates directly from roots</u>	
	• The root only directly issues sub-CAs.	
	<u>Allowing external entities to operate unconstrained subordinate CAs</u>	

	• There are no externally-operated sub-CAs.
•	Distributing generated private keys in PKCS#12 files
	 TLS Certificate Policy, Section 6.1.1: Key pairs for the certificates issued under the scope of this certification policy are generated in the device software that is under the control of the subscriber, usually a browser. The only people who have access to the key signature are owners by possession and protection of the team that made the request. Private keys can be exported and must be protected by the user through mechanisms such as "key word".
	• TLS Certificate Policy, Section 6.1.2: The private key is generated by a process initiated by the holder in the device software to it. There isn't any transfer of private key.
•	Certificates referencing hostnames or private IP addresses
	 Special IP addresses (RFC 3330) are not allowed as a domain name on server certificates, as described on the section 3.1.1 of the TLS Certificate Policy.
•	OCSP Responses signed by a certificate under a different root
	 ACEDICOM OCSP responses are signed whether using the CA certificate or a certificate issued by the same CA.
•	CRL with critical CIDP Extension
	• ACEDICOM makes full CRLs.