

Bug List: (This bug is not in your last search results) [Show last search results](#)

**[Bug 516525](#) - Print [Last Comment](#)
and Print Preview work, but make
the text huge ([edit](#))**

[Status:](#) UNCONFIRMED ([edit](#))

[Whiteboard:](#)

[Keywords:](#)

[Product:](#)

[Component:](#)

[Version:](#)

[Platform:](#)

[Importance:](#)

with [1 vote](#) ([vote](#))

[Target Milestone:](#) ---

Assigned To: [Nobody; OK to take it and work on it](#)

QA Contact: printing@core.bugs

URL:

Depends on:

Blocks: [125824](#) ([edit](#))

Show dependency [tree](#)
/ [graph](#)

Commit

Attachments

[Add an attachment](#) (proposed patch, testcase, etc.)

[Collapse All Comments](#) - [Expand All Comments](#)

[Description](#) From [Worcester12345](#) 2009-09-14 14:

```
User-Agent:      Mozilla/5.0 (Windows; U;  
rv:1.9.1.4pre) Gecko/20090914 SeaMonkey/2.0  
Build Identifier: Mozilla/5.0 (Windows; U;  
rv:1.9.1.4pre) Gecko/20090914 SeaMonkey/2.0
```

Printing a normal page is not working prope which is otherwise normal, goes onto 8 page for real. This is on any printer, but for a an HP 4350tn

Reproducible: Always

Steps to Reproduce:

- 1.Go to print or print preview.
- 2.Observe output
- 3.

Actual Results:

Printed or print preview output seems stran

Expected Results:

Should print or print preview normally.

no additional information

----- *Comment #1 From [Mike Beltzner \[:beltzn](#)*

Can't block on unconfirmed bugs; please get preview seems to work fine for me, on OSX,

----- *Comment #2 From [Daniel Holbert \[:dholbe](#)*

(In reply to [comment #0](#))
> Printing a normal page is not working pro

Ok -- just so we're all trying the same thi
"standard testcase" for this bug, at least
<http://ftp.mozilla.org/pub/mozilla.org/README>

> This is on any printer

Can you print-to-PDF the above-linked README
so we can see what's wrong? (I've used the
before and can recommend it, but any PDF pr

It'd also be handy if you could test this u
problem could be is something broken in you
try this in SeaMonkey by doing:

> cd [your seamonkey directory]
> md foo
> seamonkey -no-remote -profile foo
> [And then delete the "foo" folder later]

This just creates an empty folder and use t
profile.

[1] <http://www.bullzip.com/products/pdf/inf>

Additional Comments:

Status: UNCONFIRMED

[Mark as Duplicate](#)

[Format For Printing](#) - [XML](#) - [Clone This Bug](#) - [Top of page](#)

Bug List: (This bug is not in your last search results) [Show last search results](#)