

# Feura Sans

Technical Documentation

A-z	€	Lat	Ł ł Œ œ	Ext
	₂ ₂² ²	b·B	B·B	<i>ia</i>
			fi	st
			123	0
			x²	1 <sup>st</sup>
			(G}	Œ·Œ
			N↔E	T↔o

Copyright © 2013 by Carrois Type Design

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written consent of the publisher.

This publication and the information herein is furnished AS IS, is subject to change without notice, and should not be construed as a commitment by Carrois Type Design. Carrois Type Design assumes no responsibility for any errors or inaccuracies, makes no warranty of any kind (express, implied or statutory) with respect to this publication, and expressly disclaims any and all warranties of merchantability, fitness for particular purposes and noninfringement of third party rights.

Brand or product names, used in this publication, are the trademarks or registered trademarks of their respective holders.

For questions and comments please contact:

Carrois Type Design GbR  
Simplonstr. 54  
10245 Berlin  
Germany  
Tel.: +49 (30) 920 389 66  
e-Mail: [post@carrois.com](mailto:post@carrois.com)  
Internet: [www.carrois.com](http://www.carrois.com)

Document generated 2013/03/24-14:59:07  
with e-font PDF Generator

# Table of Content

Encoded Characters	4
Basic Latin	4
Latin-1 Supplement	4
Latin Extended-A	5
Latin Extended-B	5
Spacing Modifier Letters	5
Combining Diacritical Marks	6
Greek and Coptic	6
General Punctuation	6
Superscripts and Subscripts	6
Currency Symbols	6
Letterlike Symbols	6
Number Forms	7
Arrows	7
Mathematical Operators	7
Geometric Shapes	7
Alphabetic Presentation Forms	7
Arabic Presentation Forms-B	7
Unencoded Glyphs	8
Small Capitals From Capitals	8
Small Capitals From Capitals, Small Capitals	8
Contextual Alternates, Case-Sensitive Forms	8
Case-Sensitive Forms	9
Discretionary Ligatures, Small Capitals	9
Standard Ligatures	9
Localized Forms	9
Small Capitals	9
Tabular Figures	9
Slashed Zero	9
Other	10
OpenType Layout Features	11
Substitution Features	11
Positioning Features	12
Codepages	13
MacOS	13
MS Windows	13
ISO	13
IBM	13
Languages	14

# Encoded Characters

All encoded characters should be accessible with every unicode capable application.  
For details about Unicode Blocks visit the [Unicode Website](#).

## Basic Latin

Block from 0000 to 007F

0000	000D	0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	002C	002D
			!	"	#	\$	%	&	'	(	)	*	+	,	-
002E	002F	0030	0031	0032	0033	0034	0035	0036	0037	0038	0039	003A	003B	003C	003D
.	/	0	1	2	3	4	5	6	7	8	9	:	;	<	=
003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D
>	?	@	A	B	C	D	E	F	G	H	I	J	K	L	M
004E	004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	005C	005D
N	O	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]
005E	005F	0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	006C	006D
^	_	`	a	b	c	d	e	f	g	h	i	j	k	l	m
006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	007C	007D
n	o	p	q	r	s	t	u	v	w	x	y	z	{		}
007E															
	~														

## Latin-1 Supplement

Block from 0080 to 00FF

00A0	00A1	00A2	00A3	00A4	00A5	00A6	00A7	00A8	00A9	00AA	00AB	00AC	00AD	00AE	00AF
	ı	ç	£	¤	¥	¦	§	¨	©	ª	«	¬	-	®	¯
00B0	00B1	00B2	00B3	00B4	00B5	00B6	00B7	00B8	00B9	00BA	00BB	00BC	00BD	00BE	00BF
°	±	²	³	´	µ	¶	·	¸	¹	º	»	¼	½	¾	¿
00C0	00C1	00C2	00C3	00C4	00C5	00C6	00C7	00C8	00C9	00CA	00CB	00CC	00CD	00CE	00CF
À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï
00D0	00D1	00D2	00D3	00D4	00D5	00D6	00D7	00D8	00D9	00DA	00DB	00DC	00DD	00DE	00DF
Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß
00E0	00E1	00E2	00E3	00E4	00E5	00E6	00E7	00E8	00E9	00EA	00EB	00EC	00ED	00EE	00EF
à	á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï

00F0	00F1	00F2	00F3	00F4	00F5	00F6	00F7	00F8	00F9	00FA	00FB	00FC	00FD	00FE	00FF
đ	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ

## Latin Extended-A

Block from 0100 to 017F

0100	0101	0102	0103	0104	0105	0106	0107	0108	0109	010A	010B	010C	010D	010E	010F
Ā	ā	Ă	ă	Ą	ą	Ć	ć	Ĉ	ĉ	Ċ	ċ	Č	č	Ď	d'
0110	0111	0112	0113	0114	0115	0116	0117	0118	0119	011A	011B	011C	011D	011E	011F
Ð	đ	Ē	ē	Ě	ě	Ė	ė	Ę	ę	Ě	ě	Ĝ	ĝ	Ğ	ğ
0120	0121	0122	0123	0124	0125	0126	0127	0128	0129	012A	012B	012C	012D	012E	012F
Ġ	ġ	Ģ	ģ	Ĥ	ĥ	Ħ	ħ	Ĩ	ĩ	Ī	ī	Ĵ	ĵ	Ĵ	ĵ
0130	0131	0132	0133	0134	0135	0136	0137	0138	0139	013A	013B	013C	013D	013E	013F
İ	ı	Ĳ	ĳ	Ĵ	ĵ	Ķ	ķ	κ	Ĺ	ĺ	Ł	ł	Ł	ł	Ł
0140	0141	0142	0143	0144	0145	0146	0147	0148	0149	014A	014B	014C	014D	014E	014F
Ł	ł	Ł	ł	Ń	ń	Ņ	ņ	Ň	ň	Ŋ	ŋ	Ō	ō	Ŏ	ŏ
0150	0151	0152	0153	0154	0155	0156	0157	0158	0159	015A	015B	015C	015D	015E	015F
Ŏ	ŏ	Œ	œ	Ŕ	ŕ	Ŗ	ŗ	Ř	ř	Ś	ś	Ŝ	ŝ	Ş	ş
0160	0161	0162	0163	0164	0165	0166	0167	0168	0169	016A	016B	016C	016D	016E	016F
Š	š	Ţ	ţ	Ť	ť	Ŧ	ŧ	Ũ	ũ	Ū	ū	Ŭ	ŭ	Ů	ů
0170	0171	0172	0173	0174	0175	0176	0177	0178	0179	017A	017B	017C	017D	017E	
Ů	ů	Ų	ų	Ŵ	ŵ	Ŷ	ŷ	Ÿ	Ž	ž	Ž	ž	Ž	ž	

## Latin Extended-B

Block from 0180 to 024F

0192	01FC	01FD	01FE	01FF	0218	0219	021A	021B	0237
ƒ	Ĳ	æ	ø	ø	ſ	ſ	Ţ	ţ	ſ

## Spacing Modifier Letters

Block from 02B0 to 02FF

02C6	02C7	02C9	02D8	02D9	02DA	02DB	02DC	02DD
ˆ	˘	ˉ	˘	˙	˚	˛	˜	˝

## Combining Diacritical Marks

Block from 0300 to 036F

0300	0301	0302	0303	0304	0306	0307	0308	030A	030B	030C	0312	0313	0326	0327	0328
˘	˙	ˆ	˜	–	˘	•	••	◌	”	˘	‘	’	,	˘	˘
0335	0336														
–	–														

## Greek and Coptic

Block from 0370 to 03FF

0394	03A9	03BC	03C0
Δ	Ω	μ	π

## General Punctuation

Block from 2000 to 206F

2007	2008	200B	2012	2013	2014	2018	2019	201A	201C	201D	201E	2020	2021	2022	2026
			–	–	—	‘	’	,	“	”	„	†	‡	•	...
2030	2039	203A	2044												
‰	<	>	/												

## Superscripts and Subscripts

Block from 2070 to 209F

2070	2074	2075	2076	2077	2078	2079
⁰	⁴	⁵	⁶	⁷	⁸	⁹

## Currency Symbols

Block from 20A0 to 20CF

20AC
€

## Letterlike Symbols

Block from 2100 to 214F

2122	2126	212E
™	Ω	e

## Number Forms

Block from 2150 to 218F

2153	2154
$\frac{1}{3}$	$\frac{2}{3}$

## Arrows

Block from 2190 to 21FF

2190	2191	2192	2193	2194	2195	2196	2197	2198	2199
←	↑	→	↓	↔	↕	↖	↗	↘	↙

## Mathematical Operators

Block from 2200 to 22FF

2202	2206	220F	2211	2212	2215	2219	221A	221E	222B	2248	2260	2264	2265
∂	Δ	∏	Σ	−	/	⋅	√	∞	∫	≈	≠	≤	≥

## Geometric Shapes

Block from 25A0 to 25FF

25CA
◊

## Alphabetic Presentation Forms

Block from FB00 to FB4F

FB01	FB02
fi	fl

## Arabic Presentation Forms-B

Block from FE70 to FEFF

FEFF

# Unencoded Glyphs

All unencoded glyphs are accessible with OpenType layout feature capable applications. For a complete list of supported OpenType layout features see the next section.

## Small Capitals From Capitals

-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ı	˘	˙	˚	˛	˜	˝	ˆ	˜	˚	˚	˚	˚	˚	˚

## Small Capitals From Capitals, Small Capitals

-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Q	R	S	T	U	V	W	X	Y	Z	À	Á	Â	Ã	Ä	Å
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ï	Ð	Ñ	Ò	Ó	Ô	Õ
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ö	Ø	Ù	Ú	Û	Ü	Ý	Þ	ÿ	Ā	Ă	Ą	Ć	Ĉ	Č	Ď
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ď	Đ	Ē	Ĕ	Ė	Ę	Ě	Ĝ	Ğ	Ġ	Ĥ	Ħ	Ĩ	Ī	Ĳ	Ĵ
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ĵ	Ĳ	Ĵ	Ĳ	Ĵ	Ĳ	Ĵ	Ĳ	Ĵ	Ĳ	Ĵ	Ĳ	Ĵ	Ĳ	Ĵ	Ĳ
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Œ	Ŕ	Ŗ	Ř	Ś	Ŝ	Ş	Š	Ţ	Ť	Ŧ	Ũ	Ū	Ŭ	Ů	Ű
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ų	Ŵ	Ŷ	Ž	Ż	Ž	Æ	Ø	Ş	Ţ	Ł					

## Contextual Alternates, Case-Sensitive Forms

-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
˘	˙	˚	˛	˜	˝	ˆ	˜	˚	˚	˚	˚	˚	˚	˚



## Case-Sensitive Forms

-	-	-	-	-	-	-	-	-	-	-	-	-	-
(	)	-	[	]	{	}	«	-	»	—	—	<	>

## Discretionary Ligatures, Small Capitals

-	-
FI	FL

## Standard Ligatures

-	-
fi	fl

## Localized Forms

-	-	-
ı	Ł	ł

## Small Capitals

-	-	-	-	-	-	-	-
SS	I	K	N	J	FI	FL	ı


## Tabular Figures

-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	\$	%	+	0	1	2	3	4	5	6	7	8	9	<	=
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
>	~	¢	£	¤	¥	§	¨	°	±	×	÷	†	‡	‰	€
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ð	Π	Σ	−	∞	≈	≠	≤	≥	◊						

## Slashed Zero

-	-
0	0

## Other



# OpenType Layout Features

For details about OpenType Layout Features see the [OpenType Layout tag registry](#).

## Substitution Features



### Access All Alternates

This feature makes all variations of a selected character accessible.



### Small Capitals

This feature turns lowercase characters into small capitals. This corresponds to the common SC font layout. It is generally used for display lines set in Large and small caps, such as titles. Forms related to small capitals, such as oldstyle figures, may be included.



### Small Capitals From Capitals

This feature turns capital characters into small capitals.



### Contextual Alternates

In specified situations, replaces default glyphs with alternate forms which provide better joining behavior.



### Standard Ligatures

Replaces a sequence of glyphs with a single glyph which is preferred for typographic purposes. This feature covers the ligatures which the designer/manufacturer judges should be used in normal conditions.



### Discretionary Ligatures

Replaces a sequence of glyphs with a single glyph which is preferred for typographic purposes. This feature covers those ligatures which may be used for special effect, at the user's preference.



### Tabular Figures

Replaces figure glyphs set on proportional widths with corresponding glyphs set on uniform (tabular) widths.



### Slashed Zero

Some fonts contain both a default form of zero, and an alternative form which uses a diagonal slash through the counter. This feature allows the user to change from the default 0 to a slashed form.



### Superscript

Replaces lining or oldstyle figures with superior figures (primarily for footnote indication), and may replace lowercase letters with superior letters (primarily for abbreviated French titles).



### Ordinals

Replaces default alphabetic glyphs with the corresponding ordinal forms for use after figures.



### Case-Sensitive Forms

Shifts various punctuation marks up to a position that works better with all-capital sequences or sets of lining figures; also changes oldstyle figures to lining figures.



### Localized Forms

This feature enables localized forms of glyphs to be substituted for default forms.

## Positioning Features



### Capital Spacing

Globally adjusts inter-glyph spacing for all-capital text. Most typefaces contain capitals and lowercase characters, and the capitals are positioned to work with the lowercase. When capitals are used for words, they need more space between them for legibility and esthetics.



### Kerning

Adjusts amount of space between glyphs, generally to provide optically consistent spacing between glyphs.

# Codepages

## MacOS

MacOS Central Europe  
MacOS Croatian  
MacOS Icelandic

MacOS Roman  
MacOS Romanian  
MacOS Turkish

## MS Windows

MS Windows 1250 Central European  
MS Windows 1252 Western (ANSI)

MS Windows 1254 Turkish  
MS Windows 1257 Baltic

## ISO

ISO 8859- 1 Latin 1 (Western)  
ISO 8859- 2 Latin 2 (Central Europe)  
ISO 8859- 3 Latin 3 (Tu, Malt, Gal, Esp)  
ISO 8859- 4 Latin 4 (Baltic)

ISO 8859- 9 Latin 5 (Turkish)  
ISO 8859-13 Latin 7 (Baltic 2)  
ISO 8859-15 Latin 9  
ISO 8859-16 Latin 10

## IBM

IBM 37 United States - EBCDIC (IBM-28709)  
IBM 273 Germany - EBCDIC  
IBM 277 Denmark, Norway - EBCDIC  
IBM 278 Finland, Sweden - EBCDIC  
IBM 280 Italy - EBCDIC  
IBM 284 Spain, Latin America - EBCDIC  
IBM 285 United Kingdom - EBCDIC

IBM 297 France - EBCDIC  
IBM 500 International - EBCDIC  
IBM 871 Iceland - EBCDIC  
IBM 921 Baltic  
IBM 1047 Open Systems - EBCDIC  
IBM 1112 Baltic - EBCDIC

# Languages

Information about languages is mainly based on the Unicode Common Locale Data Repository. For details visit the [Unicode CLDR Project](#).

Afar	Ga	Malay	Sidamo
Afrikaans	Galician	Maltese	Slovak
Albanian	Ganda	Manx	Slovenian
Asu	German	Maori	Soga
Basque	Gusii	Meru	Somali
Bemba	Hungarian	Moldavian	Sorbian, Lower
Bena	Icelandic	Morisyen	Sorbian, Upper
Bosnian	Indonesian	North Ndebele	Sotho, Northern
Breton	Interlingua	Norwegian Bokmål	Sotho, Southern
Catalan	Irish	Norwegian Nynorsk	South Ndebele
Chiga	Italian	Nyanja	Spanish
Colognian	Jju	Nyankole	Swahili
Cornish	Kabuverdianu	Occitan	Swati
Crimean Tatar	Kalaallisut	Oromo	Swedish
Croatian	Kalenjin	Polish	Swiss German
Czech	Kamba	Portuguese	Taita
Danish	Kikuyu	Romanian	Taroko
Dutch	Kinyarwanda	Romansh	Teso
Embu	Koro	Rombo	Tsonga
English	Kurdish	Rwa	Tswana
Esperanto	Latvian	Saho	Turkish
Estonian	Lithuanian	Samburu	Tyap
Faroese	Low German	Sami Northern	Vunjo
Filipino	Luo	Sango	Wolof
Finnish	Luyia	Sena	Xhosa
French	Machame	Serbian	Zulu
Frisian West	Makonde	Shambala	
Friulian	Malagasy	Shona	