

Firefox OS



Cursor movement


Version 0.2 [Feb, 18, 2014]

Most recent spec available at - [\[Link to folder on box.com\]](#)
Questions? E-mail the author or firefoxos-ux@mozilla.com

Release Notes

v0.1	Jan 20 2014	Carrie Wang	The draft spec of cursor movement and text selection.
V0.2	Feb 18 2014	Carrie Wang	Remove the text selection part.

Cursor positioning in edit field



The user tap texts to position the cursor.

The cursor handle shows up.


The user can drag the cursor handle to move the cursor.

The user can drag the cursor handle to position the cursor.


If the finger leaves the touchscreen, the cursor handle disappears after 3 seconds.

Notes

The cursor handle can be dragged toward up, down, right and left.




Cursor positioning and movement in URL field



The user taps the URL.

tap the URL address



The whole URL address is selected and highlighted.

tap the selected URL



The user taps the selected URL and the cursor will be then positioned and the handle shows up.

drag the caret




The cursor is repositioned. The cursor handle disappears after 3-second time-out.


Notes

The URL should be selected and highlighted before the handle appears (screen 2 and screen 3) so that users can directly type keywords to search or input new website link to replace the previous one.
The interaction is based on user behavior and has been widely adopted in different OS platform.

Ways to dismiss the cursor handle




The caret will disappear after 3 seconds time out.



The cursor handle will disappear if the user scrolls the page (in the text field or on the page).

scroll the page
or the text field




The cursor handle disappears, but the cursor will stay at the same place.

after 3 seconds


Ways to dismiss both the cursor and cursor handle

[Tap other place except text field]



The user can tap everywhere on the screen but the text field to dismiss both the cursor and cursor handle.
(The keyboard will be dismissed with the same interaction)


[Dismiss keyboard]



The user can swipe from the edge of the keyboard to dismiss the keyboard. Both the cursor and cursor handle will disappear if the keyboard is dismissed as well.

Carets views in different position on the page

Case 1:
[Keyboard]



The caret (single and double) will overlay the keyboard.

The whole cursor should be active to drag. Hence, if the cursor handle is overlaid by other items, the user can still tap the cursor to move.

