

**PeerConnection:1397170035986254 (id=60  
url=https://apprtc.appspot.com/?r=35242394)**

## ICE statistics

## RTP statistics

Show/refresh logging

## Logging:

```
insert 'ice' (registry) succeeded: ice
insert 'ice.pref' (registry) succeeded: ice.pref
insert 'ice.pref.type' (registry) succeeded: ice.pref.type
insert 'ice.pref.type.srv_rflx' (UCHAR) succeeded: 0x64
insert 'ice.pref.type.peer_rflx' (UCHAR) succeeded: 0x6e
insert 'ice.pref.type.host' (UCHAR) succeeded: 0x7e
insert 'ice.pref.type.relayed' (UCHAR) succeeded: 0x05
insert 'ice.pref.type.relayed_tcp' (UCHAR) succeeded: 0x00
insert 'ice.pref.interface' (registry) succeeded: ice.pref.interface
insert 'ice.pref.interface.rlo' (UCHAR) succeeded: 0xff
insert 'ice.pref.interface.wi0' (UCHAR) succeeded: 0xfe
insert 'ice.pref.interface.lo0' (UCHAR) succeeded: 0xfd
insert 'ice.pref.interface.en1' (UCHAR) succeeded: 0xfc
insert 'ice.pref.interface.en0' (UCHAR) succeeded: 0xfb
insert 'ice.pref.interface.eth0' (UCHAR) succeeded: 0xfc
insert 'ice.pref.interface.eth1' (UCHAR) succeeded: 0xfb
insert 'ice.pref.interface.eth2' (UCHAR) succeeded: 0xf9
insert 'ice.pref.interface.ppp' (UCHAR) succeeded: 0xfa
insert 'ice.pref.interface.ppp0' (UCHAR) succeeded: 0xf9
insert 'ice.pref.interface.en2' (UCHAR) succeeded: 0xf8
insert 'ice.pref.interface.en3' (UCHAR) succeeded: 0xf7
insert 'ice.pref.interface.em0' (UCHAR) succeeded: 0xfb
insert 'ice.pref.interface.em1' (UCHAR) succeeded: 0xfc
insert 'ice.pref.interface.vmnet0' (UCHAR) succeeded: 0xf0
insert 'ice.pref.interface.vmnet1' (UCHAR) succeeded: 0xf1
insert 'ice.pref.interface.vmnet3' (UCHAR) succeeded: 0xef
insert 'ice.pref.interface.vmnet4' (UCHAR) succeeded: 0xee
insert 'ice.pref.interface.vmnet5' (UCHAR) succeeded: 0xed
insert 'ice.pref.interface.vmnet6' (UCHAR) succeeded: 0xec
insert 'ice.pref.interface.vmnet7' (UCHAR) succeeded: 0xeb
insert 'ice.pref.interface.vmnet8' (UCHAR) succeeded: 0xea
insert 'ice.pref.interface.virbr0' (UCHAR) succeeded: 0xe9
insert 'ice.pref.interface.wlan0' (UCHAR) succeeded: 0xe8
insert 'stun' (registry) succeeded: stun
insert 'stun.client' (registry) succeeded: stun.client
insert 'stun.client.maximum_transmits' (UINT4) succeeded: 4
ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com
/?r=14105741)): No STUN servers specified
```

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): No TURN servers specified

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:192.168.1.189:57105/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:57105/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 99155967 candidate  
relay(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:46057/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:192.168.1.189:46057/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:46057/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:46057/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:46057/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:46057/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 99155966 candidate  
relay(IP4:192.168.1.189:46057/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:192.168.1.189:46057/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:192.168.1.189:41263/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:41263/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 99155967 candidate  
relay(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991486 candidate srflx(IP4:192.168.1.189:54447/UDP|IP4:23.236.53.1:3478/UDP) and candidate srflx(IP4:192.168.1.189:54447/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991486 candidate srflx(IP4:192.168.1.189:54447/UDP|IP4:23.236.53.1:3479/UDP) and candidate srflx(IP4:192.168.1.189:54447/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991486 candidate srflx(IP4:192.168.1.189:54447/UDP|IP4:23.236.53.1:3479/UDP) and candidate srflx(IP4:192.168.1.189:54447/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 99155966 candidate relay(IP4:192.168.1.189:54447/UDP|IP4:23.236.53.1:3479/UDP) and candidate relay(IP4:192.168.1.189:54447/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991487 candidate srflx(IP4:192.168.1.189:40502/UDP|IP4:23.236.53.1:3478/UDP) and candidate srflx(IP4:192.168.1.189:40502/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991487 candidate srflx(IP4:192.168.1.189:40502/UDP|IP4:23.236.53.1:3479/UDP) and candidate srflx(IP4:192.168.1.189:40502/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991487 candidate srflx(IP4:192.168.1.189:40502/UDP|IP4:23.236.53.1:3479/UDP) and candidate srflx(IP4:192.168.1.189:40502/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 99155967 candidate relay(IP4:192.168.1.189:40502/UDP|IP4:23.236.53.1:3479/UDP) and candidate relay(IP4:192.168.1.189:40502/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991486 candidate srflx(IP4:192.168.1.189:37853/UDP|IP4:23.236.53.1:3478/UDP) and candidate srflx(IP4:192.168.1.189:37853/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991486 candidate srflx(IP4:192.168.1.189:37853/UDP|IP4:23.236.53.1:3479/UDP) and candidate srflx(IP4:192.168.1.189:37853/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 1692991486 candidate srflx(IP4:192.168.1.189:37853/UDP|IP4:23.236.53.1:3479/UDP) and candidate srflx(IP4:192.168.1.189:37853/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): duplicate priority 99155966 candidate relay(IP4:192.168.1.189:37853/UDP|IP4:23.236.53.1:3479/UDP) and candidate relay(IP4:192.168.1.189:37853/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): Error on reliable socket. Abandoning.

TURN(relay(IP4:192.168.1.189:41136/TCP|IP4:23.236.53.1:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:41136/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:192.168.1.189:41136/TCP|IP4:23.236.53.1:3479/TCP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:41136/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:41136/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:41136/TCP|IP4:23.236.53.1:3479/TCP)): Couldn't start STUN  
ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): Error on reliable socket. Abandoning.  
ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): Error on reliable socket. Abandoning.  
ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): Error on reliable socket. Abandoning.  
ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): Error on reliable socket. Abandoning.  
ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): Error on reliable socket. Abandoning.  
TURN(relay(IP4:192.168.1.189:60871/TCP|IP4:23.236.53.1:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:60871/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:192.168.1.189:60871/TCP|IP4:23.236.53.1:3479/TCP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:60871/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:60871/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:60871/TCP|IP4:23.236.53.1:3479/TCP)): Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:3478/UDP)): Successfully allocated addr IP4:23.236.53.1:64643/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:54477/TCP|IP4:23.236.53.1:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:54477/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:192.168.1.189:54477/TCP|IP4:23.236.53.1:3479/TCP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:54477/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:54477/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:54477/TCP|IP4:23.236.53.1:3479/TCP)): Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:46057/UDP|IP4:23.236.53.1:3478/UDP)): Successfully allocated addr IP4:23.236.53.1:58178/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:49979/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:65203/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:56368/TCP|IP4:23.236.53.1:3478/TCP)):

Successfully allocated addr IP4:23.236.53.1:57608/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:42024/TCP|IP4:23.236.53.1:3479/TCP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:42024/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:192.168.1.189:42024/TCP|IP4:23.236.53.1:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:42024/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:42024/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:42024/TCP|IP4:23.236.53.1:3479/TCP)):  
Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:3478/UDP)):  
Successfully allocated addr IP4:23.236.53.1:58257/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:42729/TCP|IP4:23.236.53.1:3478/TCP)):  
Successfully allocated addr IP4:23.236.53.1:60939/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:58540/TCP|IP4:23.236.53.1:3479/TCP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:58540/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:192.168.1.189:58540/TCP|IP4:23.236.53.1:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:58540/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:58540/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:58540/TCP|IP4:23.236.53.1:3479/TCP)):  
Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:54447/UDP|IP4:23.236.53.1:3478/UDP)):  
Successfully allocated addr IP4:23.236.53.1:54341/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:42716/TCP|IP4:23.236.53.1:3478/TCP)):  
Successfully allocated addr IP4:23.236.53.1:61999/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:54465/TCP|IP4:23.236.53.1:3479/TCP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:54465/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:192.168.1.189:54465/TCP|IP4:23.236.53.1:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:54465/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:54465/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:54465/TCP|IP4:23.236.53.1:3479/TCP)):  
Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:40502/UDP|IP4:23.236.53.1:3478/UDP)):  
Successfully allocated addr IP4:23.236.53.1:53773/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:32989/TCP|IP4:23.236.53.1:3478/TCP)):  
Successfully allocated addr IP4:23.236.53.1:56659/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:37853/UDP|IP4:23.236.53.1:3478/UDP)):  
Successfully allocated addr IP4:23.236.53.1:56726/UDP lifetime=3600  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS

Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
TURN(relay(IP4:192.168.1.189:39431/TCP|IP4:23.236.53.1:3478/TCP)):  
Successfully allocated addr IP4:23.236.53.1:54028/UDP lifetime=3600  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client,  
username=: e9c41383:becfff59  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client,  
username=: e9c41383:becfff59  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client,  
username=: e9c41383:becfff59  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client,  
username=: e9c41383:becfff59  
Peer offered candidates for disabled local component  
ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com  
/?r=14105741)): peer (PC:1397166227668629 (id=9  
url=https://apprtc.appspot.com/?r=14105741):default) specified bogus  
candidate  
Peer offered candidates for disabled local component  
ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com  
/?r=14105741)): peer (PC:1397166227668629 (id=9  
url=https://apprtc.appspot.com/?r=14105741):default) specified bogus  
candidate  
ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com  
/?r=14105741):default)/CAND-PAIR(PTKh): setting pair to state FROZEN:  
PTKh|IP4:192.168.1.189:57105/UDP|IP4:192.168.1.96:59106  
/UDP(host(IP4:192.168.1.189:57105/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 59106 typ host)  
ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com  
/?r=14105741))/CAND-PAIR(PTKh): Pairing candidate  
IP4:192.168.1.189:57105/UDP (7ee800ff):IP4:192.168.1.96:59106/UDP  
(7e7f00ff) priority=9115005270296101374 (7e7f00ffdd001fe)  
ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com  
/?r=14105741):default)/CAND-PAIR(WLay): setting pair to state FROZEN:  
WLay|IP4:23.236.53.1:64643/UDP|IP4:192.168.1.96:59106/UDP(turn-  
relay(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:64643/UDP)|candidate:0  
1 UDP 2122252543 192.168.1.96 59106 typ host)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741))/CAND-PAIR(WLay): Pairing candidate  
IP4:23.236.53.1:64643/UDP (5e8ffff):IP4:192.168.1.96:59106/UDP (7e7f00ff)  
priority=425871639712760319 (5e8ffffcfe01ff)

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(g7i8): setting pair to state FROZEN:  
g7i8|IP4:23.236.53.1:65203/UDP|IP4:192.168.1.96:59106/UDP(turn-relay(IP4:192.168.1.189:49979/TCP|IP4:23.236.53.1:65203/UDP)|candidate:0 1  
UDP 2122252543 192.168.1.96 59106 typ host)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741))/CAND-PAIR(g7i8): Pairing candidate  
IP4:23.236.53.1:65203/UDP (e8ffff):IP4:192.168.1.96:59106/UDP (7e7f00ff)  
priority=65583669523120639 (e8ffffcfe01ff)

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(REvm): setting pair to state FROZEN:  
REvm|IP4:192.168.1.189:41263/UDP|IP4:192.168.1.96:54551  
/UDP(host(IP4:192.168.1.189:41263/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 54551 typ host)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741))/CAND-PAIR(REvm): Pairing candidate  
IP4:192.168.1.189:41263/UDP (7ee800ff):IP4:192.168.1.96:54551/UDP  
(7e7f00ff) priority=9115005270296101374 (7e7f00ffdd001fe)

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(WRjM): setting pair to state FROZEN:  
WRjM|IP4:23.236.53.1:58257/UDP|IP4:192.168.1.96:54551/UDP(turn-relay(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:58257/UDP)|candidate:0  
1 UDP 2122252543 192.168.1.96 54551 typ host)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741))/CAND-PAIR(WRjM): Pairing candidate  
IP4:23.236.53.1:58257/UDP (5e8ffff):IP4:192.168.1.96:54551/UDP (7e7f00ff)  
priority=425871639712760319 (5e8ffffcfe01ff)

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(7PM3): setting pair to state FROZEN:  
7PM3|IP4:23.236.53.1:60939/UDP|IP4:192.168.1.96:54551/UDP(turn-relay(IP4:192.168.1.189:42729/TCP|IP4:23.236.53.1:60939/UDP)|candidate:0 1  
UDP 2122252543 192.168.1.96 54551 typ host)

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741))/CAND-PAIR(7PM3): Pairing candidate  
IP4:23.236.53.1:60939/UDP (e8ffff):IP4:192.168.1.96:54551/UDP (7e7f00ff)  
priority=65583669523120639 (e8ffffcfe01ff)

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(PTKh): setting pair to state WAITING:  
PTKh|IP4:192.168.1.189:57105/UDP|IP4:192.168.1.96:59106  
/UDP(host(IP4:192.168.1.189:57105/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 59106 typ host)

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(WLay): setting pair to state WAITING:  
WLay|IP4:23.236.53.1:64643/UDP|IP4:192.168.1.96:59106/UDP(turn-relay(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:64643/UDP)|candidate:0  
1 UDP 2122252543 192.168.1.96 59106 typ host)

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(g7i8): setting pair to state WAITING: g7i8|IP4:23.236.53.1:65203/UDP|IP4:192.168.1.96:59106/UDP(turn-relay(IP4:192.168.1.189:49979/TCP|IP4:23.236.53.1:65203/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 59106 typ host)

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(PTKh): setting pair to state IN\_PROGRESS: PTKh|IP4:192.168.1.189:57105/UDP|IP4:192.168.1.96:59106 /UDP(host(IP4:192.168.1.189:57105/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 59106 typ host)

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(PTKh): triggered check on PTKh|IP4:192.168.1.189:57105/UDP|IP4:192.168.1.96:59106 /UDP(host(IP4:192.168.1.189:57105/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 59106 typ host)

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(REVm): triggered check on REVm|IP4:192.168.1.189:41263/UDP|IP4:192.168.1.96:54551 /UDP(host(IP4:192.168.1.189:41263/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 54551 typ host)

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(REVm): setting pair to state WAITING: REVm|IP4:192.168.1.189:41263/UDP|IP4:192.168.1.96:54551 /UDP(host(IP4:192.168.1.189:41263/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 54551 typ host)

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(REVm): setting pair to state IN\_PROGRESS: REVm|IP4:192.168.1.189:41263/UDP|IP4:192.168.1.96:54551 /UDP(host(IP4:192.168.1.189:41263/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 54551 typ host)

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(WRJm): setting pair to state WAITING: WRJm|IP4:23.236.53.1:58257/UDP|IP4:192.168.1.96:54551/UDP(turn-relay(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:58257/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 54551 typ host)

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(WRJm): setting pair to state IN\_PROGRESS: WRJm|IP4:23.236.53.1:58257/UDP|IP4:192.168.1.96:54551/UDP(turn-relay(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:58257/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 54551 typ host)

TURN(relay(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:3478/UDP)): Creating permission for IP4:192.168.1.96:54551/UDP

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(PTKh): setting pair to state SUCCEEDED: PTKh|IP4:192.168.1.189:57105/UDP|IP4:192.168.1.96:59106 /UDP(host(IP4:192.168.1.189:57105/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 59106 typ host)

ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/STREAM(1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741): stream1/audio)/COMP(1)



/CAND-PAIR(PTKh): nominated pair is  
PTKh|IP4:192.168.1.189:57105/UDP|IP4:192.168.1.96:59106  
/UDP(host(IP4:192.168.1.189:57105/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 59106 typ host)  
ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com  
/?r=14105741):default)/STREAM(1397166227668629 (id=9  
url=https://apprtc.appspot.com/?r=14105741): stream1/audio)/COMP(1)  
/CAND-PAIR(PTKh): cancelling all pairs but  
PTKh|IP4:192.168.1.189:57105/UDP|IP4:192.168.1.96:59106  
/UDP(host(IP4:192.168.1.189:57105/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 59106 typ host)  
ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com  
/?r=14105741):default)/STREAM(1397166227668629 (id=9  
url=https://apprtc.appspot.com/?r=14105741): stream1/audio)/COMP(1)  
/CAND-PAIR(WLay): cancelling FROZEN/WAITING pair  
WLay|IP4:23.236.53.1:64643/UDP|IP4:192.168.1.96:59106/UDP(turn-  
relay(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:64643/UDP)|candidate:0  
1 UDP 2122252543 192.168.1.96 59106 typ host) because CAND-PAIR(PTKh)  
was nominated.  
ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com  
/?r=14105741):default)/CAND-PAIR(WLay): setting pair to state CANCELLED:  
WLay|IP4:23.236.53.1:64643/UDP|IP4:192.168.1.96:59106/UDP(turn-  
relay(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:64643/UDP)|candidate:0  
1 UDP 2122252543 192.168.1.96 59106 typ host)  
ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com  
/?r=14105741):default)/STREAM(1397166227668629 (id=9  
url=https://apprtc.appspot.com/?r=14105741): stream1/audio)/COMP(1)  
/CAND-PAIR(g7i8): cancelling FROZEN/WAITING pair  
g7i8|IP4:23.236.53.1:65203/UDP|IP4:192.168.1.96:59106/UDP(turn-  
relay(IP4:192.168.1.189:49979/TCP|IP4:23.236.53.1:65203/UDP)|candidate:0 1  
UDP 2122252543 192.168.1.96 59106 typ host) because CAND-PAIR(PTKh) was  
nominated.  
ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com  
/?r=14105741):default)/CAND-PAIR(g7i8): setting pair to state CANCELLED:  
g7i8|IP4:23.236.53.1:65203/UDP|IP4:192.168.1.96:59106/UDP(turn-  
relay(IP4:192.168.1.189:49979/TCP|IP4:23.236.53.1:65203/UDP)|candidate:0 1  
UDP 2122252543 192.168.1.96 59106 typ host)  
ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com  
/?r=14105741):default)/ICE-STREAM(1397166227668629 (id=9  
url=https://apprtc.appspot.com/?r=14105741): stream1/audio): all active  
components have nominated candidate pairs  
ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com  
/?r=14105741):default)/CAND-PAIR(REvm): setting pair to state SUCCEEDED:  
REvm|IP4:192.168.1.189:41263/UDP|IP4:192.168.1.96:54551  
/UDP(host(IP4:192.168.1.189:41263/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 54551 typ host)  
ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com  
/?r=14105741):default)/STREAM(1397166227668629 (id=9  
url=https://apprtc.appspot.com/?r=14105741): stream2/video)/COMP(1)  
/CAND-PAIR(REvm): nominated pair is





/?r=14105741)): peer (PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default), stream(1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741): stream1/audio) tried to trickle ICE in inappropriate state 4 STUN-CLIENT(relay(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:3479/UDP)::TURN): Timed out TURN(relay(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb TURN(relay(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:3479/UDP)) failed TURN(relay(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:3479/UDP)): cancelling ICE-CANDIDATE(relay(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb called with state 6 ICE-CANDIDATE(relay(IP4:192.168.1.189:57105/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb failed ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): peer (PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default), stream(1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741): stream2/video) tried to trickle ICE in inappropriate state 4 ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): peer (PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default), stream(1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741): stream1/audio) tried to trickle ICE in inappropriate state 4 ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): peer (PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default), stream(1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741): stream2/video) tried to trickle ICE in inappropriate state 4 ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): peer (PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default), stream(1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741): stream2/video) tried to trickle ICE in inappropriate state 4 ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): peer (PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default), stream(1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741): stream2/video) tried to trickle ICE in inappropriate state 4 ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): peer (PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default), stream(1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741): stream2/video) tried to trickle ICE in inappropriate state 4 ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): peer (PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default), stream(1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741): stream2/video) tried to trickle ICE in inappropriate state 4 ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): peer (PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default), stream(1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741): stream2/video) tried to trickle ICE in inappropriate state 4

ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): peer (PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default), stream(1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741): stream2/video) tried to trickle ICE in inappropriate state 4  
ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): peer (PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default), stream(1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741): stream2/video) tried to trickle ICE in inappropriate state 4  
STUN-CLIENT(relay(IP4:192.168.1.189:46057/UDP|IP4:23.236.53.1:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:46057/UDP|IP4:23.236.53.1:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:46057/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:192.168.1.189:46057/UDP|IP4:23.236.53.1:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:46057/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:46057/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:54447/UDP|IP4:23.236.53.1:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:54447/UDP|IP4:23.236.53.1:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:54447/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:192.168.1.189:54447/UDP|IP4:23.236.53.1:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:54447/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:54447/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:40502/UDP|IP4:23.236.53.1:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:40502/UDP|IP4:23.236.53.1:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:40502/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:192.168.1.189:40502/UDP|IP4:23.236.53.1:3479/UDP)): cancelling

ICE-CANDIDATE(relay(IP4:192.168.1.189:40502/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:40502/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:37853/UDP|IP4:23.236.53.1:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:37853/UDP|IP4:23.236.53.1:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:37853/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:192.168.1.189:37853/UDP|IP4:23.236.53.1:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:37853/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:37853/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(WRJM|IP4:23.236.53.1:58257/UDP|IP4:192.168.1.96:54551/UDP(turn-relay(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:58257/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 54551 typ host)): Timed out  
ICE-PEER(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741):default)/CAND-PAIR(WRJM): setting pair to state FAILED:  
WRJM|IP4:23.236.53.1:58257/UDP|IP4:192.168.1.96:54551/UDP(turn-relay(IP4:192.168.1.189:41263/UDP|IP4:23.236.53.1:58257/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 54551 typ host)  
ICE(PC:1397166227668629 (id=9 url=https://apprtc.appspot.com/?r=14105741)): Packet received from IP4:192.168.1.96:54551/UDP which doesn't match any known peer  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): No STUN servers specified  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): No TURN servers specified  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:192.168.1.189:60935/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:60935/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 99155967 candidate  
relay(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:35754/UDP|IP4:23.236.53.1:3478/UDP) and candidate

srflx(IP4:192.168.1.189:35754/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:35754/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:35754/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:35754/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:35754/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 99155966 candidate  
relay(IP4:192.168.1.189:35754/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:192.168.1.189:35754/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:192.168.1.189:35544/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:35544/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 99155967 candidate  
relay(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:43714/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:192.168.1.189:43714/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:43714/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:43714/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:43714/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:43714/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 99155966 candidate  
relay(IP4:192.168.1.189:43714/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:192.168.1.189:43714/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:52281/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:192.168.1.189:52281/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com

/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:52281/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:52281/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:52281/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:52281/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 99155967 candidate  
relay(IP4:192.168.1.189:52281/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:192.168.1.189:52281/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:39850/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:192.168.1.189:39850/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:39850/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:39850/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:39850/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:192.168.1.189:39850/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 99155966 candidate  
relay(IP4:192.168.1.189:39850/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:192.168.1.189:39850/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
TURN(relay(IP4:192.168.1.189:55214/TCP|IP4:23.236.53.1:3479/TCP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:55214/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:192.168.1.189:55214/TCP|IP4:23.236.53.1:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:55214/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:55214/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:55214/TCP|IP4:23.236.53.1:3479/TCP)):  
Couldn't start STUN  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.



TURN(relay(IP4:192.168.1.189:58350/TCP|IP4:23.236.53.1:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:58350/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:192.168.1.189:58350/TCP|IP4:23.236.53.1:3479/TCP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:58350/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:58350/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:58350/TCP|IP4:23.236.53.1:3479/TCP)): Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:3478/UDP)): Successfully allocated addr IP4:23.236.53.1:51740/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:55303/TCP|IP4:23.236.53.1:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:55303/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:192.168.1.189:55303/TCP|IP4:23.236.53.1:3479/TCP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:55303/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:55303/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:55303/TCP|IP4:23.236.53.1:3479/TCP)): Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:35754/UDP|IP4:23.236.53.1:3478/UDP)): Successfully allocated addr IP4:23.236.53.1:62653/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:41553/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:63999/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:37273/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:56998/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:34755/TCP|IP4:23.236.53.1:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:34755/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:192.168.1.189:34755/TCP|IP4:23.236.53.1:3479/TCP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:34755/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:34755/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:34755/TCP|IP4:23.236.53.1:3479/TCP)): Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:3478/UDP)): Successfully allocated addr IP4:23.236.53.1:54080/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:48578/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:52778/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:55784/TCP|IP4:23.236.53.1:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:55784/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:192.168.1.189:55784/TCP|IP4:23.236.53.1:3479/TCP)): cancelling

ICE-CANDIDATE(relay(IP4:192.168.1.189:55784/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:55784/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:55784/TCP|IP4:23.236.53.1:3479/TCP)): Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:43714/UDP|IP4:23.236.53.1:3478/UDP)): Successfully allocated addr IP4:23.236.53.1:58649/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:36626/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:65516/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:58468/TCP|IP4:23.236.53.1:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:58468/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:192.168.1.189:58468/TCP|IP4:23.236.53.1:3479/TCP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:58468/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:58468/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:58468/TCP|IP4:23.236.53.1:3479/TCP)): Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:52281/UDP|IP4:23.236.53.1:3478/UDP)): Successfully allocated addr IP4:23.236.53.1:58326/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:41861/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:61091/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:39850/UDP|IP4:23.236.53.1:3478/UDP)): Successfully allocated addr IP4:23.236.53.1:51978/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:58877/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:59522/UDP lifetime=3600  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client, username=: 749ad3a1:c8d3f738  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client,

username=: 749ad3a1:c8d3f738  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client,  
username=: 749ad3a1:c8d3f738  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client,  
username=: 749ad3a1:c8d3f738  
Peer offered candidates for disabled local component  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169112944167 (id=26  
url=https://apprtc.appspot.com/?r=35242394):default) specified bogus  
candidate  
Peer offered candidates for disabled local component  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169112944167 (id=26  
url=https://apprtc.appspot.com/?r=35242394):default) specified bogus  
candidate  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(OSoZ): setting pair to state FROZEN:  
OSoZ|IP4:192.168.1.189:60935/UDP|IP4:192.168.1.96:37632  
/UDP(host(IP4:192.168.1.189:60935/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 37632 typ host)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394))/CAND-PAIR(OSoZ): Pairing candidate  
IP4:192.168.1.189:60935/UDP (7ee800ff):IP4:192.168.1.96:37632/UDP  
(7e7f00ff) priority=9115005270296101374 (7e7f00ffdd001fe)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(tZcx): setting pair to state FROZEN:  
tZcx|IP4:23.236.53.1:51740/UDP|IP4:192.168.1.96:37632/UDP(turn-  
relay(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:51740/UDP)|candidate:0  
1 UDP 2122252543 192.168.1.96 37632 typ host)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394))/CAND-PAIR(tZcx): Pairing candidate  
IP4:23.236.53.1:51740/UDP (5e8ffff):IP4:192.168.1.96:37632/UDP (7e7f00ff)  
priority=425871639712760319 (5e8ffffcfe01ff)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(kmNN): setting pair to state FROZEN:  
kmNN|IP4:23.236.53.1:63999/UDP|IP4:192.168.1.96:37632/UDP(turn-  
relay(IP4:192.168.1.189:41553/TCP|IP4:23.236.53.1:63999/UDP)|candidate:0 1  
UDP 2122252543 192.168.1.96 37632 typ host)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394))/CAND-PAIR(kmNN): Pairing candidate  
IP4:23.236.53.1:63999/UDP (e8ffff):IP4:192.168.1.96:37632/UDP (7e7f00ff)  
priority=65583669523120639 (e8ffffcfe01ff)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(U2R+): setting pair to state FROZEN:  
U2R+|IP4:192.168.1.189:35544/UDP|IP4:192.168.1.96:38026  
/UDP(host(IP4:192.168.1.189:35544/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 38026 typ host)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394))/CAND-PAIR(U2R+): Pairing candidate  
IP4:192.168.1.189:35544/UDP (7ee800ff):IP4:192.168.1.96:38026/UDP

(7e7f00ff) priority=9115005270296101374 (7e7f00ffdd001fe)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(3qCd): setting pair to state FROZEN: 3qCd|IP4:23.236.53.1:54080/UDP|IP4:192.168.1.96:38026/UDP(turn-relay(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:54080/UDP))|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394))/CAND-PAIR(3qCd): Pairing candidate IP4:23.236.53.1:54080/UDP (5e8ffff):IP4:192.168.1.96:38026/UDP (7e7f00ff) priority=425871639712760319 (5e8ffffcfe01ff)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(nqd1): setting pair to state FROZEN: nqd1|IP4:23.236.53.1:52778/UDP|IP4:192.168.1.96:38026/UDP(turn-relay(IP4:192.168.1.189:48578/TCP|IP4:23.236.53.1:52778/UDP))|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394))/CAND-PAIR(nqd1): Pairing candidate IP4:23.236.53.1:52778/UDP (e8ffff):IP4:192.168.1.96:38026/UDP (7e7f00ff) priority=65583669523120639 (e8ffffcfe01ff)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(OSoZ): setting pair to state WAITING: OSoZ|IP4:192.168.1.189:60935/UDP|IP4:192.168.1.96:37632 /UDP(host(IP4:192.168.1.189:60935/UDP))|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(tZcx): setting pair to state WAITING: tZcx|IP4:23.236.53.1:51740/UDP|IP4:192.168.1.96:37632/UDP(turn-relay(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:51740/UDP))|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(kmNN): setting pair to state WAITING: kmNN|IP4:23.236.53.1:63999/UDP|IP4:192.168.1.96:37632/UDP(turn-relay(IP4:192.168.1.189:41553/TCP|IP4:23.236.53.1:63999/UDP))|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(OSoZ): setting pair to state IN\_PROGRESS: OSoZ|IP4:192.168.1.189:60935/UDP|IP4:192.168.1.96:37632 /UDP(host(IP4:192.168.1.189:60935/UDP))|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(OSoZ): triggered check on OSoZ|IP4:192.168.1.189:60935/UDP|IP4:192.168.1.96:37632 /UDP(host(IP4:192.168.1.189:60935/UDP))|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(OSoZ): triggered check on OSoZ|IP4:192.168.1.189:60935/UDP|IP4:192.168.1.96:37632 /UDP(host(IP4:192.168.1.189:60935/UDP))|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com

/?r=35242394)): peer (PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default) no streams with pre-answer requests  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(tZcx): setting pair to state IN\_PROGRESS: tZcx|IP4:23.236.53.1:51740/UDP|IP4:192.168.1.96:37632/UDP(turn-relay(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:51740/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)  
TURN(relay(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:3478/UDP)):  
Creating permission for IP4:192.168.1.96:37632/UDP  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(kmNN): setting pair to state IN\_PROGRESS: kmNN|IP4:23.236.53.1:63999/UDP|IP4:192.168.1.96:37632/UDP(turn-relay(IP4:192.168.1.189:41553/TCP|IP4:23.236.53.1:63999/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)  
TURN(relay(IP4:192.168.1.189:41553/TCP|IP4:23.236.53.1:3478/TCP)):  
Creating permission for IP4:192.168.1.96:37632/UDP  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default): no pairs for 1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394): stream1/audio  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(OSoZ): triggered check on OSoZ|IP4:192.168.1.189:60935/UDP|IP4:192.168.1.96:37632 /UDP(host(IP4:192.168.1.189:60935/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(U2R+): triggered check on U2R+|IP4:192.168.1.189:35544/UDP|IP4:192.168.1.96:38026 /UDP(host(IP4:192.168.1.189:35544/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(U2R+): setting pair to state WAITING: U2R+|IP4:192.168.1.189:35544/UDP|IP4:192.168.1.96:38026 /UDP(host(IP4:192.168.1.189:35544/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(U2R+): setting pair to state IN\_PROGRESS: U2R+|IP4:192.168.1.189:35544/UDP|IP4:192.168.1.96:38026 /UDP(host(IP4:192.168.1.189:35544/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(3qCd): setting pair to state WAITING: 3qCd|IP4:23.236.53.1:54080/UDP|IP4:192.168.1.96:38026/UDP(turn-relay(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:54080/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(3qCd): setting pair to state IN\_PROGRESS: 3qCd|IP4:23.236.53.1:54080/UDP|IP4:192.168.1.96:38026/UDP(turn-relay(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:54080/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)

TURN(relay(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:3478/UDP)):  
Creating permission for IP4:192.168.1.96:38026/UDP  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(nqd1): setting pair to state WAITING:  
nqd1|IP4:23.236.53.1:52778/UDP|IP4:192.168.1.96:38026/UDP(turn-relay(IP4:192.168.1.189:48578/TCP|IP4:23.236.53.1:52778/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(nqd1): setting pair to state IN\_PROGRESS:  
nqd1|IP4:23.236.53.1:52778/UDP|IP4:192.168.1.96:38026/UDP(turn-relay(IP4:192.168.1.189:48578/TCP|IP4:23.236.53.1:52778/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)  
TURN(relay(IP4:192.168.1.189:48578/TCP|IP4:23.236.53.1:3478/TCP)):  
Creating permission for IP4:192.168.1.96:38026/UDP  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default): no pairs for 1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394): stream2/video  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(OSoZ): setting pair to state SUCCEEDED:  
OSoZ|IP4:192.168.1.189:60935/UDP|IP4:192.168.1.96:37632 /UDP(host(IP4:192.168.1.189:60935/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/STREAM(1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394): stream1/audio)/COMP(1) /CAND-PAIR(OSoZ): nominated pair is  
OSoZ|IP4:192.168.1.189:60935/UDP|IP4:192.168.1.96:37632 /UDP(host(IP4:192.168.1.189:60935/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/STREAM(1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394): stream1/audio)/COMP(1) /CAND-PAIR(OSoZ): cancelling all pairs but  
OSoZ|IP4:192.168.1.189:60935/UDP|IP4:192.168.1.96:37632 /UDP(host(IP4:192.168.1.189:60935/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/ICE-STREAM(1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394): stream1/audio): all active components have nominated candidate pairs  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(U2R+): triggered check on  
U2R+|IP4:192.168.1.189:35544/UDP|IP4:192.168.1.96:38026 /UDP(host(IP4:192.168.1.189:35544/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)  
STUN-CLIENT(relay(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:3479 /UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:3479/UDP)) failed

TURN(relay(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:3479/UDP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:35754/UDP|IP4:23.236.53.1:3479  
/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:35754/UDP|IP4:23.236.53.1:3479/UDP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:35754/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:192.168.1.189:35754/UDP|IP4:23.236.53.1:3479/UDP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:35754/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:35754/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb failed  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(U2R+): triggered check on  
U2R+|IP4:192.168.1.189:35544/UDP|IP4:192.168.1.96:38026  
/UDP(host(IP4:192.168.1.189:35544/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 38026 typ host)  
STUN-CLIENT(relay(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:3479  
/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:3479/UDP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:3479/UDP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:43714/UDP|IP4:23.236.53.1:3479  
/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:43714/UDP|IP4:23.236.53.1:3479/UDP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:43714/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:192.168.1.189:43714/UDP|IP4:23.236.53.1:3479/UDP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:43714/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:43714/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:52281/UDP|IP4:23.236.53.1:3479  
/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:52281/UDP|IP4:23.236.53.1:3479/UDP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:52281/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:192.168.1.189:52281/UDP|IP4:23.236.53.1:3479/UDP)):

cancelling

ICE-CANDIDATE(relay(IP4:192.168.1.189:52281/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb called with state 6

ICE-CANDIDATE(relay(IP4:192.168.1.189:52281/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb failed

STUN-CLIENT(relay(IP4:192.168.1.189:39850/UDP|IP4:23.236.53.1:3479/UDP)::TURN): Timed out

TURN(relay(IP4:192.168.1.189:39850/UDP|IP4:23.236.53.1:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb

TURN(relay(IP4:192.168.1.189:39850/UDP|IP4:23.236.53.1:3479/UDP)) failed

TURN(relay(IP4:192.168.1.189:39850/UDP|IP4:23.236.53.1:3479/UDP)):

cancelling

ICE-CANDIDATE(relay(IP4:192.168.1.189:39850/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb called with state 6

ICE-CANDIDATE(relay(IP4:192.168.1.189:39850/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb failed

ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(U2R+): triggered check on

U2R+|IP4:192.168.1.189:35544/UDP|IP4:192.168.1.96:38026

/UDP(host(IP4:192.168.1.189:35544/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)

STUN-CLIENT(U2R+|IP4:192.168.1.189:35544/UDP|IP4:192.168.1.96:38026

/UDP(host(IP4:192.168.1.189:35544/UDP)|candidate:0 1 UDP 2122252543

192.168.1.96 38026 typ host)): Too many retransmit attempts

Responding with error 400: ICE Failure

ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): Message does not correspond to any registered stun ctx

ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(U2R+): setting pair to state SUCCEEDED:

U2R+|IP4:192.168.1.189:35544/UDP|IP4:192.168.1.96:38026

/UDP(host(IP4:192.168.1.189:35544/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)

ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/STREAM(1397169112944167 (id=26

url=https://apprtc.appspot.com/?r=35242394): stream2/video)/COMP(1)

/CAND-PAIR(U2R+): nominated pair is

U2R+|IP4:192.168.1.189:35544/UDP|IP4:192.168.1.96:38026

/UDP(host(IP4:192.168.1.189:35544/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)

ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/STREAM(1397169112944167 (id=26

url=https://apprtc.appspot.com/?r=35242394): stream2/video)/COMP(1)

/CAND-PAIR(U2R+): cancelling all pairs but

U2R+|IP4:192.168.1.189:35544/UDP|IP4:192.168.1.96:38026

/UDP(host(IP4:192.168.1.189:35544/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)

ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/ICE-STREAM(1397169112944167 (id=26

url=https://apprtc.appspot.com/?r=35242394): stream2/video): all active

components have nominated candidate pairs







stream(1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394): stream2/video) tried to trickle ICE in inappropriate state 4  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): peer (PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default),  
stream(1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394): stream2/video) tried to trickle ICE in inappropriate state 4  
ICE(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394)): peer (PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default),  
stream(1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394): stream2/video) tried to trickle ICE in inappropriate state 4  
STUN-CLIENT(tZcx|IP4:23.236.53.1:51740/UDP|IP4:192.168.1.96:37632/UDP(turn-relay(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:51740/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)): Timed out  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(tZcx): setting pair to state FAILED:  
tZcx|IP4:23.236.53.1:51740/UDP|IP4:192.168.1.96:37632/UDP(turn-relay(IP4:192.168.1.189:60935/UDP|IP4:23.236.53.1:51740/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)  
STUN-CLIENT(kmNN|IP4:23.236.53.1:63999/UDP|IP4:192.168.1.96:37632/UDP(turn-relay(IP4:192.168.1.189:41553/TCP|IP4:23.236.53.1:63999/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)): Timed out  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(kmNN): setting pair to state FAILED:  
kmNN|IP4:23.236.53.1:63999/UDP|IP4:192.168.1.96:37632/UDP(turn-relay(IP4:192.168.1.189:41553/TCP|IP4:23.236.53.1:63999/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 37632 typ host)  
STUN-CLIENT(3qCd|IP4:23.236.53.1:54080/UDP|IP4:192.168.1.96:38026/UDP(turn-relay(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:54080/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)): Timed out  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(3qCd): setting pair to state FAILED:  
3qCd|IP4:23.236.53.1:54080/UDP|IP4:192.168.1.96:38026/UDP(turn-relay(IP4:192.168.1.189:35544/UDP|IP4:23.236.53.1:54080/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)  
STUN-CLIENT(nqd1|IP4:23.236.53.1:52778/UDP|IP4:192.168.1.96:38026/UDP(turn-relay(IP4:192.168.1.189:48578/TCP|IP4:23.236.53.1:52778/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)): Timed out  
ICE-PEER(PC:1397169112944167 (id=26 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(nqd1): setting pair to state FAILED:  
nqd1|IP4:23.236.53.1:52778/UDP|IP4:192.168.1.96:38026/UDP(turn-relay(IP4:192.168.1.189:48578/TCP|IP4:23.236.53.1:52778/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 38026 typ host)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394)): No STUN servers specified  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394)): No TURN servers specified  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate

srflx(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:3478/UDP) and candidate srflx(IP4:192.168.1.189:45964/UDP|stun.services.mozilla.com:3478) ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate

srflx(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:3479/UDP) and candidate srflx(IP4:192.168.1.189:45964/UDP|stun.services.mozilla.com:3478) ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate

srflx(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:3479/UDP) and candidate srflx(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:3478/UDP) ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 99155967 candidate

relay(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:3479/UDP) and candidate relay(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:3478/UDP) ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991486 candidate

srflx(IP4:192.168.1.189:33196/UDP|IP4:162.222.183.171:3478/UDP) and candidate srflx(IP4:192.168.1.189:33196/UDP|stun.services.mozilla.com:3478) ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991486 candidate

srflx(IP4:192.168.1.189:33196/UDP|IP4:162.222.183.171:3479/UDP) and candidate srflx(IP4:192.168.1.189:33196/UDP|stun.services.mozilla.com:3478) ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991486 candidate

srflx(IP4:192.168.1.189:33196/UDP|IP4:162.222.183.171:3479/UDP) and candidate srflx(IP4:192.168.1.189:33196/UDP|IP4:162.222.183.171:3478/UDP) ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 99155966 candidate

relay(IP4:192.168.1.189:33196/UDP|IP4:162.222.183.171:3479/UDP) and candidate relay(IP4:192.168.1.189:33196/UDP|IP4:162.222.183.171:3478/UDP) ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate

srflx(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:3478/UDP) and candidate srflx(IP4:192.168.1.189:37150/UDP|stun.services.mozilla.com:3478) ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate

srflx(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:3479/UDP) and candidate srflx(IP4:192.168.1.189:37150/UDP|stun.services.mozilla.com:3478) ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate

srflx(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:3479/UDP) and candidate srflx(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:3478/UDP) ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 99155967 candidate

relay(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:3479/UDP) and candidate relay(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:3478/UDP) ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com

/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:56867/UDP|IP4:162.222.183.171:3478/UDP) and  
candidate srflx(IP4:192.168.1.189:56867/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:56867/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:56867/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:56867/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:56867/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 99155966 candidate  
relay(IP4:192.168.1.189:56867/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate  
relay(IP4:192.168.1.189:56867/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:58222/UDP|IP4:162.222.183.171:3478/UDP) and  
candidate srflx(IP4:192.168.1.189:58222/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:58222/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:58222/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:58222/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:58222/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 99155967 candidate  
relay(IP4:192.168.1.189:58222/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate relay(IP4:192.168.1.189:58222/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:58857/UDP|IP4:162.222.183.171:3478/UDP) and  
candidate srflx(IP4:192.168.1.189:58857/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:58857/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:58857/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:58857/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:58857/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 99155966 candidate  
relay(IP4:192.168.1.189:58857/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate  
relay(IP4:192.168.1.189:58857/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com

/?r=35242394)): Error on reliable socket. Abandoning.  
TURN(relay(IP4:192.168.1.189:46849/TCP|IP4:162.222.183.171:3479/TCP)):  
mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:46849/TCP|IP4:162.222.183.171:3479/TCP))  
failed  
TURN(relay(IP4:192.168.1.189:46849/TCP|IP4:162.222.183.171:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:46849/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:46849/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:46849/TCP|IP4:162.222.183.171:3479/TCP)):  
Couldn't start STUN  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
TURN(relay(IP4:192.168.1.189:39716/TCP|IP4:162.222.183.171:3479/TCP)):  
mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:39716/TCP|IP4:162.222.183.171:3479/TCP))  
failed  
TURN(relay(IP4:192.168.1.189:39716/TCP|IP4:162.222.183.171:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:39716/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:39716/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:39716/TCP|IP4:162.222.183.171:3479/TCP)):  
Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:3478/UDP)):  
Successfully allocated addr IP4:162.222.183.171:65275/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:50214/TCP|IP4:162.222.183.171:3479/TCP)):  
mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:50214/TCP|IP4:162.222.183.171:3479/TCP))  
failed  
TURN(relay(IP4:192.168.1.189:50214/TCP|IP4:162.222.183.171:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:50214/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:50214/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:50214/TCP|IP4:162.222.183.171:3479/TCP)):  
Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:43033/TCP|IP4:162.222.183.171:3478/TCP)):

Successfully allocated addr IP4:162.222.183.171:61266/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:33196/UDP|IP4:162.222.183.171:3478/UDP)):  
Successfully allocated addr IP4:162.222.183.171:56242/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:45037/TCP|IP4:162.222.183.171:3478/TCP)):  
Successfully allocated addr IP4:162.222.183.171:52516/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:54180/TCP|IP4:162.222.183.171:3479/TCP)):  
mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:54180/TCP|IP4:162.222.183.171:3479/TCP))  
failed  
TURN(relay(IP4:192.168.1.189:54180/TCP|IP4:162.222.183.171:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:54180/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:54180/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:54180/TCP|IP4:162.222.183.171:3479/TCP)):  
Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:3478/UDP)):  
Successfully allocated addr IP4:162.222.183.171:56127/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:47429/TCP|IP4:162.222.183.171:3478/TCP)):  
Successfully allocated addr IP4:162.222.183.171:54780/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:50019/TCP|IP4:162.222.183.171:3479/TCP)):  
mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:50019/TCP|IP4:162.222.183.171:3479/TCP))  
failed  
TURN(relay(IP4:192.168.1.189:50019/TCP|IP4:162.222.183.171:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:50019/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:50019/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:50019/TCP|IP4:162.222.183.171:3479/TCP)):  
Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:56867/UDP|IP4:162.222.183.171:3478/UDP)):  
Successfully allocated addr IP4:162.222.183.171:61638/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:49220/TCP|IP4:162.222.183.171:3478/TCP)):  
Successfully allocated addr IP4:162.222.183.171:53779/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:49130/TCP|IP4:162.222.183.171:3479/TCP)):  
mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:49130/TCP|IP4:162.222.183.171:3479/TCP))  
failed  
TURN(relay(IP4:192.168.1.189:49130/TCP|IP4:162.222.183.171:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:49130/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:49130/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:49130/TCP|IP4:162.222.183.171:3479/TCP)):  
Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:58222/UDP|IP4:162.222.183.171:3478/UDP)):

Successfully allocated addr IP4:162.222.183.171:60345/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:59664/TCP|IP4:162.222.183.171:3478/TCP)):  
Successfully allocated addr IP4:162.222.183.171:59433/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:58857/UDP|IP4:162.222.183.171:3478/UDP)):  
Successfully allocated addr IP4:162.222.183.171:52974/UDP lifetime=3600  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
TURN(relay(IP4:192.168.1.189:37848/TCP|IP4:162.222.183.171:3478/TCP)):  
Successfully allocated addr IP4:162.222.183.171:49515/UDP lifetime=3600  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client,  
username=: 706ea1b0:ed74b783  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client,  
username=: 706ea1b0:ed74b783  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client,  
username=: 706ea1b0:ed74b783  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client,  
username=: 706ea1b0:ed74b783  
Peer offered candidates for disabled local component  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169800127442 (id=44  
url=https://apprtc.appspot.com/?r=35242394):default) specified bogus  
candidate  
Peer offered candidates for disabled local component  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169800127442 (id=44  
url=https://apprtc.appspot.com/?r=35242394):default) specified bogus  
candidate  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(aTnt): setting pair to state FROZEN:  
aTnt|IP4:192.168.1.189:45964/UDP|IP4:192.168.1.96:53604  
/UDP(host(IP4:192.168.1.189:45964/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 53604 typ host)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394))/CAND-PAIR(aTnt): Pairing candidate



IP4:192.168.1.189:45964/UDP (7ee800ff):IP4:192.168.1.96:53604/UDP (7e7f00ff) priority=9115005270296101374 (7e7f00ffdd001fe)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(es0M): setting pair to state FROZEN: es0M|IP4:162.222.183.171:65275/UDP|IP4:192.168.1.96:53604/UDP(turn-relay(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:65275/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 53604 typ host)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394))/CAND-PAIR(es0M): Pairing candidate  
IP4:162.222.183.171:65275/UDP (5e8ffff):IP4:192.168.1.96:53604/UDP (7e7f00ff) priority=425871639712760319 (5e8ffffcfe01ff)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(pwaB): setting pair to state FROZEN: pwaB|IP4:162.222.183.171:61266/UDP|IP4:192.168.1.96:53604/UDP(turn-relay(IP4:192.168.1.189:43033/TCP|IP4:162.222.183.171:61266/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 53604 typ host)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394))/CAND-PAIR(pwaB): Pairing candidate  
IP4:162.222.183.171:61266/UDP (e8ffff):IP4:192.168.1.96:53604/UDP (7e7f00ff) priority=65583669523120639 (e8ffffcfe01ff)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(Z5X6): setting pair to state FROZEN: Z5X6|IP4:192.168.1.189:37150/UDP|IP4:192.168.1.96:51543/UDP(host(IP4:192.168.1.189:37150/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 51543 typ host)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394))/CAND-PAIR(Z5X6): Pairing candidate  
IP4:192.168.1.189:37150/UDP (7ee800ff):IP4:192.168.1.96:51543/UDP (7e7f00ff) priority=9115005270296101374 (7e7f00ffdd001fe)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(MI3t): setting pair to state FROZEN: MI3t|IP4:162.222.183.171:56127/UDP|IP4:192.168.1.96:51543/UDP(turn-relay(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:56127/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 51543 typ host)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394))/CAND-PAIR(MI3t): Pairing candidate  
IP4:162.222.183.171:56127/UDP (5e8ffff):IP4:192.168.1.96:51543/UDP (7e7f00ff) priority=425871639712760319 (5e8ffffcfe01ff)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(GofT): setting pair to state FROZEN: GofT|IP4:162.222.183.171:54780/UDP|IP4:192.168.1.96:51543/UDP(turn-relay(IP4:192.168.1.189:47429/TCP|IP4:162.222.183.171:54780/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 51543 typ host)  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394))/CAND-PAIR(GofT): Pairing candidate  
IP4:162.222.183.171:54780/UDP (e8ffff):IP4:192.168.1.96:51543/UDP (7e7f00ff) priority=65583669523120639 (e8ffffcfe01ff)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(aTnT): setting pair to state WAITING: aTnT|IP4:192.168.1.189:45964/UDP|IP4:192.168.1.96:53604

/UDP(host(IP4:192.168.1.189:45964/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 53604 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(es0M): setting pair to state WAITING: es0M|IP4:162.222.183.171:65275/UDP|IP4:192.168.1.96:53604/UDP(turn-relay(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:65275 /UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 53604 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(pwaB): setting pair to state WAITING: pwaB|IP4:162.222.183.171:61266/UDP|IP4:192.168.1.96:53604/UDP(turn-relay(IP4:192.168.1.189:43033/TCP|IP4:162.222.183.171:61266 /UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 53604 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(aTnt): setting pair to state IN\_PROGRESS: aTnt|IP4:192.168.1.189:45964/UDP|IP4:192.168.1.96:53604 /UDP(host(IP4:192.168.1.189:45964/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 53604 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(aTnt): triggered check on aTnt|IP4:192.168.1.189:45964/UDP|IP4:192.168.1.96:53604 /UDP(host(IP4:192.168.1.189:45964/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 53604 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(Z5X6): triggered check on Z5X6|IP4:192.168.1.189:37150/UDP|IP4:192.168.1.96:51543 /UDP(host(IP4:192.168.1.189:37150/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 51543 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(Z5X6): setting pair to state WAITING: Z5X6|IP4:192.168.1.189:37150/UDP|IP4:192.168.1.96:51543 /UDP(host(IP4:192.168.1.189:37150/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 51543 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(Z5X6): setting pair to state IN\_PROGRESS: Z5X6|IP4:192.168.1.189:37150/UDP|IP4:192.168.1.96:51543 /UDP(host(IP4:192.168.1.189:37150/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 51543 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(MI3t): setting pair to state WAITING: MI3t|IP4:162.222.183.171:56127/UDP|IP4:192.168.1.96:51543/UDP(turn-relay(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:56127 /UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 51543 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(MI3t): setting pair to state IN\_PROGRESS: MI3t|IP4:162.222.183.171:56127/UDP|IP4:192.168.1.96:51543/UDP(turn-relay(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:56127 /UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 51543 typ host)  
TURN(relay(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:3478/UDP)): Creating permission for IP4:192.168.1.96:51543/UDP  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com

/?r=35242394):default)/CAND-PAIR(aTnt): setting pair to state SUCCEEDED:  
aTnt|IP4:192.168.1.189:45964/UDP|IP4:192.168.1.96:53604  
/UDP(host(IP4:192.168.1.189:45964/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 53604 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394):default)/STREAM(1397169800127442 (id=44  
url=https://apprtc.appspot.com/?r=35242394): stream1/audio)/COMP(1)  
/CAND-PAIR(aTnt): nominated pair is  
aTnt|IP4:192.168.1.189:45964/UDP|IP4:192.168.1.96:53604  
/UDP(host(IP4:192.168.1.189:45964/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 53604 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394):default)/STREAM(1397169800127442 (id=44  
url=https://apprtc.appspot.com/?r=35242394): stream1/audio)/COMP(1)  
/CAND-PAIR(aTnt): cancelling all pairs but  
aTnt|IP4:192.168.1.189:45964/UDP|IP4:192.168.1.96:53604  
/UDP(host(IP4:192.168.1.189:45964/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 53604 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394):default)/STREAM(1397169800127442 (id=44  
url=https://apprtc.appspot.com/?r=35242394): stream1/audio)/COMP(1)  
/CAND-PAIR(esOM): cancelling FROZEN/WAITING pair  
esOM|IP4:162.222.183.171:65275/UDP|IP4:192.168.1.96:53604/UDP(turn-  
relay(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:65275  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 53604 typ host) because  
CAND-PAIR(aTnt) was nominated.  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(esOM): setting pair to state CANCELLED:  
esOM|IP4:162.222.183.171:65275/UDP|IP4:192.168.1.96:53604/UDP(turn-  
relay(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:65275  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 53604 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394):default)/STREAM(1397169800127442 (id=44  
url=https://apprtc.appspot.com/?r=35242394): stream1/audio)/COMP(1)  
/CAND-PAIR(pwaB): cancelling FROZEN/WAITING pair  
pwaB|IP4:162.222.183.171:61266/UDP|IP4:192.168.1.96:53604/UDP(turn-  
relay(IP4:192.168.1.189:43033/TCP|IP4:162.222.183.171:61266  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 53604 typ host) because  
CAND-PAIR(aTnt) was nominated.  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(pwaB): setting pair to state CANCELLED:  
pwaB|IP4:162.222.183.171:61266/UDP|IP4:192.168.1.96:53604/UDP(turn-  
relay(IP4:192.168.1.189:43033/TCP|IP4:162.222.183.171:61266  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 53604 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394):default)/ICE-STREAM(1397169800127442 (id=44  
url=https://apprtc.appspot.com/?r=35242394): stream1/audio): all active  
components have nominated candidate pairs  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(Z5X6): setting pair to state SUCCEEDED:

Z5X6|IP4:192.168.1.189:37150/UDP|IP4:192.168.1.96:51543  
/UDP(host(IP4:192.168.1.189:37150/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 51543 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394):default)/STREAM(1397169800127442 (id=44  
url=https://apprtc.appspot.com/?r=35242394): stream2/video)/COMP(1)  
/CAND-PAIR(Z5X6): nominated pair is  
Z5X6|IP4:192.168.1.189:37150/UDP|IP4:192.168.1.96:51543  
/UDP(host(IP4:192.168.1.189:37150/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 51543 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394):default)/STREAM(1397169800127442 (id=44  
url=https://apprtc.appspot.com/?r=35242394): stream2/video)/COMP(1)  
/CAND-PAIR(Z5X6): cancelling all pairs but  
Z5X6|IP4:192.168.1.189:37150/UDP|IP4:192.168.1.96:51543  
/UDP(host(IP4:192.168.1.189:37150/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 51543 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394):default)/STREAM(1397169800127442 (id=44  
url=https://apprtc.appspot.com/?r=35242394): stream2/video)/COMP(1)  
/CAND-PAIR(GofT): cancelling FROZEN/WAITING pair  
GofT|IP4:162.222.183.171:54780/UDP|IP4:192.168.1.96:51543/UDP(turn-  
relay(IP4:192.168.1.189:47429/TCP|IP4:162.222.183.171:54780  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 51543 typ host) because  
CAND-PAIR(Z5X6) was nominated.  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(GofT): setting pair to state CANCELLED:  
GofT|IP4:162.222.183.171:54780/UDP|IP4:192.168.1.96:51543/UDP(turn-  
relay(IP4:192.168.1.189:47429/TCP|IP4:162.222.183.171:54780  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 51543 typ host)  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394):default)/ICE-STREAM(1397169800127442 (id=44  
url=https://apprtc.appspot.com/?r=35242394): stream2/video): all active  
components have nominated candidate pairs  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394):default): all checks completed success=2 fail=0  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169800127442 (id=44  
url=https://apprtc.appspot.com/?r=35242394):default),  
stream(1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394): stream1/audio) tried to trickle ICE in inappropriate state 4  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169800127442 (id=44  
url=https://apprtc.appspot.com/?r=35242394):default),  
stream(1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394): stream1/audio) tried to trickle ICE in inappropriate state 4  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169800127442 (id=44  
url=https://apprtc.appspot.com/?r=35242394):default),  
stream(1397169800127442 (id=44 url=https://apprtc.appspot.com





/?r=35242394): stream2/video) tried to trickle ICE in inappropriate state 4  
ICE(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169800127442 (id=44  
url=https://apprtc.appspot.com/?r=35242394):default),  
stream(1397169800127442 (id=44 url=https://apprtc.appspot.com  
/?r=35242394): stream2/video) tried to trickle ICE in inappropriate state 4  
STUN-CLIENT(relay(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:3479  
/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:3479/UDP)):  
mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:3479/UDP))  
failed  
TURN(relay(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:3479/UDP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:3479  
/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:45964/UDP|IP4:162.222.183.171:3479  
/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:33196/UDP|IP4:162.222.183.171:3479  
/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:33196/UDP|IP4:162.222.183.171:3479/UDP)):  
mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:33196/UDP|IP4:162.222.183.171:3479/UDP))  
failed  
TURN(relay(IP4:192.168.1.189:33196/UDP|IP4:162.222.183.171:3479/UDP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:33196/UDP|IP4:162.222.183.171:3479  
/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:33196/UDP|IP4:162.222.183.171:3479  
/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:3479  
/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:3479/UDP)):  
mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:3479/UDP))  
failed  
TURN(relay(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:3479/UDP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:3479  
/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:3479  
/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:56867/UDP|IP4:162.222.183.171:3479  
/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:56867/UDP|IP4:162.222.183.171:3479/UDP)):  
mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:56867/UDP|IP4:162.222.183.171:3479/UDP))  
failed  
TURN(relay(IP4:192.168.1.189:56867/UDP|IP4:162.222.183.171:3479/UDP)):  
cancelling

ICE-CANDIDATE(relay(IP4:192.168.1.189:56867/UDP|IP4:162.222.183.171:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:56867/UDP|IP4:162.222.183.171:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:58222/UDP|IP4:162.222.183.171:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:58222/UDP|IP4:162.222.183.171:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:58222/UDP|IP4:162.222.183.171:3479/UDP)) failed  
TURN(relay(IP4:192.168.1.189:58222/UDP|IP4:162.222.183.171:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:58222/UDP|IP4:162.222.183.171:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:58222/UDP|IP4:162.222.183.171:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:58857/UDP|IP4:162.222.183.171:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:58857/UDP|IP4:162.222.183.171:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:58857/UDP|IP4:162.222.183.171:3479/UDP)) failed  
TURN(relay(IP4:192.168.1.189:58857/UDP|IP4:162.222.183.171:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:58857/UDP|IP4:162.222.183.171:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:58857/UDP|IP4:162.222.183.171:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(MI3t|IP4:162.222.183.171:56127/UDP|IP4:192.168.1.96:51543/UDP(turn-relay(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:56127/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 51543 typ host)): Timed out  
ICE-PEER(PC:1397169800127442 (id=44 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(MI3t): setting pair to state FAILED: MI3t|IP4:162.222.183.171:56127/UDP|IP4:192.168.1.96:51543/UDP(turn-relay(IP4:192.168.1.189:37150/UDP|IP4:162.222.183.171:56127/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 51543 typ host)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): No STUN servers specified  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): No TURN servers specified  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:3478/UDP) and candidate srflx(IP4:192.168.1.189:58600/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:3479/UDP) and candidate srflx(IP4:192.168.1.189:58600/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com



/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 99155967 candidate  
relay(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate  
relay(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:39740/UDP|IP4:162.222.183.171:3478/UDP) and  
candidate srflx(IP4:192.168.1.189:39740/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:39740/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:39740/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:39740/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:39740/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 99155966 candidate  
relay(IP4:192.168.1.189:39740/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate  
relay(IP4:192.168.1.189:39740/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:3478/UDP) and  
candidate srflx(IP4:192.168.1.189:42150/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:42150/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 99155967 candidate  
relay(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate  
relay(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:39483/UDP|IP4:162.222.183.171:3478/UDP) and  
candidate srflx(IP4:192.168.1.189:39483/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:39483/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:39483/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:39483/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:39483/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 99155966 candidate  
relay(IP4:192.168.1.189:39483/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate  
relay(IP4:192.168.1.189:39483/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:42756/UDP|IP4:162.222.183.171:3478/UDP) and  
candidate srflx(IP4:192.168.1.189:42756/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:42756/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:42756/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991487 candidate  
srflx(IP4:192.168.1.189:42756/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:42756/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 99155967 candidate  
relay(IP4:192.168.1.189:42756/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate  
relay(IP4:192.168.1.189:42756/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:54662/UDP|IP4:162.222.183.171:3478/UDP) and  
candidate srflx(IP4:192.168.1.189:54662/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:54662/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:54662/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692991486 candidate  
srflx(IP4:192.168.1.189:54662/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate srflx(IP4:192.168.1.189:54662/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 99155966 candidate  
relay(IP4:192.168.1.189:54662/UDP|IP4:162.222.183.171:3479/UDP) and  
candidate  
relay(IP4:192.168.1.189:54662/UDP|IP4:162.222.183.171:3478/UDP)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): Error on reliable socket. Abandoning.  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394)): Error on reliable socket. Abandoning.  
TURN(relay(IP4:192.168.1.189:41122/TCP|IP4:162.222.183.171:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:41122/TCP|IP4:162.222.183.171:3479/TCP))

failed

TURN(relay(IP4:192.168.1.189:41122/TCP|IP4:162.222.183.171:3479/TCP)):  
cancelling

ICE-CANDIDATE(relay(IP4:192.168.1.189:41122/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6

ICE-CANDIDATE(relay(IP4:192.168.1.189:41122/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb failed

TURN(relay(IP4:192.168.1.189:41122/TCP|IP4:162.222.183.171:3479/TCP)):  
Couldn't start STUN

ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.

ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.

ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.

ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.

TURN(relay(IP4:192.168.1.189:41273/TCP|IP4:162.222.183.171:3479/TCP)):  
mode 20, nr\_turn\_client\_error\_cb

TURN(relay(IP4:192.168.1.189:41273/TCP|IP4:162.222.183.171:3479/TCP))  
failed

TURN(relay(IP4:192.168.1.189:41273/TCP|IP4:162.222.183.171:3479/TCP)):  
cancelling

ICE-CANDIDATE(relay(IP4:192.168.1.189:41273/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6

ICE-CANDIDATE(relay(IP4:192.168.1.189:41273/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb failed

TURN(relay(IP4:192.168.1.189:41273/TCP|IP4:162.222.183.171:3479/TCP)):  
Couldn't start STUN

TURN(relay(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:3478/UDP)):  
Successfully allocated addr IP4:162.222.183.171:65462/UDP lifetime=3600

TURN(relay(IP4:192.168.1.189:53402/TCP|IP4:162.222.183.171:3479/TCP)):  
mode 20, nr\_turn\_client\_error\_cb

TURN(relay(IP4:192.168.1.189:53402/TCP|IP4:162.222.183.171:3479/TCP))  
failed

TURN(relay(IP4:192.168.1.189:53402/TCP|IP4:162.222.183.171:3479/TCP)):  
cancelling

ICE-CANDIDATE(relay(IP4:192.168.1.189:53402/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6

ICE-CANDIDATE(relay(IP4:192.168.1.189:53402/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb failed

TURN(relay(IP4:192.168.1.189:53402/TCP|IP4:162.222.183.171:3479/TCP)):  
Couldn't start STUN

TURN(relay(IP4:192.168.1.189:39740/UDP|IP4:162.222.183.171:3478/UDP)):  
Successfully allocated addr IP4:162.222.183.171:63313/UDP lifetime=3600

TURN(relay(IP4:192.168.1.189:47868/TCP|IP4:162.222.183.171:3478/TCP)):  
Successfully allocated addr IP4:162.222.183.171:57472/UDP lifetime=3600

TURN(relay(IP4:192.168.1.189:42487/TCP|IP4:162.222.183.171:3478/TCP)):  
Successfully allocated addr IP4:162.222.183.171:61317/UDP lifetime=3600

TURN(relay(IP4:192.168.1.189:37558/TCP|IP4:162.222.183.171:3479/TCP)):

mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:37558/TCP|IP4:162.222.183.171:3479/TCP))  
failed  
TURN(relay(IP4:192.168.1.189:37558/TCP|IP4:162.222.183.171:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:37558/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:37558/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:37558/TCP|IP4:162.222.183.171:3479/TCP)):  
Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:3478/UDP)):  
Successfully allocated addr IP4:162.222.183.171:53785/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:51742/TCP|IP4:162.222.183.171:3478/TCP)):  
Successfully allocated addr IP4:162.222.183.171:57893/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:56424/TCP|IP4:162.222.183.171:3479/TCP)):  
mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:56424/TCP|IP4:162.222.183.171:3479/TCP))  
failed  
TURN(relay(IP4:192.168.1.189:56424/TCP|IP4:162.222.183.171:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:56424/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:56424/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:56424/TCP|IP4:162.222.183.171:3479/TCP)):  
Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:39483/UDP|IP4:162.222.183.171:3478/UDP)):  
Successfully allocated addr IP4:162.222.183.171:49429/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:45394/TCP|IP4:162.222.183.171:3478/TCP)):  
Successfully allocated addr IP4:162.222.183.171:53054/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:55752/TCP|IP4:162.222.183.171:3479/TCP)):  
mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:55752/TCP|IP4:162.222.183.171:3479/TCP))  
failed  
TURN(relay(IP4:192.168.1.189:55752/TCP|IP4:162.222.183.171:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:55752/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:55752/TCP|IP4:162.222.183.171:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:192.168.1.189:55752/TCP|IP4:162.222.183.171:3479/TCP)):  
Couldn't start STUN  
TURN(relay(IP4:192.168.1.189:42756/UDP|IP4:162.222.183.171:3478/UDP)):  
Successfully allocated addr IP4:162.222.183.171:58894/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:50751/TCP|IP4:162.222.183.171:3478/TCP)):  
Successfully allocated addr IP4:162.222.183.171:56072/UDP lifetime=3600  
TURN(relay(IP4:192.168.1.189:54662/UDP|IP4:162.222.183.171:3478/UDP)):  
Successfully allocated addr IP4:162.222.183.171:49467/UDP lifetime=3600  
Skipping SOURCE-ADDRESS

Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
TURN(relay(IP4:192.168.1.189:58450/TCP|IP4:162.222.183.171:3478/TCP)):  
Successfully allocated addr IP4:162.222.183.171:49631/UDP lifetime=3600  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client,  
username=: 62503364:eb9dad2d  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client,  
username=: 62503364:eb9dad2d  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client,  
username=: 62503364:eb9dad2d  
STUN-SERVER(server(IP4:192.168.1.189:0/UDP)): Falling back to default client,  
username=: 62503364:eb9dad2d  
Peer offered candidates for disabled local component  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169827192999 (id=48  
url=https://apprtc.appspot.com/?r=35242394):default) specified bogus  
candidate  
Peer offered candidates for disabled local component  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169827192999 (id=48  
url=https://apprtc.appspot.com/?r=35242394):default) specified bogus  
candidate  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(/eNS): setting pair to state FROZEN:  
/eNS|IP4:192.168.1.189:58600/UDP|IP4:192.168.1.96:46027  
/UDP(host(IP4:192.168.1.189:58600/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 46027 typ host)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394))/CAND-PAIR(/eNS): Pairing candidate  
IP4:192.168.1.189:58600/UDP (7ee800ff):IP4:192.168.1.96:46027/UDP  
(7e7f00ff) priority=9115005270296101374 (7e7f00ffdd001fe)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(Shd8): setting pair to state FROZEN:  
Shd8|IP4:162.222.183.171:65462/UDP|IP4:192.168.1.96:46027/UDP(turn-  
relay(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:65462

/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 46027 typ host)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394))/CAND-PAIR(Shd8): Pairing candidate  
IP4:162.222.183.171:65462/UDP (5e8ffff):IP4:192.168.1.96:46027/UDP (7e7f00ff) priority=425871639712760319 (5e8ffffcfe01ff)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(xv5V): setting pair to state FROZEN:  
xv5V|IP4:162.222.183.171:57472/UDP|IP4:192.168.1.96:46027/UDP(turn-relay(IP4:192.168.1.189:47868/TCP|IP4:162.222.183.171:57472/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 46027 typ host)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394))/CAND-PAIR(xv5V): Pairing candidate  
IP4:162.222.183.171:57472/UDP (e8ffff):IP4:192.168.1.96:46027/UDP (7e7f00ff) priority=65583669523120639 (e8ffffcfe01ff)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(GQCI): setting pair to state FROZEN:  
GQCI|IP4:192.168.1.189:42150/UDP|IP4:192.168.1.96:36084/UDP(host(IP4:192.168.1.189:42150/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 36084 typ host)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394))/CAND-PAIR(GQCI): Pairing candidate  
IP4:192.168.1.189:42150/UDP (7ee800ff):IP4:192.168.1.96:36084/UDP (7e7f00ff) priority=9115005270296101374 (7e7f00ffdd001fe)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(R116): setting pair to state FROZEN:  
R116|IP4:162.222.183.171:53785/UDP|IP4:192.168.1.96:36084/UDP(turn-relay(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:53785/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 36084 typ host)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394))/CAND-PAIR(R116): Pairing candidate  
IP4:162.222.183.171:53785/UDP (5e8ffff):IP4:192.168.1.96:36084/UDP (7e7f00ff) priority=425871639712760319 (5e8ffffcfe01ff)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(N0hu): setting pair to state FROZEN:  
N0hu|IP4:162.222.183.171:57893/UDP|IP4:192.168.1.96:36084/UDP(turn-relay(IP4:192.168.1.189:51742/TCP|IP4:162.222.183.171:57893/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 36084 typ host)  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394))/CAND-PAIR(N0hu): Pairing candidate  
IP4:162.222.183.171:57893/UDP (e8ffff):IP4:192.168.1.96:36084/UDP (7e7f00ff) priority=65583669523120639 (e8ffffcfe01ff)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(/eNS): setting pair to state WAITING:  
/eNS|IP4:192.168.1.189:58600/UDP|IP4:192.168.1.96:46027/UDP(host(IP4:192.168.1.189:58600/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 46027 typ host)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com/?r=35242394):default)/CAND-PAIR(Shd8): setting pair to state WAITING:  
Shd8|IP4:162.222.183.171:65462/UDP|IP4:192.168.1.96:46027/UDP(turn-relay(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:65462

/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 46027 typ host)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(xv5V): setting pair to state WAITING:  
xv5V|IP4:162.222.183.171:57472/UDP|IP4:192.168.1.96:46027/UDP(turn-  
relay(IP4:192.168.1.189:47868/TCP|IP4:162.222.183.171:57472  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 46027 typ host)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(/eNS): setting pair to state IN\_PROGRESS:  
/eNS|IP4:192.168.1.189:58600/UDP|IP4:192.168.1.96:46027  
/UDP(host(IP4:192.168.1.189:58600/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 46027 typ host)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(/eNS): triggered check on  
/eNS|IP4:192.168.1.189:58600/UDP|IP4:192.168.1.96:46027  
/UDP(host(IP4:192.168.1.189:58600/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 46027 typ host)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(GQCI): triggered check on  
GQCI|IP4:192.168.1.189:42150/UDP|IP4:192.168.1.96:36084  
/UDP(host(IP4:192.168.1.189:42150/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 36084 typ host)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(GQCI): setting pair to state WAITING:  
GQCI|IP4:192.168.1.189:42150/UDP|IP4:192.168.1.96:36084  
/UDP(host(IP4:192.168.1.189:42150/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 36084 typ host)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(GQCI): setting pair to state IN\_PROGRESS:  
GQCI|IP4:192.168.1.189:42150/UDP|IP4:192.168.1.96:36084  
/UDP(host(IP4:192.168.1.189:42150/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 36084 typ host)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(R116): setting pair to state WAITING:  
R116|IP4:162.222.183.171:53785/UDP|IP4:192.168.1.96:36084/UDP(turn-  
relay(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:53785  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 36084 typ host)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(R116): setting pair to state IN\_PROGRESS:  
R116|IP4:162.222.183.171:53785/UDP|IP4:192.168.1.96:36084/UDP(turn-  
relay(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:53785  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 36084 typ host)  
TURN(relay(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:3478/UDP)):  
Creating permission for IP4:192.168.1.96:36084/UDP  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(/eNS): setting pair to state SUCCEEDED:  
/eNS|IP4:192.168.1.189:58600/UDP|IP4:192.168.1.96:46027  
/UDP(host(IP4:192.168.1.189:58600/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 46027 typ host)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/STREAM(1397169827192999 (id=48

url=https://apprtc.appspot.com/?r=35242394): stream1/audio)/COMP(1)  
/CAND-PAIR(/eNS): nominated pair is /eNS|IP4:192.168.1.189:58600  
/UDP|IP4:192.168.1.96:46027/UDP(host(IP4:192.168.1.189:58600  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 46027 typ host)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/STREAM(1397169827192999 (id=48  
url=https://apprtc.appspot.com/?r=35242394): stream1/audio)/COMP(1)  
/CAND-PAIR(/eNS): cancelling all pairs but /eNS|IP4:192.168.1.189:58600  
/UDP|IP4:192.168.1.96:46027/UDP(host(IP4:192.168.1.189:58600  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 46027 typ host)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/STREAM(1397169827192999 (id=48  
url=https://apprtc.appspot.com/?r=35242394): stream1/audio)/COMP(1)  
/CAND-PAIR(Shd8): cancelling FROZEN/WAITING pair  
Shd8|IP4:162.222.183.171:65462/UDP|IP4:192.168.1.96:46027/UDP(turn-  
relay(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:65462  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 46027 typ host) because  
CAND-PAIR(/eNS) was nominated.  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(Shd8): setting pair to state CANCELLED:  
Shd8|IP4:162.222.183.171:65462/UDP|IP4:192.168.1.96:46027/UDP(turn-  
relay(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:65462  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 46027 typ host)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/STREAM(1397169827192999 (id=48  
url=https://apprtc.appspot.com/?r=35242394): stream1/audio)/COMP(1)  
/CAND-PAIR(xv5V): cancelling FROZEN/WAITING pair  
xv5V|IP4:162.222.183.171:57472/UDP|IP4:192.168.1.96:46027/UDP(turn-  
relay(IP4:192.168.1.189:47868/TCP|IP4:162.222.183.171:57472  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 46027 typ host) because  
CAND-PAIR(/eNS) was nominated.  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(xv5V): setting pair to state CANCELLED:  
xv5V|IP4:162.222.183.171:57472/UDP|IP4:192.168.1.96:46027/UDP(turn-  
relay(IP4:192.168.1.189:47868/TCP|IP4:162.222.183.171:57472  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 46027 typ host)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/ICE-STREAM(1397169827192999 (id=48  
url=https://apprtc.appspot.com/?r=35242394): stream1/audio): all active  
components have nominated candidate pairs  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(GQCI): setting pair to state SUCCEEDED:  
GQCI|IP4:192.168.1.189:42150/UDP|IP4:192.168.1.96:36084  
/UDP(host(IP4:192.168.1.189:42150/UDP)|candidate:0 1 UDP 2122252543  
192.168.1.96 36084 typ host)  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/STREAM(1397169827192999 (id=48  
url=https://apprtc.appspot.com/?r=35242394): stream2/video)/COMP(1)  
/CAND-PAIR(GQCI): nominated pair is  
GQCI|IP4:192.168.1.189:42150/UDP|IP4:192.168.1.96:36084







url=https://apprtc.appspot.com/?r=35242394):default),  
stream(1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394): stream1/audio) tried to trickle ICE in inappropriate state 4  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169827192999 (id=48  
url=https://apprtc.appspot.com/?r=35242394):default),  
stream(1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394): stream2/video) tried to trickle ICE in inappropriate state 4  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169827192999 (id=48  
url=https://apprtc.appspot.com/?r=35242394):default),  
stream(1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394): stream1/audio) tried to trickle ICE in inappropriate state 4  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169827192999 (id=48  
url=https://apprtc.appspot.com/?r=35242394):default),  
stream(1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394): stream2/video) tried to trickle ICE in inappropriate state 4  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169827192999 (id=48  
url=https://apprtc.appspot.com/?r=35242394):default),  
stream(1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394): stream2/video) tried to trickle ICE in inappropriate state 4  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169827192999 (id=48  
url=https://apprtc.appspot.com/?r=35242394):default),  
stream(1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394): stream2/video) tried to trickle ICE in inappropriate state 4  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169827192999 (id=48  
url=https://apprtc.appspot.com/?r=35242394):default),  
stream(1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394): stream2/video) tried to trickle ICE in inappropriate state 4  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169827192999 (id=48  
url=https://apprtc.appspot.com/?r=35242394):default),  
stream(1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394): stream2/video) tried to trickle ICE in inappropriate state 4  
ICE(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394)): peer (PC:1397169827192999 (id=48  
url=https://apprtc.appspot.com/?r=35242394):default),  
stream(1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394): stream2/video) tried to trickle ICE in inappropriate state 4  
STUN-CLIENT(relay(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:3479  
/UDP)::TURN): Timed out

TURN(relay(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:3479/UDP)) failed  
TURN(relay(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:58600/UDP|IP4:162.222.183.171:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:39740/UDP|IP4:162.222.183.171:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:39740/UDP|IP4:162.222.183.171:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:39740/UDP|IP4:162.222.183.171:3479/UDP)) failed  
TURN(relay(IP4:192.168.1.189:39740/UDP|IP4:162.222.183.171:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:39740/UDP|IP4:162.222.183.171:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:39740/UDP|IP4:162.222.183.171:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:3479/UDP)) failed  
TURN(relay(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:39483/UDP|IP4:162.222.183.171:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:39483/UDP|IP4:162.222.183.171:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:39483/UDP|IP4:162.222.183.171:3479/UDP)) failed  
TURN(relay(IP4:192.168.1.189:39483/UDP|IP4:162.222.183.171:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:39483/UDP|IP4:162.222.183.171:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:39483/UDP|IP4:162.222.183.171:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:42756/UDP|IP4:162.222.183.171:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:42756/UDP|IP4:162.222.183.171:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb

TURN(relay(IP4:192.168.1.189:42756/UDP|IP4:162.222.183.171:3479/UDP))  
failed  
TURN(relay(IP4:192.168.1.189:42756/UDP|IP4:162.222.183.171:3479/UDP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:42756/UDP|IP4:162.222.183.171:3479  
/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:42756/UDP|IP4:162.222.183.171:3479  
/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:192.168.1.189:54662/UDP|IP4:162.222.183.171:3479  
/UDP)::TURN): Timed out  
TURN(relay(IP4:192.168.1.189:54662/UDP|IP4:162.222.183.171:3479/UDP)):  
mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:192.168.1.189:54662/UDP|IP4:162.222.183.171:3479/UDP))  
failed  
TURN(relay(IP4:192.168.1.189:54662/UDP|IP4:162.222.183.171:3479/UDP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:192.168.1.189:54662/UDP|IP4:162.222.183.171:3479  
/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:192.168.1.189:54662/UDP|IP4:162.222.183.171:3479  
/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(R116|IP4:162.222.183.171:53785/UDP|IP4:192.168.1.96:36084  
/UDP(turn-relay(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:53785  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 36084 typ host)): Timed  
out  
ICE-PEER(PC:1397169827192999 (id=48 url=https://apprtc.appspot.com  
/?r=35242394):default)/CAND-PAIR(R116): setting pair to state FAILED:  
R116|IP4:162.222.183.171:53785/UDP|IP4:192.168.1.96:36084/UDP(turn-  
relay(IP4:192.168.1.189:42150/UDP|IP4:162.222.183.171:53785  
/UDP)|candidate:0 1 UDP 2122252543 192.168.1.96 36084 typ host)  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): No STUN servers specified  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): No TURN servers specified  
insert 'ice.pref.interface.rmnet1' (UCHAR) succeeded: 0xe0  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467199 candidate  
srflx(IP4:10.162.75.250:44824/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:10.162.75.250:44824/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467199 candidate  
srflx(IP4:10.162.75.250:44824/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:44824/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467199 candidate  
srflx(IP4:10.162.75.250:44824/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:44824/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 98631679 candidate  
relay(IP4:10.162.75.250:44824/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:10.162.75.250:44824/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467198 candidate  
srflx(IP4:10.162.75.250:46148/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:10.162.75.250:46148/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467198 candidate  
srflx(IP4:10.162.75.250:46148/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:46148/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467198 candidate  
srflx(IP4:10.162.75.250:46148/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:46148/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 98631678 candidate  
relay(IP4:10.162.75.250:46148/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:10.162.75.250:46148/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467199 candidate  
srflx(IP4:10.162.75.250:57949/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:10.162.75.250:57949/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467199 candidate  
srflx(IP4:10.162.75.250:57949/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:57949/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467199 candidate  
srflx(IP4:10.162.75.250:57949/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:57949/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 98631679 candidate  
relay(IP4:10.162.75.250:57949/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:10.162.75.250:57949/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467198 candidate  
srflx(IP4:10.162.75.250:53160/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:10.162.75.250:53160/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467198 candidate  
srflx(IP4:10.162.75.250:53160/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:53160/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467198 candidate  
srflx(IP4:10.162.75.250:53160/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:53160/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 98631678 candidate  
relay(IP4:10.162.75.250:53160/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:10.162.75.250:53160/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467199 candidate

srflx(IP4:10.162.75.250:34789/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:10.162.75.250:34789/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467199 candidate  
srflx(IP4:10.162.75.250:34789/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:34789/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467199 candidate  
srflx(IP4:10.162.75.250:34789/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:34789/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 98631679 candidate  
relay(IP4:10.162.75.250:34789/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:10.162.75.250:34789/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467198 candidate  
srflx(IP4:10.162.75.250:60311/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:10.162.75.250:60311/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467198 candidate  
srflx(IP4:10.162.75.250:60311/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:60311/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467198 candidate  
srflx(IP4:10.162.75.250:60311/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:60311/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 98631678 candidate  
relay(IP4:10.162.75.250:60311/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:10.162.75.250:60311/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
TURN(relay(IP4:10.162.75.250:36877/TCP|IP4:23.236.53.1:3479/TCP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:36877/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:10.162.75.250:36877/TCP|IP4:23.236.53.1:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:36877/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:36877/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:10.162.75.250:36877/TCP|IP4:23.236.53.1:3479/TCP)):  
Couldn't start STUN  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com

/?r=35242394)): Error on reliable socket. Abandoning.  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
TURN(relay(IP4:10.162.75.250:60353/TCP|IP4:23.236.53.1:3479/TCP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:60353/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:10.162.75.250:60353/TCP|IP4:23.236.53.1:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:60353/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:60353/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:10.162.75.250:60353/TCP|IP4:23.236.53.1:3479/TCP)):  
Couldn't start STUN  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): Message does not correspond to any registered stun ctx  
TURN(relay(IP4:10.162.75.250:54236/TCP|IP4:23.236.53.1:3479/TCP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:54236/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:10.162.75.250:54236/TCP|IP4:23.236.53.1:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:54236/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:54236/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:10.162.75.250:54236/TCP|IP4:23.236.53.1:3479/TCP)):  
Couldn't start STUN  
TURN(relay(IP4:10.162.75.250:44824/UDP|IP4:23.236.53.1:3478/UDP)):  
Successfully allocated addr IP4:23.236.53.1:55570/UDP lifetime=3600  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): Message does not correspond to any registered stun ctx  
TURN(relay(IP4:10.162.75.250:46148/UDP|IP4:23.236.53.1:3478/UDP)):  
Successfully allocated addr IP4:23.236.53.1:56537/UDP lifetime=3600  
TURN(relay(IP4:10.162.75.250:50934/TCP|IP4:23.236.53.1:3479/TCP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:50934/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:10.162.75.250:50934/TCP|IP4:23.236.53.1:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:50934/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:50934/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:10.162.75.250:50934/TCP|IP4:23.236.53.1:3479/TCP)):  
Couldn't start STUN  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com  
/?r=35242394)): Message does not correspond to any registered stun ctx  
TURN(relay(IP4:10.162.75.250:47502/TCP|IP4:23.236.53.1:3478/TCP)):  
Successfully allocated addr IP4:23.236.53.1:65443/UDP lifetime=3600  
TURN(relay(IP4:10.162.75.250:50579/TCP|IP4:23.236.53.1:3478/TCP)):  
Successfully allocated addr IP4:23.236.53.1:58479/UDP lifetime=3600



TURN(relay(IP4:10.162.75.250:57949/UDP|IP4:23.236.53.1:3478/UDP)): Successfully allocated addr IP4:23.236.53.1:57627/UDP lifetime=3600  
TURN(relay(IP4:10.162.75.250:47453/TCP|IP4:23.236.53.1:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:47453/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:10.162.75.250:47453/TCP|IP4:23.236.53.1:3479/TCP)): cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:47453/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:47453/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:10.162.75.250:47453/TCP|IP4:23.236.53.1:3479/TCP)): Couldn't start STUN  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): Message does not correspond to any registered stun ctx  
TURN(relay(IP4:10.162.75.250:56834/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:54128/UDP lifetime=3600  
TURN(relay(IP4:10.162.75.250:53160/UDP|IP4:23.236.53.1:3478/UDP)): Successfully allocated addr IP4:23.236.53.1:54184/UDP lifetime=3600  
TURN(relay(IP4:10.162.75.250:55168/TCP|IP4:23.236.53.1:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:55168/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:10.162.75.250:55168/TCP|IP4:23.236.53.1:3479/TCP)): cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:55168/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:55168/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:10.162.75.250:55168/TCP|IP4:23.236.53.1:3479/TCP)): Couldn't start STUN  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): Message does not correspond to any registered stun ctx  
TURN(relay(IP4:10.162.75.250:58309/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:56331/UDP lifetime=3600  
TURN(relay(IP4:10.162.75.250:34789/UDP|IP4:23.236.53.1:3478/UDP)): Successfully allocated addr IP4:23.236.53.1:63550/UDP lifetime=3600  
TURN(relay(IP4:10.162.75.250:36047/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:60301/UDP lifetime=3600  
Inconsistent message method: 113 expected 001  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): Message does not correspond to any registered stun ctx  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
TURN(relay(IP4:10.162.75.250:60311/UDP|IP4:23.236.53.1:3478/UDP)): Successfully allocated addr IP4:23.236.53.1:65051/UDP lifetime=3600  
Inconsistent message method: 103 expected 001

ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): Message does not correspond to any registered stun ctx  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
TURN(relay(IP4:10.162.75.250:55402/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:59003/UDP lifetime=3600  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
ICE(PC:1397169875636399 (id=56 url=https://apprtc.appspot.com/?r=35242394)): Message does not correspond to any registered stun ctx  
STUN-CLIENT(relay(IP4:10.162.75.250:44824/UDP|IP4:23.236.53.1:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:10.162.75.250:44824/UDP|IP4:23.236.53.1:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:44824/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:10.162.75.250:44824/UDP|IP4:23.236.53.1:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:44824/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:44824/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:10.162.75.250:46148/UDP|IP4:23.236.53.1:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:10.162.75.250:46148/UDP|IP4:23.236.53.1:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:46148/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:10.162.75.250:46148/UDP|IP4:23.236.53.1:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:46148/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:46148/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:10.162.75.250:57949/UDP|IP4:23.236.53.1:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:10.162.75.250:57949/UDP|IP4:23.236.53.1:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:57949/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:10.162.75.250:57949/UDP|IP4:23.236.53.1:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:57949/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:57949/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb failed

/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:10.162.75.250:53160/UDP|IP4:23.236.53.1:3479  
/UDP)::TURN): Timed out  
TURN(relay(IP4:10.162.75.250:53160/UDP|IP4:23.236.53.1:3479/UDP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:53160/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:10.162.75.250:53160/UDP|IP4:23.236.53.1:3479/UDP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:53160/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:53160/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:10.162.75.250:34789/UDP|IP4:23.236.53.1:3479  
/UDP)::TURN): Timed out  
TURN(relay(IP4:10.162.75.250:34789/UDP|IP4:23.236.53.1:3479/UDP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:34789/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:10.162.75.250:34789/UDP|IP4:23.236.53.1:3479/UDP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:34789/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:34789/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:10.162.75.250:60311/UDP|IP4:23.236.53.1:3479  
/UDP)::TURN): Timed out  
TURN(relay(IP4:10.162.75.250:60311/UDP|IP4:23.236.53.1:3479/UDP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:60311/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:10.162.75.250:60311/UDP|IP4:23.236.53.1:3479/UDP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:60311/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:60311/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb failed  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): No STUN servers specified  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): No TURN servers specified  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467199 candidate  
srflx(IP4:10.162.75.250:58259/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:10.162.75.250:58259/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467199 candidate  
srflx(IP4:10.162.75.250:58259/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:58259/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467199 candidate  
srflx(IP4:10.162.75.250:58259/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:58259/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 98631679 candidate relay(IP4:10.162.75.250:58259/UDP|IP4:23.236.53.1:3479/UDP) and candidate relay(IP4:10.162.75.250:58259/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467198 candidate srflx(IP4:10.162.75.250:36209/UDP|IP4:23.236.53.1:3478/UDP) and candidate srflx(IP4:10.162.75.250:36209/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467198 candidate srflx(IP4:10.162.75.250:36209/UDP|IP4:23.236.53.1:3479/UDP) and candidate srflx(IP4:10.162.75.250:36209/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467198 candidate srflx(IP4:10.162.75.250:36209/UDP|IP4:23.236.53.1:3479/UDP) and candidate srflx(IP4:10.162.75.250:36209/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 98631678 candidate relay(IP4:10.162.75.250:36209/UDP|IP4:23.236.53.1:3479/UDP) and candidate relay(IP4:10.162.75.250:36209/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467199 candidate srflx(IP4:10.162.75.250:46843/UDP|IP4:23.236.53.1:3478/UDP) and candidate srflx(IP4:10.162.75.250:46843/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467199 candidate srflx(IP4:10.162.75.250:46843/UDP|IP4:23.236.53.1:3479/UDP) and candidate srflx(IP4:10.162.75.250:46843/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467199 candidate srflx(IP4:10.162.75.250:46843/UDP|IP4:23.236.53.1:3479/UDP) and candidate srflx(IP4:10.162.75.250:46843/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 98631679 candidate relay(IP4:10.162.75.250:46843/UDP|IP4:23.236.53.1:3479/UDP) and candidate relay(IP4:10.162.75.250:46843/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467198 candidate srflx(IP4:10.162.75.250:58556/UDP|IP4:23.236.53.1:3478/UDP) and candidate srflx(IP4:10.162.75.250:58556/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467198 candidate srflx(IP4:10.162.75.250:58556/UDP|IP4:23.236.53.1:3479/UDP) and candidate srflx(IP4:10.162.75.250:58556/UDP|stun.services.mozilla.com:3478)

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 1692467198 candidate srflx(IP4:10.162.75.250:58556/UDP|IP4:23.236.53.1:3479/UDP) and candidate srflx(IP4:10.162.75.250:58556/UDP|IP4:23.236.53.1:3478/UDP)

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): duplicate priority 98631678 candidate

relay(IP4:10.162.75.250:58556/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:10.162.75.250:58556/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467199 candidate  
srflx(IP4:10.162.75.250:40487/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:10.162.75.250:40487/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467199 candidate  
srflx(IP4:10.162.75.250:40487/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:40487/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467199 candidate  
srflx(IP4:10.162.75.250:40487/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:40487/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 98631679 candidate  
relay(IP4:10.162.75.250:40487/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:10.162.75.250:40487/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467198 candidate  
srflx(IP4:10.162.75.250:55746/UDP|IP4:23.236.53.1:3478/UDP) and candidate  
srflx(IP4:10.162.75.250:55746/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467198 candidate  
srflx(IP4:10.162.75.250:55746/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:55746/UDP|stun.services.mozilla.com:3478)  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 1692467198 candidate  
srflx(IP4:10.162.75.250:55746/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
srflx(IP4:10.162.75.250:55746/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): duplicate priority 98631678 candidate  
relay(IP4:10.162.75.250:55746/UDP|IP4:23.236.53.1:3479/UDP) and candidate  
relay(IP4:10.162.75.250:55746/UDP|IP4:23.236.53.1:3478/UDP)  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): Error on reliable socket. Abandoning.  
TURN(relay(IP4:10.162.75.250:60043/TCP|IP4:23.236.53.1:3479/TCP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:60043/TCP|IP4:23.236.53.1:3479/TCP)) failed  
TURN(relay(IP4:10.162.75.250:60043/TCP|IP4:23.236.53.1:3479/TCP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:60043/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:60043/TCP|IP4:23.236.53.1:3479  
/TCP)): nr\_turn\_allocated\_cb failed  
TURN(relay(IP4:10.162.75.250:60043/TCP|IP4:23.236.53.1:3479/TCP)):

Couldn't start STUN

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): Error on reliable socket. Abandoning.

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): Error on reliable socket. Abandoning.

TURN(relay(IP4:10.162.75.250:54533/TCP|IP4:23.236.53.1:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb

TURN(relay(IP4:10.162.75.250:54533/TCP|IP4:23.236.53.1:3479/TCP)) failed

TURN(relay(IP4:10.162.75.250:54533/TCP|IP4:23.236.53.1:3479/TCP)): cancelling

ICE-CANDIDATE(relay(IP4:10.162.75.250:54533/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb called with state 6

ICE-CANDIDATE(relay(IP4:10.162.75.250:54533/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb failed

TURN(relay(IP4:10.162.75.250:54533/TCP|IP4:23.236.53.1:3479/TCP)):

Couldn't start STUN

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): Error on reliable socket. Abandoning.

TURN(relay(IP4:10.162.75.250:39348/TCP|IP4:23.236.53.1:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb

TURN(relay(IP4:10.162.75.250:39348/TCP|IP4:23.236.53.1:3479/TCP)) failed

TURN(relay(IP4:10.162.75.250:39348/TCP|IP4:23.236.53.1:3479/TCP)): cancelling

ICE-CANDIDATE(relay(IP4:10.162.75.250:39348/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb called with state 6

ICE-CANDIDATE(relay(IP4:10.162.75.250:39348/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb failed

TURN(relay(IP4:10.162.75.250:39348/TCP|IP4:23.236.53.1:3479/TCP)):

Couldn't start STUN

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): Message does not correspond to any registered stun ctx

TURN(relay(IP4:10.162.75.250:58259/UDP|IP4:23.236.53.1:3478/UDP)):

Successfully allocated addr IP4:23.236.53.1:55362/UDP lifetime=3600

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): Message does not correspond to any registered stun ctx

TURN(relay(IP4:10.162.75.250:36209/UDP|IP4:23.236.53.1:3478/UDP)):

Successfully allocated addr IP4:23.236.53.1:49434/UDP lifetime=3600

TURN(relay(IP4:10.162.75.250:53831/TCP|IP4:23.236.53.1:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb

TURN(relay(IP4:10.162.75.250:53831/TCP|IP4:23.236.53.1:3479/TCP)) failed

TURN(relay(IP4:10.162.75.250:53831/TCP|IP4:23.236.53.1:3479/TCP)): cancelling

ICE-CANDIDATE(relay(IP4:10.162.75.250:53831/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb called with state 6

ICE-CANDIDATE(relay(IP4:10.162.75.250:53831/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb failed

TURN(relay(IP4:10.162.75.250:53831/TCP|IP4:23.236.53.1:3479/TCP)):

Couldn't start STUN

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): Message does not correspond to any registered stun ctx

TURN(relay(IP4:10.162.75.250:41104/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:54715/UDP lifetime=3600

TURN(relay(IP4:10.162.75.250:60331/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:63637/UDP lifetime=3600

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): Message does not correspond to any registered stun ctx

TURN(relay(IP4:10.162.75.250:46843/UDP|IP4:23.236.53.1:3478/UDP)): Successfully allocated addr IP4:23.236.53.1:51334/UDP lifetime=3600

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): Message does not correspond to any registered stun ctx

TURN(relay(IP4:10.162.75.250:49798/TCP|IP4:23.236.53.1:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb

TURN(relay(IP4:10.162.75.250:49798/TCP|IP4:23.236.53.1:3479/TCP)) failed

TURN(relay(IP4:10.162.75.250:49798/TCP|IP4:23.236.53.1:3479/TCP)): cancelling

ICE-CANDIDATE(relay(IP4:10.162.75.250:49798/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb called with state 6

ICE-CANDIDATE(relay(IP4:10.162.75.250:49798/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb failed

TURN(relay(IP4:10.162.75.250:49798/TCP|IP4:23.236.53.1:3479/TCP)): Couldn't start STUN

TURN(relay(IP4:10.162.75.250:44349/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:64760/UDP lifetime=3600

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): Message does not correspond to any registered stun ctx

TURN(relay(IP4:10.162.75.250:58556/UDP|IP4:23.236.53.1:3478/UDP)): Successfully allocated addr IP4:23.236.53.1:50262/UDP lifetime=3600

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): Message does not correspond to any registered stun ctx

TURN(relay(IP4:10.162.75.250:44561/TCP|IP4:23.236.53.1:3479/TCP)): mode 20, nr\_turn\_client\_error\_cb

TURN(relay(IP4:10.162.75.250:44561/TCP|IP4:23.236.53.1:3479/TCP)) failed

TURN(relay(IP4:10.162.75.250:44561/TCP|IP4:23.236.53.1:3479/TCP)): cancelling

ICE-CANDIDATE(relay(IP4:10.162.75.250:44561/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb called with state 6

ICE-CANDIDATE(relay(IP4:10.162.75.250:44561/TCP|IP4:23.236.53.1:3479/TCP)): nr\_turn\_allocated\_cb failed

TURN(relay(IP4:10.162.75.250:44561/TCP|IP4:23.236.53.1:3479/TCP)): Couldn't start STUN

TURN(relay(IP4:10.162.75.250:52540/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:50731/UDP lifetime=3600

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): Message does not correspond to any registered stun ctx

TURN(relay(IP4:10.162.75.250:40487/UDP|IP4:23.236.53.1:3478/UDP)): Successfully allocated addr IP4:23.236.53.1:56152/UDP lifetime=3600

ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com/?r=35242394)): Message does not correspond to any registered stun ctx

TURN(relay(IP4:10.162.75.250:49699/TCP|IP4:23.236.53.1:3478/TCP)): Successfully allocated addr IP4:23.236.53.1:59967/UDP lifetime=3600

TURN(relay(IP4:10.162.75.250:55746/UDP|IP4:23.236.53.1:3478/UDP)):  
Successfully allocated addr IP4:23.236.53.1:52678/UDP lifetime=3600  
Inconsistent message method: 103 expected 001  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): Message does not correspond to any registered stun ctx  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
TURN(relay(IP4:10.162.75.250:38796/TCP|IP4:23.236.53.1:3478/TCP)):  
Successfully allocated addr IP4:23.236.53.1:58382/UDP lifetime=3600  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Inconsistent message method: 103 expected 001  
ICE(PC:1397170035986254 (id=60 url=https://apprtc.appspot.com  
/?r=35242394)): Message does not correspond to any registered stun ctx  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
Skipping SOURCE-ADDRESS  
Skipping CHANGED-ADDRESS  
Translating obsolete XOR-MAPPED-ADDRESS type  
STUN-CLIENT(relay(IP4:10.162.75.250:58259/UDP|IP4:23.236.53.1:3479  
/UDP)::TURN): Timed out  
TURN(relay(IP4:10.162.75.250:58259/UDP|IP4:23.236.53.1:3479/UDP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:58259/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:10.162.75.250:58259/UDP|IP4:23.236.53.1:3479/UDP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:58259/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:58259/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:10.162.75.250:36209/UDP|IP4:23.236.53.1:3479  
/UDP)::TURN): Timed out  
TURN(relay(IP4:10.162.75.250:36209/UDP|IP4:23.236.53.1:3479/UDP)): mode  
20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:36209/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:10.162.75.250:36209/UDP|IP4:23.236.53.1:3479/UDP)):  
cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:36209/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:36209/UDP|IP4:23.236.53.1:3479  
/UDP)): nr\_turn\_allocated\_cb failed



STUN-CLIENT(relay(IP4:10.162.75.250:46843/UDP|IP4:23.236.53.1:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:10.162.75.250:46843/UDP|IP4:23.236.53.1:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:46843/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:10.162.75.250:46843/UDP|IP4:23.236.53.1:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:46843/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:46843/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:10.162.75.250:58556/UDP|IP4:23.236.53.1:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:10.162.75.250:58556/UDP|IP4:23.236.53.1:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:58556/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:10.162.75.250:58556/UDP|IP4:23.236.53.1:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:58556/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:58556/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:10.162.75.250:40487/UDP|IP4:23.236.53.1:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:10.162.75.250:40487/UDP|IP4:23.236.53.1:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:40487/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:10.162.75.250:40487/UDP|IP4:23.236.53.1:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:40487/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:40487/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb failed  
STUN-CLIENT(relay(IP4:10.162.75.250:55746/UDP|IP4:23.236.53.1:3479/UDP)::TURN): Timed out  
TURN(relay(IP4:10.162.75.250:55746/UDP|IP4:23.236.53.1:3479/UDP)): mode 20, nr\_turn\_client\_error\_cb  
TURN(relay(IP4:10.162.75.250:55746/UDP|IP4:23.236.53.1:3479/UDP)) failed  
TURN(relay(IP4:10.162.75.250:55746/UDP|IP4:23.236.53.1:3479/UDP)): cancelling  
ICE-CANDIDATE(relay(IP4:10.162.75.250:55746/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb called with state 6  
ICE-CANDIDATE(relay(IP4:10.162.75.250:55746/UDP|IP4:23.236.53.1:3479/UDP)): nr\_turn\_allocated\_cb failed