




Please follow the steps mentioned below to reproduce the problem.



1. Go to a new line in open office writer.
2. At the start on the line writer the text TEXT1TEXT2
3. Now, select TEXT1 and create a bookmark named **t1**. Same way select TEXT2 and create a bookmark named **t2**.
4. Now, save the document on local machine.
5. Using navigator(F5), try to verify if bookmarks are correct. As shown in images below.



6. Now, go to the TEXT1 and delete the text by deleting characters one by one. After that visible text in document should be TEXT2.
7. Now, save the document on local machine.
8. Using navigator(F5), try to verify if bookmarks are correct. (Till now the bookmarks will be correct.) As shown in images below.



9. Now, close the document. Re-open the same document.
10. Using navigator(F5), try to verify if bookmarks are correct or not. Now, here when you are clicking on **t1** bookmark it shows TEXT2 as bookmark which is wrong. When you look into the content.xml of the ODT file the bookmark start and end nodes are in proper place but when you open the document in Open Office is shows bookmark **t1** incorrectly. As shown in images below.



```

- <office:body>
- <office:text>
  - <text:sequence-decls>
    <text:sequence-decl text:display-outline-level="0" text:name="Illustration" />
    <text:sequence-decl text:display-outline-level="0" text:name="Table" />
    <text:sequence-decl text:display-outline-level="0" text:name="Text" />
    <text:sequence-decl text:display-outline-level="0" text:name="Drawing" />
  </text:sequence-decls>
  <text:p text:style-name="Standard" />
  <text:p text:style-name="Standard" />
  <text:p text:style-name="Standard" />
  - <text:p text:style-name="Standard">
    <text:bookmark-start text:name="t1" />
    <text:bookmark-end text:name="t1" />
    <text:bookmark-start text:name="t2" />
    TEXT2
    <text:bookmark-end text:name="t2" />
  </text:p>
</office:text>
</office:body>
</office:document-content>

```

11. Now, again when you are juggling with the same file with these bookmarks some more times by emptying the text in bookmarks and closing-reopening file, the xml structure is also changed. As shown in image below.

```

.....
- <office:body>
- <office:text>
  - <text:sequence-decls>
    <text:sequence-decl text:display-outline-level="0" text:name="Illustration" />
    <text:sequence-decl text:display-outline-level="0" text:name="Table" />
    <text:sequence-decl text:display-outline-level="0" text:name="Text" />
    <text:sequence-decl text:display-outline-level="0" text:name="Drawing" />
  </text:sequence-decls>
  <text:p text:style-name="Standard" />
  <text:p text:style-name="Standard" />
  <text:p text:style-name="Standard" />
  - <text:p text:style-name="Standard">
    <text:bookmark-start text:name="t1" />
    <text:bookmark-start text:name="t2" />
    TEXT2
    <text:bookmark-end text:name="t2" />
    <text:bookmark-end text:name="t1" />
  </text:p>
</office:text>
</office:body>
</office:document-content>

```