


These below are the step to replicate the bug. The witer I used is OpenOfiice 4.1.1

Step 1: Write a text in a single line.



Step 2: Apply numbering on the text which you entered as shown in the figure. To apply numbering click on numbering function as shown by the red arrow.






Step 3: Press Enter and write a new line of text.


Step 4: Place your cursor in the start of the second line as shown in the below screenshot.

dault	Times New Romes 12  B				
_			Properties E Text		
	Bullets and Numbering * ×		Times New Ror	man 💌 12	
	·····································		B/U.	- 4 1	¢ (
			A2 45 55		
	1 Test Statement 1 Test Statement 2		E Paragraph	A	-2
	<b>V</b>			-	
	<b>A</b>		12.12	00.	
			Spacing:	Jadent:	
			82 22	- <u></u>	7
			± 0.00 *	0.00 *	
			🖷 0.00 *	0.00 *	
			10 ·	≣ 0.00 *	
			🗷 Page		
		-			
		2 0 1			


Step 5: Now press the backspace key and you see that the number is deleted but the position of the line 2 will be still.



Step 6: Now hold the indent and drag it from point 1 to point 2. Points are just for reference. You just have to change the position of the ruler to your right side.



Step 7: After applying step 6, your text will look something like this. Now if press the "Tab Key" the second line should get indented but it will not.



Step 8: Now if you press the backspace key and try to press the "Tab Key", even then the line will not be intended.

