Test-Drawing_Graphic-Behaviour_in_OOo - 20070423-100915

NOTE:

See last page for further description and a possible reconstruction of the problem

In this document the behaviour of Drawings and Screen captures Graphics will be illustrated.

This Pic was captured with Alt-Prnt

🖀 Test-Drawi	ing_Graphic-Bel	haviour_in_00o.odt - Op	enOffice.org	Writer 🎱											_ 6 X
Eile Edit Vo	iew Insert For	rmat Table Tools Win	dow <u>H</u> elp												×
) 👿 • 🔛 🗄	1 🔗 🚺 🕽	- 🤞 🔍 🗳 🥙 🖉	š 🕛 💭 -	😽 (💊 - 🍫	- 1 💼 - E	2 🕫 🔶	· 😕 🖽 1	200% •	❷.						
Table C	Contents	Thorndale AMT	• 8	• B / (2 🗉 🗉	M III 5		i 🖾 😤	• 🛎 • 📘 📖	• 🚍 • 🕞	• 🖽 • 🎽	🗄 • I 🖶 🔲	💷 · 📑 🖬 🚽	l 🖻 🖬 💾	👔 🖹 📲
L	1 .	1 1	. 2	3 · · · 4	5 .	· · 6 · 🔀	. 7	8	9 • • • 10 ;	· · 11 · ;	12	. 13	14 15	· 16 · ; · ;	17 · · · 18
2															
															100
															_
		Test-Dra	wing_C	Fraphic-I	Behavio	ur_in_	000 -	200704	11-1009	915					
-															
-		In this dos		o hohorsio	un of Deor	ninaa									
		and Screen	n canture	e Graphics	ui of Dia will be	wings									
N .		illustrated	ii capture	s orapines	s will be										
		musuucu													
0															
-															
1															
~															
é															
-															
•				15.001											••
8/	IA 👆 🗢 I	• • • •	- - 4	A I ST I ST I	S (11).										
1220e 1/1				IPE ALLE				20	20 INDR SIL	1 11111			120101143		

KSnapshot is used to capture regions, Active screens like this one is made by pressing Alt-Prnt.



16

🗞 | 🖊 📼 👄 🡉 AI |

Using the Drawing Toolbar.

This was made by Ksnapshot, and copied in the Clipboard, then with Ctrl-V inserted.

Using this "Callouts" button to get this Graphic.

Now, the screen capture is in the background, but sometimes move to the foreground by itself. The Callouts then all move to the background.

There is no way it can always be reproduced, it happens sporadically. The problem becomes worse in larger documents. This page is copied to 10 others.



🛧 • | 🌾 | 🔊 📇 | 🗶 📘

🔊 • 🙄 • 🔄

Try to change some of the Callouts on the last pages and see if the problem occurs.

This document is a template used for documentation. It occurs also in other users' templates/base documents.

Text in the original mail to the forum

users@openoffice.org thread "Re: [users] Graphics in OOo Writer"

LLLActive@GMX.Net wrote: > On Fri, 2007-03-30 at 16:21 +0200, LLLActive@GMX.Net wrote: >> Hi All, >> >> I am starting to use OOo Writer to do some documentation for training >> manuals. I used MS-Word till now quit expensively for that. It worked >> well, till the documents became too large. >> >> I work mainly with two and three column tables and put text in the left >> column and screen-shots & graphics in the right column. The graphics are >> 'anchored to character' without wrapping into a table cell. So text and >> graphics move together when edits are done above. (side question: can >> this graphic anchor be set to 'character' in stead of 'paragraph' as >> standard somewhere?) The default frame style is called "Graphics" and you could edit this to reflect your requirements, or create another frame style specific to your document. >> Some callout Drawings (like comic balloons) are then used to mark >> something transparently with the pointing part stretching from one cell >> into another cell of the table. It is anchored to the text in the text >> (left hand) cell. >> >> Sometimes when I am changing the attributes of a single and marked >> callout from anchoring to the standard 'Paragraph' to the 'Character' >> mode, all the callout graphics loose all position formatting on the page >> I am working on. Besides that the graphics inside the tables also loose >> their anchors, and all move to the top of the page; i.e. anchoring to >> the page for all graphics. I can readjust them again by re-anchoring; >> but it wastes a lot of time. The graphics in the tables also 'Arrange' >> to the front and all the OOo Drawing-generated graphics 'Arrange' to the >> back. This 'fortunately' occur only on the actual page I am working on. >> around the table cells. >> >> After quite a few such disasters, suffered by both me and a colleague, >> we need some solution to stop redoing some pages time and time again. >> >> I am using OOo 2.1 (openSUSE 10.2, Updated on 30.3.2007 from openSUSE >> X86 64) and my colleague uses 00o 2.0 (update three weeks ago on a >> Novell Boxed SUSE 10.1 X86 64). We have exactly the same problem on two >> different systems. >> >> TIA >> >> :-) >> Al >> > No response vet. :- (>> Another annoying thing that now crops up is that the graphics generated > from the Drawing Toolbar disappear when they are reformatted in size or > position, sometimes to be found on the first page again. It happens > frequently, and is annoying with 20 + page documents! > It is as if the drawing anchoring is quite unstable and re-anchors > itself for no reason somewhere else, in this case inside tables. It looks as if you have encountered a bug, and the best way forward would be to raise an issue accurately describing the symptoms. It would also be invaluable if you attached a sample file, or files that exhibit the problem. Sorry to be of no more help :-(

Regards

Peter HB

Copied from page 1, 10 times to create a larger document.

In this document the behaviour of Drawings and Screen captures Graphics will be illustrated.

This Pic was captured with Alt-Prnt

ile <u>E</u>	dit <u>V</u> iew <u>I</u> nsert	Format Table Tools Window Help	×
8 • I	🖻 🗟 🤣 🚺	🕨 🤞 🚓 । 🌮 🌌 💰 🖞 🛍 💰 । 🌮 - 👁 - । 🕤 🖽 - 💓 👯 🔶 🖼 🥤 2005	• 😧 .
7	Table Contents	• Thorndale AMT • 8 • B I 🙂 🗑 🗐 🗐 🗮 🗮 🕮 🕮	• 📽 • 🗶 • 💭 • 🚍 • 🔚 • 🔛 • 🗶 • 💷 🗖 💷 🚽 🗃 🗃 🖆 🖄 🤅 🏅
]	1	1	· · 9 · · · 10 · · · 11 · · · 12 · · · 13 · · · 14 · · · 15 · · · 16 · · · <u>4</u> 7 · · · 18 ·
			1
		Test-Drawing Graphic-Behaviour in OOo - 200	70411-100915
		Test Drawing_orapine Denavioal_in_0000 200	100113
		In this document the behaviour of Drawings	
		and Screen cantures Graphics will be	
		illustrated	
1			
·			
1			
R .	/ 🖃 👄 🦽 A	AI 🔍 🔯 • 🥥 • 🗰 • 💭 • 🛧 • 🌾 🛯 🗛 😓 🚇 🔒	
age 1	/1	Default	200% INSRT STD HYP * Table1 B3

KSnapshot is used to capture regions, Active screens like this one is made by pressing Alt-Prnt.

	In this document the behaviour of Denning and Screen captures Capiton will be distanted	A Barrier Article Arti		a
				Save As
	inter and a second seco	200, 880, 910, 207.	140100 - CA -	Print
Cap <u>t</u> ure m Snapshot	ode: Regio delay: No de window decoration	n lay		

16

🗞 | 🖊 📼 👄 🥜 AI 🤇

Using the Drawing Toolbar.

move to the background.

This was made by Ksnapshot, and copied in the Clipboard, then with Ctrl-V inserted.

Using this "Callouts" button to get this Graphic.



🔊 • 🕲 • 🔅 • 🗍

🛧 • | 🌾 | 🔊 📇 | 🗶 🗍

This Pic was captured with Alt-Prnt

Test-Drawing_Graphic-E	Sehaviour_in_OOo.odt - OpenOffice.org Writer 3	6 X
e Echt ⊻ew insert i	igmat igbe Looks Window Hep	×
s · 🖻 🖬 🗞 🚺		
Zable Contents		a .
1	· · · · · · · · · · · · · · · · · · ·	18
	Test-Drawing Graphic-Behaviour in OOo - 20070411-100915	
	The blank bl	
	In this document the behaviour of Drawings	
	illustrated	
	Indudated	
		-
		Ē
		T P
8 / 🖃 👄 👉 A	I () () () () () () () () () () () () ()	

KSnapshot is used to capture regions, Active screens like this one is made by pressing Alt-Prnt.

	In this document the behaviour of Drawing and Screen captions Graphics will be Elisabeld	Contraction of the second seco		
				Save As Copy to Clipboard
03884	inter i	200, 880 (10 pr)	10010 (0010 (0010)	₽rint
Cap <u>t</u> ure n Gnapshot	ode: Regio delay: No de window decoration	lay		•

16

🗞 | 🖊 📼 👄 🥜 AI 🤇

Using the Drawing Toolbar.

move to the background.

This was made by Ksnapshot, and copied in the Clipboard, then with Ctrl-V inserted.

Using this "Callouts" button to get this Graphic.



🔊 - 🎱 - 🔅 - 🗍

🛧 • | 🌾 | 🔊 📇 | 🗶 🗍

This Pic was captured with Alt-Prnt

Edit View I	Behaviour_in_000.odf-OpenOffice.org Winter
i • 🖻 🗃 🧬	▶ 副系 ♥ ■ ふ心仁 - 4 毎日 】 代々 乏日 2005 - 9
Table Conten	💌 Thomask AMT 💿 8 🔍 🕒 1. 🕑 🖥 3. 🗶 🐘 🗶 🐘 🖉 💆 🔽 😴 2. 🦉 1. 🖶 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. V 2.
	1 2 3 4 5 6 🖾 7 , 8 9 10, 11 1 12 13 14 15, 16 <u>1</u> 7
	Test-Drawing Graphic-Behaviour in OOo - 20070411-100915
/ = •	Ⅰ □ ◎ • ● • ● = ● - ● - ★ • 承 ● 告 = ●

KSnapshot is used to capture regions, Active screens like this one is made by pressing Alt-Prnt.

in an	this document the behaviour of I Screen captures Graphics w situated	Dumings Libe	to a source of years of the source of the so			
				 -	<u>S</u> ave As Copy to Clipboar	ď
0358400		l (maginger:	205, 820 20 20	10010 093.0940	 Print	
Sap <u>t</u> ure mo Snapshot <u>d</u> e Sindude w	de: F elay: N indow decor	egion o delay itions				•

16

🗞 | 🖊 📼 👄 🥜 AI 🤇

Using the Drawing Toolbar.

move to the background.

This was made by Ksnapshot, and copied in the Clipboard, then with Ctrl-V inserted.

Using this "Callouts" button to get this Graphic.



🔊 - 🎱 - 🔅 - 🗍

🛧 • | 🌾 | 🔊 📇 | 🗶 🗍

This Pic was captured with Alt-Prnt

Edit View I	Behaviour_in_000.odf-OpenOffice.org Winter
i • 🖻 🗃 🧬	▶ 副系 ♥ ■ ふ心仁 - 4 毎日 】 代々 乏日 2005 - 9
Table Conten	💌 Thomask AMT 💿 8 🔍 🕒 1. 🕑 🖥 3. 🗶 🐘 🗶 🐘 🖉 💆 🔽 😴 2. 🦉 1. 🖶 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. V 2.
	1 2 3 4 5 6 🖾 7 , 8 9 10, 11 1 12 13 14 15, 16 <u>1</u> 7
	Test-Drawing Graphic-Behaviour in OOo - 20070411-100915
/ = •	Ⅰ □ ◎ • ● • ● = ● - ● - ★ • 承 ● 告 = ●

KSnapshot is used to capture regions, Active screens like this one is made by pressing Alt-Prnt.

In this and 5 share	decument the behaviour of Deuring recent options Graphics will be field		Ave. 2017/04	
				Save As Copy to Clipboard
038-000	inter O - Line - Sectored System	2008, 2009, 200 Y	tanta Optical and the second	Print
Cap <u>t</u> ure mod Snapshot <u>d</u> el Ri Include wir	e: Regio ay: No de idow decoration	n lay × s		

16

🗞 | 🖊 📼 👄 🥜 AI 🤇

Using the Drawing Toolbar.

move to the background.

This was made by Ksnapshot, and copied in the Clipboard, then with Ctrl-V inserted.

Using this "Callouts" button to get this Graphic.



🔊 - 🎱 - 🔅 - 🗍

🛧 • | 🌾 | 🔊 📇 | 🗶 🗍

This Pic was captured with Alt-Prnt

Edit View I	Behaviour_in_000.odf-OpenOffice.org Winter
i • 🖻 🗃 🧬	▶ 副系 ♥ ■ ふ心仁 - 4 毎日 】 代々 乏日 2005 - 9
Table Conten	💌 Thomask AMT 💿 8 🔍 🕒 1. 🕑 🖥 3. 🗶 🐘 🗶 🐘 🖉 💆 🔽 😴 2. 🦉 1. 🖶 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. 🖓 2. V 2.
	1 2 3 4 5 6 🖾 7 , 8 9 10, 11 1 12 13 14 15, 16 <u>1</u> 7
	Test-Drawing Graphic-Behaviour in OOo - 20070411-100915
/ = •	Ⅰ □ ◎ • ● • ● = ● • ● • ● • ● • ◆ • ◎ ● ● ● ● ●

KSnapshot is used to capture regions, Active screens like this one is made by pressing Alt-Prnt.

in an	this document the behaviour of I Screen captures Graphics w situated	Dumings Libe	to a source of years of the source of the so			
				 -	<u>S</u> ave As Copy to Clipboar	ď
0358400		l (maginger:	205, 820 20 20	10010 093.0940	 Print	
Sap <u>t</u> ure mo Snapshot <u>d</u> e Sindude w	de: F elay: N indow decor	egion o delay itions				•

16

🗞 | 🖊 📼 👄 🥜 AI 🤇

Using the Drawing Toolbar.

move to the background.

This was made by Ksnapshot, and copied in the Clipboard, then with Ctrl-V inserted.

Using this "Callouts" button to get this Graphic.



🔊 - 🎱 - 🔅 - 🗍

🛧 • | 🌾 | 🔊 📇 | 🗶 🗍

This Pic was captured with Alt-Prnt

Edit View I	Behaviour_in_000.odf-OpenOffice.org Winter
i • 🖻 🗃 🧬	▶ 副系 ♥ ■ ふ山谷 - 森(の・ゆ・) 新田 - 🔃 代々 子田 🕇 2005 - 🥝
Table Conten	💌 Thomask AMT 💿 8 🔍 🕒 1. 🕐 🖥 🕷 📓 📓 📓 📓 📓 🖉 🗳 💆 🖓 👘 🗄 🚍 🖓 👘 🖓 📅 🖓 👘 🖓 👘 🖓 👘 🖓
	1 2 3 4 5 6 🖾 7 , 8 9 10, 11 1 12 13 14 15, 16 <u>1</u> 7
	Test-Drawing Graphic-Behaviour in OOo - 20070411-100915
/ = •	Ⅰ □ ◎ • ● • ● = ● • ● • ● • ● • ◆ • ◎ ● ● ● ● ●

KSnapshot is used to capture regions, Active screens like this one is made by pressing Alt-Prnt.

in an	this document the behaviour of I Screen captures Graphics w situated	Dumings Libe	to a source of years of the source of the so		
				 -	Save As
0358400		l (maginger:	205, 820 20 20	10010 093.0940	 Print
Sap <u>t</u> ure mo Snapshot <u>d</u> e Sindude w	de: F elay: N indow decor	egion o delay itions			

16

🗞 | 🖊 📼 👄 🥜 AI 🤇

Using the Drawing Toolbar.

move to the background.

This was made by Ksnapshot, and copied in the Clipboard, then with Ctrl-V inserted.

Using this "Callouts" button to get this Graphic.



🔊 - 🎱 - 🔅 - 🗍

🛧 • | 🌾 | 🔊 📇 | 🗶 🗍

This Pic was captured with Alt-Prnt

Edit View	Insert Format Tab	le <u>T</u> ools <u>W</u> indow <u>H</u> e	ag witter 🤤							-	5 X X
i • 🖻 🗟 🎖	ي 🛃 🍾 🚺 😪	, i 🍄 😹 🗟 🗳 🕻	• ≼ 👁 • 👁 • 🖯	i 🎟 • 💓 👯 -	🔶 🛎 🖪 🎙 (200% • 🥝 .					
Zable Conte	ents Thornc	fale AMT 🔹 8	• B I 🙂		11 II II II	🚨 · 😤 · 😤 ·	. ⊞ · ≣ · 6	i - I 🖽 - 🚟 - I 🖷	: 🗆 💷 - 🗐 🖬 🗄	i 🖻 🖬 🖻 🖬 🗎	1
	1	•••1•••2•	3 4	5 • • • 6 •	2 · 7 · · ·	8 · · · 9 · ·	· 10 ; · · 11 ·	· 12 · · _ 13 ·	· · 1,4 · · · 15 ;	· · 16 · <u>· 4</u> 7 · ·	18
		Sest-Drawing	Graphic-Beh	f Drawings l be	_000 - 2	20070411-	100915				The second s
											••
/ 🗆 🦷	🐼 🖓 IA 👆 🤄	• 🎱 • 🐡 • 🛅 • 🗩	🛧 • 1 🔨 I 🔉 🤮 1 8								

KSnapshot is used to capture regions, Active screens like this one is made by pressing Alt-Prnt.

In this and Sc diastra	decument the behaviour of Deuring recent options Graphics will be field	The Province of the Province o	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
				Save As
0384400	O - BILL	and and the set (6911943 (201	Print
Cap <u>t</u> ure mode Snapshot <u>d</u> els B Include win	e: Regio ay: No de dow decoration	n ay 🔹		

16

🗞 | 🖊 📼 👄 🥜 AI 🤇

Using the Drawing Toolbar.

move to the background.

This was made by Ksnapshot, and copied in the Clipboard, then with Ctrl-V inserted.

Using this "Callouts" button to get this Graphic.



🔊 - 🎱 - 🔅 - 🗍

🛧 • | 🌾 | 🔊 📇 | 🗶 🗍

This Pic was captured with Alt-Prnt

Test-Drawing_Graphic-Behavio	tour, in Ooo, odt - Open Office. org Writer S	_ 6 _ X
i con glaw jabert rojaan . con 🖂 📣 🚺 🦌 👍		
	Test-Drawing_Graphic-Behaviour_in_OOo - 20070411-100915	. 18
	In this document the behaviour of Drawings and Screen captures Graphics will be illustrated	
8 🖊 🔜 👄 🣥 AI 🕓	◎+◎+↔+圖+◎+☆+核 A @ @	

KSnapshot is used to capture regions, Active screens like this one is made by pressing Alt-Prnt.

	In this document the behaviour of Drawing and Screen captions Graphics will be Elisabeld	Contraction of the second seco		
				Save As Copy to Clipboard
03884	inter i	200, 880 (10 pr)	10010 (0010 (0010)	₽rint
Cap <u>t</u> ure n Gnapshot	ode: Regio delay: No de window decoration	lay		•

16

🗞 | 🖊 📼 👄 🥜 AI 🤇

Using the Drawing Toolbar.

move to the background.

This was made by Ksnapshot, and copied in the Clipboard, then with Ctrl-V inserted.

Using this "Callouts" button to get this Graphic.



🔊 - 🎱 - 🔅 - 🗍

🛧 • | 🌾 | 🔊 📇 | 🗶 🗍

This Pic was captured with Alt-Prnt

Test-Drawing_Graphic-Behaviour_in_OOo.odt - OpenOffice.org Writer 🛞	- 6 ×
le Edit View Insert Format Tigble Tools Window Help	×
◎ 🖙 🗄 🖉 🎽 😓 🌾 🖗 🗟 心心心 🔩 🐓 🤏 1 簡冊 🚺 👯 🔶 🖅 📲 🛛 🖉 👘	
👤 Table Contents 🔹 Thomase AMT 🔹 8 🔹 8 🚺 😰 📓 着 📓 📓 🚆 🚆 📾 🔛 😤 🖓 🔛 😓 💭 🚍 🐨 🔛 🖄 👘 🔛 🖉 👘 🔛 🖄	1 😫 [
· · · · · · · · · · · · · · · · · · ·	· · 18 *
	103
Test-Drawing_Graphic-Behaviour_in_OOo - 20070411-100915	
In this document the heliciting of Decrylege	
and Screen cartures (graphics will be	
illustrated	
Induced	
	*
	4.

KSnapshot is used to capture regions, Active screens like this one is made by pressing Alt-Prnt.

	In this document the behaviour of Draw and Servers captures Gaphics will be Elastitud	hga			Laboration	
						Save As opy to Clipboard
	inter a construction of the second se	201.0	ant 200 200 7	699469-13 722		Print
Cap <u>t</u> ure m Snapshot , 8) Indude	ode: Reg delay: No d window decoratio	on elay ns				

Ko - (

16

🚯 | 🖊 📼 👄 🦽 AI 🤇

Using the Drawing Toolbar.

This was made by Ksnapshot, and copied in the Clipboard, then with Ctrl-V inserted.

Using this "Callouts" button to get this Graphic.

Now, the screen capture is in the background, but sometimes move to the foreground by itself. The Callouts then all move to the background.



) - \Rightarrow - 🛙

🗖 • 🛧 • | 🌾 | 🔊 📇 | 🜉 🗍

There is no way it can always be reproduced, it happens sporadically. The problem becomes worse in larger documents. This page is copied to 10 others.

ving Toolb ade by <u>Kanapabot</u>, and o hen with <u>Ctrl</u>-V inserted y. The in larger ∕ ☲ ◕ ở མ ◯ I図 • Չ • ↔ • ☰ • • ☆ • 柇 I 씨 등 용 🛔 R 4.48/0.2 RT STD HYP *

As said above:

Now, the screen capture is in the background, but sometimes move to the foreground by itself. The Callouts then all move to the background.

Anchoring Problem.



Try moving this Graphic "as it is formatted" close to the border of the cell

Example:



Notice how it disappears when it is attempted a few times. Get it back with 🐢 -

Searching for it, it appeared on page 10.

Test-Drawin	ng_Graphic-Behavio	ur_in_00o.odt - OpenOffice.org Writer 🏐		_ 6 X
Eile Edit Vie	ew Insert Format	Table Tools Window Help		×
💽 🔛 🗄	i 🕹 🚺 🎽 🤞	a 🛠 i 🍄 🌉 🤞 🗅 🛍 • 🕹 i 🕶 • 🌤 • 🔂 🖽 • 🚺 🕵 •	💠 差 🛅 🌗 200% 🕒 🕜 🚬	
Graphics		월 🗉 비 비 타 목 달 🕀 · 륜 · 🖫 · 뽑 · 겸 🔌	🔩 🖞 🗉 🛷 👷 😹 🔌 🔹 Default 🔹 😭 🛛 💷 🔹 🍁 🛠 🖆 🖉	
	8 7	• • • 6 • • • 5 • • • 4 • • • 3 • • • 2 • • • 1 • •	· · · · · 1 · · · · 2 · · · · 3 · · · · 4 · · · · 5 · · · · 6 · · · · 7 · · · 8 · · · 9 · · · 10 · ·	· 11 · •
		920307 - 104149 - province and a second seco	TO / 12	
<		In this document the behaviour of Drawings and Screen captures Graphics will be illustrated. This Pic was captured with Alt-Prnt		A V A V A V
Page 10 / 12		Default	200% INSRT STD HYP * 57.19/45.85 12.20 x 0.53	

Document is acompanied by a PDF to see how it was originally

Author:

Comments on the Forum please: users@openoffice.org thread "Re: [users] Graphics in OOo Writer"

LLLActive@GMX.Net