

Tabelle:

It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field catalog for us. After getting the generated field catalog, we loop at it and change whatever we want. It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field catalog for us. After getting the generated field catalog, we loop at it and change whatever we want.

It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field catalog for us. After getting the generated field catalog, we loop at it and change whatever we want.

It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field

catalog for us. After getting the generated field catalog, we loop at it and change whatever we want.

It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field catalog for us. After getting the generated field catalog, we loop at it and change whatever we want.

It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field catalog for us. After getting the generated field catalog, we loop at it and change whatever we want.

It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field catalog for us. After getting the generated field catalog, we loop at it and change whatever we want.

It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field

It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field catalog for us. After getting the generated field catalog, we loop at it and change whatever we want.

It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field catalog for us. After getting the generated field catalog, we loop at it and change whatever we want.

catalog for us. After getting the generated field catalog, we loop at it and change whatever we want.

It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field catalog for us. After getting the generated field catalog, we loop at it and change whatever we want.

It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field catalog for us. After getting the generated field catalog, we loop at it and change whatever we want. It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field catalog for us. After getting the generated field catalog, we loop at it and change whatever we want.

It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field catalog for us. After getting the generated field catalog, we loop at it and change whatever we want.

It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field

catalog for us. After getting the generated field catalog, we loop at it and change whatever we want.

It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field catalog for us. After getting the generated field catalog, we loop at it and change whatever we want. It is a boring work to fill and append rows for all columns of our list. And it is not flexible to proceed with automatically generating of the field catalog. Fortunately, there is a middle ground as generating the field catalog semi-automatically. This procedure requires a function module to call. We pass the name of the structure to be the template and the function module generates a field catalog for us. After getting the generated field catalog, we loop at it and change whatever we want.

Textweiche:

Textbaustein: