Instructions:

In the bugged_document.doc try the following (after you uncheck Format/ Sections/ Write Protection) :

着 send_to_oofice - OpenOffice.org Writer	
Elle Edit View Insert Format Table Iools Window Help	
Contents 1 Anal 10] B / D 5 5 5 5 5 5 5 5 5 5 7 7 7 8 7 1
L · · 9 · · · 8 · · · 7 · · · 6 · · · 5 · · · 4 ·	······································
Table of Content	S
Heading 1	2 11 Heading 2 2
The during the	1.1.1 Heading 3
Insert Index/Table	×
	Index/Table Entries Styles Columns Background
	Settings
Een,	Columns
This is the content tion the tio I chapter. This is a user dis	ceperator.
Heading 1.1	Column * 1 2 3 *
This is the context flow chapter 1.1. This is the entry for the	Width 4.51cm + 4.51cm
Heading 1.2 The is he control too, dapler 1.2. The layest is a sale	***9- Seeting 0.00cm
	digitation and the second seco
	Separator line
its' forsite'	Line None 💌
	Hight 100% 🗮
	Position Top
	OK Cancel Help Beset Preview
	2
	17. T 🗊 📽 🛤 🖥
Page 1 / 2 Convert 2	Nocel 150% NSRT STD *

1.1 Format the Table of Contents on two columns

1.2 Create a custom frame style:

send_to_o	fice - OpenOffice.org Writer	×
2 • 🖉 🖥	3 2 2 3 3 4 5 4 5 4 5 4 5 4 5 1 5 1 6 1 5 1 6 1 5 1 6 1 5 1 5 1 5 1	~
#_custom_fre	∞.## ■ ■ = = = = = = = = = = = = = = = = =	
L 9	· · · 8 · · · 7 · · · 6 · · · 5 · · · 4 · · · · 3 · · · 2 · · · 1 · · ·] · · · 1 · · · 2 · · · 3 · · · 4 · · · 5 · · · 6 · · · 7 · · · 8 · · · 9 · · · 1(<u> 1 1</u>
	Heading 1	
3	1.1 Heading 2	
1	1.1.1 Heading 3	
	Bia Ibia bia	
- - -	<u> </u>	
- 		
*	Frame Style: #_costom_frame_style Styles and formatin Organizer Type Options Waxe Background Borders Columns Marco	2 ST -
- 	Line arrangement Line Spacing to contents Particular Contents Particular Contents Particular Content Statem Service Statem Ser	
	1.100 kl A Paght 0.02cm ☆ Graphics User-defined 2.60 pt 0.02cm ☆ Marchall Graphics 1.000 kl 3.00 pt 1.00 pt 0.02cm ☆ Marchall	
· · · £	Ston Ditton Store	-
	Shadow style	
	Destroy Calor F	
. 01	OK Cancel Help Benet Standard	*
•		¥
▶ / ■	● ≪ T @ ◇ + ® + ® + ☆ + ☆ + ☆ 点 ▲ ▲ 場 ┃	

1.3 Verify again in the Format / Sections that the sections are unprotected for editing:

🖆 send_to_oofice - OpenOffice.org Writer	
Ele Edit Yew [nsert Format Table Tools Window Help : P • • • • • • • • • • • • • • • • • •	
	······································
Image: Section Image: Section Image: Section Section Section Image: Section Image: Section Section Section Image: Section Image: Section Section Section Section Image: Section Section	В Ф Ц
ो/■●⊀T♥I◇・©・⇔・⊟・₽・☆・IदI≜€I覧	

- 1.4 Save the bugged_document.doc document, close and the open it again
- 1.5 The contents are protected, although you did not check this option:

e send_to_oolice - OpenOlfice.org Writer		_8_
ae Eor Zew Insert Fyrnat i≩be Loos Window Beb		
	12 13 14 13 10 10 11 10 10	
· · · · · · · · · · · · · · · · · · ·		
N		
		_
		- I
Table of Contents		-
Table of Contents		- 1
Heading 1		2
1.1 Heading 2		2
1.1.1 Heading 3		2
νο ·		
N	will	
openomice.org.z.a		
Readonly content of No modifications will	/mot be changed. be accepted	
- IOK	1	
• • • • • • • • • • • • • • • • • • •	•	
m		
▼ 		
)
	IERO MACET CTD mondaria	Section1

1 1	1 · · · 2 · · · 3 · · · · 4 · · · 5 · · · 6 · · · 7 · · · 8 · · · 9 · · · 10 · · · 11 · · · 12 · · · 13 · · · 14 · · · 15 · · · 16 · · · 17 · · · 18 · · · 19 · · · 20 · ·	21
		Π
	Table of Contents	
	1.1.1 Heading 2	
	Section Unix	
	Section1 Unit Cancel	
	R ₆₀ Section3 Ele name Cotions	
	Section Remove	
	✓ Protected <u>Itelp</u>	
	Hide	
	T Hide	
	Properties	
	Egitable in read-only document	

1.6 The Table of Contents has lost the two-column setting you chose earlier:

abugged_doccument - OpenOffice.org Writer		_ 8 ×
Elle Edit View Insert Format Table Iools Window Help		
<u>; ≧ • 22 ■ 21 21 21 21 22 21 22 21 23 35 35 35 35 35 35 35 </u>	Q .	
Contents Heading 💌 📉 💌 🗷 🖪 🖌 U 🗠 🛎 📼 🗆 🖽 🖅 🔅 🕸	<u>A · Z · A · .</u>	
L · · · 1 · · · 2 · · · 3 · · · 4 · · · 5 · · · 6 · · · 7 · · · 8 · · · 9 · · · 10 · · · 11 ·	· · 12 · · · 13 · · · 14 · · · 15 · · · 16 · · · 17 · · · 18 · · · 19	· · · 20 · · · 21 · · · <u>*</u>
N		
0		
Table of Contents		-
		_
Heading 1		2
1.1 Heading 2		2
1.1.1 Heading 3		2
N .		
ω	Styles and	Formatting
	Bontents II Default	leading 🔺
	Document I Drawing	Map
	Endnote First line in	dent
	Footer Footer left	
	Footer right Footnote	*
	Frame cont Hanging in:	tents dent
	Header Header left	
21	Header right	* •
	Al Styles	<u> </u>
2		
		*
		0
k /■●≪TQ ◇+◎+⇔+≣+₽+☆+ ≤ ≜∎ ≒.		
Page 1/2 Default	150% INSRT STD read-only	y : Section1

1.7 The custom frame style is nowhere to be found:

a send_to_oofice - OpenOffice.org Writer		_8×
Ene Fox Zew fixest Found 1906 Foos Wurdow Reb		*
	*	
Heading 1		
1.1 Heading 2		
1.1.1 Heading 3		
Bla		
•Dia Dia		
×		
· · · · · · · · · · · · · · · · · · ·		
	Styles and	Formatting 🛛
Type Options Weak Hyperick Burders Bacingound Columns Marrol	E A	<u>IDEVE</u>
un Line arrangement Line Spacing to contents	arma Graphics	
- Default Style Left 0.02cm	Labels Marginalia	
vo 1.10 pt ▲ Right 0.02cm 🗄	OLE Wétermark	
• 3.55 pt Bottom 0.02cm 🗄		
Sub pt Y Synchronize		
Color		
Shadow style	AI	
Bostion Distance Color		
Cray Y		
<u>e</u>		_
CK Cascel Help Reset		1
Canton Each Zear		<u>*</u>
; k / □ ♥ ≪ 1 ♥ ♥ * ♥ * □ * ♥ * ☆ * 仏 ▲ N * * # *	150% INSPT 5TD * 10 8 02 (0.00	18 2 00 v 1 81

1.8 The current version of the program:

출 bugged_document - OpenOffice.org Writer	_6×
Elle Edit View Insert Format Table Iools Window Help	x south the second s
	ettiz.z.v.
Table of Contents Heading 1 1.1.1 Heading 2 1.1.1 Heading 3 1.1.1 Heading 4 1.	
	150% INSRT STD read-only - Section 1

(the file has been edited with several previous versions of OpenOffice, possibly even Microsoft Office)