

This test will show the page style export and import bug in .doc format


Here will create a "Convert 1" style first

Styles and Formatting

- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- Right Page

All






**Styles and Formatting**

- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- Right Page

Use the Styles and Formatting window to create, edit, add, and remove formatting. Double-click an entry to apply the style.



All






Convert 1 will be create when insert a page break, which is very common use function I think

Note I set the new page style is Default here



Before I close the doc file, it looks fine in the list



Default Times New Roman 12 B / U

OpenOffice.org 3

Styles and Formatting

- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- Right Page

All

# Welcome to OpenOffice.org

Create a new document



Text Document




Spreadsheet



Presentation



Drawing



Database



Formula


re-open the doc file




Templates...




Open a document...



Convert 1 appeared, this problem also in Ooo-dev3.1 and I will show it later in this pdf





ok, ignore the Convert 1 style, I will add My Style

OpenOffice.org 3

Convert 1

- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- Right Page

All




OpenOffice.org 3

**Styles and Formatting**

- Convert 1
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page**
- Right Page

All

New Style from Selection  
Update Style  
Load Styles...



OpenOffice.org 3

**Styles and Formatting**

- Convert 1
- Default**
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- Right Page

All

New Style from Selection


Creates a new style based on the formatting of the current paragraph, page, or selection.

OpenOffice.org 3

**Styles and Formatting**

- Convert 1
- Default**
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- My Style 1
- Right Page

All



OpenOffice.org 3


Styles and Formatting

- Convert 1
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- My Style 1
- My Style 2
- Right Page

All

I added My Style 1 an My Style 2

Table Contents Times New Roman 12 **B** / U



Styles and Formatting

- Convert 1
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- My Style 1
- My Style 2
- Right Page

All

1

2

3

4

5

6

Default Times New Roman 12 **B** / U


OpenOffice.org 3 My-Style-1

Adjust table row

Styles and Formatting

- Convert 1
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- My Style 1
- My Style 2
- Right Page




All




Manual Break...

Inserts a manual line break, column break or a page break at the current cursor position.

- Section...
- Hyperlink
- Header
- Footer
- Footnote...
- Caption...
- Bookmark...
- Cross-reference...
- Note Ctrl+Alt+N
- Script...
- Indexes and Tables
- Envelope...
- Frame...
- Table... Ctrl+F12
- Horizontal Ruler...
- Picture
- Movie and Sound
- Object
- Floating Frame
- File...



Styles and Formatting



- Convert 1
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- My Style 1
- My Style 2
- Right Page

All

The main document area shows a grid background. A logo with the text "OpenOff" is visible on the left side. The document is currently on page 2 of 2.

### Insert Break

Type

- Line break
- Column break
- Page break

Style

[None]

Change page number

OK  
Cancel  
Help

### Styles and Formatting

- Convert 1
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- My Style 1
- My Style 2
- Right Page

All



The main editing area shows a document with a grid background. A logo with the text "OpenOffice" is visible. The document is divided into two columns by a vertical line. The left column contains the logo, and the right column is currently empty.

### Insert Break

Type

- Line break
- Column break
- Page break

Style

My Style 2

Change page number

OK Cancel Help

### Styles and Formatting

- Convert 1
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- My Style 1
- My Style 2
- Right Page

All

Table Contents | Times New Roman | 12 | **B** / U | |

..... 1 ..... 2 ..... 3 ..... 4 ..... 5 ..... 6


..... 1 ..... 2

	I	
--	---	--

**Styles and Formatting**

- Convert 1
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- My Style 1
- My Style 2**
- Right Page



All



- Convert 1
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- My Style 1
- My Style 2
- Right Page

the mapping is  
page 1: Default  
page 2: My Style 1  
page 3: My Style 2

Table Contents Times New Roman 12 B / U

	Default Style	
--	---------------	---

<p>1</p>
----------

Styles and Formatting

- Addresssee
- Caption
- Drawing
- Endnote
- Footer
- Footer left
- Footer right
- Footnote
- Frame contents
- Header
- Header left
- Header right
- Illustration
- Sender
- Table
- Table Contents
- Table Heading
- Text

Automatic

test.doc - OpenOffice.org Writer

File Edit View Insert Format Table Tools Window Help

Table Contents Times New Roman 12 B / U

OpenOffice.org 3 Default Stylef

OpenOffice

Adjust table row

the mapping should be  
page 1: Default  
page 2: My Style 1  
page 3: My Style 2


but My Style disappear after re-open the doc



and the Convert 1 also overwritten with My Style 1 and My Style 2 update to Convert 2

Styles and Formatting

- Convert 1
- Convert 2
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- Right Page

Page 1 / 3 Default English (USA) INSRT STD Table1:B1 71%





**Styles and Formatting**



- Convert 1
- Convert
- Default
- Endnote
- Envelope
- Firs
- Fod
- HTT
- Ind
- Left Page
- Right Page

Use the Styles and Formatting window to apply, create, edit, add, and remove formatting styles. Double-click an entry to apply the style.

All




Table Contents Times New Roman 12 B / U

	My-Style-21 ¶ ¶ ¶	
--	----------------------------	---

Styles and Formatting

- Convert 1
- Convert 2
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- Right Page

All









Another issue is the Style duplicated in the "Insert Break" dropdown list

And it is also find that the Convert 1/2 style will need to delete twice to remove from the list, and re-open the doc again, the "Convert 1/2" will still exists which should be deleted.



Table Contents Times New Roman 12 B / U

1 1 2 3 4 5

<p>1</p> <p>1</p> <p>2</p> <p>3</p>	<table border="1"> <tr> <td data-bbox="702 700 1108 854">  </td> <td data-bbox="1108 700 1540 854"> <p>My-Style-3</p> </td> <td data-bbox="1540 700 1712 854">  </td> </tr> </table>		<p>My-Style-3</p>	
		<p>My-Style-3</p>		
<p>Adjust table row</p>				

Styles and Formatting

- Convert 1
- Convert 2
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- My Style 3
- Right Page

All



Table Contents Times New Roman 12 B / U



OpenOffice.org 3 My-Style-1 OpenOffice

Styles and Formatting

- Convert 1
- Convert 2
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- My Style 3
- Right Page

All

Table Contents | Times New Roman | 12 | **B** / U | [List Bullets]

	Default Style	
--	---------------	---

[Empty table cell with grid lines]
------------------------------------

**Styles and Formatting**

- Convert 1
- Convert 2
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- My Style 3
- Right Page

All

# Welcome to OpenOffice.org

Create a new document



Text Document



Spreadsheet



Presentation



Drawing



Database




Formula



Templates...



Open a document...



### Styles and Formatting

- Convert 1
- Convert 2
- Convert 3
- Default
- Endnote
- Envelope
- First Page
- Footnote**
- HTML
- Index
- Left Page
- Right Page

All

Use the Styles and Formatting window to create, edit, add, and remove styles. Double-click an entry to apply the style.









Table Contents | Times New Roman | 12 | **B** / U | [List Bullets]

1 ..... 1 ..... 2 ..... 3 ..... 4 ..... 5

	My-Style-3 ¶ ¶ ¶	
--	---------------------------	---

**Styles and Formatting**

- Convert 1
- Convert 2
- Convert 3
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- Right Page

All

Default Times New Roman 12 B / U

1 2 3 4 5

1 2 3

1 2 3

1 2 3

Styles and Formatting

- Convert 1
- Convert 2
- Convert 3
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- My Style 4
- My Style 5
- My Style 6
- Right Page

All

Here I try add 3 more custom page style here see what will happen

Default Times New Roman 12 B / U

1 1 1 1 2 1 3 1 4 1 5

1 2

Styles and Formatting

- Convert 1
- Convert 2
- Convert 3
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Left Page
- My Style 4
- My Style 5
- My Style 6
- Right Page


All

I have not save the doc, but the style Convert 3 has been overwritten by newly added My Style 4,5,6

Default Times New Roman 12 B / U

Main document editing area with a grid and a table structure.

Styles and Formatting panel showing a list of styles: Convert 1, Convert 2, Convert 3, Default, Endnote, Envelope, First Page, Footnote, HTML, Index, Left Page, My Style 4, My Style 5, My Style 6, Right Page. A search filter 'All' is at the bottom.




About OOo-dev



OOo-dev 3.1.0  
OOO310m2 (Build:9385)  
Copyright 2000-2008 Sun Microsystems Inc.  
This product was created by Sun Microsystems Inc., based on  
OpenOffice.org.  
OpenOffice.org acknowledges all community members, especially those  
mentioned at <http://www.openoffice.org/welcome/credits.html>.

I test it in the OOO310m2 version , problem still exists





Default Times New Roman 12 B I U

1 2 3 4 5 6

2

1

1

2

3


Convert-3

↑

Styles and Formatting

- Convert 1
- Convert 2
- Convert 3
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Landscape
- Left Page
- Right Page

All




Styles and Formatting


- Convert 1
- Convert 2
- Convert 3
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Landscape
- Left Page
- Right Page

All





Default Times New Roman 12 B I U




Styles and Formatting



- Convert 1
- Convert 2
- Convert 3
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Landscape
- Left Page
- Right Page

All

Use the Styles and Formatting window to create, edit, add, and remove formatting. Double-click an entry to apply the style.





I add Untitled 1,2,3



Styles and Formatting

- Convert 1
- Convert 2
- Convert 3
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Landscape
- Left Page
- Right Page
- Untitled1
- Untitled2
- Untitled3

All




Styles and Formatting

- Convert 1
- Convert 2
- Convert 3
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Landscape
- Left Page
- Right Page
- Untitled1
- Untitled2
- Untitled3

All





Default

1 2 3 4

- Manual Break...
- Fields
- Special Character...
- Formatting Mark
- Section...
- Hyperlink
- Header**
- Footer
- Footnote/Endnote...
- Caption...
- Bookmark...
- Cross-reference...
- Note Ctrl+Alt+N
- Script...
- Indexes and Tables
- Envelope...
- Frame...
- Table... Ctrl+F12
- Horizontal Ruler...
- Picture
- Movie and Sound
- Drawing Object
- Floating Frame
- File...

- ✓ Default
- ✓ First Page
- ✓ Convert 1
- ✓ Convert 2
- ✓ Convert 3
- Untitled1**
- Untitled2
- Untitled3

I add header to page style  
Untitled 1,2,3

Styles and Formatting

- Convert 1
- Convert 2
- Convert 3
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Landscape
- Left Page
- Right Page
- Untitled1**
- Untitled2
- Untitled3

All





1 2 3 4 5

I

Untitled 3

1

1 2 3 4

1 2 3 4 5 6

1 2 3 4

Styles and Formatting

- Convert 1
- Convert 2
- Convert 3
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Landscape
- Left Page
- Right Page
- Untitled1
- Untitled2
- Untitled3

All



Click an icon to  
open a file dia  
featured web

# Welcome to OOo-dev

Create a new document



Text Document



Spreadsheet



Presentation



Drawing



Database



Formula





Template



Open a d

Save + Close and re-open  
the doc






**Styles and Formatting**

- Convert 1
- Convert 2
- Convert 3
- Default**
- Endnote
- Envelope
- First Page
- Footnote
- HT
- In
- La
- Le
- Right Page

Use the Styles and Formatting window to apply, create, edit, add, and remove formatting styles. Double-click an entry to apply the style.

All



Styles and Formatting


- Convert 1
- Convert 2
- Convert 3
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Landscape
- Left Page
- Right Page

All





Default Times New Roman 12 B I U




### Styles and Formatting

- Convert 1
- Convert 2
- Convert 3**
- Default
- Endnote
- Envelope
- First Page
- Footnote
- HTML
- Index
- Landscape
- Left Page
- Right Page


All

Use the Styles and Formatting window to create, edit, add, and remove formatting. Double-click an entry to apply the style.



This time the Default style  
was overwritten too.

Default was overwritten by  
Untitled 3



Default Times New Roman 12 B / U

Main document editing area with a grid and a text box.

Styles and Formatting panel showing a list of styles: Convert 1, Convert 2, Convert 3, Default, Endnote, Envelope, First Page, Footnote, HTML, Index, Left Page, My Style 4, My Style 5, My Style 6, Right Page. Includes a search field with 'All' and a scroll bar.