

Application	Invantive Estate
View	bubs_projecten_v
Column Name	<ACTION>
Event Category	M
Sort Order	10
Active	<input checked="" type="checkbox"/>
Synchronise Required	<input type="checkbox"/>
Synchronise Executed	13-04-2011 10:08:04
Group	
Package	BUBS#BVD_PJT
Errors	
Expression	declare
Comment	<div>Projecten worden bij Invantive gestuurd per klant.</div> <div><pre>begin :new.pjt_volledige_naam := :new.pjt_code ' - ' :new.lvr_klt_code ' - ' :new.pjt_naam; -- -- Voeg start/einde bouw toe aan project naam. -- l_start := coalesce(:new.pjt_datum_start_bouw, :new.pjt_datum_geplande_start); l_einde := coalesce(:new.pjt_datum_bouwk_oplever, :new.pjt_datum_geplande_oplvrng); :new.pjt_volledige_naam := :new.pjt_volledige_naam ' ('; -- -- Mooi geformatteerde begindatum met gehele jaren en maanden ook als dusdanig weergegeven. -- if to_char(l_start, 'yyyy') '0101' = to_char(l_start, 'yyyymmdd') and to_char(l_einde+1, 'yyyy') '0101' = to_char(l_einde+1, 'yyyymmdd') and to_char(l_start, 'yyyy') = to_char(l_einde, 'yyyy') then :new.pjt_volledige_naam := :new.pjt_volledige_naam 'geheel ' to_char(l_start, 'yyyy'); else if to_char(l_start, 'yyyy') '0101' = to_char(l_start, 'yyyymmdd') then :new.pjt_volledige_naam := :new.pjt_volledige_naam to_char(l_start, 'yyyy') ' '; elsif to_char(l_start, 'yyyymm') '01' = to_char(l_start, 'yyyymmdd') then :new.pjt_volledige_naam := :new.pjt_volledige_naam to_char(l_start, 'mon yyyy') ' '; elsif l_start is null then :new.pjt_volledige_naam := :new.pjt_volledige_naam 'onbekend '; else :new.pjt_volledige_naam := :new.pjt_volledige_naam to_char(l_start, 'dd-mm-yyyy') ' '; end if; -- :new.pjt_volledige_naam := :new.pjt_volledige_naam 't/m '; -- if to_char(l_einde+1, 'yyyy') '0101' = to_char(l_einde+1, 'yyyymmdd')</pre></div>

```
then
  :new.pjt_volledige_naam := :new.pjt_volledige_naam || to_char(l_einde, 'yyyy');
elsif to_char(l_einde+1, 'yyyymm') || '01' = to_char(l_einde+1, 'yyyymmdd')
then
  :new.pjt_volledige_naam := :new.pjt_volledige_naam || to_char(l_einde, 'mon yyyy');
elsif l_einde is null
then
  :new.pjt_volledige_naam := :new.pjt_volledige_naam || 'onbekend';
else
  :new.pjt_volledige_naam := :new.pjt_volledige_naam || to_char(l_einde, 'dd-mm-yyyy');
end if;
end if;
--
:new.pjt_volledige_naam := :new.pjt_volledige_naam || ' ';
:new.pjt_sorteer_volgorde := :new.lvr_klt_naam || :new.pjt_code;
end;
```

Application	Invantive Estate
View	bubs_taken_v
Column Name	tak_code
Event Category	I
Sort Order	10
Active	<input checked="" type="checkbox"/>
Synchronise Required	<input type="checkbox"/>
Synchronise Executed	13-04-2011 10:08:04
Group	
Package	BUBS#BVD_TAK
Errors	
Expression	coalesce(:last.tak_code, to_char(xxacme_tak_code_sn.nextval))
Comment	Automatische nummering van taken.

Application	Invantive Estate
View	bubs_taken_v
Column Name	tak_omschrijving
Event Category	I
Sort Order	20
Active	<input checked="" type="checkbox"/>
Synchronise Required	<input type="checkbox"/>
Synchronise Executed	13-04-2011 10:08:04
Group	
Package	BUBS#BVD_TAK
Errors	
Expression	coalesce(:last.tak_omschrijving, 'Geen onderwerp opgegeven voor taak ' :last.tak_code)
Comment	Automatische noemen van taken indien niet gespecificeerd.

Application	Invantive Estate
View	bubs_taken_v
Column Name	tog_code
Event Category	I
Sort Order	30
Active	<input checked="" type="checkbox"/>
Synchronise Required	<input type="checkbox"/>
Synchronise Executed	13-04-2011 10:08:04
Group	
Package	BUBS#BVD_TAK
Errors	
Expression	select coalesce(:last.tog_code, tog_code) from bubs_tak_oorsprongen_v where tog_omschrijving = 'Gebruiker'
Comment	Kopper standaard alle taken aan de oorsprong Gebruiker, tenzij expliciet opgegeven.

*** End of Report ***