



## BOREHOLE LOG

Project <b>Sandrock Nursery</b>				<b>BOREHOLE No</b>  <b>TP1</b>	
Job No <b>GCE00177</b>	Date <b>17-04-13</b> <b>22-04-13</b>	Ground Level (m)	Co-Ordinates ( )		
Contractor				Sheet <b>1 of 1</b>	

SAMPLES & TESTS			STRATA				Geology	Instrument/ Backfill
Depth	Type No	Test Result	Water	Reduced Level	Legend	Depth (Thickness)		
0.05	ES					0.15	Dark brown silty sandy TOPSOIL.	
						(0.55)	Loose dark brown silty fine SAND.	
0.50	ES					0.70		
						(0.55)	Compact light brown silty fine SAND, locally weakly cemented.	
						1.25		
						(0.55)	Compact red brown silty fine SAND.	
1.50	D					1.80		
						(0.55)	Firm, locally firm to stiff, red brown and light grey banded, locally black stained, fissured silty CLAY.	
2.00	D					2.10		

Boring Progress and Water Observations						Chiselling			Water Added		<b>GENERAL REMARKS</b>
Date	Time	Depth	Casing Depth	Casing Dia. mm	Water Dpt	From	To	Hours	From	To	
											Sides generally stable. Trial Pit dry. Soakage test carried out.

All dimensions in metres Scale 1:50	Client <b>Strategic Land Partnerships</b>	Method/ Plant Used	Logged By <b>DLJ</b>
--	--	-----------------------	-------------------------

AGS3 UK BH GCE00177.GPJ\_GINT STD AGS.3.1.GDT 17/05/13