

RED HAT SATELLITE						Red Hat Access	Admin User	
ACME	Monitor	Content	Containers	Hosts	Configure	Infrastructure	Red Hat Insights	Administrator
LDAP Authentication								
New LDAP Source Documentation								
Name	Server	Automatically create accounts in Satellite		LDAPS	Actions			
idm	10.12.211.180	✓			Delete			
w2k8	10.12.211.43	✓			Delete			

LDAP Authentication

Name	Account	Attribute mappings	Locations	Organizations
idm				
w2k8	<input type="text" value="w2k8"/>	<input type="text" value="10.12.211.43"/> Test Connection	<input checked="" type="checkbox"/>	<input type="text" value="389"/>
				<input type="text" value="Active Directory"/>
	Cancel	Submit		

[LDAP server](#)[Account](#)[Attribute mappings](#)[Locations](#)[Organizations](#)

x

Account username

waldirio@domain

Use this account to authenticate, *optional***Account password**

Use this account to authenticate, *optional***Base DN**

dc=domain,dc=example

Groups base DN**LDAP filter**Custom LDAP search filter, *optional***Automatically create accounts in
Satellite** LDAP users will have their Satellite account automatically created the first time they log into Satellite**Usergroup sync** External user groups will be synced on login, else relies on periodic cronjob to check group membership[Cancel](#) [Submit](#)

LDAP server Account Attribute mappings Locations Organizations X

Login name attribute	<input type="text" value="sAMAccountName"/>	e.g. uid
First name attribute	<input type="text" value="givenName"/>	e.g. givenName
Surname attribute	<input type="text" value="sn"/>	e.g. sn
Email address attribute	<input type="text" value="mail"/>	e.g. mail
Photo attribute	<input type="text" value="jpegPhoto"/>	e.g. jpegPhoto

LDAP server Account Attribute mappings Locations Organizations x

Locations

All items Filter +

Selected items -

RJ



Cancel Submit

LDAP server Account Attribute mappings Locations Organizations X


Organizations

All items Filter +

Selected items -

ACME





User Groups

Filter ...		Search	New User group
Name	Users	User Groups	Actions
nested_grp	waldirio		<button>Delete</button>
satellite_grp			<button>Delete</button>

Displaying all 2 entries

User Groups

Name
nested_grp
satellite_grp

User group Roles External groups

Name * nested_grp

User Groups Select All satellite_grp

Users Select All Admin User Waldirio Pinheiro

[Cancel](#) [Submit](#)

User group

Roles

External groups

Admin

Roles

All items



Selected items



- Access Insights Admin
- Access Insights Viewer
- Boot disk access
- Compliance manager
- Compliance viewer
- Create ARF report

User group Roles

External groups

Name	Auth source	Actions
nested_grp	LDAP-w2k8	<button>Refresh</button>

Show linked external user groups

+ Add external user group

Cancel Submit

[User group](#)[Roles](#)[External groups](#)

Name

nested_grp

Auth source

LDAP-w2k8

Actions

Refresh

[Show linked external user groups](#)

External user group

Name *

nested_grp

Auth source

LDAP-w2k8

[+ Add external user group](#)[Cancel](#)[Submit](#)