

```
Started by upstream project "rhv-4.2-ge-flow-tier3-storage" build number 35
originally caused by:
  Started by user Elad
[EnvInject] - Loading node environment variables.
Building remotely on rhv-flow-node (flow-node) in workspace /var/lib/jenkins/workspace/rhv-
ge-ansible-builder-4.2
[WS-CLEANUP] Deleting project workspace...
[WS-CLEANUP] Done
Cloning the remote Git repository
Using shallow clone
Cloning repository git://git.app.eng.bos.redhat.com/rhev-m-qe-automation/ansible-
playbooks.git
> git init /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-playbooks # 
timeout=10
Fetching upstream changes from git://git.app.eng.bos.redhat.com/rhev-m-qe-automation/ansible-
playbooks.git
> git --version # timeout=10
> git fetch --tags --progress git://git.app.eng.bos.redhat.com/rhev-m-qe-automation/ansible-
playbooks.git +refs/heads/*:refs/remotes/origin/* --depth=1
> git config remote.origin.url git://git.app.eng.bos.redhat.com/rhev-m-qe-
automation/ansible-playbooks.git # timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
> git config remote.origin.url git://git.app.eng.bos.redhat.com/rhev-m-qe-
automation/ansible-playbooks.git # timeout=10
Cleaning workspace
> git rev-parse --verify HEAD # timeout=10
No valid HEAD. Skipping the resetting
> git clean -fdx # timeout=10
Pruning obsolete local branches
Fetching upstream changes from git://git.app.eng.bos.redhat.com/rhev-m-qe-automation/ansible-
playbooks.git
> git fetch --tags --progress git://git.app.eng.bos.redhat.com/rhev-m-qe-automation/ansible-
playbooks.git +refs/heads/*:refs/remotes/origin/* --prune --depth=1
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
> git rev-parse refs/remotes/origin/origin/master^{commit} # timeout=10
Checking out Revision 16fcc67ca7c23ae2d1d9202408bc8d7af90499aa (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f 16fcc67ca7c23ae2d1d9202408bc8d7af90499aa
Commit message: "PPC-9 use ALT RHEL repos"
> git rev-list --no-walk 16fcc67ca7c23ae2d1d9202408bc8d7af90499aa # timeout=10
Cloning the remote Git repository
Using shallow clone
Cloning repository git://git.app.eng.bos.redhat.com/rhev-m-jenkins.git
> git init /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/jenkins # timeout=10
Fetching upstream changes from git://git.app.eng.bos.redhat.com/rhev-m-jenkins.git
> git --version # timeout=10
> git fetch --tags --progress git://git.app.eng.bos.redhat.com/rhev-m-jenkins.git
+refs/heads/*:refs/remotes/origin/* --depth=1
> git config remote.origin.url git://git.app.eng.bos.redhat.com/rhev-m-jenkins.git # 
timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
> git config remote.origin.url git://git.app.eng.bos.redhat.com/rhev-m-jenkins.git # 
timeout=10
Cleaning workspace
> git rev-parse --verify HEAD # timeout=10
No valid HEAD. Skipping the resetting
> git clean -fdx # timeout=10
Pruning obsolete local branches
Fetching upstream changes from git://git.app.eng.bos.redhat.com/rhev-m-jenkins.git
> git fetch --tags --progress git://git.app.eng.bos.redhat.com/rhev-m-jenkins.git
+refs/heads/*:refs/remotes/origin/* --prune --depth=1
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
> git rev-parse refs/remotes/origin/origin/master^{commit} # timeout=10
Checking out Revision c3d6fe04c199010dcfd160153c22bb470d874b66 (refs/remotes/origin/master)
```

```
> git config core.sparsecheckout # timeout=10
> git checkout -f c3d6fe04c199010dcfd160153c22bb470d874b66
Commit message: "Change conf. names in immutable_windows_nfs_storage_domains"
> git rev-list --no-walk c3d6fe04c199010dcfd160153c22bb470d874b66 # timeout=10
[rhv-ge-ansible-builder-4.2] $ /bin/sh -xe /tmp/jenkins2109039912799701385.sh
+ echo 'Executed from: shell-scripts/cherry-pick.sh'
Executed from: shell-scripts/cherry-pick.sh
+ '[' -d /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-playbooks ']'
+ pushd /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-playbooks
/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-playbooks
/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2
+ popd
/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2
[rhv-ge-ansible-builder-4.2] $ /bin/sh -xe /tmp/jenkins5284461486752809686.sh
+ echo 'Executed from: shell-scripts/cherry-pick.sh'
Executed from: shell-scripts/cherry-pick.sh
+ '[' -d /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/jenkins ']'
+ pushd /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/jenkins
/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/jenkins
/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2
+ popd
/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2
Copied 1 artifact from "ansible-virtualenv-builder" build number 32
[rhv-ge-ansible-builder-4.2] $ /usr/bin/env bash /tmp/jenkins6620752696190246054.sh
+ echo 'Executed from: shell-scripts/extract-ansible-virtualenv.sh'
Executed from: shell-scripts/extract-ansible-virtualenv.sh
+ VIRTUALENV_FILE=ansible-virtualenv.tar.gz
+ VIRTUALENV=.ansible
+ rm -rf .ansible
+ '[' -f ansible-virtualenv.tar.gz ']'
+ tar -xzf ansible-virtualenv.tar.gz
+ virtualenv --relocatable .ansible
[rhv-ge-ansible-builder-4.2] $ /usr/bin/env bash /tmp/jenkins6729820817289291202.sh
+ echo 'Executed from shell-scripts/ansible-ge-builder-4.2.sh'
Executed from shell-scripts/ansible-ge-builder-4.2.sh
+ mkdir -p logs
+ source .ansible/bin/activate
++ deactivate nondestructive
++ unset -f pydoc
++ '[' -z '' ']'
++ '[' -z '' ']'
++ '[' -n /usr/bin/bash ']'
++ hash -r
++ '[' -z '' ']'
++ unset VIRTUAL_ENV
++ '[' '!' nondestructive = nondestructive ']'
++ VIRTUAL_ENV=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/.ansible
++ export VIRTUAL_ENV
++ _OLD_VIRTUAL_PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin
++ PATH=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-
4.2/.ansible/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin
++ export PATH
++ '[' -z '' ']'
++ '[' -z '' ']'
++ _OLD_VIRTUAL_PS1=
++ '[' 'x'!='x' ']'
+++ basename /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/.ansible
++ PS1='(.ansible) '
++ export PS1
++ alias pydoc
++ '[' -n /usr/bin/bash ']'
++ hash -r
+ GE_FILE=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/jenkins/qe/GE-yamls/storage-
ge-he-02.yaml
+ INVENTORY_FILE=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-
```

```
playbooks/inventory.txt
+ python /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/jenkins/tools/ge_env.py -d
/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/jenkins/qe/GE-yamls/storage-ge-he-
02.yaml -v /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/env_vars.sh -i
/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-playbooks/inventory.txt
+ export ANSIBLE_HOST_KEY_CHECKING=False
+ ANSIBLE_HOST_KEY_CHECKING=False
+ export ANSIBLE_FORCE_COLOR=true
+ ANSIBLE_FORCE_COLOR=true
+ ansible --version
ansible 2.6.0
  config file = None
  configured module search path = [u'/root/.ansible/plugins/modules',
u'/usr/share/ansible/plugins/modules']
  ansible python module location = /var/lib/jenkins/workspace/rhv-ge-ansible-builder-
4.2/.ansible/lib/python2.7/site-packages/ansible
  executable location = /var/lib/jenkins/workspace/rhv-ge-ansible-builder-
4.2/.ansible/bin/ansible
  python version = 2.7.5 (default, Feb 20 2018, 09:19:12) [GCC 4.8.5 20150623 (Red Hat
4.8.5-28)]
+ BUILDER_PLAYBOOK=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-
playbooks/playbooks/ovirt-env-builder
+ ROLES_REQ=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-
playbooks/playbooks/ovirt-env-builder/roles_required
+ REQUIREMENTS=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-
playbooks/playbooks/ovirt-env-builder/requirements.yml
+ ansible-galaxy install -f -r /var/lib/jenkins/workspace/rhv-ge-ansible-builder-
4.2/ansible-playbooks/playbooks/ovirt-env-builder/requirements.yml -p
/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-playbooks/playbooks/ovirt-env-
builder/roles_required
- downloading role 'ovirt-ansible-roles', owned by oVirt
- downloading role from https://github.com/ovirt/ovirt-ansible/archive/master.tar.gz
- extracting ovirt-ansible-roles to /var/lib/jenkins/workspace/rhv-ge-ansible-builder-
4.2/ansible-playbooks/playbooks/ovirt-env-builder/roles_required/ovirt-ansible-roles
- ovirt-ansible-roles (master) was installed successfully
- adding dependency: oVirt.cluster-upgrade
- adding dependency: oVirt.disaster-recovery
- adding dependency: oVirt.engine-setup
- adding dependency: oVirt.image-template
- adding dependency: oVirt.infra
- adding dependency: oVirt.manageiq
- adding dependency: oVirt.repositories
- adding dependency: oVirt.vm-infra
- adding dependency: oVirt.v2v-conversion-host
- extracting ovirt-image-template to /var/lib/jenkins/workspace/rhv-ge-ansible-builder-
4.2/ansible-playbooks/playbooks/ovirt-env-builder/roles_required/ovirt-image-template
- ovirt-image-template (master) was installed successfully
- downloading role 'cluster-upgrade', owned by oVirt
- downloading role from https://github.com/oVirt/ovirt-ansible-cluster-
upgrade/archive/1.1.7.tar.gz
- extracting oVirt.cluster-upgrade to /var/lib/jenkins/workspace/rhv-ge-ansible-builder-
4.2/ansible-playbooks/playbooks/ovirt-env-builder/roles_required/oVirt.cluster-upgrade
- oVirt.cluster-upgrade (1.1.7) was installed successfully
- downloading role 'disaster-recovery', owned by oVirt
- downloading role from https://github.com/oVirt/ovirt-ansible-disaster-
recovery/archive/0.4.tar.gz
- extracting oVirt.disaster-recovery to /var/lib/jenkins/workspace/rhv-ge-ansible-builder-
4.2/ansible-playbooks/playbooks/ovirt-env-builder/roles_required/oVirt.disaster-recovery
- oVirt.disaster-recovery (0.4) was installed successfully
- downloading role 'engine-setup', owned by oVirt
- downloading role from https://github.com/oVirt/ovirt-ansible-engine-
setup/archive/1.1.2.tar.gz
- extracting oVirt.engine-setup to /var/lib/jenkins/workspace/rhv-ge-ansible-builder-
4.2/ansible-playbooks/playbooks/ovirt-env-builder/roles_required/oVirt.engine-setup
- oVirt.engine-setup (1.1.2) was installed successfully
```

```
- downloading role 'image-template', owned by oVirt
- downloading role from https://github.com/oVirt/ovirt-ansible-image-
template/archive/1.1.7.tar.gz
- extracting oVirt.image-template to /var/lib/jenkins/workspace/rhv-ge-ansible-builder-
4.2/ansible-playbooks/playbooks/ovirt-env-builder/roles_required/oVirt.image-template
- oVirt.image-template (1.1.7) was installed successfully
- downloading role 'infra', owned by oVirt
- downloading role from https://github.com/oVirt/ovirt-ansible-infra/archive/1.1.5.tar.gz
- extracting oVirt.infra to /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-
playbooks/playbooks/ovirt-env-builder/roles_required/oVirt.infra
- oVirt.infra (1.1.5) was installed successfully
- downloading role 'manageiq', owned by oVirt
- downloading role from https://github.com/oVirt/ovirt-ansible-manageiq/archive/1.1.8.tar.gz
- extracting oVirt.manageiq to /var/lib/jenkins/workspace/rhv-ge-ansible-builder-
4.2/ansible-playbooks/playbooks/ovirt-env-builder/roles_required/oVirt.manageiq
- oVirt.manageiq (1.1.8) was installed successfully
- downloading role 'repositories', owned by oVirt
- downloading role from https://github.com/oVirt/ovirt-ansible-
repositories/archive/1.1.1.tar.gz
- extracting oVirt.repositories to /var/lib/jenkins/workspace/rhv-ge-ansible-builder-
4.2/ansible-playbooks/playbooks/ovirt-env-builder/roles_required/oVirt.repositories
- oVirt.repositories (1.1.1) was installed successfully
- downloading role 'vm-infra', owned by oVirt
- downloading role from https://github.com/oVirt/ovirt-ansible-vm-infra/archive/1.1.7.tar.gz
- extracting oVirt.vm-infra to /var/lib/jenkins/workspace/rhv-ge-ansible-builder-
4.2/ansible-playbooks/playbooks/ovirt-env-builder/roles_required/oVirt.vm-infra
- oVirt.vm-infra (1.1.7) was installed successfully
- downloading role 'v2v-conversion-host', owned by oVirt
- downloading role from https://github.com/oVirt/ovirt-ansible-v2v-conversion-
host/archive/v1.4.1.tar.gz
- extracting oVirt.v2v-conversion-host to /var/lib/jenkins/workspace/rhv-ge-ansible-builder-
4.2/ansible-playbooks/playbooks/ovirt-env-builder/roles_required/oVirt.v2v-conversion-host
- oVirt.v2v-conversion-host (v1.4.1) was installed successfully
+ export ANSIBLE_ROLES_PATH=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-
playbooks/playbooks/ovirt-env-builder/roles_required:/var/lib/jenkins/workspace/rhv-ge-
ansible-builder-4.2/ansible-playbooks/playbooks/ovirt-env-builder/roles_required/ovirt-
ansible-roles/roles
+ ANSIBLE_ROLES_PATH=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-
playbooks/playbooks/ovirt-env-builder/roles_required:/var/lib/jenkins/workspace/rhv-ge-
ansible-builder-4.2/ansible-playbooks/playbooks/ovirt-env-builder/roles_required/ovirt-
ansible-roles/roles
+ ansible-playbook -i /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-
playbooks/inventory.txt /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-
playbooks/playbooks/ovirt-env-builder/config.yml -v --extra-vars
ge_yaml=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/jenkins/qe/GE-yamls/storage-
ge-he-02.yaml --skip-tags wait_for_ip
No config file found; using defaults
[DEPRECATION WARNING]: ovirt_datacenters is kept for backwards compatibility
but usage is discouraged. The module documentation details page may explain
more about this rationale.. This feature will be removed in a future release.
Deprecation warnings can be disabled by setting deprecation_warnings=False in
ansible.cfg.
[DEPRECATION WARNING]: ovirt_disks is kept for backwards compatibility but
usage is discouraged. The module documentation details page may explain more
about this rationale.. This feature will be removed in a future release.
Deprecation warnings can be disabled by setting deprecation_warnings=False in
ansible.cfg.
[DEPRECATION WARNING]: ovirt_clusters_facts is kept for backwards compatibility
but usage is discouraged. The module documentation details page may explain
more about this rationale.. This feature will be removed in a future release.
Deprecation warnings can be disabled by setting deprecation_warnings=False in
ansible.cfg.
[DEPRECATION WARNING]: ovirt_clusters is kept for backwards compatibility but
usage is discouraged. The module documentation details page may explain more
about this rationale.. This feature will be removed in a future release.
```

Deprecation warnings can be disabled by setting deprecation_warnings=False in ansible.cfg.

[DEPRECATION WARNING]: ovirt_external_providers is kept for backwards compatibility but usage is discouraged. The module documentation details page may explain more about this rationale.. This feature will be removed in a future release. Deprecation warnings can be disabled by setting deprecation_warnings=False in ansible.cfg.

[DEPRECATION WARNING]: ovirt_groups is kept for backwards compatibility but usage is discouraged. The module documentation details page may explain more about this rationale.. This feature will be removed in a future release.

Deprecation warnings can be disabled by setting deprecation_warnings=False in ansible.cfg.

[DEPRECATION WARNING]: ovirt_affinity_groups is kept for backwards compatibility but usage is discouraged. The module documentation details page may explain more about this rationale.. This feature will be removed in a future release. Deprecation warnings can be disabled by setting deprecation_warnings=False in ansible.cfg.

PLAY [Create DC, set MacPool, clusters, hosts, storages and add external providers and templates] ***

```
TASK [include ge data] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"ansible_facts": {"api_url": "https://{{ engine_fqdn }}/ovirt-engine/api", "arch": "x86_64", "clusters": [{"compatibility_version": "{{ version }}", "cpu_type": "{{ cpu_type }}"}, {"external_network_providers": [{"name": "ovirt-provider-ovn"}], "name": "golden_env_mixed_1"}, {"compatibility_version": "{{ version }}", "cpu_type": "{{ cpu_type }}"}, {"external_network_providers": [{"name": "ovirt-provider-ovn"}], "name": "golden_env_mixed_2"}], "compatibility_version": "{{ version }}", "cpu_type": "Intel Conroe Family", "data_center_description": "golden_env_mixed", "data_center_local": false, "data_center_name": "golden_env_mixed", "destination_storage_domains": ["nfs_0", "nfs_1", "nfs_2", "iscsi_0", "iscsi_1", "iscsi_2", "test_gluster_0", "test_gluster_1", "test_gluster_2", "fcp_0", "fcp_1", "fcp_2"], "hosted_storage": [{"engine_db_password": "AqbXg4dpkbcVRZwPBy8W0R", "engine_db_user": "engine", "engine_dwh_db_password": "37xmBKECANQGm0z3SfylMp", "engine_dwh_db_user": "ovirt_engine_history", "engine_fqdn": "storage-ge-he-02.scl.lab.tlv.redhat.com", "engine_os": "rhel-7.5", "external_providers": [{"auth_url": "http://rhv-qe-openstack.scl.lab.tlv.redhat.com:35357/v2.0/", "name": "rhv-qe-glance", "password": "{{ glance_admin_passwd }}"}, {"tenant": "admin", "type": "os_image", "url": "http://rhv-qe-openstack.scl.lab.tlv.redhat.com:9292", "username": "admin"}]}, {"external_templates": [{"cluster": "golden_env_mixed_1", "image_disk": "rhel7.4_rhv4.2_guest_disk", "image_provider": "rhv-qe-glance", "name": "golden_mixed_virtio_template", "storage_domain": "nfs_0"}, {"extra_configuration_options": {"no_extra_bond_mode_support": true, "no_full_sriov_support": true, "no_jumbo_frame_support": true, "no_semi_sriov_support": true, "not_4_nics_hosts": true, "not_6_nics_hosts": true}, "storage_managers": [{"fcp": "xtremio-xms", "iscsi": "xtremio-xms"}]}, {"extra_fcp_storage_domains": [{"lun": "3514f0c5a51600503"}, {"lun": "3514f0c5a51600504"}, {"lun": "3514f0c5a51601683"}], "extra_glusterfs_storage_domains": [{"address": "{{ gluster_server }}", "path": "/storage_local_ge12_volume_3"}, {"address": "{{ gluster_server }}", "path": "/storage_local_ge12_volume_4"}, {"address": "{{ gluster_server }}", "path": "/storage_local_ge12_volume_5"}], "extra_iscsi_storage_domains": [{"address": "{{ iscsi_server }}", "lun_id": "3514f0c5a516004ad", "target": "{{ target_id }}"}, {"address": "{{ iscsi_server }}", "lun_id": "3514f0c5a516004ae", "target": "{{ target_id }}"}, {"address": "{{ iscsi_server }}", "lun_id": "3514f0c5a516004af", "target": "{{ target_id }}"}], "extra_nfs_storage_domains": [{"address": "{{ nfs_server }}", "path": "/Storage_NFS/storage_local_ge12_nfs_3"}, {"address": "{{ nfs_server }}", "path": "/Storage_NFS/storage_local_ge12_nfs_4"}, {"address": "{{ nfs_server }}", "path": "/Storage_NFS/storage_local_ge12_nfs_5"}], "glance_admin_passwd": "qum5net", "gluster-replica": {"path": "/storage_local_ge12_replica_3", "servers": [{"gluster01.scl.lab.tlv.redhat.com", "gluster02.scl.lab.tlv.redhat.com", "gluster03.scl.lab.tlv.redhat.com"}]}, "gluster_server": "gluster01.scl.lab.tlv.redhat.com", "hosted_engine_details": {"config_dir": "/etc/ansible-ovirt", "cpu_model": "model_Conroe", "engine_mac_address": "00:16:3e:7b:d0:01", "ovirt_base_mount_path": "/rhev/data-center/mnt/"}, "storages": [{"address": "{{ nfs_server }}", "path": "/Storage_NFS/storage_ge_2_he_nfs_he"}, {"type": "nfs", "address": "{{ gluster_server }}", "path": "/storage_he_2_volume_he"}, {"type": "glusterfs", "address": "{{ iscsi_server }}"}]}]
```

```

"lun": "3514f0c5a5160173a", "type": "iscsi"}, {"lun": "3514f0c5a51601780", "type": "fcp"}]},  

"hosts": [{"address": "aqua-vds4.scl.lab.tlv.redhat.com", "cluster": "golden_env_mixed_1",  

"name": "host_mixed_1", "os": "rhel-7.5", "password": "{{ root_passwd }}"}, {"address":  

"rose11.scl.lab.tlv.redhat.com", "cluster": "golden_env_mixed_1", "name": "host_mixed_2",  

"os": "rhel-7.5", "password": "{{ root_passwd }}"}, {"address":  

"rose12.scl.lab.tlv.redhat.com", "cluster": "golden_env_mixed_1", "name": "host_mixed_3",  

"os": "rhel-7.5", "password": "{{ root_passwd }}"}], "insecure": "True", "iscsi_server":  

"10.35.146.129", "mac_pools": [{"mac_pool_name": "Default", "mac_pool_ranges":  

["00:1a:4a:16:23:00:1a:4a:16:26:32"]}], "name": "storage-ge-he-02", "nfs_server":  

"yellow-vdsb.qa.lab.tlv.redhat.com", "owner": "storage", "password": "123456", "product":  

"rhv", "root_passwd": "qum5net", "storages": {"export_domain": {"domain_function": "export",  

"nfs": {"address": "{{ nfs_server }}"}, "path":  

"/Storage_NFS/export_domain_storage_local_ge12"}, "state": "imported"}, "fcp_0": {"fcp":  

{"lun_id": "3514f0c5a51600500", "override_luns": true}, "state": "present"}, "fcp_1":  

{"fcp": {"lun_id": "3514f0c5a51600501", "override_luns": true}, "state": "present"},  

"fcp_2": {"fcp": {"lun_id": "3514f0c5a51600502", "override_luns": true}, "state":  

"present"}, "iscsi_0": {"iscsi": {"address": "{{ iscsi_server }}"}, "lun_id":  

"3514f0c5a516004aa", "override_luns": true, "target": "{{ target_id }}"}, "state":  

"present"}, "iscsi_1": {"iscsi": {"address": "{{ iscsi_server }}"}, "lun_id":  

"3514f0c5a516004ab", "override_luns": true, "target": "{{ target_id }}"}, "state":  

"present"}, "iscsi_2": {"iscsi": {"address": "{{ iscsi_server }}"}, "lun_id":  

"3514f0c5a516004ac", "override_luns": true, "target": "{{ target_id }}"}, "state":  

"present"}, "netappISO": {"domain_function": "iso", "nfs": {"address": "mantis-nfs-  

lif1.lab.eng.tlv2.redhat.com", "path": "/iso_domain"}, "state": "unattached"}, "nfs_0":  

{"nfs": {"address": "{{ nfs_server }}"}, "path": "/Storage_NFS/storage_local_ge12_nfs_0"},  

"state": "present"}, "nfs_1": {"nfs": {"address": "{{ nfs_server }}"}, "path":  

"/Storage_NFS/storage_local_ge12_nfs_1"}, "state": "present"}, "nfs_2": {"nfs": {"address":  

"{{ nfs_server }}"}, "path": "/Storage_NFS/storage_local_ge12_nfs_2"}, "state": "present"},  

"test_gluster_0": {"format": true, "glusterfs": {"address": "{{ gluster_server }}"}, "path":  

"/storage_local_ge12_volume_0"}, "state": "present"}, "test_gluster_1": {"format": true,  

"glusterfs": {"address": "{{ gluster_server }}"}, "path": "/storage_local_ge12_volume_1"},  

"state": "present"}, "test_gluster_2": {"format": true, "glusterfs": {"address": "{{  

gluster_server }}"}, "path": "/storage_local_ge12_volume_2"}, "state": "present"},  

"target_id": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00", "template_name":  

"golden_mixed_virtio_template", "user_groups": [{"authz_name": "internal-authz", "name":  

"group1", "users": ["user_of_group"]}, {"authz_name": "internal-authz", "name": "OvnAdmins",  

"users": ["ovn_admin"]}, {"authz_name": "internal-authz", "name": "NetAdmins", "users":  

["ovn_admin"]}], "username": "admin@internal", "users": [{"attributes": {"department":  

"Quality Assurance", "firstName": "user1"}, "authz_name": "internal-authz", "name": "user1",  

"password": "{{ usr_passwd }}", "valid_to": "2020-01-01 00:00:00Z"}, {"attributes":  

{"department": "Quality Assurance", "firstName": "user2"}, "authz_name": "internal-authz",  

"name": "user2", "password": "{{ usr_passwd }}", "valid_to": "2020-01-01 00:00:00Z"},  

{"attributes": {"department": "Quality Assurance", "firstName": "user3"}, "authz_name":  

"internal-authz", "name": "user3", "password": "{{ usr_passwd }}", "valid_to": "2020-01-01  

00:00:00Z"}, {"attributes": {"department": "Quality Assurance", "firstName":  

"user_of_group"}, "authz_name": "internal-authz", "name": "user_of_group", "password":  

"{{ usr_passwd }}", "valid_to": "2020-01-01 00:00:00Z"}, {"attributes": {"department": "Quality  

Assurance", "firstName": "ovn_admin"}, "authz_name": "internal-authz", "name": "ovn_admin",  

"password": "{{ usr_passwd }}", "valid_to": "2020-01-01 00:00:00Z"}], "usr_passwd":  

"123456", "version": "4.2", "vm_profile_gluster": {"cluster": "{{ clusters[0].name }}"},  

"cores": 1, "memory": "1GiB", "sockets": 1, "state": "stopped", "storage_domain":  

"test_gluster_0", "storage_domain_type": "gluster", "template": "{{ template_name }}"},  

"vm_profile_iscsi": {"cluster": "{{ clusters[0].name }}", "cores": 1, "memory": "1GiB",  

"sockets": 1, "state": "stopped", "storage_domain": "iscsi_0", "storage_domain_type":  

"iscsi", "template": "{{ template_name }}"}, "vm_profile_nfs": {"cluster": "{{  

clusters[0].name }}", "cores": 1, "memory": "1GiB", "sockets": 1, "state": "stopped",  

"storage_domain": "nfs_0", "storage_domain_type": "nfs", "template": "{{ template_name }}"},  

"vms": [{"name": "golden_env_mixed_virtio_1_0", "profile": "{{ vm_profile_nfs }}", "tag":  

"ge_vm"}, {"name": "golden_env_mixed_virtio_1_1", "profile": "{{ vm_profile_nfs }}", "tag":  

"ge_vm"}, {"name": "golden_env_mixed_virtio_2_0", "profile": "{{ vm_profile_iscsi }}",  

>tag": "ge_vm"}, {"name": "golden_env_mixed_virtio_2_1", "profile": "{{ vm_profile_iscsi }}",  

>tag": "ge_vm"}, {"name": "golden_env_mixed_virtio_3_0", "profile": "{{  

vm_profile_gluster }}"}, {"tag": "ge_vm"}, {"name": "golden_env_mixed_virtio_3_1", "profile":  

"{{ vm_profile_gluster }}", "tag": "ge_vm"}]}, "ansible_included_var_files":  

["/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/jenkins/qe/GE-yamls/storage-ge-he-"]

```

```
02.yaml"], "changed": false}
```

```
TASK [Login to oVirt] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"ansible_facts": {"ovirt_auth": {"ca_file": null, "compress": true, "headers": null, "insecure": true, "kerberos": false, "timeout": 0, "token": "oWAoAJIGI9VK6H9CDiIgMrtjlcEANV_WDGT3zo8Tgl58kd3bRrk9b1oH5cHpA7cf_GD8oxcJeQpsurMLEqiW7A", "url": "https://storage-ge-he-02.scl.lab.tlv.redhat.com/ovirt-engine/api"}}, "changed": false}

TASK [cleanup nfs and glusterfs mountpoints] ****
included: /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-playbooks/playbooks/ovirt-env-builder/cleanup_mountpoints.yml for storage-ge-he-02.scl.lab.tlv.redhat.com
included: /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-playbooks/playbooks/ovirt-env-builder/cleanup_mountpoints.yml for storage-ge-he-02.scl.lab.tlv.redhat.com

TASK [Find existing storage domains] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"ansible_facts": {"ovirt_storage_domains": [{"available": 953482739712, "backup": false, "committed": 65498251264, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "2348f4d6-abce-4e0e-b35d-5edb1ae7de19"}], "disk_snapshots": [], "disks": [{"id": "85cb2ab9-cfde-4aa6-916c-ac7e8737c44f"}, {"id": "76af477c-a1d9-4806-9d47-cdeb8621bae3"}, {"id": "60a71642-d5b2-4bc7-997f-7da074999715"}, {"id": "11775db6-8c26-475e-894b-eb1f6f1f516a"}, {"id": "c36e22bc-e448-414d-8cd9-f1f12354c3e2"}, {"id": "9b53aed5-8447-40fb-a9d9-5105dac4fc6c"}], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/b7ea7ce1-9ea9-4f87-8fc5-1a8d7ed602cc", "id": "b7ea7ce1-9ea9-4f87-8fc5-1a8d7ed602cc", "master": true, "name": "hosted_storage", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "mount_options": "", "nfs_version": "v3", "path": "/Storage_NFS/storage_ge_2_he_nfs_he", "type": "nfs"}, "storage_connections": [{"id": "e4d3d825-86e7-4cd4-9959-31833bf14d8f"}], "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 1244466774016, "vms": [{"id": "6e97ecf8-c9b9-40e5-a05a-ef790970b429"}], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"available": 953482739712, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "451a6f92-e7f2-40b9-948d-929bb469d0ae"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/34f0c760-a50a-41e8-9945-727301cf6a1b", "id": "34f0c760-a50a-41e8-9945-727301cf6a1b", "master": false, "name": "nfs_0", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_0", "type": "nfs"}, "storage_connections": [{"id": "590edb1d-7fd0-44a0-bd04-60ec5bda9f81"}], "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 1244466774016, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}], "changed": false}

TASK [Define list of existing storages] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"ansible_facts": {"existing_storages_list": []}, "changed": false}

TASK [Populate existing storage domains list] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'warning_low_space_indicator': 10, 'supports_discard_zeroes_data': False, 'wipe_after_delete': False, 'href': '/ovirt-engine/api/storagedomains/b7ea7ce1-9ea9-4f87-8fc5-1a8d7ed602cc', 'committed': 65498251264, 'id': 'b7ea7ce1-9ea9-4f87-8fc5-1a8d7ed602cc', 'external_status': 'ok', 'data_centers': [{u'href': '/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001', 'id': '478b1ad2-828d-11e8-adab-00163e7bd001'}], 'storage': {u'path': '/Storage_NFS/storage_ge_2_he_nfs_he', u'address': 'yellow-vdsb.qa.lab.tlv.redhat.com', u'type': 'nfs', u'mount_options': u'', u'nfs_version': 'v3'}, 'vms': [{u'id': '6e97ecf8-c9b9-40e5-a05a-ef790970b429'}]})
```

```
c9b9-40e5-a05a-ef790970b429'}], u'templates': [], u'master': True, u'permissions': [{u'id': u'58ca605c-010d-0307-0224-0000000001a9'}, {u'id': u'6f50317e-828d-11e8-a26a-00163e7bd001'}], u'type': u'data', u'storage_format': u've4', u'supports_discard': False, u'available': 953482739712, u'used': 1244466774016, u'disk_snapshots': [], u'discard_after_delete': False, u'disk_profiles': [{u'id': u'2348f4d6-abce-4e0e-b35d-5edb1ae7de19'}], u'name': u'hosted_storage', u'critical_space_action_blocker': 5, u'disks': [{u'id': u'85cb2ab9-cfde-4aa6-916c-ac7e8737c44f'}], {u'id': u'76af477c-a1d9-4806-9d47-cdeb8621bae3'}, {u'id': u'60a71642-d5b2-4bc7-997f-7da074999715'}, {u'id': u'11775db6-8c26-475e-894b-eb1f6f1f516a'}, {u'id': u'c36e22bc-e448-414d-8cd9-f1f12354c3e2'}, {u'id': u'9b53aed5-8447-40fb-a9d9-5105dac4fc6c'}], u'storage_connections': [{u'id': u'e4d3d825-86e7-4cd4-9959-31833bf14d8f'}], u'backup': False}) => {"ansible_facts": {"existing_storages_list": ["hosted_storage"]}}, "changed": false, "item": {"available": 953482739712, "backup": false, "committed": 65498251264, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "2348f4d6-abce-4e0e-b35d-5edb1ae7de19"}], "disk_snapshots": [], "disks": [{"id": "85cb2ab9-cfde-4aa6-916c-ac7e8737c44f"}], {"id": "76af477c-a1d9-4806-9d47-cdeb8621bae3"}, {"id": "60a71642-d5b2-4bc7-997f-7da074999715"}, {"id": "11775db6-8c26-475e-894b-eb1f6f1f516a"}, {"id": "c36e22bc-e448-414d-8cd9-f1f12354c3e2"}, {"id": "9b53aed5-8447-40fb-a9d9-5105dac4fc6c"}], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/b7ea7ce1-9ea9-4f87-8fc5-1a8d7ed602cc", "id": "b7ea7ce1-9ea9-4f87-8fc5-1a8d7ed602cc", "master": true, "name": "hosted_storage", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}], {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "mount_options": "", "nfs_version": "v3", "path": "/Storage_NFS/storage_ge_2_he_nfs_he", "type": "nfs"}, "storage_connections": [{"id": "e4d3d825-86e7-4cd4-9959-31833bf14d8f"}], "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 1244466774016, "vms": [{"id": "6e97ecf8-c9b9-40e5-a05a-ef790970b429"}], "warning_low_space_indicator": 10, "wipe_after_delete": false}}
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'warning_low_space_indicator': 10, u'supports_discard_zeroes_data': False, u'wipe_after_delete': False, u'href': u'/ovirt-engine/api/storagedomains/34f0c760-a50a-41e8-9945-727301cf6a1b', u'committed': 0, u'id': u'34f0c760-a50a-41e8-9945-727301cf6a1b', u'external_status': u'ok', u'data_centers': [{u'href': u'/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001', u'id': u'478b1ad2-828d-11e8-adab-00163e7bd001'}], u'storage': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_0', u'type': u'nfs', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}, u'vms': [], u'templates': [], u'master': False, u'permissions': [{u'id': u'58ca605c-010d-0307-0224-0000000001a9'}], {u'id': u'6f50317e-828d-11e8-a26a-00163e7bd001}], u'type': u'data', u'storage_format': u've4', u'supports_discard': False, u'available': 953482739712, u'used': 1244466774016, u'disk_snapshots': [], u'discard_after_delete': False, u'disk_profiles': [{u'id': u'451a6f92-e7f2-40b9-948d-929bb469d0ae'}], u'name': u'nfs_0', u'critical_space_action_blocker': 5, u'disks': [], u'storage_connections': [{u'id': u'590edb1d-7fd0-44a0-bd04-60ec5bda9f81'}], u'backup': False}) => {"ansible_facts": {"existing_storages_list": ["hosted_storage", "nfs_0"]}}, "changed": false, "item": {"available": 953482739712, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "451a6f92-e7f2-40b9-948d-929bb469d0ae"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/34f0c760-a50a-41e8-9945-727301cf6a1b", "id": "34f0c760-a50a-41e8-9945-727301cf6a1b", "master": false, "name": "nfs_0", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}], {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_0", "type": "nfs"}, "storage_connections": [{"id": "590edb1d-7fd0-44a0-bd04-60ec5bda9f81"}], "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 1244466774016, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false})

```

TASK [Define list of storages to cleanup] ****

```
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"ansible_facts": {"cleanup_storages_list": []}, "changed": false}
```

TASK [Populate cleanup storage domains list] ****

```
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'iscsi': {u'lun_id': u'3514f0c5a516004ab', u'override_luns': True, u'target':'}})
```

```

u'iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00', u'address': u'10.35.146.129'}},  

'key': u'iscsi_1'}) => {"changed": false, "item": {"key": "iscsi_1", "value": {"iscsi":  

{"address": "10.35.146.129", "lun_id": "3514f0c5a516004ab", "override_luns": true, "target":  

"iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}},  

"skip_reason": "Conditional result was False"}  

skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state':  

u'present', u'iscsi': {u'lun_id': u'3514f0c5a516004aa', u'override_luns': True, u'target':  

"iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00", u'address': u'10.35.146.129'}},  

'key': u'iscsi_0'}) => {"changed": false, "item": {"key": "iscsi_0", "value": {"iscsi":  

{"address": "10.35.146.129", "lun_id": "3514f0c5a516004aa", "override_luns": true, "target":  

"iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}},  

"skip_reason": "Conditional result was False"}  

skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state':  

u'present', u'iscsi': {u'lun_id': u'3514f0c5a516004ac', u'override_luns': True, u'target':  

"iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00", u'address': u'10.35.146.129'}},  

'key': u'iscsi_2'}) => {"changed": false, "item": {"key": "iscsi_2", "value": {"iscsi":  

{"address": "10.35.146.129", "lun_id": "3514f0c5a516004ac", "override_luns": true, "target":  

"iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}},  

"skip_reason": "Conditional result was False"}  

ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present',  

u'nfs': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_2', u'address': u'yellow-  

vdsb.qa.lab.tlv.redhat.com'}, 'key': u'nfs_2'}) => {"ansible_facts":  

{"cleanup_storages_list": [{"key": "nfs_2", "value": {"nfs": {"address": "yellow-  

vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_2"}, "state":  

"present"}]}], "changed": false, "item": {"key": "nfs_2", "value": {"nfs": {"address":  

"yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_2"},  

"state": "present"}}}}  

ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present',  

u'nfs': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_1', u'address': u'yellow-  

vdsb.qa.lab.tlv.redhat.com'}, 'key': u'nfs_1'}) => {"ansible_facts":  

{"cleanup_storages_list": [{"key": "nfs_2", "value": {"nfs": {"address": "yellow-  

vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_2"}, "state":  

"present"}}, {"key": "nfs_1", "value": {"nfs": {"address": "yellow-  

vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_1"}, "state":  

"present"}]}], "changed": false, "item": {"key": "nfs_1", "value": {"nfs": {"address":  

"yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_1"},  

"state": "present"}}}}  

skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state':  

u'present', u'nfs': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_0', u'address':  

"yellow-vdsb.qa.lab.tlv.redhat.com"}, 'key': u'nfs_0'}) => {"changed": false, "item":  

{"key": "nfs_0", "value": {"nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path":  

"/Storage_NFS/storage_local_ge12_nfs_0"}, "state": "present"}}, "skip_reason": "Conditional  

result was False"}  

ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'domain_function':  

u'export', u'state': u'imported', u'nfs': {u'path':  

"u'/Storage_NFS/export_domain_storage_local_ge12', u'address': u'yellow-  

vdsb.qa.lab.tlv.redhat.com'}, 'key': u'export_domain'}) => {"ansible_facts":  

{"cleanup_storages_list": [{"key": "nfs_2", "value": {"nfs": {"address": "yellow-  

vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_2"}, "state":  

"present"}}, {"key": "nfs_1", "value": {"nfs": {"address": "yellow-  

vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_1"}, "state":  

"present"}], "changed": false, "item": {"key": "nfs_1", "value": {"nfs": {"domain_function": "export", "nfs":  

{"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path":  

"/Storage_NFS/export_domain_storage_local_ge12"}, "state": "imported"}}}], "changed": false,  

"item": {"key": "export_domain", "value": {"domain_function": "export", "nfs": {"address":  

"yellow-vdsb.qa.lab.tlv.redhat.com", "path":  

"/Storage_NFS/export_domain_storage_local_ge12"}, "state": "imported"}}}}  

skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'domain_function':  

u'iso', u'state': u'unattached', u'nfs': {u'path': u'/iso_domain', u'address': u'mantis-nfs-  

lif1.lab.eng.tlv2.redhat.com'}, 'key': u'netappISO'}) => {"changed": false, "item":  

{"key": "netappISO", "value": {"domain_function": "iso", "nfs": {"address": "mantis-nfs-  

lif1.lab.eng.tlv2.redhat.com", "path": "/iso_domain"}, "state": "unattached"}},  

"skip_reason": "Conditional result was False"}  

skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'fc': {u'lun_id':  

"u'3514f0c5a51600502', u'override_luns': True}, u'state': u'present', 'key': u'fc_2'}) =>

```

```
{"changed": false, "item": {"key": "fcp_2", "value": {"fcp": {"lun_id": "3514f0c5a51600502", "override_luns": true}, "state": "present"}}, "skip_reason": "Conditional result was False"} skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {'fcp': {'lun_id': u'3514f0c5a51600501', 'override_luns': True}, 'state': 'present'}, 'key': 'fcp_1'}) => {"changed": false, "item": {"key": "fcp_1", "value": {"fcp": {"lun_id": "3514f0c5a51600501", "override_luns": true}, "state": "present"}}, "skip_reason": "Conditional result was False"} skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {'fcp': {'lun_id': u'3514f0c5a51600500', 'override_luns': True}, 'state': 'present'}, 'key': 'fcp_0'}) => {"changed": false, "item": {"key": "fcp_0", "value": {"fcp": {"lun_id": "3514f0c5a51600500", "override_luns": true}, "state": "present"}}, "skip_reason": "Conditional result was False"} skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {'state': u'present', 'glusterfs': {'path': '/storage_local_ge12_volume_0', 'address': u'gluster01.scl.lab.tlv.redhat.com'}, 'format': True}, 'key': 'test_gluster_0'}) => {"changed": false, "item": {"key": "test_gluster_0", "value": {"format": true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_0"}, "state": "present"}}, "skip_reason": "Conditional result was False"} skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {'state': u'present', 'glusterfs': {'path': '/storage_local_ge12_volume_1', 'address': u'gluster01.scl.lab.tlv.redhat.com'}, 'format': True}, 'key': 'test_gluster_1'}) => {"changed": false, "item": {"key": "test_gluster_1", "value": {"format": true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_1"}, "state": "present"}}, "skip_reason": "Conditional result was False"} skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {'state': u'present', 'glusterfs': {'path': '/storage_local_ge12_volume_2', 'address': u'gluster01.scl.lab.tlv.redhat.com'}, 'format': True}, 'key': 'test_gluster_2'}) => {"changed": false, "item": {"key": "test_gluster_2", "value": {"format": true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_2"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
```

TASK [Show cleanup_storages_list] ****

ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {

```
"cleanup_storages_list": [
    {
        "key": "nfs_2",
        "value": {
            "nfs": {
                "address": "yellow-vdsb.qa.lab.tlv.redhat.com",
                "path": "/Storage_NFS/storage_local_ge12_nfs_2"
            },
            "state": "present"
        }
    },
    {
        "key": "nfs_1",
        "value": {
            "nfs": {
                "address": "yellow-vdsb.qa.lab.tlv.redhat.com",
                "path": "/Storage_NFS/storage_local_ge12_nfs_1"
            },
            "state": "present"
        }
    },
    {
        "key": "export_domain",
        "value": {
            "domain_function": "export",
            "nfs": {
                "address": "yellow-vdsb.qa.lab.tlv.redhat.com",
                "path": "/Storage_NFS/export_domain_storage_local_ge12"
            },
            "state": "imported"
        }
    }
]
```

```
TASK [include_role : clean-file-storage-type] ****
TASK [clean-file-storage-type : Fail when insufficant parameters] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}

TASK [clean-file-storage-type : Create tmp directory to mount storage if it doesn't exist]
**
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "gid": 0, "group": "root", "mode": "0755", "owner": "root", "path": "/tmp/tmp_mountpoint", "secontext": "unconfined_u:object_r:user_tmp_t:s0", "size": 6, "state": "directory", "uid": 0}

TASK [clean-file-storage-type : Unmount the mounted folder] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": false, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0"}

TASK [clean-file-storage-type : Mount storage for cleaning] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "fstype": "nfs", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0", "src": "yellow-vdsb.qa.lab.tlv.redhat.com:/Storage_NFS/storage_local_ge12_nfs_2"}

TASK [clean-file-storage-type : Clean up mountpoint contents] ****
[WARNING]: Consider using the file module with state=absent rather than
running rm. If you need to use command because file is insufficient you can
add warn=False to this command task or set command_warnings=False in
ansible.cfg to get rid of this message.

changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "cmd": "/bin/rm -rf \"/tmp/tmp_mountpoint\"/*", "delta": "0:00:01.032244", "end": "2018-07-08 12:38:00.055105", "rc": 0, "start": "2018-07-08 12:37:59.022861", "stderr": "", "stderr_lines": [], "stdout": "", "stdout_lines": []}

TASK [clean-file-storage-type : Unmount the mounted folder] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0"}

TASK [clean-file-storage-type : Remove tmp directory] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "path": "/tmp/tmp_mountpoint", "state": "absent"}

TASK [clean-file-storage-type : Fail when insufficant parameters] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}

TASK [clean-file-storage-type : Create tmp directory to mount storage if it doesn't exist]
**
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "gid": 0, "group": "root", "mode": "0755", "owner": "root", "path": "/tmp/tmp_mountpoint", "secontext": "unconfined_u:object_r:user_tmp_t:s0", "size": 6, "state": "directory", "uid": 0}

TASK [clean-file-storage-type : Unmount the mounted folder] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": false, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0"}

TASK [clean-file-storage-type : Mount storage for cleaning] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "fstype": "nfs", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0", "src": "yellow-
```

```
vdsb.qa.lab.tlv.redhat.com:/Storage_NFS/storage_local_ge12_nfs_1"}
```

```
TASK [clean-file-storage-type : Clean up mountpoint contents] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "cmd": "/bin/rm -rf \"/tmp/tmp_mountpoint\/*", "delta": "0:00:00.030628",
"end": "2018-07-08 12:38:03.238793", "rc": 0, "start": "2018-07-08 12:38:03.208165",
"stderr": "", "stderr_lines": [], "stdout": "", "stdout_lines": []}
```

```
TASK [clean-file-storage-type : Unmount the mounted folder] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts": "defaults",
"passno": "0"}
```

```
TASK [clean-file-storage-type : Remove tmp directory] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "path": "/tmp/tmp_mountpoint", "state": "absent"}
```

```
TASK [clean-file-storage-type : Fail when insufficant parameters] *****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}
```

```
TASK [clean-file-storage-type : Create tmp directory to mount storage if it doesn't exist]
***
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "gid": 0, "group": "root", "mode": "0755", "owner": "root", "path": "/tmp/tmp_mountpoint",
"secontext": "unconfined_u:object_r:user_tmp_t:s0", "size": 6,
"state": "directory", "uid": 0}
```

```
TASK [clean-file-storage-type : Unmount the mounted folder] *****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": false, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint",
"opts": "defaults", "passno": "0"}
```

```
TASK [clean-file-storage-type : Mount storage for cleaning] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "fstype": "nfs", "name": "/tmp/tmp_mountpoint",
"opts": "defaults", "passno": "0", "src": "yellow-
vdsb.qa.lab.tlv.redhat.com:/Storage_NFS/export_domain_storage_local_ge12"}
```

```
TASK [clean-file-storage-type : Clean up mountpoint contents] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "cmd": "/bin/rm -rf \"/tmp/tmp_mountpoint\/*", "delta": "0:00:00.033644",
"end": "2018-07-08 12:38:06.420503", "rc": 0, "start": "2018-07-08 12:38:06.386859",
"stderr": "", "stderr_lines": [], "stdout": "", "stdout_lines": []}
```

```
TASK [clean-file-storage-type : Unmount the mounted folder] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts": "defaults",
"passno": "0"}
```

```
TASK [clean-file-storage-type : Remove tmp directory] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "path": "/tmp/tmp_mountpoint", "state": "absent"}
```

```
TASK [Find existing storage domains] *****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"ansible_facts": {"ovirt_storage_domains": []}, "changed": false}
```

```
TASK [Define list of existing storages] *****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"ansible_facts": {"existing_storages_list": []}, "changed": false}
```

```
TASK [Populate existing storage domains list] *****
```

```
TASK [Define list of storages to cleanup] *****
```

```
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"ansible_facts": {"cleanup_storages_list": [], "changed": false}

TASK [Populate cleanup storage domains list] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'iscsi': {u'lun_id': u'3514f0c5a516004ab', u'override_luns': True, u'target': u'iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00', u'address': u'10.35.146.129'}}, 'key': u'iscsi_1'}) => {"changed": false, "item": {"key": "iscsi_1", "value": {"iscsi": {"address": "10.35.146.129", "lun_id": "3514f0c5a516004ab", "override_luns": true, "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'iscsi': {u'lun_id': u'3514f0c5a516004aa', u'override_luns': True, u'target': u'iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00', u'address': u'10.35.146.129'}}, 'key': u'iscsi_0'}) => {"changed": false, "item": {"key": "iscsi_0", "value": {"iscsi": {"address": "10.35.146.129", "lun_id": "3514f0c5a516004aa", "override_luns": true, "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'iscsi': {u'lun_id': u'3514f0c5a516004ac', u'override_luns': True, u'target': u'iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00', u'address': u'10.35.146.129'}}, 'key': u'iscsi_2'}) => {"changed": false, "item": {"key": "iscsi_2", "value": {"iscsi": {"address": "10.35.146.129", "lun_id": "3514f0c5a516004ac", "override_luns": true, "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'nfs': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_2', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}, 'key': u'nfs_2'}}) => {"changed": false, "item": {"key": "nfs_2", "value": {"nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_2"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'nfs': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_1', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}, 'key': u'nfs_1'}}) => {"changed": false, "item": {"key": "nfs_1", "value": {"nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_1"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'nfs': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_0', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}, 'key': u'nfs_0'}}) => {"changed": false, "item": {"key": "nfs_0", "value": {"nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_0"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'domain_function': u'export', u'state': u'imported', u'nfs': {u'path': u'/Storage_NFS/export_domain_storage_local_ge12', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}, 'key': u'export_domain'}}) => {"changed": false, "item": {"key": "export_domain", "value": {"domain_function": "export", "nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/export_domain_storage_local_ge12"}, "state": "imported"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'domain_function': u'iso', u'state': u'unattached', u'nfs': {u'path': u'/iso_domain', u'address': u'mantis-nfs-lif1.lab.eng.tlv2.redhat.com'}, 'key': u'netappISO'}}) => {"changed": false, "item": {"key": "netappISO", "value": {"domain_function": "iso", "nfs": {"address": "mantis-nfs-lif1.lab.eng.tlv2.redhat.com", "path": "/iso_domain"}, "state": "unattached"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'fcp': {u'lun_id': u'3514f0c5a51600502', u'override_luns': True}, u'state': u'present', 'key': u'fcp_2'}}) => {"changed": false, "item": {"key": "fcp_2", "value": {"fcp": {"lun_id": "3514f0c5a51600502", "override_luns": true}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'fcp': {u'lun_id': u'3514f0c5a51600501', u'override_luns': True}, u'state': u'present', 'key': u'fcp_1'}}) => {"changed": false, "item": {"key": "fcp_1", "value": {"fcp": {"lun_id": "3514f0c5a51600501", "override_luns": true}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'fcp': {u'lun_id':
```

```

u'3514f0c5a51600500', u'override_luns': True}, u'state': u'present'}, 'key': u'fcp_0'}) =>
{"changed": false, "item": {"key": "fcp_0", "value": {"fcp": {"lun_id": "3514f0c5a51600500",
"override_luns": true}, "state": "present"}}, "skip_reason": "Conditional result was False"}
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present',
u'glusterfs': {u'path': u'/storage_local_ge12_volume_0', u'address':
u'gluster01.scl.lab.tlv.redhat.com'}, u'format': True}, 'key': u'test_gluster_0'}) =>
{"ansible_facts": {"cleanup_storages_list": [{"key": "test_gluster_0", "value": {"format":
true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path":
"/storage_local_ge12_volume_0"}, "state": "present"}]}], "changed": false, "item": {"key": "test_gluster_0",
"value": {"format": true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_0"}, "state": "present"}}}
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present',
u'glusterfs': {u'path': u'/storage_local_ge12_volume_1', u'address':
u'gluster01.scl.lab.tlv.redhat.com'}, u'format': True}, 'key': u'test_gluster_1'}) =>
{"ansible_facts": {"cleanup_storages_list": [{"key": "test_gluster_0", "value": {"format":
true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path":
"/storage_local_ge12_volume_0"}, "state": "present"}}, {"key": "test_gluster_1", "value": {"format": true,
"glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_1"}, "state": "present"}]}], "changed": false, "item": {"key": "test_gluster_1",
"value": {"format": true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_1"}, "state": "present"}}}
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present',
u'glusterfs': {u'path': u'/storage_local_ge12_volume_2', u'address':
u'gluster01.scl.lab.tlv.redhat.com'}, u'format': True}, 'key': u'test_gluster_2'}) =>
{"ansible_facts": {"cleanup_storages_list": [{"key": "test_gluster_0", "value": {"format":
true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path":
"/storage_local_ge12_volume_0"}, "state": "present"}}, {"key": "test_gluster_1", "value": {"format": true,
"glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_1"}, "state": "present"}}, {"key": "test_gluster_2", "value": {"format": true,
"glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_2"}, "state": "present"}]}], "changed": false, "item": {"key": "test_gluster_2",
"value": {"format": true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_2"}, "state": "present"}}}

```

TASK [Show cleanup_storages_list] ****

```

ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {
  "cleanup_storages_list": [
    {
      "key": "test_gluster_0",
      "value": {
        "format": true,
        "glusterfs": {
          "address": "gluster01.scl.lab.tlv.redhat.com",
          "path": "/storage_local_ge12_volume_0"
        },
        "state": "present"
      }
    },
    {
      "key": "test_gluster_1",
      "value": {
        "format": true,
        "glusterfs": {
          "address": "gluster01.scl.lab.tlv.redhat.com",
          "path": "/storage_local_ge12_volume_1"
        },
        "state": "present"
      }
    },
    {
      "key": "test_gluster_2",
      "value": {

```

```

        "format": true,
        "glusterfs": {
            "address": "gluster01.scl.lab.tlv.redhat.com",
            "path": "/storage_local_ge12_volume_2"
        },
        "state": "present"
    }
}
]

TASK [include_role : clean-file-storage-type] ****
TASK [clean-file-storage-type : Fail when insufficant parameters] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}

TASK [clean-file-storage-type : Create tmp directory to mount storage if it doesn't exist]
***  

changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "gid": 0, "group": "root", "mode": "0755", "owner": "root", "path": "/tmp/tmp_mountpoint", "secontext": "unconfined_u:object_r:user_tmp_t:s0", "size": 6, "state": "directory", "uid": 0}

TASK [clean-file-storage-type : Unmount the mounted folder] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": false, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0"}

TASK [clean-file-storage-type : Mount storage for cleaning] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "fstype": "glusterfs", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0", "src": "gluster01.scl.lab.tlv.redhat.com:/storage_local_ge12_volume_0"}
```

TASK [clean-file-storage-type : Clean up mountpoint contents] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "cmd": "/bin/rm -rf \"/tmp/tmp_mountpoint\/*", "delta": "0:00:00.145657", "end": "2018-07-08 12:38:12.618279", "rc": 0, "start": "2018-07-08 12:38:12.472622", "stderr": "", "stderr_lines": [], "stdout": "", "stdout_lines": []}

TASK [clean-file-storage-type : Unmount the mounted folder] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0"}

TASK [clean-file-storage-type : Remove tmp directory] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "path": "/tmp/tmp_mountpoint", "state": "absent"}

TASK [clean-file-storage-type : Fail when insufficant parameters] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}

TASK [clean-file-storage-type : Create tmp directory to mount storage if it doesn't exist]

changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "gid": 0, "group": "root", "mode": "0755", "owner": "root", "path": "/tmp/tmp_mountpoint", "secontext": "unconfined_u:object_r:user_tmp_t:s0", "size": 6, "state": "directory", "uid": 0}

TASK [clean-file-storage-type : Unmount the mounted folder] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": false, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0"}

```
TASK [clean-file-storage-type : Mount storage for cleaning] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "fstype": "glusterfs", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0", "src": "gluster01.scl.lab.tlv.redhat.com:/storage_local_ge12_volume_1"}
```

```
TASK [clean-file-storage-type : Clean up mountpoint contents] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "cmd": "/bin/rm -rf \"/tmp/tmp_mountpoint\"/*", "delta": "0:00:00.169103", "end": "2018-07-08 12:38:16.092169", "rc": 0, "start": "2018-07-08 12:38:15.923066", "stderr": "", "stderr_lines": [], "stdout": "", "stdout_lines": []}
```

```
TASK [clean-file-storage-type : Unmount the mounted folder] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0"}
```

```
TASK [clean-file-storage-type : Remove tmp directory] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "path": "/tmp/tmp_mountpoint", "state": "absent"}
```

```
TASK [clean-file-storage-type : Fail when insufficient parameters] *****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}
```

```
TASK [clean-file-storage-type : Create tmp directory to mount storage if it doesn't exist]
***
```

```
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "gid": 0, "group": "root", "mode": "0755", "owner": "root", "path": "/tmp/tmp_mountpoint", "secontext": "unconfined_u:object_r:user_tmp_t:s0", "size": 6, "state": "directory", "uid": 0}
```

```
TASK [clean-file-storage-type : Unmount the mounted folder] *****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": false, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0"}
```

```
TASK [clean-file-storage-type : Mount storage for cleaning] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "fstype": "glusterfs", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0", "src": "gluster01.scl.lab.tlv.redhat.com:/storage_local_ge12_volume_2"}
```

```
TASK [clean-file-storage-type : Clean up mountpoint contents] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "cmd": "/bin/rm -rf \"/tmp/tmp_mountpoint\"/*", "delta": "0:00:00.176110", "end": "2018-07-08 12:38:19.648868", "rc": 0, "start": "2018-07-08 12:38:19.472758", "stderr": "", "stderr_lines": [], "stdout": "", "stdout_lines": []}
```

```
TASK [clean-file-storage-type : Unmount the mounted folder] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0"}
```

```
TASK [clean-file-storage-type : Remove tmp directory] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "path": "/tmp/tmp_mountpoint", "state": "absent"}
```

```
TASK [set extra file storages to be cleaned] *****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"ansible_facts": {"extra_storage_glusterfs": [{"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_3"}, {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_4"}, {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_5"}], "extra_storage_nfs": [{"address": "yellow-"}]}
```

```
vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_3"}, {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_4"}, {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_5"}], "changed": false}
```

```
TASK [cleanup nfs mountpoints in extra nfs storage lists] *****
included: /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-playbooks/playbooks/ovirt-env-builder/cleanup_extra_ge_mountpoints.yml for storage-ge-he-02.scl.lab.tlv.redhat.com
```

```
TASK [Show cleanup_extra_storages_list] *****

```

```
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {
```

```
    "extra_storages": [
        {
            "address": "yellow-vdsb.qa.lab.tlv.redhat.com",
            "path": "/Storage_NFS/storage_local_ge12_nfs_3"
        },
        {
            "address": "yellow-vdsb.qa.lab.tlv.redhat.com",
            "path": "/Storage_NFS/storage_local_ge12_nfs_4"
        },
        {
            "address": "yellow-vdsb.qa.lab.tlv.redhat.com",
            "path": "/Storage_NFS/storage_local_ge12_nfs_5"
        }
    ]
}
```

```
TASK [include_role : clean-file-storage-type] *****

```

```
TASK [clean-file-storage-type : Fail when insufficient parameters] *****

```

```
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}
```

```
TASK [clean-file-storage-type : Create tmp directory to mount storage if it doesn't exist]
***
```

```
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "gid": 0, "group": "root", "mode": "0755", "owner": "root", "path": "/tmp/tmp_mountpoint", "secontext": "unconfined_u:object_r:user_tmp_t:s0", "size": 6, "state": "directory", "uid": 0}
```

```
TASK [clean-file-storage-type : Unmount the mounted folder] *****

```

```
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": false, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0"}
```

```
TASK [clean-file-storage-type : Mount storage for cleaning] *****

```

```
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "fstype": "nfs", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0", "src": "yellow-vdsb.qa.lab.tlv.redhat.com:/Storage_NFS/storage_local_ge12_nfs_3"}
```

```
TASK [clean-file-storage-type : Clean up mountpoint contents] *****

```

```
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "cmd": "/bin/rm -rf \"/tmp/tmp_mountpoint\/*", "delta": "0:00:00.004739", "end": "2018-07-08 12:38:23.352034", "rc": 0, "start": "2018-07-08 12:38:23.347295", "stderr": "", "stderr_lines": [], "stdout": "", "stdout_lines": []}
```

```
TASK [clean-file-storage-type : Unmount the mounted folder] *****

```

```
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0"}
```

```
TASK [clean-file-storage-type : Remove tmp directory] *****

```

```
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
```

```
{"changed": true, "path": "/tmp/tmp_mountpoint", "state": "absent"}
```

TASK [clean-file-storage-type : Fail when insufficant parameters] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}

TASK [clean-file-storage-type : Create tmp directory to mount storage if it doesn't exist]

changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "gid": 0, "group": "root", "mode": "0755", "owner": "root", "path":
"/tmp/tmp_mountpoint", "secontext": "unconfined_u:object_r:user_tmp_t:s0", "size": 6,
"state": "directory", "uid": 0}

TASK [clean-file-storage-type : Unmount the mounted folder] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": false, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint",
"opts": "defaults", "passno": "0"}

TASK [clean-file-storage-type : Mount storage for cleaning] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "fstype": "nfs", "name":
"/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0", "src": "yellow-
vdsb.qa.lab.tlv.redhat.com:/Storage_NFS/storage_local_ge12_nfs_4"}

TASK [clean-file-storage-type : Clean up mountpoint contents] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "cmd": "/bin/rm -rf \"/tmp/tmp_mountpoint\/*", "delta": "0:00:00.004075",
"end": "2018-07-08 12:38:26.658336", "rc": 0, "start": "2018-07-08 12:38:26.654261",
"stderr": "", "stderr_lines": [], "stdout": "", "stdout_lines": []}

TASK [clean-file-storage-type : Unmount the mounted folder] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts":
"defaults", "passno": "0"}

TASK [clean-file-storage-type : Remove tmp directory] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "path": "/tmp/tmp_mountpoint", "state": "absent"}

TASK [clean-file-storage-type : Fail when insufficant parameters] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}

TASK [clean-file-storage-type : Create tmp directory to mount storage if it doesn't exist]

changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "gid": 0, "group": "root", "mode": "0755", "owner": "root", "path":
"/tmp/tmp_mountpoint", "secontext": "unconfined_u:object_r:user_tmp_t:s0", "size": 6,
"state": "directory", "uid": 0}

TASK [clean-file-storage-type : Unmount the mounted folder] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": false, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint",
"opts": "defaults", "passno": "0"}

TASK [clean-file-storage-type : Mount storage for cleaning] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "fstype": "nfs", "name":
"/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0", "src": "yellow-
vdsb.qa.lab.tlv.redhat.com:/Storage_NFS/storage_local_ge12_nfs_5"}

TASK [clean-file-storage-type : Clean up mountpoint contents] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "cmd": "/bin/rm -rf \"/tmp/tmp_mountpoint\/*", "delta": "0:00:00.004845",
"end": "2018-07-08 12:38:30.03999", "rc": 0, "start": "2018-07-08 12:38:30.029154",

```
"stderr": "", "stderr_lines": [], "stdout": "", "stdout_lines": []}

TASK [clean-file-storage-type : Unmount the mounted folder] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0"}

TASK [clean-file-storage-type : Remove tmp directory] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "path": "/tmp/tmp_mountpoint", "state": "absent"}

TASK [cleanup glusterfs mountpoints in extra storage lists] *****
included: /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-
playbooks/playbooks/ovirt-env-builder/cleanup_extra_ge_mountpoints.yml for storage-ge-he-
02.scl.lab.tlv.redhat.com

TASK [Show cleanup_extra_storages_list] *****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {
    "extra_storages": [
        {
            "address": "gluster01.scl.lab.tlv.redhat.com",
            "path": "/storage_local_ge12_volume_3"
        },
        {
            "address": "gluster01.scl.lab.tlv.redhat.com",
            "path": "/storage_local_ge12_volume_4"
        },
        {
            "address": "gluster01.scl.lab.tlv.redhat.com",
            "path": "/storage_local_ge12_volume_5"
        }
    ]
}

TASK [include_role : clean-file-storage-type] *****

TASK [clean-file-storage-type : Fail when insufficant parameters] *****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}

TASK [clean-file-storage-type : Create tmp directory to mount storage if it doesn't exist]
***  

changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "gid": 0, "group": "root", "mode": "0755", "owner": "root", "path": "/tmp/tmp_mountpoint", "secontext": "unconfined_u:object_r:user_tmp_t:s0", "size": 6, "state": "directory", "uid": 0}

TASK [clean-file-storage-type : Unmount the mounted folder] *****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": false, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0"}

TASK [clean-file-storage-type : Mount storage for cleaning] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "fstype": "glusterfs", "name": "/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0", "src": "gluster01.scl.lab.tlv.redhat.com:/storage_local_ge12_volume_3"}

TASK [clean-file-storage-type : Clean up mountpoint contents] *****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "cmd": "/bin/rm -rf \"/tmp/tmp_mountpoint\"/*", "delta": "0:00:00.011748", "end": "2018-07-08 12:38:33.822436", "rc": 0, "start": "2018-07-08 12:38:33.810688", "stderr": "", "stderr_lines": [], "stdout": "", "stdout_lines": []}

TASK [clean-file-storage-type : Unmount the mounted folder] *****
```

```
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts":
"defaults", "passno": "0"}

TASK [clean-file-storage-type : Remove tmp directory] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "path": "/tmp/tmp_mountpoint", "state": "absent"}

TASK [clean-file-storage-type : Fail when insufficant parameters] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason":
"Conditional result was False"}

TASK [clean-file-storage-type : Create tmp directory to mount storage if it doesn't exist]
**
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "gid": 0, "group": "root", "mode": "0755", "owner": "root", "path":
"/tmp/tmp_mountpoint", "secontext": "unconfined_u:object_r:user_tmp_t:s0", "size": 6,
"state": "directory", "uid": 0}

TASK [clean-file-storage-type : Unmount the mounted folder] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": false, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint",
"opts": "defaults", "passno": "0"}

TASK [clean-file-storage-type : Mount storage for cleaning] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "fstype": "glusterfs", "name":
"/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0", "src":
"gluster01.scl.lab.tlv.redhat.com:/storage_local_ge12_volume_4"}

TASK [clean-file-storage-type : Clean up mountpoint contents] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "cmd": "/bin/rm -rf \"/tmp/tmp_mountpoint\"/*", "delta": "0:00:00.053731",
"end": "2018-07-08 12:38:38.366183", "rc": 0, "start": "2018-07-08 12:38:38.312452",
"stderr": "", "stderr_lines": [], "stdout": "", "stdout_lines": []}

TASK [clean-file-storage-type : Unmount the mounted folder] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts":
"defaults", "passno": "0"}

TASK [clean-file-storage-type : Remove tmp directory] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "path": "/tmp/tmp_mountpoint", "state": "absent"}

TASK [clean-file-storage-type : Fail when insufficant parameters] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason":
"Conditional result was False"}

TASK [clean-file-storage-type : Create tmp directory to mount storage if it doesn't exist]
**
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "gid": 0, "group": "root", "mode": "0755", "owner": "root", "path":
"/tmp/tmp_mountpoint", "secontext": "unconfined_u:object_r:user_tmp_t:s0", "size": 6,
"state": "directory", "uid": 0}

TASK [clean-file-storage-type : Unmount the mounted folder] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": false, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint",
"opts": "defaults", "passno": "0"}

TASK [clean-file-storage-type : Mount storage for cleaning] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{"changed": true, "dump": "0", "fstab": "/etc/fstab", "fstype": "glusterfs", "name":
"/tmp/tmp_mountpoint", "opts": "defaults", "passno": "0", "src":}
```

```
"gluster01.scl.lab.tlv.redhat.com:/storage_local_gel2_volume_5"}
```

TASK [clean-file-storage-type : Clean up mountpoint contents] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{ "changed": true, "cmd": "/bin/rm -rf \"/tmp/tmp_mountpoint\/*", "delta": "0:00:01.014982",
"end": "2018-07-08 12:38:42.864514", "rc": 0, "start": "2018-07-08 12:38:41.849532",
"stderr": "", "stderr_lines": [], "stdout": "", "stdout_lines": []}

TASK [clean-file-storage-type : Unmount the mounted folder] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{ "changed": true, "dump": "0", "fstab": "/etc/fstab", "name": "/tmp/tmp_mountpoint", "opts":
"defaults", "passno": "0"}

TASK [clean-file-storage-type : Remove tmp directory] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com -> aqua-vds4.scl.lab.tlv.redhat.com] =>
{ "changed": true, "path": "/tmp/tmp_mountpoint", "state": "absent"}

TASK [oVirt.infra : Login to oVirt] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason":
"Conditional result was False"}

TASK [oVirt.infra/roles/oVirt.mac-pools : set mac pools] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={u'mac_pool_ranges':
[u'00:1a:4a:16:26:23,00:1a:4a:16:26:32'], u'mac_pool_name': u'Default'}) => {"changed":
true, "id": "58ca604b-017d-0374-0220-00000000014e", "item": {"mac_pool_name": "Default",
"mac_pool_ranges": ["00:1a:4a:16:26:23,00:1a:4a:16:26:32"]}, "macpool": {"allow_duplicates":
false, "default_pool": true, "description": "Default MAC pool", "href": "/ovirt-
engine/api/macpools/58ca604b-017d-0374-0220-00000000014e", "id": "58ca604b-017d-0374-0220-
00000000014e", "name": "Default", "ranges": [{"from_": "00:1a:4a:16:01:00", "to":
"00:1a:4a:16:04:ff"}]}}

TASK [oVirt.infra/roles/oVirt.datacenters : Add data center] ****
[DEPRECATION WARNING]: The 'ovirt_datacenters' module is being renamed
'ovirt_datacenter'. This feature will be removed in version 2.8. Deprecation
warnings can be disabled by setting deprecation_warnings=False in ansible.cfg.
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": true, "datacenter":
{"clusters": [], "description": "The default Data Center", "href": "/ovirt-
engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-
adab-00163e7bd001", "iscsi_bonds": [], "local": false, "mac_pool": {"href": "/ovirt-
engine/api/macpools/58ca604b-017d-0374-0220-00000000014e", "id": "58ca604b-017d-0374-0220-
00000000014e"}, "name": "golden_env_mixed", "networks": [], "permissions": [], "qoss": [],
"quota_mode": "disabled", "quotas": [], "status": "up", "storage_domains": [],
"storage_format": "v4", "supported_versions": [{"major": 4, "minor": 2}], "version":
{"major": 4, "minor": 2}, "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}

TASK [oVirt.infra/roles/oVirt.datacenters : Remove data center] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason":
"Conditional result was False"}

TASK [oVirt.infra/roles/oVirt.datacenter-cleanup : Find existing VM Pools] *****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason":
"Conditional result was False"}

TASK [oVirt.infra/roles/oVirt.datacenter-cleanup : Remove VM Pools] *****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason":
"Conditional result was False"}

TASK [oVirt.infra/roles/oVirt.datacenter-cleanup : Find existing VMs] *****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason":
"Conditional result was False"}

TASK [oVirt.infra/roles/oVirt.datacenter-cleanup : Remove VMs] *****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason":
"Conditional result was False"}

```
TASK [oVirt.infra/roles/oVirt.datacenter-cleanup : Find existing Templates] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}
```

```
TASK [oVirt.infra/roles/oVirt.datacenter-cleanup : Remove Templates] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}
```

```
TASK [oVirt.infra/roles/oVirt.datacenter-cleanup : Find existing Disks] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}
```

```
TASK [oVirt.infra/roles/oVirt.datacenter-cleanup : Remove Disks] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}
```

```
TASK [oVirt.infra/roles/oVirt.datacenter-cleanup : Find existing Storage Domains in Datacenter] ***
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}
```

```
TASK [oVirt.infra/roles/oVirt.datacenter-cleanup : Find existing Storage Domains] ***
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}
```

```
TASK [oVirt.infra/roles/oVirt.datacenter-cleanup : Remove Storage Domains apart from master] ***
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}
```

```
TASK [oVirt.infra/roles/oVirt.datacenter-cleanup : Put in maintenance master Storage Domain] ***
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}
```

```
TASK [oVirt.infra/roles/oVirt.datacenter-cleanup : Find existing clusters in Datacenter] ***
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}
```

```
TASK [oVirt.infra/roles/oVirt.datacenter-cleanup : Remove Datacenter] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}
```

```
TASK [oVirt.infra/roles/oVirt.datacenter-cleanup : Remove master Storage Domain] ***
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}
```

```
TASK [oVirt.infra/roles/oVirt.clusters : Add clusters] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={u'compatibility_version': u'4.2', u'external_network_providers': [{u'name': u'ovirt-provider-ovn'}], u'name': u'golden_env_mixed_1', u'cpu_type': u'Intel Conroe Family'}) => {"changed": false, "cluster": {"affinity_groups": [], "ballooning_enabled": false, "comment": "", "cpu": {"architecture": "x86_64", "type": "Intel Conroe Family"}, "cpu_profiles": [], "custom_scheduling_policy_properties": [{"name": "HighUtilization", "value": "80"}, {"name": "CpuOverCommitDurationMinutes", "value": "2"}], "data_center": {"href": "/ovirt-engine/api/datacenters/478blad2-828d-11e8-adab-00163e7bd001", "id": "478blad2-828d-11e8-adab-00163e7bd001"}, "description": "The default server cluster", "enabled_features": [], "error_handling": {"on_error": "migrate"}, "external_network_providers": [], "fencing_policy": {"enabled": true, "skip_if_connectivity_broken": {"enabled": false, "threshold": 50}, "skip_if_gluster_bricks_up": false, "skip_if_gluster_quorum_not_met": false, "skip_if_sd_active": {"enabled": false}}, "firewall_type": "firewalld", "gluster_service": false, "ha_reservation": false, "href": "/ovirt-engine/api/clusters/478c8ab6-828d-11e8-aaf1-00163e7bd001", "id": "478c8ab6-828d-11e8-aaf1-00163e7bd001", "ksm": {"enabled": true, "merge_across_nodes": true}, "mac_pool": {"href": "/ovirt-engine/api/macpools/58ca604b-017d-0374-0220-00000000014e", "id": "58ca604b-017d-0374-0220-00000000014e"}, "maintenance_reason_required": false, "memory_policy": {"over_commit": {"percent": 100}, "transparent_huge_pages": {"enabled": true}}, "migration": {}}
```

```
{"auto_converge": "inherit", "bandwidth": {"assignment_method": "auto"}, "compressed": "inherit", "policy": {"id": "80554327-0569-496b-bdeb-fcbbf52b827b"}}, "name": "golden_env_mixed_1", "network_filters": [], "networks": [], "optional_reason": false, "permissions": [], "required_rng_sources": ["urandom"], "scheduling_policy": {"href": "/ovirt-engine/api/schedulingpolicies/b4ed2332-a7ac-4d5f-9596-99a439cb2812", "id": "b4ed2332-a7ac-4d5f-9596-99a439cb2812"}, "switch_type": "legacy", "threads_as_cores": false, "trusted_service": false, "tunnel_migration": false, "version": {"major": 4, "minor": 2}, "virt_service": true}, "deprecations": [{"msg": "The 'ovirt_clusters' module is being renamed 'ovirt_cluster'", "version": 2.8}], "id": "478c8ab6-828d-11e8-aaaf-00163e7bd001", "item": {"compatibility_version": "4.2", "cpu_type": "Intel Conroe Family", "external_network_providers": [{"name": "ovirt-provider-ovn"}]}, "name": "golden_env_mixed_1"}}
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={"compatibility_version": "4.2", "external_network_providers": [{"name": "ovirt-provider-ovn"}]}, u'name': u'golden_env_mixed_2', u'cpu_type': u'Intel Conroe Family'}) => {"changed": true, "cluster": {"affinity_groups": [], "ballooning_enabled": false, "cpu": {"architecture": "x86_64", "type": "Intel Conroe Family"}, "cpu_profiles": [], "custom_scheduling_policy_properties": [{"name": "HighUtilization", "value": "80"}, {"name": "CpuOverCommitDurationMinutes", "value": "2"}], "data_center": {"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, "enabled_features": [], "error_handling": {"on_error": "migrate"}, "external_network_providers": [], "fencing_policy": {"enabled": true, "skip_if_connectivity_broken": {"enabled": false, "threshold": 50}, "skip_if_gluster_bricks_up": false, "skip_if_gluster_quorum_not_met": false, "skip_if_sd_active": {"enabled": false}}, "firewall_type": "firewalld", "gluster_hooks": [], "gluster_service": false, "gluster_volumes": [], "ha_reservation": false, "href": "/ovirt-engine/api/clusters/f561b06b-43c5-43a0-aa01-929bdebb17ca", "id": "f561b06b-43c5-43a0-aa01-929bdebb17ca", "ksm": {"enabled": false, "merge_across_nodes": true}, "mac_pool": {"href": "/ovirt-engine/api/macpools/58ca604b-017d-0374-0220-00000000014e", "id": "58ca604b-017d-0374-0220-00000000014e"}, "maintenance_reason_required": false, "management_network": {"href": "/ovirt-engine/api/clusters/f561b06b-43c5-43a0-aa01-929bdebb17ca/networks/00000000-0000-0000-0000-000000000009", "id": "00000000-0000-0000-0000-000000000009"}, "memory_policy": {"over_commit": {"percent": 100}, "transparent_huge_pages": {"enabled": true}}, "migration": {"auto_converge": "inherit", "bandwidth": {"assignment_method": "auto"}, "compressed": "inherit", "name": "golden_env_mixed_2"}, "network_filters": [], "networks": [], "optional_reason": false, "permissions": [], "required_rng_sources": ["urandom"], "scheduling_policy": {"href": "/ovirt-engine/api/schedulingpolicies/b4ed2332-a7ac-4d5f-9596-99a439cb2812", "id": "b4ed2332-a7ac-4d5f-9596-99a439cb2812"}, "switch_type": "legacy", "threads_as_cores": false, "trusted_service": false, "tunnel_migration": false, "version": {"major": 4, "minor": 2}, "virt_service": true}, "deprecations": [{"msg": "The 'ovirt_clusters' module is being renamed 'ovirt_cluster'", "version": 2.8}], "id": "f561b06b-43c5-43a0-aa01-929bdebb17ca", "item": {"compatibility_version": "4.2", "cpu_type": "Intel Conroe Family", "external_network_providers": [{"name": "ovirt-provider-ovn"}]}, "name": "golden_env_mixed_2"}}
[DEPRECATION WARNING]: The 'ovirt_clusters' module is being renamed 'ovirt_cluster'. This feature will be removed in version 2.8. Deprecation warnings can be disabled by setting deprecation_warnings=False in ansible.cfg.
```

```
TASK [oVirt.infra/roles/oVirt.hosts : Get hosts] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"ansible_facts": {"ovirt_hosts": []}, "changed": false}
```

```
TASK [oVirt.infra/roles/oVirt.hosts : Reinstall hosts] ****
```

```
TASK [oVirt.infra/roles/oVirt.hosts : Add hosts] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item=host_mixed_1) =>
{"ansible_job_id": "368463202659.23501", "changed": true, "finished": 0, "item": {"address": "aqua-vds4.scl.lab.tlv.redhat.com", "cluster": "golden_env_mixed_1", "name": "host_mixed_1", "os": "rhel-7.5", "password": "qum5net"}, "results_file": "/root/.ansible_async/368463202659.23501", "started": 1}
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item=host_mixed_2) =>
{"ansible_job_id": "556191378738.23568", "changed": true, "finished": 0, "item": {"address": "rosell1.scl.lab.tlv.redhat.com", "cluster": "golden_env_mixed_1", "name": "host_mixed_2", "os": "rhel-7.5", "password": "qum5net"}, "results_file": "/root/.ansible_async/556191378738.23568", "started": 1}
```

```

changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item=host_mixed_3) =>
{"ansible_job_id": "631142244703.23631", "changed": true, "finished": 0, "item": {"address": "rose12.scl.lab.tlv.redhat.com", "cluster": "golden_env_mixed_1", "name": "host_mixed_3", "os": "rhel-7.5", "password": "qum5net"}, "results_file": "/root/.ansible_async/631142244703.23631", "started": 1}

TASK [oVirt.infra/roles/oVirt.hosts : Wait for hosts to be added] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item=host_mixed_1) => {"ansible_job_id": "368463202659.23501", "attempts": 1, "changed": false, "finished": 1, "host": {"address": "aqua-vds4.scl.lab.tlv.redhat.com", "affinity_labels": [], "auto_numa_status": "disable", "certificate": {"organization": "localdomain", "subject": "0=localdomain,CN=aqua-vds4.scl.lab.tlv.redhat.com"}, "cluster": {"href": "/ovirt-engine/api/clusters/478c8ab6-828d-11e8-aaf1-00163e7bd001", "id": "478c8ab6-828d-11e8-aaf1-00163e7bd001"}, "comment": "", "cpu": {"name": "Intel(R) Xeon(R) CPU E31280 @ 3.50GHz", "speed": 3835.0, "topology": {"cores": 4, "sockets": 1, "threads": 2}}, "device_passthrough": {"enabled": false}, "devices": [], "external_network_provider_configurations": [], "external_status": "ok", "hardware_information": {"manufacturer": "Dell Inc.", "product_name": "PowerEdge R210 II", "serial_number": "FLQGF5J", "supported_rng_sources": ["hwrng", "random"], "uuid": "4C4C4544-004C-5110-8047-C6C04F46354A"}, "hooks": [], "href": "/ovirt-engine/apihosts/21fe69d9-06c8-49ae-9723-080303055e2f", "id": "21fe69d9-06c8-49ae-9723-080303055e2f", "iscsi": {"initiator": "iqn.1994-05.com.redhat:aqua-vds4"}, "katello_errata": [], "kdump_status": "disabled", "ksm": {"enabled": false}, "libvirt_version": {"build": 0, "full_version": "libvirt-3.9.0-14.el7_5.6", "major": 3, "minor": 9, "revision": 0}, "max_scheduling_memory": 15737028608, "memory": 33556529152, "name": "host_mixed_1", "network_attachments": [], "nics": [], "numa_nodes": [], "numa_supported": false, "os": {"custom_kernel_cmdline": ""}, "reported_kernel_cmdline": "BOOT_IMAGE=/vmlinuz-3.10.0-862.6.3.el7.x86_64
root=/dev/mapper/VolGroup01-root ro nofb quiet default_hugepagesz=1GB hugepagesz=1GB
hugepages=4 console=tty0 crashkernel=auto rd.lvm.lv=VolGroup01/root biosdevname=0s
console=ttyS1,115200 LANG=en_US.UTF-8", "type": "RHEL", "version": {"full_version": "7.5 - 8.el7", "major": 7, "minor": 5}}, "permissions": [], "port": 54321, "power_management": {"automatic_pm_enabled": true, "enabled": false, "kdump_detection": true, "pm_proxies": []}, "protocol": "stomp", "se_linux": {"mode": "enforcing"}, "spm": {"priority": 5, "status": "spm"}, "ssh": {"fingerprint": "SHA256:HeX0KnlsYmgBjeKRVp9P3we/bzHlwGZKFJZeNwfj9Is", "port": 22}, "statistics": [], "status": "up", "storage_connection_extensions": [], "summary": {"active": 1, "migrating": 0, "total": 1}, "tags": [], "transparent_huge_pages": {"enabled": true}, "type": "rhel", "unmanaged_networks": [], "update_available": false, "version": {"build": 33, "full_version": "vdsm-4.20.33-1.el7ev", "major": 4, "minor": 20, "revision": 0}}, "id": "21fe69d9-06c8-49ae-9723-080303055e2f", "item": {"ansible_job_id": "368463202659.23501", "changed": true, "failed": false, "finished": 0, "item": {"address": "aqua-vds4.scl.lab.tlv.redhat.com", "cluster": "golden_env_mixed_1", "name": "host_mixed_1", "os": "rhel-7.5", "password": "qum5net"}, "results_file": "/root/.ansible_async/368463202659.23501", "started": 1}}
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item=host_mixed_2) => {"ansible_job_id": "556191378738.23568", "attempts": 1, "changed": false, "finished": 1, "host": {"address": "rose11.scl.lab.tlv.redhat.com", "affinity_labels": [], "auto_numa_status": "disable", "certificate": {"organization": "localdomain", "subject": "0=localdomain,CN=rose11.scl.lab.tlv.redhat.com"}, "cluster": {"href": "/ovirt-engine/api/clusters/478c8ab6-828d-11e8-aaf1-00163e7bd001", "id": "478c8ab6-828d-11e8-aaf1-00163e7bd001"}, "comment": "", "cpu": {"name": "Intel(R) Xeon(R) CPU E3-1280 V2 @ 3.60GHz", "speed": 1842.0, "topology": {"cores": 4, "sockets": 1, "threads": 2}}, "device_passthrough": {"enabled": false}, "devices": [], "external_network_provider_configurations": [], "external_status": "ok", "hardware_information": {"manufacturer": "Dell Inc.", "product_name": "PowerEdge R210 II", "serial_number": "4XVVMW1", "supported_rng_sources": ["hwrng", "random"], "uuid": "4C4C4544-0058-5610-8056-B4C04F4D5731"}, "hooks": [], "href": "/ovirt-engine/apihosts/30a4ec56-115a-4285-8d56-c06b578d2b1b", "id": "30a4ec56-115a-4285-8d56-c06b578d2b1b", "iscsi": {"initiator": "iqn.1994-05.com.redhat:rose11"}, "katello_errata": [], "kdump_status": "disabled", "ksm": {"enabled": false}, "libvirt_version": {"build": 0, "full_version": "libvirt-3.9.0-14.el7_5.6", "major": 3, "minor": 9, "revision": 0}, "max_scheduling_memory": 33130807296, "memory": 33535557632, "name": "host_mixed_2", "network_attachments": [], "nics": [], "numa_nodes": [], "numa_supported": false, "os": {"custom_kernel_cmdline": ""}, "reported_kernel_cmdline": "BOOT_IMAGE=/vmlinuz-3.10.0-862.6.3.el7.x86_64
root=/dev/mapper/VolGroup01-root ro nofb quiet default_hugepagesz=1GB hugepagesz=1GB
hugepages=4 console=tty0 crashkernel=auto rd.lvm.lv=VolGroup01/root biosdevname=0s
console=ttyS1,115200 LANG=en_US.UTF-8", "type": "RHEL", "version": {"full_version": "7.5 - 8.el7", "major": 7, "minor": 5}}}

```

```

8.el7", "major": 7, "minor": 5}], "permissions": [], "port": 54321, "power_management": {"automatic_pm_enabled": true, "enabled": false, "kdump_detection": true, "pm_proxies": []}, "protocol": "stomp", "se_linux": {"mode": "enforcing"}, "spm": {"priority": 5, "status": "none"}, "ssh": {"fingerprint": "SHA256:EUyitBaosPsKyFbsQZwKS0UEmyu/ELvzNulnctgPXyA", "port": 22}, "statistics": [], "status": "up", "storage_connection_extensions": [], "summary": {"active": 0, "migrating": 0, "total": 0}, "tags": [], "transparent_huge_pages": {"enabled": true}, "type": "rhel", "unmanaged_networks": [], "update_available": false, "version": {"build": 33, "full_version": "vdsm-4.20.33-1.el7ev", "major": 4, "minor": 20, "revision": 0}, "id": "30a4ec56-115a-4285-8d56-c06b578d2b1b", "item": {"ansible_job_id": "556191378738.23568", "changed": true, "failed": false, "finished": 0, "item": {"address": "rose11.scl.lab.tlv.redhat.com", "cluster": "golden_env_mixed_1", "name": "host_mixed_2", "os": "rhel-7.5", "password": "qum5net"}, "results_file": "/root/.ansible_async/556191378738.23568", "started": 1}}
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item=host_mixed_3) => {"ansible_job_id": "631142244703.23631", "attempts": 1, "changed": false, "finished": 1, "host": {"address": "rose12.scl.lab.tlv.redhat.com", "affinity_labels": [], "auto_numa_status": "disable", "certificate": {"organization": "localdomain", "subject": "0=localdomain,CN=rose12.scl.lab.tlv.redhat.com"}, "cluster": {"href": "/ovirt-engine/api/clusters/478c8ab6-828d-11e8-aafl-00163e7bd001", "id": "478c8ab6-828d-11e8-aafl-00163e7bd001"}, "comment": "", "cpu": {"name": "Intel(R) Xeon(R) CPU E3-1280 V2 @ 3.60GHz", "speed": 1600.0, "topology": {"cores": 4, "sockets": 1, "threads": 2}}, "device_passthrough": {"enabled": false}, "devices": [], "external_network_provider_configurations": [], "external_status": "ok", "hardware_information": {"manufacturer": "Dell Inc.", "product_name": "PowerEdge R210 II", "serial_number": "3XVVMW1", "supported_rng_sources": ["hwrng", "random"], "uuid": "4C4C4544-0058-5610-8056-B3C04F4D5731"}, "hooks": [], "href": "/ovirt-engine/api/hosts/ee0ba90c-118a-4be6-9c5d-f5b58c950f80", "id": "ee0ba90c-118a-4be6-9c5d-f5b58c950f80", "iscsi": {"initiator": "iqn.1994-05.com.redhat:rose12"}, "katello_errata": [], "kdump_status": "disabled", "ksm": {"enabled": false}, "libvirt_version": {"build": 0, "full_version": "libvirt-3.9.0-14.el7_5.6", "major": 3, "minor": 9, "revision": 0}, "max_scheduling_memory": 33130807296, "memory": 33535557632, "name": "host_mixed_3", "network_attachments": [], "nics": [], "numa_nodes": [], "numa_supported": false, "os": {"custom_kernel_cmdline": "", "reported_kernel_cmdline": "BOOT_IMAGE=/vmlinuz-3.10.0-862.6.3.el7.x86_64"}, "root=/dev/mapper/VolGroup01-root ro nofb quiet default_hugepagesz=1GB hugepagesz=1GB hugepages=4 console=tty0 crashkernel=auto rd.lvm.lv=VolGroup01/root biosdevname=0s console=ttyS1,115200 LANG=en_US.UTF-8", "type": "RHEL", "version": {"full_version": "7.5 - 8.el7", "major": 7, "minor": 5}], "permissions": [], "port": 54321, "power_management": {"automatic_pm_enabled": true, "enabled": false, "kdump_detection": true, "pm_proxies": []}, "protocol": "stomp", "se_linux": {"mode": "enforcing"}, "spm": {"priority": 5, "status": "none"}, "ssh": {"fingerprint": "SHA256:+jFdo13QhWYg5hJl3CMAWffZQ0LLJ0K1LL0xsJQuM8M", "port": 22}, "statistics": [], "status": "up", "storage_connection_extensions": [], "summary": {"active": 0, "migrating": 0, "total": 0}, "tags": [], "transparent_huge_pages": {"enabled": true}, "type": "rhel", "unmanaged_networks": [], "update_available": false, "version": {"build": 33, "full_version": "vdsm-4.20.33-1.el7ev", "major": 4, "minor": 20, "revision": 0}, "id": "ee0ba90c-118a-4be6-9c5d-f5b58c950f80", "item": {"ansible_job_id": "631142244703.23631", "changed": true, "failed": false, "finished": 0, "item": {"address": "rose12.scl.lab.tlv.redhat.com", "cluster": "golden_env_mixed_1", "name": "host_mixed_3", "os": "rhel-7.5", "password": "qum5net"}, "results_file": "/root/.ansible_async/631142244703.23631", "started": 1}}

```

TASK [oVirt.infra/roles/oVirt.networks : Add networks] *****

TASK [oVirt.infra/roles/oVirt.networks : Setup host networks] *****

TASK [oVirt.infra/roles/oVirt.storages : Add master storage] *****

```

skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'iscsi': {u'lun_id': u'3514f0c5a516004ab', u'override_luns': True, u'target': u'iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00', u'address': u'10.35.146.129'}}, 'key': u'iscsi_1'}) => {"changed": false, "item": {"key": "iscsi_1", "value": {"iscsi": {"address": "10.35.146.129", "lun_id": "3514f0c5a516004ab", "override_luns": true, "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'iscsi': {u'lun_id': u'3514f0c5a516004aa', u'override_luns': True, u'target': u'iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00', u'address': u'10.35.146.129'}}},

```

```
'key': u'iscsi_0'}) => {"changed": false, "item": {"key": "iscsi_0", "value": {"iscsi": {"address": "10.35.146.129", "lun_id": "3514f0c5a516004aa", "override_luns": true, "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}}, "skip_reason": "Conditional result was False"}  
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'iscsi': {u'lun_id': u'3514f0c5a516004ac', u'override_luns': True, u'target': u'iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00', u'address': u'10.35.146.129'}}}, 'key': u'iscsi_2'}) => {"changed": false, "item": {"key": "iscsi_2", "value": {"iscsi": {"address": "10.35.146.129", "lun_id": "3514f0c5a516004ac", "override_luns": true, "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}}, "skip_reason": "Conditional result was False"}  
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'nfs': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_2', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}}, 'key': u'nfs_2'}) => {"changed": false, "item": {"key": "nfs_2", "value": {"nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_2"}, "state": "present"}}, "skip_reason": "Conditional result was False"}  
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'nfs': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_1', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}}, 'key': u'nfs_1'}) => {"changed": false, "item": {"key": "nfs_1", "value": {"nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_1"}, "state": "present"}}, "skip_reason": "Conditional result was False"}  
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'nfs': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_0', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}}, 'key': u'nfs_0'}) => {"changed": false, "item": {"key": "nfs_0", "value": {"nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_0"}, "state": "present"}}, "skip_reason": "Conditional result was False"}  
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'domain_function': u'export', u'state': u'imported', u'nfs': {u'path': u'/Storage_NFS/export_domain_storage_local_ge12', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}}, 'key': u'export_domain'}) => {"changed": false, "item": {"key": "export_domain", "value": {"domain_function": "export", "nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/export_domain_storage_local_ge12"}, "state": "imported"}}, "skip_reason": "Conditional result was False"}  
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'domain_function': u'iso', u'state': u'unattached', u'nfs': {u'path': u'/iso_domain', u'address': u'mantis-nfs-lif1.lab.eng.tlv2.redhat.com'}}, 'key': u'netappISO'}) => {"changed": false, "item": {"key": "netappISO", "value": {"domain_function": "iso", "nfs": {"address": "mantis-nfs-lif1.lab.eng.tlv2.redhat.com", "path": "/iso_domain"}, "state": "unattached"}}, "skip_reason": "Conditional result was False"}  
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'fc': {u'lun_id': u'3514f0c5a51600502', 'override_luns': True}, 'state': u'present'}, 'key': u'fc_2'}) => {"changed": false, "item": {"key": "fc_2", "value": {"fc": {"lun_id": "3514f0c5a51600502", "override_luns": true}, "state": "present"}}, "skip_reason": "Conditional result was False"}  
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'fc': {u'lun_id': u'3514f0c5a51600501', 'override_luns': True}, 'state': u'present'}, 'key': u'fc_1'}) => {"changed": false, "item": {"key": "fc_1", "value": {"fc": {"lun_id": "3514f0c5a51600501", "override_luns": true}, "state": "present"}}, "skip_reason": "Conditional result was False"}  
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'fc': {u'lun_id': u'3514f0c5a51600500', 'override_luns': True}, 'state': u'present'}, 'key': u'fc_0'}) => {"changed": false, "item": {"key": "fc_0", "value": {"fc": {"lun_id": "3514f0c5a51600500", "override_luns": true}, "state": "present"}}, "skip_reason": "Conditional result was False"}  
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'glusterfs': {u'path': u'/storage_local_ge12_volume_0', u'address': u'gluster01.scl.lab.tlv.redhat.com'}, 'format': True}, 'key': u'test_gluster_0'}) => {"changed": false, "item": {"key": "test_gluster_0", "value": {"format": true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_0"}, "state": "present"}}, "skip_reason": "Conditional result was False"}  
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'glusterfs': {u'path': u'/storage_local_ge12_volume_1', u'address': u'gluster01.scl.lab.tlv.redhat.com'}, 'format': True}, 'key': u'test_gluster_1'}) => {"changed": false, "item": {"key": "test_gluster_1", "value": {"format": true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_1"}}, "skip_reason": "Conditional result was False"}}
```

```

"state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'glusterfs': {u'path': u'/storage_local_ge12_volume_2', u'address': u'gluster01.scl.lab.tlv.redhat.com'}, u'format': True}, 'key': u'test_gluster_2'}) =>
{"changed": false, "item": {"key": "test_gluster_2", "value": {"format": true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_2"}, "state": "present"}}, "skip_reason": "Conditional result was False"}

TASK [oVirt.infra/roles/oVirt.storages : Add storages] ****
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'iscsi': {u'lun_id': u'3514f0c5a516004ab', u'override_luns': True, u'target': u'iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00', u'address': u'10.35.146.129'}}, 'key': u'iscsi_1'}) => {"changed": true, "id": "02f79030-e044-41ca-ae4a-7e17e6b5d2c4", "item": {"key": "iscsi_1", "value": {"iscsi": {"address": "10.35.146.129", "lun_id": "3514f0c5a516004ab", "override_luns": true, "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}}, "storagedomain": {"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_center": {"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": true, "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001/storagedomains/02f79030-e044-41ca-ae4a-7e17e6b5d2c4", "id": "02f79030-e044-41ca-ae4a-7e17e6b5d2c4", "master": false, "name": "iscsi_1", "status": "active", "storage": {"type": "iscsi", "volume_group": {"id": "fm2FhV-0gUf-UR7m-ReLs-HSiG-0S1c-2V0DQM", "logical_units": [{"address": "10.35.146.129", "discard_max_size": 8388608, "discard_zeroes_data": false, "id": "3514f0c5a516004ab", "lun_mapping": 2, "paths": 0, "port": 3260, "portal": "10.35.146.129:3260,1", "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071", "size": 161061273600, "storage_domain_id": "02f79030-e044-41ca-ae4a-7e17e6b5d2c4", "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00", "vendor_id": "XtremIO", "volume_group_id": "fm2FhV-0gUf-UR7m-ReLs-HSiG-0S1c-2V0DQM"}]}}, "storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "type": "data", "used": 5368709120, "warning_low_space_indicator": 10, "wipe_after_delete": false}}
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'iscsi': {u'lun_id': u'3514f0c5a516004aa', u'override_luns': True, u'target': u'iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00', u'address': u'10.35.146.129'}}, 'key': u'iscsi_0'}) => {"changed": true, "id": "f1684833-d55a-41a4-b968-f90afbeb56d6", "item": {"key": "iscsi_0", "value": {"iscsi": {"address": "10.35.146.129", "lun_id": "3514f0c5a516004aa", "override_luns": true, "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}}, "storagedomain": {"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_center": {"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": true, "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001/storagedomains/f1684833-d55a-41a4-b968-f90afbeb56d6", "id": "f1684833-d55a-41a4-b968-f90afbeb56d6", "master": false, "name": "iscsi_0", "status": "active", "storage": {"type": "iscsi", "volume_group": {"id": "6Vd9Zf-fmQM-Cxoh-35Lr-4XC1-vk8T-VHlfqk", "logical_units": [{"address": "10.35.146.129", "discard_max_size": 8388608, "discard_zeroes_data": false, "id": "3514f0c5a516004aa", "lun_mapping": 1, "paths": 0, "port": 3260, "portal": "10.35.146.129:3260,1", "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071", "size": 161061273600, "storage_domain_id": "f1684833-d55a-41a4-b968-f90afbeb56d6", "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00", "vendor_id": "XtremIO", "volume_group_id": "6Vd9Zf-fmQM-Cxoh-35Lr-4XC1-vk8T-VHlfqk"}]}, "storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "type": "data", "used": 5368709120, "warning_low_space_indicator": 10, "wipe_after_delete": false}}
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'iscsi': {u'lun_id': u'3514f0c5a516004ac', u'override_luns': True, u'target': u'iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00', u'address': u'10.35.146.129'}}, 'key': u'iscsi_2'}) => {"changed": true, "id": "7511363b-6bb2-4b67-b5e4-ba647456c261", "item": {"key": "iscsi_2", "value": {"iscsi": {"address": "10.35.146.129", "lun_id": "3514f0c5a516004ac", "override_luns": true, "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}}, "storagedomain": {"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_center": {"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": true, "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001/storagedomains/7511363b-6bb2-4b67-b5e4-ba647456c261", "id": "7511363b-6bb2-4b67-b5e4-ba647456c261", "master": false, "name": "iscsi_2", "status": "active", "storage": {"type": "iscsi", "volume_group": {"id": "7511363b-6bb2-4b67-b5e4-ba647456c261", "logical_units": [{"address": "10.35.146.129", "discard_max_size": 8388608, "discard_zeroes_data": false, "id": "7511363b-6bb2-4b67-b5e4-ba647456c261", "lun_mapping": 1, "paths": 0, "port": 3260, "portal": "10.35.146.129:3260,1", "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071", "size": 161061273600, "storage_domain_id": "7511363b-6bb2-4b67-b5e4-ba647456c261", "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00", "vendor_id": "XtremIO", "volume_group_id": "7511363b-6bb2-4b67-b5e4-ba647456c261"}]}, "storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "type": "data", "used": 5368709120, "warning_low_space_indicator": 10, "wipe_after_delete": false}}

```

```

05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}}, "storagedomain": {"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_center": {"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": true, "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001/storagedomains/7511363b-6bb2-4b67-b5e4-ba647456c261", "id": "7511363b-6bb2-4b67-b5e4-ba647456c261", "master": false, "name": "iscsi_2", "status": "active", "storage": {"type": "iscsi", "volume_group": {"id": "e2xZ0g-glwP-KYf6-h6hK-J7qw-91fd-uE6V3N", "logical_units": [{"address": "10.35.146.129", "discard_max_size": 8388608, "discard_zeroes_data": false, "id": "3514f0c5a516004ac", "lun_mapping": 3, "paths": 0, "port": 3260, "portal": "10.35.146.129:3260,1", "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071", "size": 161061273600, "storage_domain_id": "7511363b-6bb2-4b67-b5e4-ba647456c261", "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00", "vendor_id": "XtremIO", "volume_group_id": "e2xZ0g-glwP-KYf6-h6hK-J7qw-91fd-uE6V3N"}]}], "storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "type": "data", "used": 5368709120, "warning_low_space_indicator": 10, "wipe_after_delete": false}}
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'nfs': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_2', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}, 'key': u'nfs_2'}}) => {"changed": true, "id": "490aa5f7-841d-4f33-b371-13be3ccd226d", "item": {"key": "nfs_2", "value": {"nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_2"}, "state": "present"}}, "storagedomain": {"available": 958851448832, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_center": {"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001/storagedomains/490aa5f7-841d-4f33-b371-13be3ccd226d", "id": "490aa5f7-841d-4f33-b371-13be3ccd226d", "master": false, "name": "nfs_2", "status": "active", "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_2", "type": "nfs"}, "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "type": "data", "used": 1239098064896, "warning_low_space_indicator": 10, "wipe_after_delete": false}}
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'nfs': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_1', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}, 'key': u'nfs_1'}}) => {"changed": true, "id": "9fee8801-9272-417c-8804-40a405d46d28", "item": {"key": "nfs_1", "value": {"nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_1"}, "state": "present"}}, "storagedomain": {"available": 958851448832, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_center": {"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001/storagedomains/9fee8801-9272-417c-8804-40a405d46d28", "id": "9fee8801-9272-417c-8804-40a405d46d28", "master": false, "name": "nfs_1", "status": "active", "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_1", "type": "nfs"}, "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "type": "data", "used": 1239098064896, "warning_low_space_indicator": 10, "wipe_after_delete": false}}
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'nfs': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_0', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}, 'key': u'nfs_0'}}) => {"changed": false, "id": "34f0c760-a50a-41e8-9945-727301cf6a1b", "item": {"key": "nfs_0", "value": {"nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_0"}, "state": "present"}}, "storagedomain": {"available": 958851448832, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_center": {"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001/storagedomains/34f0c760-a50a-41e8-9945-727301cf6a1b", "id": "34f0c760-a50a-41e8-9945-727301cf6a1b", "master": false, "name": "nfs_0", "status": "active", "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_0", "type": "nfs"}, "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "type": "data", "used": 1239098064896, "warning_low_space_indicator": 10, "wipe_after_delete": false}}

```

```
"discard_after_delete": false, "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001/storagedomains/34f0c760-a50a-41e8-9945-727301cf6a1b", "id": "34f0c760-a50a-41e8-9945-727301cf6a1b", "master": false, "name": "nfs_0", "status": "active", "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_0", "type": "nfs"}, "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "type": "data", "used": 1239098064896, "warning_low_space_indicator": 10, "wipe_after_delete": false}}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'domain_function': u'export', u'state': u'imported', u'nfs': {u'path': u'/Storage_NFS/export_domain_storage_local_ge12', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}}, 'key': u'export_domain'}) => {"changed": false, "item": {"key": "export_domain", "value": {"domain_function": "export", "nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/export_domain_storage_local_ge12"}}, "state": "imported"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'domain_function': u'iso', u'state': u'unattached', u'nfs': {u'path': u'/iso_domain', u'address': u'mantis-nfs-lif1.lab.eng.tlv2.redhat.com'}}, 'key': u'netappISO'}) => {"changed": false, "item": {"key": "netappISO", "value": {"domain_function": "iso", "nfs": {"address": "mantis-nfs-lif1.lab.eng.tlv2.redhat.com", "path": "/iso_domain"}, "state": "unattached"}}, "skip_reason": "Conditional result was False"}
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'fc': {u'lun_id': u'3514f0c5a51600502', u'override_luns': True}, u'state': u'present'}, 'key': u'fc_2'}) => {"changed": true, "id": "6658a0ec-d1ae-4048-8ce3-e0640e0937ed", "item": {"key": "fc_2", "value": {"fc": {"lun_id": "3514f0c5a51600502", "override_luns": true}, "state": "present"}}, "storagedomain": {"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_center": {"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": true, "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001/storagedomains/6658a0ec-d1ae-4048-8ce3-e0640e0937ed", "id": "6658a0ec-d1ae-4048-8ce3-e0640e0937ed", "master": false, "name": "fc_2", "status": "active", "storage": {"type": "fc", "volume_group": {"id": "5f1ILM-bmpZ-g3qb-Walv-40rR-KPvy-QSx0jV", "logical_units": [{"discard_max_size": 8388608, "discard_zeroes_data": false, "id": "3514f0c5a51600502", "lun_mapping": 3, "paths": 0, "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071", "size": 161061273600, "storage_domain_id": "6658a0ec-d1ae-4048-8ce3-e0640e0937ed", "vendor_id": "XtremIO", "volume_group_id": "5f1ILM-bmpZ-g3qb-Walv-40rR-KPvy-QSx0jV"}]}, "storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "type": "data", "used": 5368709120, "warning_low_space_indicator": 10, "wipe_after_delete": false}}
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'fc': {u'lun_id': u'3514f0c5a51600501', u'override_luns': True}, u'state': u'present'}, 'key': u'fc_1'}) => {"changed": true, "id": "aa7e7f51-46a6-4f5c-8c40-7e5836569f71", "item": {"key": "fc_1", "value": {"fc": {"lun_id": "3514f0c5a51600501", "override_luns": true}, "state": "present"}}, "storagedomain": {"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_center": {"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": true, "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001/storagedomains/aa7e7f51-46a6-4f5c-8c40-7e5836569f71", "id": "aa7e7f51-46a6-4f5c-8c40-7e5836569f71", "master": false, "name": "fc_1", "status": "active", "storage": {"type": "fc", "volume_group": {"id": "32B0B5-o8XD-cNTj-lyue-rwed-X7W0-uWa4al", "logical_units": [{"discard_max_size": 8388608, "discard_zeroes_data": false, "id": "3514f0c5a51600501", "lun_mapping": 2, "paths": 0, "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071", "size": 161061273600, "storage_domain_id": "aa7e7f51-46a6-4f5c-8c40-7e5836569f71", "vendor_id": "XtremIO", "volume_group_id": "32B0B5-o8XD-cNTj-lyue-rwed-X7W0-uWa4al"}]}, "storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "type": "data", "used": 5368709120, "warning_low_space_indicator": 10, "wipe_after_delete": false}}
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'fc': {u'lun_id': u'3514f0c5a51600500', u'override_luns': True}, u'state': u'present'}, 'key': u'fc_0'}) =>
```

```
{"changed": true, "id": "f2125f93-2437-43e4-8bbd-7add259db60b", "item": {"key": "fcp_0", "value": {"fcp": {"lun_id": "3514f0c5a51600500", "override_luns": true}, "state": "present"}}, "storagedomain": {"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_center": {"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": true, "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001/storagedomains/f2125f93-2437-43e4-8bbd-7add259db60b", "id": "f2125f93-2437-43e4-8bbd-7add259db60b", "master": false, "name": "fcp_0", "status": "active", "storage": {"type": "fcp", "volume_group": {"id": "XKgrlq-YAHg-AA5k-RtaL-VGGE-ore2-8TfPqi", "logical_units": [{"discard_max_size": 8388608, "discard_zeroes_data": false, "id": "3514f0c5a51600500", "lun_mapping": 1, "paths": 0, "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071", "size": 161061273600, "storage_domain_id": "f2125f93-2437-43e4-8bbd-7add259db60b", "vendor_id": "XtremIO", "volume_group_id": "XKgrlq-YAHg-AA5k-RtaL-VGGE-ore2-8TfPqi"}]}}, "storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "type": "data", "used": 5368709120, "warning_low_space_indicator": 10, "wipe_after_delete": false}}  
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'glusterfs': {u'path': u'/storage_local_ge12_volume_0', u'address': u'gluster01.scl.lab.tlv.redhat.com'}, u'format': True}, 'key': u'test_gluster_0'}) => {"changed": true, "id": "7b1fb1e4-0acb-4fb4-a078-02ac6d2d2307", "item": {"key": "test_gluster_0", "value": {"format": true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_0"}, "state": "present"}}, "storagedomain": {"available": 86973087744, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_center": {"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001/storagedomains/7b1fb1e4-0acb-4fb4-a078-02ac6d2d2307", "id": "7b1fb1e4-0acb-4fb4-a078-02ac6d2d2307", "master": false, "name": "test_gluster_0", "status": "active", "storage": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_0", "type": "glusterfs", "vfs_type": "glusterfs"}, "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "type": "data", "used": 608811614208, "warning_low_space_indicator": 10, "wipe_after_delete": false}}  
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'glusterfs': {u'path': u'/storage_local_ge12_volume_1', u'address': u'gluster01.scl.lab.tlv.redhat.com'}, u'format': True}, 'key': u'test_gluster_1'}) => {"changed": true, "id": "1b7a1bd4-c845-46bf-ac4d-2f7c71198001", "item": {"key": "test_gluster_1", "value": {"format": true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_1"}, "state": "present"}}, "storagedomain": {"available": 86973087744, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_center": {"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001/storagedomains/1b7a1bd4-c845-46bf-ac4d-2f7c71198001", "id": "1b7a1bd4-c845-46bf-ac4d-2f7c71198001", "master": false, "name": "test_gluster_1", "status": "active", "storage": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_1", "type": "glusterfs", "vfs_type": "glusterfs"}, "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "type": "data", "used": 608811614208, "warning_low_space_indicator": 10, "wipe_after_delete": false}}  
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'glusterfs': {u'path': u'/storage_local_ge12_volume_2', u'address': u'gluster01.scl.lab.tlv.redhat.com'}, u'format': True}, 'key': u'test_gluster_2'}) => {"changed": true, "id": "c9da3e93-aea8-466d-a35e-ed255a91e1df", "item": {"key": "test_gluster_2", "value": {"format": true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_2"}, "state": "present"}}, "storagedomain": {"available": 86973087744, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_center": {"href": "/ovirt-
```

```
engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001/storagedomains/c9da3e93-aea8-466d-a35e-ed255a91e1df", "id": "c9da3e93-aea8-466d-a35e-ed255a91e1df", "master": false, "name": "test_gluster_2", "status": "active", "storage": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_2", "type": "glusterfs", "vfs_type": "glusterfs"}, "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "type": "data", "used": 608811614208, "warning_low_space_indicator": 10, "wipe_after_delete": false}}
```

```
TASK [oVirt.infra/roles/oVirt.storages : Add export/iso storages] ****
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'iscsi': {u'lun_id': u'3514f0c5a516004ab', u'override_luns': True, u'target': u'iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00', u'address': u'10.35.146.129'}}, 'key': u'iscsi_1'}) => {"changed": false, "item": {"key": "iscsi_1", "value": {"iscsi": {"address": "10.35.146.129", "lun_id": "3514f0c5a516004ab", "override_luns": true, "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'iscsi': {u'lun_id': u'3514f0c5a516004aa', u'override_luns': True, u'target': u'iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00', u'address': u'10.35.146.129'}}, 'key': u'iscsi_0'}) => {"changed": false, "item": {"key": "iscsi_0", "value": {"iscsi": {"address": "10.35.146.129", "lun_id": "3514f0c5a516004aa", "override_luns": true, "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'iscsi': {u'lun_id': u'3514f0c5a516004ac', u'override_luns': True, u'target': u'iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00', u'address': u'10.35.146.129'}}, 'key': u'iscsi_2'}) => {"changed": false, "item": {"key": "iscsi_2", "value": {"iscsi": {"address": "10.35.146.129", "lun_id": "3514f0c5a516004ac", "override_luns": true, "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'nfs': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_2', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}, 'key': u'nfs_2'}}) => {"changed": false, "item": {"key": "nfs_2", "value": {"nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_2"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'nfs': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_1', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}, 'key': u'nfs_1'}}) => {"changed": false, "item": {"key": "nfs_1", "value": {"nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_1"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'nfs': {u'path': u'/Storage_NFS/storage_local_ge12_nfs_0', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}, 'key': u'nfs_0'}}) => {"changed": false, "item": {"key": "nfs_0", "value": {"nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_0"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'domain_function': u'export', u'state': u'imported', u'nfs': {u'path': u'/Storage_NFS/export_domain_storage_local_ge12', u'address': u'yellow-vdsb.qa.lab.tlv.redhat.com'}, 'key': u'export_domain'}}) => {"changed": true, "id": "a0528054-517d-49ff-95dc-9bdb2d54b91b", "item": {"key": "export_domain", "value": {"domain_function": "export", "nfs": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/export_domain_storage_local_ge12"}, "state": "imported"}, "storagedomain": {"available": 958851448832, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_center": {"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disks": [], "external_status": "ok", "href": "/ovirt-
```

```

engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001/storagedomains/a0528054-517d-49ff-95dc-9bdb2d54b91b", "id": "a0528054-517d-49ff-95dc-9bdb2d54b91b", "master": false,
"name": "export_domain", "status": "active", "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/export_domain_storage_local_ge12",
"type": "nfs"}, "storage_format": "v1", "supports_discard": false,
"supports_discard_zeroes_data": false, "type": "export", "used": 1239098064896,
"warning_low_space_indicator": 10, "wipe_after_delete": false}}
changed: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'domain_function': u'iso', u'state': u'unattached', u'nfs': {u'path': u'/iso_domain', u'address': u'mantis-nfs-lif1.lab.eng.tlv2.redhat.com'}}, 'key': u'netappISO'}) => {"changed": true, "id": "d31037e5-0d45-4306-975b-73eea845ae86", "item": {"key": "netappISO", "value": {"domain_function": "iso", "nfs": {"address": "mantis-nfs-lif1.lab.eng.tlv2.redhat.com", "path": "/iso_domain"}, "state": "unattached"}}, "storagedomain": {"available": 10737418240, "backup": false,
"committed": 0, "critical_space_action_blocker": 5, "discard_after_delete": false,
"disk_profiles": [], "disk_snapshots": [], "external_status": "ok", "files": [], "href": "/ovirt-engine/api/storagedomains/d31037e5-0d45-4306-975b-73eea845ae86", "id": "d31037e5-0d45-4306-975b-73eea845ae86", "master": false, "name": "netappISO", "permissions": [],
"status": "unknown", "storage": {"address": "mantis-nfs-lif1.lab.eng.tlv2.redhat.com",
"path": "/iso_domain", "type": "nfs"}, "storage_connections": [], "storage_format": "v1",
"supports_discard": false, "supports_discard_zeroes_data": false, "type": "iso", "used": 90194313216, "warning_low_space_indicator": 10, "wipe_after_delete": false}}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'fc': {u'lun_id': u'3514f0c5a51600502', u'override_luns': True}, u'state': u'present'}, 'key': u'fc_2'}) =>
{"changed": false, "item": {"key": "fc_2", "value": {"fc": {"lun_id": "3514f0c5a51600502", "override_luns": true}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'fc': {u'lun_id': u'3514f0c5a51600501', u'override_luns': True}, 'key': u'fc_1'}) =>
{"changed": false, "item": {"key": "fc_1", "value": {"fc": {"lun_id": "3514f0c5a51600501", "override_luns": true}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'fc': {u'lun_id': u'3514f0c5a51600500', u'override_luns': True}, u'state': u'present'}, 'key': u'fc_0'}) =>
{"changed": false, "item": {"key": "fc_0", "value": {"fc": {"lun_id": "3514f0c5a51600500", "override_luns": true}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'glusterfs': {u'path': u'/storage_local_ge12_volume_0', u'address': u'gluster01.scl.lab.tlv.redhat.com'}, 'key': u'test_gluster_0'}}) =>
{"changed": false, "item": {"key": "test_gluster_0", "value": {"format": true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_0"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'glusterfs': {u'path': u'/storage_local_ge12_volume_1', u'address': u'gluster01.scl.lab.tlv.redhat.com'}, 'key': u'test_gluster_1'}}) =>
{"changed": false, "item": {"key": "test_gluster_1", "value": {"format": true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_1"}, "state": "present"}}, "skip_reason": "Conditional result was False"}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item={'value': {u'state': u'present', u'glusterfs': {u'path': u'/storage_local_ge12_volume_2', u'address': u'gluster01.scl.lab.tlv.redhat.com'}, 'key': u'test_gluster_2'}}) =>
{"changed": false, "item": {"key": "test_gluster_2", "value": {"format": true, "glusterfs": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_2"}, "state": "present"}}, "skip_reason": "Conditional result was False"}

```

```

TASK [oVirt.infra/roles/oVirt.storages : Fetch storages] ****
ok: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"ansible_facts": {"ovirt_storage_domains": [{"available": 958851448832, "backup": false, "committed": 0,
"critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [], "disk_snapshots": [],
"disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/a0528054-517d-49ff-95dc-9bdb2d54b91b", "id": "a0528054-517d-49ff-95dc-9bdb2d54b91b", "master": false, "name": "export_domain", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}],
"storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/export_domain_storage_local_ge12", "type": "nfs"}, "storage_connections": [{"id": "3c24d8f6-ae77-4d76-aef1-6f3f8805ffc7"}], "storage_format": "v1",
"supports_discard": false, "supports_discard_zeroes_data": false, "type": "export", "used": 1239098064896, "warning_low_space_indicator": 10, "wipe_after_delete": false}}]

```

```
"supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "export", "used": 1239098064896, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": true, "disk_profiles": [{"id": "d653b923-5476-4618-9f14-ea398f0f68e3"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/f2125f93-2437-43e4-8bbd-7add259db60b", "id": "f2125f93-2437-43e4-8bbd-7add259db60b", "master": false, "name": "fcp_0", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"type": "fcp", "volume_group": {"id": "XKgrlq-YAHg-AA5k-RtaL-VGGE-ore2-8TfPqi"}, "logical_units": [{"discard_max_size": 8388608, "discard_zeroes_data": false, "id": "3514f0c5a51600500"}, {"lun_mapping": 1, "paths": 0, "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071"}, {"size": 161061273600, "storage_domain_id": "f2125f93-2437-43e4-8bbd-7add259db60b"}, {"vendor_id": "XtremIO", "volume_group_id": "XKgrlq-YAHg-AA5k-RtaL-VGGE-ore2-8TfPqi"}]}, "storage_connections": [], "storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 5368709120, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": true, "disk_profiles": [{"id": "c4b55131-cde9-45ef-a2b5-cf1b6483edf4"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/aa7e7f51-46a6-4f5c-8c40-7e5836569f71", "id": "aa7e7f51-46a6-4f5c-8c40-7e5836569f71", "master": false, "name": "fcp_1", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"type": "fcp", "volume_group": {"id": "32B0B5-08XD-cNTj-1yue-rwed-X7W0-uWa4al"}, "logical_units": [{"discard_max_size": 8388608, "discard_zeroes_data": false, "id": "3514f0c5a51600501"}, {"lun_mapping": 2, "paths": 0, "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071"}, {"size": 161061273600, "storage_domain_id": "aa7e7f51-46a6-4f5c-8c40-7e5836569f71"}, {"vendor_id": "XtremIO", "volume_group_id": "32B0B5-08XD-cNTj-1yue-rwed-X7W0-uWa4al"}]}, "storage_connections": [], "storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 5368709120, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": true, "disk_profiles": [{"id": "6acb6282-3165-4e4d-9765-2c74a4fae009"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/6658a0ec-d1ae-4048-8ce3-e0640e0937ed", "id": "6658a0ec-d1ae-4048-8ce3-e0640e0937ed", "master": false, "name": "fcp_2", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"type": "fcp", "volume_group": {"id": "5f1ILM-bmpZ-g3qb-Walv-40rR-KPvy-QSx0jV"}, "logical_units": [{"discard_max_size": 8388608, "discard_zeroes_data": false, "id": "3514f0c5a51600502"}, {"lun_mapping": 3, "paths": 0, "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071"}, {"size": 161061273600, "storage_domain_id": "6658a0ec-d1ae-4048-8ce3-e0640e0937ed"}, {"vendor_id": "XtremIO", "volume_group_id": "5f1ILM-bmpZ-g3qb-Walv-40rR-KPvy-QSx0jV"}]}, "storage_connections": [], "storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 5368709120, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"available": 958851448832, "backup": false, "committed": 65498251264, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "2348f4d6-abce-4e0e-b35d-5edb1ae7de19"}], "disk_snapshots": [], "disks": [{"id": "85cb2ab9-cfde-4aa6-916c-ac7e8737c44f"}, {"id": "76af477c-a1d9-4806-9d47-cdeb8621bae3"}, {"id": "60a71642-d5b2-4bc7-997f-7da074999715"}, {"id": "11775db6-8c26-475e-894b-eb1f6f1f516a"}, {"id": "c36e22bc-e448-414d-8cd9-f1f12354c3e2"}, {"id": "9b53aed5-8447-40fb-a9d9-5105dac4fc6c"}], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/b7ea7cel-9ea9-4f87-8fc5-1a8d7ed602cc", "id": "b7ea7cel-9ea9-4f87-8fc5-1a8d7ed602cc", "master": true, "name": "hosted_storage", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "mount_options": "", "nfs_version": "v3", "path": "/Storage_NFS/storage_ge_2_he_nfs_he", "type": "nfs"}, "storage_connections": [{"id": "e4d3d825-86e7-4cd4-9959-31833bf14d8f"}], "storage_format": "v4", "supports_discard": false,
```

```
"supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 1239098064896, "vms": [{"id": "6e97ecf8-c9b9-40e5-a05a-ef790970b429"}]}, {"warning_low_space_indicator": 10, "wipe_after_delete": false}, {"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}]}, {"discard_after_delete": true, "disk_profiles": [{"id": "cadcf840-a4ce-49ff-a6ca-49e1c24346e0"}]}, {"disk_snapshots": [], "disks": []}, {"external_status": "ok", "href": "/ovirt-engine/api/storagedomains/f1684833-d55a-41a4-b968-f90afbeb56d6"}, {"id": "f1684833-d55a-41a4-b968-f90afbeb56d6"}, {"master": false, "name": "iscsi_0"}, {"permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}], {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}]}, {"storage": {"type": "iscsi", "volume_group": {"id": "6Vd9Zf-fmQM-Cxoh-35Lr-4XC1-vk8T-VHlfqk"}}, "logical_units": [{"address": "10.35.146.129"}]}, {"discard_max_size": 8388608, "discard_zeroes_data": false, "id": "3514f0c5a516004aa"}, {"lun_mapping": 1, "paths": 0, "port": 3260, "portal": "10.35.146.129:3260,1", "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071", "size": 161061273600, "storage_domain_id": "f1684833-d55a-41a4-b968-f90afbeb56d6"}, {"target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, {"vendor_id": "XtremIO", "volume_group_id": "6Vd9Zf-fmQM-Cxoh-35Lr-4XC1-vk8T-VHlfqk"}]}, {"storage_connections": [{"id": "ce0c2efa-c298-40a2-9ae4-8d6b70d762a2"}]}, {"storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 5368709120, "vms": []}, {"warning_low_space_indicator": 10, "wipe_after_delete": false}, {"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}]}, {"discard_after_delete": true, "disk_profiles": [{"id": "81f51ca8-2430-4554-acf5-8e600a067071"}]}, {"disk_snapshots": [], "disks": []}, {"external_status": "ok", "href": "/ovirt-engine/api/storagedomains/02f79030-e044-41ca-ae4a-7e17e6b5d2c4"}, {"id": "02f79030-e044-41ca-ae4a-7e17e6b5d2c4"}, {"master": false, "name": "iscsi_1"}, {"permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}], {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}]}, {"storage": {"type": "iscsi", "volume_group": {"id": "fm2FhV-0gUf-UR7m-ReLs-HSIg-0S1c-2V0DQM"}}, "logical_units": [{"address": "10.35.146.129"}]}, {"discard_max_size": 8388608, "discard_zeroes_data": false, "id": "3514f0c5a516004ab"}, {"lun_mapping": 2, "paths": 0, "port": 3260, "portal": "10.35.146.129:3260,1", "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071", "size": 161061273600, "storage_domain_id": "02f79030-e044-41ca-ae4a-7e17e6b5d2c4"}, {"target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, {"vendor_id": "XtremIO", "volume_group_id": "fm2FhV-0gUf-UR7m-ReLs-HSIg-0S1c-2V0DQM"}]}, {"storage_connections": [{"id": "ce0c2efa-c298-40a2-9ae4-8d6b70d762a2"}]}, {"storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 5368709120, "vms": []}, {"warning_low_space_indicator": 10, "wipe_after_delete": false}, {"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}]}, {"discard_after_delete": true, "disk_profiles": [{"id": "81cf252d-5d85-48e3-bd6d-ab457013f7f6"}]}, {"disk_snapshots": [], "disks": []}, {"external_status": "ok", "href": "/ovirt-engine/api/storagedomains/7511363b-6bb2-4b67-b5e4-ba647456c261"}, {"id": "7511363b-6bb2-4b67-b5e4-ba647456c261"}, {"master": false, "name": "iscsi_2"}, {"permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}], {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}]}, {"storage": {"type": "iscsi", "volume_group": {"id": "e2xZ0g-glwP-KYf6-h6hK-J7qw-91fd-uE6V3N"}}, "logical_units": [{"address": "10.35.146.129"}]}, {"discard_max_size": 8388608, "discard_zeroes_data": false, "id": "3514f0c5a516004ac"}, {"lun_mapping": 3, "paths": 0, "port": 3260, "portal": "10.35.146.129:3260,1", "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071", "size": 161061273600, "storage_domain_id": "7511363b-6bb2-4b67-b5e4-ba647456c261"}, {"target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}, {"vendor_id": "XtremIO", "volume_group_id": "e2xZ0g-glwP-KYf6-h6hK-J7qw-91fd-uE6V3N"}]}, {"storage_connections": [{"id": "ce0c2efa-c298-40a2-9ae4-8d6b70d762a2"}]}, {"storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 5368709120, "vms": []}, {"warning_low_space_indicator": 10, "wipe_after_delete": false}, {"available": 10737418240, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "discard_after_delete": false, "disk_profiles": [], "disk_snapshots": [], "external_status": "ok", "files": [], "href": "/ovirt-engine/api/storagedomains/d31037e5-0d45-4306-975b-73eea845ae86"}, {"id": "d31037e5-0d45-4306-975b-73eea845ae86"}, {"master": false, "name": "netappISO"}, {"permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}], {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}]}, {"status": "unattached", "storage": {"address": "mantis-nfs-lif1.lab.eng.tlv2.redhat.com", "path": "/iso_domain"}, "type": "nfs"}, {"path": "/iso_domain", "type": "nfs"}]
```

```
"storage_connections": [{"id": "7ecd9344-3e61-4f4e-be47-b7d5b4ee4cf3"}], "storage_format": "v1", "supports_discard": false, "supports_discard_zeroes_data": false, "type": "iso", "used": 90194313216, "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"available": 958851448832, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "451a6f92-e7f2-40b9-948d-929bb469d0ae"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/34f0c760-a50a-41e8-9945-727301cf6a1b", "id": "34f0c760-a50a-41e8-9945-727301cf6a1b", "master": false, "name": "nfs_0", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_0", "type": "nfs"}, "storage_connections": [{"id": "590edb1d-7fd0-44a0-bd04-60ec5bda9f81"}], "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 1239098064896, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"available": 958851448832, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "15ba219d-e823-48c6-b5ce-e1c78b9aef2b"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/9fee8801-9272-417c-8804-40a405d46d28", "id": "9fee8801-9272-417c-8804-40a405d46d28", "master": false, "name": "nfs_1", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_1", "type": "nfs"}, "storage_connections": [{"id": "857d9b6e-606a-45bf-a78b-000944a01b1e"}], "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 1239098064896, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"available": 958851448832, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "05bd4e70-4b86-4f7b-8034-2edf63c48000"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/490aa5f7-841d-4f33-b371-13be3cc226d", "id": "490aa5f7-841d-4f33-b371-13be3cc226d", "master": false, "name": "nfs_2", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_2", "type": "nfs"}, "storage_connections": [{"id": "aa1f7dbc-fbc3-49e2-abaa-68c47dfb733f"}], "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 1239098064896, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"available": 86973087744, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "050c7b97-3274-4da3-aec6-de50a789f39f"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/7b1fb1e4-0acb-4fb4-a078-02ac6d2d2307", "id": "7b1fb1e4-0acb-4fb4-a078-02ac6d2d2307", "master": false, "name": "test_gluster_0", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_0", "type": "glusterfs"}, "vfs_type": "glusterfs", "storage_connections": [{"id": "da7ef2a8-2305-4631-802b-cf00eab664f1"}], "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 608811614208, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"available": 86973087744, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "63fb939e-6eb0-43e3-8c8d-49409710519e"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/1b7a1bd4-c845-46bf-ac4d-2f7c71198001", "id": "1b7a1bd4-c845-46bf-ac4d-2f7c71198001", "master": false, "name": "test_gluster_1", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_1", "type": "glusterfs"}, "vfs_type": "glusterfs"},
```

```
"storage_connections": [{"id": "03f167f6-c49d-46b8-bb58-ab5aae4e37a9"}], "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 608811614208, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"available": 86973087744, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "3ac4fe95-0ace-4f00-a0c5-9f8c90f40a4b"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/c9da3e93-aea8-466d-a35e-ed255a91e1df", "id": "c9da3e93-aea8-466d-a35e-ed255a91e1df", "master": false, "name": "test_gluster_2", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_2", "type": "glusterfs", "vfs_type": "glusterfs"}, "storage_connections": [{"id": "89b5babf-5af0-4a4b-a701-fc2da312b87f"}], "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 608811614208, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}], "changed": false}
```

TASK [oVirt.infra/roles/oVirt.storages : Validate connections of storages] *****
An exception occurred during task execution. To see the full traceback, use -vvv. The error was: Error: Fault reason is "Incomplete parameters". Fault detail is "StorageConnection [type] required for add". HTTP response code is 400.
failed: [storage-ge-he-02.scl.lab.tlv.redhat.com] (item=[{"warning_low_space_indicator": 10, "supports_discard_zeroes_data": False, "wipe_after_delete": False, "href": "/ovirt-engine/api/storagedomains/a0528054-517d-49ff-95dc-9bdb2d54b91b", "committed": 0, "vms": [], "external_status": "ok", "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "available": 958851448832, "id": "a0528054-517d-49ff-95dc-9bdb2d54b91b", "master": False, "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "type": "export", "storage_format": "v1", "supports_discard": False, "templates": [], "used": 1239098064896, "disk_snapshots": [], "storage": {"path": "/Storage_NFS/export_domain_storage_local_ge12", "type": "nfs", "address": "yellow-vdsb.qa.lab.tlv.redhat.com"}, "discard_after_delete": False, "disk_profiles": [], "name": "export_domain", "critical_space_action_blocker": 5, "disks": [], "backup": False}, {"id": "3c24d8f6-ae77-4d76-aef1-6f3f8805ffc7"}]) => {"changed": false, "item": [{"available": 958851448832, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/a0528054-517d-49ff-95dc-9bdb2d54b91b", "id": "a0528054-517d-49ff-95dc-9bdb2d54b91b", "master": false, "name": "export_domain", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/export_domain_storage_local_ge12", "type": "nfs"}, "storage_format": "v1", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "export", "used": 1239098064896, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"id": "3c24d8f6-ae77-4d76-aef1-6f3f8805ffc7"}]}, "msg": "Fault reason is \"Incomplete parameters\". Fault detail is \"StorageConnection [type] required for add\". HTTP response code is 400."}
skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => (item=[{"warning_low_space_indicator": 10, "supports_discard_zeroes_data": False, "wipe_after_delete": False, "href": "/ovirt-engine/api/storagedomains/b7ea7cel-9ea9-4f87-8fc5-1a8d7ed602cc", "committed": 65498251264, "vms": [{"id": "6e97ecf8-c9b9-40e5-a05a-ef790970b429"}], "external_status": "ok", "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "available": 958851448832, "id": "b7ea7cel-9ea9-4f87-8fc5-1a8d7ed602cc", "master": True, "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "type": "data", "storage_format": "v4", "supports_discard": False, "templates": [], "used": 1239098064896, "disk_snapshots": [], "storage": {"path": "/Storage_NFS/storage_ge_2_he_nfs_he", "type": "nfs", "version": "v3", "address": "yellow-vdsb.qa.lab.tlv.redhat.com"}, "mount_options": "", "discard_after_delete": False, "disk_profiles": [{"id": "2348f4d6-abce-4e0e-b35d-"}]

```

5edb1ae7de19'}], u'name': u'hosted_storage', u'critical_space_action_blocker': 5, u'disks': [{u'id': u'85cb2ab9-cfde-4aa6-916c-ac7e8737c44f'}, {u'id': u'76af477c-a1d9-4806-9d47-cdeb8621bae3'}, {u'id': u'60a71642-d5b2-4bc7-997f-7da074999715'}, {u'id': u'11775db6-8c26-475e-894b-eb1f6f1f516a'}, {u'id': u'c36e22bc-e448-414d-8cd9-f1f12354c3e2'}, {u'id': u'9b53aed5-8447-40fb-a9d9-5105dac4fc6c'}], u'backup': False}, {u'id': u'e4d3d825-86e7-4cd4-9959-31833bf14d8f'}]) => {"changed": false, "item": [{"available": 958851448832, "backup": false, "committed": 65498251264, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "2348f4d6-abce-4e0e-b35d-5edb1ae7de19"}], "disk_snapshots": [], "disks": [{"id": "85cb2ab9-cfde-4aa6-916c-ac7e8737c44f"}, {"id": "76af477c-a1d9-4806-9d47-cdeb8621bae3"}, {"id": "60a71642-d5b2-4bc7-997f-7da074999715"}, {"id": "11775db6-8c26-475e-894b-eb1f6f1f516a"}, {"id": "c36e22bc-e448-414d-8cd9-f1f12354c3e2"}], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/b7ea7ce1-9ea9-4f87-8fc5-1a8d7ed602cc", "id": "b7ea7ce1-9ea9-4f87-8fc5-1a8d7ed602cc", "master": true, "name": "hosted_storage", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}], "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "mount_options": "", "nfs_version": "v3", "path": "/Storage_NFS/storage_ge_2_he_nfs_he", "type": "nfs"}, "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 1239098064896, "vms": [{"id": "6e97ecf8-c9b9-40e5-a05a-ef790970b429"}], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"id": "e4d3d825-86e7-4cd4-9959-31833bf14d8f"}], "skip_reason": "Conditional result was False"}]
An exception occurred during task execution. To see the full traceback, use -vvv. The error was: Error: Fault reason is "Incomplete parameters". Fault detail is "StorageConnection [type] required for add". HTTP response code is 400.
failed: [storage-ge-he-02.scl.lab.tlv.redhat.com] (item=[{"warning_low_space_indicator": 10, "supports_discard_zeroes_data": False, "wipe_after_delete": False, "href": "/ovirt-engine/api/storagedomains/f1684833-d55a-41a4-b968-f90afbeb56d6", "committed": 0, "vms": [], "external_status": "ok", "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "available": 154618822656, "id": "f1684833-d55a-41a4-b968-f90afbeb56d6", "master": False, "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}], "id": "6f50317e-828d-11e8-a26a-00163e7bd001}], "type": "data", "storage_format": "v4", "supports_discard": True, "templates": [], "used": 5368709120, "disk_snapshots": [], "storage": {"type": "iscsi", "volume_group": {"logical_units": [{"paths": 0, "discard_max_size": 8388608, "volume_group_id": "6Vd9Zf-fmQM-Cxoh-35Lr-4XC1-vk8T-VHlfqk"}, {"discard_zeroes_data": False, "vendor_id": "XtremIO", "id": "3514f0c5a516004aa", "product_id": "XtremApp", "portal": "10.35.146.129:3260,1", "address": "10.35.146.129", "lun_mapping": 1, "serial": "SXtremIO_XtremApp_XI000153500071", "size": 161061273600, "storage_domain_id": "f1684833-d55a-41a4-b968-f90afbeb56d6", "port": 3260, "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00"}]}, "id": "6Vd9Zf-fmQM-Cxoh-35Lr-4XC1-vk8T-VHlfqk"}, "discard_after_delete": True, "disk_profiles": [{"id": "cadcf840-a4ce-49ff-a6ca-49e1c24346e0"}], "name": "iscsi_0", "critical_space_action_blocker": 5, "disks": [], "backup": False}, {"id": "ce0c2efa-c298-40a2-9ae4-8d6b70d762a2"}]) => {"changed": false, "item": [{"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": true, "disk_profiles": [{"id": "cadcf840-a4ce-49ff-a6ca-49e1c24346e0"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/f1684833-d55a-41a4-b968-f90afbeb56d6", "id": "f1684833-d55a-41a4-b968-f90afbeb56d6", "master": false, "name": "iscsi_0", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}], "id": "6f50317e-828d-11e8-a26a-00163e7bd001}], "storage": {"type": "iscsi", "volume_group": {"logical_units": [{"address": "10.35.146.129", "discard_max_size": 8388608, "discard_zeroes_data": False, "id": "3514f0c5a516004aa", "lun_mapping": 1, "paths": 0, "port": 3260, "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071", "size": 161061273600, "storage_domain_id": "f1684833-d55a-41a4-b968-f90afbeb56d6", "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00", "vendor_id": "XtremIO", "volume_group_id": "6Vd9Zf-fmQM-Cxoh-35Lr-4XC1-vk8T-VHlfqk"}]}, "storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 5368709120, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"id": "ce0c2efa-c298-40a2-9ae4-8d6b70d762a2"}]}, "msg": "Fault reason is \"Incomplete parameters\". Fault detail is \"StorageConnection [type] required for add\". HTTP response code is 400."}

```

detail is \"StorageConnection [type] required for add\". HTTP response code is 400.\"}
An exception occurred during task execution. To see the full traceback, use -vvv. The error was: Error: Fault reason is "Incomplete parameters". Fault detail is "StorageConnection [type] required for add". HTTP response code is 400.
failed: [storage-ge-he-02.scl.lab.tlv.redhat.com] (item=[{u'warning_low_space_indicator': 10, u'supports_discard_zeroes_data': False, u>wipe_after_delete': False, u'href': u'/ovirt-engine/api/storagedomains/02f79030-e044-41ca-ae4a-7e17e6b5d2c4', u'committed': 0, u'vms': [], u'external_status': u'ok', u'data_centers': [{u'href': u'/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001', u'id': u'478b1ad2-828d-11e8-adab-00163e7bd001'}], u'available': 154618822656, u'id': u'02f79030-e044-41ca-ae4a-7e17e6b5d2c4', u'master': False, u'permissions': [{u'id': u'58ca605c-010d-0307-0224-000000001a9'}}, {u'id': u'6f50317e-828d-11e8-a26a-00163e7bd001}], u'type': u'data', u'storage_format': u've4', u'supports_discard': True, u'templates': [], u'used': 5368709120, u'disk_snapshots': [], u'storage': {u'type': u'iscsi', u'volume_group': {u'logical_units': [{u'paths': 0, u'discard_max_size': 8388608, u'volume_group_id': u'fm2FhV-0gUf-UR7m-ReLs-HSiG-0S1c-2V0DQM'}, u'discard_zeroes_data': False, u'vendor_id': u'XtremIO', u'id': u'3514f0c5a516004ab', u'product_id': u'XtremApp', u'portal': u'10.35.146.129:3260,1', u'address': u'10.35.146.129', u'lun_mapping': 2, u'serial': u'SXtremIO_XtremApp_XI000153500071', u'size': 161061273600, u'storage_domain_id': u'02f79030-e044-41ca-ae4a-7e17e6b5d2c4', u'port': 3260, u'target': u'iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00'}}, u'discard_after_delete': True, u'disk_profiles': [{u'id': u'81f51ca8-2430-4554-acf5-8e600a067071'}], u'name': u'iscsi_1', u'critical_space_action_blocker': 5, u'disks': [], u'backup': False}, {u'id': u'ce0c2efa-c298-40a2-9ae4-8d6b70d762a2}]) => {"changed": false, "item": [{"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": true, "disk_profiles": [{"id": "81f51ca8-2430-4554-acf5-8e600a067071"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/02f79030-e044-41ca-ae4a-7e17e6b5d2c4", "id": "02f79030-e044-41ca-ae4a-7e17e6b5d2c4", "master": false, "name": "iscsi_1", "permissions": [{"id": "58ca605c-010d-0307-0224-000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"type": "iscsi", "volume_group": {"id": "fm2FhV-0gUf-UR7m-ReLs-HSiG-0S1c-2V0DQM"}, "logical_units": [{"address": "10.35.146.129", "discard_max_size": 8388608, "discard_zeroes_data": false, "id": "3514f0c5a516004ab", "lun_mapping": 2, "paths": 0, "port": 3260, "portal": "10.35.146.129:3260,1", "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071", "size": 161061273600, "storage_domain_id": "02f79030-e044-41ca-ae4a-7e17e6b5d2c4", "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00", "vendor_id": "XtremIO", "volume_group_id": "fm2FhV-0gUf-UR7m-ReLs-HSiG-0S1c-2V0DQM"}]}, "storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 5368709120, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"id": "ce0c2efa-c298-40a2-9ae4-8d6b70d762a2}], "msg": "Fault reason is \"Incomplete parameters\". Fault detail is \"StorageConnection [type] required for add\". HTTP response code is 400.\"}
An exception occurred during task execution. To see the full traceback, use -vvv. The error was: Error: Fault reason is "Incomplete parameters". Fault detail is "StorageConnection [type] required for add". HTTP response code is 400.
failed: [storage-ge-he-02.scl.lab.tlv.redhat.com] (item=[{u'warning_low_space_indicator': 10, u'supports_discard_zeroes_data': False, u>wipe_after_delete': False, u'href': u'/ovirt-engine/api/storagedomains/7511363b-6bb2-4b67-b5e4-ba647456c261', u'committed': 0, u'vms': [], u'external_status': u'ok', u'data_centers': [{u'href': u'/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001', u'id': u'478b1ad2-828d-11e8-adab-00163e7bd001'}], u'available': 154618822656, u'id': u'7511363b-6bb2-4b67-b5e4-ba647456c261', u'master': False, u'permissions': [{u'id': u'58ca605c-010d-0307-0224-000000001a9'}}, {u'id': u'6f50317e-828d-11e8-a26a-00163e7bd001}], u'type': u'data', u'storage_format': u've4', u'supports_discard': True, u'templates': [], u'used': 5368709120, u'disk_snapshots': [], u'storage': {u'type': u'iscsi', u'volume_group': {u'logical_units': [{u'paths': 0, u'discard_max_size': 8388608, u'volume_group_id': u'e2xZ0g-glwP-KYf6-h6hK-J7qw-91fd-uE6V3N', u'discard_zeroes_data': False, u'vendor_id': u'XtremIO', u'id': u'3514f0c5a516004ac', u'product_id': u'XtremApp', u'portal': u'10.35.146.129:3260,1', u'address': u'10.35.146.129', u'lun_mapping': 3, u'serial': u'SXtremIO_XtremApp_XI000153500071', u'size': 161061273600, u'storage_domain_id': u'7511363b-6bb2-4b67-b5e4-ba647456c261', u'port': 3260, u'target': u'iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00'}}, u'discard_after_delete': True, u'disk_profiles': [{u'id': u'81cf252d-5d85-48e3-}]) => {"changed": false, "item": [{"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": true, "disk_profiles": [{"id": "81cf252d-5d85-48e3-}]}]

```
bd6d-ab457013f7f6'}], u'name': u'iscsi_2', u'critical_space_action_blocker': 5, u'disks': [], u'backup': False}, {u'id': u'ce0c2efa-c298-40a2-9ae4-8d6b70d762a2'}]) => {"changed": false, "item": [{"available": 154618822656, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001"}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": true, "disk_profiles": [{"id": "81cf252d-5d85-48e3-bd6d-ab457013f7f6"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/7511363b-6bb2-4b67-b5e4-ba647456c261", "id": "7511363b-6bb2-4b67-b5e4-ba647456c261", "master": false, "name": "iscsi_2", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"type": "iscsi", "volume_group": {"id": "e2xZ0g-glwP-KYf6-h6hK-J7qw-91fd-uE6V3N"}, "logical_units": [{"address": "10.35.146.129", "discard_max_size": 8388608, "discard_zeroes_data": false, "id": "3514f0c5a516004ac", "lun_mapping": 3, "paths": 0, "port": 3260, "portal": "10.35.146.129:3260,1", "product_id": "XtremApp", "serial": "SXtremIO_XtremApp_XI000153500071", "size": 161061273600, "storage_domain_id": "7511363b-6bb2-4b67-b5e4-ba647456c261", "target": "iqn.2008-05.com.xtremio:xio00153500071-514f0c50023f6c00", "vendor_id": "XtremIO", "volume_group_id": "e2xZ0g-glwP-KYf6-h6hK-J7qw-91fd-uE6V3N"}]}], "storage_format": "v4", "supports_discard": true, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 5368709120, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"id": "ce0c2efa-c298-40a2-9ae4-8d6b70d762a2"}], "msg": "Fault reason is \\\"Incomplete parameters\\\". Fault detail is \\\"StorageConnection [type] required for add\\\". HTTP response code is 400."} An exception occurred during task execution. To see the full traceback, use -vvv. The error was: Error: Fault reason is "Incomplete parameters". Fault detail is "StorageConnection [type] required for add". HTTP response code is 400.  
failed: [storage-ge-he-02.scl.lab.tlv.redhat.com] (item=[{u'warning_low_space_indicator': 10, u'supports_discard_zeroes_data': False, u'wipe_after_delete': False, u'href': '/ovirt-engine/api/storagedomains/d31037e5-0d45-4306-975b-73eea845ae86', u'committed': 0, u'id': 'd31037e5-0d45-4306-975b-73eea845ae86', u'external_status': 'ok', u'storage': {'path': '/iso_domain', 'type': 'nfs', 'address': 'mantis-nfs-lif1.lab.eng.tlv2.redhat.com'}, u'available': 10737418240, u'master': False, u'permissions': [{u'id': '58ca605c-010d-0307-0224-0000000001a9'}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], u'type': 'iso', u'storage_format': 'v1', u'supports_discard': False, u'files': [], u'used': 90194313216, u'disk_snapshots': [], u'discard_after_delete': False, u'name': 'netappISO', u'disk_profiles': [], u'critical_space_action_blocker': 5, u'status': 'unattached', u'backup': False}, {"id": "7ecd9344-3e61-4f4e-be47-b7d5b4ee4cf3'}]) => {"changed": false, "item": [{"available": 10737418240, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "discard_after_delete": false, "disk_profiles": [], "disk_snapshots": [], "external_status": "ok", "files": [], "href": "/ovirt-engine/api/storagedomains/d31037e5-0d45-4306-975b-73eea845ae86", "id": "d31037e5-0d45-4306-975b-73eea845ae86", "master": false, "name": "netappISO", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "status": "unattached", "storage": {"address": "mantis-nfs-lif1.lab.eng.tlv2.redhat.com", "path": "/iso_domain", "type": "nfs"}, "storage_format": "v1", "supports_discard": false, "supports_discard_zeroes_data": false, "type": "iso", "used": 90194313216, "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"id": "7ecd9344-3e61-4f4e-be47-b7d5b4ee4cf3"}], "msg": "Fault reason is \\\"Incomplete parameters\\\". Fault detail is \\\"StorageConnection [type] required for add\\\". HTTP response code is 400."} An exception occurred during task execution. To see the full traceback, use -vvv. The error was: Error: Fault reason is "Incomplete parameters". Fault detail is "StorageConnection [type] required for add". HTTP response code is 400.  
failed: [storage-ge-he-02.scl.lab.tlv.redhat.com] (item=[{u'warning_low_space_indicator': 10, u'supports_discard_zeroes_data': False, u'wipe_after_delete': False, u'href': '/ovirt-engine/api/storagedomains/34f0c760-a50a-41e8-9945-727301cf6alb', u'committed': 0, u'vms': [], u'external_status': 'ok', u'data_centers': [{"href": '/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001'}, {"id": "478b1ad2-828d-11e8-adab-00163e7bd001"]}], u'available': 958851448832, u'id': '34f0c760-a50a-41e8-9945-727301cf6alb', u'master': False, u'permissions': [{u'id': '58ca605c-010d-0307-0224-0000000001a9'}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], u'type': 'data', u'storage_format': 'v4', u'supports_discard': False, u'templates': [], u'used': 1239098064896, u'disk_snapshots': [], u'storage': {'path': '/Storage_NFS/storage_local_ge12_nfs_0', 'type': 'nfs', 'address': 'yellow-vdsb.qa.lab.tlv.redhat.com'}, u'discard_after_delete': False, u'disk_profiles': [{"id": "451a6f92-e7f2-40b9-948d-929bb469d0ae"}], u'name': 'nfs_0', u'critical_space_action_blocker': 5, u'disks': [], u'backup': False}, {"id": "590edb1d-451a-46f9-82f2-40b9-948d-929bb469d0ae"}]
```

```
7fd0-44a0-bd04-60ec5bda9f81' }]) => {"changed": false, "item": [{"available": 958851448832, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "451a6f92-e7f2-40b9-948d-929bb469d0ae"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/34f0c760-a50a-41e8-9945-727301cf6a1b", "id": "34f0c760-a50a-41e8-9945-727301cf6a1b", "master": false, "name": "nfs_0", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_0", "type": "nfs"}, "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 1239098064896, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"id": "590edb1d-7fd0-44a0-bd04-60ec5bda9f81"}], "msg": "Fault reason is \"Incomplete parameters\". Fault detail is \"StorageConnection [type] required for add\". HTTP response code is 400."}
```

An exception occurred during task execution. To see the full traceback, use -vvv. The error was: Error: Fault reason is "Incomplete parameters". Fault detail is "StorageConnection [type] required for add". HTTP response code is 400.

```
failed: [storage-ge-he-02.scl.lab.tlv.redhat.com] (item=[{"warning_low_space_indicator": 10, "supports_discard_zeroes_data": false, "wipe_after_delete": false, "href": "/ovirt-engine/api/storagedomains/9fee8801-9272-417c-8804-40a405d46d28", "committed": 0, "vms": [], "external_status": "ok", "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "available": 958851448832, "id": "9fee8801-9272-417c-8804-40a405d46d28", "master": false, "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "type": "data", "storage_format": "v4", "supports_discard": false, "templates": [], "used": 1239098064896, "disk_snapshots": [], "storage": {"path": "/Storage_NFS/storage_local_ge12_nfs_1", "type": "nfs"}, "address": "yellow-vdsb.qa.lab.tlv.redhat.com", "discard_after_delete": false, "disk_profiles": [{"id": "15ba219d-e823-48c6-b5ce-e1c78b9aef2b"}], "name": "nfs_1", "critical_space_action_blocker": 5, "disks": [], "backup": false}, {"id": "857d9b6e-606a-45bf-a78b-000944a01ble"}]) => {"changed": false, "item": [{"available": 958851448832, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "15ba219d-e823-48c6-b5ce-e1c78b9aef2b"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/9fee8801-9272-417c-8804-40a405d46d28", "id": "9fee8801-9272-417c-8804-40a405d46d28", "master": false, "name": "nfs_1", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_1", "type": "nfs"}, "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 1239098064896, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"id": "857d9b6e-606a-45bf-a78b-000944a01ble"}], "msg": "Fault reason is \"Incomplete parameters\". Fault detail is \"StorageConnection [type] required for add\". HTTP response code is 400."}
```

An exception occurred during task execution. To see the full traceback, use -vvv. The error was: Error: Fault reason is "Incomplete parameters". Fault detail is "StorageConnection [type] required for add". HTTP response code is 400.

```
failed: [storage-ge-he-02.scl.lab.tlv.redhat.com] (item=[{"warning_low_space_indicator": 10, "supports_discard_zeroes_data": false, "wipe_after_delete": false, "href": "/ovirt-engine/api/storagedomains/490aa5f7-841d-4f33-b371-13be3cc226d", "committed": 0, "vms": [], "external_status": "ok", "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "available": 958851448832, "id": "490aa5f7-841d-4f33-b371-13be3cc226d", "master": false, "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "type": "data", "storage_format": "v4", "supports_discard": false, "templates": [], "used": 1239098064896, "disk_snapshots": [], "storage": {"path": "/Storage_NFS/storage_local_ge12_nfs_2", "type": "nfs"}, "address": "yellow-vdsb.qa.lab.tlv.redhat.com", "discard_after_delete": false, "disk_profiles": [{"id": "05bd4e70-4b86-4f7b-8034-2edf63c48000"}], "name": "nfs_2", "critical_space_action_blocker": 5, "disks": [], "backup": false}, {"id": "aaf7dbc-fbc3-49e2-abaa-68c47dfb733f"}]) => {"changed": false, "item": [{"available": 958851448832,
```

```
"backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "05bd4e70-4b86-4f7b-8034-2edf63c48000"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/490aa5f7-841d-4f33-b371-13be3cccd226d", "id": "490aa5f7-841d-4f33-b371-13be3cccd226d", "master": false, "name": "nfs_2", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "yellow-vdsb.qa.lab.tlv.redhat.com", "path": "/Storage_NFS/storage_local_ge12_nfs_2", "type": "nfs"}, "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 1239098064896, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"id": "aa1f7dbc-fbc3-49e2-abaa-68c47dfb733f"}], "msg": "Fault reason is \"Incomplete parameters\". Fault detail is \"StorageConnection [type] required for add\". HTTP response code is 400."}
```

An exception occurred during task execution. To see the full traceback, use -vvv. The error was: Error: Fault reason is "Incomplete parameters". Fault detail is "StorageConnection [type] required for add". HTTP response code is 400.

```
failed: [storage-ge-he-02.scl.lab.tlv.redhat.com] (item=[{"warning_low_space_indicator": 10, "supports_discard_zeroes_data": False, "wipe_after_delete": False, "href": "/ovirt-engine/api/storagedomains/7b1fb1e4-0acb-4fb4-a078-02ac6d2d2307", "committed": 0, "vms": [], "external_status": "ok", "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "available": 86973087744, "id": "7b1fb1e4-0acb-4fb4-a078-02ac6d2d2307", "master": False, "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "type": "data", "storage_format": "v4", "supports_discard": False, "templates": [], "used": 608811614208, "disk_snapshots": [], "storage": {"path": "/storage_local_ge12_volume_0", "vfs_type": "glusterfs", "type": "glusterfs", "address": "gluster01.scl.lab.tlv.redhat.com"}, "discard_after_delete": False, "disk_profiles": [{"id": "050c7b97-3274-4da3-aec6-de50a789f39f"}], "name": "test_gluster_0", "critical_space_action_blocker": 5, "disks": [], "backup": False}, {"id": "da7ef2a8-2305-4631-802b-cf00eab664f1"}]) => {"changed": false, "item": [{"available": 86973087744, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "050c7b97-3274-4da3-aec6-de50a789f39f"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/7b1fb1e4-0acb-4fb4-a078-02ac6d2d2307", "id": "7b1fb1e4-0acb-4fb4-a078-02ac6d2d2307", "master": false, "name": "test_gluster_0", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_0", "type": "glusterfs", "vfs_type": "glusterfs"}, "storage_format": "v4", "supports_discard": False, "supports_discard_zeroes_data": False, "templates": [], "type": "data", "used": 608811614208, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"id": "da7ef2a8-2305-4631-802b-cf00eab664f1"}], "msg": "Fault reason is \"Incomplete parameters\". Fault detail is \"StorageConnection [type] required for add\". HTTP response code is 400."}
```

An exception occurred during task execution. To see the full traceback, use -vvv. The error was: Error: Fault reason is "Incomplete parameters". Fault detail is "StorageConnection [type] required for add". HTTP response code is 400.

```
failed: [storage-ge-he-02.scl.lab.tlv.redhat.com] (item=[{"warning_low_space_indicator": 10, "supports_discard_zeroes_data": False, "wipe_after_delete": False, "href": "/ovirt-engine/api/storagedomains/1b7a1bd4-c845-46bf-ac4d-2f7c71198001", "committed": 0, "vms": [], "external_status": "ok", "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "available": 86973087744, "id": "1b7a1bd4-c845-46bf-ac4d-2f7c71198001", "master": False, "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "type": "data", "storage_format": "v4", "supports_discard": False, "templates": [], "used": 608811614208, "disk_snapshots": [], "storage": {"path": "/storage_local_ge12_volume_1", "vfs_type": "glusterfs", "type": "glusterfs", "address": "gluster01.scl.lab.tlv.redhat.com"}, "discard_after_delete": False, "disk_profiles": [{"id": "63fb939e-6eb0-43e3-8c8d-49409710519e"}], "name": "test_gluster_1", "critical_space_action_blocker": 5, "disks": [], "backup": False}, {"id": "03f167f6-c49d-46b8-bb58-ab5aae4e37a9"}]) => {"changed": false, "item": [{"available": 86973087744,
```

```
"backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "63fb939e-6eb0-43e3-8c8d-49409710519e"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/1b7a1bd4-c845-46bf-ac4d-2f7c71198001", "id": "1b7a1bd4-c845-46bf-ac4d-2f7c71198001", "master": false, "name": "test_gluster_1", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}, {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_1", "type": "glusterfs", "vfs_type": "glusterfs"}, "storage_format": "v4", "supports_discard": false, "supports_discard_zeroes_data": false, "templates": [], "type": "data", "used": 608811614208, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"id": "03f167f6-c49d-46b8-bb58-ab5aae4e37a9"}], "msg": "Fault reason is \\\"Incomplete parameters\\\". Fault detail is \\\"StorageConnection [type] required for add\\\". HTTP response code is 400."}
```

An exception occurred during task execution. To see the full traceback, use -vvv. The error was: Error: Fault reason is "Incomplete parameters". Fault detail is "StorageConnection [type] required for add". HTTP response code is 400.

```
failed: [storage-ge-he-02.scl.lab.tlv.redhat.com] (item=[{"warning_low_space_indicator": 10, "supports_discard_zeroes_data": False, "wipe_after_delete": False, "href": "/ovirt-engine/api/storagedomains/c9da3e93-aea8-466d-a35e-ed255a91e1df", "committed": 0, "vms": [], "external_status": "ok", "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "available": 86973087744, "id": "c9da3e93-aea8-466d-a35e-ed255a91e1df", "master": False, "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}], {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "type": "data", "storage_format": "v4", "supports_discard": False, "templates": [], "used": 608811614208, "disk_snapshots": [], "storage": {"path": "/storage_local_ge12_volume_2", "vfs_type": "glusterfs", "type": "glusterfs", "address": "gluster01.scl.lab.tlv.redhat.com"}, "discard_after_delete": False, "disk_profiles": [{"id": "3ac4fe95-0ace-4f00-a0c5-9f8c90f40a4b"}], "name": "test_gluster_2", "critical_space_action_blocker": 5, "disks": [], "backup": False}, {"id": "89b5babf-5af0-4a4b-a701-fc2da312b87f"}]) => {"changed": false, "item": [{"available": 86973087744, "backup": false, "committed": 0, "critical_space_action_blocker": 5, "data_centers": [{"href": "/ovirt-engine/api/datacenters/478b1ad2-828d-11e8-adab-00163e7bd001", "id": "478b1ad2-828d-11e8-adab-00163e7bd001"}], "discard_after_delete": false, "disk_profiles": [{"id": "3ac4fe95-0ace-4f00-a0c5-9f8c90f40a4b"}], "disk_snapshots": [], "disks": [], "external_status": "ok", "href": "/ovirt-engine/api/storagedomains/c9da3e93-aea8-466d-a35e-ed255a91e1df", "id": "c9da3e93-aea8-466d-a35e-ed255a91e1df", "master": False, "name": "test_gluster_2", "permissions": [{"id": "58ca605c-010d-0307-0224-0000000001a9"}], {"id": "6f50317e-828d-11e8-a26a-00163e7bd001"}], "storage": {"address": "gluster01.scl.lab.tlv.redhat.com", "path": "/storage_local_ge12_volume_2", "type": "glusterfs", "vfs_type": "glusterfs"}, "storage_format": "v4", "supports_discard": False, "templates": [], "type": "data", "used": 608811614208, "vms": [], "warning_low_space_indicator": 10, "wipe_after_delete": false}, {"id": "89b5babf-5af0-4a4b-a701-fc2da312b87f"}], "msg": "Fault reason is \\\"Incomplete parameters\\\". Fault detail is \\\"StorageConnection [type] required for add\\\". HTTP response code is 400."}]
```

TASK [oVirt.infra : Logout from oVirt] ****
 skipping: [storage-ge-he-02.scl.lab.tlv.redhat.com] => {"changed": false, "skip_reason": "Conditional result was False"}

to retry, use: --limit @/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-playbooks/playbooks/ovirt-env-builder/config.retry

PLAY RECAP ****
 storage-ge-he-02.scl.lab.tlv.redhat.com : ok=101 changed=66 unreachable=0 failed=1

Build step 'Execute shell' marked build as failure

Performing Post build task...

Match found for :.* : True

Logical operation result is TRUE

Running script : #!/usr/bin/env bash

set -xe

```
echo "Executed from shell-scripts/ge-log-collector.sh"
source .ansible/bin/activate
if [ "4.2" = "4.1" ] || [ "False" = "True" ]; then
python $WORKSPACE/jenkins/tools/ge_env.py \
-e $WORKSPACE/jenkins/qe/golden-env-yamls/ge-$GE_NAME.yaml \
-v $WORKSPACE/env_vars.sh \
-i inventory
else
python $WORKSPACE/jenkins/tools/ge_env.py \
-d $WORKSPACE/jenkins/qe/GE-yamls/$GE_NAME.yaml \
-v $WORKSPACE/env_vars.sh \
-i inventory
fi
mkdir -p logs
source $WORKSPACE/env_vars.sh
rm -rf $WORKSPACE/group_vars
cp -rf $WORKSPACE/ansible-playbooks/variables/$PRODUCT-$VERSION $WORKSPACE/group_vars
echo "Running ovirt-collect-logs playbook, "
echo "you can see logs in logs/ovirt-collect-logs.log"
bash ansible-playbooks/run-playbook.sh \
ansible-playbooks/playbooks/ovirt-collect-logs \
$WORKSPACE/inventory > logs/ovirt-collect-logs.log
deactivate
[rhv-ge-ansible-builder-4.2] $ /usr/bin/env bash /tmp/jenkins4983218054630294644.sh
+ echo 'Executed from shell-scripts/ge-log-collector.sh'
Executed from shell-scripts/ge-log-collector.sh
+ source .ansible/bin/activate
++ deactivate nondestructive
++ unset -f pydoc
++ '[' -z '' ']'
++ '[' -z '' ']'
++ '[' -n /usr/bin/bash ']'
++ hash -r
++ '[' -z '' ']'
++ unset VIRTUAL_ENV
++ '[' '!' nondestructive = nondestructive ']'
++ VIRTUAL_ENV=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/.ansible
++ export VIRTUAL_ENV
++ _OLD_VIRTUAL_PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin
++ PATH=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-
4.2/.ansible/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin
++ export PATH
++ '[' -z '' ']'
++ '[' -z '' ']'
++ _OLD_VIRTUAL_PS1=
++ '[' x != x ']'
+++ basename /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/.ansible
++ PS1='(.ansible) '
++ export PS1
++ alias pydoc
++ '[' -n /usr/bin/bash ']'
++ hash -r
+ '[' 4.2 = 4.1 ']'
+ '[' False = True ']'
+ python /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/jenkins/tools/ge_env.py -d
/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/jenkins/qe/GE-yamls/storage-ge-he-
```

```
02.yaml -v /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/env_vars.sh -i inventory
+ mkdir -p logs
+ source /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/env_vars.sh
++ export PRODUCT=rhv
++ PRODUCT=rhv
++ export VERSION=4.2
++ VERSION=4.2
++ export VDS=aqua-
vds4.scl.lab.tlv.redhat.com,rose11.scl.lab.tlv.redhat.com,rose12.scl.lab.tlv.redhat.com
++ VDS=aqua-
vds4.scl.lab.tlv.redhat.com,rose11.scl.lab.tlv.redhat.com,rose12.scl.lab.tlv.redhat.com
++ export VDS_RHEL=aqua-
vds4.scl.lab.tlv.redhat.com,rose11.scl.lab.tlv.redhat.com,rose12.scl.lab.tlv.redhat.com
++ VDS_RHEL=aqua-
vds4.scl.lab.tlv.redhat.com,rose11.scl.lab.tlv.redhat.com,rose12.scl.lab.tlv.redhat.com
++ export 'VDS_RHEL_OS_VER=aqua-vds4.scl.lab.tlv.redhat.com:7.5
rose11.scl.lab.tlv.redhat.com:7.5 rose12.scl.lab.tlv.redhat.com:7.5'
++ VDS_RHEL_OS_VER='aqua-vds4.scl.lab.tlv.redhat.com:7.5 rose11.scl.lab.tlv.redhat.com:7.5
rose12.scl.lab.tlv.redhat.com:7.5'
++ export VDS_RHVH=
++ VDS_RHVH=
++ export VDS_RHVH_OS_VER=
++ VDS_RHVH_OS_VER=
++ export ENGINE=storage-ge-he-02.scl.lab.tlv.redhat.com
++ ENGINE=storage-ge-he-02.scl.lab.tlv.redhat.com
++ export ENGINE_RHEL_RELEASE=7.5
++ ENGINE_RHEL_RELEASE=7.5
++ export STORAGE_TYPES=fcp,iscsi,nfs,glusterfs
++ STORAGE_TYPES=fcp,iscsi,nfs,glusterfs
++ export HOSTED_ENGINE=True
++ HOSTED_ENGINE=True
++ export GLUSTER_ENV=False
++ GLUSTER_ENV=False
++ export ENV_ARCH=x86_64
++ ENV_ARCH=x86_64
+ rm -rf /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/group_vars
+ cp -rf /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-
playbooks/variables/rhv-4.2 /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/group_vars
+ echo 'Running ovirt-collect-logs playbook, '
Running ovirt-collect-logs playbook,
+ echo 'you can see logs in logs/ovirt-collect-logs.log'
you can see logs in logs/ovirt-collect-logs.log
+ bash ansible-playbooks/run-playbook.sh ansible-playbooks/playbooks/ovirt-collect-logs
/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/inventory
+ '[' -d ansible-playbooks/playbooks/ovirt-collect-logs ']'
+ '[' -e /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/inventory ']'
+ PLAYBOOK=ansible-playbooks/playbooks/ovirt-collect-logs
+ shift
+ INVENTORY=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/inventory
+ shift
+ PLAYBOOK_FILE=ansible-playbooks/playbooks/ovirt-collect-logs/config.yml
+ REQUIREMENTS=ansible-playbooks/playbooks/ovirt-collect-logs/requirements.yml
++ pwd
+ REQ_DIR=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-roles-deps
+ SSH_KEY=
+ '[' -e /root/jenkins_ssh_key ']'
+ '[' -n https://rhv-jenkins.rhev-ci-vms.eng.rdu2.redhat.com/ ']'
+ export ANSIBLE_FORCE_COLOR=true
+ ANSIBLE_FORCE_COLOR=true
+ '[' -e ansible-playbooks/playbooks/ovirt-collect-logs/config.yml ']'
+ '[' -e ansible-playbooks/playbooks/ovirt-collect-logs/requirements.yml ']'
+ rm -rf /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-roles-deps
+ mkdir -p /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-roles-deps
+ ansible-galaxy install -f -r ansible-playbooks/playbooks/ovirt-collect-
logs/requirements.yml -p /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-
```

```
roles-deps
+ export ANSIBLE_ROLES_PATH=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-roles-deps
+ ANSIBLE_ROLES_PATH=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-roles-deps
+ export ANSIBLE_HOST_KEY_CHECKING=False
+ ANSIBLE_HOST_KEY_CHECKING=False
++ pwd
+ export ANSIBLE_LIBRARY=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-playbooks/modules
+ ANSIBLE_LIBRARY=/var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/ansible-playbooks/modules
+ ansible-playbook -u root -i /var/lib/jenkins/workspace/rhv-ge-ansible-builder-4.2/inventory ansible-playbooks/playbooks/ovirt-collect-logs/config.yml
[WARNING]: Consider using the yum, dnf or zypper module rather than running rpm. If you need to use command because yum, dnf or zypper is insufficient you can add warn=False to this command task or set command_warnings=False in ansible.cfg to get rid of this message.
```

[WARNING]: Consider using the yum module rather than running yum. If you need to use command because yum is insufficient you can add warn=False to this command task or set command_warnings=False in ansible.cfg to get rid of this message.

[WARNING]: The src option requires state to be 'link' or 'hard'. This will become an error in Ansible 2.10

[WARNING]: Consider using the mount module rather than running mount. If you need to use command because mount is insufficient you can add warn=False to this command task or set command_warnings=False in ansible.cfg to get rid of this message.

[WARNING]: Consider using the unarchive module rather than running tar. If you need to use command because unarchive is insufficient you can add warn=False to this command task or set command_warnings=False in ansible.cfg to get rid of this message.

```
+ deactivate
+ unset -f pydoc
+ '[' -z _ ']'
+ PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin
+ export PATH
+ unset _OLD_VIRTUAL_PATH
+ '[' -z '' ']'
+ '[' -n /usr/bin/bash ']'
+ hash -r
+ '[' -z _ ']'
+ PS1=
+ export PS1
+ unset _OLD_VIRTUAL_PS1
+ unset VIRTUAL_ENV
+ '[' '!' '' = nondestructive ']'
+ unset -f deactivate
POST BUILD TASK : SUCCESS
END OF POST BUILD TASK : 0
Archiving artifacts
Archiving artifacts
Executed from: groovy-scripts/show-hosts-facts.groovy
Executed from: groovy-scripts/display-username.groovy
Started calculate disk usage of build
Finished Calculation of disk usage of build in 0 seconds
Started calculate disk usage of workspace
Finished Calculation of disk usage of workspace in 0 seconds
Finished: FAILURE
```