## Updated 02/14/2020. First we will create the Role: Administer > Roles

≡	🤩 Red Hat	Satellite	e acme ~ A	Any Location 🗸				
æ	Monitor	>						
8	Content	>	Rol					
Ŷ	Containers	>		Name * Description	updatehosts		ă.	
00		>						
JE	Configure	>		Locations ①	All items Filter		Selected items -	
æ		>					washington	
9%	Insights	>				4		
٠	Administer	>						
				Organizations 🛈	All items Filter		Selected items –	
							acme	
						æ		
			Su	ubmit Cancel				

Monitor	>	Filters » Edit filte	er for updatehosts role	11				
Content	>	Filter						
Hosts	>	Titter	Role	updatehosts			v	
Configure	>		Resource Type	Host			v	
Infrastructure	>		Permission *	All items Filter	<b>+</b>		Selected items	-
minasciucture							auto_provision_discovered_hosts	-
							build_hosts	1
Insights	>					<i>_</i>	cockpit_hosts	1
						den.,	console_hosts	
Administer	>						create_hosts	
							destroy_discovered_hosts	
								-
			Override? 🛈					
			Unlimited? ①					
			Search	name ~ iso*			×	

Adding Filter permissions to the Role. Remember to update the search box at the bottom.

### Completed Role with filter, permissions, and Search.

😑 🤩 Red Hat Satellite	acme ~ washington ~					📌 🚢 Adr
🚳 Monitor >	Roles > Edit updatehosts					
Content >	Role Filters					
📑 Hosts >	Filter					
🖟 Configure >	Resource	Permissions 11	Unlimited 11	Override 11	Search II	Actions 🕼
infrastructure >	Host	view, hosts, create, hosts, edit, hosts, destroy, hosts, huil, hosts, power, hosts, console-bosts, jorni, boot, hosts, pupperturn, hosts, cochpit, hosts, play, crieg, on, host, view, discovered, hosts, auto, provision, discovered, hosts, provision, discovered, hosts, edit, discovered, hosts,			name ~ Iso*	Edit v
	Showing 1 to 1 of 1 Items	destroy_discovered_hosts				« < 1 of 1 > »
	Submit Cancel					Disable all filters overriding New filter

# Create the user that will use the Role:

🚯 Monitor 📏	Users » Create User
🗐 Content 🗲 🗲	User Email Preferences Locations Organizations Roles SSH Keys
😭 Containers >	Login * updateuser
📑 Hosts 💙	Firstname Update
🔑 Configure 🗲 🗲	Lastname User Mail update@example.com
🚮 Infrastructure 🗲	Description
🛃 Insights 💙	G
🏟 Administer >	Language Browser locale *
	Timezone rimezone v
	Authorized by * INTERNAL x v
	Password * (*) Medium
	Verify* 💮
	Submit Cancel

æ			Users >> Create User
8	Content		
Ŷ	Containers		User Email Preferences Locations Organizations Roles SSH Keys Locations All items Filter Selected items -
111			washington
<i>s</i> €	Configure		50 F
æ			
8	Insights		Default on login washington x v
٠	Administer	>	
			Submit Cancel

# Default on login is useful to reduce the info that the user will be exposed to:

≡	🤩 Red Hat	:Satellite	e acme ~ Any Location ~						
<b>æ</b>		>	Users » Create User						
8	Content	>	User Email Prefere	ences Location	ns Organizations Re	oles SSH Ke	21/5		
Ŷ	Containers	>			All items Filter	+	Selected items	-	
		>					acme		
æ	Configure	>				4			
蕭		>							
<b>9</b>	Insights	>	De	fault on login	acme		× ×		
٠	Administer	>							
			Submit Cancel						

### Assign the Role:

📃 🐣 Red Hat Satellite					
🚯 Monitor 🗲 🗲	Users » Edit Update User ≓				
🛃 Content 🗲 🗲	User Email Preferences Locations Orr	Deles	COLL		
Containers >	User Email Preferences Locations Org	anizations Roles	22H K	eys	
📰 Hosts 💙	Roles All items	lter +		Selected items -	
🗲 Configure 🗲	Tasks Read View hosts	er			
🚠 Infrastructure 🗲	Viewer Virt-who Ma		÷		
🛃 Insights 🛛 🗲	Virt-who Re Virt-who Vie				
🏟 Administer 🗲 🗲					
	Submit Cancel				

## Hosts > All Hosts: Only the Content Hosts that match are displayed.

📃 🛛 🍮 Red Hat Satellite			9		1 9				🗘 🔒 Update User
🚯 Monitor >	Hos	ts							
🗮 Hosts 🛛 👌	1 nan	ne ~ iso*		x Q Search 🕅 🗸				Export Select Action	<ul> <li>Create Host</li> <li>0 of 2 selected</li> </ul>
		Power	Name	Operating system	Puppet Environment	Model	Host group	Last report	Actions
🔅 Administer >		C	Ø iso1rh76.internal	👞 RedHat 7.6		RHEV Hypervisor			Edit ~
		Q	𝞯 iso2rh76.internal	👞 RedHat 7.6		RHEV Hypervisor			Edit ~
	20 ^ per page 1.2 of 2 «								> >>

# Content Host being displayed with Errata available:

😑 🛛 🌭 Red Hat Satellite	e					Δ
🙆 Monitor >	iso1rh76.internal					
🗮 Hosts 🛛 👌	Content Hosts >> iso1rh76.interr	nal				
🔅 Administer >	Details Provisioning D	Details Subscriptions 🗸 Host Collections	Tasks Packages 🗸 Errata	a Module Streams Traces		
Administer >	Basic Information Name: UUID: Description: Type: Katello Agent :	iso1rh76Linternal abd3ee18-847c-49e6-906d-b0fd4e9948e2 rhev, kvm © installed	(2) (2)	Installable Errata Security: Bug Fix: Enhancement:	▲ 46 ≇:136 ∎ 12	
	Registered Through:	0 Content Hosts sat66a.lnternal virt-who-192.168.1.70-1		Content Host Content Release Version: Content View: Lifecycle Environment :	cv-os-rhel-7Server	ĭ 3 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	Subscriptions Subscription Status: Details: Auto-Attach:	© Fully entitled Yes	æ	Content Host Status Registered Registered By: Last Checkin:	Jan 20, 7:07 PM Jan 21, 1:32 AM	
	System Purpose System Purpose Status: Service Level (SLA): Usage Type: Role: Add ons:	Not Specified	2 x 2 x 2 x	Networking Hostname: IPv4 Address: IPv6 Address: Interfaces:	iso1rh76.internal 192.168.1.171 fe80:24d7:d197:ae4:æfe1 ✦ eth0	

Not shown: applying errata.