

<http://projects.gnome.org/NetworkManager/users/>

<http://ftp.gnome.org/pub/GNOME/sources/NetworkManager/0.7/>

Nov 25 12:02:46 inspiron9400 ntpd[1253]: Listening on interface #13 wlan0, 192.168.1.36#123
Enabled

>> deactivating wifi/wireless networking from within NetworkManager

Nov 25 12:04:35 inspiron9400 ntpd[1253]: time reset -0.281794 s
Nov 25 12:04:53 inspiron9400 NetworkManager: <info> (wlan0): device state change: 8 -> 2 (reason 0)
Nov 25 12:04:53 inspiron9400 NetworkManager: <info> (wlan0): deactivating device (reason: 0).
Nov 25 12:04:53 inspiron9400 NetworkManager: <info> (wlan0): canceled DHCP transaction, dhcp client pid 3735
Nov 25 12:04:53 inspiron9400 NetworkManager: <WARN> check_one_route(): (wlan0) error -34 returned from rtnl_route_del(): Success#012
Nov 25 12:04:53 inspiron9400 avahi-daemon[976]: Withdrawing address record for 192.168.1.36 on wlan0.
Nov 25 12:04:53 inspiron9400 avahi-daemon[976]: Leaving mDNS multicast group on interface wlan0.IPv4 with address 192.168.1.36.
Nov 25 12:04:53 inspiron9400 avahi-daemon[976]: Interface wlan0.IPv4 no longer relevant for mDNS.
Nov 25 12:04:53 inspiron9400 NetworkManager: <info> (wlan0): taking down device.
Nov 25 12:04:53 inspiron9400 avahi-daemon[976]: Withdrawing address record for fe80::213:2ff:fe3d:73ae on wlan0.
Nov 25 12:04:53 inspiron9400 dbus: Rejected send message, 2 matched rules; type="method_return", sender=":1.9" (uid=0 pid=1164 comm="NetworkManager) interface="(unset)" member="(unset)" error name="(unset)" requested_reply=0 destination=":1.187" (uid=500 pid=3543 comm="/usr/bin/nm-applet))
Nov 25 12:04:55 inspiron9400 ntpd[1253]: Deleting interface #11 wlan0, fe80::213:2ff:fe3d:73ae#123, interface stats: received=0, sent=0, dropped=0, active_time=283 secs
Nov 25 12:04:55 inspiron9400 ntpd[1253]: Deleting interface #13 wlan0, 192.168.1.36#123, interface stats: received=4, sent=4, dropped=0, active_time=129 secs

>> physically plugging-in sub-modem Huawei e220

Nov 25 12:05:25 inspiron9400 kernel: usb 4-2: new full speed USB device using uhci_hcd and address 4
Nov 25 12:05:25 inspiron9400 kernel: usb 4-2: New USB device found, idVendor=12d1, idProduct=1004
Nov 25 12:05:25 inspiron9400 kernel: usb 4-2: New USB device strings: Mfr=1, Product=2, SerialNumber=0
Nov 25 12:05:25 inspiron9400 kernel: usb 4-2: Product: HUAWEI Mobile
Nov 25 12:05:25 inspiron9400 kernel: usb 4-2: Manufacturer: HUAWEI Technologies
Nov 25 12:05:25 inspiron9400 kernel: usb 4-2: configuration #1 chosen from 1 choice
Nov 25 12:05:25 inspiron9400 kernel: scsi7 : SCSI emulation for USB Mass Storage devices
Nov 25 12:05:25 inspiron9400 kernel: usb 4-2: USB disconnect, address 4
Nov 25 12:05:32 inspiron9400 kernel: usb 4-2: new full speed USB device using uhci_hcd and address 5
Nov 25 12:05:32 inspiron9400 kernel: usb 4-2: New USB device found, idVendor=12d1,

idProduct=1004

Nov 25 12:05:32 inspiron9400 kernel: usb 4-2: New USB device strings: Mfr=1, Product=2, SerialNumber=0

Nov 25 12:05:32 inspiron9400 kernel: usb 4-2: Product: HUAWEI Mobile

Nov 25 12:05:32 inspiron9400 kernel: usb 4-2: Manufacturer: HUAWEI Technologies

Nov 25 12:05:32 inspiron9400 kernel: usb 4-2: configuration #1 chosen from 1 choice

Nov 25 12:05:32 inspiron9400 kernel: option 4-2:1.0: GSM modem (1-port) converter detected

Nov 25 12:05:32 inspiron9400 kernel: usb 4-2: GSM modem (1-port) converter now attached to ttyUSB0

Nov 25 12:05:32 inspiron9400 kernel: option 4-2:1.1: GSM modem (1-port) converter detected

Nov 25 12:05:32 inspiron9400 kernel: usb 4-2: GSM modem (1-port) converter now attached to ttyUSB1

Nov 25 12:05:32 inspiron9400 kernel: option 4-2:1.2: GSM modem (1-port) converter detected

Nov 25 12:05:32 inspiron9400 kernel: usb 4-2: GSM modem (1-port) converter now attached to ttyUSB2

Nov 25 12:05:32 inspiron9400 kernel: option 4-2:1.3: GSM modem (1-port) converter detected

Nov 25 12:05:32 inspiron9400 kernel: usb 4-2: GSM modem (1-port) converter now attached to ttyUSB3

Nov 25 12:05:32 inspiron9400 modem-manager: (ttyUSB0) opening serial device...

Nov 25 12:05:44 inspiron9400 modem-manager: (ttyUSB0) closing serial device...

Nov 25 12:05:44 inspiron9400 modem-manager: (Huawei): GSM modem

/sys/devices/pci0000:00/0000:00:1d.2/usb4/4-2 claimed port ttyUSB0

Nov 25 12:05:44 inspiron9400 NetworkManager: <info> (ttyUSB0): new GSM device (driver: 'option1')

Nov 25 12:05:44 inspiron9400 NetworkManager: <info> (ttyUSB0): exported as /org/freedesktop/NetworkManager/Devices/3

Nov 25 12:05:44 inspiron9400 NetworkManager: <info> (ttyUSB0): now managed

Nov 25 12:05:44 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 1 -> 2 (reason 2)

Nov 25 12:05:44 inspiron9400 modem-manager: (ttyUSB3) opening serial device...

Nov 25 12:05:44 inspiron9400 modem-manager: (ttyUSB2) opening serial device...

Nov 25 12:05:44 inspiron9400 modem-manager: (ttyUSB2) closing serial device...

Nov 25 12:05:44 inspiron9400 modem-manager: (Huawei): GSM modem

/sys/devices/pci0000:00/0000:00:1d.2/usb4/4-2 claimed port ttyUSB2

Nov 25 12:05:44 inspiron9400 modem-manager: (ttyUSB1) opening serial device...

Nov 25 12:05:44 inspiron9400 NetworkManager: <info> (ttyUSB0): deactivating device (reason: 2).

Nov 25 12:05:44 inspiron9400 NetworkManager: flush_routes: assertion `iface_idx >= 0' failed

Nov 25 12:05:44 inspiron9400 NetworkManager: flush_addresses: assertion `iface_idx >= 0' failed

Nov 25 12:05:44 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 2 -> 3 (reason 0)

Nov 25 12:05:49 inspiron9400 modem-manager: (ttyUSB3) closing serial device...

Nov 25 12:05:49 inspiron9400 modem-manager: (ttyUSB3) opening serial device...

Nov 25 12:05:49 inspiron9400 modem-manager: (ttyUSB1) closing serial device...

Nov 25 12:05:49 inspiron9400 modem-manager: (ttyUSB1) opening serial device...

Nov 25 12:06:01 inspiron9400 modem-manager: (ttyUSB3) closing serial device...

Nov 25 12:06:01 inspiron9400 modem-manager: (ttyUSB1) closing serial device...

>> connecting to mobile connection via NetworkManager

Nov 25 12:06:11 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) starting connection

'movistar (Telefonica) Default 1'

Nov 25 12:06:11 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 3 -> 4 (reason 0)
Nov 25 12:06:11 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) scheduled...
Nov 25 12:06:11 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) started...
Nov 25 12:06:11 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 4 -> 6 (reason 0)
Nov 25 12:06:11 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) complete.
Nov 25 12:06:11 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) scheduled...
Nov 25 12:06:11 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) started...
Nov 25 12:06:11 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 6 -> 4 (reason 0)
Nov 25 12:06:11 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) complete.
Nov 25 12:06:11 inspiron9400 modem-manager: (ttyUSB0) opening serial device...
Nov 25 12:06:14 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 2 of 5 (Device Configure) scheduled...
Nov 25 12:06:14 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 2 of 5 (Device Configure) starting...
Nov 25 12:06:14 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 4 -> 5 (reason 0)
Nov 25 12:06:14 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 2 of 5 (Device Configure) successful.
Nov 25 12:06:14 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 3 of 5 (IP Configure Start) scheduled.
Nov 25 12:06:14 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 2 of 5 (Device Configure) complete.
Nov 25 12:06:14 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 3 of 5 (IP Configure Start) started...
Nov 25 12:06:14 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 5 -> 7 (reason 0)
Nov 25 12:06:14 inspiron9400 NetworkManager: <info> Starting pppd connection
Nov 25 12:06:14 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 4 of 5 (IP6 Configure Get) scheduled...
Nov 25 12:06:14 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 3 of 5 (IP Configure Start) complete.
Nov 25 12:06:14 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 4 of 5 (IP6 Configure Get) started...
Nov 25 12:06:14 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 4 of 5 (IP6 Configure Get) complete.
Nov 25 12:06:14 inspiron9400 pppd[3896]: Warning: can't open options file /root/.ppprc: Permission denied
Nov 25 12:06:14 inspiron9400 pppd[3896]: Plugin /usr/lib/pppd/2.4.4/nm-pppd-plugin.so loaded.
Nov 25 12:06:14 inspiron9400 pppd[3896]: pppd 2.4.4 started by root, uid 0

Nov 25 12:06:14 inspiron9400 pppd[3896]: Using interface ppp0
Nov 25 12:06:14 inspiron9400 pppd[3896]: Connect: ppp0 <--> /dev/ttyUSB0
Nov 25 12:06:14 inspiron9400 pppd[3896]: CHAP authentication succeeded
Nov 25 12:06:14 inspiron9400 pppd[3896]: CHAP authentication succeeded
Nov 25 12:06:23 inspiron9400 pppd[3896]: Could not determine remote IP address: defaulting to 10.64.64.64
Nov 25 12:06:23 inspiron9400 pppd[3896]: local IP address 88.28.244.228
Nov 25 12:06:23 inspiron9400 pppd[3896]: remote IP address 10.64.64.64
Nov 25 12:06:23 inspiron9400 pppd[3896]: primary DNS address 10.11.12.13
Nov 25 12:06:23 inspiron9400 pppd[3896]: secondary DNS address 10.11.12.14
Nov 25 12:06:23 inspiron9400 NetworkManager: <info> PPP manager(IP Config Get) reply received.
Nov 25 12:06:23 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 4 of 5 (IP4 Configure Get) scheduled...
Nov 25 12:06:23 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 4 of 5 (IP4 Configure Get) started...
Nov 25 12:06:23 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 5 of 5 (IP Configure Commit) scheduled...
Nov 25 12:06:23 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 4 of 5 (IP4 Configure Get) complete.
Nov 25 12:06:23 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 5 of 5 (IP Configure Commit) started...
Nov 25 12:06:24 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 7 -> 8 (reason 0)
Nov 25 12:06:24 inspiron9400 NetworkManager: <info> Policy set 'movistar (Telefonica) Default 1' (ppp0) as default for routing and DNS.
Nov 25 12:06:24 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) successful, device activated.
Nov 25 12:06:24 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 5 of 5 (IP Configure Commit) complete.
Nov 25 12:06:24 inspiron9400 ntpd[1253]: Listening on interface #14 ppp0, 88.28.244.228#123 Enabled

>> manually disconnecting mobile connection via Network Manager

Nov 25 12:07:06 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 8 -> 3 (reason 39)

Nov 25 12:07:06 inspiron9400 NetworkManager: <info> (ttyUSB0): deactivating device (reason: 39).

Nov 25 12:07:06 inspiron9400 NetworkManager: <WARN> check_one_route(): (ppp0) error -34 returned from rtnl_route_del(): Sucess#012

Nov 25 12:07:06 inspiron9400 pppd[3896]: Terminating on signal 15

Nov 25 12:07:06 inspiron9400 pppd[3896]: Connect time 0.8 minutes.

Nov 25 12:07:06 inspiron9400 pppd[3896]: Sent 13354 bytes, received 89076 bytes.

Nov 25 12:07:06 inspiron9400 dbus: Rejected send message, 2 matched rules; type="error", sender=":1.9" (uid=0 pid=1164 comm="NetworkManager) interface="(unset)" member="(unset)" error name="org.freedesktop.DBus.Error.UnknownMethod" requested_reply=0 destination=":1.197" (uid=0 pid=3896 comm="/usr/sbin/pppd))

Nov 25 12:07:06 inspiron9400 dbus: Rejected send message, 2 matched rules; type="error", sender=":1.9" (uid=0 pid=1164 comm="NetworkManager) interface="(unset)" member="(unset)" error name="org.freedesktop.DBus.Error.UnknownMethod" requested_reply=0 destination=":1.197" (uid=0 pid=3896 comm="/usr/sbin/pppd))

Nov 25 12:07:06 inspiron9400 dbus: Rejected send message, 2 matched rules; type="error", sender=":1.9" (uid=0 pid=1164 comm="NetworkManager) interface="(unset)" member="(unset)" error name="org.freedesktop.DBus.Error.UnknownMethod" requested_reply=0 destination=":1.197" (uid=0 pid=3896 comm="/usr/sbin/pppd))
Nov 25 12:07:06 inspiron9400 pppd[3896]: Connection terminated.
Nov 25 12:07:06 inspiron9400 dbus: Rejected send message, 2 matched rules; type="error", sender=":1.9" (uid=0 pid=1164 comm="NetworkManager) interface="(unset)" member="(unset)" error name="org.freedesktop.DBus.Error.UnknownMethod" requested_reply=0 destination=":1.197" (uid=0 pid=3896 comm="/usr/sbin/pppd))
Nov 25 12:07:06 inspiron9400 pppd[3896]: Exit.
Nov 25 12:07:06 inspiron9400 dbus: Rejected send message, 2 matched rules; type="error", sender=":1.9" (uid=0 pid=1164 comm="NetworkManager) interface="(unset)" member="(unset)" error name="org.freedesktop.DBus.Error.UnknownMethod" requested_reply=0 destination=":1.197" (uid=0 pid=3896 comm="/usr/sbin/pppd))
Nov 25 12:07:07 inspiron9400 modem-manager: (ttyUSB0) closing serial device...
Nov 25 12:07:07 inspiron9400 ntpd[1253]: Deleting interface #14 ppp0, 88.28.244.228#123, interface stats: received=3, sent=3, dropped=0, active_time=43 secs

>> attempting to manually reconnect mobile connection via NetworkManager

Nov 25 12:07:34 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) starting connection 'movistar (Telefonica) Default 1'

Nov 25 12:07:34 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 3 -> 4 (reason 0)

Nov 25 12:07:34 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) scheduled...

Nov 25 12:07:34 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) started...

Nov 25 12:07:34 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 4 -> 6 (reason 0)

Nov 25 12:07:34 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) complete.

Nov 25 12:07:34 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) scheduled...

Nov 25 12:07:34 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) started...

Nov 25 12:07:34 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 6 -> 4 (reason 0)

Nov 25 12:07:34 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) complete.

Nov 25 12:07:34 inspiron9400 modem-manager: (ttyUSB0) opening serial device...

Nov 25 12:07:34 inspiron9400 NetworkManager: <WARN> stage1_prepare_done(): GSM modem connection failed: Sending command failed: device is connected

Nov 25 12:07:34 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 4 -> 9 (reason 1)

Nov 25 12:07:34 inspiron9400 NetworkManager: <info> Marking connection 'movistar (Telefonica) Default 1' invalid.

Nov 25 12:07:34 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) failed.

Nov 25 12:07:34 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 9 -> 3 (reason 0)

Nov 25 12:07:34 inspiron9400 NetworkManager: <info> (ttyUSB0): deactivating device (reason: 0).
Nov 25 12:07:34 inspiron9400 NetworkManager: flush_routes: assertion `iface_idx >= 0' failed
Nov 25 12:07:34 inspiron9400 NetworkManager: flush_addresses: assertion `iface_idx >= 0' failed
Nov 25 12:07:35 inspiron9400 modem-manager: (ttyUSB0) closing serial device...

>>2nd attempt to reconnect manually via Network Manager with Huawei

Nov 25 12:08:04 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) starting connection 'movistar (Telefonica) Default 1'
Nov 25 12:08:04 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 3 -> 4 (reason 0)
Nov 25 12:08:04 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) scheduled...
Nov 25 12:08:04 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) started...
Nov 25 12:08:04 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 4 -> 6 (reason 0)
Nov 25 12:08:04 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) complete.
Nov 25 12:08:04 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) scheduled...
Nov 25 12:08:04 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) started...
Nov 25 12:08:04 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 6 -> 4 (reason 0)
Nov 25 12:08:04 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) Stage 1 of 5 (Device Prepare) complete.
Nov 25 12:08:04 inspiron9400 modem-manager: (ttyUSB0) opening serial device...
Nov 25 12:08:04 inspiron9400 NetworkManager: <WARN> stage1_prepare_done(): GSM modem connection failed: Sending command failed: device is connected
Nov 25 12:08:04 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 4 -> 9 (reason 1)
Nov 25 12:08:04 inspiron9400 NetworkManager: <info> Marking connection 'movistar (Telefonica) Default 1' invalid.
Nov 25 12:08:04 inspiron9400 NetworkManager: <info> Activation (ttyUSB0) failed.
Nov 25 12:08:04 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 9 -> 3 (reason 0)
Nov 25 12:08:04 inspiron9400 NetworkManager: <info> (ttyUSB0): deactivating device (reason: 0).
Nov 25 12:08:04 inspiron9400 NetworkManager: flush_routes: assertion `iface_idx >= 0' failed
Nov 25 12:08:04 inspiron9400 NetworkManager: flush_addresses: assertion `iface_idx >= 0' failed
Nov 25 12:08:05 inspiron9400 modem-manager: (ttyUSB0) closing serial device...
Nov 25 12:08:08 inspiron9400 kernel: usb 4-2: USB disconnect, address 5
Nov 25 12:08:08 inspiron9400 kernel: option: option_instat_callback: error -108
Nov 25 12:08:08 inspiron9400 kernel: option1 ttyUSB0: GSM modem (1-port) converter now disconnected from ttyUSB0
Nov 25 12:08:08 inspiron9400 kernel: option 4-2:1.0: device disconnected
Nov 25 12:08:08 inspiron9400 kernel: option1 ttyUSB1: GSM modem (1-port) converter now disconnected from ttyUSB1

Nov 25 12:08:08 inspiron9400 kernel: option 4-2:1.1: device disconnected
Nov 25 12:08:08 inspiron9400 kernel: option1 ttyUSB2: GSM modem (1-port) converter now disconnected from ttyUSB2
Nov 25 12:08:08 inspiron9400 kernel: option 4-2:1.2: device disconnected
Nov 25 12:08:08 inspiron9400 kernel: option1 ttyUSB3: GSM modem (1-port) converter now disconnected from ttyUSB3
Nov 25 12:08:08 inspiron9400 kernel: option 4-2:1.3: device disconnected
Nov 25 12:08:08 inspiron9400 NetworkManager: <info> (ttyUSB0): now unmanaged
Nov 25 12:08:08 inspiron9400 NetworkManager: <info> (ttyUSB0): device state change: 3 -> 1 (reason 36)
Nov 25 12:08:08 inspiron9400 NetworkManager: <info> (ttyUSB0): cleaning up...
Nov 25 12:08:08 inspiron9400 NetworkManager: <info> (ttyUSB0): taking down device.
Nov 25 12:08:08 inspiron9400 dbus: Rejected send message, 3 matched rules; type="error", sender=":1.11" (uid=0 pid=1169 comm="/usr/sbin/modem-manager) interface="(unset)" member="(unset)" error name="org.freedesktop.DBus.Error.UnknownMethod" requested_reply=0 destination=":1.9" (uid=0 pid=1164 comm="NetworkManager))

>>physically unplug Huawei modem

>> physically plug-in ZTE modem

Nov 25 12:09:06 inspiron9400 kernel: usb 1-6: new high speed USB device using ehci_hcd and address 10
Nov 25 12:09:07 inspiron9400 kernel: usb 1-6: New USB device found, idVendor=19d2, idProduct=2000
Nov 25 12:09:07 inspiron9400 kernel: usb 1-6: New USB device strings: Mfr=2, Product=1, SerialNumber=3
Nov 25 12:09:07 inspiron9400 kernel: usb 1-6: Product: ZTE CDMA Technologies MSM
Nov 25 12:09:07 inspiron9400 kernel: usb 1-6: Manufacturer: ZTE, Incorporated
Nov 25 12:09:07 inspiron9400 kernel: usb 1-6: SerialNumber: TMEP673M3MassSto
Nov 25 12:09:07 inspiron9400 kernel: usb 1-6: configuration #1 chosen from 1 choice
Nov 25 12:09:07 inspiron9400 kernel: scsi12 : SCSI emulation for USB Mass Storage devices
Nov 25 12:09:12 inspiron9400 kernel: scsi 12:0:0:0: CD-ROM ZTE USB SCSI CD-ROM 2.31 PQ: 0 ANSI: 2
Nov 25 12:09:12 inspiron9400 kernel: sr1: scsi-1 drive
Nov 25 12:09:12 inspiron9400 kernel: sr 12:0:0:0: Attached scsi generic sg2 type 5

>> wait to see if modem recognized. After 40 seconds, eject usb-mass-storage using Dolphin

Nov 25 12:10:08 inspiron9400 kernel: usb 1-6: USB disconnect, address 10
Nov 25 12:10:13 inspiron9400 kernel: usb 1-6: new high speed USB device using ehci_hcd and address 11
Nov 25 12:10:13 inspiron9400 kernel: usb 1-6: New USB device found, idVendor=19d2, idProduct=0066
Nov 25 12:10:13 inspiron9400 kernel: usb 1-6: New USB device strings: Mfr=2, Product=1, SerialNumber=0
Nov 25 12:10:13 inspiron9400 kernel: usb 1-6: Product: ZTE CDMA Technologies MSM
Nov 25 12:10:13 inspiron9400 kernel: usb 1-6: Manufacturer: ZTE, Incorporated
Nov 25 12:10:13 inspiron9400 kernel: usb 1-6: configuration #1 chosen from 1 choice
Nov 25 12:10:13 inspiron9400 kernel: option 1-6:1.0: GSM modem (1-port) converter detected
Nov 25 12:10:13 inspiron9400 kernel: usb 1-6: GSM modem (1-port) converter now attached to

ttyUSB0
Nov 25 12:10:13 inspiron9400 kernel: option 1-6:1.1: GSM modem (1-port) converter detected
Nov 25 12:10:13 inspiron9400 kernel: usb 1-6: GSM modem (1-port) converter now attached to ttyUSB1
Nov 25 12:10:13 inspiron9400 kernel: option 1-6:1.2: GSM modem (1-port) converter detected
Nov 25 12:10:13 inspiron9400 kernel: usb 1-6: GSM modem (1-port) converter now attached to ttyUSB2
Nov 25 12:10:13 inspiron9400 kernel: option 1-6:1.3: GSM modem (1-port) converter detected
Nov 25 12:10:13 inspiron9400 kernel: usb 1-6: GSM modem (1-port) converter now attached to ttyUSB3
Nov 25 12:10:13 inspiron9400 kernel: scsi13 : SCSI emulation for USB Mass Storage devices
Nov 25 12:10:13 inspiron9400 modem-manager: (ttyUSB0) opening serial device...
Nov 25 12:10:13 inspiron9400 modem-manager: (ttyUSB2) opening serial device...
Nov 25 12:10:13 inspiron9400 modem-manager: (ttyUSB3) opening serial device...
Nov 25 12:10:13 inspiron9400 modem-manager: (ttyUSB1) opening serial device...
Nov 25 12:10:18 inspiron9400 kernel: scsi 13:0:0:0: Direct-Access ZTE MMC Storage 2.31 PQ: 0 ANSI: 2
Nov 25 12:10:18 inspiron9400 kernel: sd 13:0:0:0: Attached scsi generic sg2 type 0
Nov 25 12:10:18 inspiron9400 kernel: sd 13:0:0:0: [sdb] Attached SCSI removable disk
Nov 25 12:10:22 inspiron9400 modem-manager: (ttyUSB3) closing serial device...
Nov 25 12:10:22 inspiron9400 modem-manager: (ttyUSB1) closing serial device...
Nov 25 12:10:22 inspiron9400 modem-manager: (ZTE): GSM modem
/sys/devices/pci0000:00/0000:00:1d.7/usb1/1-6 claimed port ttyUSB3
Nov 25 12:10:22 inspiron9400 modem-manager: (ZTE): GSM modem
/sys/devices/pci0000:00/0000:00:1d.7/usb1/1-6 claimed port ttyUSB1
Nov 25 12:10:22 inspiron9400 NetworkManager: <info> (ttyUSB3): new GSM device (driver: 'option1')
Nov 25 12:10:22 inspiron9400 NetworkManager: <info> (ttyUSB3): exported as /org/freedesktop/NetworkManager/Devices/4
Nov 25 12:10:22 inspiron9400 NetworkManager: <info> (ttyUSB3): now managed
Nov 25 12:10:22 inspiron9400 NetworkManager: <info> (ttyUSB3): device state change: 1 -> 2 (reason 2)
Nov 25 12:10:22 inspiron9400 NetworkManager: <info> (ttyUSB3): deactivating device (reason: 2).
Nov 25 12:10:22 inspiron9400 NetworkManager: flush_routes: assertion `iface_idx >= 0' failed
Nov 25 12:10:22 inspiron9400 NetworkManager: flush_addresses: assertion `iface_idx >= 0' failed
Nov 25 12:10:22 inspiron9400 NetworkManager: <info> (ttyUSB3): device state change: 2 -> 3 (reason 0)
Nov 25 12:10:27 inspiron9400 modem-manager: (ttyUSB0) closing serial device...
Nov 25 12:10:28 inspiron9400 modem-manager: (ttyUSB2) closing serial device...

>> start mobile connection now visible in NetworkManager

Nov 25 12:11:45 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) starting connection 'movistar (Telefonica) Default 1'

Nov 25 12:11:45 inspiron9400 NetworkManager: <info> (ttyUSB3): device state change: 3 -> 4 (reason 0)

Nov 25 12:11:45 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 1 of 5 (Device Prepare) scheduled...

Nov 25 12:11:45 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 1 of 5 (Device Prepare) started...

Nov 25 12:11:45 inspiron9400 NetworkManager: <info> (ttyUSB3): device state change: 4 -> 6 (reason 0)
Nov 25 12:11:45 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 1 of 5 (Device Prepare) complete.
Nov 25 12:11:45 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 1 of 5 (Device Prepare) scheduled...
Nov 25 12:11:45 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 1 of 5 (Device Prepare) started...
Nov 25 12:11:45 inspiron9400 NetworkManager: <info> (ttyUSB3): device state change: 6 -> 4 (reason 0)
Nov 25 12:11:45 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 1 of 5 (Device Prepare) complete.
Nov 25 12:11:45 inspiron9400 modem-manager: (ttyUSB3) opening serial device...
Nov 25 12:11:47 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 2 of 5 (Device Configure) scheduled...
Nov 25 12:11:47 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 2 of 5 (Device Configure) starting...
Nov 25 12:11:47 inspiron9400 NetworkManager: <info> (ttyUSB3): device state change: 4 -> 5 (reason 0)
Nov 25 12:11:47 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 2 of 5 (Device Configure) successful.
Nov 25 12:11:47 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 3 of 5 (IP Configure Start) scheduled.
Nov 25 12:11:47 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 2 of 5 (Device Configure) complete.
Nov 25 12:11:47 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 3 of 5 (IP Configure Start) started...
Nov 25 12:11:47 inspiron9400 NetworkManager: <info> (ttyUSB3): device state change: 5 -> 7 (reason 0)
Nov 25 12:11:47 inspiron9400 NetworkManager: <info> Starting pppd connection
Nov 25 12:11:47 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 4 of 5 (IP6 Configure Get) scheduled...
Nov 25 12:11:47 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 3 of 5 (IP Configure Start) complete.
Nov 25 12:11:47 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 4 of 5 (IP6 Configure Get) started...
Nov 25 12:11:47 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 4 of 5 (IP6 Configure Get) complete.
Nov 25 12:11:47 inspiron9400 pppd[4190]: Warning: can't open options file /root/.ppprc: Permission denied
Nov 25 12:11:47 inspiron9400 pppd[4190]: Plugin /usr/lib/pppd/2.4.4/nm-pppd-plugin.so loaded.
Nov 25 12:11:47 inspiron9400 pppd[4190]: pppd 2.4.4 started by root, uid 0
Nov 25 12:11:47 inspiron9400 pppd[4190]: Using interface ppp0
Nov 25 12:11:47 inspiron9400 pppd[4190]: Connect: ppp0 <--> /dev/ttyUSB3
Nov 25 12:11:47 inspiron9400 pppd[4190]: CHAP authentication succeeded
Nov 25 12:11:47 inspiron9400 pppd[4190]: CHAP authentication succeeded
Nov 25 12:11:56 inspiron9400 pppd[4190]: Could not determine remote IP address: defaulting to 10.64.64.64
Nov 25 12:11:56 inspiron9400 pppd[4190]: local IP address 88.28.31.248

Nov 25 12:11:56 inspiron9400 pppd[4190]: remote IP address 10.64.64.64
Nov 25 12:11:56 inspiron9400 pppd[4190]: primary DNS address 10.11.12.13
Nov 25 12:11:56 inspiron9400 pppd[4190]: secondary DNS address 10.11.12.14
Nov 25 12:11:56 inspiron9400 NetworkManager: <info> PPP manager(IP Config Get) reply received.
Nov 25 12:11:56 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 4 of 5 (IP4 Configure Get) scheduled...
Nov 25 12:11:56 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 4 of 5 (IP4 Configure Get) started...
Nov 25 12:11:56 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 5 of 5 (IP Configure Commit) scheduled...
Nov 25 12:11:56 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 4 of 5 (IP4 Configure Get) complete.
Nov 25 12:11:56 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 5 of 5 (IP Configure Commit) started...
Nov 25 12:11:57 inspiron9400 NetworkManager: <info> (ttyUSB3): device state change: 7 -> 8 (reason 0)
Nov 25 12:11:57 inspiron9400 NetworkManager: <info> Policy set 'movistar (Telefonica) Default 1' (ppp0) as default for routing and DNS.
Nov 25 12:11:57 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) successful, device activated.
Nov 25 12:11:57 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 5 of 5 (IP Configure Commit) complete.
Nov 25 12:11:58 inspiron9400 ntpd[1253]: Listening on interface #15 ppp0, 88.28.31.248#123 Enabled

>> disconnect mobile connection via NetworkManager

Nov 25 12:12:51 inspiron9400 NetworkManager: <info> (ttyUSB3): device state change: 8 -> 3 (reason 39)
Nov 25 12:12:51 inspiron9400 NetworkManager: <info> (ttyUSB3): deactivating device (reason: 39).
Nov 25 12:12:51 inspiron9400 pppd[4190]: Terminating on signal 15
Nov 25 12:12:51 inspiron9400 NetworkManager: <WARN> check_one_route(): (ppp0) error -34 returned from rtnl_route_del(): Sucess#012
Nov 25 12:12:51 inspiron9400 pppd[4190]: Connect time 1.0 minutes.
Nov 25 12:12:51 inspiron9400 pppd[4190]: Sent 266 bytes, received 416 bytes.
Nov 25 12:12:51 inspiron9400 pppd[4190]: Connection terminated.
Nov 25 12:12:51 inspiron9400 dbus: Rejected send message, 2 matched rules; type="error", sender=":1.9" (uid=0 pid=1164 comm="NetworkManager) interface="(unset)" member="(unset)" error name="org.freedesktop.DBus.Error.UnknownMethod" requested_reply=0 destination=":1.210" (uid=0 pid=4190 comm="/usr/sbin/pppd))
Nov 25 12:12:51 inspiron9400 dbus: Rejected send message, 2 matched rules; type="error", sender=":1.9" (uid=0 pid=1164 comm="NetworkManager) interface="(unset)" member="(unset)" error name="org.freedesktop.DBus.Error.UnknownMethod" requested_reply=0 destination=":1.210" (uid=0 pid=4190 comm="/usr/sbin/pppd))
Nov 25 12:12:51 inspiron9400 dbus: Rejected send message, 2 matched rules; type="error", sender=":1.9" (uid=0 pid=1164 comm="NetworkManager) interface="(unset)" member="(unset)" error name="org.freedesktop.DBus.Error.UnknownMethod" requested_reply=0 destination=":1.210" (uid=0 pid=4190 comm="/usr/sbin/pppd))
Nov 25 12:12:51 inspiron9400 dbus: Rejected send message, 2 matched rules; type="error", sender=":1.9" (uid=0 pid=1164 comm="NetworkManager) interface="(unset)" member="(unset)" error name="org.freedesktop.DBus.Error.UnknownMethod" requested_reply=0 destination=":1.210" (uid=0

pid=4190 comm="/usr/sbin/pppd))
Nov 25 12:12:51 inspiron9400 pppd[4190]: Exit.
Nov 25 12:12:52 inspiron9400 modem-manager: (ttyUSB3) closing serial device...
Nov 25 12:12:52 inspiron9400 ntpd[1253]: Deleting interface #15 ppp0, 88.28.31.248#123, interface
stats: received=2, sent=2, dropped=0, active_time=54 secs

>> try to reconnect mobile connection with NetworkManager

Nov 25 12:13:07 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) starting connection
'movistar (Telefonica) Default 1'
Nov 25 12:13:07 inspiron9400 NetworkManager: <info> (ttyUSB3): device state change: 3 -> 4
(reason 0)
Nov 25 12:13:07 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 1 of 5 (Device
Prepare) scheduled...
Nov 25 12:13:07 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 1 of 5 (Device
Prepare) started...
Nov 25 12:13:07 inspiron9400 NetworkManager: <info> (ttyUSB3): device state change: 4 -> 6
(reason 0)
Nov 25 12:13:07 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 1 of 5 (Device
Prepare) complete.
Nov 25 12:13:07 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 1 of 5 (Device
Prepare) scheduled...
Nov 25 12:13:07 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 1 of 5 (Device
Prepare) started...
Nov 25 12:13:07 inspiron9400 NetworkManager: <info> (ttyUSB3): device state change: 6 -> 8
(reason 0)
Nov 25 12:13:07 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) Stage 1 of 5 (Device
Prepare) complete.
Nov 25 12:13:07 inspiron9400 modem-manager: (ttyUSB3) opening serial device...
Nov 25 12:13:07 inspiron9400 NetworkManager: <WARN> stage1_prepare_done(): GSM modem
connection failed: Sending command failed: device is connected
Nov 25 12:13:07 inspiron9400 NetworkManager: <info> (ttyUSB3): device state change: 8 -> 9
(reason 1)
Nov 25 12:13:07 inspiron9400 NetworkManager: <info> Marking connection 'movistar (Telefonica)
Default 1' invalid.
Nov 25 12:13:07 inspiron9400 NetworkManager: <info> Activation (ttyUSB3) failed.
Nov 25 12:13:07 inspiron9400 NetworkManager: <info> (ttyUSB3): device state change: 9 -> 3
(reason 0)
Nov 25 12:13:07 inspiron9400 NetworkManager: <info> (ttyUSB3): deactivating device (reason: 0).
Nov 25 12:13:07 inspiron9400 NetworkManager: flush_routes: assertion `iface_idx >= 0' failed
Nov 25 12:13:07 inspiron9400 NetworkManager: flush_addresses: assertion `iface_idx >= 0' failed
Nov 25 12:13:08 inspiron9400 modem-manager: (ttyUSB3) closing serial device...

>> activating wifi

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> (wlan0): bringing up device.
Nov 25 12:13:35 inspiron9400 kernel: Registered led device: iwl-phy0::radio
Nov 25 12:13:35 inspiron9400 kernel: Registered led device: iwl-phy0::assoc
Nov 25 12:13:35 inspiron9400 kernel: Registered led device: iwl-phy0::RX
Nov 25 12:13:35 inspiron9400 kernel: Registered led device: iwl-phy0::TX
Nov 25 12:13:35 inspiron9400 NetworkManager: <info> (wlan0): device state change: 2 -> 3 (reason

0)

Nov 25 12:13:35 inspiron9400 dbus: Rejected send message, 2 matched rules; type="method_return", sender=":1.9" (uid=0 pid=1164 comm="NetworkManager) interface="(unset)" member="(unset)" error name="(unset)" requested_reply=0 destination=":1.187" (uid=500 pid=3543 comm="/usr/bin/nm-applet))

Nov 25 12:13:35 inspiron9400 kernel: ADDRCONF(NETDEV_UP): wlan0: link is not ready

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> (wlan0): supplicant interface state: starting -> ready

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Activation (wlan0) starting connection 'Wifi-Auto'

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> (wlan0): device state change: 3 -> 4 (reason 0)

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 1 of 5 (Device Prepare) scheduled...

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 1 of 5 (Device Prepare) started...

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 2 of 5 (Device Configure) scheduled...

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 1 of 5 (Device Prepare) complete.

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 2 of 5 (Device Configure) starting...

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> (wlan0): device state change: 4 -> 5 (reason 0)

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Activation (wlan0/wireless): access point 'Wifi-Auto' has security, but secrets are required.

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> (wlan0): device state change: 5 -> 6 (reason 0)

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 2 of 5 (Device Configure) complete.

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 1 of 5 (Device Prepare) scheduled...

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 1 of 5 (Device Prepare) started...

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> (wlan0): device state change: 6 -> 4 (reason 0)

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 2 of 5 (Device Configure) scheduled...

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 1 of 5 (Device Prepare) complete.

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 2 of 5 (Device Configure) starting...

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> (wlan0): device state change: 4 -> 5 (reason 0)

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Activation (wlan0/wireless): connection 'Wifi-Auto' has security, and secrets exist. No new secrets needed.

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Config: added 'ssid' value 'ROBLEDO'

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Config: added 'scan_ssid' value '1'

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Config: added 'key_mgmt' value 'NONE'

Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Config: added 'auth_alg' value 'OPEN'
Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Config: added 'wep_key0' value '<omitted>'
Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Config: added 'wep_tx_keyidx' value '0'
Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 2 of 5 (Device Configure) complete.
Nov 25 12:13:35 inspiron9400 NetworkManager: <info> (wlan0): supplicant connection state: scanning -> disconnected
Nov 25 12:13:35 inspiron9400 NetworkManager: <info> Config: set interface ap_scan to 1

>> physically disconnecting usb-modem

Nov 25 12:13:39 inspiron9400 kernel: usb 1-6: USB disconnect, address 11
Nov 25 12:13:39 inspiron9400 kernel: option: option_instat_callback: error -108
Nov 25 12:13:39 inspiron9400 kernel: option1 ttyUSB0: GSM modem (1-port) converter now disconnected from ttyUSB0
Nov 25 12:13:39 inspiron9400 kernel: option 1-6:1.0: device disconnected
Nov 25 12:13:39 inspiron9400 kernel: option1 ttyUSB1: GSM modem (1-port) converter now disconnected from ttyUSB1
Nov 25 12:13:39 inspiron9400 kernel: option 1-6:1.1: device disconnected
Nov 25 12:13:39 inspiron9400 kernel: option1 ttyUSB2: GSM modem (1-port) converter now disconnected from ttyUSB2
Nov 25 12:13:39 inspiron9400 kernel: option 1-6:1.2: device disconnected
Nov 25 12:13:39 inspiron9400 kernel: option1 ttyUSB3: GSM modem (1-port) converter now disconnected from ttyUSB3
Nov 25 12:13:39 inspiron9400 kernel: option 1-6:1.3: device disconnected
Nov 25 12:13:39 inspiron9400 NetworkManager: <info> (ttyUSB3): now unmanaged
Nov 25 12:13:39 inspiron9400 NetworkManager: <info> (ttyUSB3): device state change: 3 -> 1 (reason 36)
Nov 25 12:13:39 inspiron9400 NetworkManager: <info> (ttyUSB3): cleaning up...
Nov 25 12:13:39 inspiron9400 NetworkManager: <info> (ttyUSB3): taking down device.
Nov 25 12:13:39 inspiron9400 dbus: Rejected send message, 3 matched rules; type="error", sender=":1.11" (uid=0 pid=1169 comm="/usr/sbin/modem-manager) interface="(unset)" member="(unset)" error name="org.freedesktop.DBus.Error.UnknownMethod" requested_reply=0 destination=":1.9" (uid=0 pid=1164 comm="NetworkManager))
Nov 25 12:13:40 inspiron9400 NetworkManager: <info> (wlan0): supplicant connection state: disconnected -> associating
Nov 25 12:13:40 inspiron9400 NetworkManager: <info> (wlan0): supplicant connection state: associating -> associated
Nov 25 12:13:40 inspiron9400 NetworkManager: <info> (wlan0): supplicant connection state: associated -> completed
Nov 25 12:13:40 inspiron9400 NetworkManager: <info> Activation (wlan0/wireless) Stage 2 of 5 (Device Configure) successful. Connected to wireless network 'ROBLEDO'.
Nov 25 12:13:40 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 3 of 5 (IP Configure Start) scheduled.
Nov 25 12:13:40 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 3 of 5 (IP Configure Start) started...
Nov 25 12:13:40 inspiron9400 NetworkManager: <info> (wlan0): device state change: 5 -> 7 (reason 0)
Nov 25 12:13:40 inspiron9400 NetworkManager: <info> Activation (wlan0) Beginning DHCP transaction (timeout in 45 seconds)

Nov 25 12:13:40 inspiron9400 kernel: ADDRCONF(NETDEV_CHANGE): wlan0: link becomes ready

Nov 25 12:13:40 inspiron9400 NetworkManager: <info> dhclient started with pid 4342

Nov 25 12:13:40 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 4 of 5 (IP6 Configure Get) scheduled...

Nov 25 12:13:40 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 3 of 5 (IP Configure Start) complete.

Nov 25 12:13:40 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 4 of 5 (IP6 Configure Get) started...

Nov 25 12:13:40 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 4 of 5 (IP6 Configure Get) complete.

Nov 25 12:13:40 inspiron9400 dhclient: Internet Systems Consortium DHCP Client 4.1.0p1

Nov 25 12:13:40 inspiron9400 dhclient: Copyright 2004-2009 Internet Systems Consortium.

Nov 25 12:13:40 inspiron9400 dhclient: All rights reserved.

Nov 25 12:13:40 inspiron9400 dhclient: For info, please visit <http://www.isc.org/sw/dhcp/>

Nov 25 12:13:40 inspiron9400 dhclient:

Nov 25 12:13:40 inspiron9400 NetworkManager: <info> DHCP: device wlan0 state changed normal exit -> preinit

Nov 25 12:13:40 inspiron9400 dhclient: Listening on LPF/wlan0/00:13:02:3d:73:ae

Nov 25 12:13:40 inspiron9400 dhclient: Sending on LPF/wlan0/00:13:02:3d:73:ae

Nov 25 12:13:40 inspiron9400 dhclient: Sending on Socket/fallback

Nov 25 12:13:41 inspiron9400 dhclient: DHCPREQUEST on wlan0 to 255.255.255.255 port 67

Nov 25 12:13:41 inspiron9400 dhclient: DHCPACK from 192.168.1.1

Nov 25 12:13:41 inspiron9400 NetworkManager: <info> DHCP: device wlan0 state changed preinit -> reboot

Nov 25 12:13:41 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 4 of 5 (IP4 Configure Get) scheduled...

Nov 25 12:13:41 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 4 of 5 (IP4 Configure Get) started...

Nov 25 12:13:41 inspiron9400 NetworkManager: <info> address 192.168.1.36

Nov 25 12:13:41 inspiron9400 NetworkManager: <info> prefix 24 (255.255.255.0)

Nov 25 12:13:41 inspiron9400 NetworkManager: <info> gateway 192.168.1.1

Nov 25 12:13:41 inspiron9400 NetworkManager: <info> nameserver '80.58.61.250'

Nov 25 12:13:41 inspiron9400 NetworkManager: <info> nameserver '80.58.61.254'

Nov 25 12:13:41 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 5 of 5 (IP Configure Commit) scheduled...

Nov 25 12:13:41 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 4 of 5 (IP4 Configure Get) complete.

Nov 25 12:13:41 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 5 of 5 (IP Configure Commit) started...

Nov 25 12:13:41 inspiron9400 avahi-daemon[976]: Joining mDNS multicast group on interface wlan0.IPv4 with address 192.168.1.36.

Nov 25 12:13:41 inspiron9400 avahi-daemon[976]: New relevant interface wlan0.IPv4 for mDNS.

Nov 25 12:13:41 inspiron9400 avahi-daemon[976]: Registering new address record for 192.168.1.36 on wlan0.IPv4.

Nov 25 12:13:41 inspiron9400 dhclient: bound to 192.168.1.36 -- renewal in 33709 seconds.

Nov 25 12:13:42 inspiron9400 NetworkManager: <info> (wlan0): device state change: 7 -> 8 (reason 0)

Nov 25 12:13:42 inspiron9400 NetworkManager: <info> Policy set 'Wifi-Auto' (wlan0) as default for

routing and DNS.

Nov 25 12:13:42 inspiron9400 NetworkManager: <info> Activation (wlan0) successful, device activated.

Nov 25 12:13:42 inspiron9400 NetworkManager: <info> Activation (wlan0) Stage 5 of 5 (IP Configure Commit) complete.

Nov 25 12:13:42 inspiron9400 avahi-daemon[976]: Registering new address record for fe80::213:2ff:fe3d:73ae on wlan0.*.

Nov 25 12:13:43 inspiron9400 ntpd[1253]: Listening on interface #16 wlan0, fe80::213:2ff:fe3d:73ae#123 Enabled

Nov 25 12:13:43 inspiron9400 ntpd[1253]: Listening on interface #17 wlan0, 192.168.1.36#123 Enabled

Nov 25 12:15:22 inspiron9400 ntpd[1253]: synchronized to 138.100.11.74, stratum 2