

An Error Occurred:

```
/rhq/resource/layout/main.xhtml @81,60 test="#{ResourceUIBean.facets.callTime}" Cant  
instantiate class: org.rhq.enterprise.gui.inventory.resource.ResourceUIBean.
```

- Stack Trace

```
com.sun.facelets.tag.TagAttributeException: /rhq/resource/layout/main.xhtml @81,60 test="#{ResourceUIBean.facets.callTime}" Cant instantiate class: org.rhq.entropy
  at com.sun.facelets.tag.TagAttribute.getObject(TagAttribute.java:235)
  at com.sun.facelets.tag.TagAttribute.getBoolean(TagAttribute.java:79)
  at com.sun.facelets.tag.jsl.core.IfHandler.apply(IfHandler.java:49)
  at com.sun.facelets.tag.CompositeFaceletHandler.apply(CompositeFaceletHandler.java:47)
  at com.sun.facelets.tag.jsf.ComponentHandler.applyNextHandler(ComponentHandler.java:314)
  at com.sun.facelets.tag.jsf.ComponentHandler.apply(ComponentHandler.java:169)
  at com.sun.facelets.tag.CompositeFaceletHandler.apply(CompositeFaceletHandler.java:47)
  at com.sun.facelets.tag.jsf.ComponentHandler.applyNextHandler(ComponentHandler.java:314)
  at com.sun.facelets.tag.jsf.ComponentHandler.apply(ComponentHandler.java:169)
  at com.sun.facelets.tag.CompositeFaceletHandler.apply(CompositeFaceletHandler.java:47)
  at com.sun.facelets.tag.ui.DefineHandler.applyDefinition(DefineHandler.java:64)
  at com.sun.facelets.tag.ui.CompositionHandler.apply(CompositionHandler.java:131)
  at com.sun.facelets.impl.DefaultFaceletContext$TemplateManager.apply(DefaultFaceletContext.java:310)
  at com.sun.facelets.impl.DefaultFaceletContext.includeDefinition(DefaultFaceletContext.java:280)
  at com.sun.facelets.tag.ui.InsertHandler.apply(InsertHandler.java:68)
  at com.sun.facelets.tag.CompositeFaceletHandler.apply(CompositeFaceletHandler.java:47)
  at com.sun.facelets.tag.jsf.ComponentHandler.applyNextHandler(ComponentHandler.java:314)
  at com.sun.facelets.tag.jsf.ComponentHandler.apply(ComponentHandler.java:169)
  at com.sun.facelets.tag.CompositeFaceletHandler.apply(CompositeFaceletHandler.java:47)
  at com.sun.facelets.tag.ui.DefineHandler.applyDefinition(DefineHandler.java:64)
  at com.sun.facelets.tag.ui.CompositionHandler.apply(CompositionHandler.java:131)
  at com.sun.facelets.impl.DefaultFaceletContext$TemplateManager.apply(DefaultFaceletContext.java:310)
  at com.sun.facelets.impl.DefaultFaceletContext.includeDefinition(DefaultFaceletContext.java:280)
  at com.sun.facelets.tag.ui.InsertHandler.apply(InsertHandler.java:68)
  at com.sun.facelets.tag.CompositeFaceletHandler.apply(CompositeFaceletHandler.java:47)
  at com.sun.facelets.tag.jsf.core.ViewHandler.apply(ViewHandler.java:109)
  at com.sun.facelets.tag.CompositeFaceletHandler.apply(CompositeFaceletHandler.java:47)
  at com.sun.facelets.compiler.NamespaceHandler.apply(NamespaceHandler.java:49)
  at com.sun.facelets.tag.CompositeFaceletHandler.apply(CompositeFaceletHandler.java:47)
  at com.sun.facelets.compiler.EncodingHandler.apply(EncodingHandler.java:25)
  at com.sun.facelets.impl.DefaultFacelet.include(DefaultFacelet.java:248)
  at com.sun.facelets.impl.DefaultFacelet.include(DefaultFacelet.java:294)
  at com.sun.facelets.impl.DefaultFacelet.include(DefaultFacelet.java:273)
  at com.sun.facelets.impl.DefaultFaceletContext.includeFacelet(DefaultFaceletContext.java:144)
  at com.sun.facelets.tag.ui.CompositionHandler.apply(CompositionHandler.java:113)
  at com.sun.facelets.compiler.NamespaceHandler.apply(NamespaceHandler.java:49)
  at com.sun.facelets.compiler.EncodingHandler.apply(EncodingHandler.java:25)
  at com.sun.facelets.impl.DefaultFacelet.include(DefaultFacelet.java:248)
  at com.sun.facelets.impl.DefaultFacelet.include(DefaultFacelet.java:294)
  at com.sun.facelets.impl.DefaultFacelet.include(DefaultFacelet.java:273)
  at com.sun.facelets.impl.DefaultFaceletContext.includeFacelet(DefaultFaceletContext.java:144)
  at com.sun.facelets.tag.ui.CompositionHandler.apply(CompositionHandler.java:113)
  at com.sun.facelets.compiler.NamespaceHandler.apply(NamespaceHandler.java:49)
  at com.sun.facelets.compiler.EncodingHandler.apply(EncodingHandler.java:25)
  at com.sun.facelets.impl.DefaultFacelet.include(DefaultFacelet.java:248)
  at com.sun.facelets.impl.DefaultFacelet.include(DefaultFacelet.java:294)
  at com.sun.facelets.impl.DefaultFacelet.include(DefaultFacelet.java:273)
  at com.sun.facelets.impl.DefaultFaceletContext.includeFacelet(DefaultFaceletContext.java:144)
  at com.sun.facelets.tag.ui.CompositionHandler.apply(CompositionHandler.java:113)
  at com.sun.facelets.compiler.NamespaceHandler.apply(NamespaceHandler.java:49)
  at com.sun.facelets.compiler.EncodingHandler.apply(EncodingHandler.java:25)
  at com.sun.facelets.impl.DefaultFacelet.apply(DefaultFacelet.java:95)
  at com.sun.facelets.FaceletViewHandler.buildView(FaceletViewHandler.java:524)
  at com.sun.facelets.FaceletViewHandler.renderView(FaceletViewHandler.java:567)
  at org.rhq.enterprise.gui.common.framework.FaceletRedirectionViewHandler.renderView(FaceletRedirectionViewHandler.java:64)
  at org.ajax4jsf.application.ViewHandlerWrapper.renderView(ViewHandlerWrapper.java:100)
  at org.ajax4jsf.application.AjaxViewHandler.renderView(AjaxViewHandler.java:176)
  at com.sun.faces.lifecycle.RenderResponsePhase.execute(RenderResponsePhase.java:110)
  at com.sun.faces.lifecycle.Phase.doPhase(Phase.java:100)
  at com.sun.faces.lifecycle.LifecycleImpl.render(LifecycleImpl.java:139)
  at javax.faces.webapp.FacesServlet.service(FacesServlet.java:266)
  at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:290)
  at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:206)
  at org.ajax4jsf.webapp.BaseFilter.doFilter(BaseFilter.java:532)
  at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:235)
  at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:206)
  at org.rhq.enterprise.gui.legacy.WebUserTrackingFilter.doFilter(WebUserTrackingFilter.java:47)
  at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:235)
  at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:206)
  at org.rhq.enterprise.gui.legacy.AuthenticationFilter.doFilter(AuthenticationFilter.java:129)
  at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:235)
  at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:206)
  at org.rhq.enterprise.gui.common.upload.MultipartFilter.doFilter(MultipartFilter.java:63)
  at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:235)
  at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:206)
  at org.jboss.seam.servlet.SeamFilter$FilterChainImpl.doFilter(SeamFilter.java:83)
  at org.jboss.seam.web.IdentityFilter.doFilter(IdentityFilter.java:38)
  at org.jboss.seam.servlet.SeamFilter$FilterChainImpl.doFilter(SeamFilter.java:69)
  at org.jboss.seam.web.MultipartFilter.doFilter(MultipartFilter.java:90)
  at org.jboss.seam.servlet.SeamFilter$FilterChainImpl.doFilter(SeamFilter.java:69)
  at org.jboss.seam.web.ExceptionFilter.doFilter(ExceptionFilter.java:64)
  at org.jboss.seam.servlet.SeamFilter$FilterChainImpl.doFilter(SeamFilter.java:69)
  at org.jboss.seam.web.RedirectFilter.doFilter(RedirectFilter.java:45)
  at org.jboss.seam.servlet.SeamFilter$FilterChainImpl.doFilter(SeamFilter.java:69)
  at org.ajax4jsf.webapp.BaseXMLFilter.doXmlFilter(BaseXMLFilter.java:178)
  at org.ajax4jsf.webapp.BaseFilter.handleRequest(BaseFilter.java:290)
  at org.ajax4jsf.webapp.BaseFilter.processUploadsAndHandleRequest(BaseFilter.java:390)
  at org.ajax4jsf.webapp.BaseFilter.doFilter(BaseFilter.java:517)
  at org.jboss.seam.web.Ajax4jsfFilter.doFilter(Ajax4jsfFilter.java:56)
  at org.jboss.seam.servlet.SeamFilter$FilterChainImpl.doFilter(SeamFilter.java:69)
  at org.jboss.seam.web.LoggingFilter.doFilter(LoggingFilter.java:58)
  at org.jboss.seam.servlet.SeamFilter$FilterChainImpl.doFilter(SeamFilter.java:69)
  at org.jboss.seam.servlet.SeamFilter$FilterChainImpl.doFilter(SeamFilter.java:158)
  at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:235)
  at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:206)
  at org.rhq.helpers.rtfiler.filter.RtFilter.doFilter(RtFilter.java:124)
  at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:235)
```

```
at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:206)
at org.jboss.web.tomcat.filters.ReplyHeaderFilter.doFilter(ReplyHeaderFilter.java:96)
at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:235)
at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:206)
at org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:230)
at org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:175)
at org.jboss.web.tomcat.security.SecurityAssociationValve.invoke(SecurityAssociationValve.java:182)
at org.jboss.web.tomcat.security.JaccContextValve.invoke(JaccContextValve.java:84)
at org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:127)
at org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:102)
at org.jboss.web.tomcat.service.jca.CachedConnectionValve.invoke(CachedConnectionValve.java:157)
at org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:109)
at org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:262)
at org.apache.coyote.http11.Http11Processor.process(Http11Processor.java:844)
at org.apache.coyote.http11.Http11Protocol$Http11ConnectionHandler.process(Http11Protocol.java:583)
at org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:446)
at java.lang.Thread.run(Thread.java:619)
Caused by: com.sun.faces.mgbean.ManagedBeanCreationException: Cant instantiate class: org.rhq.enterprise.gui.inventory.resource.ResourceUIBean.
at com.sun.faces.mgbean.BeanBuilder.newBeanInstance(BeanBuilder.java:191)
at com.sun.faces.mgbean.BeanBuilder.build(BeanBuilder.java:106)
at com.sun.faces.mgbean.BeanManager.createAndPush(BeanManager.java:368)
at com.sun.faces.mgbean.BeanManager.create(BeanManager.java:230)
at com.sun.faces.el.ManagedBeanELResolver.getValue(ManagedBeanELResolver.java:86)
at javax.el.CompositeELResolver.getValue(CompositeELResolver.java:53)
at com.sun.faces.el.FacesCompositeELResolver.getValue(FacesCompositeELResolver.java:72)
at org.jboss.el.parser.AstIdentifier.getValue(AstIdentifier.java:44)
at org.jboss.el.parser.AstValue.getValue(AstValue.java:63)
at org.jboss.el.ValueExpressionImpl.getValue(ValueExpressionImpl.java:186)
at com.sun.facelets.el.TagValueExpression.getValue(TagValueExpression.java:71)
at com.sun.facelets.tag.TagAttribute.getObject(TagAttribute.java:233)
... 110 more
Caused by: java.lang.IllegalStateException: Required request parameter 'id' is missing.
at org.rhq.core.gui.util.FacesContextUtility.getRequiredRequestParameter(FacesContextUtility.java:106)
at org.rhq.enterprise.gui.util.EnterpriseFacesContextUtility.getResource(EnterpriseFacesContextUtility.java:71)
at org.rhq.enterprise.gui.inventory.resource.ResourceUIBean.<init>(ResourceUIBean.java:84)
at sun.reflect.GeneratedConstructorAccessor432.newInstance(Unknown Source)
at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:27)
at java.lang.reflect.Constructor.newInstance(Constructor.java:513)
at java.lang.Class.newInstance0(Class.java:355)
at java.lang.Class.newInstance(Class.java:308)
at com.sun.faces.mgbean.BeanBuilder.newBeanInstance(BeanBuilder.java:186)
... 121 more
```

- Component Tree

```
<AjaxViewRoot id=" viewRoot" immediate="false" locale="en" renderKitId="HTML_BASIC"
renderRegionOnly="false" rendered="true" selfRendered="false" submitted="false"
transient="false" viewId="/rhq/resource/inventory/view.xhtml">
```

```
<?xml version="1.0"?> <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd" >
```

```
<html xmlns="http://www.w3.org/1999/xhtml"> <head>
<title>${msg["product.shortName"]} - #{(!empty pageTitle) ? pageTitle :
defaultPageTitle}</title>
```

```
<link rel="stylesheet" type="text/css" media="screen" href="/css/win.css"/>
<link rel="stylesheet" type="text/css" media="screen" href="/css/form-
style.css"/> <link rel="stylesheet" type="text/css" media="screen"
href="/css/menu.css"/> <script type="text/javascript" src="/js/functions.js"/>
<script type="text/javascript" src="/js/prototype.js"/> <script
type="text/javascript" src="/js/window.js"/> <script type="text/javascript"
src="/js/effects.js"/> <!--<script type="text/javascript"
src="/js/debug.js"></script--> <script type="text/javascript"
src="/js/formValues.js"/> <script type="text/javascript" src="/js/rhq.js"/>
<script type="text/javascript" src="/js/popup.js"/> <link
href="/css/theme/default.css" rel="stylesheet" type="text/css"/> <link
href="/css/theme/alphacube.css" rel="stylesheet" type="text/css"/> <link
href="/css/theme/debug.css" rel="stylesheet" type="text/css"/> <link rel="icon"
type="image/png" href="/images/favicon.png"/> <link rel="apple-touch-icon"
href="/images/favicon.png"/> <!-- Trims up the headers of RF toggle panel
headers --> <style type="text/css"> .BlockTitle { padding-top: 3px; padding-
bottom: 3px; } HTML, BODY { overflow: hidden; } </style> <link rel="stylesheet"
type="text/css" media="screen" href="/css/tabular.css"/> <link rel="stylesheet"
type="text/css" media="screen" href="/css/layout.css"/> <script
type="text/javascript"> var imagePath = "/images/"; </script> </head> <body
bgcolor="#FFFFFF" style="height: 100%;">
```

```
<!-- ===== PAGE HEADER ===== --> <script
language="javascript" type="text/javascript"> //this has to be defined before
the resize trackers inside //the PageBody element because they depend on the
values //computed inside this tracker function.
WindowResizeTracker.addListener(function() { var header = $('PageHeader'); var
borderHeight = 2; //set in the inline style of div PageHeader if
(Prototype.Browser.IE) { header.style.height =
WindowResizeTracker.currentSizes.windowHeight + 'px'; } else {
header.style.height = (WindowResizeTracker.currentSizes.windowHeight -
borderHeight) + 'px'; } header.style.width =
WindowResizeTracker.currentSizes.windowWidth + 'px'; var body = $('PageBody');
//27 = menu height (and the top position of PageBody) body.style.height =
(WindowResizeTracker.currentSizes.windowHeight - 27 - borderHeight) + 'px';
body.style.width = header.style.width; document.body.style.height =
WindowResizeTracker.currentSizes.windowHeight + 'px'; }); </script> <!-- work
around for IE and its broken box model. Without the concrete height value, the
nav pane will shrink on hover. --> <!--[if IE]> <div id="PageHeader"
style="border-bottom: 2px solid #999; position: absolute; top: 0; bottom: 0;
left: 0; right: 0; height: 100%"> <![endif--> <!--[if !IE]><!--> <div
id="PageHeader" style="border-bottom: 2px solid #999; position: absolute; top:
0; bottom: 0; left: 0; right: 0;"> <!--<![endif-->
```

```
<HtmlAjaxRegion id="j_id4" immediate="false" renderRegionOnly="true"
rendered="true" selfRendered="true" submitted="false" transient="false">
```

```
<HtmlForm enctype="application/x-www-form-urlencoded" id="j_id5"
prependId="true" rendered="true" submitted="false" transient="false">
```

```
<HtmlLoadScript id="j_id6" rendered="true"
src="resource:///org/richfaces/renderkit/html/scripts/jquery/jquery.js"
transient="false"/>
```

```
<HtmlLoadScript id="j_id7" rendered="true" src="/js/pngfix.js"
transient="false"/>
```

```
<HtmlToolBar id="j_id8" itemSeparator="none" rendered="true"
styleClass="topMenu" transient="false" width="100%"/>
```

```
<HtmlToolBarGroup id="j_id9" itemSeparator="none"
location="left" rendered="true" transient="false">
```

```
<HtmlOutputLink disabled="false" id="j_id10"
rendered="true" transient="false" value="/">
```

```
<HtmlGraphicImage id="j_id11" ismap="false"
rendered="true" transient="false"
url="/images/JBossLogo_small.png"
value="/images/JBossLogo_small.png"/>
```

```
</HtmlOutputLink>
```

```
<HtmlDropDownMenu direction="auto" disabled="false"
disabledItemClass="" disabledItemStyle=""
disabledLabelClass="" hideDelay="800" horizontalOffset="0"
id="j_id12" itemClass="" itemStyle="" jointPoint="auto"
labelClass="" oncollapse="" onexpand="" ongroupactivate=""
onitemselect="" onmousemove="" onmouseout="" onmouseover=""
rendered="true" selectItemClass="" selectedLabelClass=""
showDelay="50" submitMode="server" transient="false"
verticalOffset="0">
```

label

```
<HtmlPanelGroup id="j_id13" rendered="true"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id14"
rendered="true" transient="false"
value="Overview"/>
```

```
</HtmlPanelGroup>
```

```
<HtmlMenuGroup disabled="false" event="onmouseover"
iconClass="" id="j_id15" labelClass="" onclose=""
onmousemove="" onmouseout="" onmouseover="" onopen=""
rendered="true" selectClass="" selectStyle=""
showDelay="300" transient="false" value="Subsystem
Views">
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
icon="/images/icons/Configure_16.png"
iconClass="" iconStyle="" id="j_id16"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/subsystem/configurationUpdate.xhtml'"
onselect="" rendered="true" requestDelay="-
2147483648" selectClass="" selectStyle=""
submitMode="none" target="" timeout="-2147483648"
transient="false">
```

Configuration Changes

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
icon="/images/icons/Monitor_failed_16.png"
iconClass="" iconStyle="" id="j_id18"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/subsystem/oobHistory.xhtml'"
onselect="" rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648"
transient="false">
```

Suspect Metrics

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
icon="/images/icons/Operation_16.png"
iconClass="" iconStyle="" id="j_id20"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/subsystem/operationHistory.xhtml'"
onselect="" rendered="true" requestDelay="-
```

```
2147483648" selectClass="" selectStyle=""
submitMode="none" target="" timeout="-2147483648"
transient="false">
```

Operations

</HtmlMenuItem>

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
icon="/images/icons/Flag_blue_16.png"
iconClass="" iconStyle="" id="j_id22"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/subsystem/alertHistory.xhtml'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648"
transient="false">
```

Alerts

</HtmlMenuItem>

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
icon="/images/icons/Flag_grey_16.png"
iconClass="" iconStyle="" id="j_id24"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/subsystem/alertDefinitions.xhtml'"
onselect="" rendered="true" requestDelay="-
2147483648" selectClass="" selectStyle=""
submitMode="none" target="" timeout="-2147483648"
transient="false">
```

Alert Definitions

</HtmlMenuItem>

</HtmlMenuGroup>

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle="" id="j_id26"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/discovery/queue.xhtml'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id27"
rendered="true" transient="false" value="Auto
Discovery Queue"/>
```

</HtmlMenuItem>

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle="" id="j_id28"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location = '/Dashboard.do'"
onselect="" rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id29"
rendered="true" transient="false"
value="Dashboard"/>
```

</HtmlMenuItem>

</HtmlDropDownMenu>

```
<HtmlDropDownMenu direction="auto" disabled="false"
disabledItemClass="" disabledItemStyle=""
disabledLabelClass="" hideDelay="800" horizontalOffset="0"
id="resourcesMenu" itemClass="" itemStyle=""
jointPoint="auto" labelClass="" oncollapse="" onexpand=""
ongroupactivate="" onitemselect="" onmousemove=""
onmouseout="" onmouseover="" rendered="true"
selectItemClass="" selectedLabelClass="" showDelay="50"
submitMode="server" transient="false" verticalOffset="0">
```

label

```
<HtmlPanelGroup id="j_id30" rendered="true"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id31"
rendered="true" transient="false"
value="Resources"/>
```

</HtmlPanelGroup>

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false"
icon="/images/icons/Platform_up_16.png" iconClass=""
iconStyle="" id="j_id32" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="window.location = '/ResourceHub.do?
resourceCategory=PLATFORM'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id33"
rendered="true" transient="false"
value="Platforms"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" icon="/images/icons/Server_up_16.png"
iconClass="" iconStyle="" id="j_id34"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location = '/ResourceHub.do?
resourceCategory=SERVER'" onselect="" rendered="true"
requestDelay="-2147483648" selectClass=""
selectStyle="" submitMode="none" target="" timeout="-
2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id35"
rendered="true" transient="false"
value="Servers"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false"
icon="/images/icons/Service_up_16.png" iconClass=""
iconStyle="" id="j_id36" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="window.location = '/ResourceHub.do?
resourceCategory=SERVICE'" onselect="" rendered="true"
requestDelay="-2147483648" selectClass=""
selectStyle="" submitMode="none" target="" timeout="-
2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id37"
rendered="true" transient="false"
value="Services"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuSeparator id="j_id38" rendered="true"
transient="false"/>
```

```
<HtmlMenuGroup disabled="false" event="onmouseover"
icon="/images/icons/Favorite_16.png" iconClass=""
id="j_id39" labelClass="" onclose="" onmousemove=""
onmouseout="" onmouseover="" onopen="" rendered="true"
selectClass="" selectStyle="" showDelay="300"
transient="false" value="Favorite Resources"/>
```

```
<HtmlMenuGroup disabled="false" event="onmouseover"
icon="/images/icons/History_16.png" iconClass=""
id="j_id40" labelClass="" onclose="" onmousemove=""
onmouseout="" onmouseover="" onopen="" rendered="true"
selectClass="" selectStyle="" showDelay="300"
transient="false" value="Recently Viewed Resources">
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
icon="/images/icons/Server_up_16.png"
iconClass="" iconStyle="" id="j_id41"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/resource/summary/overview.xhtml?id=10673'"
onselect="" rendered="true" requestDelay="-
2147483648" selectClass="" selectStyle=""
submitMode="none" target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id42"
rendered="true" transient="false"
value="pride JBoss EAP 5.0.1 production-8080
(192.168.1.132:1099)"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
icon="/images/icons/Service_up_16.png"
iconClass="" iconStyle="" id="j_id43"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/resource/summary/overview.xhtml?id=10712'"
onselect="" rendered="true" requestDelay="-
2147483648" selectClass="" selectStyle=""
```

```
submitMode="none" target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id44"
rendered="true" transient="false"
value="bookingDatasource"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
icon="/images/icons/Service_up_16.png"
iconClass="" iconStyle="" id="j_id45"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/resource/summary/overview.xhtml?id=10718'"
onselect="" rendered="true" requestDelay="-
2147483648" selectClass="" selectStyle=""
submitMode="none" target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id46"
rendered="true" transient="false"
value="jboss-seam-booking.ear"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
icon="/images/icons/Server_up_16.png"
iconClass="" iconStyle="" id="j_id47"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/resource/summary/overview.xhtml?id=10674'"
onselect="" rendered="true" requestDelay="-
2147483648" selectClass="" selectStyle=""
submitMode="none" target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id48"
rendered="true" transient="false"
value="pride JBoss EAP 5.0.1 production-8180
(192.168.1.132:1199)"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
icon="/images/icons/Server_up_16.png"
iconClass="" iconStyle="" id="j_id49"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/resource/summary/overview.xhtml?id=10677'"
onselect="" rendered="true" requestDelay="-
2147483648" selectClass="" selectStyle=""
submitMode="none" target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id50"
rendered="true" transient="false"
value="pride RHQ Server"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
icon="/images/icons/Service_up_16.png"
iconClass="" iconStyle="" id="j_id51"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/resource/summary/overview.xhtml?id=10930'"
onselect="" rendered="true" requestDelay="-
2147483648" selectClass="" selectStyle=""
submitMode="none" target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id52"
rendered="true" transient="false"
value="StoreManagerBean"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
icon="/images/icons/Service_up_16.png"
iconClass="" iconStyle="" id="j_id53"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/resource/summary/overview.xhtml?id=10931'"
onselect="" rendered="true" requestDelay="-
2147483648" selectClass="" selectStyle=""
submitMode="none" target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id54"
rendered="true" transient="false"
value="AuthenticatorAction"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
icon="/images/icons/Service_up_16.png"
iconClass="" iconStyle="" id="j_id55"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/resource/summary/overview.xhtml?id=10932'"
onselect="" rendered="true" requestDelay="-
2147483648" selectClass="" selectStyle=""
submitMode="none" target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id56"
rendered="true" transient="false"
value="ShowOrdersAction"/>
```

```
</HtmlMenuItem>
```

```
</HtmlMenuGroup>
```

```
<HtmlMenuSeparator id="j_id57" rendered="true"
transient="false"/>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="true" iconClass=""
iconDisabled="/images/icons/Search_16.png"
iconStyle="" id="j_id58" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onselect="" rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id59"
rendered="true" style="color: black;"
transient="false" value="Search: "/>
```

```
<HtmlPanelGroup id="j_id60" rendered="true"
transient="false">
```

```
<HtmlInputText disabled="false"
id="selectedResource" immediate="true"
localValueSet="false" maxlength="-
2147483648" onkeypress="return
ignoreEnterKey(event);" readonly="false"
rendered="true" required="false" size="-
2147483648" style="width: 250px;"
transient="false" valid="true"/>
```

```
<HtmlSuggestionBox ajaxSingle="true"
bypassUpdates="false" data="foo"
entryClass="" first="0"
for="selectedResource" frequency="4.9E-324"
height="400" id="resourceSelectBox"
ignoreDupResponses="false" immediate="true"
limitToList="false" nothingLabel="No
matching resources found"
onselect="document.location.href='/rhq/resource/summary/overview.xhtml?
id=' +
document.getElementById('j_id5:selectedResource').value"
param="inputvalue" popupClass=""
popupStyle="" rendered="true"
requestDelay="-2147483648" rowClasses=""
rowIndex="-1" rowNumber="-1" rows="0"
selectValueClass="" selfRendered="false"
style="background-color: #cccccc;"
styleClass="" submitted="false"
suggestionAction="#{ResourceSelectUIBean.autocomplete}"
timeout="-2147483648" tokens="," []"
transient="false"
usingSuggestObjects="false" var="result"
width="700" zIndex="200">
```

```
<UIColumn header="Avail" id="j_id61"
rendered="true" transient="false">
```

header

Avail

```
<HtmlGraphicImage id="j_id63"
ismap="false" rendered="true"
transient="false"
url="/images/icons/availability_red_16.png"
value="/images/icons/availability_red_16.png"/>
```

```
</UIColumn>
```

```
<UIColumn header="Resource" id="j_id64"
rendered="true" transient="false">
```

header

Resource

```
<HtmlOutputText escape="true"
id="j_id66" rendered="true"
transient="false"/>
```

```
</UIColumn>
```

```
<UIColumn header="Parent" id="j_id67"
rendered="true" transient="false">
```

header

Parent

```
<HtmlOutputText escape="true"
id="j_id69" rendered="true"
transient="false"/>
```

```
</UIColumn>
```

```
</HtmlSuggestionBox>
```

```
</HtmlPanelGroup>
```

```
</HtmlMenuItem>
```

```
</HtmlDropDownMenu>
```

```
<HtmlDropDownMenu direction="auto" disabled="false"
disabledItemClass="" disabledItemStyle=""
disabledLabelClass="" hideDelay="800" horizontalOffset="0"
id="groupsMenu" itemClass="" itemStyle="" jointPoint="auto"
labelClass="" oncollapse="" onexpand="" ongroupactivate=""
onitemselect="" onmousemove="" onmouseout="" onmouseover=""
rendered="true" selectItemClass="" selectedLabelClass=""
showDelay="50" submitMode="server" transient="false"
verticalOffset="0">
```

label

```
<HtmlPanelGroup id="j_id70" rendered="true"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id71"
rendered="true" transient="false"
value="Groups"/>
```

```
</HtmlPanelGroup>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false"
icon="/images/icons/Cluster_up_16.png" iconClass=""
iconStyle="" id="j_id72" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="window.location = '/GroupHub.do?
groupCategory=COMPATIBLE'" onselect="" rendered="true"
requestDelay="-2147483648" selectClass=""
selectStyle="" submitMode="none" target="" timeout="-
2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id73"
rendered="true" transient="false"
value="Compatible Groups"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" icon="/images/icons/Group_up_16.png"
iconClass="" iconStyle="" id="j_id74"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location = '/GroupHub.do?
groupCategory=MIXED'" onselect="" rendered="true"
requestDelay="-2147483648" selectClass=""
selectStyle="" submitMode="none" target="" timeout="-
2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id75"
rendered="true" transient="false" value="Mixed
Groups"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" icon="/images/GroupDefinition_16.png"
iconClass="" iconStyle="" id="j_id76"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/definition/group/list.xhtml'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id77"
rendered="true" transient="false" value="Group
Definitions"/>
```



```
</HtmlMenuItem>

<HtmlMenuSeparator id="j_id78" rendered="true"
transient="false"/>

<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle="" id="j_id79"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/resource/group/Inventory.do?mode=new'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">

    <HtmlOutputText escape="true" id="j_id80"
rendered="true" transient="false" value="New
Group"/>

</HtmlMenuItem>

<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle="" id="j_id81"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/definition/group/new.xhtml'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">

    <HtmlOutputText escape="true" id="j_id82"
rendered="true" transient="false" value="New
Group Definition"/>

</HtmlMenuItem>

<HtmlMenuSeparator id="j_id83" rendered="true"
transient="false"/>

<HtmlMenuGroup disabled="false" event="onmouseover"
icon="/images/icons/Favorite_16.png" iconClass=""
id="j_id84" labelClass="" onclose="" onmousemove=""
onmouseout="" onmouseover="" onopen="" rendered="true"
selectClass="" selectStyle="" showDelay="300"
transient="false" value="Favorite Groups"/>

<HtmlMenuGroup disabled="false" event="onmouseover"
icon="/images/icons/History_16.png" iconClass=""
id="j_id85" labelClass="" onclose="" onmousemove=""
onmouseout="" onmouseover="" onopen="" rendered="true"
selectClass="" selectStyle="" showDelay="300"
transient="false" value="Recently Viewed Groups">

    <HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
icon="/images/icons/Cluster_up_16.png"
iconClass="" iconStyle="" id="j_id86"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/group/inventory/view.xhtml?groupId=10581'"
onselect="" rendered="true" requestDelay="-
2147483648" selectClass="" selectStyle=""
submitMode="none" target="" timeout="-2147483648"
transient="false">

        <HtmlOutputText escape="true" id="j_id87"
rendered="true" transient="false" value="PoS
QA Environment"/>

    </HtmlMenuItem>

    <HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
icon="/images/icons/Group_up_16.png" iconClass=""
iconStyle="" id="j_id88"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/group/inventory/view.xhtml?groupId=10144'"
onselect="" rendered="true" requestDelay="-
2147483648" selectClass="" selectStyle=""
submitMode="none" target="" timeout="-2147483648"
transient="false">

        <HtmlOutputText escape="true" id="j_id89"
rendered="true" transient="false" value="UAT
Environment"/>

    </HtmlMenuItem>

</HtmlMenuGroup>

<HtmlMenuSeparator id="j_id90" rendered="true"
transient="false"/>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="true" iconClass=""
iconDisabled="/images/icons/Search_16.png"
iconStyle="" id="j_id91" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onselect="" rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id92"
rendered="true" style="color: black;"
transient="false" value="Search: "/>
```

```
<HtmlPanelGroup id="j_id93" rendered="true"
transient="false">
```

```
<HtmlInputText disabled="false"
id="selectedGroup" immediate="true"
localValueSet="false" maxlength="-
2147483648" onkeypress="return
ignoreEnterKey(event);" readOnly="false"
rendered="true" required="false" size="-
2147483648" style="width: 250px;"
transient="false" valid="true"/>
```

```
<HtmlSuggestionBox ajaxSingle="true"
bypassUpdates="false" data="foo"
entryClass="" first="0" for="selectedGroup"
frequency="4.9E-324" height="400"
id="groupSelectBox"
ignoreDupResponses="false" immediate="true"
limitToList="false" nothingLabel="No
matching groups found"
onselect="document.location.href='/rhq/group/inventory/view.xhtml?'
+
document.getElementById('j_id5:selectedGroup').value"
param="inputvalue" popupClass=""
popupStyle="" rendered="true"
requestDelay="-2147483648" rowClasses=""
rowIndex="-1" rowNumber="-1" rows="0"
selectValueClass="" selfRendered="false"
style="background-color: #cccccc;"
styleClass="" submitted="false"
suggestionAction="#{(ResourceGroupSelectUIBean.autocomplete)}"
timeout="-2147483648" tokens=",[]"
transient="false"
usingSuggestObjects="false" var="result"
width="700" zIndex="200">
```

```
<UIColumn header="Avail" id="j_id94"
rendered="true" transient="false">
```

header

Avail

```
<HtmlGraphicImage id="j_id96"
ismap="false" rendered="false"
transient="false"
url="/images/icons/availability_green_16.png"
value="/images/icons/availability_green_16.png"/>
```

```
<HtmlGraphicImage id="j_id97"
ismap="false" rendered="false"
transient="false"
url="/images/icons/availability_red_16.png"
value="/images/icons/availability_red_16.png"/>
```

```
<HtmlGraphicImage id="j_id98"
ismap="false" rendered="false"
transient="false"
url="/images/icons/availability_yellow_16.png"
value="/images/icons/availability_yellow_16.png"/>
```

```
<HtmlGraphicImage id="j_id99"
ismap="false" rendered="false"
transient="false"
url="/images/icons/availability_grey_16.png"
value="/images/icons/availability_grey_16.png"/>
```

```
</UIColumn>
```

```
<UIColumn header="Group" id="j_id100"
rendered="true" transient="false">
```

header

Group

```
<HtmlOutputText escape="true"
id="j_id102" rendered="true"
transient="false"/>
```

```
</UIColumn>
```

```
<UIColumn header="Category"
id="j_id103" rendered="true"
transient="false">
```

header

Category

```
<HtmlOutputText escape="true"
id="j_id105" rendered="false"
transient="false"/>
```

```
<HtmlOutputText escape="true"
id="j_id106" rendered="false"
transient="false"/>
```

</UIColumn>

</HtmlSuggestionBox>

</HtmlPanelGroup>

</HtmlMenuItem>

</HtmlDropDownMenu>

```
<HtmlDropDownMenu direction="auto" disabled="false"
disabledItemClass="" disabledItemStyle=""
disabledLabelClass="" hideDelay="800" horizontalOffset="0"
id="j_id107" itemClass="" itemStyle="" jointPoint="auto"
labelClass="" oncollapse="" onexpand="" ongroupactivate=""
onitemselect="" onmousemove="" onmouseout="" onmouseover=""
rendered="true" selectItemClass="" selectedLabelClass=""
showDelay="50" submitMode="server" transient="false"
verticalOffset="0">
```

label

```
<HtmlPanelGroup id="j_id108" rendered="true"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id109"
rendered="true" transient="false"
value="Administration"/>
```

</HtmlPanelGroup>

```
<HtmlMenuGroup disabled="false" event="onmouseover"
iconClass="" id="j_id110" labelClass="" onclose=""
onmousemove="" onmouseout="" onmouseover="" onopen=""
rendered="true" selectClass="" selectStyle=""
showDelay="300" transient="false" value="Security">
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
iconClass="" iconStyle="" id="j_id111"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/admin/user/UserAdmin.do?mode=list'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id112"
rendered="true" transient="false"
value="Users"/>
```

</HtmlMenuItem>

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
iconClass="" iconStyle="" id="j_id113"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/admin/role/RoleAdmin.do?mode=list'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id114"
rendered="true" transient="false"
value="Roles"/>
```

</HtmlMenuItem>

</HtmlMenuGroup>

```
<HtmlMenuGroup disabled="false" event="onmouseover"
iconClass="" id="j_id115" labelClass="" onclose=""
onmousemove="" onmouseout="" onmouseover="" onopen=""
rendered="true" selectClass="" selectStyle=""
showDelay="300" transient="false" value="System
Configuration">
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
iconClass="" iconStyle="" id="j_id116"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
```

```
onclick="window.location =
'/admin/config/Config.do?mode=edit'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id117"
rendered="true" transient="false"
value="Settings"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
iconClass="" iconStyle="" id="j_id118"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/admin/plugin/plugin-list.xhtml'"
onselect="" rendered="true" requestDelay="-
2147483648" selectClass="" selectStyle=""
submitMode="none" target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id119"
rendered="true" transient="false"
value="Plugins"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
iconClass="" iconStyle="" id="j_id120"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/admin/config/EditDefaults.do?
mode=monitor&viewMode=all'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id121"
rendered="true" transient="false"
value="Templates"/>
```

```
</HtmlMenuItem>
```

```
</HtmlMenuGroup>
```

```
<HtmlMenuGroup disabled="false" event="onmouseover"
iconClass="" id="j_id122" labelClass="" onclose=""
onmousemove="" onmouseout="" onmouseover="" onopen=""
rendered="true" selectClass="" selectStyle=""
showDelay="300" transient="false" value="Content">
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
iconClass="" iconStyle="" id="j_id123"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/content/listContentSources.xhtml'"
onselect="" rendered="true" requestDelay="-
2147483648" selectClass="" selectStyle=""
submitMode="none" target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id124"
rendered="true" transient="false"
value="Content Sources"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
iconClass="" iconStyle="" id="j_id125"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/content/listChannels.xhtml'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id126"
rendered="true" transient="false"
value="Channels"/>
```

```
</HtmlMenuItem>
```

```
</HtmlMenuGroup>
```

```
<HtmlMenuGroup disabled="false" event="onmouseover"
iconClass="" id="j_id127" labelClass="" onclose=""
```

```
onmousemove="" onmouseout="" onmouseover="" onopen=""
rendered="true" selectClass="" selectStyle=""
showDelay="300" transient="false" value="High
Availability">
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
iconClass="" iconStyle="" id="j_id128"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/ha/listServers.xhtml'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id129"
rendered="true" transient="false"
value="Servers"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
iconClass="" iconStyle="" id="j_id130"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/ha/listAgents.xhtml'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id131"
rendered="true" transient="false"
value="Agents"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
iconClass="" iconStyle="" id="j_id132"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/ha/listAffinityGroups.xhtml'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id133"
rendered="true" transient="false"
value="Affinity Groups"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
iconClass="" iconStyle="" id="j_id134"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/ha/listPartitionEvents.xhtml'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id135"
rendered="true" transient="false"
value="Partition Events"/>
```

```
</HtmlMenuItem>
```

```
</HtmlMenuGroup>
```

```
<HtmlMenuGroup disabled="false" event="onmouseover"
iconClass="" id="j_id136" labelClass="" onclose=""
onmousemove="" onmouseout="" onmouseover="" onopen=""
rendered="true" selectClass="" selectStyle=""
showDelay="300" transient="false" value="Reports">
```

```
<HtmlMenuItem ajaxSingle="false"
bypassUpdates="false" disabled="false"
iconClass="" iconStyle="" id="j_id137"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/admin/report/resourceInstallReport.xhtml'"
onselect="" rendered="true" requestDelay="-
2147483648" selectClass="" selectStyle=""
submitMode="none" target="" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id138"
rendered="true" transient="false"
```

```
| value="Resource Version Inventory Report"/>
```

```
</HtmlMenuItem>
```

```
</HtmlMenuGroup>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" icon="/images/icons/Save_16.png"
iconClass="" iconStyle="" id="j_id139"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false"
onclick="window.location =
'/rhq/admin/downloads.xhtml'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id140"
rendered="true" transient="false"
value="Downloads"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id141" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="window.location =
'/admin/license/LicenseAdmin.do?mode=view'"
onselect="" rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id142"
rendered="true" transient="false"
value="License"/>
```

```
</HtmlMenuItem>
```

```
</HtmlDropDownMenu>
```

```
<HtmlDropDownMenu direction="auto" disabled="false"
disabledItemClass="" disabledItemStyle=""
disabledLabelClass="" hideDelay="800" horizontalOffset="0"
id="j_id143" itemClass="" itemStyle="" jointPoint="auto"
labelClass="" oncollapse="" onexpand="" ongroupactivate=""
onitemselect="" onmousemove="" onmouseout="" onmouseover=""
rendered="false" selectItemClass="" selectedLabelClass=""
showDelay="50" submitMode="server" transient="false"
verticalOffset="0">
```

label

```
<HtmlPanelGroup id="j_id144" rendered="true"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id145"
rendered="true" transient="false" value="Debug"/>
```

```
</HtmlPanelGroup>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id146" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="window.open('/admin/test/sql.jsp')"
onselect="" rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="blank " timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id147"
rendered="true" transient="false" value="SQL
Interface"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id148" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="window.open('/admin/test/hibernate.jsp')"
onselect="" rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="blank " timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id149"
rendered="true" transient="false" value="JPQL/HQL
Interface"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id150" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false">
```

```
onclick="window.open('/admin/test/browser.jsp')"
onselect="" rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="blank_" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id151"
rendered="true" transient="false"
value="Hibernate Entity Browser"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id152" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="window.open('/admin/test/control.jsp')"
onselect="" rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="blank_" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id153"
rendered="true" transient="false"
value="Administrative Control"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id154" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="window.open('/admin/test/email.jsp')"
onselect="" rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="blank_" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id155"
rendered="true" transient="false" value="Test
Email Configuration"/>
```

```
</HtmlMenuItem>
```

```
v
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id157" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="window.open('/admin/test/agent.jsp')"
onselect="" rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="blank_" timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id158"
rendered="true" transient="false" value="Test
Agent Communications"/>
```

```
</HtmlMenuItem>
```

```
</HtmlDropDownMenu>
```

```
<HtmlDropDownMenu direction="auto" disabled="false"
disabledItemClass="" disabledItemStyle=""
disabledLabelClass="" hideDelay="800" horizontalOffset="0"
id="j_id159" itemClass="" itemStyle="" jointPoint="auto"
labelClass="" oncollapse="" onexpand="" ongroupactivate=""
onitemselect="" onmousemove="" onmouseout="" onmouseover=""
rendered="true" selectItemClass="" selectedLabelClass=""
showDelay="50" submitMode="server" transient="false"
verticalOffset="0">
```

label

```
<HtmlPanelGroup id="j_id160" rendered="true"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id161"
rendered="true" transient="false" value="Help"/>
```

```
</HtmlPanelGroup>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id162" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="window.open('http://www.redhat.com/docs/en-US/JBoss_ON/')"
onselect="" rendered="true"
requestDelay="-2147483648" selectClass=""
selectStyle="" submitMode="none" target="blank_"
timeout="-2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id163"
rendered="true" transient="false" value="Online
Documentation"/>
```

</HtmlMenuItem>

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id164" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="window.open('https://support.redhat.com/jbossnetwork/restricted/addCase.html')"
onselect="" rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="blank " timeout="-2147483648"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id165"
rendered="true" transient="false" value="Open a
Support Case"/>
```

</HtmlMenuItem>

```
<HtmlMenuSeparator id="j_id166" rendered="true"
transient="false"/>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false"
icon="/images/icons/availability_grey_16.png"
iconClass="" iconStyle="" id="aboutLink"
ignoreDupResponses="false" immediate="false"
labelClass="" limitToList="false" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id167"
rendered="true" transient="false" value="About"/>
```

```
<HtmlComponentControl attachTiming="onavailable"
attachTo="aboutLink" disableDefault="false"
event="onclick" for="aboutPanel" id="j_id168"
name="" operation="show" params=""
rendered="true" transient="false"/>
```

</HtmlMenuItem>

</HtmlDropDownMenu>

</HtmlToolBarGroup>

```
<HtmlToolBarGroup id="j_id169" itemSeparator="none"
location="right" rendered="true" transient="false">
```

```
<HtmlAjaxStatus forceId="false" id="commonStatus"
layout="block" rendered="true" startStyle="
filter:alpha(opacity=85); -moz-opacity: 0.85; opacity:
0.85; vertical-align: middle;" transient="false">
```

start

```
 <span
style="vertical-align: middle;">Loading...</span>
```

</HtmlAjaxStatus>

```
<HtmlDropDownMenu direction="auto" disabled="false"
disabledItemClass="" disabledItemStyle=""
disabledLabelClass="" hideDelay="800" horizontalOffset="0"
id="j_id171" itemClass="" itemStyle="" jointPoint="auto"
labelClass="" oncollapse="" onexpand="" ongroupactivate=""
onitemselect="" onmousemove="" onmouseout="" onmouseover=""
rendered="true" selectItemClass="" selectedLabelClass=""
showDelay="50" submitMode="server" transient="false"
verticalOffset="0">
```

label

```
<HtmlPanelGroup id="j_id172" rendered="true"
transient="false">
```

```
<HtmlGraphicImage id="j_id173" ismap="false"
rendered="false" transient="false"
url="/images/refreshRunning.gif"
value="/images/refreshRunning.gif"/>
```

```
<HtmlGraphicImage id="j_id174" ismap="false"
rendered="true" transient="false"
url="/images/refreshStopped.gif"
value="/images/refreshStopped.gif"/>
```

```
<span id="refreshTimeLeft" style="width: 0px;">
```

```
<HtmlOutputText escape="true" id="j_id176"
rendered="false" transient="false" value="0"/>
```


</HtmlPanelGroup>


```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id178" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="updatePageRefresh('', 0)" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">
```

icon

```
<HtmlGraphicImage height="16" id="j_id180"
ismap="false" rendered="true" transient="false"
url="/images/check.png" value="/images/check.png"
width="16"/>
```

```
<HtmlOutputText escape="true" id="j_id179"
rendered="true" transient="false" value="Stop"/>
```

</HtmlMenuItem>

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id181" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="updatePageRefresh('',60)" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">
```

icon

```
<HtmlGraphicImage height="16" id="j_id183"
ismap="false" rendered="true" transient="false"
url="/images/spacer.gif"
value="/images/spacer.gif" width="16"/>
```

```
<HtmlOutputText escape="true" id="j_id182"
rendered="true" transient="false" value="Refresh
every 1 minute"/>
```

</HtmlMenuItem>

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id184" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="updatePageRefresh('',300)" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">
```

icon

```
<HtmlGraphicImage height="16" id="j_id186"
ismap="false" rendered="true" transient="false"
url="/images/spacer.gif"
value="/images/spacer.gif" width="16"/>
```

```
<HtmlOutputText escape="true" id="j_id185"
rendered="true" transient="false" value="Refresh
every 5 minutes"/>
```

</HtmlMenuItem>

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id187" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="updatePageRefresh('',600)" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">
```

icon

```
<HtmlGraphicImage height="16" id="j_id189"
ismap="false" rendered="true" transient="false"
url="/images/spacer.gif"
value="/images/spacer.gif" width="16"/>
```

```
<HtmlOutputText escape="true" id="j_id188"
rendered="true" transient="false" value="Refresh
every 10 minutes"/>
```

</HtmlMenuItem>

</HtmlDropDownMenu>

```
<HtmlDropDownMenu direction="auto" disabled="false"
disabledItemClass="" disabledItemStyle=""
disabledLabelClass="" hideDelay="800" horizontalOffset="0"
id="j_id190" itemClass="" itemStyle="" jointPoint="auto"
labelClass="" oncollapse="" onexpand="" ongroupactivate=""
onitemselect="" onmousemove="" onmouseout="" onmouseover=""
rendered="true" selectItemClass="" selectedLabelClass=""
showDelay="50" submitMode="server" transient="false"
verticalOffset="0">
```

label

```
<HtmlPanelGroup id="j_id191" rendered="true"
```

```
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id192"
rendered="true" transient="false" value="Logged
in as rhqadmin"/>
```

```
</HtmlPanelGroup>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id193" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="window.location = '/admin/user/UserAdmin.do?
mode=edit&u=2'" onselect="" rendered="true"
requestDelay="-2147483648" selectClass=""
selectStyle="" submitMode="none" target="" timeout="-
2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id194"
rendered="true" transient="false" value="Edit
Details"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id195" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="window.location = '/admin/user/UserAdmin.do?
mode=editPass&u=2'" onselect="" rendered="true"
requestDelay="-2147483648" selectClass=""
selectStyle="" submitMode="none" target="" timeout="-
2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id196"
rendered="true" transient="false" value="Change
Password"/>
```

```
</HtmlMenuItem>
```

```
<HtmlMenuSeparator id="j_id197" rendered="true"
transient="false"/>
```

```
<HtmlMenuItem ajaxSingle="false" bypassUpdates="false"
disabled="false" iconClass="" iconStyle=""
id="j_id198" ignoreDupResponses="false"
immediate="false" labelClass="" limitToList="false"
onclick="window.location = '/Logout.do'" onselect=""
rendered="true" requestDelay="-2147483648"
selectClass="" selectStyle="" submitMode="none"
target="" timeout="-2147483648" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id199"
rendered="true" transient="false"
value="Logout"/>
```

```
</HtmlMenuItem>
```

```
</HtmlDropDownMenu>
```

```
</HtmlToolBarGroup>
```

```
</HtmlToolBar>
```

```
<HtmlModalPanel autosized="false" controlsClass="" headerClass=""
height="250" id="aboutPanel" immediate="false"
keepVisualState="false" left="auto" localValueSet="false"
minHeight="-1" minWidth="-1" moveable="true" onbeforehide=""
onbeforeshow="" onhide="" onmaskclick="" onmaskcontextmenu=""
onmaskdblclick="" onmaskmousedown="" onmaskmousemove=""
onmaskmouseout="" onmaskmouseover="" onmaskmouseup="" onmove=""
onresize="" onshow="" rendered="true" required="false"
resizeable="false" showWhenRendered="false" top="auto"
transient="false" tridentIVEngineSelectBehavior="disable"
trimOverlaidElements="true" valid="true" width="320" zIndex="100">
```

controls

```
<HtmlPanelGroup id="j_id202" rendered="true" transient="false">
```

```
<HtmlGraphicImage id="hidelink" ismap="false"
rendered="true" style="cursor:pointer;" transient="false"
url="/images/close.png" value="/images/close.png"/>
```

```
<HtmlComponentControl attachTiming="onavailable"
attachTo="hidelink" disableDefault="false" event="onclick"
for="aboutPanel" id="j_id203" name="" operation="hide"
params="" rendered="true" transient="false"/>
```

```
</HtmlPanelGroup>
```

header

```
<HtmlPanelGroup id="j_id200" rendered="true" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id201" rendered="true"
```

```
transient="false" value="About JBoss Operations Network"/>
```

```
</HtmlPanelGroup>
```

```
<p> <span class="DisplaySubhead">
```

```
<HtmlOutputText escape="true" id="j_id205" rendered="true"
transient="false" value="JBoss Operations Network"/>
```

```
</span><br/> <span class="DisplayLabel">
```

```
<HtmlOutputText escape="true" id="j_id207" rendered="true"
transient="false" value="version: 2.3.1.GA"/>
```

```
</span><br/> <span class="DisplayLabel">
```

```
<HtmlOutputText escape="true" id="j_id209" rendered="true"
transient="false" value="build number: 10566"/>
```

```
</span> <p> <p> <a href="http://jboss.org/">  </a> </p> <p>
```

```
<HtmlOutputText escape="false" id="j_id211" rendered="true"
transient="true" value=""/>
```

```
<HtmlOutputText escape="true" id="j_id212" rendered="true"
transient="false" value="All rights reserved."/>
```

```
</p> <p> <a href="http://jboss.org/jopr">
```

```
<HtmlGraphicImage id="j_id214" ismap="false" rendered="true"
style="vertical-align:middle" transient="false"
url="/images/logo_icon.png" value="/images/logo_icon.png"/>
```

```
Jopr Project </a> </p> <input type="button" value="Close"
onclick="Richfaces.hideModalPanel('aboutPanel');"/>
```

```
</HtmlModalPanel>
```

```
</HtmlForm>
```

```
<HtmlAjaxRegion id="j_id216" immediate="false" renderRegionOnly="true"
rendered="true" selfRendered="true" submitted="false" transient="false">
```

```
<script type="text/javascript"> function refresh() { timeLeft =
timeLeft - 1; document.getElementById("refreshTimeLeft").innerHTML =
timeLeft; if (timeLeft < 1) { window.location.href =
window.location.href; } setTimeout("refresh()", 1000); } var
refreshTime =
```

```
<HtmlOutputText escape="true" id="j_id218" rendered="true"
transient="false" value="0"/>
```

```
; var timeLeft = refreshTime; if (refreshTime > 0) {
setTimeout("refresh()", 1000); } </script>
```

```
<AjaxForm ajaxSingle="false" ajaxSubmit="false" bypassUpdates="false"
id="j_id220" ignoreDupResponses="false" limitToList="false"
prependId="true" rendered="true" requestDelay="-2147483648"
submitted="false" timeout="-2147483648" transient="false">
```

```
<HtmlAjaxFunction ajaxSingle="false" bypassUpdates="false"
id="j_id221" ignoreDupResponses="false" immediate="false"
limitToList="false" name="updatePageRefresh"
oncomplete="window.location.href = window.location.href;"
rendered="true" requestDelay="-2147483648" status="commonStatus"
timeout="-2147483648" transient="false">
```

```
<HtmlActionParameter
assignToBinding="#{UserPreferencesUIBean.refreshPath}"
id="j_id222" name="param1" noEscape="false" rendered="true"
transient="false"/>
```

```
<HtmlActionParameter
assignToBinding="#{UserPreferencesUIBean.pageRefresh}"
id="j_id223" name="param2" noEscape="false" rendered="true"
transient="false"/>
```

```
</HtmlAjaxFunction>
```

```
</AjaxForm>
```

```
</HtmlAjaxRegion>
```

```
</HtmlAjaxRegion>
```

```
<!-- work around for IE and its broken box model. Without the concrete height
value, the nav pane will shrink on hover. --> <!--[if IE]> <div id="PageBody"
style="width: 100%; position: absolute; top: 27px; bottom: 0; height: 100%;">
<![endif]--> <!--[if !IE]><!--> <div id="PageBody" style="width: 100%;
position: absolute; top: 27px; bottom: 0; "> <!--<![endif]-->
```

```
<script type="text/javascript" src="/js/splitpane.js"/> <!-- work around for IE
and its broken box model. Without the concrete height value, the nav pane will
shrink on hover. --> <!--[if IE]> <div id="contentParent" style="height: 100%">
<![endif]--> <!--[if !IE]><!--> <div id="contentParent"> <!--<![endif]--> <div
id="leftContent" class="column" style="width:
#{UserPreferencesUIBean.leftResourceNavState}%> <div id="leftContentWrapper"
class="content-left">
```

```
<HtmlForm enctype="application/x-www-form-urlencoded" id="leftNavTreeForm"
prependId="true" rendered="true" submitted="false" transient="false">
```

```
<!-- tree needs a form to be present -->
```

```
<HtmlPanelGroup id="leftTreeHolder" rendered="true" transient="false">
```

```
<input type="hidden" name="id" value="#{param.id}"/> <input
type="hidden" name="parent" value="#{param.parent}"/> <input
type="hidden" name="type" value="#{param.type}"/>
```

```
<HtmlAjaxRegion id="j_id228" immediate="false"
renderRegionOnly="false" rendered="true" selfRendered="false"
submitted="false" transient="false">
```

```
<HtmlAjaxOutputPanel ajaxRendered="true" id="messagePanel"
keepTransient="true" layout="block" rendered="true"
style="width: 100%; " transient="false">
```

```
<HtmlMessage for="leftNavTree" id="j_id229" rendered="true"
showDetail="false" showSummary="true" style="background-
color: yellow; display: block; width: 100%; " tooltip="false"
transient="false"/>
```

```
</HtmlAjaxOutputPanel>
```

```
<HtmlTree acceptCursors=""
adviseNodeSelected="#{(ResourceTreeStateAdvisor.adviseNodeSelected)}"
ajaxSingle="false" ajaxSubmitSelection="true"
bypassUpdates="false"
changeExpandListener="#{(ResourceTreeStateAdvisor.changeExpandListener)}"
componentState="org.richfaces.component.state.TreeState@24088da5"
disableKeyboardNavigation="false" first="0" grabCursors=""
grabbingCursors="" icon="/images/icn_tree_Platform.gif"
id="leftNavTree" ignoreDupResponses="false" immediate="false"
limitToList="false" nodeFace=""
nodeSelectListener="#{(ResourceTreeStateAdvisor.nodeSelectListener)}"
preserveDataInRequest="false" preserveModel="request"
rejectCursors="" rendered="true" requestDelay="-2147483648"
rowIndex="-1"
rowKeyConverter="org.richfaces.component.UITree$2@5b6acfe2"
rows="0" showConnectingLines="true"
stateAdvisor="org.rhq.enterprise.gui.navigation.resource.ResourceTreeStateAdvisor@2d8b5e1e"
status="commonStatus" style="width: 100%; height: 100%; min-
width: 100%; min-height: 100%" switchType="ajax" timeout="-
2147483648" toggleOnClick="false" transient="false"
var="treeNode">
```

```
<HtmlRecursiveTreeNodesAdaptor id="j_id230" included="true"
includedNode="true" includedRoot="true" rendered="true"
transient="false" var="resourceTreeItem"/>
```

```
<HtmlTreeNode acceptCursors="" ajaxSingle="false"
ajaxSubmitSelection="inherit" bypassUpdates="false"
grabCursors="" grabbingCursors=""
icon="/images/icons/Subcategory_16.png"
iconLeaf="/images/icons/Subcategory_16.png" id="j_id231"
ignoreDupResponses="false" limitToList="false" nodeClass=""
rejectCursors="" rendered="true" requestDelay="-2147483648"
status="commonStatus" timeout="-2147483648"
transient="false" type="AutoGroupComposite">
```

org.ajax4jsf.ajax.SUPPORToncontextmenu

```
<HtmlAjaxSupport ajaxSingle="true"
bypassUpdates="false" disableDefault="true"
disabled="false" event="oncontextmenu" id="j_id232"
ignoreDupResponses="false" immediate="false"
limitToList="true"
oncomplete="Richfaces.componentControl.performOperation(event, '#autoGroupMenu', 'show', {'id':
null, 'type': null}, true)" rendered="false"
requestDelay="-2147483648" status="commonStatus"
timeout="5000" transient="false">
```

```
<UIParameter id="j_id233"
name="contextParentResourceId" rendered="true"
transient="false"/>
```

```
<UIParameter id="j_id234"
name="contextAutoGroupResourceTypeId"
rendered="true" transient="false"/>
```

```
<HtmlComponentControl attachTiming="onavailable"
attachTo="" disableDefault="true"
event="oncomplete" for="autoGroupMenu"
id="j_id235" name="" operation="show" params=""
rendered="true" transient="false">
```

```
<UIParameter id="j_id236" name="id"
rendered="true" transient="false"/>
```

```
<UIParameter id="j_id237" name="type"
rendered="true" transient="false"/>
```

```
</HtmlComponentControl>
```

```
</HtmlAjaxSupport>
```

```
<HtmlOutputText escape="true" id="j_id238"
rendered="true" styleClass="availLinkMixed"
transient="false" value=" "/>
```

```
<HtmlOutputText escape="true" id="j_id239"
rendered="true" styleClass="availLinkMixed"
transient="false" value="()"/>
```

```
</HtmlTreeNode>
```

```
<HtmlTreeNode acceptCursors="" ajaxSingle="false"
ajaxSubmitSelection="inherit" bypassUpdates="false"
grabCursors="" grabbingCursors=""
icon="/images/icn_tree_Lock.png"
iconLeaf="/images/icn_tree_Lock.png" id="j_id240"
ignoreDupResponses="false" limitToList="false" nodeClass=""
rejectCursors="" rendered="true" requestDelay="-2147483648"
status="commonStatus" timeout="-2147483648"
transient="false" type="LockedResource">
```

```
<HtmlOutputText escape="true" id="j_id241"
rendered="true" styleClass="availLinkUp"
transient="false"/>
```

```
</HtmlTreeNode>
```

```
<!-- Tree Node supporting context menu -->
```

```
<HtmlTreeNode acceptCursors="" ajaxSingle="false"
ajaxSubmitSelection="inherit" bypassUpdates="false"
grabCursors="" grabbingCursors=""
icon="/images/icons/_up_16.png"
iconLeaf="/images/icons/_up_16.png" id="j_id243"
ignoreDupResponses="false" limitToList="false" nodeClass=""
oncontextmenu="A4J.AJAX.Submit('leftNavTreeForm:j_id228','leftNavTreeForm',event,{affected:['resourceMenu']
,'status':'j_id4:status','oncomplete':function(request,event,data){Richfaces.componentControl.performOperation(event,'#resourceMenu','show',
null, 'id': null, 'type': null, 'ops':
'\'\')} ,true)},{similarityGroupId:'leftNavTreeForm:leftNavTree:j_id244','parameters':{'ajaxSingle':'leftNavTreeForm:leftNavTree:j_id244','actionUrl':'/rhq/resource/inventory/view.xhtml'}
); return false;" rejectCursors="" rendered="true"
requestDelay="-2147483648" status="commonStatus" timeout="-2147483648" transient="false" type="Resource">
```

org.ajax4jsf.ajax.SUPPORToncontextmenu

```
<HtmlAjaxSupport ajaxSingle="true"
bypassUpdates="false" disableDefault="true"
disabled="false" event="oncontextmenu" id="j_id244"
ignoreDupResponses="false" immediate="false"
limitToList="true"
oncomplete="Richfaces.componentControl.performOperation(event,'#resourceMenu','show',{name':
null, 'id': null, 'type': null, 'ops': '\'\'},true)"
rendered="true" requestDelay="-2147483648"
status="commonStatus" timeout="5000"
transient="false">
```

```
<UIParameter id="j_id245"
name="contextResourceId" rendered="true"
transient="false"/>
```

```
<HtmlComponentControl attachTiming="onavailable"
attachTo="" disableDefault="true"
event="oncomplete" for="resourceMenu"
id="j_id246" name="" operation="show" params=""
rendered="true" transient="false">
```

```
<UIParameter id="j_id247" name="name"
rendered="true" transient="false"/>
```

```
<UIParameter id="j_id248" name="id"
rendered="true" transient="false"/>
```

```
<UIParameter id="j_id249" name="type"
rendered="true" transient="false"/>
```

```
<UIParameter id="j_id250" name="ops"
rendered="true" transient="false"
value="'\'\'/>
```

```
</HtmlComponentControl>
```

```
</HtmlAjaxSupport>
```

```
<HtmlOutputText escape="true" id="j_id251"
rendered="true" styleClass="availLinkUp"
transient="false"/>
```

```
</HtmlTreeNode>
```

</HtmlTree>

</HtmlAjaxRegion>

</HtmlPanelGroup>

</HtmlForm>

<HtmlOutputText escape="false" id="j_id252" rendered="true" transient="true" value="<script type="text/javascript">
Event.observe("leftNavTreeForm:leftTreeHolder", "contextmenu", Event.stop);
</script>"/>

</div> </div> <div id="centerContent" class="column" style="width: #{100 -
UserPreferencesUIBean.leftResourceNavState}%;"> <div id="centerContentWrapper"
class="content-right"> <div style="left: 0; right: 0;">

<HtmlForm enctype="application/x-www-form-urlencoded" id="j_id254"
prependId="true" rendered="true" submitted="false" transient="false">

<input type="hidden" name="id" value="{param.id}"/> <style
type="text/css"> ##{fn:replace(rich:clientId('summary-toggle-
panel'),'\\:','\\\\:')} header { background-color: white; border: none; }
##{fn:replace(rich:clientId('summary-toggle-panel'),'\\:','\\\\:')}_header
> .dr-stglpanel-marker { float: left; padding-left: 10px; } </style>

<HtmlPanelGroup id="j_id256" layout="block" rendered="true" style="width:
100%; background-color: #E5E5E5;" transient="false">

<table width="100%"> <tr> <td width="30">

<HtmlGraphicImage id="j_id258" ismap="false" rendered="true"
transient="false"/>

</td> <td nowrap="nowrap">

<HtmlOutputText escape="true" id="j_id260" rendered="true"
style="font-size: 18px;" transient="false"/>

<ResourceLineageComponent id="j_id262" rendered="true"
transient="false"/>

</td> <td width="30">

<HtmlOutputLink disabled="false" id="availDisplay" rendered="true"
transient="false"
value="/rhq/resource/monitor/availabilityHistory.xhtml">

<UIParameter id="j_id264" name="id" rendered="true"
transient="false"/>

<HtmlGraphicImage alt="Resource is Up" id="j_id265"
ismap="false" title="Up" transient="false"
url="/images/icons/availability_green_24.png"
value="/images/icons/availability_green_24.png"/>

<HtmlGraphicImage alt="Resource is Down" id="j_id266"
ismap="false" title="Down" transient="false"
url="/images/icons/availability_red_24.png"
value="/images/icons/availability_red_24.png"/>

<HtmlGraphicImage alt="Resource availability is Unknown"
id="j_id267" ismap="false" title="Unknown" transient="false"
url="/images/icons/availability_grey_24.png"
value="/images/icons/availability_grey_24.png"/>

</HtmlOutputLink>

<HtmlToolTip ajaxSingle="true" attached="true" direction="bottom-
right" disabled="false" event="mouseover" followMouse="false"
for="availDisplay" hideDelay="0" hideEvent="" horizontalOffset="10"
id="j_id268" immediate="false" layout="inline" mode="client"
onClick="" onComplete="" ondblclick="" onHide="" onMousemove=""
onmouseout="" onMouseover="" onshow="" rendered="true" showDelay="0"
showEvent="onmouseover" style="font-weight: normal;" styleClass=""
transient="false" verticalOffset="10" zorder="99">

<HtmlOutputText escape="true" id="j_id269" rendered="true"
transient="false"/>

<HtmlOutputText
converter="javax.faces.convert.DateTimeConverter@b218462"
escape="true" id="j_id270" rendered="true" transient="false"/>

<HtmlOutputText escape="true" id="j_id272" rendered="true"
styleClass="BoldText" transient="false" value="Availability: "/>

<HtmlOutputText
converter="javax.faces.convert.NumberConverter@457a43a3">

escape="true" id="j_id273" rendered="true" transient="false"/>

 Down for:

<HtmlOutputText
converter="org.rhq.enterprise.gui.common.time.converter.LongDurationConverter@5deea5f7"
escape="true" id="j_id275" rendered="true" transient="false"/>

 Up for:

<HtmlOutputText
converter="org.rhq.enterprise.gui.common.time.converter.LongDurationConverter@5ed22b4e"
escape="true" id="j_id277" rendered="true" transient="false"/>

 Failures:

<HtmlOutputText escape="true" id="j_id279" rendered="true"
transient="false"/>

<HtmlPanelGroup id="j_id281" layout="block" rendered="true"
transient="false">

<HtmlOutputText escape="true" id="j_id282" rendered="true"
styleClass="BoldText" transient="false" value="MTBF: "/>

<HtmlOutputText
converter="org.rhq.enterprise.gui.common.time.converter.LongDurationConverter@38193e84"
escape="true" id="j_id283" rendered="true"
transient="false"/>

<HtmlToolTip ajaxSingle="true" attached="true"
direction="bottom-right" disabled="false" event="mouseover"
followMouse="false" hideDelay="0" hideEvent=""
horizontalOffset="10" id="j_id284" immediate="false"
layout="inline" mode="client" onclick="" oncomplete=""
ondblclick="" onhide="" onmousemove="" onmouseout=""
onmouseover="" onshow="" rendered="true" showDelay="0"
showEvent="onmouseover" style="" styleClass=""
transient="false" verticalOffset="10" zorder="99">

Mean Time Between Failures over the known resource
lifetime.

</HtmlToolTip>

</HtmlPanelGroup>

<HtmlPanelGroup id="j_id287" layout="block" rendered="true"
transient="false">

<HtmlOutputText escape="true" id="j_id288" rendered="true"
styleClass="BoldText" transient="false" value="MTR: "/>

<HtmlOutputText
converter="org.rhq.enterprise.gui.common.time.converter.LongDurationConverter@15768e2"
escape="true" id="j_id289" rendered="true"
transient="false"/>

<HtmlToolTip ajaxSingle="true" attached="true"
direction="bottom-right" disabled="false" event="mouseover"
followMouse="false" hideDelay="0" hideEvent=""
horizontalOffset="10" id="j_id290" immediate="false"
layout="inline" mode="client" onclick="" oncomplete=""
ondblclick="" onhide="" onmousemove="" onmouseout=""
onmouseover="" onshow="" rendered="true" showDelay="0"
showEvent="onmouseover" style="" styleClass=""
transient="false" verticalOffset="10" zorder="99">

Mean Time To Recover from failure over the known
resource lifetime.

</HtmlToolTip>

</HtmlPanelGroup>

</HtmlToolTip>

</td> <td width="30">

<HtmlAjaxRegion id="j_id293" immediate="false"
renderRegionOnly="false" rendered="true" selfRendered="false"
submitted="false" transient="false">

<HtmlGraphicImage id="favoritesStar" ismap="false"
onclick="A4J.AJAX.Submit('j_id254:j_id293','j_id254',event,{'status':'j_id4:status','similarityGroupingId':'j_id254:j_id294','parameters':{'a
, 'actionUrl':'/rhq/resource/inventory/view.xhtml'}); return
false;" rendered="true" style="z-index: 10;" transient="false">

org.ajax4jsf.ajax.SUPPORTonlick

```
<HtmlAjaxSupport action="#{FavoritesUIBean.toggleFavorite}"
actionExpression="#{FavoritesUIBean.toggleFavorite}"
ajaxSingle="true" bypassUpdates="false"
disableDefault="true" disabled="false" event="onclick"
id="j_id294" ignoreDupResponses="false" immediate="false"
limitToList="false" rendered="true" requestDelay="-
2147483648" status="commonStatus" timeout="-2147483648"
transient="false"/>
```

```
</HtmlGraphicImage>
```

```
<HtmlToolTip ajaxSingle="true" attached="true"
direction="bottom-right" disabled="false" event="mouseover"
followMouse="false" for="favoritesStar" hideDelay="0"
hideEvent="" horizontalOffset="10" id="j_id295"
immediate="false" layout="inline" mode="Client" onclick=""
oncomplete="" ondblclick="" onhide="" onmousemove=""
onmouseout="" onmouseover="" onshow="" rendered="true"
showDelay="0" showEvent="onmouseover" style="" styleClass=""
transient="false" verticalOffset="10" zorder="99">
```

```
<HtmlOutputText escape="true" id="j_id296"
transient="false" value="Add resource to favorites list"/>
```

```
<HtmlOutputText escape="true" id="j_id297"
transient="false" value="Remove resource from favorites
list"/>
```

```
</HtmlToolTip>
```

```
</HtmlAjaxRegion>
```

```
</td> </tr> </table>
```

```
</HtmlPanelGroup>
```

```
<HtmlSimpleTogglePanel
actionListener="#{UserPreferencesUIBean.updateSummaryPanelDisplayState}"
ajaxSingle="true" bypassUpdates="false" headerClass="summaryHeader"
id="summary-toggle-panel" ignoreDupResponses="false" immediate="false"
limitToList="false" oncollapse="" onexpand="" opened="true"
rendered="true" requestDelay="-2147483648" switchType="ajax" timeout="-
2147483648" transient="false" value="true" width="">
```

closeMarker

```
<HtmlGraphicImage id="j_id300" ismap="false" rendered="true"
transient="false" url="/images/summaryShown.png"
value="/images/summaryShown.png"/>
```

header

Summary

openMarker

```
<HtmlGraphicImage id="j_id299" ismap="false" rendered="true"
transient="false" url="/images/summaryHidden.png"
value="/images/summaryHidden.png"/>
```

```
<HtmlPanelGrid border="-2147483648" columns="2" id="j_id302"
rendered="true" style="padding: 3px" transient="false" width="100%">
```

```
<HtmlPanelGroup id="j_id303" layout="block" rendered="true"
styleClass="summary-content" transient="false">
```

```
<!-- general properties (type, version, etc.) -->
```

```
<HtmlPanelGrid border="-2147483648" columnClasses="summary-
prop-cell" columns="2" id="j_id305" rendered="true"
style="" styleClass="summary-props-table"
transient="false">
```

```
<HtmlPanelGroup id="j_id306" layout="block"
rendered="true" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id307"
rendered="true" styleClass="BoldText"
transient="false" value="Type: "/>
```

```
<HtmlPanelGroup id="j_id308" rendered="true"
transient="false">
```

```
#{ResourceUIBean.resourceType.name}
(#{ResourceUIBean.resourceType.category.displayName})
```

```
</HtmlPanelGroup>
```

```
</HtmlPanelGroup>
```

```
<HtmlPanelGroup id="j_id310" layout="block"
rendered="true" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id311"
rendered="true" styleClass="BoldText"
transient="false" value="Description: "/>
```



```
<HtmlOutputText escape="true" id="j_id312"
transient="false"/>
```

```
<HtmlOutputText escape="true" id="j_id313"
style="font-style: italic" transient="false"
value="none"/>
```

```
</HtmlPanelGroup>
```

```
<HtmlPanelGroup id="j_id314" layout="block"
rendered="true" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id315"
rendered="true" styleClass="BoldText"
transient="false" value="Version: "/>
```

```
<HtmlOutputText escape="true" id="j_id316"
transient="false"/>
```

```
<HtmlOutputText escape="true" id="j_id317"
style="font-style: italic" transient="false"
value="none"/>
```

```
</HtmlPanelGroup>
```

```
<HtmlPanelGroup id="j_id318" layout="block"
rendered="true" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id319"
rendered="true" styleClass="BoldText"
transient="false" value="Parent: "/>
```

```
<HtmlOutputText escape="true" id="j_id320"
transient="false"/>
```

```
<HtmlOutputLink disabled="false" id="j_id321"
transient="false"
value="/rhq/resource/inventory/view.xhtml">
```

```
<UIParameter id="j_id322" name="id"
rendered="true" transient="false"/>
```

```
'#{ResourceUIBean.parent.name}'
```

```
</HtmlOutputLink>
```

```
<HtmlOutputText escape="true" id="j_id324"
transient="false"/>
```

```
<HtmlOutputText escape="true" id="j_id325"
style="font-style: italic" transient="false"
value="none"/>
```

```
</HtmlPanelGroup>
```

```
</HtmlPanelGrid>
```

```
<!-- spacer --> <!-- summary traits -->
```

```
<HtmlDataTable border="-2147483648" columnClasses="summary-
prop-cell" first="0" id="j_id327" rendered="false"
rowIndex="-1" rows="0" styleClass="summary-props-table"
transient="false" var="traitPair">
```

```
<UIColumn id="j_id328" rendered="true"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id329"
rendered="true" styleClass="BoldText"
transient="false" value=": "/>
```

```
<HtmlPanelGroup id="j_id330" rendered="true"
transient="false">
```

```
<HtmlOutputText escape="true" id="j_id331"
rendered="true" transient="false"/>
```

```
</HtmlPanelGroup>
```

```
</UIColumn>
```

```
<UIColumn id="j_id332" rendered="true"
transient="false">
```

```
<HtmlPanelGroup id="j_id333" layout="block"
rendered="false" transient="false">
```

```
<HtmlOutputText escape="true" id="j_id334"
rendered="true" styleClass="BoldText"
transient="false" value=": "/>
```

```
<HtmlPanelGroup id="j_id335" rendered="true"
transient="false">
```

```
<HtmlOutputText escape="true"
id="j_id336" rendered="true"
transient="false"/>
```

```
</HtmlPanelGroup>
```

```
</HtmlPanelGroup>
```

```
</UIColumn>
```

```
</HtmlDataTable>
```

```
<!-- spacer -->
```

```
<HtmlPanelGroup id="j_id338" layout="block" rendered="true"
style="height: 13px" transient="false"/>
```

```
</HtmlPanelGroup>
```

```
</HtmlPanelGrid>
```

```
</HtmlSimpleTogglePanel>
```

```
</HtmlForm>
```

```
<HtmlSpacer height="10" id="j_id339" rendered="true" title="" transient="false"
width="1"/>
```

```
<HtmlPanel id="j_id340" style="width: 800px; margin: 4px; padding: 4px"
styleClass="WarnBlock" transient="false">
```

```
The agent reported the following error on its last attempt (
```

```
<HtmlOutputText converter="javax.faces.convert.DateTimeConverter@2474201a"
escape="true" id="j_id342" rendered="true" transient="false"/>
```

```
) to connect to this resource:
```

```
<HtmlPanelGroup id="j_id344" layout="block" rendered="true" style="margin:
7px" transient="false">
```

```
<strong><em>#{ResourceUIBean.invalidPluginConfigurationError.summary}</em></strong>
```

```
</HtmlPanelGroup>
```

```
For more details, see the <a href="javascript:displayStackTrace()">stack
trace</a>. <p/> Please make sure that the managed resource is running and
that its <span> </span>
```

```
<HtmlOutputLink disabled="false" id="j_id347" rendered="true"
transient="false" value="/rhq/resource/inventory/edit-connection.xhtml">
```

```
<UIParameter id="j_id348" name="id" rendered="true"
transient="false"/>
```

```
connection properties
```

```
</HtmlOutputLink>
```

```
are set correctly.
```

```
</HtmlPanel>
```

```
<div id="connectionError" style="display: none"> <div id="PageHeader"
align="right"> <a
href="javascript:window.close()">${msg['common.action.window.close']}</a>
</div> <div style="align: center; margin: 8px"> <pre class="StackTrace"
wrap="on">#{ResourceUIBean.invalidPluginConfigurationError.detail}</pre> </div>
<p/> </div> <script type="text/javascript"> function displayStackTrace() { var
errorPopup = open("", "errorPopup",
"width=750,height=600,resizable=yes,scrollbars=yes,left=200,top=10");
errorPopup.document.open(); errorPopup.document.writeln('<html><head>');
errorPopup.document.writeln('<title>Error Details</title>');
errorPopup.document.writeln('<link rel="stylesheet" href="/css/win.css"
type="text/css"/>'); errorPopup.document.writeln('</head><body>');
errorPopup.document.writeln($('connectionError').innerHTML);
errorPopup.document.writeln('</body></html>'); errorPopup.document.close(); }
function popupStackTrace(divName) { var errorPopup = open("", "errorPopup",
"width=750,height=600,resizable=yes,scrollbars=yes,left=200,top=10");
errorPopup.document.open(); errorPopup.document.writeln('<html><head>');
errorPopup.document.writeln('<title>Error Details</title>');
errorPopup.document.writeln('<link rel="stylesheet" href="/css/win.css"
type="text/css"/>'); errorPopup.document.writeln('</head><body>');
errorPopup.document.writeln($('divName').innerHTML);
errorPopup.document.writeln('</body></html>'); errorPopup.document.close(); }
</script>
```

```
</AjaxViewRoot>
```

--

- Scoped Variables

Request Parameters

Name	Value
None	

Request Attributes

Name	Value
FavoritesUIBean	org.rhq.enterprise.gui.inventory.resource.FavoritesUIBean@43e79da8
GlobalPermissionsUIBean	org.rhq.enterprise.gui.authorization.GlobalPermissionsUIBean@1b1fa36c
IdChunkGeneratorUIBean	org.rhq.core.gui.util.IdChunkGeneratorUIBean@3a22155d
ListOfTraits	org.rhq.enterprise.gui.measurement.TraitListBean@13a8aa7c
ResourceTreeModelUIBean	org.rhq.enterprise.gui.navigation.resource.ResourceTreeModelUIBean@2650bcf9
UserPreferencesUIBean	org.rhq.enterprise.gui.common.framework.UserPreferencesUIBean@7ea69315
ajaxContext	org.ajax4jsf.context.AjaxContextImpl@6a0288a8
msg	com.sun.facelets.tag.jsf.core.LoadBundleHandler\$ResourceBundleMap@4c5a03f7

Session Attributes

Name	Value
CreateNewPackageChildResourceUIBean	org.rhq.enterprise.gui.inventory.resource.CreateNewPackageChildResourceUIBean@29ba744a
ResourceTreeStateAdvisor	org.rhq.enterprise.gui.navigation.resource.ResourceTreeStateAdvisor@2d8b5e1e
ServerInfoUIBean	org.rhq.enterprise.gui.common.framework.ServerInfoUIBean@1028bbad
UploadNewChildPackageUIBean	UploadNewChildPackageUIBean: fileName=cluster-demo.war, size=23552, file=C:\Users\uaarkoti\AppData\Local\Temp\79ca95d5-1293dc1ca7f--45ec7887508582481119195.upload
_richfaces_upload_percents	{}
_richfaces_upload_sessions	{}
myPortal	Portal [dashboard.template.title]
returnLoc	[]
useroperations	{MANAGE_SECURITY=true, MANAGE_SETTINGS=true, MANAGE_INVENTORY=true}
webUser	{id=2 sessionId=-550645522 subject=org.rhq.core.domain.auth.Subject[id=2,name=rhqadmin]}

Application Attributes

Name	Value
PageControlSettingsUIBean	org.rhq.enterprise.gui.common.paging.PageControlSettingsUIBean@5a685332
RHQVersion	1.3.1.GA
a4jSkin	DefaultSkinImpl: {warningBackgroundColor=#FF0000, headerWeightFont=bold, tableBorderColor=#C4C0C9, controlTextColor=#000000, headerTextColor=#000000, generalTextColor=#000000, selectControlColor=#E79A00, headerGradientColor=#EDEAE6, tableSubfooterBackgroundColor=#f1f1f1, trimColor=#DFDCD5, shadowOpacity=1, tipBorderColor=#E5973E, calendarCurrentBackgroundColor=#FF7800, subBorderColor=#ffffff, editorBackgroundColor=#F1F1F1, generalLinkColor=#0078D0, gradientType=plain, tabSizeFont=11, calendarHolidaysTextColor=#FF7800, buttonSizeFont=11, headerBackgroundColor=#D4CFC7, hoverLinkColor=#0090FF, tabFamilyFont=Arial, Verdana, sans-serif, calendarSpecBackgroundColor=#F1EEE9, calendarHolidaysBackgroundColor=#FFEBDA, tabDisabledTextColor=#B1ADA7, tableBorderWidth=1px, buttonFamilyFont=Arial, Verdana, sans-serif, generalFamilyFont=Arial, Verdana, sans-serif, tableBackgroundColor=#FFFFFF, calendarWeekBackgroundColor=#F1EEE9, tipBackgroundColor=#FAE6B0, calendarCurrentTextColor=#FFEBDA, editBackgroundColor=#FEFFDA, shadowBackgroundColor=#000000, headerFamilyFont=Arial, Verdana, sans-serif, tableFooterBackgroundColor=#cccccc, additionalBackgroundColor=#F1EEE9, panelBorderColor=#C4C0B9, visitedLinkColor=#0090FF, controlBackgroundColor=#ffffff, calendarSpecTextColor=#000000, tabBackgroundColor=#E3DED5, generalBackgroundColor=#FFFFFF, generalSizeFont=11px, warningColor=#FFE6E6, headerSizeFont=11px}
	{export.xml.mimetype=text/xml, basic.htmlNullValue=, export.xml.label=XML, error.msg.invalid_page=Invalid page {0} provided, value should be between 1 and {1}, paging.banner.some_items_found={0} {1} found, displaying {2} to {3}, basic.show.header=true, export.csv.include_header=true, paging.banner.item_name=item, error.msg.cant_find_bean=Could not find bean {0} in scope {1}, paging.banner.next_label=Next Page, error.msg.illegal_access_exception=IllegalAccessException trying to fetch property {0} on bean {1}, paging.banner.one_item_found=1 {0} found., export.amount=list, error.msg.invocation_target_exception=InvocationTargetException trying to fetch property {0} on bean {1}, error.msg.no_column_tags=Please provide column tags.,

display	export.banner.sepchar= , export.excel=true, paging.banner.placement=bottom, export.csv.mimetype=text/csv, export.excel.include_header=true, export.banner=Export options: {0}, basic.msg.empty_list=Nothing found to display, export.excel.label=Excel, export.xml=true, paging.banner.all_items_found={0} {1} found, showing all {2}, paging.banner.first_label=First, export.csv.label=CSV, error.msg.invalid_decorator=Decorator class is not a subclass of TableDecorator, paging.banner.include_previous_next=true, export.excel.mimetype=application/vnd.ms-excel, paging.banner.prev_label=Previous Page, paging.banner.last_label=Last, paging.banner.group_size=8, sort.behavior=list, error.msg.invalid_bean=The bean that you gave me is not a Collection I understand: {0}, export.decorated=true, paging.banner.include_first_last=false, export.csv=true, paging.banner.items_name=items, error.msg.nosuchmethod_exception=NoSuchMethodException trying to fetch property {0} on bean {1}, paging.banner.no_items_found=No {0} found., paging.banner.default.page_size=10}
help	org.apache.struts.util.PropertyMessageResources@772e25fc
helpBaseURL	http://www.redhat.com/docs/en-US/JBoss_ON/
jaas-provider	JDBC
mockup	org.apache.struts.util.PropertyMessageResources@76c00084
monitorEnabled	true
userPrefs	Configuration[id=0]