



Validation Report

Validation Profile: PDF/A-2B validation profile

Compliance status: **Failed**

Statistics

Version: 0.22.1

Build Date: 2016-09-06T22:51:00+01:00

Processing time: 00:00:00.201

Total rules in Profile: 119

Passed Checks: 374

Failed Checks: 5

Validation information

Rule	Status
Specification: ISO 19005-2:2011, Clause: 6.1.7, Test number: 2 <p>The stream keyword shall be followed either by a CARRIAGE RETURN (0Dh) and LINE FEED (0Ah) character sequence or by a single LINE FEED (0Ah) character. The endstream keyword shall be preceded by an EOL marker.</p> <p>4 occurrences</p> <p>CosStream</p> <pre>streamKeywordCRLFCompliant == true && endstreamKeywordEOLCompliant == true</pre> <p>root/document[0]/metadata[0](15 0 obj PDMetadata)/stream[0]</p> <p>root/indirectObjects[3](4 0)/directObject[0]</p> <p>root/indirectObjects[13](14 0)/directObject[0]</p> <p>root/indirectObjects[14](15 0)/directObject[0]</p>	Failed Show
Specification: ISO 19005-2:2011, Clause: 6.1.7, Test number: 1 <p>The value of the Length key specified in the stream dictionary shall match the number of bytes in the file following the LINE FEED (0Ah) character after the stream keyword and preceding the EOL marker before the endstream keyword.</p> <p>1 occurrences</p>	Failed Show

CosStream

isLengthCorrect

root/indirectObjects[6](7 0)/directObject[0]