PACIFIC SCIENTIFIC REVIEW GROUP

A Regional Advisory Group to the National Marine Fisheries Service

July 7, 2008

Michael Scott Inter-American Tropical Tuna C/o Scripps Inst. of Oceanography

PH: FAX:

Commission

La Jolla, CA 92037 (858) 546-7045 (858) 546-7133

e-mail: mscott@iattc.org

Hannah Bernard Hawai'i Wildlife Fund

Robin Brown Oregon Dept. of Fish and Wildlife

John Calambokidis Cascadia Research

Mark Fraker TerraMar Environmental Research,

Doyle Hanan Hanan & Associates, Inc.

Jim Harvey Moss Landing Marine Laboratories

Chuck Janisse Federation of Independent Seafood Harvesters

Steve Jeffries Washington Dept. of Fish & Wildlife

Katherine Ralls Smithsonian Institution

Terry Wright Northwest Indian Fisheries Commission

Dr. James Balsiger Assistant Administrator for Fisheries National Marine Fisheries Service 1335 East-West Highway Silver Spring, Maryland 20910

Dear Dr. Balsiger,

We would like to provide you with the minutes and recommendations from the most recent meeting of the Pacific Scientific Review Group held 9-10 January 2008.

The SRG commends the NMFS for making good progress on the research recommendations previously made by the SRG. The PIFSC has been able to use its limited resources to conduct research, Prescott Grant money has been used to initiate stranding networks to several US Pacific islands, and genetics and tracking studies have provided critical information on false killer whales and harbor porpoise. The NMFS also convened a meeting of the California/Oregon driftnet fishery Take Reduction Team to review the fishery.

The SRG is aware of the budgetary problems currently confronting the NMFS, but it urges the continuation of adequate ship time and funding to monitor both pinniped and cetacean populations along the West Coast and in the Pacific Islands region. The SRG notes the need to monitor the trends of marine mammal populations, particularly those with incidental takes from fisheries. The regular survey of the Washington, Oregon, and California coast and the survey of Hawaiian Islands will soon need to planned, while 1999 surveys of harbor seal populations in Washington and Oregon can no longer be used under the PBR guidelines and new estimates will be required.

Once again, the SRG compliments your NMFS staff for their excellent presentations, outstanding research, and support of the SRG.

Sincerely,

michael Scott

Michael Scott Chairman, Pacific Scientific Review Group

cc: Distribution list (attached)

Jim Balsiger

Asst. Administrator for Fisheries NOAA - NMFS 1315 East-West Highway Silver Spring, MD 20910

Usha Varanasi

Science & Research Director NW Fisheries Science Center/NMFS 2725 Montlake Blvd., E. Seattle, WA 98112

Norm Bartoo

Science & Research Director SW Fisheries Science Center/NMFS 8604 La Jolla Shores Dr. La Jolla, CA 92037

Douglas DeMaster

Science & Research Director Alaska Fisheries Science Center/NMFS 7600 Sand Point Way, N.E. Seattle, WA 98115-0070

Sam Pooley

Science & Research Director Pacific Islands Fisheries Science Center 2570 Dole St. Honolulu, HI 96822-2396

Hannah Bernard

Hawai'i Wildlife Fund P.O. Box 790637 Paia, HI 96779

Robin Brown

Oregon Dept of Fish and Wildlife Marine Mammal Research Program 7118 NE Vandenberg Ave. Corvallis, OR 97330-9446

Mark A. Fraker

TerraMar Environmental Research 8617 Lochside Dr. Sidney, B.C. V8L 1M8 CANADA

Doyle Hanan

Hanan & Associates, Inc. P.O. Box 8914 Rancho Santa Fe, CA 92067

Michael Scott

Chair, Pacific Scientific Review Group IATTC 8604 La Jolla Shores Drive La Jolla, CA 92037

Chuck Janisse

Federation of Independent Seafood Harvesters (FISH) P.O. Box 352 Bridgewater Corners, VT 0503

Steve Jeffries

Washington Dept. of Fish and Wildlife Marine Mammal Investigations 7801 Phillips Road SW Tacoma, WA 98498

Katherine Ralls

Smithsonian Institution P.O. Box 6356 Carmel, CA 93921

Terry E. Wright

Northwest Indian Fisheries Commission 6730 Martin Way, E. Olympia, WA 98516

John Calambokidis

Cascadia Research Collective 18 1/2 W 4th Ave. Olympia, WA 98501

Jim Harvey

Moss Landing Marine Laboratories 8272 Moss Landing Rd Moss Landing, CS 95039

Ren Lohoefener

Regional Director US Fish & Wildlife Service 911 NS 11th Ave Portland, OR 97332-418

Steve Thompson

Regional Director, CNO US Fish and Wildlife Service 2800 Cottage Way, W-2602 Sacramento, CA 95825

Diane Noda

US Fish & Wildlife Service 2493 Portola Rd Ste B Ventura, CA 93003

Ken Berg

US Fish and Wildlife Service 510 Desmond Dr SE Lacey, WA 98503-1273

CC (via e-mail):

eamathews@uas.alaska.edu AK SRG Chair

John.Bengtson@noaa.gov AKFSC Marcia.Muto@noaa.gov **AKFSC** Robyn.Angliss@noaa.gov **AKFSC**

dbaltz@lsu.edu ATL SRG Chair RWBaird@cascadiaresearch.org Cascadia Research

Dale.Sweetnam@noaa.gov **CDFG** David.Cottingham@noaa.gov F/PR Kristy.Long@noaa.gov F/PR Melissa.Andersen@noaa.gov F/PR Tom.Eagle@noaa.gov F/PR

F/PR - Director

Jim.Lecky@noaa.gov Deanna Lynch@fws.gov **FWS** Diane_Bowen@fws.gov **FWS** Lilian_Carswell@fws.gov **FWS** bgisiner@mmc.gov **MMC** msimpkins@mmc.gov **MMC** tragen@mmc.gov **MMC** Gordon.Waring@noaa.gov **NEFSC** Brad.Hanson@noaa.gov **NWFSC** Mike.Ford@noaa.gov **NWFSC** Garth.Griffin@noaa.gov **NWR** Bob.Lohn@noaa.gov **NWR** Bud.Antonelis@noaa.gov **PIFSC** Charles.Littnan@noaa.gov **PIFSC** Jason.Baker@noaa.gov **PIFSC** Adam.Bailey@noaa.gov PIR Alecia.VanAtta@noaa.gov PIR Bill.Robinson@noaa.gov **PIR** Chris. Yates@noaa.gov PIR Michelle.Yuen@noaa.gov PIR David.Schofield@noaa.gov PIR Keith.D.Mullin@noaa.gov **SEFSC** Laura.Engleby@noaa.gov SER Barbara.Taylor@noaa.gov **SWFSC** Jay.Barlow@noaa.gov **SWFSC** Jeremy.Rusin@noaa.gov **SWFSC** Jim.Carretta@noaa.gov **SWFSC** Karin.Forney@noaa.gov **SWFSC** Lisa.Ballance@noaa.gov **SWFSC** Susan.Chiver@noaa.gov **SWFSC**

SWFSC

SWR

SWR

SWR

SWR

Karen.Martien@noaa.gov

Christina.Fahy@noaa.gov

Rod.Mcinnis@noaa.gov

Russ.Strach@noaa.gov

Monica.DeAngelis@noaa.gov

PACIFIC SCIENTIFIC REVIEW GROUP

A Regional Advisory Group to the National Marine Fisheries Service

July 7, 2008

Michael Scott Inter-American Tropical Tuna Commission C/o Scripps Inst. of Oceanography La Jolla, CA 92037 PH: (858) 546-7045 FAX: (858) 546-7133

e-mail: mscott@iattc.org

Hannah Bernard Maui Ocean Center

Robin Brown Oregon Dept. of Fish and Wildlife

John Calambokidis Cascadia Research

Mark Fraker TerraMar Environmental Research

Doyle Hanan Hanan & Associates, Inc.

Jim Harvey Moss Landing Marine Laboratories

Chuck Janisse Federation of Independent Seafood Harvesters

Steve Jeffries Washington Dept. of Fish & Wildlife

Katherine Ralls Smithsonian Institution

Terry Wright Northwest Indian Fisheries Commission Steve Thompson Regional Director, CNO US Fish and Wildlife Service 2800 Cottage Way, W-2602 Sacramento, CA 95825

Dear Dr. Thompson,

Enclosed are the minutes and recommendations of the January, 2008 meeting of the Pacific Scientific Review Group held in Monterey, California.

The SRG greatly appreciated the participation of Lilian Carswell and her preparation and presentation of the updated Stock Assessment Report on southern sea otters. The SRG is encouraged to see that the USFWS has taken steps to publish these Stock Assessment Reports so that both the SRG and the USFWS can meet their responsibilities mandated by the Marine Mammal Protection Act.

Sincerely,

michael Scott

Michael Scott Chairman, Pacific Scientific Review Group

cc: Lilian Carswell Diane Noda

PACIFIC SCIENTIFIC REVIEW GROUP

A Regional Advisory Group to the National Marine Fisheries Service

July 7, 2008

Michael Scott Inter-American Tropical Tuna Commission C/o Scripps Inst. of Oceanography La Jolla, CA 92037 PH: (858) 546-7045

FAX: (858) 546-7133 e-mail: mscott@iattc.org

Hannah Bernard Maui Ocean Center

Robin Brown Oregon Dept. of Fish and Wildlife

John Calambokidis Cascadia Research

Mark Fraker TerraMar Environmental Research

Doyle Hanan Hanan & Associates, Inc.

Jim Harvey Moss Landing Marine Laboratories

Chuck Janisse Federation of Independent Seafood Harvesters

Steve Jeffries Washington Dept. of Fish & Wildlife

Katherine Ralls Smithsonian Institution

Terry Wright Northwest Indian Fisheries Commission Ren Lohoefener Regional Director US Fish & Wildlife Service 911 NS 11th Ave Portland, OR 97332-418

Dear Dr. Lohoefener,

Enclosed are the minutes and recommendations of the January, 2008 meeting of the Pacific Scientific Review Group held in Monterey, California.

The SRG greatly appreciated the participation of Deanna Lynch and her preparation and presentation of the updated Stock Assessment Report on Washington State sea otters. The SRG is encouraged that the USFWS has taken steps to publish the Southern sea otter Stock Assessment Report and hopes that Washington sea otter Stock Assessment Report will soon follow so that both the SRG and the USFWS can meet their responsibilities mandated by the Marine Mammal Protection Act.

Sincerely,

michael Scoth

Michael Scott Chairman, Pacific Scientific Review Group

cc: Deanna Lynch Ken Berg

Minutes for the Pacific Scientific Review Group Meeting Monterey, California, 9-10 January 2008

The eighteenth meeting of the Pacific Scientific Review Group (SRG) was held at the Embassy Suites Hotel in Monterey, CA from 9-10 January 2008, following a joint meeting of all the SRGs from 8-9 January 2008. All SRG members were present except for John Calambokidis and Chuck Janisse. Jim Carretta and Karin Forney served as rapporteurs. Michael Scott served as chairman of the SRG. The SRG members and other participants are listed in Appendix 1, review documents are listed in Appendix 2, and the agenda of the meeting is in Appendix 3.

General Topics

MMPA updates. Tom Eagle reviewed potential amendments to the MMPA, including incorporation of recreational fisheries, pinniped interactions, treaty rights, and prohibitions on states from passing legislation dealing with federal marine mammal protection issues. There is not currently strong interest in moving new MMPA bills through Congress.

List of Fisheries (LOF). Melissa Andersen provided an overview of the 2008 LOF. There were no category changes for 2008 and no fishery additions. NMFS proposed to elevate the California yellowtail, barracuda, and white sea bass, small mesh (≥ 3.5 in and < 14 in.) drift gillnet fishery from a Category II to a Category I. However, after reanalysis of the data, NMFS did not make this change in the final rule because the bycatch was <50% of PBR. The OR blue shark and OR swordfish floating longline fisheries were removed from the LOF. Tina Fahy said that all Category III pot/trap fisheries will be examined to see if they are appropriately categorized based on humpback and gray whale interactions.

GAO review of Take Reduction Team process. GAO has attended recent TRT meetings to evaluate the TRT process/implementation. Its focus is on statutory deadlines, and compliance with and enforcement of TRT requirements. A report will be completed this year.

CA/OR/WA Fisheries and Management

TRT Update. Tina Fahy summarized the recent Take Reduction Team meeting, the first since 2003. There was consensus that the Take Reduction Plan (TRP) was working. Beaked whale entanglements have been reduced to zero. Short-finned pilot whales and long-beaked common dolphins remain above PBR in the 2007 SARs. California sea lion takes have increased since the use of pingers began. TRT recommendations included a continuation of the 36' extender length, mandatory pinger use, exploration of other pinger frequencies that might improve performance, alternative methods of vessel observation (such as electronic monitoring), and higher observer coverage. Small-scale strategic stock surveys (e.g.., long-beak common dolphins) were also recommended to obtain better abundance estimates. The next TRT meeting is scheduled for April 2008.

Other Management Issues. Monica DeAngelis reviewed a variety of additional management-related issues. A Federal Register notice was published in Oct. 2007 for the endangered species incidental take permit in the swordfish drift gillnet fishery and NMFS has considered issuing a national permit to cover all U.S. fisheries. Draft recovery plans for fin and sperm whales were made available for public review in July 2006, and final recovery plans are due out in 2008. New liquid natural gas ports have been proposed that would result in increased ship traffic and potentially increased ship strikes. Several whales (blue, humpback, and gray) were struck by vessels last year and the Channel Islands National Marine Sanctuary is considering a monitoring program to address ship strikes. The Navy approached NMFS in 2006 for consultation for 14 "range events" from 2007-2009. A Biological Opinion was published in 2007 detailing mitigation measures required by Navy to proceed with a variety of activities, including US Navy sonar, underwater detonation, torpedo, and countermeasure activities in Southern California waters.

Robin Brown reviewed Rogue River and Bonneville Dam pinniped interaction and deterrence issues. The sport fishery in the Rogue River was losing a large percentage of hooked fish to Steller and California sea lions, but acoustic harassment with seal bombs proved effective at deterring the sea lions. At Bonneville Dam, CA sea lions ate mainly salmon, estimated to be 1-4% of the total salmonid run, while Steller sea lions ate mostly sturgeon. A variety of gates, seal bombs, cracker shell, rubber buckshot, boat hazing techniques, and acoustic devices have been tested here.

Brown concluded that the MMPA does not effectively deal with problems of abundant pinniped predation on depleted salmonid stocks. It was not developed to allow for lethal removal of identifiable individuals that are documented to have a significant negative impact on threatened and endangered salmonids. In nearly all cases, this precludes a timely and effective resolution of problems with a minimal impact on the pinnipeds and salmonids involved. This delay may result in the need to remove larger numbers of pinnipeds than if prompt action had been taken to remove the initially occurring predators. Given what is now known about the foraging behaviors of California sea lions on salmonid stocks in similar situations (*e.g.* Ballard Locks), a more rational and effective approach would be to have the option to remove the first predators involved in a developing situation in a timely manner.

CA/OR/WA Research and SARs

Cetacean Genetic Studies. Susan Chivers summarized mitochondrial DNA results for West Coast harbor porpoise, which support moving the Cape Blanco boundary to just south of the Columbia River, near Lincoln City, OR. The SRG agreed that NMFS adopt the proposed revised stock boundary. Chivers also reported that a limited number of genetic samples show possibly three CA populations of long-beaked common dolphins off San Diego, Santa Barbara, and central California. In addition to incidental fishery mortalities, long-beaked common dolphins are vulnerable to domoic acid outbreaks. There have been several outbreaks observed that have resulted in record numbers of strandings in the Southern California Bight since 2000. Record numbers of long-beaked

common dolphin stranded in San Diego County during 2007 with deaths attributable to human interactions and domoic acid.

Southern Resident killer whales. Brad Hanson reported that the maximum net productivity rates were 3.6% during 2001-2005, but there have been 2 births and 5 deaths since 2006, and the population has declined from 89 to 86 animals.

Satellite transmitters are being developed, using pilot whales as proxy test animals. It is likely that only adult male SRKW would be targeted for satellite tagging, but there are relatively few males, so risks to individuals are a concern. Given the limited lifespan of each tag, it was suggested that animals could be serially tagged (multiple, staggered tagging of the same individual) to collect longer-term data. Acoustic recorders will also be deployed around the Farallon Islands and Ft. Bragg, CA, where sightings have occurred in recent years. Contaminant results from biopsy work by Krahn *et al.* indicate extremely high PBDE levels in whale J39 and that DDT/PCB ratios differ between J and L pods – probably related to differences in prey sources. Proposed rulemaking is underway on the effects of vessel interactions with SRKW.

Southern sea otter SAR. Lilian Carswell gave an update on this stock. The spring count was the highest observed: 3,026, yielding a 3-year average of 2,818 (+2.4%). The San Nicolas Island population was estimated to be about 37 animals. The southern distribution of animals has spread further south to Santa Barbara region as prey abundance has become limited in the central part of range. Animals have responded by targeting a wider diversity of prey species, resulting in a decline in body condition. No incidental take of otters in commercial fisheries has been reported. The FWS is being sued for failure to publish its sea otter SARs.

WA sea otter SAR. Deanna Lynch reported that the 2006 count was 790 animals. The population is increasing at about 8% annually, with the southern end of range having a higher growth rate, and the northern part of range experiencing a slowdown in growth. Based on the 2006 count, N_{min} is 790; R_{max} is 20%, the F_R is 0.1 (minimum population size <1,500 and <60% K, restricted geographical range), and the PBR is 8. Annual human-caused mortality and serious injury is a minimum of 2 for marine set gillnets. The FWS has requested information from the NMFS and tribal fisheries for any fishery-related sea otter mortality data for WA. Updated stranding information indicates an average of 18 otters annually over the period 2000-2007. Known causes of death include parasites, leptospirosis, and canine morbillivirus. Steve Jeffries added that the WA 2007 survey yielded a count of 1121 otters.

Long-beaked common dolphin SAR. Jim Carretta reviewed changes in CA/OR/WA SARs. For long-beaked common dolphins, the current abundance estimate is based on the original analysis of the 2001 survey, and the recent 2005 survey, however a revised analysis of all survey years (Barlow and Forney 2007) yielded an improved estimate of about 20,000 long-beaked common dolphins for 2001, instead of the original estimate of about 300. The revised average 2001-2005 abundance is about 15,000 animals, PBR is >80, and the stock is no longer strategic. Discussion about the merits of which 2001

estimate to use for long-beaked common dolphins and other species concluded that the Barlow and Forney (2007) estimates for 2001 and the Forney (2007) estimates for 2005 would be appropriate for all stocks.

Large whale SARs. The SRG noted that the F_r for sperm whales should be increased to 0.2, given that N_{min} is now >1,500 whales and the population appears to be increasing. The SRG raised the issue that a majority of SARs lack information on trends in abundance. Jay Barlow replied that there is a NMFS proposal to perform a Bayesian trend analysis on all stocks to determine population trends. Terry Wright proposed removing the historic whaling sections from SARs for large whales, but Jay Barlow responded that these sections are integral to explaining the depleted status of these populations. After a brief discussion, it was agreed that this section could be shortened and moved to the status section.

Pacific Islands Fisheries and Management

Hawaii management issues. Lisa Van Atta reviewed several management issues. There is no false killer whale Take Reduction Team due to budget problems, but a Marine Mammal Advisory Committee met with the Western Pacific Fishery Management Council and made 12 recommendations for reducing false killer whale takes. The Hawaii superferry operators have been required by the legislature to apply for an incidental take permit from NOAA, which they have done and a Biological Opinion will be prepared. The Navy has drafted a programmatic impact statement to cover RIMPAC 2008 and other activities nationally and has applied for a Letter of Authorization to incidentally harass marine mammals. Michelle Yuen reported that a draft EIS is being prepared for human interaction impacts on Hawaiian spinner dolphins, and it is expected out in early 2009. The Monk seal recovery plan was finalized in 2007. Two monk seals drowned in recreational gillnets in 2006-2007, and there were also two hookings during this period, considered non-serious injuries. PIRO is preparing to hire a person to monitor and/or conduct surveys of nearshore fishery interactions.

Hawaii longline bycatch analyses. Karin Forney reviewed preliminary results of an analysis of Hawaii longline observer data, conducted in collaboration with Donald Kobayashi and Dave Johnston to examine depredation and bycatch rates relative to environmental variables and gear factors. About 16,000 sets were available for analysis, including a subset of 868 sets (~5%) during which cetaceans interacted with catch or gear. Depredation was slightly more common within 500 nm of Hawaii, at lower latitudes, and in the deep-set fishery, but overall it appeared to be a rare and random event. When animals were documented interacting with gear (868 sets), they were 80% less likely to become entangled or hooked with circle hooks vs. J-hooks. However, there are some analytical caveats that must be investigated further. In particular, the impact of mixed-hook sets may confound results and requires additional analyses.

Overall cetacean bycatch for 2002-2006 was estimated using two methods (PSRG-2008-16): those previously applied by Forney and Kobayashi (2007), and those developed by Marti McCracken (PIFSC) for other protected species. The two methods yielded similar results, with 5-year average false killer whale mortality and serious injury estimates of

6.5 and 7.6, respectively for the area outside the EEZ, and 5.9 and 5.6, respectively, for the Hawaiian Islands EEZ. Using either method, the PBR is exceeded. The methods of McCracken are based on the current sampling protocol for observed trips, and plans are to continue with this in the future.

Pacific Islands Research and SARs

PIFSC review. Dave Johnston reported that humpback whales were found in warm shallow regions of the NWHI during a 2007 cruise. Spinner dolphin photo-ID research was completed around the main Hawaiian Islands, and the American Samoa spinner dolphin results were published. Spinner dolphins in Samoa may be a different stock than Hawaiian animals. Passive acoustic studies conducted at Palmyra Atoll, Cross Seamount, and Ladd Seamount produced recordings of minke whales, and nighttime detection of beaked whales at Cross Seamount, suggesting that deep scattering layer advection over the seamounts facilitates foraging. Data loggers were also experimentally deployed on active longline gear to detect cetacean echolocation.

Hawaiian odontocetes photo identification and satellite telemetry. Robin Baird has continued photo-identification studies around the main Hawaiian Islands. False killer whales show the broadest use of depth strata among the odontocetes studied in this region, with a preference for deep (>3000 m) waters, and a maximum distance offshore of 31 km. Some animals have been documented in the area over a 20-yr period. Satellite telemetry results show that animals use the (non-surveyed) windward sides of islands as well as the surveyed leeward side. One animal stayed close to the main Hawaiian Islands for the entire 30-day track. The maximum observed linear movement was >400 km, and the maximum distance offshore was 96 km, indicating overlap with putative offshore population. Robin Baird also reported photo-identification based mark-recapture estimates for Blainville's beaked whales (125) and Cuvier's beaked whales (55) over a 4-yr period. Satellite tag results from Blainville's beaked whales show site fidelity to the nearshore area of the Big Island and the Alenuihaha Channel.

Proposed false killer whale stock boundary changes. Susan Chivers reviewed PSRG-2008-15, which proposes to revise the Hawaii false killer whale stock boundary to include only waters out to about 75 nm around the Main Hawaiian Islands. The revised false killer whale stock complex would include 3 stocks: Hawaiian Insular Stock, Hawaiian Pelagic Stock, and Palmyra Stock. The rationale for the 75 nm boundary proposal is linked to the exclusion zone of the longline fishery in this region, which varies seasonally but is about 75nmi for part of the year. Support for the insular stock designation includes long-term residency and movements of animals around the MHI (Robin Baird studies) and genetic evidence indicating MHI false killer whales are reproductively isolated. Thus, there are at least two stocks within the Hawaiian EEZ. Evidence to support maintaining a Palmyra stock includes different oceanographic conditions in this region, higher animal densities, concentrated fishing effort within the EEZ, and consistency with GAMMS II guidelines. Svein Fougner noted that fishing effort is not necessarily concentrated around Palmyra, but extends over a large area.

Karin Forney reviewed abundance, mortality and PBR information for each proposed stock, and confirmed that management of false killer whales within the EEZ is consistent with management guidelines. The abundance of the Hawaii Insular stock is 123 (CV=0.72) based on photo-ID surveys (Baird), the Hawaii Pelagic Stock abundance estimate is 484 (CV=0.93) (Barlow and Rankin 2007), and the Palmyra Atoll Stock abundance is 1,329 (CV=0.65) (Barlow and Rankin 2007). The estimated abundance of false killer whales in international waters of the 2005 surveys study area is 906 (CV=0.68). The Hawaii Pelagic stock is strategic, the Palmyra and Hawaii Insular stocks are not strategic. If the animals in international waters were considered separately, the US mortality and serious injury would exceed the calculated PBR. The SRG supported the proposed revised false killer whales stock boundaries. One error was noted in the text of the revised SAR: the Insular stock should be non-strategic. This will be corrected in the final Draft 2008 SAR.

False killer whale SAR. Dave Johnston reviewed changes to the draft 2008 SAR to include the Hawaii Insular Stock Abundance and mortality levels as presented earlier by Forney. The SRG suggested adding the Hawaiian Insular Stock to Table 1, and noted that the CV is lacking for the 2006 bycatch estimates. Karin Forney explained that Marti McCracken is still working out some technical details of the CV estimation and that these estimates will be added prior to release for public review.

Monk Seal SAR. Jason Baker described a shift in research priority to reduce juvenile mortality, such as treating juveniles for worm infestation. The Draft 2008 SAR reports a population size decline from 1247 to 1208 seals. The SRG suggested adding a sentence to the SAR to clarify that 'undetermined PBR' does not mean we do not know what PBR is but rather that it cannot mathematically be calculated according to the current PBR guidelines because of a negative population growth rate. There are no 'allowable' takes for this stock, which functionally equates to zero, but PBR cannot be calculated given the available data.

Topics, Timing and Location for Next Meeting

It was decided that the focus of the next meeting would be on Hawaiian issues, including updates on the HI longline fishery, monk seals, and small-scale studies of cetacean populations.

Review of Previous Research and Management Recommendations

The SRG recognizes that the Pacific Islands Fisheries Science Center (PIFSC) Protected Species program has focused largely on monk seals and sea turtles. The SRG recommends that additional focus be placed on developing a full cetacean research program to address pressing questions of abundance, stock structure, and fishery interactions of cetaceans in the Pacific Islands region.

This program has conducted an impressive amount of research on cetaceans, particularly given the limited staff available.

With the increased concern about marine mammal populations in U.S. jurisdictions throughout the Central Pacific, it is important to continue expanding the stranding program to other islands such as American Samoa and Guam. This will help define stock structure and monitor for potential interactions with fisheries, naval sonar operations in the area, and other anthropogenic activities.

A John H. Prescott Marine Mammal Rescue Assistance Grant award was made to the Northern Marianas College (Oct 2007-Sept 2008) for stranding response in the Northern Marianas Islands, Guam and American Samoa.

The recent entanglement of a Hawaiian monk seal in a "recreational" set net illustrates the increased potential for fishery mortality in the main Hawaiian Islands. The State of Hawaii is proposing to regulate this fishery and the SRG recommends that the NMFS work with the State to better manage the fishery to minimize the entanglement of Hawaiian monk seals and other marine mammals.

NMFS has funded a State of Hawaii Fisheries Interactions position to deal with this issue.

It has been a number of years since the last pup survey of Hawaiian monk seals in the main Hawaiian Islands. The SRG recommends a new survey be conducted, particularly on the island of Niihau, to update abundance estimates.

This project has not been done yet, but it is part of the newly completed Recovery Plan and is the number one priority of the Monk Seal program. Funding is required however.

The SRG is concerned about the lack of meetings of the California driftnet TRT, and recommends that it meet soon to review the fishery.

The TRT met in April 2007 and is scheduled to meet again in April 2008.

The SRG recommends that the NMFS initiate a status review of large whales. Increasing trends in humpback and blue whale abundances indicate that these species are recovering sufficiently well that downlisting under the ESA may be warranted.

Data have been collected (e.g., SPLASH) that would be required for such a review. A Status Review is required under the ESA every five years, but it is overdue.

The SRG continues to recommend that the USFWS publish its Stock Assessment Report on Washington and southern sea otters so that the USFWS can meet its statutory responsibilities under the MMPA.

SARs have been updated and reviewed by the SRG annually. Progress has been made in overcoming the internal FWS barriers to publication of the sea otter SARs. A draft SAR for the southern sea otter was published in the Federal Register in June 2008 for public comment.

The SRG recommends continued studies of harbor porpoise movements and genetics to better understand the stock structure and identify stock boundaries.

Genetics research has continued to examine harbor porpoise stock structure.

The SRG supports continued studies of movements and genetics of false killer whales and other cetaceans around Hawaii and in the Central Pacific to better understand stock structure.

Both satellite tracking and genetics research on false killer whales have been conducted.

RESEARCH AND MANAGEMENT RECOMMENDATIONS Pacific Scientific Review Group – 9-10 January, 2008

The SRG recommends the Pacific Islands Fisheries Science Center (PIFSC) Protected Species program continue to build its small cetacean research program. The SRG notes that a cetacean survey should be conducted in Hawaiian waters by 2010, and that planning for such a survey should be initiated soon, given the complex planning and extensive resources required for such a survey.

The SRG continues to recommend that the USFWS publish its Stock Assessment Report on Washington and southern sea otters so that the USFWS can meet its statutory responsibilities under the MMPA.

The SRG supports continued studies of movements and genetics of false killer whales and other cetaceans around Hawaii and in the Central Pacific to better understand stock structure.

Beaked whales are notoriously difficult to study and census, but small-scale studies in favorable localities have been successful. The SRG recommends that studies utilizing photo-identification, radio- and satellite tracking, and biopsies for genetic analysis be conducted where possible on beaked whales.

Appendix 1

Attendees at the 18th Meeting of the Pacific Scientific Review Group

Scientific Review Group - Pacific Region:

Hannah Bernard Hawai'i Wildlife Fund

Robin Brown Oregon Department of Fish and Wildlife John Calambokidis Cascadia Research (*Not attending*)

Mark Fraker Terramar Environmental Research

Doyle Hanan Hanan & Associates, Inc.

Jim Harvey Moss Landing Marine Laboratories

Chuck Janisse Federated Independent Seafood Harvesters (*Not attending*)

Steve Jeffries Washington Department of Fish and Wildlife

Katherine Ralls Smithsonian Institution

Michael Scott Inter-American Tropical Tuna Commission Terry Wright Northwest Indian Fisheries Commission

Invited Participants and Observers:

NMFS Southwest Fisheries Science Center NMFS Northwest Fisheries Science Center

Jay Barlow Brad Hanson

Bob Brownell

Jim Carretta NMFS National Marine Mammal Laboratory

Susan Chivers Marcia Muto

Karin Forney

Karen Martien NMFS Office of Protected Resources

Melissa Andersen

NMFS Southwest Region Tom Eagle

Monica DeAngelis

Tina Fahy USFWS

Deanna Lynch Lilian Carswell

NMFS Pacific Islands Fisheries Science

Center

Jason Baker Marine Mammal Commission

David Johnston Bob Gisiner

Charles Littnan

Cascadia Research

NMFS Pacific Islands Region Robin Baird

Adam Bailey

Lisa Van Atta Hawaii Longline Association

Michelle Yuen Svein Fougner

National Resource Defense Council

Liz Alter

Appendix 2

Final Document List Pacific SRG Meeting 8-10 January 2008

Review Papers

	PSRG-2008-01	CA/OR/WA cetacean SARs
	PSRG-2008-02	Pacific Islands False Killer Whale SAR
	PSRG-2008-03	Southern Resident Killer Whale SAR
	PSRG-2008-04	HI Monk Seal SAR
	PSRG-2008-05	Southern Sea Otter SAR
	PSRG-2008-06	WA Sea Otter SAR
	PSRG-2008-07	CA/OR Marine mammal and sea turtle bycatch for 2006
	PSRG-2008-08	Rogue River Pinniped Non-lethal deterrence report
	PSRG-2008-09	Columbia River Pinniped-Interaction Task Force report
	PSRG-2008-10	LOF 2008
	PSRG-2008-11	GAO - TRT Notification Letter
	PSRG-2008-12	FR Notice - 101a5E Incidental Take Permit
	PSRG-2008-13	Draft document on HI tag development work
	PSRG-2008-14	Delphinus capensis genetics and fishery interaction summary
	PSRG-2008-15	Pacific Islands false killer whale stock structure proposal
	PSRG-2008-16	HI longline bycatch estimates, 2002-2006
	PSRG-2008-17	MMAC draft recommendations from Feb 2007 meeting
Background Papers		
	PSRG-2008-B1	Temporal and spatial variation in age-specific survival rates of a lo mammal, the Hawaiian monk seal

2 wo8- vww - wp v2		
PSRG-2008-B1	Temporal and spatial variation in age-specific survival rates of a long-lived	
	mammal, the Hawaiian monk seal	
PSRG-2008-B2	Effect of variable oceanic productivity on the survival of an upper trophic	
	predator, the Hawaiian monk seal Monachus schauinslandi	
PSRG-2008-B3	Baird et al Hawaii Steno paper (in press)	
PSRG-2008-B4	SRKW Contaminant paper (Marine Pollution Bulletin)	
PSRG-2008-B5	U.S. West Coast harbor porpoise genetics	
PSRG-2008-B6	U.S. West Coast harbor porpoise stock structure proposal	
PSRG-2008-B7	Chivers et al. 2007 CJZ paper	
PSRG-2008-B8	Baird & Gorgone 2005 Pacific Science paper	
PSRG-2008-B9	Baird et al. 2005 FKW photo-id contract report	
PSRG-2008-B10	Baird et al FKW photo-id manuscript submitted to MMS	
PSRG-2008-B11	Barlow and Forney 2007 - Fish. Bull. West Coast abundance paper	

Appendix 3

Agenda - Pacific SRG Meeting Embassy Suites Hotel, Monterey, CA 9-10 January 2008

JANUARY 9, 2008 1300 - 1730

Introduction - Scott

General Management Updates

- MMPA updates Eagle
- List of Fisheries -Andersen
- GAO Review of Take Reduction Team Process Cottingham

CA/OR/WA Fishery and Management Updates

- FR Notice for the 101(a)(5)(E) permit, TRT updates, Recovery Plans -DeAngelis
- LNG ports along the west coast *-DeAngelis*
- Navy exercises (COMPTUEX/JTFEX) -DeAngelis
- Overview of human-related marine mammal takes and observer programs -DeAngelis/Fahy
- Updates on exempted fishing permits (longline and drift gillnet) Fahy
- 2006 marine mammal mortality estimates for gillnet fisheries Carretta
- OR/WA/ID application for lethal removal authority of sea lions Brown
- Successful non-lethal sea lion hazing program in Oregon *Brown*

CA/OR/WA Research & SARs

- Harbor porpoise stock revisions *Chivers*
- Long-beaked common dolphin research updates Chivers
- Southern resident killer whale updates Hanson
- Sea otter updates and SARs Carswell & Lynch
- CA/OR/WA Cetacean SARs Carretta

JANUARY 10, 2008, 0830 - 1730

Pacific Islands Protected Species Management Issues

- Hawaii Superferry issue Van Atta/Yuen
- Navy's Hawaii Range Complex EIS (Navy sonar issue) Van Atta/Yuen
- Potential new Hawaiian spinner dolphin regulations Van Atta/Yuen
- Review false killer whale take reduction progress in longline fishery Van Atta/Yuen

Pacific Islands Research and SARs

- Humpbacks in NWHI Johnston
- American Samoa research updates Johnston
- Hawaii research updates Johnston
- Cetacean bycatch analyses *Forney*
- False killer whale stock updates *Chivers*
- Hawaii cetacean telemetry research updates Baird
- Monk seal research updates & SAR Baker
- Pacific Islands False Killer Whale SAR Johnston

Discuss recommendations

Topics, timing, and location for next meeting

Adjourn