Department of Commerce • National Oceanic & Atmospheric Administration • National Weather Service

NATIONAL WEATHER SERVICE WESTERN REGION SUPPLEMENT 12-2003 APPLICABLE TO NWSI 10-310 NOVEMBER 21, 2008

Operations and Services Marine and Coastal Weather Services, NWSPD 10-3 Coastal Marine Forecast Services, NWSI 10-310

MARINE WEATHER SERVICES

NOTICE: This publication is available at:	http://www.nws.noaa.gov/directives/.
OPR: W/WR1x4 (J. Lorens)	Certified by: W/WR1 C. Schmidt
Type of Issuance: Emergency	

SUMMARY OF REVISIONS: This directive supersedes NWS Western Region Supplement 12-2003 dated May 12, 2008.

The following changes were made in this issuance:

- 1. Removed VTEC references.
- 2. Added references to new NWS Directive, NWSI 10-315, Marine Weather Messages.

Signed	11/12/08
Robert Tibi	Date
Director, Western Region	

NWS WRS 12-2003 NOVEMBER 21, 2008

Ta	ible of Contents:	<u>Page</u>
1.	Introduction	2
2.	Coastal Waters Forecasts (CWF)	2
	2.1 Issuance	2
	2.2 CWF Format	2
	2.3 CWF Content	3
	2.4 River Bar Forecasts	4
	2.5 Marine Watches, Warnings, and Advisories	5
3.	Surf Zone Forecast (SRF)	5
	3.1 Issuance	
	3.2 Format	
	3.3 Content	
4.	Forecast Collaboration	5
Αŗ	opendix	
	Wave Steepness Criteria	

- 1. <u>Introduction</u>. This regional supplement provides additional guidance and instructions for marine weather products and services including Coastal Waters Forecasts and Surf Zone Forecasts. Written instructions cannot address every situation. Operational personnel must exercise initiative and professional judgment to minimize risk to public safety and property in instances when written instructions do not provide appropriate guidance.
- 2. Coastal Waters Forecasts (CWF).
- 2.1 <u>Preparation and Issuance</u>. Western Region (WR) Weather Forecast Offices (WFOs) will prepare and issue Coastal Waters Forecast (CWF) products for their marine areas of responsibility, in accordance with NWSI 10-310 (Coastal Marine Forecast Services). NWSI 10-506 (Digital Data Products/Services Specification), and this Supplement. Scheduled issuance times for CWFs are: 0300/0900/1500/2100 (Local Time). CWFs will be issued no earlier than one hour prior to, but no later than scheduled issuance times. Unscheduled (updated or corrected) CWFs will be issued as necessary. Gridded marine elements will be updated as needed to ensure currency.
- 2.2 CWF Format. Refer to NWSI 10-310 for general CWF format.

2.2.1 <u>Reference to National Marine Sanctuaries</u>. WFOs Los Angeles, San Francisco Bay Area, and Seattle will reference National Marine Sanctuaries in their areas of responsibility in the SYNOPSIS description line <u>or</u> in the areal description line of the Mass News Disseminator (MND).

2.3 CWF Content.

- 2.3.1 Synopsis. WR WFOs will include a brief synopsis discussing the dominant weather features affecting the WFOs coastal waters area of responsibility, including general trends (movement, intensification, weakening, etc.). Primary emphasis will be placed on the first 36-48 hours of the forecast, emphasizing weather features expected to result in a significant degradation or improvement of forecast conditions, particularly when marine warning/advisory thresholds are expected to be crossed.
- 2.3.2 <u>Forecast Content</u>. Refer to NWSI 10-310 for basic guidance on CWF content.
 - a. <u>Waves</u>. Except as noted, wave information will be separated into its separate components.
 - 1. Wind wave height (feet).
 - 2. <u>Swell</u>. Swell information will be included for coastal waters marine zones (0 to 60 nautical miles from the coast). Swell will not be included in inland waters marine zones (e.g. Puget Sound).
 - a. <u>Swell direction and height (feet)</u>.
 - b. <u>Swell period (seconds)</u>. Include swell period in the first three forecast periods only.
 - c. <u>Mixed Swell</u>. A secondary swell should also be included if it can be clearly identified. In such cases, specify the predominant swell first, then the secondary swell. Include a direction, height, and period for each swell. As general guidance, include a secondary swell if it differs from the primary swell by 90 degrees or more, the height of the secondary swell is at least half the height of the primary swell, or if it poses a special hazard (e.g. shoaling in shallower depths due to longer period).
 - 3. <u>Combined Seas</u>. (Combination of swell and wind wave heights, typically synonymous with **significant wave height**). The term "combined seas" will be substituted for the combination of *swell* and *wind wave* when the two cannot be clearly distinguished.

2.4 <u>River/Bay Bar Forecasts</u>. Certain areas along the California, Oregon, and Washington coasts, especially near (or at) the entrance to rivers and bays, are identified as "bars". These areas may have significantly different wave conditions than surrounding coastal waters. For these areas, specific wave forecasts and related information (e.g. tidal information), may be included in the CWF. Some river/bay bars have unique marine zones assigned to them, while others may be part of an existing coastal waters marine zone.

The following is an example of a bar forecast for a unique marine zone (a separate segment within the CWF):

PZZ210-232215-COLUMBIA RIVER BAR-900 AM PDT TUE SEP 23 2008

.IN THE MAIN CHANNEL...COMBINED SEAS 3 TO 4 FT THROUGH TONIGHT. SEAS WILL TEMPORARILY BUILD TO 5 FT DURING THE WEAKER EBB AROUND 1230 PM THIS AFTERNOON...AND TO 6 FT DURING THE STRONGER EBB CURRENT AROUND 100 AM EARLY MORNING.

The following is an example of a bar forecast for an area which is part of an existing coastal waters marine zone (appended to segment):

PZZ540-545-232230-POINT ARENA TO POINT REYES TO 20 NM-POINT REYES TO PIGEON POINT TO 20 NM-826 AM PDT TUE SEP 23 2008

.TODAY...NW WINDS 10 TO 20 KT. WIND WAVES 2 TO 4 FT.

NW SWELL 4 TO 5 FT AT 8 SECONDS.

.TONIGHT...NW WINDS 10 TO 20 KT. WIND WAVES 2 TO 4 FT.

NW SWELL 3 TO 5 FT AT 8 SECONDS AND S 2 FT AT 14 SECONDS.

.WED...NW WINDS 5 TO 15 KT. WIND WAVES 1 TO 3 FT.

MIXED SWELL NW 2 TO 4 FT AT 9 SECONDS AND S 2 FT AT 14 SECONDS.

.WED NIGHT...NW WINDS 10 TO 20 KT. WIND WAVES 2 TO 4 FT.

NW SWELL 4 TO 6 FT AND S 2 FT. PATCHY FOG.

.THU...NW WINDS 5 TO 15 KT...INCREASING TO 15 TO 25 FT. WIND WAVES 2 TO 5 FT. NW SWELL 6 TO 9 FT. S SWELL 2 FT. PATCHY FOG.

.FRI...NW WINDS 10 TO 20 KT. WIND WAVES 2 TO 4 FT.

NW SWELL 5 TO 7 FT AND S 2 FT. PATCHY FOG.

.SAT...NW WINDS 10 TO 20 KT. WIND WAVES 2 TO 4 FT.

MIXED SWELL NW 3 TO 5 FT AND S 2 FT. PATCHY FOG.

.....SAN FRANCISCO BAR/FOURFATHOM BANK FORECAST.....


.IN THE DEEP WATER CHANNEL...COMBINED SEAS 4 TO 6 FEET WITH A DOMINANT PERIOD OF 9 SECONDS.

.ACROSS THE BAR...COMBINED SEAS 6 TO 7 FEET WITH A DOMINANT PERIOD OF 9 SECONDS. SEAS TO 9 FEET DURING MAXIMUM EBB CURRENT OF 0.8 KNOTS AT 11:47 AM THIS MORNING AND 2.0 KNOTS AT 11:48 PM TONIGHT.


- 2.5 <u>Marine Watches, Warnings, Advisories and Associated Headlines</u>. Small Craft Advisories for Hazardous Sea and Hazardous Sea Warnings are based in part on wave steepness. See Appendix A for WR WFO wave steepness criteria. Headlines associated with marine watches, warnings, and advisories are automatically inserted into the CWF via the CWF formatter. For more general guidance concerning marine watches, warnings, advisories, and associated headlines, refer to NWSI 10-315 (and Western Region Supplement).
- 3. <u>Surf Zone Forecasts (SRF)</u>. See NWSI 10-310 for general information and guidance on the SRF. WFOs which do not routinely provide rip current outlook information may include this information in High Surf Advisories/Warnings, Coastal Flood Advisories / Warnings / Watches (CFW) (Ref: NWSI 10-320 and WR Supplement), and the Hazardous Weather Outlook (Ref: NWSI 10-517 and WR Supplement). For WFOs routinely issuing SRFs, High Surf and Coastal Flood Advisories / Warnings / Watches should be headlined in the SRF. Additionally, WFOs routinely issuing SRFs will include a headline in the SRF whenever the risk of rip currents is "HIGH".
- 3.1 <u>Issuance</u>. In WR, the SRF will be issued daily at **0200 and 1400 (Pacific Local Time)**. The SRF is intended to be issued on a scheduled basis only, but may be updated at WFO discretion if conditions change significantly. The SRF may be issued up to 30 minutes prior to, but not later than the scheduled issuance times. During unusually heavy workload situations, the SRF may be issued up to 1 hour prior to the scheduled issuance time.
- 3.2 <u>Format</u>. WR WFOs will use the format as indicated in Figure 1. See Appendix B for an example SRF.
- 3.3 Content. SRFs issued by WR offices will contain the following elements:
 - a. <u>Rip Current Risk</u>. Use "LOW" or "HIGH" (reference: NWSI 10-310). Forecasters may also use "MODERATE" if they are sufficiently confident.
 - b. <u>Surf Height</u> (Approximate height of breaking waves). For swell information, SRFs may reference the local WFOs Coastal Waters Forecast (CWF).
 - c. Surf (Water) Temperature. Specify appropriate range (degrees F).
- 4. <u>Forecast Collaboration</u>. WFOs routinely collaborate with adjacent offices and with the Ocean Prediction Center (OPC), as necessary during the forecast process to facilitate or improve consistency of marine forecasts, watches, warnings, and advisories. Forecasters will use available means for collaboration (chat software, telephone, intersite coordination tools (IFPS/ISC), etc.).

```
Figure 1. Surf Zone Forecast (SRF) Format
FPZUS KXXX ddhhmm
SRFXXX
SURF ZONE FORECAST
NATIONAL WEATHER SERVICE CITY STATE
time am/pm LT day mon dd yyyy
.FOR THE BEACHES OF (specify area)...for (day)...
* THE FOLLOWING INFORMATION APPLIES WHEN FORECAST RIP CURRENT POTENTIAL IS
"LOW": DUE TO HIGHLY VARIED COASTAL TOPOGRAPHY DANGEROUS RIP CURRENTS ARE
ALWAYS A POSSIBILITY ALONG THE SOUTHERN CALIFORNIA COAST...AND SWIMMERS
ARE URGED TO USE CAUTION AT ALL TIMES.
CAZXXX-XXX>XXX-ddhhmm-
Counties
time am/pm day mon dd yyyy
... (HEADLINES as needed) ...
.TODAY...
SURF HEIGHT.....(specify height in ft)
RIP CURRENT POTENTIAL.....(LOW or HIGH) *
WATER TEMPERATURE.....(specify in degrees F)
REMARKS.....(as needed)
OUTLOOK FOR (following day) ... (outlook for surf height)
CAZXXX-XXX>XXX-ddhhmm-
Counties
time am/pm day mon dd yyyy
... (HEADLINES as needed) ...
.TODAY...
SURF HEIGHT.....(specify)
RIP CURRENT POTENTIAL.....(LOW or HIGH) *
WATER TEMPERATURE.....(specify in degrees F)
REMARKS.....(as needed)
OUTLOOK FOR (following day)...(outlook for surf height)
$$
```


APPENDIX A - Wave Steepness Criteria (Note: The tables below are for information. Individual WFOs may utilize more detailed local tables with additional information. "Swell Height" and "Swell Period" may be used for "Wave Height: and "Wave Period" as needed).



WFO Portland, OR Wave Period (Seconds) </=7 >/=13 8 9 10 11 12 </=5 Wave Height (feet) 6 7 8 9 10 11 >/=12 Small Craft Advisory for Hazardous Seas None



WFO Eureka, CA



WFO Monterey, CA

	Montercy	Wave Period (Seconds)									
		=6</th <th>7</th> <th>8</th> <th>9</th> <th>10</th> <th>11</th> <th>12</th> <th>13</th> <th>14</th> <th>>/= 15</th>	7	8	9	10	11	12	13	14	>/= 15
	= 5</td <td></td>										
	6										
∓	7										
(feet)	8										
ᄩ	9										
Height	10										
<u>Ť</u>	11										
Wave	12										
	13										
	14										
	>/= 15										
	Small Craft Advisory for Hazardous Seas										

WFO Los Angeles/Oxnard, CA

None

WFO Los Angeles/Oxitato, CA													
			Wave Period (seconds)										
		=5</td <td colspan="11"><!--=5 6 7 8 9 10 11 -->/=12</td>	=5 6 7 8 9 10 11 /=12										
÷	=5</td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>												
Wave height (feet)	6												
	7												
	8												
	9												
	10					·							
>	>/=11												
		0 110 6 111 6 11											

Small Craft Advisory for Hazardous Seas None

WFO San Diego, CA

		Wave Period (Seconds)								
		=5</th <th>6</th> <th>7</th> <th>8</th> <th>9</th> <th>10</th> <th>11</th> <th>>/=12</th>	6	7	8	9	10	11	>/=12	
Wave Height (feet)	=5</td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
	6									
Ĕ	7									
l je	8									
<u>±</u>	9									
ave.	10									
3	>/= 11									
			Small	Craft Ac	lvisory	for Haza	rdous S	eas		
		None								

APPENDIX B - Example Surf Zone Forecast

FZUS56 KLOX 230900 SRFLOX

SURF ZONE FORECAST NATIONAL WEATHER SERVICE LOS ANGELES/OXNARD CA 200 AM PDT TUE SEP 23 2008

.FOR THE BEACHES OF SOUTHERN CALIFORNIA...VALID TUE SEP 23...

* THE FOLLOWING INFORMATION APPLIES WHEN FORECAST RIP CURRENT POTENTIAL IS "LOW": DUE TO HIGHLY VARIED COASTAL TOPOGRAPHY, DANGEROUS RIP CURRENTS ARE ALWAYS A POSSIBILITY ALONG THE SOUTHERN CALIFORNIA COASTS, AND SWIMMERS ARE URGED TO USE CAUTION AT ALL TIMES.

CAZ041-232900-LOS ANGELES COUNTY COAST-200 AM PDT TUE SEP 23 2008

.TODAY...

SURF HEIGHT......1-2 FEET
RIP CURRENT POTENTIAL.....LOW*
WATER TEMPERATURE......61-69 DEGREES

REMARKS...MIXED SOUTH SWELL AND NORTHWEST WIND SWELL. OCCASIONAL 3 FEET EXPOSED SOUTH AND SOUTHWEST FACING SHORES.

OUTLOOK FOR WEDNESDAY...LITTLE CHANGE.

\$\$

CAZ040-232100-VENTURA COUNTY COAST-200 AM PDT TUE SEP 23 2008

.TODAY...

SURF HEIGHT......1-2 FEET
RIP CURRENT POTENTIAL....LOW*
WATER TEMPERATURE......62-68 DEGREES

REMARKS...MIXED SOUTH SWELL AND NORTHWEST WIND SWELL. OCCASIONAL 3 FEET EXPOSED SOUTH AND SOUTHWEST FACING SHORES.

OUTLOOK FOR WEDNESDAY...LITTLE CHANGE

\$\$

NWS WRS 12-2003 NOVEMBER 21, 2008

CAZ039-232100-SANTA BARBARA COUNTY SOUTH COAST-200 AM PDT TUE SEP 23 2008

.TODAY...

SURF HEIGHT.....1-2 FEET RIP CURRENT POTENTIAL....LOW*

WATER TEMPERATURE.....59-66 DEGREES

REMARKS...NONE

OUTLOOK FOR WEDNESDAY...LITTLE CHANGE

\$\$