

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Abnormal, abnormality, abnormalities - see also Anomaly
blood sugar 790.29

Absence (organ or part) (complete or partial)
bone (congenital) NEC 756.9
marrow 284.9
 acquired (secondary) **284.89**
red cell 284.9
 acquired (secondary) **284.81**

Accident, accidental - see also condition
cerebrovascular (current) (CVA) (see also Disease, cerebrovascular, acute) 434.91
aborted 434.91
 healed or old **V12.54**

Addison's
disease (bronze) (primary adrenal insufficiency) **255.41**
melanoderma (adrenal cortical hypofunction) **255.41**

Addisonian crisis or melanosis (acute adrenocortical insufficiency) **255.41**

Admission (encounter)
for
 assisted reproductive fertility procedure cycle V26.81
 counseling (see also Counseling) V65.40
 natural family planning
 procreative V26.41
 to avoid pregnancy V25.04
 procreative management **V26.49**
 using natural family planning V26.41
 hearing conservation and treatment V72.12
 in vitro fertilization cycle V26.81
 issue of
 disability examination certificate V68.01
 medical certificate NEC **V68.09**
 natural family planning counseling and advice
 procreative V26.41
 to avoid pregnancy V25.04
 procreative management V26.9
 assisted reproductive fertility procedure cycle V26.81
 in vitro fertilization cycle V26.81
 specified type NEC **V26.89**
 therapy
 long-term (current) drug use NEC V58.69
 high-risk medications NEC V58.69
 vaccination, prophylactic (against)
 human papillomavirus (HPV) V04.89

Aftercare V58.9
 following surgery NEC V58.49
 spinal - see Aftercare, following surgery, of, specified body system

Aleukia
hemorrhagica 284.9
 acquired (secondary) **284.89**

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Allergy, allergic (reaction) 995.3
dandruff 477.8
~~existing dental restorative material 525.66~~
dermatitis (venenata) - see Dermatitis
epidermal (animal) 477.8
~~existing dental restorative material 525.66~~
feathers 477.8
Amyotrophia, amyotrophy, amyotrophic 728.2
diabetic 250.6 [353.1]
Anemia 285.9
aplastic 284.9
acquired (secondary) 284.81
due to
chronic systemic disease 284.89
drugs 284.89
infection 284.89
radiation 284.89
red cell (acquired) (**adult**) (with thymoma) 284.81
specified type NEC 284.89
toxic (paralytic) 284.89
hypoplasia, red blood cells 284.81
postoperative
due to (**acute**) blood loss 285.1
chronic blood loss 280.0
pure red cell 284.81
toxic 284.89
Anhedonia **780.99**
Aphagia 787.20
Aphthae, aphthous - see also condition
ulcer (oral) (recurrent) 528.2
genital organ(s) NEC
female **616.50**
Aplasia - see also Agenesis
bone marrow (myeloid) 284.9
acquired (secondary) 284.89
erythrocyte 284.81
red cell (with thymoma) (**adult**) 284.81
acquired (secondary) 284.81
Apoplexia, apoplexy, apoplectic (see also Disease, cerebrovascular, acute) 436
healed or old V12.54
Arrest, arrested
cardiac 427.5
personal history, successfully resuscitated V12.53
Arthritis, arthritic (acute) (chronic) (subacute) 716.9
due to or associated with
human parvovirus 079.83 [711.5]
parvovirus B19 079.83 [711.5]
Ascites 789.59
abdominal NEC 789.59
cancerous (M8000/6) 789.51
malignant (M8000/6) 789.51
pseudochylous 789.59

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Atonia, atony, atonic
uterus **661.2**
with hemorrhage (**postpartum**) 666.1
without hemorrhage **669.8**
intrapartum 661.2
postpartum 669.8

Atrophy, atrophic
adrenal (autoimmune) (capsule) (cortex) (gland) **255.41**
with hypofunction **255.41**
muscle, muscular 728.2
myotonic **359.21**
myotonia **359.21**
suprarenal (autoimmune) (capsule) (gland) **255.41**
with hypofunction **255.41**

Bandemia (without diagnosis of specific infection) 288.66

Batten-Steinert syndrome **359.21**

Becker's
disease (~~idiopathic mural endomyocardial disease~~) **425.2**
idiopathic mural endomyocardial disease 425.2
myotonia congenita, recessive form 359.22
dystrophy **359.22**

Bernard-Sergent syndrome (acute adrenocortical insufficiency) **255.41**

Blindness (acquired) (congenital) (both eyes) 369.00
with deafness **V49.85**

Botulism 005.1
food poisoning 005.1
infant 040.41
non-foodborne 040.42
wound—~~see Wound, open, by site, complicated~~ **040.42**

Breisky's disease (kraurosis vulvae) **624.09**

Bronze, bronzed
disease (Addison's) (skin) **255.41**

Calcification
adrenal (capsule) (gland) **255.41**
suprarenal (capsule) (gland) **255.41**

Cardiac - see also condition
tamponade **423.3**

Cardiomyopathy (congestive) (constrictive) (familial) (infiltrative) (obstructive) (restrictive)
(sporadic) 425.4
due to
myotonia atrophica **359.21** [425.8]

Caries (bone) (see also Tuberculosis, bone) 015.9 [730.8]
dental (acute) (chronic) (incipient) (infected) 521.00
primary
root **surface** 521.08

Cataract (anterior cortical) (anterior polar) (black) (capsular) (central) (cortical) (hypermature)
(immature) (incipient) (mature) 366.9
associated with
myotonic disorders **359.21** [366.43]
due to
degenerative myopia 360.21 **[366.34]**
pigmentary retinal dystrophy 362.74 **[366.34]**
myotonic **359.21** [366.43]

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

- Cellulitis (diffuse) (with lymphangitis) (see also Abscess) 682.9
 - vaccinal **999.39**
- Cholesterol
 - elevated (high) 272.0**
 - with elevated (high) triglycerides 272.2**
- Chondrodystrophy (familial) (hypoplastic) 756.4
 - myotonic (congenital) 359.23**
- CIDP (chronic inflammatory demyelinating polyneuropathy) 357.81**
- Complications
 - chemotherapy (antineoplastic) 995.29**
 - drug NEC 995.29**
 - implant - see also Complications, due to (presence of) any device, implant, or graft classified to 996.0-996.5 NEC
 - dental placement, hemorrhagic 525.71**
 - infection and inflammation
 - due to (presence of) any device, implant or graft classified to 996.0-996.5 NEC 996.60
 - catheter NEC 996.69
 - central venous 999.31**
 - Hickman 999.31**
 - peripherally inserted central (PICC) 999.31**
 - triple lumen 999.31**
 - vascular (arterial) (dialysis) (peripheral venous) NEC 996.62
 - central venous catheter 999.31**
 - Hickman catheter 999.31**
 - peripherally inserted central catheter (PICC) 999.31**
 - triple lumen catheter 999.31**
 - infusion (procedure) 999.9
 - infection NEC **999.39**
 - sepsis NEC **999.39**
 - injection (procedure) 999.9
 - infection NEC **999.39**
 - sepsis NEC **999.39**
 - transfusion (blood) (lymphocytes) (plasma) NEC 999.8
 - infection **999.39**
 - sepsis **999.39**
 - vaccination 999.9
 - cellulitis **999.39**
 - infection (general) (local) NEC **999.39**
 - sepsis **999.39**
 - vaccinia (generalized) 999.0
 - localized **999.39**
- Congestion, congestive-~~(chronic)~~-(**passive**)
 - chest **786.9**
 - lung **786.9**
 - nose **478.19**
- Counseling NEC V65.40
 - family planning V25.09
 - natural
 - procreative V26.41
 - to avoid pregnancy V25.04
 - natural family planning
 - procreative V26.41
 - to avoid pregnancy V25.04
- CRBSI (catheter-related bloodstream infection) 999.31**

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Crisis

adisonian (acute adrenocortical insufficiency) **255.41**

adrenal (cortical) **255.41**

Crush, crushed, crushing (injury) 929.9

with

fracture – see Fracture, by site

Curschmann (-Batten) (-Steinert) disease or syndrome **359.21**

Cystocele(~~rectocele~~)

Damage

medication 995.20

Deafness (acquired) (complete) (congenital) (hereditary) (middle ear) (partial) 389.9

with ~~blue sclera and fragility of bone 756.51~~

blindness V49.85

blue sclera and fragility of bone 756.51

central, ~~bilateral~~ 389.14

with conductive hearing loss **389.20**

bilateral 389.22

unilateral 389.21

conductive (air) 389.00

with sensorineural hearing loss **389.20**

bilateral 389.22

unilateral 389.21

bilateral 389.06

unilateral 389.05

mixed conductive and sensorineural **389.20**

bilateral 389.22

unilateral 389.21

nerve, ~~bilateral 389.12~~

with conductive hearing loss **389.20**

bilateral 389.22

unilateral 389.21

bilateral 389.12

unilateral 389.13

neural, ~~bilateral 389.12~~

with conductive hearing loss **389.20**

bilateral 389.22

unilateral 389.21

bilateral 389.12

unilateral 389.13

perceptive 389.10

with conductive hearing loss **389.20**

bilateral 389.22

unilateral 389.21

central, ~~bilateral~~ 389.14

~~combined types, bilateral 389.18~~

~~multiple types, bilateral 389.18~~

neural, ~~bilateral 389.12~~

bilateral 389.12

unilateral 389.13

sensory, ~~bilateral 389.14~~

bilateral 389.11

unilateral 389.17

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

- Deafness ... (continued)
sensory, ~~bilateral 389.14~~
with conductive hearing loss 389.20
bilateral 389.22
unilateral 389.21
bilateral 389.11
unilateral 389.17
- Death
cardiac (***sudden***) (***SCD***) – ~~see Disease, heart~~ *code to underlying condition*
family history of V17.41
personal history of, successfully resuscitated V12.53
sudden (cause unknown) 798.1
cardiac (SCD)
family history of V17.41
personal history of, successfully resuscitated V12.53
- Decrease, decreased
function
adrenal (cortex) 255.41
- Defect, defective 759.9
coagulation (factor) (see also Deficiency, coagulation factor) 286.9
specified type NEC 286.9
- Deficiency, deficient
combined glucocorticoid and mineralocorticoid 255.41
corticoadrenal 255.41
glucocorticoid 255.41
methylenetetrahydrofolate reductase (MTHFR) 270.4
mineralocorticoid 255.42
short stature homeobox gene (SHOX)
with
dyschondrosteosis 756.89
short stature (idiopathic) 783.43
Turner's syndrome 758.6
- Deficit
neurologic NEC 781.99
ischemic
reversible (RIND) 434.91
history of (personal) V12.54
prolonged (PRIND) 434.91
history of (personal) V12.54
- Deformity 738.9
iris (acquired) 364.75
prolapse 364.89
- Degeneration, degenerative
adrenal (capsule) (gland) 255.8
with hypofunction 255.41
suprarenal (capsule) (gland) 255.8
with hypofunction 255.41
- Delay, delayed
development
speech 315.39
and language due to hearing loss 315.34

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Delivery

- cesarean (for) 669.7
 - atony, uterus, ~~with hemorrhage 666.1~~ 661.2
with hemorrhage 666.1
- complicated (by) NEC 669.9
 - cervical dystocia 661.2
 - dystocia
 - cervical 661.2
 - laceration 664.9
 - anus (sphincter) (~~healed~~) (~~old~~) 654.8
not associated with third-degree perineal laceration 664.6
 - periurethral tissue 664.8
 - sphincter ani (~~healed~~) (~~old~~) 654.8
not associated with third-degree perineal laceration 664.6
 - prolonged labor 662.1
 - due to
 - cervical dystocia 661.2
 - tear (pelvic organ) (see also Delivery, complicated, laceration) 664.9
 - anal sphincter (healed) (old) 654.8**
not associated with third-degree perineal laceration 664.6

Development

- delayed (see also Delay, development) 783.40
- language (skills) 315.31
 - and speech due to hearing loss 315.34**
- speech 315.39
 - and language due to hearing loss 315.34**

Diabetes, diabetic (brittle) (congenital) (familial) (mellitus) (poorly controlled) (severe) (slight) (without complication) 250.0

- amyotrophy 250.6 [353.1]

Difficulty

- swallowing (see also Dysphagia) 787.20

Disease, diseased - see also Syndrome

- Addison's (bronze) (primary adrenal insufficiency) 255.41
- adrenal (gland) (capsule) (cortex) 255.9
 - hypofunction 255.41
- Batten-Steinert 359.21
- Becker's (~~idiopathic mural endomyocardial disease~~) ~~425.2~~
idiopathic mural endomyocardial disease 425.2
myotonia congenita, recessive form 359.22
- Breisky's (kraurosis vulvae) 624.09
- bronze (Addison's) 255.41
- cervix (uteri)
 - inflammatory 616.0
~~specified NEC 616.89~~
- ciliary body 364.9
 - specified NEC 364.89**
- Curschmann's 359.21
- Eulenburg's (congenital paramyotonia) 359.29
- heart (organic) 429.9
 - due to
 - myotonia atrophica 359.21 [425.8]
- iris 364.9
 - specified NEC 364.89**

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Disease, diseased ... (continued)

- labia
 - inflammatory **616.10**
specified NEC 616.89
- liver 573.9
 - end stage NEC 572.8**
due to hepatitis - see Hepatitis
 - Schwartz-Jampel 359.23**
sexually transmitted - see Disease, venereal
 - sixth (***see also Exanthem subitum* 058.10**)
 - Steinert's **359.21**
 - suprarenal (gland) (capsule) 255.9
 - hypofunction **255.41**
 - Thomsen's **359.22**
 - vagina, vaginal
 - inflammatory **616.10**
specified NEC 616.89
 - von Eulenburg's (congenital paramyotonia) **359.29**
- vulva
 - inflammatory **616.10**
specified NEC 616.89
- Wermer's **258.01**
- Zahorsky's (exanthem subitum) **058.10**

Disorder - see also Disease

- auditory processing disorder 388.45**
 - acquired 388.45**
 - developmental 315.32**
- bleeding 286.9**
 - central auditory processing 315.32
 - acquired 388.45**
 - developmental 315.32**
- ciliary body 364.9**
 - specified NEC 364.89**
- development, specific 315.9
 - language 315.31
 - and speech due to hearing loss 315.34**
 - speech 315.39
 - and language due to hearing loss 315.34**
- hearing - see also Deafness
 - mixed conductive and sensorineural **389.20**
 - bilateral 389.22**
 - unilateral 389.21**
 - nerve, ~~bilateral 389.12~~
 - bilateral 389.12**
 - unilateral 389.13**
- involuntary emotional expression (IEED) 310.8**
- iris 364.9**
 - specified NEC 364.89**
- myotonic **359.29**

Dropsy, dropsical (see also Edema) 782.3

- abdomen **789.59**

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Drug - see also condition
therapy (maintenance) status NEC
long-term (current) use V58.69
high-risk medications NEC V58.69

Dysadrenocortism 255.9
hypofunction **255.41**

Dysfunction
adrenal (cortical) 255.9
hypofunction **255.41**
suprarenal 255.9
hypofunction **255.41**

Dysphagia **787.20**
cervical 787.29
neurogenic 787.29
oral phase 787.21
oropharyngeal phase 787.22
pharyngeal phase 787.23
pharyngoesophageal phase 787.24
specified NEC 787.29

Dysplasia - see also Anomaly
vagina 623.0
severe 233.31
vulva 624.8
intraepithelial neoplasia I [VIN I] **624.01**
intraepithelial neoplasia II [VIN II] **624.02**
intraepithelial neoplasia III [VIN III] **233.32**
mild 624.01
moderate 624.02
severe 233.32
VIN I **624.01**
VIN II **624.02**
VIN III **233.32**

Dystocia 660.9
cervical **661.2**

Dystrophy, dystrophia 783.9
Becker's type **359.22**
muscular 359.1
congenital (hereditary) 359.0
myotonic **359.22**
myotonic **359.21**
myotonic **359.21**
myotonica **359.21**
vulva **624.09**

Ectasia, ectasis
gastric antral vascular (GAVE) 537.82
with hemorrhage 537.83
without hemorrhage 537.82

Edema, edematous 782.3
iris **364.89**

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Elevation

blood sugar 790.29
cholesterol 272.0
 with triglycerides 272.2
triglycerides 272.1
 with cholesterol 272.2

Embolism 444.9

artery 444.9

pyemic 449
 pulmonary 415.12
 septic 449
 pulmonary 415.12

postoperative NEC 997.2

 pulmonary 415.11
 septic 415.12

pulmonary (artery) (vein) 415.19

septic 415.12

pyemic (multiple) (**see also Septicemia**) **415.12 038.9**

 Aerobacter aerogenes **415.12**
 enteric gram-negative bacilli **415.12**
 Enterobacter aerogenes **415.12**
 Escherichia coli **415.12**
 Hemophilus influenzae **415.12**
 pneumococcal **415.12**
 Proteus vulgaris **415.12**
 Pseudomonas (aeruginosa) **415.12**
 Serratia **415.12**
 specified organism NEC **415.12**
 staphylococcal **415.12**
 aureus **415.12**
 specified organism NEC **415.12**
 streptococcal **415.12**

septic 415.12

arterial 449

Encephalitis (bacterial) (chronic) (hemorrhagic) (idiopathic) (nonepidemic) (spurious) (subacute)
 323.9

 due to

human herpesvirus 6 058.21
 human herpesvirus 7 058.29
 human herpesvirus NEC 058.29
 human herpesvirus 6 058.21
 human herpesvirus 7 058.29
 human herpesvirus NEC 058.29

Encephalorrhagia (see also Hemorrhage, brain) 432.9

 healed or old **V12.54**

Encounter for - see also Admission for

disability examination V68.01

Endosalpingiosis 629.89

Enteritis (acute) (catarrhal) (choleraic) (chronic) (congestive) (diarrheal) (exudative) (follicular)
 (hemorrhagic) (infantile) (lienteric) (noninfectious) (perforative) (phlegmonous)
 (presumed noninfectious) (pseudomembranous) 558.9

radiation 558.1

Erythroblastopenia (acquired) **284.89**

Erythrodysesthesia, palmar plantar (PPE) 693.0

ICD-9-CM Index Addenda (FY08)

Key: **Bold – Add** 10
 Bold Strikeout – Delete
 Bold Underline Italic – Revise

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Eulenburg's disease (congenital paramyotonia) **359.29**

Exanthem, exanthema (see also Rash) 782.1

subitum **058.10**

due to

human herpesvirus 6 058.11

human herpesvirus 7 058.12

Failure, failed

bone marrow (anemia) 284.9

acquired (secondary) **284.89**

dental implant 525.79

due to

lack of attached gingiva 525.72

occlusal trauma (caused by poor prosthetic design) 525.72

parafunctional habits 525.72

periodontal infection (peri-implantitis) 525.72

poor oral hygiene 525.72

endosseous NEC 525.79

osseointegration 525.71

due to

complications of systemic disease 525.71

poor bone quality 525.71

iatrogenic 525.71

post-osseointegration

biological 525.72

iatrogenic 525.72

due to complications of systemic disease 525.72

mechanical 525.73

pre-integration 525.71

pre-osseointegration 525.71

dental prosthesis causing loss of dental implant 525.73

Family, familial - see also condition

planning advice V25.09

natural

procreative V26.41

to avoid pregnancy V25.04

Feeling of foreign body in throat 784.99

Findings, abnormal, without diagnosis (examination) (laboratory test) 796.4

cholesterol 272.9

high 272.0

with high triglycerides 272.2

triglycerides 272.9

high 272.1

with high cholesterol 272.2

Finnish type nephrosis (congenital) 759.89

Floppy

iris syndrome 364.81

Fluid

abdomen **789.59**

peritoneal cavity **789.59**

malignant 789.51

Foreign body

feeling of, in throat 784.99

throat, feeling of 784.99

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Fracture (abduction) (adduction) (avulsion) (compression) (crush) (dislocation) (oblique) (separation) (closed) 829.0
burst - see Fracture, traumatic, by site
dental implant 525.73
insufficiency - see Fracture, pathologic, by site
vertebra, vertebral (back) (body) (column) (neural arch) (pedicle) (spine) (spinous process) (transverse process) (closed) 805.8
chronic 733.13

Gas **787.3**

Gastropathy 537.9
congestive portal 537.89
portal hypertensive 537.89

GAVE (gastric antral vascular ectasia) 537.82
with hemorrhage 537.83
without hemorrhage 537.82

Genetic
susceptibility to
MEN (multiple endocrine neoplasia) V84.81
neoplasia
multiple endocrine [MEN] V84.81
specified other disease NEC V84.89

Grief 309.0

Hallux 735.9
limitus 735.8

Hand-foot syndrome **693.0**

Hearing ~~examination V72.19~~
conservation and treatment V72.12
examination V72.19
following failed hearing screening V72.11

Hemorrhage, hemorrhagic (nontraumatic) 459.0
adrenal (capsule) (gland) (medulla) **255.41**
complication(s)
of dental implant placement 525.71
suprarenal (capsule) (gland) **255.41**

Hernia, hernial (acquired) (recurrent) 553.9
ciliary body **364.89**
iris **364.89**

HGSIL (high grade squamous intraepithelial lesion) **(cytologic finding) (Pap smear finding)**
795.04
biopsy finding - code to CIN II or CIN III

High
cholesterol 272.0
with high triglycerides 272.2
triglycerides 272.1
with high cholesterol 272.2

History (personal) of
arrest, sudden cardiac V12.53
attack, transient ischemic (TIA) V12.54
death, sudden, successfully resuscitated V12.53
deficit
prolonged reversible ischemic neurologic (PRIND) V12.54
reversible ischemic neurologic (RIND) V12.54

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

History (personal) of (continued)
disease (of) V13.9
circulatory system V12.50
specified NEC V12.59
dysplasia
cervical (conditions classifiable to 622.10-622.12) V13.22
family
arteriosclerosis V17.49
cardiovascular disease V17.49
cystic fibrosis V18.19
disease or disorder (of)
cardiovascular NEC V17.49
death, sudden cardiac (SCD) V17.41
endocrine V18.19
multiple neoplasia [MEN] syndrome V18.11
hypertensive V17.49
metabolic V18.19
endocrine disease V18.19
multiple neoplasia [MEN] syndrome V18.11
gout V18.19
hypertension V17.49
~~hypospadias V13.61~~
infarction, myocardial V17.3
malignant neoplasm (of) NEC V16.9
bladder V16.52
MEN (multiple endocrine neoplasia syndrome) V18.11
metabolic disease NEC V18.19
multiple ~~myeloma V16.7~~
endocrine neoplasia [MEN] syndrome V18.11
myeloma V16.7
myocardial infarction V17.3
sudden cardiac death (SCD) V17.41
hypospadias V13.61
infarction, cerebral, without residual deficits V12.54
prolonged reversible ischemic neurologic deficit (PRIND) V12.54
reversible ischemic neurologic deficit (RIND) V12.54
stroke without residual deficits V12.54
sudden
cardiac
arrest V12.53
death (successfully resuscitated) V12.53
Human parvovirus 079.83
Hydrocephalus (acquired) (external) (internal) (malignant) (noncommunicating) (obstructive)
(recurrent) 331.4
normal pressure 331.5
idiopathic (INPH) 331.5
secondary 331.3
Hydroperitoneum 789.59
Hydrops 782.3
abdominis 789.59
Hyperactive, hyperactivity 314.01
Hyperkeratosis (see also Keratosis) 701.1
vulva 624.09

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Hypertension Table	Malignant	Benign	Unspecified
Hypertension, hypertensive (arterial) (arteriolar) (crisis) (degeneration) (disease) (essential) (fluctuating) (idiopathic) (intermittent) (labile) (low renin) (orthostatic) (paroxysmal) (primary) (systemic) (uncontrolled) (vascular)	401.0	401.1	401.9
cardiorenal (disease).....	404.00	404.10	404.90
with			
heart failure	404.01	404.11	404.91
and chronic kidney disease	<u>404.01</u>	<u>404.11</u>	<u>404.91</u>
stage I through stage IV or unspecified	<u>404.01</u>	<u>404.11</u>	<u>404.91</u>
venous, chronic (asymptomatic) (idiopathic).....	-	-	459.30
due to			
deep vein thrombosis (see also Syndrome, postphlebotic)	459.10	459.10	459.10
with			
complication, NEC.....	-	-	459.39
due to			
deep vein thrombosis (see also Syndrome, postphlebotic)	-	-	459.10

Hypoadrenalism **255.41**

Hypoadrenocorticism **255.41**

Hypoaldosteronism **255.42**

Hypofunction

 adrenal (gland) **255.41**

 cortex **255.41**

 corticoadrenal NEC **255.41**

Hypoplasia, hypoplasia 759.89

 bone NEC 756.9

 marrow 284.9

 acquired (secondary) **284.89**

 erythropoietic, chronic acquired **284.81**

Hyposuprarenalism **255.41**

IEED (involuntary emotional expression disorder) 310.8

IFIS (intraoperative floppy iris syndrome) 364.81

Impaired, impairment (function)

combined visual hearing V49.85

dual sensory V49.85

 hearing (see also Deafness) 389.9

combined with visual impairment V49.85

 vision NEC 369.9

combined with hearing impairment V49.85

Inadequate, inadequacy

 aesthetics of dental **restoration** 525.67

Incoordination

 esophageal-pharyngeal (newborn) **787.24**

Infarct, infarction

 adrenal (capsule) (gland) **255.41**

 brain (stem) 434.91

 healed or old without residuals **V12.54**

 cerebral (see also Infarct, brain) 434.91

aborted 434.91

 lung (embolic) (thrombotic) 415.19

septic 415.12

ICD-9-CM Index Addenda (FY08)

Key: Bold – Add 14
 Bold Strikeout – Delete
 Bold Underline Italic – Revise

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Infarct, infarction (continued)
 myocardium, myocardial (acute or with a stated duration of 8 weeks or less) (with hypertension) 410.9
 intraoperative 997.1
 non-Q wave 410.7
 postprocedural 997.1
 Q wave (see also Infarct, myocardium, by site) 410.9
 pulmonary (artery) (hemorrhagic) (vein) 415.19
 septic 415.12
 suprarenal (capsule) (gland) 255.41
Infection, infected, infective (opportunistic) 136.9
 blood stream - see also Septicemia
 catheter-related (CRBSI) 999.31
 catheter-related bloodstream (CRBSI) 999.31
 due to or resulting from
 central venous catheter 999.31
 injection, inoculation, infusion, transfusion, or vaccination (prophylactic) (therapeutic) 999.39
 exanthema subitum (see also Exanthem subitum) 058.10
 human herpesvirus 6 058.81
 human herpesvirus 7 058.82
 human herpesvirus 8 058.89
 human herpesvirus NEC 058.89
 Kaposi's sarcoma-associated herpesvirus 058.89
 postvaccinal 999.39
 vaccination 999.39
Influenza, influenzal 487.1
 due to identified avian influenza virus 488
INPH (idiopathic normal pressure hydrocephalus) 331.5
Insensitivity
 adrenocorticotropin hormone (ACTH) 255.41
Insufficiency, insufficient
 adrenal (gland) (acute) (chronic) 255.41
 primary 255.41
 adrenocortical 255.41
 corticoadrenal 255.41
 suprarenal 255.41
Intoxication
 non-foodborne due to toxins of Clostridium botulinum [C. botulinum] - see Botulism
Iridodonesis 364.89
Isoimmunization NEC (see also Incompatibility) 656.2
 anti-E 656.2
Issue
 medical certificate NEC V68.09
 cause of death V68.09
 disability examination V68.01
 fitness V68.09
 incapacity V68.09
Kaposi's
 sarcoma (M9140/3) 176.9
 associated herpesvirus infection 058.89
Kraurosis
 vulva 624.09

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Laceration - see also Wound, open, by site

anus (sphincter) 879.6

complicating delivery **(healed) (old) 654.8**

not associated with third-degree perineal laceration 664.6

nontraumatic, nonpuerperal **(healed) (old) 569.43**

perineum, perineal (old) (postpartal) 618.7

complicating delivery 664.4

anal sphincter **(healed) (old) 654.8**

not associated with third-degree perineal laceration 664.6

sphincter (anal) **(healed) (old) 654.8**

not associated with third-degree perineal laceration 664.6

Lesion(s)

brain 348.8

vascular (see also Lesion, cerebrovascular) 437.9

healed or old without residuals **V12.54**

cerebrovascular (see also Disease, cerebrovascular NEC) 437.9

healed or old without residuals **V12.54**

Leukokraurosis vulva, vulvae **624.09**

Leukoplakia 702.8

vulva **624.09**

Long-term (current) drug use V58.69

high-risk medications NEC V58.69

pain killers V58.69

anti-inflammatories, non-steroidal (NSAID) V58.64

aspirin V58.66

tamoxifen V58.69

Loss

hearing - see also Deafness

central, ~~bilateral~~ 389.14

conductive (air) 389.00

with sensorineural hearing loss **389.20**

bilateral 389.22

unilateral 389.21

bilateral 389.06

unilateral 389.05

mixed conductive and sensorineural 389.20

bilateral 389.22

unilateral 389.21

mixed type **389.20**

bilateral 389.22

unilateral 389.21

nerve, ~~bilateral~~ **389.12**

bilateral 389.12

unilateral 389.13

neural, ~~bilateral~~ **389.12**

bilateral 389.12

unilateral 389.13

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Loss (continued)
hearing ... (continued)
 sensorineural 389.10
 with conductive hearing loss **389.20**
 bilateral 389.22
 unilateral 389.21
 bilateral 389.18
 central, ~~bilateral~~ 389.14
 ~~combined types, bilateral 389.18~~
 ~~multiple types, bilateral 389.18~~
 neural, ~~bilateral 389.12~~
 bilateral 389.12
 unilateral 389.13
 sensory, ~~bilateral 389.14~~
 bilateral 389.11
 unilateral 389.17
 sensory, ~~bilateral 389.14~~
 bilateral 389.11
 unilateral 389.17
Lymphoma (malignant) (M9590/3) 202.8
 diffuse NEC (M9590/3) 202.8
 large B cell 202.8
 large cell (M9640/3) **200.7**
 anaplastic 200.6
 mantle cell 200.4
 marginal zone 200.3
 extranodal B-cell 200.3
 nodal B-cell 200.3
 splenic B-cell 200.3
 peripheral T-cell 202.7
 primary central nervous system 200.5
 T-cell 202.1
 peripheral 202.7
MALT (mucosa associated lymphoid tissue) 200.3
Management
 procreative V26.9
 specified type NEC **V26.89**
Melanoderma, melanodermia 709.09
 Addison's (primary adrenal insufficiency) **255.41**
Melanosis 709.09
 addisonian (primary adrenal insufficiency) **255.41**
 adrenal **255.41**
 suprarenal **255.41**
Melasma 709.09
 adrenal (gland) **255.41**
 suprarenal (gland) **255.41**
MEN (multiple endocrine neoplasia) syndromes
 type I 258.01
 type IIA 258.02
 type IIB 258.03
Mucosa associated lymphoid tissue (MALT) 200.3

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Neoplasm, neoplastic

	Malig- nant Primary	Malig- nant Second- ary	Malig- nant Ca in situ	Benign	Uncer- tain Behav- ior	Unspeci- fied
Neoplasm, neoplastic	199.1	199.1	234.9	229.9	238.9	239.9
adnexa (uterine)	183.9	198.82	<u>233.39</u>	221.8	236.3	239.5
Bartholin's gland	184.1	198.82	<u>233.32</u>	221.2	236.3	239.5
broad ligament	183.3	198.82	<u>233.39</u>	221.0	236.3	239.5
clitoris 184.3	198.82	<u>233.32</u>	221.2	236.3	239.5	
corpus						
albicans	183.0	198.6	<u>233.39</u>	220	236.2	239.5
Fallopian tube (accessory)	183.2	198.82	<u>233.39</u>	221.0	236.3	239.5
fornix						
vagina 184.0	198.82	<u>233.31</u>	221.1	236.3	239.5	
fourchette	184.4	198.82	<u>233.32</u>	221.2	236.3	239.5
Gartner's duct	184.0	198.82	<u>233.31</u>	221.1	236.3	239.5
genital organ or tract						
female NEC	184.9	198.82	<u>233.39</u>	221.9	236.3	239.5
specified site NEC	184.8	198.82	<u>233.39</u>	221.8	236.3	239.5
genitourinary tract						
female 184.9	198.82	<u>233.39</u>	221.9	236.3	239.5	
hymen 184.0	198.82	<u>233.31</u>	221.1	236.3	239.5	
labia (skin)	184.4	198.82	<u>233.32</u>	221.2	236.3	239.5
majora 184.1	198.82	<u>233.32</u>	221.2	236.3	239.5	
minora 184.2	198.82	<u>233.32</u>	221.2	236.3	239.5	
labium (skin)	184.4	198.82	<u>233.32</u>	221.2	236.3	239.5
majus 184.1	198.82	<u>233.32</u>	221.2	236.3	239.5	
minus 184.2	198.82	<u>233.32</u>	221.2	236.3	239.5	
ligament - see also Neoplasm, connective tissue						
broad 183.3	198.82	<u>233.39</u>	221.0	236.3	239.5	
Mackenrodt's	183.8	198.82	<u>233.39</u>	221.8	236.3	239.5
utero-ovarian	183.8	198.82	<u>233.39</u>	221.8	236.3	239.5
<u>Mackenrodt's</u> ligament	183.8	198.82	<u>233.39</u>	221.8	236.3	239.5
mesosalpinx	183.3	198.82	<u>233.39</u>	221.0	236.3	239.5
mesovarium	183.3	198.82	<u>233.39</u>	221.0	236.3	239.5
mons						
pubis 184.4	198.82	<u>233.32</u>	221.2	236.3	239.5	
veneris 184.4	198.82	<u>233.32</u>	221.2	236.3	239.5	
Müllerian duct						
female 184.8	198.82	<u>233.39</u>	221.8	236.3	239.5	
ovary 183.0	198.6	<u>233.39</u>	220	236.2	239.5	
oviduct 183.2	198.82	<u>233.39</u>	221.0	236.3	239.5	
parooophoron	183.3	198.82	<u>233.39</u>	221.0	236.3	239.5
parovarium	183.3	198.82	<u>233.39</u>	221.0	236.3	239.5
pudenda, pudendum (<i>female</i>)	184.4	198.82	<u>233.32</u>	221.2	236.3	239.5
salpinx (uterine)	183.2	198.82	<u>233.39</u>	221.0	236.3	239.5
septum						
urethrovaginal	184.9	198.82	<u>233.39</u>	221.9	236.3	239.5
vesicovaginal	184.9	198.82	<u>233.39</u>	221.9	236.3	239.5

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

	Malig- nant Primary	Malig- nant Second- ary	Malig- nant Ca in situ	Benign	Uncer- tain Behav- ior	Unspeci- fied
Neoplasm, neoplastic ... (continued)						
skin NEC	173.9	198.2	232.9	216.9	238.2	239.2
clitoris 184.3	198.82	<u>233.32</u>	221.2	236.3	239.5	
female genital organs (external)	184.4	198.82	<u>233.30</u>	221.2	236.3	239.5
clitoris 184.3	198.82	<u>233.32</u>	221.2	236.3	239.5	
labium NEC	184.4	198.82	<u>233.32</u>	221.2	236.3	239.5
majus 184.1	198.82	<u>233.32</u>	221.2	236.3	239.5	
minus 184.2	198.82	<u>233.32</u>	221.2	236.3	239.5	
pudendum	184.4	198.82	<u>233.32</u>	221.2	236.3	239.5
vulva 184.4	198.82	<u>233.32</u>	221.2	236.3	239.5	
labia						
majora 184.1	198.82	<u>233.32</u>	221.2	236.3	239.5	
minora 184.2	198.82	<u>233.32</u>	221.2	236.3	239.5	
vulva 184.4	198.82	<u>233.32</u>	221.2	236.3	239.5	
tubo-ovarian	183.8	198.82	<u>233.39</u>	221.8	236.3	239.5
urethrovaginal (septum)	184.9	198.82	<u>233.39</u>	221.9	236.3	239.5
utero-ovarian	183.8	198.82	<u>233.39</u>	221.8	236.3	239.5
uterus, uteri, uterine	179	198.82	233.2	219.9	236.0	239.5
adnexa NEC	183.9	198.82	<u>233.39</u>	221.8	236.3	239.5
ligament	183.4	198.82	-	221.0	236.3	239.5
broad 183.3	198.82	<u>233.39</u>	221.0	236.3	239.5	
tube 183.2	198.82	<u>233.39</u>	221.0	236.3	239.5	
vagina, vaginal (fornix) (vault) (wall)	184.0	198.82	<u>233.31</u>	221.1	236.3	239.5
vaginosesal	184.9	198.82	<u>233.39</u>	221.9	236.3	239.5
septum 194.9	198.82	<u>233.39</u>	221.9	236.3	239.5	
vesicocervical tissue	184.9	198.82	<u>233.39</u>	221.9	236.3	239.5
<i>vesicorectal</i>	195.3	198.89	234.8	229.8	238.8	239.8
vesicovaginal	184.9	198.82	<u>233.39</u>	221.9	236.3	239.5
septum 184.9	198.82	<u>233.39</u>	221.9	236.3	239.5	
vestibular gland, greater	184.1	198.82	<u>233.32</u>	221.2	236.3	239.5
vulva 184.4	198.82	<u>233.32</u>	221.2	236.3	239.5	
vulvovaginal gland	184.4	198.82	<u>233.32</u>	221.2	236.3	239.5
wolffian (body) (duct)						
female 184.8	198.82	<u>233.39</u>	221.8	236.3	239.5	
Nephrosis, nephrotic (Epstein's) (syndrome) 581.9						
Finnish type (congenital) 759.89						
Occlusion						
artery NEC (see also Embolism, artery) 444.9						
chronic total						
coronary 414.2						
extremity(ies) 440.4						
complete						
coronary 414.2						
extremity(ies) 440.4						

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Occlusion (continued)
artery NEC ... (continued)
coronary (thrombotic) (see also Infarct, myocardium) 410.9
chronic total 414.2
complete 414.2
total 414.2
extremity(ies)
chronic total 440.4
complete 440.4
total 440.4
Odynophagia 787.20
Open, opening
bite ~~anterior~~ ~~(posterior)~~ **524.29**
anterior 524.24
posterior 524.25
Pain(s) (see also Painful) 780.96
menstrual 625.3
premenstrual 625.4
total hip replacement 996.77
total knee replacement 996.77
Panhematopenia 284.81
Panhemocytopenia 284.81
Panmyelophthisis 284.2
acquired (secondary) 284.81
Paralysis, paralytic (complete) (incomplete) 344.9
muscle (flaccid) 359.9
iris sphincter 364.89
periodic (familial) (hyperkalemic) (hypokalemic) (normokalemic) (potassium sensitive)
(secondary) 359.3
Paramyotonia 359.29
congenita (of von Eulenburg) 359.29
Paraparesis (see also Paraplegia) 344.1
Parvovirus 079.83
B19 079.83
human 079.83
Person (with)
"worried well" V65.5
~~"worried well" V65.5~~
Personality
schizoid 301.20
~~with sexual deviation (see also Deviation, sexual) 302.9~~
antisocial 301.7
dyssocial 301.7
Planning, family V25.09
natural
procreative V26.41
to avoid pregnancy V25.04
procreation V26.49
natural V26.41

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration) (insular) (intermittent) (latent) (lobe) (migratory) (newborn) (organized) (overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular)
486

ventilator associated 999.9

Poisoning (acute) - see also Table of Drugs and Chemicals

Ciguatera 988.0

shellfish - see also Poisoning, food

noxious (**amnesic**) (**azaspiracid**) (**diarrheic**) (**neurotoxic**) (**paralytic**) 988.0

water 276.6

Polyneuritis, polyneuritic (see also Polyneuropathy) 356.9

demyelinating, chronic inflammatory (**CIDP**) 357.81

Polyneuropathy (peripheral) 356.9

demyelinating, chronic inflammatory (CIDP) 357.81

specified NEC 356.8

Poor

aesthetics of existing **restoration** of tooth 525.67

PPE (palmar plantar erythrodysesthesia) 693.0

Pregnancy (single) (uterine) (without sickness) V22.2

complicated (by) 646.9

endometritis (conditions classifiable to 615.0-615.9) **670**

PRIND P.R.I.N.D.-(prolonged reversible ischemic neurologic deficit) 434.91

history of (personal) V12.54

Prolapse, prolapsed

iris **364.89**

PROMM (proximal myotonic myotonia) 359.21

Prophylactic

administration of

drug V07.39

medication V07.39

Protection (against) (from) - see Prophylactic

Pyemia, pyemic (purulent) (see also Septicemia) 038.9

embolism - ~~see Embolism, pyemic~~ (see also Septicemia) 415.12

postvaccinal **999.39**

Regurgitation **787.03**

RIND (reversible ischemic neurological deficit) 434.91

history of (personal) V12.54

Roseola 057.8

infantum, infantilis (**see also Exanthem subitum) 058.10**

Runny nose 784.99

Schwartz (-Jampel) syndrome **359.23**

Scratchy throat 784.99

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Screening (for) V82.9
bacterial
and spirochetal sexually transmitted diseases V74.5
disease V74.9
sexually transmitted V74.5
disease or disorder V82.9
HPV (human papillomavirus) V73.81
human papillomavirus (HPV) V73.81
sexually transmitted V74.5
bacterial V74.5
spirochetal V74.5
HPV (human papillomavirus) V73.81
human papillomavirus (HPV) V73.81
sexually transmitted diseases V74.5
bacterial V74.5
spirochetal V74.5
spirochetal disease V74.9
sexually transmitted V74.5
Seizure(s) 780.39
due to stroke 438.89
Sepsis (generalized) 995.91
following
infusion, perfusion, or transfusion **999.39**
resulting from infusion, injection, transfusion, or vaccination **999.39**
Septicemia, septicemic (generalized) (suppurative) 038.9
following
infusion, injection, transfusion, or vaccination **999.39**
Sex reassignment surgery status (see also Tran-sexualism) 302.50
Short, shortening, shortness
stature, constitutional (hereditary) (*idiopathic*) 783.43
Sipple's syndrome (medullary thyroid carcinoma-pheochromocytoma) **258.02**
Sixth disease-**~~057.8~~**
due to
human herpesvirus 6 058.11
human herpesvirus 7 058.12
Status (post)
sex reassignment surgery (see also Tran-sexualism) 302.50
Steinert's disease **359.21**
Stenosis (cicatricial) - see also Stricture
artery NEC (***see also Arteriosclerosis***) 447.1
extremities 440.20
Steroid
effects (adverse) (iatrogenic)
withdrawal
correct substance properly administered **255.41**
Stress **308.9**
Stroke 434.91
healed or old **V12.54**
in evolution **434.91**
Stump - see also Amputation-~~cervix, cervical (healed)~~ **~~622.8~~**
cervix, cervical (healed) 622.8

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Sudden
death, cause unknown (less than 24 hours) 798.1
cardiac (SCD)
family history of V17.41
personal history of, successfully resuscitated V12.53

Susceptibility
genetic
to
MEN (multiple endocrine neoplasia) V84.81
neoplasia
multiple endocrine [MEN] V84.81
specified other–disease NEC V84.89

Swallowed, swallowing
difficulty (see also Dysphagia) **787.20**

Swelling **782.3**

Syndrome - see also Disease
Addisonian **255.41**
Batten-Steinert **359.21**
Bernard-Sergent (acute adrenocortical insufficiency) **255.41**
cricopharyngeal **787.20**
Curschmann (-Batten) (-Steinert) **359.21**
diabetic amyotrophy 250.6 [**353.1**]
floppy
iris 364.81
hand-foot **693.0**
hyperperfusion 997.01
hypothenar hammer 443.89
intraoperative floppy iris (IFIS) 364.81
MEN (multiple endocrine neoplasia)
type I 258.01
type IIA 258.02
type IIB 258.03
multiple
endocrine neoplasia (MEN)
type I 258.01
type IIA 258.02
type IIB 258.03
ovarian vein 593.4
patella clunk 719.66
Schwachman's **~~288.02~~ - see Syndrome, Schwachman's**
Schwartz (-Jampel) **359.23**
Shwachman's 288.02
Sipple's (medullary thyroid carcinoma-pheochromocytoma) **258.02**
Wermer's (polyendocrine adenomatosis) **258.01**

Tachycardia 785.0
junctional ectopic 427.0

Tamponade heart (Rose's) (see also Pericarditis) **423.3**

Tear, torn (traumatic) - see also Wound, open, by site
anus, anal (sphincter) 863.89
complicating delivery (**healed**) (**old**) **654.8**
not associated with third-degree perineal laceration 664.6
nontraumatic, nonpuerperal (**healed**) (**old**) **569.43**
dural 998.2

ICD-9-CM Index to Diseases Addenda (FY08)
Effective October 1, 2007

Teratoma (solid) (M9080/1) - see also Neoplasm, by site, uncertain behavior
mature (M9080/0) - see Neoplasm, by site, benign
malignant (M9080/3) - see Neoplasm, by site, malignant

Thesaurismosis
melanin **255.41**

Thomsen's disease **359.22**

Thrombosis, thrombotic (marantic) (multiple) (progressive) (~~septic~~)-(vein) (vessel) 453.9
artery, arteries (postinfectious) 444.9
pulmonary 415.19
septic 415.12
lung 415.19
septic 415.12
pulmonary (artery) (vein) 415.19
septic 415.12

Ulcer, ulcerated, ulcerating, ulceration, ulcerative 707.9
aphthous (oral) (recurrent) 528.2
genital organ(s)
female **616.50**

Unresponsiveness, adrenocorticotropin (ACTH) **255.41**

Vaccination
not carried out V64.00
because of
guardian refusal V64.05
parent refusal V64.05

Vaccinia (generalized) 999.0
conjunctiva **999.39**
localized **999.39**
nose **999.39**

VAIN I (vaginal intraepithelial neoplasia I) 623.0
VAIN II (vaginal intraepithelial neoplasia II) 623.0
VAIN III (vaginal intraepithelial neoplasia III) 233.31
VIN I (vulvar intraepithelial neoplasia I) **624.01**
VIN II (vulvar intraepithelial neoplasia II) **624.02**
VIN III (vulvar intraepithelial neoplasia III) **233.32**
von Eulenburg's disease (congenital paramyotonia) **359.29**
Vulvitis (acute) (allergic) (~~aphthous~~)-(chronic) (gangrenous) (hypertrophic) (intertriginous) 616.10
leukoplakic **624.09**

Vulvodynia **625.8**

Watermelon stomach 537.82
with hemorrhage 537.83
without hemorrhage 537.82

Wermer's syndrome or disease (polyendocrine adenomatosis) **258.01**

Withdrawal symptoms, syndrome
steroid NEC
correct substance properly administered **255.41**

Zahorsky's disease (exanthema subitum) (**see also Exanthem subitum) 058.10**

ICD-9-CM Index to External Causes of Injury Addenda (FY08)
Effective October 1, 2007

Exposure (weather) (conditions) (rain) (wind) E904.3
environmental

to

algae bloom E928.6
blue-green algae bloom E928.6
brown tide E928.6
cyanobacteria bloom E928.6
Florida red tide E928.6
harmful algae
 and toxins E928.6
 bloom E928.6
pfisteria piscicida E928.6
red tide E928.6

ICD-9-CM Table of Drugs and Chemicals Addenda (FY08)
Effective October 1, 2007

Substance	Poi- son- ing	Acci- dent	Thera- peutic Use	Suicide Attempt	Assault	Un- deter- mined
Alpha-1 blockers	971.3	E855.6	E941.3	E950.4	E962.0	E980.4
Bisphosphonates						
intravenous	963.1	E858.1	E933.7	E950.4	E962.0	E980.4
oral	963.1	E858.1	E933.6	E950.4	E962.0	E980.4
Flomax	971.3	E855.6	E941.3	E950.4	E962.0	E980.4
Tamsulosin	971.3	E855.6	E941.3	E950.4	E962.0	E980.4