1,1,1-TRICHLOROETHANE 237

9. REFERENCES

Acedo GN, Redei GP, Barry J, et al. 1981. Arabidopsis as a tool in detecting mutagens and carcinogens. Arabidopsis Information Service, 146-149.

ACGIH. 1992. 1992-1993 Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental and Industrial Hygienists, 20.

ACGIH. 2003. 1,1,1-Trichloroethane. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

- *Adams EM, Spencer HC, Rowe VK, et al. 1950. Vapor toxicity of 1,1,1-trichloroethane (methylchloroform) determined by experiments on laboratory animals. Arch Ind Hyg Occup Med 1:225-236.
- *Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. Dev Med Child Neurol 27:532-537.
- *Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. Environ Health Perspect Suppl 103:103-112.
- *Agency for Toxic Substances and Disease Registry. 1988. Health assessment for Vestal water supply well 1-1, Town of Vestal, New York Region 2. CERCLIS NO. NYD980763767. Atlanta, GA: Agency for Toxic Substances and Disease Registry. PB90140062.
- *Agency for Toxic Substances and Disease Registry. 1989. Decision guide for identifying substancespecific data needs related to toxicological profiles; Notice. Atlanta, GA: Agency for Toxic Substances and Disease Registry, Division of Toxicology. Fed Regist 54:37618-37634.
- *Agency for Toxic Substances and Disease Registry. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary, and immune systems. Subcommittee on Biomarkers of Organ Damage and Dysfunction. Atlanta, GA: Agency for Toxic Substances and Disease Registry.

Aggazzotti G, Predieri G. 1986. Survey of volatile halogenated organics (VHO) in Italy: Levels of VHO in drinking waters, surface waters and swimming pools. Water Research 20:959-963.

Aitio A, Pekari K, Jarvisalo J. 1984. Skin absorption as a source of error in biological monitoring. Scand J Work Environ Health 10:317-320.

Albano E, Tomasi A, Cheeseman KH, et al. 1985. Use of isolated hepatocytes for the detection of free radical intermediates of halogenated hydrocarbons. In: Proceedings of the Free Radicals Liver Injury International Meeting. Oxford, England: IRL Press Limited, 7-16.

_

^{*} Cited in text

- Albee RR, Mattsson JL, Beekman MJ, et al. 1991. Determination of neurofunctional maximum tolerated dose in subchronic solvent neurotoxicity studies: 1,1,1-trichloroethane example. In: Proceedings of the 30th Society of Toxicology Annual Meeting, Dallas, TX, February 25 to March 1, 1991. Washington DC: Society of Toxicology.
- *Albrecht WN. 1980. Technical assistance report TA80-48. Chemical Recovery Systems, Inc., Elyria, OH. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NIOSH-HE/TA-80-48. PB81167926.
- *Alles G, Bauer U, Selenka F. 1988. [Volatile organic chlorinated compounds in human tissue.] Zentralbl Bakteriol Mikrobiol Hyg [B] 186:233-246. (German)
- *Almaguer D. 1985. Health hazard evaluation: Report HETA 83-275-1394. Kautt and Bux Manufacturing, Mundelein, IL. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB85179299.
- Almaguer D. 1986. Health hazard evaluation Report HETA 84-319-1649. Pioneer Ministries, Wheaton, IL. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB86223070.
- *Althaus FR, Lawrence SD, Sattler GL, et al. 1982. Chemical quantification of unscheduled DNA synthesis in cultured hepatocytes as an assay for the rapid screening of potential chemical carcinogens. Cancer Res 42:3010-3015.
- *Althoff WF, Cleary RW, Roux PH. 1981. Aquifer decontamination for volatile organics: A case history. Ground Water 19:495-504.
- *Altman PL, Dittmer DS. 1974. Biological handbooks: Biology data book. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.
- *Altshuller AP. 1979. Lifetimes of organic molecules in the troposphere and lower stratosphere. Adv in Environ Sci Technol 10:181-219.
- *Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water. J Appl Toxicol 3:272-290.
- *Andersen ME, Krishnan K. 1994. Relating in vitro to in vivo exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. Animal test alternatives Refinement, reduction, replacement. New York: Marcel Dekker, Inc., 9-25.
- *Andersen ME, Clewell HJ III, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. Toxicol Appl Pharmacol 87:185-205.
- Anderson GE. 1983. Human exposure to atmospheric concentrations of selected chemicals: Volumes 1 and 2. Research Triangle Park, NC: Office of Air Quality, U.S. Environmental Protection Agency. PB84102540.

- *Andersson-Skoeld Y, Grennfelt P, Pleijel K. 1992. Photochemical ozone creation potentials. A study of different concepts. J Air Waste Manage Assoc 42:1152-1158.
- Angerer J, Wulf H. 1985. Occupational chronic exposure to organic solvents. XI. Alkylbenzene exposure of varnish workers: Effects on hematopoietic system. Int Arch Occup Environ Health 56:307-321.
- *Antoine SR, Deleon IR, Ildefonso R, et al. 1986. Environmentally significant volatile organic pollutants in human blood. Bull Environ Contam Toxicol 36:364-371.
- *Anttila A, Pukkala E, Sallmen M, et al. 1995. Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. J Occup Environ Med 37:797-806.
- *Aoki N, Soma K, Katagiri H, et al. 1997. The pulmonary hemodynamic effects of 1,1,1-trichloroethane inhalation. Ind Health 35:451-455.
- *Apol A, Singal M. 1979. Health hazard evaluation: Determination report 78-96-595. Samsonite, Inc., Denver, CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB80148141.
- *Apol AG, Helgerson SD. 1983. Health hazard evaluation: Report HETA 83-014-1343. North Clackamas School District No. 12, Milwaukee, OR. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB85102903.
- *Aranyi C, O'Shea WJ, Graham JA, et al. 1986. The effects of inhalation of organic chemical air contaminants on murine lung host defenses. Fundam Appl Toxicol 6:713-720.
- *Archer WL, ed. 1979. Other chloroethanes. Kirk-Othmer encyclopedia of chemical technology, Vol. 5. 3rd ed. New York, NY: John Wiley and Sons, 722-742.
- *Arthur CL, Pratt K, Motlach S, et al. 1992. Environmental analysis of organic compounds in water using solid-phase microextraction. J High Resolut Chromatogr 15:741-744.
- *Arvin E. 1991. Biodegradation kinetics of chlorinated aliphatic hydrocarbons with methane oxidizing bacteria in an aerobic fixed biofilm reactor. Water Res WATRAG 25:873-881.
- Ashby J, Kilbey B. 1981. Summary report on the performance of bacterial repair, phage induction, degranulation, and nuclear enlargement assays. Mutat Res 1:33-48.
- *Ashley DL, Bonin MA, Cardinali FL, et al. 1992. Determining volatile organic compounds in human blood from a large sample population by using purge and trap gas chromatography/mass spectrometry. Anal Chem 64:1021-1029.
- Astrand I. 1975. Uptake of solvents in the blood and tissues of man: A review. Scand J Work Environ Health 1:199-218.
- *Astrand I, Kilbom A, Wahlberg I, et al. 1973. Methylchloroform exposure: I. Concentration in alveolar air and blood at rest and during exercise. Work Environ Health 10:69-81.

*Atkinson R. 1985. Kinetics and mechanisms of the gas-phase reactions of hydroxyl radical with organic compounds under atmospheric conditions. Chem Rev 85:69-201.

*Aviado DM, Zakhari S, Simaan JA, et al. 1976. Methyl chloroform and trichloroethylene in the environment. Cleveland, OH: CRC Press, 3-16.

Baerg RD, Kimberg DV. 1970. Centrilobular hepatic necrosis and acute renal failure in solvent sniffers. Ann Intern Med 73:713-720.

*Bailey RE, Crain RM, Goergen MG. 1982. Cleanup and monitoring procedures for a methylene chloride and 1,1,1-trichloroethane spill at Sault Ste Marie, Michigan. 1982 Hazardous material spills conference proceedings: Rockville, MD: Government Institutes, 28-36.

*Baker RSU, Bonin AM. 1981. Study of 42 coded compounds with the *Salmonella*/mammalian microsome assay. Prog Mutat Res 1:249-260.

*Balfour WD, Wetherold RG, Lewis DL. 1985. Evaluation of air emissions from hazardous waste treatment, storage, and disposal facilities. Washington, DC: U.S. Environmental Protection Agency. EPA 600S285057. PB84203792.

*Balster RL, Bowen SE, Evans EB, et al. 1997. Evaluation of the acute behavioral effects and abuse potential of a C8-C9 isoparaffin solvent. Drug Alcohol Depend 46:125-135.

*Balster RL, Moser VC, Woolverton WL. 1982. Concurrent measurement of solvent vapor concentrations and effects on operant behavior using a dynamic exposure system. J Pharmacol Methods 8:299-309.

Bamberger RL, Esposito GG, Jacobs BW, et al. 1978. A new personal sampler for organic vapors. Am Ind Hyg Assoc J 39:701-708.

Banathy LJ, Chan LTF. 1983. Fatality caused by inhalation of liquid paper correction fluid. Med J Aust 2:606.

Barale R, Presciuttini S, Rossi AM. 1979. [Schizosaccharomyces pombe: Forward mutation.] Environmental Mutagenesis Method Analysis 1:105-121. (Italian)

Barbash J, Roberts PV. 1986. Volatile organic chemical contamination of groundwater resources in the U.S. J Water Pollut Control Fed 58:343-348.

*Barker JF. 1987. Volatile aromatic and chlorinated organic contaminants in groundwater at six Ontario landfills. Water Pollut Res J Canada 22:33-48.

*Barkley J, Bunch J, Bursey JT, et al. 1980. Gas chromatography mass spectrometry computer analysis of volatile halogenated hydrocarbons in man and his environment. A multimedia environmental study. Biomed Mass Spectrom 7:139-147.

Barlow SM, Sullivan FM. 1982. Reproductive hazards of industrial chemicals. London: Academic Press Ltd., 610.

*Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. Regul Toxicol Pharmacol 8:471-486.

*Barrows ME, Petrocelli SR, Macek KJ, et al. 1980. Bioconcentration and elimination of selected water pollutants by bluegill sunfish (Lepomis macrochirus). In: Hague R, ed. Dynamics, Exposure and Hazard Assessment of Toxic Chemicals. Ann Arbor, MI: Ann Arbor Science, 379-392.

*Barth EF, Bunch RL. 1979. Biodegradation and treatability of specific pollutants. Cincinnati, OH: Municipal Environmental Research Laboratory, U.S. Environmental Protection Agency. EPA600979034.

*Bass M. 1970. Sudden sniffing death. JAMA 212:2075-2079.

Bauer U. 1981. [Human exposure to environmental chemicals: Investigations of volatile organic halogenated compounds in water air food and human tissues. IV. Communication: Calculation of human exposure to organic halogenated compounds from the environment.] Zentralbl Bakteriol [Orig B] 174:556-583. (German)

Bayer CW, Black MS. 1987. Capillary chromatographic analysis of volatile organic compounds. J Chromatogr Sci 25:60-64.

Bayer CW, Black MS, Galloway LM. 1988. Sampling and analysis techniques for trace volatile organic emissions from consumer products. J Chromatogr Sci 26:168-173.

Benowitz NL. 1992. Cardiotoxicity in the workplace. Occupational Medicine State of the Art Review 7:465-478.

*Benson EN, Hunter JV. 1977. Comparative effects of halogenated hydrocarbon solvents on waste disposal processes. Proceedings of the 31st Industrial Waste Conference: May 4,5, and 6, 1976, Purdue University, Lafayette, Indiana.31 Ann Arbor, MI: Ann Arbor Science Publishers, 614-637.

Berg S, Jacobsson S, Nilsson B. 1980. Evaluation of an evacuated glass sampler for the analysis of volatile organic compounds in ambient air. J Chromatogr Sci 18:171-179.

*Berger GS. 1994. Epidemiology of endometriosis. In: Berger GS, ed. Endometriosis: Advanced management and surgical techniques. New York, NY: Springer-Verlag.

Bernard AM, De Russis R, Normand JC, et al. 1989. Evaluation of the subacute nephrotoxicity of cyclohexane and other industrial solvents in the female Sprague-Dawley rat. Toxicol Lett 45:271-280.

Berode M, Boillat MA, Guillemin MP, et al. 1990. Demethylation pathways in caffeine metabolism as indicators of variability in 1,1,1-trichloroethane oxidation in man. Pharmacol Toxicol 67:41-46.

*Bianchi AP, Varney MS. 1993. Sampling and analysis of volatile organic compounds in estuarine air by gas chromatography and mass spectrometry. J Chromatogr 643:11-23.

Bidart M, Cochevelou P, Clair P. 1990. [Determination of urinary metabolites for assessment of possible exposure to organic solvents.] Trav Sci Chercheurs Serv Sante Armees, 105-106. (French)

Bio/Dynamics Inc. 1987. An acute inhalation study of 1,1,1-trichloroethane in the rat with cover letters dated 4/3/87, 4/22/87, and 9/24/8. Submitted to the U.S. Environmental Protection Agency under TSCA section 8E. OTS05097113.

*Blake NJ, Blake DR, Chen T-Y, et al. 1997. Distribution and seasonality of selected hydrocarbons and halocarbons over the western Pacific basin during PEM-West A and PEM-West B. J Geophys Res 102:28315-28331.

Blanchard RD, Hardy JK. 1986. Continuous monitoring device for the collection of 23 volatile organic priority pollutants. Anal Chem 58:1529-1532.

Blohm M, Braun H, Kaschny P, et al. 1985. Subacute toxicity of 1,1,1-trichloroethane, noise, and their combination in rats. Ecotoxicol Environ Safety 10:295-301.

*Bogen KT, Hall LC 1989. Pharmacokinetics for regulatory risk analysis: The case of 1,1,1-trichloroethane (methyl chloroform). Regul Toxicol Pharmacol 10:26-50.

*Boiano JM, Burroughs GE. 1980. Health hazard evaluation: Determination report HE 8045688. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB80211543.

Bolt HM, Filser JG, Wiegand M, et al. 1980. Studies on liver microsomal metabolism and interaction of vinyl chloride and related compounds in relation to possible carcinogenicity. Proceedings of the Occupational Health Conference 1:369-377.

*Boman A. 1989. Percutaneous absorption of 3 organic solvents in the guinea pig (V): Effect of "accelerants." Contact Dermatitis 21:304-311.

*Boman A, Mellstrom G. 1989a. Percutaneous absorption of 3 organic solvents in the guinea pig (III): Effect of barrier creams. Contact Dermatitis 21:134-140.

*Boman A, Mellstrom G. 1989b. Percutaneous absorption of 3 organic solvents in the guinea pig (IV): Effect of protective gloves. Contact Dermatitis 21:260-266.

*Boman A, Wahlberg JE. 1989. Percutaneous absorption of 3 organic solvents in the guinea pig (I): Effect of physical and chemical injuries to the skin. Contact Dermatitis 21:36-45.

*Boman A, Blute I, Fernstrom P, et al. 1989. Percutaneous absorption of 4 organic solvents in the guinea-pig (II): Effect of surfactants. Contact Dermatitis 21:92-104.

*Bonanno LJ, Freeman NCG, Greenburg M, et al. 2001. Multivariate analysis on levels of selected metals, particulate matter, VOC, and household characteristics and activities from the midwestern states NHEXAS. Appl Occup Environ Hyg 16:859-874.

*Bonnet P, Francin JM, Gradiski D, et al. 1980. Determination of the median lethal concentration of principle chlorinated aliphatic hydrocarbons in the rat. Arch Mal Prof 41:317-321.

Borm PJA, Barbanson B. 1988. Bias in biologic monitoring caused by concomitant medication. J Occup Med 30:214-223.

Borzelleca JF, Carchman RA. 1982. Effects of selected organic drinking water contaminants on male reproduction. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA600l82009. PB82259847.

*Boublik T, Fried V, Hala E. 1984. The vapor pressures of pure substances: Selected values of the temperature dependence of the vapour pressures of some pure substances in the normal and low pressure region. Vol. 17. Amsterdam: Elsevier Science Publications.

Bouwer EJ. 1985. Secondary utilization of trace halogenated organic compounds in biofilms. Environ Progr 4:43-46.

Bouwer EJ, McCarty PL. 1982. Removal of trace chlorinated organic compounds by activated carbon and fixed film bacteria. Environ Sci Technol 16:836-843.

*Bouwer EJ, McCarty PL. 1983a. Transformation of 1- and 2-carbon halogenated aliphatic organic compounds under methanogenic conditions. Appl Environ Microbiol 45:1286-1294.

*Bouwer EJ, McCarty PL. 1983b. Transformation of halogenated organic compounds under dinitrification conditions. Appl Environ Microbiol 45:1295-1299.

*Bouwer EJ, McCarty PL. 1984. Modeling of trace organics biotransformation in the subsurface. Ground Water 22:433-440.

Bouwer EJ, Wright JP. 1988. Transformations of trace halogenated aliphatics in anoxic biofilm columns. J Contam Hydrol 2:155-169.

Bouwer EJ, McCarty PL, Bouwer H, et al. 1984. Organic contaminant behavior during rapid infiltration of secondary wastewater at the Phoenix 23rd Avenue project. Water Res 18:463-472.

Bouwer EJ, McCarty PL, Lance JC. 1981a. Trace organic behavior in soil columns during rapid infiltration of secondary wastewater. Water Research 15:151-159.

Bouwer EJ, Rittman B, McCarty PL. 1981b. Anaerobic degradation of halogenated 1- and 2-carbon organic compounds. Environ Sci Technol 15:596-599.

*Bove FJ, Fulcomer MC, Klotz JB, et al. 1995. Public drinking water contamination and birth outcomes. Am J Epidemiol 141:850-862.

*Bowen SE, Balster RL. 1996. Effects of inhaled 1,1,1-trichloroethane on locomotor activity in mice. Neurotoxicol Teratol 18(1):77-81.

*Bowen SE, Balster RL. 1998. The effects of inhaled isoparaffins on locomotor activity and operant performance in mice. Pharmacol Biochem Behav 61:271-280.

*Bowen SE, Wiley JL, Balster RL. 1996a. The effects of abused inhalants on mouse behavior in an elevated plus-maze. Eur J Pharmacol 312:131-136.

*Bowen SE, Wiley JL, Evans EB, et al. 1996b. Functional observational battery comparing effects of ethanol, 1,1,1-trichloroethane, ether, and flurothyl. Neurobehav Toxicol Teratol 18(5):577-585.

Boyer JD, Ahlert RC, Kosson DS. 1988. Pilot plant demonstration of in-situ biodegradation of 1,1,1-tri-chloroethane. J Water Pollut Control Fed 60:1843-1849.

*Bozzelli JW, Kebbekus BB. 1979. Analysis of selected volatile organic substances in ambient air. Final report Apr-Nov 1978. Newark, NJ: New Jersey Institute of Technology, 1-80.

Brandorff NP, Flyvhokm M-A, Beck ID, et al. 1995. National survey on the use of chemicals in the working environment: Estimated exposure events. Occup Environ Med 52:454-463.

Brantley AS, Townsend TG. 1999. Leaching of pollutants from reclaimed asphalt pavement. Environ Eng Sci 16:105-116.

*Brennan RJ, Schiestl RH. 1998. Chloroform and carbon tetrachloride induce intrachromosomal recombination and oxidative free radicals in Saccharomyces cerevisiae. Mutat Res 397:271-278.

*Briggs T, Garrison R. 1982. Industrial hygiene sampling survey report of Arco Solar, Inc., Chatsworth, California. PB82112145.

Brodzinsky R, Singh HB. 1982. Volatile organic chemicals in the atmosphere: An assessment of available data. Menlo Park, CA: Atmospheric Science Center, SRI International.

*Broholm K, Christensen TH, Jensen BK. 1991. Laboratory feasibility studies on biological in-situ treatment of a sandy soil contaminated with chlorinated aliphatics. Environ Technol 12:279-289.

*Bronstein AC, Currance PL. 1988. Emergency care for hazardous materials exposure. St. Louis, MO: The C.V. Mosby Company, 143-144.

Brookes P, Preston RJJ. 1981. Summary report on the performance of in vitro mammalian assays. Mutat Res 1:77-85.

*Brooks TM, Dean BJ. 1981. Mutagenic activity of 42 coded compounds in the Salmonella/microsome assay with preincubation. Prog Mutat Res 1:261-270.

*Brown MS, Hart A. 1992. Reducing the use of ozone depleting chemicals: The Irvine California ordinance. J Air Waste Manage Assoc 42:429-432.

Brown HS, Bishop DR, Rowan CA. 1984. The role of skin absorption as a route of exposure for volatile organic compounds in drinking water. Am J Public Health 74:479-484.

*BRRC. 1987a. Developmental toxicity study of inhaled 1,1,1-trichloroethane in CD (Sprague-Dawley) rats. Project report 50-517. Export, PA: Bushy Run Research Center.

*BRRC. 1987b. Developmental toxicity study of inhaled 1,1,1-trichloroethane in New Zealand white rabbits. Project report 50-517. Export, PA: Bushy Run Research Center.

*Bruckner JV. 1983. Findings of toxicological studies of 1,1,1-trichloroethane. Progress report. U.S. EPA Cooperative Agreement 807449.

*Bruckner JV, Kyle GM, Luthra R, et al. 2001. Acute, short-term and subchronic oral toxicity of 1,1,1-trichloroethane in rats. Toxicol Sci 60:363-372.

Bruckner JV, Muralidhara S, MacKenzie WF, et al. 1985. Acute and subacute oral toxicity studies of 1,1,1-trichloroethane (TRI) in rats [Abstract]. In: Proceedings of the 24th Society of Toxicology Annual Meeting, San Diego, CA, March 18-22. Washington, DC: Society of Toxicology.

*Buchardt O, Manscher OH. 1978. On photochemical degradation of methylchloroform under atmospheric conditions. Second environmental research programme, 1976-80, indirect action: Reports on research sponsored under the second phase, 1979-80. Luxembourg: Commission of the European Communities, 17-22.

*Budavari S, O'Neil MJ, Smith A, et al. 1989. The Merck index: An encyclopedia of chemicals, drugs, and biologicals. 11th ed. Rahway, NJ: Merck and Co. Inc., 1516.

Burkatskaya EN, Tsapko VG, Khokholkova GA, et al. 1973. Sanitary and hygienic characteristics of the working conditions during use of methyl chloroform for cleaning electrical equipment. Gig Tr Prof Zabol 17:41-42.

Burkhart KK, Britt A, Petrini G, et al. 1996. Pulmonary toxicity following exposure to an aerosolized leather protector. Clin Toxicol 34:21-24.

*Burmaster DE. 1982. The new pollution-groundwater contamination. Environment 24:6-13, 33-36.

Burton RM, Suggs JC, Jungers RH, et al. 1987. The New York City bus terminal diesel emissions study: Measurement and collection of diesel exhaust for chemical characterization and mutagenic activity. Proceedings of the Air Pollution Control Association Annual Meeting 1:87/1.7.

*Butler R, Solomon IJ, Snelson A. 1978. Rate constants for the reaction of OH with halocarbons in the presence of $O_2 + N_2$. J Air Pollut Control Fed 28:1131-1133.

*Calhoun LL, Quast FJ, Schumann AM, et al. 1981. Chloroethene VG: Preliminary studies to establish exposure concentrations for a chronic inhalation study with rats and mice. Midland, MI: Health and Environmental Sciences, The Dow Chemical Company.

California EPA. 2004. Chronic toxicity summary: Methyl chloroform. Office of environmental health hazard assessment.

Canter LW, Sabatini DA. 1994. Contamination of public ground water supplies by Superfund sites. Int J Environ Stud 46:35-57.

*Caperos JR, Droz PO, Hake CL, et al. 1982. 1,1,1-Trichloroethane exposure, biologic monitoring by breath and urine analyses. Int Arch Occup Environ Health 49:293-303.

*Caplan YH, Backer RC, Whitaker JQ. 1976. 1,1,1-Trichloroethane: Report of a fatal intoxication. Clin Toxicol 9:69-74.

Carchman R, Davidson IWF, Greenberg MM, et al. 1984. Health assessment document for 1,1,1-tri-chloroethane (methyl chloroform). Research Triangle Park: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA600882003F. PB84183565.

Cardinali FL, Ashley DL, Wooten JV, et al. 2000. The use of solid-phase microextraction with a benchtop quadrupole mass spectrometer for the analysis of volatile organic compounds in human blood at the low parts-per-trillion level. J Chromatogr Sci 38:49-54.

*Cardinali FL, McCraw JM, Ashley DL, et al. 1994. Production of blank water for the analysis of volatile organic compounds in human blood at the low parts-per-trillion level. J Chromatogr Sci 32:41-45.

*Carlson GP. 1973. Effect of phenobarbital and 3-methylcholanthrene pretreatment on the hepatotoxicity of 1,1,1-trichloroethane and 1,1,2-trichloroethane. Life Sci [I] 13:67-73.

*Carlson GP. 1981. Effect of alterations in drug metabolism on epinephrine-induced cardiac arrhythmias in rabbits exposed to methylchloroform. Toxicol Lett 9:307-313.

Carpenter AV, Flanders WD, Frome EL, et al. 1988. Chemical exposures and central nervous system cancers a case-control study among workers at two nuclear facilities. Am J Ind Med 13:351-362.

*Carroll GJ, Thurnau RC, Lee JW, et al. 1992. Pilot-scale evaluation of an incinerability ranking system for hazardous organic compounds. J Air Waste Manage Assoc 42:1430-1436.

*Carter RE Jr., Thomas MJ, Marotz GA, et al. 1992. Compound detection and concentration estimation by open-path Fourier transform infrared spectrometry and canisters under controlled field conditions. Environ Sci Technol 26:2175-2181.

*CAS. 1993. Chemical Abstract Survey Registry File. January 27, 1993.

*CAS. 2004. Chemical Abstract Service. Registry File. http://www.cas.org/EO/regsys.html. July10, 2004.

*Casciola LAF, Ivanetich KM. 1984. Metabolism of chloroethanes by rat liver nuclear cytochrome P-450. Carcinogenesis 5:543-548.

Caspary WJ, Daston DS, Myhr BC, et al. 1988. Evaluation of the L5178Y mouse lymphoma cell mutagenesis assay: Interlaboratory reproducibility and assessment. Environ Mol Mutagen 12 (Suppl 13):195-229.

CELDS. 1992. Computer Aided Environmental Legislative Data System. February 1992.

CELDS. 1994. Computer-assisted Environmental Legislative Database. University of Illinois at Urbana.

Cervini-Silva J, Kostka JE, Larson RA, et al. 2003. Dehydrochlorination of 1,1,1-trichloroethane and pentachloroethane by microbially reduced ferruginous smectite. Environ Toxicol Chem 22:1046-1050.

*Chang JS, Kaufman F. 1977. Kinetics of the reactions of hydroxyl radicals with some halocarbons: Dichlorofluoromethane, chlorodifluoromethane, trichloroethylene, and tetrachloroethylene. J Chem Phys 66:4989-4994.

Chang JS, Penner JE. 1978. Analysis of global budgets of halocarbons. Atmos Environ 12:1867-1874.

Chang LW, Pereira MA, Klaunig JE. 1985. Cytotoxicity of halogenated alkanes in primary cultures of rat hepatocytes from normal, partially hepatectomized, and preneoplastic/neoplastic liver. Toxicol Appl Pharmacol 80:274-283.

Charbonneau M, Greselin E, Brodeur J, et al. 1991. Influence of acetone on the severity of the liver injury induced by haloalkane mixtures. Can J Physiol Pharmacol 69:1901-1907.

Chen C, Ballapragada BS, Puhakka JA, et al. 1999. Anaerobic transformation of 1,1,1-trichloroethane by municipal digester sludge. Biodegradation 10:297-305.

*Chen XM, Dallas CE, Muralidhara S, et al. 1993. Analyses of volatile C₂ haloethanes and haloethenes in tissues: Sample preparation and extraction. J Chromatogr Biomed Appl 612:199-208.

Chenoweth MB, Hake CL. 1962. The smaller halogenated aliphatic hydrocarbons. Annu Rev Pharmacol 2:363-398.

*Cherry N, Venables H, Waldron HA. 1983. The acute behavioral effects of solvent exposure. J Soc Occup Med 33:13-18.

*Cheung HM, Bhatnagar A, Jansen G. 1991. Sonochemical destruction of chlorinated hydrocarbons in dilute aqueous solution. Environ Sci Technol 25:1510-1512.

Cheyney AC. 1984. Experience with the co-disposal of hazardous waste with domestic waste. Chem Ind 17:609-615.

*Chiou CT, Freed VH, Peters LJ, et al. 1980. Evaporation of solutes from water. Environ Int 3:231-236.

*Chiou CT, Peters LJ, Freed VH. 1979. A physical concept of soil-water equilibria for nonionic organic compounds. Science 206:831-832.

*Ciccioli P, Brancaleoni E, Cecinato A, et al. 1993. Identification and determination of biogenic and anthropogenic volatile organic compounds in forest areas of Northern and Southern Europe and a remote site of the Himalaya region by high-resolution gas chromatography-mass spectrometry. J Chromatogr 643:55-69.

*Clark DG, Tinston DJ. 1973. Correlation of the cardiac sensitizing potential of halogenated hydrocarbons with their physicochemical properties. Br J Pharmacol 49:355-357.

*Clark DG, Tinston DJ. 1982. Acute inhalation toxicity of some halogenated and nonhalogenated hydrocarbons. Hum Toxicol 1:239-247.

*Clark RR, Zalikowski JA. 1990. Comparison of capillary and packed column analysis for volatile organics by GCMS. In: Friedman D, ed. Waste testing and quality assurance. Special technical publication 1062 vol. 2. Philadelphia, PA: American Society for Testing and Materials, 333-350.

*Class T, Ballschmiter K. 1986. Chemistry of organic traces in air. VI: Distribution of chlorinated C1-C4 hydrocarbons in air over the northern and southern Atlantic Ocean. Chemosphere 15:413-427.

*Clewell HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. Toxicol Ind Health 1:111-131.

Cline PV, Viste DR. 1985. Migration and degradation patterns of volatile organic compounds. Waste Mgmt Res 3:351-360.

CMR. 1986. Chemical profile: 1,1,1-Trichloroethane. CMR. January 20,1986.

CMR. 1989. Chemical profile: Trichloroethane. CMR. January 30, 1989.

CMR. 1992. Chemical profile: Trichloroethylene. CMR. January 27, 1992.

*CMR. 1995. Chemical profile: 1,1,1-Trichloroethane. CMR. February 27, 1995.

*Cobb GD, Bouwer EJ. 1991. Effects of electron acceptors on halogenated organic compound biotransformations in a biofilm column. Environ Sci Technol 25:1068-1074.

*Cohen C, Frank AL. 1994. Liver disease following occupational exposure to 1,1,1-trichloroethane: A case report. Am J Ind Med 26:237-241.

Cohen N, Benson SW. 1987. Transition-state-theory calculations for reactions of hydroxyl radicals with haloalkanes. J Phys Chem 91:162-170.

*Cohen MA, Ryan PB, Yanagisawa Y, et al. 1989. Indoor-outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia USA. JAPCA 39:1086-1093.

Cohn P, Savrin J, Fagliano J. 1999. Mapping of volatile organic chemicals in New Jersey water systems. J Expo Anal Environ Epidemiol 9:171-180.

Cohr KH. 1986 Uptake and distribution of common industrial solvents. Prog Clin Biol Res 220:45-60.

Colby BN, Beimer RG, Rushneck DR, et al. 1982. Priority pollutants in industrial effluents. Int Environ Safety (February):8-13.

*Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the Nationwide Urban Runoff Program. J Water Pollut Control Fed 56:898-908.

*Coleman CN, Mason T, Hooker EP, et al. 1999. Developmental effects of intermittent prenatal exposure to 1,1,1-trichloroethane in the rat. Neurobehav Toxicol Teratol 21:699-708.

*Coleman EC, Ho C, Chang SS. 1981. Isolation and identification of volatile compounds from baked potatoes. J Agric Food Chem 29:42-48.

*Comba ME, Kaiser KLE. 1985. Volatile halocarbons in the Detroit River and their relationship with contaminant sources. J Great Lakes Res 11:404-418.

*Commission of the European Communities. 1981. Criteria (exposure/effect relationships) for organochlorine pesticides. Pergamon Press. Commission of the European Communities.

Coniglio WA, Miller K, MacKeever D. 1980. The occurrence of volatile organics in drinking water. Criteria and Standards Division, Science and Technology Branch, Exposure Assessment Project.

*Conkle JP, Camp BJ, Welch BE. 1975. Trace composition of human respiratory gas. Arch Environ Health 30:290-295.

*Connell DW, Braddock RD, Mani SV. 1993. Prediction of the partition coefficient of lipophilic compounds in the air-mammal tissue system. Sci Total Environ (Suppl.):1383-1396.

*Cornish, HH, Adefuin J. 1966. Ethanol potentiation of halogenated aliphatic solvent toxicity. Am Ind Hyg Assoc J 27:57-61.

*Cornish HH, Ling BP, Barth ML. 1973. Phenobarbital and organic solvent toxicity. Am Ind Hyg Assoc J 34:487-492.

Correia Y, Martens GJ, Van Mensch FH, et al. 1977. The occurrence of trichloroethylene, tetrachloroethylene and 1,1,1-trichloroethane in western Europe in air and water. Atmos Environ 11:1113-1116.

*Corsi RL, Chang DPY, Schroeder ED, et al. 1987. Emissions of volatile and potentially toxic organic compounds from municipal wastewater treatment plants. Proceedings of the Air Pollution Control Association Annual Meeting 6:1-14.

Cotruvo JA. 1985. Organic micropollutants in drinking water: An overview. Sci Total Environ 47:7-26.

*Cox RA, Derwent RG, Eggleton AEJ, et al. 1976. Photochemical oxidation of halocarbons in the troposphere. Atmos Environ 10:305-308.

*Crebelli R, Carere A. 1987. Genotoxic activity of halogenated aliphatic hydrocarbons in Aspergillus nidulans. In: Asia-Pacific Symposium held at the ICMR Seminar. Environ Occup Toxicol 8:437-442.

*Crebelli R, Benigni R, Franckic J, et al. 1988. Induction of chromosome malsegregation by halogenated organic solvents in Aspergillus nidulans: Unspecific or specific mechanism? Mutat Res 201:401-411.

*CRISP. 1992. U.S Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute for Environmental Health Science. October 21, 1992.

*Cronn DR, Bamesberger WL, Koropalov VM. 1983. Abastumani Forest aerosol experiment (1979): Comparison to other nonurban halocarbons and nitrous oxide measurements. Environ Sci Technol 17:383-388.

Cronn DR, Rasmussen RA, Robinson E, et al. 1977. Halogenated compound identification and measurement in the troposphere and lower stratosphere. J Geophys Res 82:5935-5944.

*Croquet V, Fort J, Oberti F, et al. 2003. Hepatite chronique active probablement induite par le 1,1,1-trichloroethane. Gastroenterol Clin Biol 27:120-122.

Crump D. 1995. Volatile organic compounds in indoor air. Issues. Environ Sci Technol 4:109-124.

Crutzen PJ, Gidel LT. 1983. A two-dimensional photochemical model of the atmosphere. 2: The tropospheric budgets of the anthropogenic chlorocarbons, carbon monoxide, methane, chloromethane and the effect of various nitrogen oxides sources on the tropospheric ozone. J Geophys Res 88:6641-6661.

*Crutzen PJ, Isaken ISA, McAfee JR. 1978. The impact of the chlorocarbon industry on the ozone layer. J Geophys Res 83:345-363.

Cruz SL, Gauthereau MY, Camacho-Munoz C, et al. 2003. Effects of inhaled toluene and 1,1,1-trichloroethane on seizures and death produced by N-methyl-D-aspartic acid in mice. Behav Brain Res 140:195-202.

*Daft J. 1987. Determining multi-fumigants in whole grains and legumes, milled and low-fat grain products, spices, citrus fruit and beverages. J AOAC 70:734-739.

*Daft JL. 1988. Rapid determination of fumigant and industrial chemical residues in food. J AOAC 71:748-760.

Dahlstrom-King L, Couture J, Lamoureux C, et al. 1990. Dose-dependent cytotoxicity of chlorinated hydrocarbons in isolated rat hepatocytes. Fundam Appl Toxicol 14:833-841.

*Dallas CE, Ramanathan R, Muralidhara S, et al. 1989. The uptake and elimination of 1,1,1-trichloro-ethane during and following inhalation exposures in rats. Toxicol Appl Pharmacol 98:385-397.

Dambly C, Toman Z, Radman M. 1981. Zorotest. Prog Mutat Res 1:219-223.

*Daniel MR, Dehnel JM. 1981. Cell transformation test with baby hamster kidney cells. Prog Mutat Res 1:626-637.

*Daniels WJ, Almaguer D, Kramkowski R. 1988. Health hazard evaluation: Report HETA 863431822. Sheller-Globe (Allen Industries, Inc.), Herrin, IL. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB88153291.

*Danielsson BRG, Ghantous H, Dencker L. 1986. Distribution of chloroform and methylchloroform and their metabolites in pregnant mice. Biol Res Pregnancy Perinatol 7:77-83.

*Dapson SC, Hutcheon DE, Lehr D. 1984. Effect of methyl chloroform on cardiovascular development in rats. Teratology 29:25A.

*D'Costa DF, Gunasekera NP. 1990. Fatal cerebral edema following trichloroethane abuse. J R Soc Med 83:533-534.

*Deane M, Swan SH, Harris JA, et al. 1989. Adverse pregnancy outcomes in relation to water contamination Santa Clara County California 1980-1981. Am J Epidemiol 129:894-904.

*DeBortoli M, Knoeppel H, Pecchio E, et al. 1986. Concentrations of selected organic pollutants in indoor and outdoor air in northern Italy. Environ Int 12:343-350.

*DeCeaurriz J, Bonnet P, Certin C, et al. 1981. [Chemicals as central nervous system depressants possibilities of an animal model.] Cahiers de notes documentaires Securites et hygiene du travail, 351-355. (French)

*DeCeaurriz J, Desiles JP, Bonnet P, et al. 1983. Concentration-dependent behavioral changes in mice following short-term inhalation exposure to various industrial solvents. Toxicol Appl Pharmacol 67:383-389.

*del Amo M, Berenguer J, Pujol T, et al. 1996. MR in trichloroethane poisoning. AJNR Am J Neuroradiol 17:1180-1182.

DeLorey DC, Cronn DR, Farmer JC. 1988. Tropospheric latitudinal distributions of dichlorodifluoromethane, trichlorofluoromethane, nitrous oxide, 1,1,1-trichloroethane, and carbon tetrachloride. Atmos Environ 22:1481-1494.

*DeMore WB. 1992. Relative rate constants for the reactions of OH with methane and methyl chloroform. Geophys Res Lett 19:1367-1370.

*Derwent RG, Jenkin ME. 1991. Hydrocarbons and the long-range transport of ozone and peroxyacetyl nitrate (PAN) across Europe. Atmos Environ, Part A 25A:1661-1678.

*DeSerres FJ, Hoffmann GR. 1981. Summary report on the performance of yeast assays. Mutat Res 1:68-76.

*Dever RJ. 1986. Responding to industrial contamination of groundwater: A case study. J Am Water Works Assoc 78:82-86.

DeWalle FB, Chian ESK. 1978. Presence of trace organics in the Delaware River and their discharge by municipal and industrial sources. Proceedings of the Industrial Waste Conference 32:908-919.

*DeWalle FB, Kalman DA, Norman D, et al. 1985. Determination of toxic chemicals in effluent from household septic tanks. Cincinnati, OH: U.S. Environmental Protection Agency. EPA600S285050.

*DeWees WG, Segall RR, Cone L, et al. 1992. Emissions of metals, chromium and nickel species, and organics from municipal wastewater sludge incinerators project summary. Cincinnati, OH: U.S. Environmental Protection Agency, Risk Reduction Engineering Laboratory. EPA600SR92003.

Dewulf J, Van Langenhove H. 1997. Chlorinated C₁- and C₂-hydrocarbons and monocyclic aromatic hydrocarbons in marine waters: An overview on fate processes, sampling, analysis, and measurements. Water Res 31:1825-1838.

Dick RB. 1988. Short duration exposures to organic solvents the relationship between neurobehavioral test results and other indicators. Neurotoxicol Teratol 10:39-50.

Dickens BF, Tse SY, Msk IT, et al. 1989. Pro-oxidant effect of chlorinated hydrocarbons on cultured vascular cells. FASEB J 3:A1037.

Dickens BF, Tse SY, Pflug BR, et al. 1990. Interaction between organic hydroperoxides and chlorinated hydrocarbons a possible mechanism for free radical production. FASEB J 4:A627.

Dickson AG, Riley JP. 1976. The distribution of short-chain halogenated aliphatic hydrocarbons in some marine organisms. Marine Pollut Bull 7:167-169.

*Dilling WL. 1977. Interphase transfer processes. II. Evaporation rates of chloromethanes, ethanes, ethylenes, propanes, and propylenes from dilute aqueous solutions: Comparisons with theoretical predictions. Environ Sci Technol 11:405-409.

*Dilling WL, Bredeweg CJ, Tefertiller NB. 1976. Organic photochemistry. XIII. Simulated atmospheric photodecomposition rates of methylene chloride, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other compounds. Environ Sci Technol 10:351-356.

*Dilling WL, Tefertiller NB, Kallos GJ. 1975. Evaporation rates and reactivities of methylene chloride, chloroform, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene and other chlorinated compounds in dilute aqueous solutions. Environ Sci Technol 9:833-888.

*Dills RL, Kent SD, Checkoway H, et al. 1991. Quantification of volatile solvents in blood by static headspace analysis. Talanta 38:365-374.

- *Dimitriades B, Joshi SB. 1977. Application of reactivity criteria in oxidant-related emission control in the USA. In: Dimitriades B, ed. Proceedings of Photochemical Oxidant Pollution and Its Control International Conference. Research Triangle Park, NC: U.S. Environmental Protection Agency, 705-711.
- *Direnzo AB, Gandolfi AJ, Sipes IG. 1982. Microsomal bioactivation and covalent binding of aliphatic halides to DNA. Toxicol Lett 11:243-252.
- Divincenzo GD, Krasavage WJ. 1974. Serum ornithine carbamyl transferase as a liver response test for exposure to organic solvents. Am Ind Hyg Assoc J 35:21-29.
- *Dobrev ID, Anderson ME, Yang RS. 2001. Assessing interaction threshold for trichloroethylene in combination with tetrachloroethylene and 1,1,1-Trichloroethane using gas uptake studies and PBPK modeling. Arch Toxicol 75:134-144.
- *Dobrev ID, Andersen ME, Yang RSH. 2002. In silico toxicology: Simulating interaction theshholds for human exposure to mixtures of trichloroethylene, tetrachloroethylene, and 1,1,1-trichloroethane. Environ Health Perspect 110:1031-1039.
- *Dornette WHL, Jones JP. 1960. Clinical experiences with 1,1,1-trichloroethane: A preliminary report of 50 anesthetic administrations. Anesth Analg 39:249-252.
- *Dosemeci M, Cocco P, Chow W-H. 1999. Gender differences in risk of renal cell carcinoma and occupational exposures to chlorinated aliphatic hydrocarbons. Am J Ind Med 36:54-59.
- *Dow Chemical Co. 1988. An acute vapor inhalation study in Fischer-344 rats using Aerothene TT with cover letter dated 3/22/88. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS0514062.
- *Dow Chemical Co. 1993. Examination of rats for developmental neurotoxicological effects from maternal exposure to 1,1,1-trichloroethane. [Peer reviewed unpublished study].
- *Dow Corning Corp. 1994. Initial submission: Epidemiology (population-based case-control) study of systemic sclerosis associated with silicone breast implants and solvents with cover letter dated 060394. Submitted to U.S. Environmental Protection Agency under TSCA Section 8E. OTS0556275.
- *Dreisch FA, Gower M, Munson TO. 1980. Survey of the Huntington and Philadelphia river water supplies for purgeable organic contaminants. Annapolis, MD: U.S. Environmental Protection Agency. EPA903981003.
- Droz PO. 1992. Quantification of biological variability. Ann Occup Hyg 36:295-306.
- Droz PO, Guillemin MP. 1986. Occupational exposure monitoring using breath analysis. J Occup Med 28:593-602.
- *Droz PO, Nicole C, Guberan E. 1982. Sniffing 1,1,1-trichloroethane simulation of two fatal cases. In: Collings AJ, Luxon SG, eds. Safe use of solvents: Proceedings of the International Symposium on the safe use of solvents held at the University of Sussex, Brighton, UK. London: Academic Press, Inc., 153-159.
- Droz PO, Wu MM, Cumberland WG. 1989a. Variability in biological monitoring of organic solvent exposure. II. Application of a population physiological model. Br J Ind Med 46:547-558.

Droz PO, Wu MM, Cumberland WG, et al. 1989b. Variability in biological monitoring of solvent exposure. I. Development of a population physiological model. Br J Ind Med 46:447-460.

Duce RA, Mohnen, VA, Zimmerman PR, et al. 1983. Organic material in the global troposphere. Rev of Geophysics and Space Physics 21:921.

Duerk H, Klessen C, Frank H. 1990. Reductive metabolism of 1,1,1-trichloroethane. In: Proceedings of the 31st German Society for Pharmacology and Toxicology Spring Meeting, Mainz, West Germany, March 13-16. Naunyn Schmiedeberg's Arch Pharmacol 341(Suppl):R11.

Dunovant VS, Clark CS, Quehee SS, et al. 1986. Volatile organics in the wastewater and airspace of three wastewater plants. J Water Pollut Control Fed 58:886-895.

*Duprat P, Delsaut L, Gradiski D. 1976. Irritant potency of the principal aliphatic chloride solvents on the skin and ocular mucosis membranes of rabbits. Eur J Toxicol 3:171-177.

Dural NH, Chen C-H. 1997. Analysis of vapor phase adsorption equilibrium of 1,1,1-trichloroethane on dry soils. J Haz Mater 53:75-92.

*Durk H, Poyer JL, Klessen C, et al. 1992. Acetylene: A mammalian metabolite of 1,1,1-trichloro-ethane. Biochem J 286:353-356.

Dyksen JE, Hess AF III. 1982. Alternatives for controlling organics in ground water supplies. J Am Water Works Assoc 74:394-403.

*Eben A, Kimmerle G. 1974. Metabolism, excretion and toxicology of methylchloroform in acute and subacute exposed rats. Arch Toxicol 31:233-242.

*Egle JL Jr., Long JE, Simon GS, et al. 1976. An evaluation of the cardiac sensitizing potential of a fabric protector in aerosol form, containing 1,1,1-trichloroethane. Toxicol Appl Pharmacol 38:369-377.

Egli C, Scholtz R, Cook AM, et al. 1987. Anaerobic dechlorination of tetrachloromethane and 1,2-dichloroethane to degradable products by pure cultures of Desulfobacterium sp. and Methanobacterium sp. Fems Microbiol Lett 43:257-261.

Eighler DL, Mackey JH. 1986. The levels of certain volatile organic compounds in the ambient air of the United States. In: Proceedings of 79th Air Pollution Control Association Annual Meeting. Vol. 6.

*Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. Environ Sci Technol 15:30-38.

Eitzer BD. 1995. Emissions of volatile organic chemicals from municipal solid waste composting facilities. Environ Sci Technol 29:896-902.

*Ellenhorn MJ, Barceloux DG. 1988. Medical toxicology: Diagnosis and treatment of human poisoning. Amsterdam: Elsevier, 841-843.

*Ellenhorn MJ, Schonwald S, Ordog G, et al., eds. 1997. Medical toxicology: Diagnosis and treatment of human poisoning. 2nd edition. Baltimore, MD: Williams & Wilkins, 1436-1440.

*Ellenrieder W, Reinhard M. 1988. ATHIAS-an information system for abiotic transformations of halogenated hydrocarbons in aqueous solution. Chemosphere 17:331-344.

Elovaara E, Hemminki K, Vainio H. 1979. Effects of methylene chloride, trichloroethane, trichloroethylene, tetrachloroethylene and toluene on the development of chick embryos. Toxicology 12:111-120.

Entz RC, Hollifield HC. 1982. Headspace gas chromatographic analysis of foods for volatile halocarbons. J Agric Food Chem 30:84-88.

EPA. 1971a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 1801001.

EPA. 1971b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 1801012.

EPA. 1972a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 521170.

EPA. 1972b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 522570.

EPA. 1977a. Multimedia levels: Methylchloroform. Washington, DC: U.S. Environmental Protection Agency. EPA560677030. PB281892.

EPA. 1977b. Monitoring to detect previously unrecognized pollutants in surface waters. Appendix: Organic analysis data. Washington, DC: U.S. Environmental Protection Agency. EPA560677015. EPA560677015A.

EPA. 1978a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 1164.

EPA. 1978b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 122.

EPA. 1979a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141 App. C.

EPA. 1979b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136. Method 624.

EPA. 1979c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136. Method 1624.

EPA. 1979d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 125. Form 2C.

EPA. 1979e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 257 App. I.

EPA. 1979f. Atmospheric distributions, sources and sinks of selected halocarbon, hydrocarbons, SF6 + N2O. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA600379107.

EPA. 1980a. Ambient water quality criteria for chlorinated ethanes. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Criteria and Standards Division. EPA440580029.

EPA. 1980b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.

EPA. 1980c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33(f).

EPA. 1980d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 52.2222.

EPA. 1980e. Acquisition and chemical analysis of mother's milk for selected toxic substances. Washington DC: U.S. Environmental Protection Agency. EPA5600380029. PB81231029.

EPA. 1981a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.31.

EPA. 1981b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.32.

EPA. 1981c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 413.02.

EPA. 1981d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.

*EPA. 1981e. Clean water effluent guidelines. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 400.

*EPA. 1982a. Test method: Purgeables method 624. Cincinnati, OH: U.S. Environmental Protection Agency, 40 CFR 136, App. A.

*EPA. 1982b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 423 App. A.

*EPA. 1982c. Method No. 601. Test methods. Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory.

EPA. 1982d. Analysis of industrial wastewater for organic pollutants in consent decree survey. Athens, GA: U.S. Environmental Protection Agency.

EPA. 1983a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 122 App. D

EPA. 1983b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 43311.

EPA. 1983c. Clean water effluent guidelines. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 475.

EPA. 1984a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261 App. IX.

EPA. 1984b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 7994400.

EPA. 1984c. Techniques for the assessment of the carcinogenic risk to the U.S. population due to exposure from selected volatile organic compounds from drinking water via the ingestion, inhalation and dermal routes. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water. PB84213941.

EPA. 1985a. Environmental Protection Agency. National primary drinking water regulations; volatile synthetic organic chemicals. Fed Regist 50:46880.

EPA. 1985b. Health assessment document for 1,1,1-trichloroethane (methyl chloroform). Final report. U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. EPA600882003.

EPA. 1985c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 6101.

EPA. 1985d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 7905.

EPA. 1985e. Hazardous air pollutants: Wet removal rates and mechanisms. Richland, WA: U.S. Environmental Protection Agency. EPA600384113. PB85138626.

EPA. 1985f. Drosophila sex-linked recessive lethal assay of 1,1,1-trichloroethane. U.S. Environmental Protection Agency. Submitted to the U.S. Environmental Environmental Protection Agency under TSCA Section 4. OTS0526446.

EPA. 1985g. Drinking water criteria document for 1,1,1-trichloroethane (Draft). Washington, DC: U.S. Environmental Protection Agency. PB86118130.

*EPA. 1986a. Methods for the determination of organic compounds in finished drinking water and raw source water: Method no. 502.1. Cincinnati, OH: U.S. Environmental Protection Agency, Physical and Chemical Methods Branch, Environmental Monitoring and Support Laboratory.

*EPA. 1986b. Superfund record of decision (EPA Region 8): Marshall Landfill Site, Boulder County, Colorado, September, 1986. Report. U.S. Environmental Protection Agency. EPA RODRO886008.

*EPA. 1986c. Superfund record of decision (EPA Region 5): Forest Waste Disposal Site, Genesee County, Michigan, June, 1986. Report. U.S. Environmental Protection Agency. EPA RODRO586034. PB87189890.

*EPA. 1986d. Superfund record of decision (EPA Region 5): Byron Johnson Salvage Yard, Byron, Illinois, September, 1986. Report. U.S. Environmental Protection Agency. EPA RODRO586042.

EPA. 1986e. Method 8240: Gas chromatography/mass spectrometry for volatile organics. Cincinnati, OH: U.S. Environmental Protection Agency.

EPA. 1986f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 51100.

EPA. 1986g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 26810.

EPA. 1987a. Purge and trap onto adsorbent with gas chromatography/mass spectrometry (GC/MS). U.S. Environmental Protection Agency Contract Lab.

EPA. 1987b. Environmental Protection Agency: Organic chemicals and plastics and synthetic fibers category effluent limitations guidelines, pretreatment standards, and new source performance standards. Fed Regist 52:42522-42584.

*EPA. 1987c. U.S. EPA contract laboratory program statement of work for organic analysis. Washington, DC: U.S. Environmental Protection Agency.

*EPA. 1987d. Superfund record of decision (EPA Region 4): Galloway Ponds Site, Galloway, Tennessee, September, 1986. Report. U.S. Environmental Protection Agency. EPA RODRO486013.

*EPA. 1987e. Superfund record of decision (EPA Region 2): Lang Property, Pemberton Township, New Jersey, September, 1986. Report. U.S. Environmental Protection Agency. EPA RODRO286031. PB87188470.

*EPA. 1987f. Environmental Protection Agency: National primary drinking water regulations; synthetic organic chemicals; monitoring for unregulated contaminants. Fed Regist 52:25690-25717.

EPA. 1987g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 41491.

EPA. 1987h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 14101.

EPA. 1987i. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264 App. IX.

EPA. 1987j. Toxic air pollutant/source crosswalk-a screening tool for locating possible emitting toxic air pollutants. Washington, DC: U.S. Environmental Protection Agency. EPA450487023A.

EPA. 1987k. Pharmacokinetics in risk assessment: Drinking water and health. Volume 8. Washington, DC, U.S. Environmental Protection Agency. PB89203319.

*EPA. 1987l. Household products containing methylene chloride and other chlorinated solvents: A "shelf" survey. Washington, DC: U.S. Environmental Protection Agency. EPA5601987.

EPA. 1988a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.

*EPA. 1988b. Superfund record of decision (EPA region 5): Summit national site: Deerfield, OH, June 1988. First remedial action. Washington, DC: U.S. Environmental Protection Agency. EPA RODR8588068. PB89225988.

EPA. 1988c. Method 524.1: Measurement of purgeable organic compounds in water by packed column gas chromatography/mass spectrometry. Cincinnati, OH: U.S. Environmental Protection Agency, 255-284.

EPA. 1988d. Method 524.2: Measurement of purgeable organic compounds in water by capillary column gas chromatography/mass spectrometry. Cincinnati, OH: U.S. Environmental Protection Agency.

EPA. 1988e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 825.

EPA. 1988f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 829.

EPA. 1988g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 153139.

EPA. 1988h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 829.

EPA. 1988i. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 37265.

EPA. 1988j. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 7995.

EPA. 1988k. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 26843.

EPA. 1988l. The Emergency Planning and Community Right-to-Know Act of 1986 (EPCRA). Section 313 of Title III. Washington, DC: U.S. Environmental Protection Agency,

*EPA. 1988m. Reference physiological parameters in pharmacokinetic modeling. Washington, DC: U.S. Environmental Protection Agency. PB88196019.

*EPA. 1989a. Interim methods for development of inhalation reference doses. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA600888066F.

*EPA. 1989b. U.S. Environmental Protection Agency: Testing consent order for 1,1,1-trichloroethane and response to the Interagency Testing Committee. Fed Regist 54:34991-34995.

EPA. 1989c. U.S. Environmental Protection Agency. Testing consent order for 1,1,1-trichloroethane and response to the Interagency Testing Committee. Fed Regist 54:162.

EPA. 1989d. U.S. Environmental Protection Agency. National primary and secondary drinking water regulations. Fed Regist 54:97.

EPA. 1990a. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA600890066A.

EPA. 1990b. TSCA chemical testing: Receipt of test data. U.S. Environmental Protection Agency. Fed Regist 55:50055.

EPA. 1991a. Summary report: 1,1,1-trichloroethane with cover letter dated 6/19/91. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8e. OTS0529783.

EPA. 1991b. National primary drinking water regulations synthetic organic chemicals and inorganic chemicals, monitoring for unregulated contaminants, national primary drinking water regulations implementation, national secondary drinking water regulations: Part II. U.S. Environmental Protection Agency. Fed Regist 56:3526.

EPA. 1991c. TSCA chemical testing: Receipt of test data. U.S. Environmental Protection Agency. Fed Regist 56:5688.

EPA. 1991d. TSCA chemical testing: Receipt of test data. U.S. Environmental Protection Agency. Fed Regist 56:28893.

EPA. 1991e. TSCA chemical testing: Receipt of test data. U.S. Environmental Protection Agency. Fed Regist 56:24191.

EPA. 1991f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82.

EPA. 1991g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258 App. I.

- EPA. 1991h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266. App. VIII.
- *EPA. 1992a. Drinking water, national primary drinking water regulations synthetic organic chemicals and inorganic chemicals, national primary drinking water regulations implementation: U.S. Environmental Protection Agency. Part III. Fed Regist 57:31776.
- *EPA. 1992b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 148.
- *EPA. 1992c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 258.
- *EPA. 1992d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 266.
- *EPA. 1992e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR Part 268.
- *EPA. 1992f. Status of pesticides in reregistration and special review. Washington, DC: U.S. Environmental Protection Agency. EPA700R92004.
- EPA. 1992g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 41470.
- EPA. 1992h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 2613.
- EPA. 1993a. U.S. Environmental Protection Agency. Fed Regist. 58:38326.
- EPA. 1993b. U.S. Environmental Protection Agency. Fed Regist. 58:62566.
- EPA. 1993c. U.S. Environmental Protection Agency. Fed Regist. 58:66078.
- EPA. 1993d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82.
- EPA. 1993e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82104.
- EPA. 1993f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82106.
- EPA. 1993g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82110.
- EPA. 1993h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414111.
- EPA. 1993i. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82122.
- EPA. 1993j. U.S. Environmental Protection Agency. Fed Regist 58:65622
- *EPA. 1993k. Protection of stratospheric ozone. U.S. Environmental Protection Agency. Fed Regist. 58:54892-54899.
- EPA. 1993l. Status of pesticides in reregistration and special review. U.S. Environmental Protection Agency. EPA738R93009, 53, 244, 359.
- EPA. 1993m. 1990 Clean Air Act Amendments. U.S. Environmental Protection Agency.
- EPA. 1994a. U.S. Environmental Protection Agency. Fed Regist 58:9158.

EPA. 1994b. U.S. Environmental Protection Agency. Fed Regist 58:15504.

*EPA. 1994c. Drinking Water Regulations and Health Advisories. Washington, DC: U.S. Environmental Protection Agency. Office of Drinking Water.

EPA. 1997a. Automated Form R for Windows: User's guide (RY97). Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.

EPA. 1997b. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA630R96012.

EPA. 2001. Sources, emission and exposure for trichloroethane (TCE) and related chemicals. U.S. Environmental Protection Agency. EPA600R00099.

*EPA. 2002. Inventory update rule. U.S. Environmental Protection Agency. http://www.epa.gov/opptintr/iur/iur02/index.htm. September 2, 2004.

*EPA. 2004a. Protection of stratospheric ozone: Listing of ozone-depleting chemicals. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 82, Subpart A, Appendix A. http://www.epa.gov/epahome/cfr40.htm. June 06, 2004.

*EPA. 2004b. National primary water regulations: Public notification. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 14132 http://www.epa.gov/epahome/cfr40.htm. June 06, 2004.

*EPA. 2004c. National primary drinking water regulations: Maximum contaminant levels for organic contaminants. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 14161 http://www.epa.gov/epahome/cfr40.htm. June 06, 2004.

*EPA. 2004d. National primary drinking water regulations: Maximum contaminant level goals for organic contaminants. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 14150 http://www.epa.gov/epahome/cfr40.htm. June 06, 2004.

*EPA. 2004e. Tolerances and exemptions from tolerances for pesticide chemicals in food: 1,1,1-Trichloroethane; exemption from the requirement of a tolerance. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 1801012 http://www.epa.gov/epahome/cfr40.htm. June 06, 2004.

*EPA. 2004f. Programs and activities: Hazardous air pollutants. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 42 US C7412. http://www.epa.gov/epahome/cfr40.htm. June 06, 2004.

*EPA. 2004g. Tolerances and exemptions from tolerances for pesticide chemicals in food: Inert ingredients used pre- and post-harvest; exemptions from the requirement of a tolerance. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180910. http://www.epa.gov/epahome/cfr40.htm. June 06, 2004.

*EPA. 2004h. Tolerances and exemptions from tolerances for pesticide chemicals in food: Inert ingredients applied to animals; exemptions from the requirement of a tolerance. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180930. http://www.epa.gov/epahome/cfr40.htm. June 06, 2004.

*EPA. 2004i. Toxic chemical release reporting: Community right-to-know: Chemicals and chemical categories to which this part applies. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 37265 http://www.epa.gov/epahome/cfr40.htm. June 06, 2004.

*EPA. 2004j. Toxic Substances Control Act: Health and safety data reporting: Substances and listed mixtures to which this subpart applies. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 716120 http://www.epa.gov/epahome/cfr40.htm. June 06, 2004.

*EPA. 2004k. Designation, reportable quantities, and notification: Designation of hazardous substance. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 3024 http://www.epa.gov/epahome/cfr40.htm. June 06, 2004.

*EPA. 2004l. 2004 Edition of the drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency Office of Water. EPA822R04005. http://www.epa.gov/waterscience/drinking/standards/dwstandards. June 06, 2004.

*EPA. 2004m. Sec. 604. Phase-out of production and consumption of class I substances. http://www.epa.gov/oar/caa/caa604.txt. July 20, 2004.

*Evans EB, Balster RL. 1991. CNS depressant effects of volatile organic solvents. Neurosci Biobehav Rev 15:233-241.

*Evans EB, Balster RL. 1993. Inhaled 1,1,1-trichloroethane-produced physical dependence in mice: Effects of drugs and vapors on withdrawal. J Pharmacol Exp Ther 264:726-733.

Fabian P, Gomer D. 1984. The vertical distribution of halocarbons in the stratosphere. Fresenius Z Anal Chem 319:890-897.

Fabian P, Borchers R, Penkett SA, et al. 1981. Halocarbons in the stratosphere. Nature 294:733-735.

*Falck K, Partanen P, Sorsa M, et al. 1985. Mutascreen, an automated bacterial mutagenicity assay. Mutat Res 150:119-125.

*Fallon ME, Horvath FJ. 1985. Preliminary assessment of contaminants in soft sediments of the Detroit River. J Great Lakes Res 11:373-378.

*Fannick N. 1980. Health hazard evaluation: Determination report HE 77-122-695. Gould's Pumps, Inc., Seneca Falls, NY. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NIOSH-HE-77122695. PB81111239.

*Fannick N. 1986. Health hazard evaluation: Report HETA 84-478-1636. Palace Theater, New York, NY. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB86206067.

Farrington JW, Westall J. 1986. Organic chemical pollutants in the oceans and groundwater: A review of fundamental chemical properties and biogeochemistry. NATO Advanced Science Institutes Series C: Mathematic and Physical Sciences 172:361-425.

Fawell JK, Fielding M. 1985. Identification and assessment of hazardous compounds in drinking water. Sci Total Environ 47:317-341.

*FDA. 2003a. Part 165– Beverages: Bottled water. Washington, DC: Food and Drug Administration. 21 CFR165110 http://www.access.gpo.gov/cgi-bin/cfrassemble.cgi?title=200321. June 06, 2003.

*FDA. 2003b. Indirect food additives; adhesives and components of coatings. Resinous and polymeric coatings. 21 CFR 175.300. http://www.access.gpo.gov/cgi-bin/cfrassenble.cgi?title=200321. June 06, 2003.

*FEDRIP. 2004. Federal Research in Progress. Palo Alto, CA. Dialog Information Service, Inc.

*Feiler HD, Storch PJ, Southworth R. 1980. Organics in municipal sludges survey of forty cities. Proceedings of National Conference on Municipal and Industrial Sludge Composting: Materials handling. Silver Spring, MD: Information Transfer, Inc., 53-57.

*Feiler HD, Vemick AS, Starch PH. 1979. Fate of priority pollutants in POTWs. Proceedings of Eighth National Conference on: Municipal sluge management: Impact of industrial toxic materials on POTW sludge. Silver Spring, MD: Information Transfer, Inc.:72-81.

Fenske JD, Paulson SE. 1999. Human breath emissions of VOCs. J Air Waste Manage Assoc 49:594-598.

Fernicola C, Govoni S, Coniglio L, et al. 1991. [Use of 1,1,1-trichloroethane (methylchloroform) in industry: Neurotoxic risks.] Med Lav 82:38-49. (Italian)

*Ferrario JB, Lawler GC, DeLeon IR, et al. 1985. Volatile organic pollutants in biota and sediments of Lake Pontchartrain. Bull Environ Contam Toxicol 34:246-255.

*Fey EG, White HA, Rabin BR. 1981. Development of the degranulation test system. Prog Mutat Res 1:236-244.

Fielding M, Gibson TM, James HA, et al. 1981. Organic micropollutants in drinking water. Medmenham English Water Research Center. TR-159.

Filatova GN, Koropalov VM, Kovaleva NV. 1983. Gas-chromatographic determination of ultra-trace amounts of halogen-containing hydrocarbons in the atmosphere. J Chromatogr 264:129-136.

Filser JG. 1992. The closed chamber technique-uptake, endogenous production, excretion, steady-state kinetics and rates of metabolism of gases and vapors. Arch Toxicol 66:1-10.

*Finlayson-Pitts BJ, Ezell MJ, Jayaweera TM, et al. 1992. Kinetics of the reactions of OH with methyl chloroform and methane: Implications for global tropospheric OH and the methane budget. Geophys Res Lett 19:1371-1374.

*Fischer AJ, Rowan EA, Spalding RF. 1987. VOCs in ground water influenced by large scale withdrawals. Ground Water 25:407-414.

*Fisher J, Mahle D, Bankston L, et al. 1997. Lactational transfer of volatile chemicals in breast milk. Am Ind Hyg Assoc J 58(6):425-31.

Fiserova-Bergerova V, Pierce JT, Droz PO. 1990. Dermal absorption potential of industrial chemicals: Criteria for skin notation. Am J Ind Med 17:617-636.

Fleming LE. 1992. Unusual occupational gastrointestinal and hepatic disorders. Occupational Medicine-State of the Art Reviews 7:433-448.

Fogelqvist E. 1985. Carbon tetrachloride, tetrachloroethylene, 1,1,1-trichloroethane and bromoform in Arctic seawater. J Geophys Res C: Oceans 90:9181-9193.

*Folbergrova J, Hougaard K, Westerberg E, et al. 1984. Cerebral metabolic and circulatory effects of 1,1,1-trichloroethane, a neurotoxic industrial solvent. 2. Tissue concentrations of labile phosphates, glycolytic metabolites, citric acid cycle intermediates, amino acids, and cyclic nucleotides. Neurochem Pathol 2:55-68.

*Fomon SJ. 1966. Body composition of the infant: Part I: The male reference infant. In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 239-246.

*Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. Am J Clin Nutr 35:1169-1175.

*Foster SA, Chrostowski PC. 1986. Integrated household exposure model for use of tap water contaminated with volatile organic chemicals. Proceedings of Annual Meeting 79:86/12.3.

*Frank H, Frank W. 1988. Quanititative determination of airborne C1- and C2- halocarbons by GC/ECD. HRC CC J High Resolut Chromatogr Chromatogr Commun 11:51-56.

Frantik R, Hornychova M, Horvath M. 1994. Relative acute neurotoxicity of solvents: Isoeffective air concentrations of 48 compounds evaluated in rats and mice. Environ Res 66:173-185.

Fraser PJ, Pearman GI. 1978. Atmospheric halocarbons in the southern hemisphere. Atmos Environ 12:839-844.

*Friesel P, Milde G, Steiner B. 1984. Interactions of halogenated hydrocarbons with soils. Fresenius Z Anal Chem 319:160-164.

Frischherz H, Seidelberger F. 1987. The contamination of groundwater by chlorinated hydrocarbons in the Mitterndorfer Senke: Development and measures. Water Supply 5:3-4.

*FSTRAC. 1990. Federal State Toxicology Regulatory Alliance Committee. Summary of state and federal drinking water standards and guidelines by chemical communication subcommittee.

*Fukabori S, Nakaaki K, Yonemoto J, et al. 1977. On the cutaneous absorption of 1,1,1-trichloroethane(2). J Sci Labour 53(1):89-95.

*Fuller GC, Olshan A, Puri SK, et al. 1970. Induction of hepatic drug metabolism in rats by methylchloroform inhalation. J Pharmacol Exp Ther 175:311-317.

*Fusillo TV, Hochreiter JJ, Lord DG. 1985. Distribution of volatile organic compounds in a New Jersey coastal plain aquifer system. Ground Water 23:354-360.

*Gallagher JS, Kurt TL. 1990. Neonatal exposure to methyl chloride in tape remover. Vet Hum Toxicol 32:43-45.

*Galloway SM, Armstrong MJ, Reuben C, et al. 1987. Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: Evaluations of 108 chemicals. Environ Mol Mutagen 10:1-175.

*Galt AM, MacLeod G. 1984. Headspace sampling of cooked beef aroma using Tenax GC. J Agric Food Chem 32:59-64.

*Gamberale F, Hultengren M. 1973. Methylchloroform exposure. II. Psychophysiological functions. Work Environ Health 10:82-92.

*Garabrant DH, Lacey JV, Laing TJ, et al. 2003. Scleroderma and solvent exposure among women. Am J Epidemiol 157:493-500.

*Garcia JP, Beyne-Masclet S, Mouvier G. 1992. Emissions of volatile organic compounds from coal-fired power stations. Atmos Environ, Part A 26A:1589-1597.

*Gargas ML. 1990. An exhaled breath chamber system for assessing rates of metabolism and rates of gastrointestinal absorption with volatile compounds. J Am Coll Toxicol 9:447-453.

*Gargas ML, Andersen ME. 1989. Determining kinetic constants of chlorinated ethane metabolism in the rat from rates of exhalation. Toxicol Appl Pharmacol 99:344-353.

Gargas ML, Andersen ME, Clewell HJ III. 1986. A physiologically based simulation approach for determining metabolic constants from gas uptake data. Toxicol Appl Pharmacol 86:341-352.

*Gargas ML, Burgess RJ, Voisard DE, et al. 1989. Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. Toxicol Appl Pharmacol 98:87-99.

Gargas ML, Clewell HJ, Andersen ME. 1990. Gas uptake inhalation techniques and the rates of metabolism of chloromethanes, chloroethanes and chloroethylenes in the rat. Inhal Toxicol 2:295-319.

Gargas ML, Reitz RH, Murphy JE, et al. 1991. Gastrointestinal (GI) absorption of methyl chloroform (MC). In: Proceedings of the 30th Society of Toxicology Annual Meeting, Dallas, TX, February 25 to March 1. Washington, DC: Society of Toxicology.

Gargas ML, Seybold PG, Andersen ME. 1988. Modeling the tissue solubilities and metabolic rate constant (Vmax) of halogenated methanes, ethanes and ethylenes. Toxicol Lett 43:235-256.

*Garnier R, Reygagne A, Maladry-Muller P, et al. 1991. [Evolution of chronic toxic encephalopathy induced by organic solvents after the cessation of exposure: Report of a case with a 5-year follow-up.] Arch Mal Prof 52:349-354. (French)

Garrison AW, Alford Al, Craig JS, et al. 1981. An overview of interim procedures. In: Advances in the identification and analysis of organic pollutants in water. Vol. I. Ann Arbor, MI: Ann Arbor Press, 17.

*Gatehouse D. 1981. Mutagenic activity of 42 coded compounds in the microtiter fluctuation test. In: Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. Prog Mutat Res 1:376-386.

*Gehring PJ. 1968. Hepatotoxic potency of various chlorinated hydrocarbon vapours relative to their narcotic and lethal potencies in mice. Toxicol Appl Pharmacol 13:287-298.

*Geller I, Mendez V, Hartmann RJ, et al. 1982. Effects of 1,1,1-trichloroethane on a match-to-sample discrimination task in the baboon. J Toxicol Environ Health 9:783-795.

*George JD, Price CJ, Marr MC, et al. 1989. Developmental toxicity of 1,1,1-trichloroethane in CD rats. Fundam Appl Toxicol 13:641-651.

Gerace RV. 1981. Near-fatal intoxication by 1,1,1-trichloroethane. Ann Emerg Med 10:533-534.

*Gerbino TC, Nadotti S, Castello P. 1992. Extraction and gas chromatographic determination of chlorinated solvents in contaminated soil. J Chromatogr 623:123-127.

Geyer H, Scheunert I, Korte F. 1986. Bioconcentration potential of organic environmental chemicals in humans. Regul Toxicol Pharmacol 6:313-347.

*Ghittori S, Imbriani M, Pezzagno G, et al. 1987. The urinary concentration of solvents as a biological indicator of exposure: Proposal for the biological equivalent exposure limit for nine solvents. Am Ind Hyg Assoc J 48:786-790.

*Gibbs MJ, Wasson J, Magee T, et al. 1992. Study of emissions and control of stratospheric ozone-depleting compounds in California. ICF Consulting Association, Inc., Universal City, CA, USA. PB93160752.

Gilani SH, Diaz A. 1986. The teratogenic effects of trichloroethane on the chick embryogenesis. Teratology 33:64C.

Gilbert J, Startin JR, Wallwork MA. 1978. Gas chromatographic determination of 1,1,1-trichloroethane in vinyl chloride polymers and in foods. J Chromatogr 160:127-132.

Gill R, Hatchett SE, Broster CG, et al. 1991. The response of evidential breath alcohol testing instruments with subjects exposed to organic solvents and gases. I. Toluene, 1,1,1-trichloroethane, and butane. Med Sci Law 31:187-200.

*Gilles D. 1976. Health hazard evaluation: Toxicity determination report 75-147-318. Westinghouse Electric Corporation, East Pittsburgh, PA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB264802.

*Gilles D. 1977. Health hazard evaluation: Toxicity determination report 77-5-362. Matryx Company, Division of Xomox Corporation, Cincinnati, OH. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB273912.

*Gilles D, Philbin E. 1976. Health hazard evaluation: Determination report 76-61-337. TRW, Incorporated, Philadelphia, PA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB273739.

Gilles D, Rostand RA. 1975. Health hazard evaluation: Toxicity determination report HHE 75-26-245. Babcock and Wilcox Company, Canton, OH. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB249425.

Giroux D, Lapointe G, Baril M. 1992. Toxicological index and the presence in the workplace of chemical hazards for workers who breast-feed infants. Am Ind Hyg Assoc J 53:471-474.

*Giwercman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. Environ Health Perspect Suppl 101:65-71.

*Glaser RA, Arnold JE. 1989. Investigation of charcoal cloth as a sorbent for integrated sampling of solvent vapors in mixed-expired breath using a new stainless steel sampler. Am Ind Hyg Assoc J 50:112-121.

Gobba F, Ghitorri S, Imbriani M, et al. 1997. The urinary excretion of solvents and gases for the biological monitoring of occupational exposure: A review. Sci Total Environ 199:3-12.

*Gocke E, King MT, Eckhardt K, et al. 1981. Mutagenicity of cosmetics ingredients licensed by the European communities. Mutat Res 90:91-109.

*Goldfrank LR, Flomenbaum NE, Lewin NA, et al. 1990. Goldfrank's toxicologic emergencies. 4th ed. Norwalk, CT: Appleton & Lange, 763-767.

*Gossett JM. 1987. Measurement of Henry's law constant for C1 and C2 chlorinated hydrocarbons. Environ Sci Technol 21:202-206.

*Gotoh M, Sekitani Y, Aramaki T, et al. 1992. Pollution due to volatile halocarbon compounds in biota. Bull Environ Contam Toxicol 49(2):186-191.

Gotz R, Bauer OH, Friesel P, et al. 1998. Organic trace compounds in the water of the River Elbe near Hamburg. Part I. Chemosphere 36:2085-2101.

Gowda TPH, Lock JD. 1985. Volatilization rates of organic chemicals of public health concern. J Environ Eng 111:755-776.

*Gradiski D, Bonnet P, Raoult G, et al. 1978. Comparative acute inhalation toxicity of the principal chlorinated aliphatic solvents. Arch Mal Prof 39:249-257.

Granstrom ML, Ahlert RC, Wiesenfeld J. 1984. The relationships between the pollutants in the sediments and in the water of the Delaware and Raritan Canal. Water Sci Technol 16:375-380.

*Green MH. 1981. A differential killing test using an improved repair-deficient strain of *Escherichia coli*. In: Evaluation of short-term tests for carcinogens: Report of the international collaborative program. Prog Mutat Res 1:183-194.

*Green AES, Wagner JC, Mahadevan S. 1992. Chlorinated toxics from incineration. In: Gupta AK, Presser G, Axelbaum RL, eds. Air toxic reduction and combustion modeling: Presented at the 1992 International Joint Power Generation Conference, Atlanta, Georgia, October 18-22, 1992. FACT Volume 15. New York: American Society of Mechanical Engineers, 49-56.

Greenberg M, Anderson G, Keene J, et al. 1982. Empirical test of the association between gross contamination of wells with toxic substances and surrounding land use. Environ Sci Technol 16:14-19.

Gregory GL, Harriss RC, Talbot RW, et al. 1986. Air chemistry over the tropical forest of Guyana. J Geophys Res 91:8603-8612.

*Gresham GA, Treip CS. 1983. Fatal poisoning by 1,1,1-trichloroethane after prolonged survival. Forensic Sci Int 23:249-253.

*Grimsrud EP, Rasmussen RA. 1975. Survey and analysis of halocarbons in the atmosphere by gas chromatography-mass spectrometry. Atmos Environ 9:1014-1017.

*Guberan E, Fryc O, Robert M. 1976. [Sudden death from ventricular fibrillation after voluntary inhalation of chloroethene in a mechanics apprentice.] Schweiz Med Wochenschr 106:119-121. (French)

*Guengerich FP, Kim DH, Iwasaki M. 1991. Role of human cytochrome P-450IIE1 in the oxidation of many low molecular weight cancer suspects. Chem Res Toxicol 4:168-179.

*Guicherit R, Schulting FL. 1985. The occurrence of organic chemicals in the atmosphere of the Netherlands. Sci Total Environ 43:193-219.

*Gunter BJ. 1979. Health hazard evaluation: Determination report 79-23-603. AMF Head Division, Boulder, CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB80147135.

*Gunter BJ. 1980. Health hazard evaluation: Determination report HE 80-71-703. Bear Creek Uranium Company, Douglas, WY. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB81111221.

*Gunter BJ. 1983. Health hazard evaluation: Report HETA 81-261-1085. Jeppesen Sanderson, Inc., Englewood, CA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB83201749.

Gunter BJ. 1988. Health hazard evaluation: Report HETA 87-142-1802. F. and I. Steel Corporation, Pueblo, CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB88125976.

*Gunter BJ, Philbin EH, Lowry LK, et al. 1977. Health hazard evaluation: Determination report 76-99-397. Redfield Company, Denver, CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB273746.

*Gunter BJ, Thoburn TW. 1986. Health hazard evaluation: Report HETA 84-384-1580. Crystal Zoo, Boulder, CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB86137908.

Gusten H, Klasinc L, Maric D. 1984. Prediction of the abiotic degradability of organic compounds in the troposphere. J Atmos Chem 2:83-94.

Guzelian PS. 1991. 1,1,1-Trichloroethane and the liver [letter]. Arch Intern Med 151:2321-2322, 2325-2326.

*Guzelian PS, Henry CJ, Olin SS, eds. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press

*Haag WR, Mill T. 1988. Effect of a subsurface sediment on hydrolysis of haloalkanes and epoxides. Environ Sci Technol 22:658-663.

Haglid KG, Rosengren LE, Karlsson JE. 1990. Effects of low-dose inhalation of three chlorinated aliphatic organic solvents on deoxyribonucleic acid in gerbil brain. Reply to comments. Scand J Work Environ Health 16:145-146.

*Hajimiragha H, Ewers U, Jansen-Rosseck R, et al. 1986. Human exposure to volatile halogenated hydrocarbons from the general environment. Int Arch Occup Environ Health 58:141-150.

*Hake CL, Waggoner TB, Robertson DN, et al. 1960. The metabolism of 1,1,1-trichloroethane by the rat. Arch Environ Health 1:101-105.

*Halevy J, Pitlik S, Rosenfeld J, et al. 1980. 1,1,1-Trichloroethane intoxication: A case report with transient liver and renal damage. Review of the literature. Clin Toxicol 16:467-472.

*Hall DW. 1984. Volatile organic contamination in an alluvial aquifer, Southington, Connecticut. In: Proceedings of International Conference: Hazardous Wastes Environmental Emergency Management, Prevention, Cleanup Control. Conference Exhibits 190-197.

*Hall FB, Hine CH. 1966. Trichloroethane intoxication: A report of two cases. J Forensic Sci 11:404-413.

Hall LC, Bogen KT, McKone TE, et al. 1989. Health risk assessment of 1,1,1-trichloroethane (mc) in California drinking water. Washington DC: Department of Energy. DE89003457.

Hall RM, Martinez KF, Jensen PA. 1995. Control of methylene chloride - furniture stripping dip tank. Appl Occup Environ Hyg 10:188-195.

*Hallen RT, Pyne JR Jr, Molton PM. 1986. Transformation of chlorinated ethenes and ethanes by anaerobic microorganisms. In: Proceedings of 192nd National Meeting: ACS Division of Environmental Chemistry. Vol 26. Richland, WA: Pacific Northwest Laboratories, 344-346.

*Hamada T, Tanaka H. 1995. Transfer of methyl chloroform, trichloroethylene and tetrachloroethylene to milk, tissues and expired air following intraruminal or oral administration in lactating goats and milkfed kids. Environ Pollut 87:313-318.

*Hanasono GK, Witschi H, Plaa GL. 1975. Potentiation of the hepatotoxic responses to chemicals in alloxan-diabetic rats. Proc Soc Exp Biol Med 149:903-907.

*Hansch C, Leo AJ. 1985. Medchem project issue no. 26. Claremont, CA: Pomona College.

Hansen CM, Andersen BH. 1988. The affinities of organic solvents in biological systems. Am Ind Hyg Assoc J 49:301-308.

Hardie DWF. 1969. 1,1,1-Trichloroethane. In: Kirk RE, Othmer DT, eds. Encyclopedia of chemical technology. Vol. 5, 2nd ed. New York: Interscience Publishers, 154-157.

*Harkov R, Gianti SJ, Bozzelli JW, et al. 1985. Monitoring volatile organic compounds at hazardous and sanitary landfills in New Jersey. J Environ Sci Health 20:491-501.

Harris GE, Tichenor BA. 1981. Frequency of fugitive emissions in synthetic organic chemical plants. Proceedings of the Air Pollution Control Association Annual Meeting 74:81-41S.

Harsch DE, Cronn DR, Slater WR. 1979. Expanded list of halogenated hydrocarbons measurable in ambient air. J Air Pollut Control Assoc 29:975-976.

*Hartwell TD, Pellizzari ED, Perritt RL, et al. 1987a. Comparison of volatile organic levels between sites and seasons for the total exposure assess methodology (TEAM) study. Atmos Environ 21:2413-2424.

*Hartwell TD, Pellizzari ED, Perritt RL, et al. 1987b. Results from the total exposure assessment methodology (TEAM) study in selected communities in northern and southern California. Atmos Environ 21:1995-2004.

*Hartwell TD, Perritt RL, Pellizzari ED, et al. 1992. Results from the 1987 Total Exposure Assessment Methodology (TEAM) study in Southern California. Atmos Environ 26:1519-1527.

*Hartwell TD, Perritt RL, Zelon HS, et al. 1984a. Comparison of indoor and outdoor levels for air volatiles in New Jersey. Indoor Air: Chemical Characterization and Personal Exposure, 4:81-86.

Hartwell TD, Zelon HS, Leininger CC, et al. 1984b. Comparative statistical analysis for volatile halocarbons in indoor and outdoor air. Indoor Air: Chemical Characterization and Personal Exposure 4:57-61.

Hasanen E, Soininen V, Pyysalo M. 1979. The occurrence of aliphatic chlorine and bromine compound in automobile exhaust. Atmos Environ 13:1217-1219.

Haselmann KF, Laturnus F, Sevensmark B, et al. 2000. Formation of chloroform in spruce forest soil results from laboratory incubation studies. Chemosphere 41:1769-1774.

*Hatch GG, Mamay PD, Ayer ML, et al. 1982. Methods for detecting gaseous and volatile carcinogens using cell transformation assays. Environ Sci Res 25:75-90.

*Hatch GG, Mamay PD, Ayer ML, et al. 1983. Chemical enhancement of viral transformation in Syrian hamster embryo cells by gaseous and volatile chlorinated methanes and ethanes. Cancer Res 43:1945-1950.

Hayashi M, Ando K, Kosaka H. 1977. [Toxicological studies of methylchloroform. I. Determination of methylchloroform in biological materials.] Osaka-furitsu Koslu Eisei Kenkyusho Kenkyu Hokoku, Rodo Eiusei Hen 15:19-22. (Japanese)

*HazDat. 2005. HazDat Database: ATSDR's Hazardous Substance Release and Health Effects Database. Atlanta, GA: Agency for Toxic Substances and Disease Registry. www.atsdr.cdc.gov/hazdat.html. August 18, 2005.

Hede AR, Anderson L, Post C. 1983. The effect of methylchloroform on the pulmonary uptake of 5-hydroxytryptamine in isolated perfused rat lung. Acta Pharmacol Toxicol (Copenh) 53:175-176.

*Heikes DL, Hopper ML. 1986. Purge-and-trap method for determination of fumigants in whole grains, milled grain products and intermediate grain-based foods. J Assoc Off Anal Chem 69:990-998.

*Heikes DL, Jensen SR, Fleming-Jones ME. 1995. Purge and trap extraction with GC-MS determination of volatile organic compounds in table-ready foods. J Agric Food Chem 43:2869-2875.

*Heineman EF, Cocco P, Gomez MR, et al. 1994. Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. Am J Ind Med 26:155-169.

Hellmann H. 1984. Volatile chlorinated hydrocarbons in waters of the Federal Republic of Germany occurrence and balance. Haustechnik-Bauphysik- Umwelttechnik - Gesundheits-Ingenieur 105:269-78. (German)

Hemminki K, Vainio H. 1984. Human exposure to potentially carcinogenic compounds. IARC Sci Publ 59:37-45.

Henschler D, Reichert D, Matzler M. 1980. Identification of potential carcinogens in technical grade 1,1,1-trichloroethane. Int Arch Occup Environ Health 47:263-268.

*Henson JM, Yates MV, Cochran JW, et al. 1988. Microbial removal of halogenated methanes, ethanes, and ethylenes in an aerobic soil exposed to methane. Fems Microbial Ecology 53:193-201.

*Herbert P, Charbonnier P, Rivolta L, et al. 1986. The occurrence of chlorinated solvents in the environment. Chem Ind 24:861-869.

Herd PA. 1974. Alterations in mitochondrial respiratory control characteristics induced by 1,1,1-tri-chloroethane. In: Proceedings of the 58th Federation of American Societies for Experimental Biology Annual Meeting, Atlantic City, NJ, April 7-12.

*Herd PA, Martin HF. 1975. Effect of 1,1,1-trichloroethane on mitochondrial metabolism. Biochem Pharmacol 24:1179-1186.

*Herd PA, Lipsky M, Martin HF. 1974. Cardiovascular effects of 1,1,1-trichloroethane. Arch Environ Health 28:227-233.

Herd PA, Martin HF, M. Lipsky. 1973. Cardiovascular alterations resulting from inhalation of 1,1,1-tri-chloroethane. In: Proceedings of the 12th Society of Toxicology Annual Meeting, New York, NY, March 18-22, 1973. Washington, DC: Society of Toxicology.

- *Hervin RL. 1975. Health hazard evaluation: Toxicity determination report HHE 75-81-252. Artex Manufacturing Company, Inc., Overland Park, KA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB249432.
- Hetrick DM, Jarabek AM, Travis CC. 1991. Sensitivity analysis for physiologically based pharmacokinetic models. J Pharmacokinet Biopharm 19:1-20.
- Hirota S. 1982. [Changes in hematologic parameters of dog due to exposure to trichloroethylene and 1,1,1-trichloroethane.] Okayama Igakkai Zasshi 94:211-220. (Japanese)
- *Hisham MWM, Grosjean D. 1991. Air pollution in Southern California (USA) museums: Indoor and outdoor levels of nitrogen dioxide, peroxyacetyl nitrate, nitric acid, and chlorinated hydrocarbons. Environ Sci Technol 25:857-862.
- *Hobara T, Kobayashi H, Higashihara E, et al. 1982. [Experimental examinations and toxicokinetic analysis of the absorption and excretion of 1,1,1-trichloroethane by the lung.] Sangyo Igaku 24:599-607. (Japanese)
- *Hobara T, Kobayashi H, Higashihara E, et al. 1983a. Changes in hematologic parameters with acute exposure to 1,1,1-trichloroethane. Ind Health 21:255-261.
- *Hobara T, Kobayashi H, Higashihara E, et al. 1983b. [Factors affecting 1,1,1-trichloroethane absorption and excretion by the lung.] Nippon Eiseigaku Zasshi 38:642-648. (Japanese)
- Hobara T, Kobayashi H, Higashihara E, et al. 1984. Acute effects of 1,1,1-trichloroethane, trichloroethylene, and toluene on the hematologic parameters in dogs. Arch Environ Contam Toxicol 13:589-593.
- *Hobara T, Kobayashi H, Iwamoto S, et al. 1981. [Diminution of 1,1,1- and 1,1,2-trichloroethane in the blood and their excretion by the lungs.] Sangyo Igaku 23:377-382. (Japanese)
- *Hodgson AT, Daisey JM, Grot RA. 1992. Soil-gas contamination and entry of volatile organic compounds into a house near a landfill. J Air Waste Manage Assoc 42:277-283.
- *Hodgson MJ, Heyl AE, Van Thiel DH. 1989. Liver disease associated with exposure to 1,1,1-trichloro-ethane. Arch Intern Med 149:1793-1798.
- *Hodgson MJ, Vanthiel DH. 1991. 1,1,1-Trichloroethane and the liver: Reply. Arch Intern Med 151:2322, 2325-2326.
- Hoekstra EJ, De Leer EWB, Brinkman UA. 1998. Natural fromation of chloroform and brominated trihalomethanes in soil. Environ Sci Technol 32:3724-3729.
- Hoekstra EJ, De Leer EWB, Brinkman UAT. 1999. Findings supporting the natural formation of trichloroacetic acid in soil. Chemosphere 38:2875-2883.
- Hoekstra EJ, Duyzer JH, Deleer EWB, et al. 2001. Chloroform-concentration gradients in soil air and atmospheric air and emission fluxes from soil. Atmos Environ 35:61-70.

*Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. J Natl Cancer Inst 84:313-320.

Hoffmann K, Krause C, Seifert B, et al. 2000. The German Environmental Survey 1990/92 (GERES II) Sources of Personal exposure to volatile organic compounds. J Expo Anal Environ Epidemiol 10:115-125.

*Hoffmann P, Breitenstein M, Toraason M. 1992. Calcium transients in isolated cardiac myocytes are altered by 1,1,1-trichloroethane. J Mol Cell Cardiol 24:619-629.

*Hoffmann P, Heinroth K, Richards D, et al. 1994. Depression of calcium dynamics in cardiac myocytes-a common mechanism of halogenated hydrocarbon anesthetics and solvents. J Mol Cell Cardiol 26:579-589.

Hollenbach DE, Bajpai PK, Drawbaugh RB, et al. 1989. Effect of 1,1,1-trichloroethane delivered by ceramic-glass reservoir systems on selected behavioral tests in the Fischer-344 rat. In: Proceedings of the 28th Society of Toxicology Annual Meeting, Atlanta, GA, February 27-March 3, 1989. Washington, DC: Society of Toxicology.

Holmberg B, Jakobson I, Malmfors T. 1974. The effect of organic solvents on erythrocytes during hypotonic hemolysis. Environ Res 7:193-205.

*Holmberg B, Jakobson I, Sigvardsson K. 1977. A study on the distribution of methylchloroform and noctane in the mouse during and after inhalation. Scand J Work Environ Health 3:43-52.

Honma T. 1990. Effects of trichloroethylene 1,1,1-trichloroethane and carbon tetrachloride on plasma lipoproteins of rats. Ind Health 28:159-174.

Honma T. 1991. Changes in plasma lipoproteins of rats induced by chlorinated organic solvents. In: Proceedings of the 64th Japanese Pharmacological Society Annual Meeting, Kobe, Japan, March 24-27. Jpn J Pharmacol 55(Suppl 1):303.

*Horiguchi S, Horiuchi K. 1971. [An experiment of 1,1,1-trichloroethane vapor exposure to mice.] Jpn J Ind Health 13:226-227. (Japanese)

*Horiguchi S, Teramoto K, Nakaseko H, et al. 1991. Comparison of acute toxicity of several organic solvents estimated by the values of LD50 and LC50. Seikatsu Eisei 35:137-140.

*Horvath AL. 1982. Halogenated hydrocarbons. New York, NY: Marcel Dekker, Inc., 500.

*Hougaard K, Ingvar M, Wieloch T, et al. 1984. Cerebral metabolic and circulatory effects of 1,1,1-trichloroethane, a neurotoxic industrial solvent. I. Effects on local cerebral glucose consumption and blood flow during acute exposure. Neurochem Pathol 2:39-53.

*House RA, Liss GM, Wills MC. 1994. Peripheral sensory neuropathy associated with 1,1,1-trichloroethane. Arch Environ Health 49:196-199.

*House RA, Liss GM, Wills MC, et al. 1996. Paresthesias and sensory neuropathy due to 1,1,1-trichloroethane. J Occup Environ Med 38:123-124.

- *Hov O, Penkett SA, Isaksen ISA, et al. 1984. Organic gases in the Norwegian arctic. Geophys Res Lett 11:425-428.
- *Howard CJ, Evenson KM. 1976. Rate constants for the reactions of hydroxyl with ethane and some halogen substituted ethanes at 296 K. J Chem Phys 64:4303-4306.
- *Howse DC, Shanks GL, Nag S. 1989. Peripheral neuropathy following prolonged exposure to methyl chloroform. In: Proceedings of the 41st American Academy of Neurology Annual Meeting, Chicago, IL, April 13-19. Neurology 39(Suppl 1):242.
- Hoyt SD, Smith VL. 1991. Measurement of toxic organic compounds in ambient air using EPA method TO-14. In: Jennings W, Nikelly JG, Arey J, eds. Capillary chromatography: The application. Heidelberg: Hüthing Buch Verlag, 83-94.
- *HSDB. 2004. 1,1,1-trichloroethane: Environmental standards & regulations. Hazardous Substances Databank. http://toxnet.nlm.nih.gov. June 06, 2004.
- *HSIA. 1990. 1,1,1-Trichloroethane: An evaluation in the mouse micronucleus test (final report) with attachments and cover letter dated 102290. Submitted to the U.S. Environmental Protection Agency under TSCA Section 4. OTS0533133.
- *HSIA. 1991a. Letter from HSIA to USEPA submitting intial submission regarding information concerning Fischer 344 rats when exposed on gestation day 6 through 10 via the gavage method. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8e. OTS0529783.
- *HSIA. 1991b. Letter submitting information on acute motoractivity and neurophysiology studies required by the 1,1,1-trichloroethane consent order with attachments. Submitted to the U.S. Environmental Protection Agency under TSCA Section 4. OTS0533134.
- HSIA. 1993. Examination of rats for developmental neurotoxicologic effects from maternal exposure to 1,1,1-trichloroethane. Submitted to the U.S. Environmental Protection Agency under TSCA Section 4. OTS0572992.
- *Hsu JP, Miller G, Moran V III. 1991. Analytical method for determination of trace organics in gas samples collected by canister. J Chromatogr Sci 29:83-88.
- *Hubbard SA, Green MH, Bridges BA, et al. 1981. Fluctuation test with S9 and hepatocyte activation. In: Evaluation of short-term tests for carcinogens: Report of the international collaborative program. Prog Mutat Res 1:361-370.
- *Hubrich C, Stuhl F. 1980. The ultraviolet absorption of some halogenated methanes and ethanes of atmospheric interest. J Photochem 12:93-107.
- *Hughes JB, Parkin GF. 1992. The effect of mixtures of xenobiotics and primary electron donor on the anaerobic biotransformations of high concentrations of chlorinated aliphatics. Proceedings of the Sixteenth Biennial Conference of the International Association on Water Pollution Research and Control, Washington, D.C., USA, May 24-30, 1992. Water Sci Technol 26(1-11):117-126.
- Hultman B. 1982. Elimination of organic micropollutants. Water Sci Technol 14:73-86.

Humbert B, Fernandez JG. 1977. [Exposure to 1,1,1-trichloroethane; study of absorption, excretion and metabolism in humans.] Arch Mal Prof 38:415-425. (French)

*Hutcheon DE, Dapson S, Gilani SH. 1985. Persistent ductus arteriosus in weanling rats maternally exposed to methyl chloroform. Vasc Surg 19:299.

*IARC. 1979. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans. Vol. 20: Some halogenated hydrocarbons. International Agency for Research on Cancer. Lyon, France: World Health Organization.

*IARC. 1987. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans. Supplement 7: Overall evaluations of carcinogenicity. International Agency for Research on Cancer. Lyon, France: World Health Organization.

*IARC. 1999. Some chemicals that cause tumours of the kidney or urinary bladder in rodents and some other substances-1,1,1-trichloroethane. International Agency for Research on Cancer. IARC Monogr Eval Carcinog Risks Hum 71:881. http://www-cie.iarc.fr/htdocs/monographs/vol71/032-111trich.html. June 06, 2004.

Ichinotsubo D, Mower H, Mandel M. 1981a. Mutagen testing of a series of paired compounds with the Ames Salmonella testing system. In: Evaluation of short-term tests for carcinogens: Report of the international collaborative program. Prog Mutat Res 1:298-301.

*Ichinotsubo D, Mower H, Mandel M. 1981b. Testing of a series of paired compounds (carcinogen and noncarcinogenic structural analog) by DNA repair- deficient E. coli strains. In: Evaluation of short-term tests for carcinogens: Report of the international collaborative program. Prog Mutat Res 1:195-198.

*Ikatsu H, Nakajima T. 1992. Hepatotoxic interaction between carbon tetrachloride and chloroform in ethanol treated rats. Arch Toxicol 66:580-586.

Ikeda M, Hirayama T. 1978. Possible metabolic interaction of styrene with organic solvents. Scand J Work Environ Health 4:41-46.

*Ikeda M, Ohtsuji H. 1972. A comparative study of the excretion of Fujiwara reaction-positive substances in urine of humans and rodents given trichloro- or tetrachloro- derivatives of ethane and ethylene. Br J Ind Med 29:99-104.

Ikeda M, Ohtsuk T. 1985. Exposure concentration versus environmental concentration: A field survey in organic solvent workplaces. J Exp Med 146:225-235.

*Imbriani M, Ghittori S, Pezzagno G, et al. 1988. 1,1,1-Trichloroethane (methyl chloroform) in urine as biological index of exposure. Am J Ind Med 13:211-222.

*Ingber A. 1991. Occupational allergic contact dermatitis from methyl chloroform (1,1,1-trichloroethane). Contact Dermatitis 25:193.

Iregren A, Gamberale F. 1990. Human behavioral toxicology: Central nervous effects of low-dose exposure to neurotoxic substances in the work environment. Scand J Work Environ Health 16(Suppl 1):17-25.

*IRIS. 2004. 1,1,1-Trichloroethane. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. http://www.epa.gov/iris/subst/0197.htm. June 06, 2004.

*Isacson P, Bean JA, Splinter R, et al. 1985. Drinking water and cancer incidence in Iowa. III. Association of cancer with indices of contamination. Am J Epidemiol 121:856-869.

IT Corporation. 1985. Phase II site assessment, Broadview, Illinois Plant. TSCA Health and Safety Studies. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS878216377.

IT Corporation. 1985. Preliminary site assessment, site assessment, broadview, Illinois plant. Amphenol Products Division, Industrial and Technology Sector. TSCA Health and Safety Studies. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8D. OTS878216382.

*Ivanetich KM, Van den Honert LH. 1981. Chloroethanes: Their metabolism by hepatic cytochrome P-450 in vitro. Carcinogenesis 2:697-702.

Ivanetich KM, Lucas S, Marsh JA. 1978. Organic compounds. Their interaction with and degradation of hepatic microsomal drug-metabolizing enzymes in vitro. Drug Metab Dispos 6:218-225.

*Iyadomi M, Ichiba M, Zhang J, et al. 2000. Evaluation of skin irritants caused by organic solvents by means of the mouse ear thickness measurement method. J Occup Health 42:44-46.

*Jagannath DR, Vultaggio DM, Brusick DJ. 1981. Genetic activity of 42 coded compounds in the mitotic gene conversion assay using Saccharomyces cerevisiae strain D4. In: Evaluation of short-term tests for carcinogens: Report of the international collaborative program. Prog Mutat Res 1:456-467.

Jakobson I, Wahlberg JE, Holmberg B, et al. 1982. Uptake via the blood and elimination of 10 organic solvents following epicutaneous exposure of anesthetized guinea pigs. Toxicol Appl Pharmacol 63:181-187.

James KJ, Stack MA. 1997. The impact of leachate collection on air quality in landfills. Chemosphere 34:1713-1721.

Jarkman S, Skoog KO, Nilsson SEG. 1985. The c-wave of the electroretinogram and the standing potential of the eye as highly sensitive measures of effects of low doses of trichloroethylene, methylchloroform, and halothane. Doc Ophthalmol 60:375-382.

*Jeong KM, Hsu KJ, Jeffries JB, et al. 1984. Kinetics of the reactions of hydroxyl with ethane, 1,1,1-tri-chloroethane, 1,1,2-trichloroethane, 1,1-difluoro-1,2-dichloroethane, and 1,1,1,2-tetrafluoroethane. J Phys Chem 88:1222-1226.

*Jiang Z, Taylor PH, Dellinger B. 1992. Laser photolysis/laser-induced fluorescence studies of the reaction of hydroxyl with 1,1,1-trichloroethane over an extended temperature range. J Phys Chem 96(22):8961-8964.

Jinn Y, Akizuki N, Okouchi M, et al. 2004. Acute lung injury after inhalation of water-proofing spray while smoking a cigarette. Respiration 65:486-488.

*Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. Brain Res 190:3-16.

- Johanson G, Filser JG. 1992. Experimental data from closed chamber gas uptake studies in rodents suggest lower uptake rate of chemical than calculated from literature values on alveolar ventilation. Arch Toxicol 66:291-295.
- John JA, Wroblewski DJ, Schwetz BA. 1984. Teratogenicity of experimental and occupational exposure to industrial chemicals. Issues Rev Teratol 2:267-324.
- *Jones H, Kunko P, Robinson SE, et al. 1996. Effects of in utero exposure to regimens of 1,1,1-trichloroethane inhalation exposure in mice. NIDA Res Monogr 162:313.
- *Jones RD, Winter DP. 1983. Two case reports of deaths on industrial premises attributed to 1,1,1-trichloroethane. Arch Environ Health 38:59-61.
- *Jung WT, Fujita M, Sohn D. 1992. Levels of volatile halogenated hydrocarbons in Tokyo rain and their seasonal time-series changes. Jpn J Toxicol Environ Health 38:490-497.
- *Kada T. 1981. The DNA-damaging activity of 42 coded compounds in the rec-assay. In: Evaluation of short-term tests for carcinogens: Report of the international collaborative program. Prog Mutat Res 1:175-182.
- Kaiser KLE, Comba ME. 1983. Volatile contaminants in the Welland River watershed. J Great Lakes Res 9:274-280.
- *Kaiser KLE, Comba ME. 1986. Tracking river plumes with volatile halocarbon contaminants: The St. Clair River-Lake St. Clair example. Environ Toxicol Chem 5:965-976.
- *Kaiser KLE, Comba ME, Huneault H. 1983. Volatile halocarbon contaminants in the Niagara River and in Lake Ontario. J Great Lakes Res 9:212-223.
- *Kallman MJ, Kaempf GL. 1984. Efficacy of choice testing to predict chronic ingestion of drinking solutions adulterated with chemicals. Pharmacol Biochem Behav 20:195-200.
- *Kanada M, Miyagawa M, Sato M, et al. 1994. Neurochemical profile of effects of 28 neurotoxic chemicals on the central nervous system in rats (1). Effects of oral administration on brain contents of biogenic amines and metabolites. Ind Health 32:145-164.
- Kaneko T, Wang PY, Sato A. 1994. Enzymes induced by ethanol differently affect the pharmacokinetics of trichloroethylene and 1,1,1-trichloroethane. Occup Environ Med 51:113-119.
- *Karlsson JE, Rosengren LE, Kjellstrand P, et al. 1987. Effects of low-dose inhalation of three chlorinated alkiphatic organic solvents on deoxyribonucleic acid in gerbil brain. Scand J Work Environ Health 13:453-458.
- *Kassinova GV, Kovaltsova SV, Marfin SV, et al. 1981. Activity of 40 coded compounds in differential inhibition and mitotic crossing-over assays in yeast. In: Evaluation of short-term tests for carcinogens: Report of the international collaborative program. Prog Mutat Res 1:434-455.
- *Katagiri H, Aoki N, Soma K, et al. 1997. Concentration in blood and organs of dogs after high dose 1,1,1-trichloroethane inhalation. Ind Health 35:461-466.

Katz R, Gray S. 1979. Initial report on the findings of the state air monitoring program for selected volatile organic substances in air. NJ Department of Environmental Protection 1626:19.

*Katz M, Heddle JA, Salamone MF. 1981. Mutagenic activity of polycyclic aromatic hydrocarbons and other environmental pollutants. Polynuclear Aromatic Hydrocarbons, International Symposium 5:519-528.

*Kawai T, Yamaoka K, Uchida Y, et al. 1991. Exposure of 1,1,1-trichloroethane and dose-related excretion of metabolites in urine of printing workers. Toxicol Lett 55:39-45.

*Kawamura K, Kaplan IR. 1983. Organic compounds in the rainwater of Los Angeles. Environ Sci Technol 17:497-501.

Kawasaki M. 1980. Experiences with the test scheme under the Chemical Control Law of Japan: An approach to structure-activity correlations. Ecotoxicol Environ Saf 4:444-454.

*Kefalas V, Stacey NH. 1991. Potentiating effects of chlorinated hydrocarbons on carbon tetrachloride toxicity in isolated rat hepatocytes and plasma membranes. Toxicol Appl Pharmacol 109:171-179.

Keith LH. 1974. Chemical characterization of industrial wastewaters by gas chromatography-mass spectrometry. Sci Total Environ 3:87-102.

*Kelafant GA, Berg RA, Schleenbaker R. 1994. Toxic encephalopathy due to 1,1,1-trichloroethane exposure. Am J Ind Med 25:439-446.

*Kelly KJ, Ruffing R. 1993. Acute eosinophilic pneumonia following intentional inhalation of Scotchguard. Ann Allergy 71:358-361.

Keogh AM, Ibels LS, Allen DH, et al. 1984. Exacerbation of Goodpasture's syndrome after inadvertent exposure to hydrocarbon fumes. Br Med J 288:188.

*Kernan GJ, Ji B-T, Dosemeci M, et al. 1999. Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. states. Am J Ind Med 36:260-270.

*Kezic S, Monster AC, Kruse J, et al. 2000. Skin absorption of some vaporous solvents in volunteers. Int Arch Occup Environ Health 73:415-422.

*Kezic S, Monster AC, van de Gevel IA, et al. 2001. Dermal absorption of neat liquid solvents on brief exposures in volunteers. Am Ind Hyg Assoc J 62:12-18.

Khalil MAK, Rasmussen RA. 1981. Methylchloroform: Cycles of global emissions. Environ Sci Technol 15:1506-1508.

*Khalil MAK, Rasmussen RA. 1983. Gaseous tracers of arctic haze. Environ Sci Technol 17:157-164.

Khalil MAK, Rasmussen RA. 1984. Methylchloroform: Global distribution, seasonal cycles, and anthropogenic chlorine. Chemosphere 13:789-800.

*Khalil MAK, Rasmussen RA. 1989. The role of methyl chloroform in the global chlorine budget. Air and Waste Management Annual Meeting 82:2-15.

- *Khalil MAK, Rasmussen RA. 1993. Artic haze: Patterns and relationships to regional signatures of trace gasses. Global Biogeochem Cycles 7:27-36.
- *Kincannon DF, Stover EL, Nichols V, et al. 1983a. Removal mechanisms for toxic priority pollutants. J Water Pollut Control Fed 55:157-163.
- *Kincannon DF, Weinert A, Padorr R, et al. 1983b. Predicting treatability of multiple organic priority pollutant waste water from single-pollutant treatability studies. In: Bell JM, ed. Proceedings of 37th Industrial Waste Conference. Ann Arbor, MI: Ann Arbor Science Pub., 641-650.
- King L, Sherbin G. 1986. Point sources of toxic organics to the upper St. Clair River. Water Pollution Research Journal of Canada 21:433-446.
- *King GS, Smialek JE, Troutman WG. 1985. Sudden death in adolescents resulting from the inhalation of typewriter correction fluid. JAMA 253:1604-1606.
- *Kinkead ER, Leahy HF. 1987. Evaluation of the acute toxicity of selected groundwater contaminants. Harry G. Armstrong Aerospace Medical Research Lab (AAMRL-TR-87-021), 10.
- *Kinkead ER, Wolfe RE. 1992. Single oral toxicity of various organic compounds. J Am Coll Toxicol 11:713.
- Kishi R, Miyake H. 1990. [Acute and chronic effects of organic solvents on the central nervous system: Use of psychobehavioral performance tests in the assessment of toxicity.] Jpn J Ind Health 32:3-17. (Japanese)
- *Kjellstrand P, Bjerkemo M, Adler-Maihofer M. 1985b. Effects of solvent exposure on testosterone levels and butyrylcholinesterase activity in mice. Acta Pharmacol Toxicol (Copenh) 57:242-249.
- *Kjellstrand P, Holmquist B, Jonsson I, et al. 1985a. Effects of organic solvents on motor activity in mice. Toxicology 35:35-46.
- *Kjellstrand P, Mansson L, Holmquist B, et al. 1990. Tolerance during inhalation of organic solvents. Pharmacol Toxicol 66:409-414.
- *Klaassen CD, Plaa GL. 1966. Relative effects of various chlorinated hydrocarbons on liver and kidney function in mice. Toxicol Appl Pharmacol 9:139-151.
- *Klassen CD, Plaa GL. 1967. Relative effects of various chlorinated hydrocarbons on liver and kidney function in dogs. Toxicol Appl Pharmacol 9:119-131.
- Klaassen CD, Plaa GL. 1969. Comparison of the biochemical alterations elicited in livers from rats treated with carbon tetrachloride, chloroform, 1,1,2-trichloroethane and 1,1,1-trichloroethane. Biochem Pharmacol 18:2019-2022.
- *Klecka GM, Gonsior SJ. 1984. Reductive dechlorination of chlorinated methanes and ethanes by reduced iron (II) porphyrins. Chemosphere 13:391-402.
- *Klecka GM, Gonsor SJ, Markham DA. 1990. Biological transformations of 1,1,1-trichloroethane in subsurface soils and ground water. Environ Toxicol Chem 9:1437-1451.

*Kobayashi H, Hobara T, Hirota H, et al. 1982. Sensitization of dog hyocardium to epinephrine by 1,1,1-trichloroethane. Jpn J Ind Health 24:450-454.

Kobayashi H, Hobara T, Hirota H, et al. 1983. Neural control of blood pressure following 1,1,1-trichloroethane inhalation: A role of sympathetic nervous system. Arch Environ Health 38:93-98.

Kobayashi H, Hobara T, Kawamoto T, et al. 1984. Peripheral vasodilatation following 1,1,1-trichloro-ethane inhalation: Peripheral vessels as a site of action. Arch Environ Health 39:294-298

Kobayashi H, Hobara T, Kawamoto T. 1987a. Reflex apnea arising from the upper respiratory tract following acute 1,1,1-trichloroethane inhalation. In: Asia-Pacific Symposium held at the ICMR Seminar. Environmental Occup Toxicology, 447-452.

Kobayashi H, Hobara T, Kawamoto T, et al. 1987b. Effect of 1,1,1-trichloroethane inhalation on heart rate and its mechanism: A role of autonomic nervous system. Arch Environ Health 42:140-143.

*Kobayashi H, Hobara T, Kawamoto T, et al. 1988. Influence of heart rate on left ventricular dp/dt following 1,1,1-trichloroethane inhalation. Arch Environ Health 43:430-435.

Kobayashi H, Hobara T, Sakai T. 1989. [Effects of inhalation of several organic solvents on left ventricular dp-dt.] Jpn J Ind Health 31:136-141. (Japanese)

Kobayashi H, Hobara T, Satoh T, et al. 1986. Respiratory disorders following 1,1,1-trichloroethane inhalation: A role of reflex mechanism arising from lungs. Arch Environ Health 41:149-154.

Kobayashi H, Ogino K, Gotoh M, et al. 1991. [Acute effect of 1,1,1-trichloroethane inhalation on ventricular fibrillation threshold.] Sangyo Igaku 33:196-197. (Japanese)

Kobayashi H, Ogino K, Gotoh M, et al. 1994. Effect of acute 1,1,1-trichloroethane inhalation on ventricular fibrillation threshold. In: Sumino K, Sato S, eds. Second Asia-Pacific Symposium on Environmental and Occupational Health, 22-24. July, 1993.

*Koizumi A, Fujita H, Sadamoto T, et al. 1984. Inhibition of delta-aminolevulinic acid dehydratase by trichloroethylene. Toxicology 30:93-102.

*Koizumi A, Kumai M, Ikeda M. 1983. Dose-dependent induction and suppression of liver mixed-function oxidase system in chlorinated hydrocarbon solvent metabolism. J Appl Toxicol 3:208-217.

Kolpin DW, Squillace PJ, Zogorski JS, et al. 1997. Pesticides and volatile organic compounds in shallow urban groundwater of the United States. In: Chilton et al. eds. Groundwater in the urban environment: Processes and management. Iowa City, IA: U.S. Geological Survey, 469-474.

*Kominsky JR. 1976. Health hazard evaluation: Determination report 76-24-350. Dana Corporation, Tipton, IN. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB273716.

*Kominsky JR, Lipscomb J. 1985. Health hazard evaluation: Report HETA 81-415-1385. High Voltage Maintenance Corporation, Mentor, OH. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB85177525.

*Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. Biochemistry 29:4430-4433.

Konasewich D, Traversy W, Zar H. 1978. Status report on organic and heavy metal contaminants in the Lakes Erie, Michigan, Huron and Superior Basins. Great Lakes Water Quality Board.

Konietzko H. 1984. Chlorinated ethanes: Sources, distribution, environmental impact, and health effects. Hazard Assessments of Chemicals 3:401-448.

*Korpela M. 1989. Inhibition of synaptosome membrane-bound integral enzymes by organic solvents. Scand J Work Environ Health 15:64-68.

*Korpela M, Tahti H. 1986. The effect of selected organic solvents on intact human red cell membrane acetylcholinesterase in vitro. Toxicol Appl Pharmacol 85:257-262.

*Korpela M, Tahti H. 1987. Effects of industrial organic solvents on human erythrocyte membrane adenosine triphosphatase activities in vitro. Scand J Work Environ Health 13:513-517.

Kosson DS, Dienemann EA, Ahlert RC. 1985. Characterization and treatability studies of an industrial landfill leachate (KIN-BUC I). Proceedings of Industrial Waste Conference 39:329-341.

Kostiainen R. 1995. Volatile orgnanic compounds in the indoor air of normal and sick houses. Atmos Environ 29:693-702.

*Kramer CG, Ott MG, Fulkerson JE, et al. 1978. Health of workers exposed to 1,1,1-trichloroethane: A matched-pair study. Arch Environ Health 33:331-342.

*Krantz JC Jr, Park CS, Ling JSL. 1959. Anesthesia Lx: The anesthetic properties of 1,1,1-trichloroethane. Anesthesiology 20:635-640.

*Kreamer DK. 1984. Evaluation of selected halocarbons and trace gases for potential use as indicators of groundwater movement and source (and contaminant movement in the vadose zone). Washington, DC: Office of Water Research and Technology. PB84117266.

*Krill RM, Sonzogni WC. 1986. Chemical monitoring of Wisconsin's groundwater. J Am Water Works Assoc 78:70-75.

*Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. Principles and methods of toxicology. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.

*Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. Toxicology of chemical mixtures: Case studies, mechanisms, and novel approaches. San Diego, CA: Academic Press, 399-437.

Krivanek NO. 1978. Comparison of conditioned avoidance and unconditioned reflex tests in rats exposed by inhalation to carbon monoxide 1,1,1-trichloroethane toluene or ethanol. In: Proceedings of the 17th Society of Toxicology Annual Meeting, March 12-16. Washington, DC: Society of Toxicology.

Krol MC, Lelleveld J, Oram DE, et al. 2003. Continuing emissions of methyl chloroform from Europe. Nature 421:131-135.

Kroneld R. 1989. Volatile pollutants in the environment and human tissues. Bull Environ Contam Toxicol 42:873-877.

Kroneld R, Reunanen M. 1990. Determination of volatile pollutants in human and animal milk by GC-MS. Bull Environ Contam Toxicol 44:917-923.

*Kronevi T, Wahlberg JE, Holmberg B. 1981. Skin pathology following epicutaneous exposure to seven organic solvents. Int J Tissue React 3:21-30.

Krost KJ, Pellizzari ED, Walburn SG, et al. 1982. Collection and analysis of hazardous organic emissions. Anal Chem 54:810-817.

*Krotoszynski BK, Bruneau GM, O'Neill HJ. 1979. Measurement of chemical inhalation exposure in urban population in the presence of endogenous effluents. J Anal Toxicol 3:225-234.

Kukongviriyapan V, Kukongviriyapan U, Simajareuk S. 1995. Effects of chlorinated solvent exposure on hepatic transport of anionic dyes in the rat. Asia Pac J Pharmacol 10:97-103.

Kukongviriyapan V, Kukongviriyapan U, Stacey NH. 1990. Interference with hepatocellular substrate uptake by 1,1,1-trichloroethane and tetrachloroethylene. Toxicol Appl Pharmacol 102:80-90.

Kuo HW, Chiang TF, Lo II, et al. 1997. Exposure assessment of volatile organic compounds from water in Taiwan metropolitan and petrochemical areas. Bull Environ Contam Toxicol 59:708-714.

Kuo MCT, Chen CM, Lin CH, et al. 2000. Surveys of volatile organic compounds in soil and groundwater at industrial sites in Taiwan. Bull Environ Contam Toxicol 65:654-659.

*Kupferschmid LL, Perkins JL. 1986. Organic solvent recycling plant exposure levels. Appl Ind Hyg 1:122-124.

*Kusakabe K, Aso S, Wada T, et al. 1991. Destruction rate of volatile organochlorine compounds in water by ozonation with UV radiation. Water Res 25:1199-1204.

Kyrklund T. 1992. The use of experimental studies to reveal suspected neurotoxic chemicals as occupational hazards: Acute and chronic exposures to organic solvents. Am J Ind Med 21:15-24.

Kyrklund T, Haglid KG. 1990. Brain lipid changes after organic solvent exposure. Ups J Med Sci [Suppl] 48:267-277.

*Kyrklund T, Haglid KG. 1991. Exposure of rats to high concentrations of 1,1,1-trichloroethane and its effects on brain lipid and fatty acid composition. Pharmacol Toxicol 67:384-386.

*Kyrklund T, Kjellstrand P, Haglid KG. 1988. Effects of exposure to Freon 11, 1,1,1-trichloroethane or perchloroethylene on the lipid and fatty-acid. Scand J Work Environ Health 14:91-94.

Lacouture PG, Lesko SM, Hassen LV, et al. 1989. Adhesive tape remover pads: A risk to the newborn? Am J Dis Child 143:1391.

*Laine A, Seppalainen AM, Savolainen K, et al. 1996. Acute effects of 1,1,1-trichloroethane inhalation on the human central nervous system. Int Arch Occup Environ Health 69:53-61.

*Lal H, Shah HC. 1970. Effect of methylchloroform inhalation on barbiturate hypnosis and hepatic drug metabolism in male mice. Toxicol Appl Pharmacol 17:625-633.

*Lancar I, Le Bras G, Poulet G. 1993. Oxidation of 1,1,1-trichloroethane and 1,1-dichloro-1-fluroethane in the atmosphere: kinetic study of hydroxyl reactions. J Chim Phys Phys-Chim Biol 90:1897-908.

*Lane RW, Riddle BL, Borzelleca JF. 1982. Effects of 1,2-dichloroethane and 1,1,1-trichloroethane in drinking water on reproduction and development in mice. Toxicol Appl Pharmacol 63:409-421.

Langvardt PW, Ramstad T. 1981. Gas chromatography of some volatile organic compounds using oronite NIW on carbopack supports. J Chromatogr Sci 19:536-542.

*Laparé S, Tardif R, Brodeur J. 1995. Effect of various exposure scenarios on the biological monitoring of organic solvents in alveolar air. II. 1,1,1-trichloroethane and trichloroethylene. Int Arch Occup Environ Health 67:375-394.

*Laregina J, Bozzelli JW, Harkov R, et al. 1986. Volatile organic compounds at hazardous waste sites and a sanitary landfill in New Jersey. An up-to-date review of the present situation. Environ Prog 5:18-27.

Larsby B, Tham R, Odkvist LM, et al. 1978. Exposure of rabbits to methylchloroform: Vestibular disturbances correlated to blood and cerebrospinal fluid levels. Int Arch Occup Environ Health 41:7-16.

*Lattanzi G, Colacci A, Grilli S, et al. 1988. Binding of hexachloroethane to biological macromolecules from rat and mouse organs. J Toxicol Environ Health 24:403-411.

Lazarew NW. 1929. [The narcotic effect of the vapors of the chloride derivatives of methane, ethane and ethylene] Naunyn-Schmiedebergs Arch Exp Pathol Pharmakol 141:19-24. (German)

*Lee SA. 1984. Health hazard evaluation: Report HETA 82-196-1187. Department of Treasury, Bureau of Government Financial Operations, Washington, DC. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB84150093.

Lee GW Jr, Jones RD, Knowles GD, et al. 1983. Investigation of subsurface discharge from a metal finishing industry. In: National Conference, Management of Uncontrolled Hazardous Waste Sites. Silver Spring, MD: Hazard Material Control Research Inst., 346-351.

*Leeder JS, Kearns GL. 1997. Pharmcogenetics in pediatrics: Implications for practice. Pediatr Clin North Am 44:55-77.

*Legault R, Blaise C, Rokosh D, et al. 1994. Comparative assessment of the SOS chromotest kit and the mutatox test with the Salmonella plate incorporation (Ames test) and fluctuation tests for screening genotoxic agents. Environ Toxicol Water Qual 9:45-57.

*Leisinger T, 1992. Microorganisms for the introduction of chlorinated aliphatic hydrocarbons into the carbon cycle. In: Mongkolsuk S, Lovett PS, Trempy JE, eds. Biotechnology and environmental science: Molecular approaches: International Conference, Bangkok, Thailand, Aug 21-24, 1990. New York: Plenum Press.

*Leung H-W. 1992. Use of physiologically based pharmacokinetic models to establish biological exposure indexes. Am Ind Hyg Assoc J 53:369-374.

*Leung H-W. 1993. Physiologically-based pharmacokinetic modelling. In: Ballentyne B, Marrs T, Turner P, eds. General and applied toxicology. Vol. 1. New York, NY: Stockton Press, 153-164.

Levin JL, Mclarty JW, Hurst GA, et al. 1998. Tyler asbestos workers: mortality experience in a cohort exposed to amosite. Occup Environ Med 55:155-160.

*Levine SP, Costello RJ, Geraci CL, et al. 1985. Air monitoring at the drum bulking process of a hazardous waste remedial action site. Am Ind Hyg Assoc J 46:192-196.

*Levy BSB, Meyer CR. 1977. Health hazard evaluation: Determination report 76-1-388. Bohn Aluminum and Brass Corporation, Danville, IL. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB273733.

*Lillian D, Singh HB, Appleby A, et al. 1975. Atmospheric fates of halogenated compounds. Environ Sci Technol 9:1042-1048.

*Lindahl-Kiessling K, Karlberg I, Olofsson AM. 1989. Induction of sister-chromatid exchanges by direct and indirect mutagens in human lymphocytes co-cultured with intact rat liver cells: Effect of enzyme induction and preservation of the liver cells by freezing in liquid nitrogen. Mutat Res 211:77-87.

*Lindbohm ML, Taskinen H, Sallmen M, et al. 1990. Spontaneous abortions among women exposed to organic solvents. Am J Ind Med 17:449-463.

*Lioy PJ, Wallace LA, Pellizzari E. 1991. Indoor/outdoor, and personal monitor and breath analysis relationships for selected volatile organic compounds measured at three homes during New Jersey Team-1987. J Expo Anal Environ Epidemiol 1:45-61.

*Liss GM. 1988. Peripheral neuropathy in two workers exposed to 1,1,1-trichloroethane. JAMA 260:2217.

Litt IF, Cohen MI. 1969. "Danger...vapor harmful" Spot-remover sniffing. N Engl J Med 281:543-544.

*Livingston, AL. 1978. Forage plant estrogens. J Toxicol Environ Health 4:301-324.

*Loprieno N. 1981. Screening of coded carcinogenic/noncarcinogenic chemicals by a forward-mutation system with the yeast Schizosaccharomyces pombe. Prog Mutat Res 1:424-433.

Lovelock JE. 1974. Atmospheric halocarbons and stratospheric ozone. Nature 252:292-294.

Lovelock JE. 1977. Methyl chloroform in the troposphere as an indicator of hydroxyl radical abundance. Nature 267:32.

*Lue-Hing C, Lordi DT, Kelada NP. 1981. Fate of priority pollutants in large municipal treatment plants. American Institute of Chemical Engineers Symposium Series 77, 144-150.

Luks-Betlej K, Bodzek D. 2000. Determination of tri-, tetrachloromethanes and trichloroethane by using microextraction with GC-ECD detection. Chem Anal 45(1):45-51.

Lundberg I, Ekdahkl M, Kronevi T, et al. 1986. Relative hepatotoxicity of some industrial solvents after intraperitoneal injection or inhalation exposure to rats. Environ Res 40:411-420.

*Lyman WJ, Reehl WF, Rosenblatt DH. 1982. Handbook of chemical property estimation methods. Environmental behavior of organic compounds. New York, NY: McGraw-Hill Book Co., 960.

Lyman WJ, Reehl WF, Rosenblatt DH, eds. 1990. Handbook of chemical property estimation methods. Washington, DC: American Chemical Society.

*MacDonald DJ. 1981. Salmonella/microsome tests on 42 coded chemicals. Prog Mutat Res 1:285-297.

*MacDougall IC, Isles C, Oliver JS, et al. 1987. Fatal outcome following inhalation of Tipp-Ex. Scott Med J 32:55.

*MacEwen JD, Vernot EH. 1974. The biological effect of continuous inhalation exposure of 1,1,1trichloroethane (methyl chloroform) on animals. In: Toxic Hazards Research Unit annual report: 1974. WrightPatterson Air Force Base, OH: Aerospace Medical Research Laboratory Report. AMRL-TR7478, 81-90.

*Mackay CJ. 1990. 1,1,1-Trichloroethane: An evaluation in the mouse micronucleus test (final report) with attachments and cover letter dated 10/22/90. Submitted to the U.S. Environmental Protection Agency under TSCA Section 4. OTS0533133. [Unpublished study]

*Mackay CJ, Campbell L, Samuel AM, et al. 1987. Behavioral changes during exposure to 1,1,1-tri-chloroethane: Time-course and relationship to blood solvent levels. Am J Ind Med 11:223-240.

Maedgen JL, Fairchild EJ, Dallas CE, et al. 1985. Comparison of the uptake and elimination of inhaled trichloroethylene and 1,1,1-trichloroethane. In: Proceedings of the 24th Society of Toxicology Annual Meeting, San Diego, CA, March 18-22. Washington, DC: Society of Toxicology.

Makide Y, Kanai Y, Tominaga T. 1980. Background atmospheric concentrations of halogenated hydrocarbons in Japan. Bull Chem Soc Jpn 53:2681-2682.

Makide Y, Tominaga T, Rowland FS. 1979. Gas chromatographic analysis of halogenated hydrocarbons in air over Japan. Chem Lett 4:355-358.

*Maklan DM, Steele DH, Dietz SK, et al. 1987. Household solvent products: A "shelf" survey with laboratory analysis. Washington, DC: U.S. Environmental Protection Agency. PB88132899.

Mallevialle J, Brodard E, Charles P, et al. 1985. Removal of halogenated hydrocarbons from groundwaters from the Croissy and Aubergenville water tables. Water Supply 3:211-217.

Malonova H, Bardodej Z. 1983. Urinary excretion of mercapturates as a biological indicator of exposure to electrophilic agents. J Hyg Epidemiol Microbiol Immunol 27:319-328.

*Maltoni C, Cotti G, Patella V. 1986. Results of long-term carcinogenicity bioassays on Sprague-Dawley rats of methyl chloroform, administered by ingestion. Acta Oncol 7:101-117.

*Mann LJ, Knobel LL. 1988. Purgeable organic compounds in ground water at the Idaho National Engineering Laboratory, Idaho. DE88005274.

- Marjot R, McLeod AA. 1989. Chronic non-neurological toxicity from volatile substance abuse. In: Proceedings of Meeting on Volatile Substance Abuse London, England, 1988. Hum Toxicol 8:301-306.
- *Markel HL Jr. 1977. Health hazard evaluation: Determination report 76-42-407. Sibley Engineering and Manufacturing Company, Sulphur Springs, AR. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB274227.
- *Maroni M, Bulgheroni C, Grazia Cassitto M, et al. 1977. A clinical, neurophysiological and behavioral study of female workers exposed to 1,1,1-trichloroethane. Scand J Work Environ Health 3:16-22.
- *Mart CJ, Henke CB. 1992. Emissions from the incineration of nerve agent rockets containing low-level PCBs. J Environ Sci Health Part A: Environ Sci Eng 27:1549-1575.
- *Martin CN, McDermid AC. 1981. Testing of 42 coded compounds for their ability to induce unscheduled DNA repair synthesis in HeLa cells. Prog Mutat Res 1:533-537.
- *Martire G, Vricella G, Perfumo AM, et al. 1981. Evaluation of the mutagenic activity of coded compounds in the Salmonella test. Prog Mutat Res 1:271-279.
- *Marzulli FN, Ruggles DI. 1973. Rabbit eye irritation test: Collaborative study. J Assoc Off Anal Chem 56:905-914.
- *Massachusetts Department Public Health. 1989. Health assessment for PSC Resources, Inc., Palmer, Massachusetts, Region 1. CERCLIS no. MAD980731483. PB90136169.
- *Matsushima T, Takamoto Y, Shirai A, et al. 1981. Reverse mutation test on 42 coded compounds with the E. coli WP2 system. Prog Mutat Res 1:387-395.
- *Mattie DR, Bates GD Jr, Jepson GW, et al. 1994. Determination of skin:air partition coefficients for volatile chemicals: experimental method and applications. Fundam Appl Toxicol 22:51-57.
- *Mattsson JL, Albee RR, Lomax LG, et al. 1993. Neurotoxicologic examination of rats exposed to 1,1,1-trichloroethane vapor for 13 weeks. Neurotoxicol Teratol 15:313-326.
- *Maurissen JPJ, Shankar MR, Zielke GJ, et al. 1994. Lack of developmental cognitive and other neurobehavioral effects following maternal exposure to 1,1,1-trichloroethane. Toxicologist 14:163.
- *Mayr U, Butsch A, Schneider S. 1992. Validation of two in vitro test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. Toxicology 74:135-149.
- McBride P, Busuttil A. 1990. A new trend in solvent abuse deaths. Med Sci Law 30:207-213.
- *McCarthy TB, Jones RD. 1983. Industrial gassing poisonings due to trichlorethylene, perchlorethylene, and 1,1,1-trichloroethane, 1961-80. Br J Ind Med 40:450-455.
- *McCarty PL. 1993. In-situ bioremediation of chlorinated solvents. Curr Opin Biotechnol 4:323-330.
- *McCarty PL, Reinhard M. 1980. Trace organics removal by advanced wastewater treatment. J Water Pollut Control Fed 52:1907-1922.

McConnell G. 1976. Halo organics in water supplies. Journal of the Institution of Water Engineers and Scientists 30:431-445.

McConnell G, Ferguson DM, Pearson CR. 1975. Chlorinated hydrocarbons and the environment. Endeavor 34:13-18.

*McDonald TJ, Kennicutt MC, Brooks JM. 1988. Volatile organic compounds at a coastal Gulf of Mexico site. Chemosphere 17:123-136.

*McGlothlin JD, Cone JE. 1983. Health hazard evaluation: Report HETA 81-207-945. Metropolitan Sewer District, Cincinnati, OH. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB83127399.

*McKone TE. 1987. Human exposure to volatile organic compounds in household tap water: The indoor inhalation pathway. Environ Sci Technol 21:1194-1201.

*McLeod AA, Marjot R, Monaghan MJ. 1987. Chronic cardiac toxicity after inhalation of 1,1,1-tri-chloroethane. Br Med J 294:727-729.

*McNutt NS, Amster RL, McConnell EE, et al. 1975. Hepatic lesions in mice after continuous inhalation exposure to 1,1,1-trichloroethane. Lab Invest 32:642-654.

*McQuilkin SD, Singal M, Shea L. 1979. Health hazard evaluation: Project HE 79-49-631. Dana Corporation-Spicer Universal Joint Division, Marion, IN. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB80195290.

*Mehran MF, Golkar N, Mehran M, et al. 1988a. Gas chromatographic determination of acetic acid in the hydrolysis of 1,1,1-trichloroethane by direct aqueous injection. J High Resolut Chromatogr Chromatogr Commun 11:610-612.

Mehran MF, Golkar N, Mehran M, et al. 1988b. Abiotic transformation of halogenated organic-compounds. 3. Gas-chromatographic determination of acetic-acid (in the hydrolysis of 1,1,1-trichloro-ethane) by direct aqueous injection. HRC CC J High Resolut Chromatogr Chromatogr Commun VII:610-612.

*Mehta RD, Von Borstel RC. 1981. Mutagenic activity of 42 encoded compounds in the haploid yeast reversion assay, strain XV185-14C. In: Evaluation of short-term tests for carcinogens: Report of the International Collaborative Program. Prog Mutat Res 1:414-423.

Mellstrom GA, Boman A. 1992. Comparative evaluation of permeation testing of protective gloves to solvents: In vitro in permeation cells versus in vivo in guinea pigs. Contact Dermatitis 26:120-127.

*Mersch-Sundermann V. 1989. Examination of the mutagenicity of organic microcontaminations on the environment. Part II. The mutagenicity of halogenated aliphatic hydrocarbons in the Salmonella-microsome-test (Ames-test) with reference to the contamination of ground and drinking water. Zentralbl Bakteriol Mikrobiol Hyg [B] 187:230-243.

Michael LC, Erickson MD, Parks SP, et al. 1980. Volatile environmental pollutants in biological matrices with a headspace purge technique. Anal Chem 51:1836.

Michael LC, Pellizzari ED, Wiseman RW. 1988. Development and evaluation of procedure for determining volatile organics in water. Environ Sci Technol 22:565.

*Midgley PM. 1989. The production and release to the atmosphere of 1,1,1-trichloroethane (methyl chloroform). Atmos Environ 22:2263-2265.

*Miller LJ, Uhler AD. 1988. Volatile halocarbons in butter: Elevated tetrachloroethylene levels in samples obtained in close proximity to dry-cleaning establishments. Bull Environ Contam Toxicol 41:469-474.

Milman HA, Mitoma C, Tyson C, et al. 1984. Comparative pharmacokinetics/metabolism, carcinogenicity, and mutagenicity of chlorinated ethanes and ethylenes (meeting abstract). International Conference on Organic Solvent Toxicity, 19.

*Milman HA, Story DL, Riccio ES, et al. 1988a. Rat liver foci and in vitro assays to detect initiating and promoting effects of chlorinated ethanes and ethylenes. Ann N Y Acad Sci 534:521-530.

Mitchell AD, Myhr BC, Rudd CJ, et al. 1988a. Evaluation of the L5178Y mouse lymphoma cell mutagenesis assay: Methods used and chemicals evaluated. Environ Mol Mutagen 12(Suppl 13):1-18.

*Mitchell AD, Rudd CJ, Caspary WJ. 1988b. Evaluation of the L5178Y mouse lymphoma cell mutagenesis assay: Intralaboratory results for sixty-three coded chemicals tested at SRI International. Environ Mol Mutagen 12(Suppl 13):37-101.

*Mitoma C, Steeger T, Jackson SE, et al. 1985. Metabolic disposition study of chlorinated hydrocarbons in rats and mice. Drug Chem Toxicol 8:183-194.

Miyahara M, Toyoda M, Ushijima K, et al. 1995. Volatile halogenated hydrocarbons in foods. J Agric Food Chem 43:320-326.

*Mizunuma K, Kawai T, Horiguchi S, et al. 1995. Urinary methylchloroform rather than urinary metabolites as an indicator of occupational exposure to methylchloroform. Int Arch Occup Environ Health 67:19-25.

Mochida K, Saito K. 1985. Toxicity assessment of tetrachloroethylene, trichloroethylene and 1,1,1-tri-chloroethane using human and monkey cells. Bull Environ Contam Toxicol 35:593-595.

*Mohamed MF, Kang D, Aneja VP. 2002. Volatile organic compounds in some urban locations in United States. Chemosphere 47:863-882.

*Monster AC. 1979. Difference in uptake, elimination, and metabolism in exposure to trichloroethylene, 1,1,1-trichloroethane and tetrachloroethylene. Int Arch Occup Environ Health 42:311.

*Monster AC. 1986. Biological monitoring of chlorinated hydrocarbon solvents. J Occup Med 28:583-588.

*Monster AC. 1988. Biological markers of solvent exposure. Arch Environ Health 43:90-93.

- Monster AC, Houtkooper JM. 1979. Estimation of individual uptake of trichloroethylene, 1,1,1-trichloroethane and tetrachloroethylene from biological parameters. Int Arch Occup Environ Health 42:319-320.
- *Monster AC, Boersma G, Steenweg H. 1979. Kinetics of 1,1,1-trichloroethane in volunteers; influence of exposure concentration and work load. Int Arch Occup Environ Health 42:293-301.
- *Morgan A, Black A, Belcher DR. 1970. The excretion in breath of some aliphatic halogenated hydrocarbons following administration by inhalation. Ann Occup Hyg 13:219-233.
- *Morgan A, Black A, Belcher DR. 1972a. Studies on the absorption of halogenated hydrocarbons and their excretion in breath using ³⁸Cl tracer techniques. Ann Occup Hyg 15:273-282.
- *Morgan A, Black A, Walsh M, et al. 1972b. The absorption and retention of inhaled fluorinated hydrocarbon vapours. Int J Appl Radiat Isot 23:285-291.
- *Morgan DL, Cooper SW, Carlock DL, et al. 1991. Dermal absorption of neat and aqueous volatile organic chemicals in the Fischer 344 rat. Environ Res 55:51-63.
- *Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. Clin Pharmacokin 5:485-527.
- Moser VC, Balster RL. 1982. Effects of dynamic exposure to 1,1,1trichloroethane on fixed-ratio performance in mice. Fed Proc 41:P701.
- *Moser VC, Balster RL. 1985. Acute motor and lethal effects of inhaled toluene, 1,1,1-trichloroethane, halothane, and ethanol in mice: Effects of exposure duration. Toxicol Appl Pharmacol 77:285-291.
- *Moser VC, Balster RL. 1986. The effects of inhaled toluene, halothane, 1,1,1-trichloroethane, and ethanol on fixed-interval responding in mice. Neurobehav Toxicol Teratol 8:525-532.
- *Moser VC, Scimeca JA, Balster RL. 1985. Minimal tolerance to the effects of 1,1,1-trichloroethane on fixed-ratio responding in mice. Neurotoxicology 6:35-42.
- *Mudder TI, Musterman JL. 1982. Development of empirical structure biodegradability relationships and biodegradability testing protocol for volatile and slightly soluble priority pollutants. Presented to the Division of Environmental Chemistry of the American Chemical Society, Kansas City, MO, September 1982, 52-53.
- Mulcahy MFR, Nelson PF, Smith MY, et al. 1976. Smog forming hydrocarbons in urban air. In: Smog '76: Occurrence and control of photochemical pollution: Proceedings of symposium and workshop sessions, Macquarie University, Sydney, February 1976. Sydney: Clean Air Society of Australia and New Zealand. Paper IV.
- *Mulla ZD. 1996. Toxic chemicals and childhood brain tumors. Tampa, FL: FAPTP Florida Association of Pediatric Tumor Programs Inc., 1-3.
- *Mullin LS, Krivanek ND. 1982. Comparison of unconditioned reflex and conditioned avoidance tests in rats exposed by inhalation to carbon monoxide, 1,1,1-trichloroethane, toluene or ethanol. Neurotoxicology 3:126-137.

Murayama JI, Ishiwata M, Fukui M. 1990. Comparative acute cytotoxicities of 37 xenobiotics detected in drinking water to rat hepatocyte primary culture. Eisei Kagaku 36:267-276.

*Muttray A, Kurten R, Jung D, et al. 2000. Acute effects of 200 ppm 1,1,1-trichloroethane on the human egg. Eur J Med Res 5:375-384.

*Muttray A, Wolters V, Jung D, et al. 1999. Effects of high doses of toluene on color vision. Neurotoxicol Teratol 21:41-45.

*Myhr BC, Caspary WJ. 1988. Evaluation of the L5178Y mouse lymphoma cell mutagenesis assay: Intralaboratory results for sixty-three coded chemicals tested at Litton Bionetics Inc. Environ Mol Mutagen 12(Suppl 13):103-194.

Nachreiner DJ, Dodd DE. 1987. Aerothene: TT solvent: Acute inhalation toxicity test. Export, PA: Bushy Run Research Center, Union Carbide Corporation.

Nachreiner DJ, Dodd DE. 1988. Aerothene: TT solvent: Acute inhalation toxicity test in rats. Export, PA: Bushy Run Research Center, Union Carbide Corporation.

Nagao M, Takahashi Y. 1981. Mutagenic activity of 42 coded compounds in the Salmonella/microsome assay. Prog Mutat Res 1:302-313.

Nakahama T, Fukuhara M, Inouye Y. 1997. Volatile halogenated hydrocarbons in ambient air and the metabolites in human urine in an urban area. Jpn J Toxicol Environ Health (Eisei Kagaku) 43:280-284.

*Nakahama T, Sarutani S, Inouye Y. 2000. Effects of tetrachloroethylene and 1,1,1-trichloroethane on the expression of P450 isoforms in rat lung and liver. J Health Sci 46:21-28.

*Nakamura S, Oda Y, Shimada T, et al. 1987. SOS-inducing activity of chemical carcinogens and mutagens in Salmonella typhimurium TA1535/pSK1002: Examination with 151 chemicals. Mutat Res 192:239-246.

*Namkung E, Rittmann BE. 1987. Estimating volatile organic compound emissions from publicly owned treatment works. J Water Pollut Control Fed 59:607-678.

*NAS/NRC. 1989. Report of the oversight committee. In: Biologic markers in reproductive toxicology. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press.

*NCI. 1977. Bioassay of 1,1,1-trichloroethane for possible carcinogenicity. National Cancer Institute Carcinogenesis Technical Report Series 3. PB265082.

*Nelson BK. 1985. Developmental neurotoxicology of environmental and industrial agents. In: Blum K, Manzo L, eds. Neurotoxicology, New York: M. Dekker 163-201.

Nelson BK. 1986a. Behavioral teratology of industrial solvents. In: Riley EP, Vorhees CV, eds. Handbook of behavioral teratology. New York: Plenum Press, 391-406.

Nelson BK. 1986b. Developmental neurotoxicology of in utero exposure to industrial solvents in experimental animals. Neurotoxicology 7:441-447.

*Nelson NA, Robins TG, Garrison RP, et al. 1993. Historical characterization of exposure to mixed solvents for an epidemiologic study of automotive assembly plant workers. Appl Occup Environ Hyg 8:693-702.

Nelson NA, Robins TG, Port FK. 1990. Solvent nephrotoxicity in humans and experimental animals. Am J Nephrol 10:10-20.

*Nestmann ER, Lee EGH, Matula TI, et al. 1980. Mutagenicity of constituents identified in pulp and paper mill effluents using the Salmonella/mammalian-microsome assay. Mutat Res 79:203-212.

*Nestmann ER, Otson R, Kowbel DJ, et al. 1984. Mutagenicity in a modified Salmonella assay of fabric-protecting products containing 1,1,1-trichloroethane. Environ Mutagen 6:71-80.

Newsom JM. 1985. Transport of organic compounds dissolved in ground water. Ground Water Monit Rev 5:28-36.

*Nilsson KB. 1986a. Actions of 1,1,1-trichloroethane on the cAMP metabolism in mouse brain. Acta Pharmacol Toxicol (Copenh) 59:362-369.

*Nilsson KB. 1986b. Effects of 1,1,1-trichloroethane on the cGMP metabolism in mouse brain. Acta Pharmacol Toxicol (Copenh) 58:318-326.

*Nilsson KB. 1987. Effects of 1,1,1-trichloroethane on synaptosomal calcium accumulation in mouse brain. Pharmacol Toxicol 61:215-219.

NIOSH. 1964. 1,1,1-Trichloroethane. National Institute for Occupational Safety and Health. Am Ind Hyg Assoc J 25:585-586.

NIOSH. 1976. Health hazard evaluation: Determination report 74-129-268. General Electric Company, Waynesboro, VA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB273712.

*NIOSH. 1980a. Health hazard evaluation: Determination report HE 79-51-664. Gates Energy Products, Inc., Denver, CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB80169097.

*NIOSH. 1980b. Health hazard evaluation: Determination report HE 80-7-661. Jan Clopton Composition, Atlanta, GA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB80169063.

*NIOSH. 1980c. Health hazard evaluation: Determination report HE 78-77-659. R.L. Polk Company, Cincinnati, OH. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB80169063.

*NIOSH. 1980d. Health hazard evaluation: Determination report HE 80-1-654. Cobe Laboratories, Inc., Arvada, CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB80165038.

- *NIOSH. 1980e. Health hazard evaluation: Report HHE 79-60-690. Stieger Tractor, Inc., Fargo, ND. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB83149807.
- NIOSH. 1982. Health hazard evaluation: Determination report HHE 77-128-470. Bishop Tube Division, Christiana Metals, Inc., Frazer, PA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. Govt Rep Announce Ind, Issue 14. PB82174087.
- *NIOSH. 1987. Manual of analytical methods: Method no. 1003. Cincinnati, OH: National Institute for Occupational Safety and Health. DHHS (NIOSH) Publication No. 84-100.
- *NIOSH. 1990. NIOSH pocket guide to chemical hazards. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, 148.
- *NIOSH. 1993. American Fuel Cell and Coated Fabrics Co., Magnolia, AR. NIOSH Health Hazard Evaluation Report. HETA 902462314. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.
- *NIOSH. 1995. Report to Congress on workers' home contamination: Study conducted under the Worker's Family Protection Act (29 U.S.C. 671a). PB96192000. DHHS (NIOSH) Publication No. 95-123.
- *Nishikawa H, Katami T, Takahara Y, et al. 1992. Emission of organic compounds by combustion of waste plastics involving vinyl chloride polymer. Chemosphere 25:1953-1960.
- *Nishikawa H, Katami T, Yasuhara A. 1993. Contribution of an industrial waste incinerator to the atmospheric concentrations of volatile chlorinated organic compounds. Chemosphere 27:1425-1432.
- *NOES. 1988. National occupational exposure survey (NOES). Cincinnati, OH: National Institute for Occupational Safety and Health.
- *Nolan RJ, Freshour NL, Rick DL. 1984. Kinetics and metabolism of inhaled methyl chloroform (1,1,1-trichloroethane) in male volunteers. Fundam Appl Toxicol 4:654-662.
- *Nord PJ. 1974. Men's apparel industrywide study: F. Jacobson, Incorporated (Excello Shirt Company), Seymour, IN: Division of Kayser-Roth Corporation. PB82112798.
- *Norman KNT. 1991. A rapid method for the determination of liquid fumigant residues in food commodities using automated headspace analysis. Pestic Sci 33:23-34.
- *Northfield RR. 1981. Avoidable deaths due to acute exposure to 1,1,1-trichloroethane. J Soc Occup Med 31:164-166.
- Norwood DL, Michael LC, Cooper SD, et al. 1986. An application of the "Master Analytical Scheme" to influent and effluent wastewaters. In: Advances in water analysis and treatment. Portland, OR: Proceedings of Water Quality Technology Conference, November, 365-386.
- *NRC. 1993. National Research Council. Pesticides in the diets of infants and children. Washington, DC: National Academy Press.

*NTDB. 1994. The National Trade Data Bank: import and export data for methylchloroform (1,1,1-tri-chloroethane). U.S. Department of Commerce, Economics and Statistics Administration.

NTIS. 1996. National exposure registry volatile organic compounds registry 1,1,1-trichloroethane (TCA) subregistry baseline and follow-up 1 technical report. National Technical Information Service. PB96172101.

*NTP. 1988a. Final report part 1. Developmental toxicity evaluation of 1,1,1-trichloroethane (CAS No. 71-55-6) administered to CD rats. Research Triangle Park, NC: National Toxicology Program. PB88131321.

*NTP. 1988b. Developmental toxicity evaluation of 1,1,1-trichloroethane (CAS No. 71-55-6) administered to CD rats. Final report part 2. Research Triangle Park, NC: National Toxicology Program. PB88134101.

*NTP. 1989a. Fifth annual report on carcinogens summary. NTP 89293. Research Triangle Park, NC: National Toxicology Program. U.S. Department of Health and Human Services, 115-116, 133-135.

*NTP. 1989b. Fiscal year 1989 annual plan. NTP 89167. National Toxicology Program. U.S. Department of Health and Human Services, 102-104.

*NTP. 1996. NTP technical report on renal toxicity studies of selected halogenated ethanes administered by gavage to F344/N rats. National Toxicology Program. (45) NIH 963935.

*NTP. 2000. NTP technical report on the toxicity studies of 1,1,1-trichloroethane administered in microcapsules in feed to F344/N rats and B6C3F1 mice. National Toxicology Program. (41) NIH 004402.

*Oblas D, Dugger D, Lieberman S. 1980. The determination of organic species in the telephone central office ambient. Electrical Contacts 25:35-39.

Odkvist LM, Larsby B, Fredrickson MF, et al. 1980. Vestibular and oculomotor disturbances caused by industrial solvents. J Otolaryngol 9:53-59.

Odkvist LM, Larsby B, Tham R, et al. 1979. On the mechanism of vestibular disturbances caused by industrial solvents. Adv Otorhinolaryngol 25:167-172.

*Ogata M, Hasegawa T. 1981. Effects of chlorinated aliphatic hydrocarbons on mitochondrial oxidative phosphorylation in the rat with reference to the effects of chlorinated aromatic hydrocarbons. Ind Health 19:71-75.

Ohio River Valley Water Sanitation Commission. 1980. Assessment of water quality Conditions. Ohio River mainstream 1978-9. Cincinnati, OH: Ohio River Valley Water Sanitation Commission.

Ohio River Valley Water Sanitation Commission. 1982. Assessment of water quality conditions. Ohio River mainstream 1980-81. Cincinnati, OH: Ohio River Valley Water Sanitation Commission.

*OHM/TADS. 1994. Oil and Hazardous Materials Technical Assistance Data System. U.S. Environmental Protection Agency/National Institute of Health Computer Data Base.

- *Ohno H, Aoyama T. 1991. Simultaneous determination of volatile chlorinated hydrocarbons by dual detection using a semi-wide bore capillary column. Eisei Kagaku 37:387-394.
- *Ohta T, Morita M, Mizoguchi I. 1976. Local distribution of chlorinated hydrocarbons in the ambient air in Tokyo. Atmos Environ 10:557-560.
- Ohta T, Morita M, Mizoguchi I, et al. 1977. Washout effect and diurnal variation for chlorinated hydrocarbons in ambient air. Atmos Environ 11:985-987.
- *Okuda M, Kunitsugu I, Kobayakawa S, et al. 2001a. Effect of 1,1,1-trichloroethane on calcium current of rat dorsal root ganglion neurons. Bull Environ Contam Toxicol 67:476-482.
- *Okuda M, Kunitsugu I, Kobayakawa S, et al. 2001b. Inhibitory effect of 1,1,1-trichloroethane on calcium channels of neurons. J Toxicol Sci 26:169-176.
- Olson MJ, Reidy CA, Johnson JT. 1990. Modulation of glucose-metabolism in isolated rat hepatocytes by 1,1,1,2-tetrafluoroethane. Fundam Appl Toxicol 15:270-280.
- *Ong CN, Koh D, Foo SC, et al. 1993. Volatile organic solvents in correction fluids: Identification and potential hazards. Bull Environ Contam Toxicol 50:787-793.
- *Ono Y, Somiya I, Kawamura M. 1991a. [Genotoxicity of by-products in the chemical oxidation processes.] Suishitsu Odaku Kenkyu 14:633-641. (Japanese)
- *Ono Y, Somiya I, Kawamura M. 1991b. The evaluation of genotoxicity using DNA repairing test for chemicals produced in chlorination and ozonation processes. Water Sci Technol 23:329-338.
- *OSHA. 1989. Occupational Safety and Health Administration. Permissible exposure limit. Code of Federal Regulations. 29 CFR 1910.1000.
- OSHA. 1992. Occupational Safety and Health Administration. Air contaminants Part II. Fed Regist 57:26002.
- *OSHA. 2004a. Appendix A. Safety and health regulations for construction: Gases, vapors, fumes, dusts, and mists. Washington, DC: Occupational Safety and Health Administration. Code of Federal Regulations. 29CFR192655, App A.
- $http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS\&p_id=10629. \ \ June 06, 2004.$
- *OSHA. 2004b. Air contaminants. Occupational safety and health standards for shipyard employment Washington, DC: Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000.
- $http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS\&p_id=10286. \ June\ 06,\ 2004.$
- *OSHA. 2004c. Table Z-1: Limits for air contaminants. Occupational safety and health standards. Washington, DC: Occupational Safety and Health Administration. Code of Federal Regulations 29. CFR 1910.1000.
- http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9992. June 06, 2004.

*OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment, U.S. Congress. OTA-BA-438. April 1990.

*Otson R. 1987. Purgeable organics in Great Lakes raw and treated water. Int J Environ Anal Chem 31:41-53.

Otson R, Williams DT. 1984. Fabric protectors. I. Evaluation of a grab-sampling technique for determination of organic vapours. Am Ind Hyg Assoc J 45:24-27.

Otson R, Williams DT, Bothwell PD. 1983. Charcoal-tube technique for simultaneous determination of selected organics in air. Am Ind Hyg Assoc J 44:489-494.

Otson R, Williams DT, Bothwell PD. 1984. Fabric protectors. II. Propane, 1,1,1-trichloroethane and petroleum distillates levels in air after application of fabric protectors. Am Ind Hyg Assoc J 45:28-33.

*Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 222-238.

Ozonoff D, Colten ME, Cupples A, et al. 1987. Health problems reported by residents of a neighborhood contaminated by a hazardous waste facility. Am J Ind Med 11:581-597.

*Pacific Environmental Services, Inc. 1987. Toxic air pollutant/source crosswalk: A screening tool for locating possible sources emitting toxic air pollutants. Research Triangle Park, NC: U.S. Environmental Protection Agency. PB88161146.

*Paez-Martinez N, Cruz SL, Lopez-Rubalcava C. 2003. Comparative study of the effects of toluene, benzene, 1,1,1-trichloroethane, diethyl ether, and flurothyl on anxiety and nociception in mice. Toxicol Appl Pharmacol 193:9-16.

Page BD, Lacroix GM. 1995. On-line steam distillation/purge and trap analysis of halogenated, nonpolar, volatile contaminants in foods. J AOAC Int 78:1416-1428.

Pagga U. 1987. Biodegradation of substances at low concentrations. J Water Wastewater Res 20:101-107.

*Park JH, Lee HJ. 1993. Estimation of bioconcentration factor in fish, adsorption coefficient for soils and sediments and interfacial tension with water for organic nonelectrolytes based on the linear solvation energy relationships. Chemosphere 26:1905-1916.

Parker JC, Casey GE, Bahlman LJ, et al. 1979. Chloroethanes: Review of toxicity. Am Ind Hyg Assoc J 40:A-46, A-48, A-50, A-52 to A-60.

*Parkhurst WJ, Lee NT, Imhoff RE, et al. 1988. Indoor volatile organic sampling study in Chattanooga, Tennessee. In: Proceedings of the Air Pollution Control Association Annual Meeting 81:P88/109.7.

*Parraga M, West JM. 1998. Hydrocarbons. In: Viccellio P, ed. Emergency toxicology. 2nd edition. Philadelphia, PA: Lippincott-Raven Publishers, 299-313.

*Parry JM, Sharp DC. 1981. Induction of mitotic aneuploidy in the yeast strain D6 by 42 coded compounds. Prog Mutat Res 1:468-480.

*Parsons F, Lage GB. 1985. Chlorinated organics in simulated groundwater environments. J Am Water Works Assoc 77:52-59.

*Parsons F, Lage GB, Rice R. 1985. Biotransformation of chlorinated organic solvents in static microcosms. Environ Toxicol Chem 4:739-742.

Paterson S, Mackay D. 1989. Correlation of tissue blood and air partition coefficients of volatile organic chemicals. Br J Ind Med 46:321-328.

Pearson CR, McConnell G. 1975. Chlorinated C1 and C2 hydrocarbons in the marine environment. Proc R Soc Lond [Biol] 189:305-332.

Pellizzari ED. 1977. The measurement of carcinogenic vapors in ambient atmospheres. Gulf Breeze, FL: U.S. Environmental Protection Agency. EPA600777055.

Pellizzari ED. 1978. Quantification of chlorinated hydrocarbons in previously collected air samples. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA450378112.

*Pellizzari ED. 1982. Analysis for organic vapor emissions near industrial and chemical waste disposal sites. Environ Sci Technol 16:781-785.

Pellizzari E, Bursey J. 1984. Gas chromatography/mass spectrometry in water pollution studies. In: Hutzinger O, Karasek FW, Safe S, eds. Mass spectrometry in environmental sciences. New York, NY: Plenum Publishing Co., 139.

Pellizzari ED, Erickson MD, Zweidinger RA. 1979. Formulation of preliminary assessment of halogenated organic compounds in man and environmental media. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA5601379006.

*Pellizzari ED, Hartwell TD, Harris BSH, et al. 1982. Purgeable organic compounds in mother's milk. Bull Environ Contam Toxicol 28:322-328.

*Pellizzari ED, Hartwell TD, Perritt RL, et al. 1986. Comparison of indoor and outdoor residential levels of volatile organic chemicals in five US geographical areas. Environ Int 12:619-624.

Pellizzari ED, Smith DJ, Clayton CA, et al. 2001. An assessment of the data quality for NHEXAS-Part I: exposure to metals and volatile organic chemicals in Region 5. J Expo Anal Environ Epidemiol 11:140-154.

*Pellizzari ED, Wallace LA, Gordon SM. 1992. Elimination kinetics of volatile organics and humans using breath measurements. J Expo Anal Environ Epidemiol 2:341-355.

*Pellizzari ED, Zelon HS, Bursey JT, et al. 1984b. Sampling and analysis design for volatile halocarbons in indoor and outdoor air. In: Indoor air, Proceedings of the International Conference on indoor air quality Clim, 3rd 1984. Stockholm, Sweden: Swed. Counc., Build Res. 4:203-208.

Pellizzari ED, Zweidinger RA, Sheldon LS. 1985a. Breath sampling. In: Fishbein L, O'Neill I, eds. Environmental carcinogens selected methods of analysis. Vol. 7. World Health Organization, Lyon, France. IARC Publication No. 68, 399.

Pellizzari ED, Zweidinger RA, Sheldon LS. 1985b. GC/MS determination of volatile hydrocarbons in breath samples. In: Fishbein L, O'Neill I, eds. Environmental carcinogens selected methods of analysis, Vol. 7. Lyon, France: World Health Organization. IARC Publication No. 68, 413.

*Pellizzari LS, Sheldon CM, Sparacino JT, et al. 1984a. Volatile organic levels in indoor air. Indoor Air: In: Indoor air, Proceedings of the international conference on indoor air quality clim, 3rd 1984. Stockholm, Sweden: Swed. Counc. Build Res., 4:303-308.

*Pellizzari LS, Sparacino CM, Sheldon CC, et al. 1984c. Sampling and analysis for volatile organics in indoor and outdoor air in New Jersey. In: Indoor air, Proceedings of the international conference on indoor air quality Clim, 3rd 1984. Stockholm, Sweden: Swed. Counc. Build Res., 4:221-225.

Peltola J. 1987. Biotransformation of 1,1,1-trichloroethane in aquifers. Ground Water 25:613.

*Penman BW, Crespi CL. 1987. Analysis of human lymphoblast mutation assays by using historical negative control data bases. Environ Mol Mutagen 10:35-60.

*Perry PE, Thomson EJ. 1981. Evaluation of the sister chromatid exchange method in mammalian cells as a screening system for carcinogens. Prog Mutat Res 1:560-569.

*Peter D, Edelbrock D. 1980. Health hazard evaluation: Determination report HE 79-42-685. Motion Picture Screen Cartoonists Local 841, New York, NY. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB80211584.

*Pezzagno G, Imbriani M, Ghittori S, et al. 1986. Relationship between urinary and environmental concentrations of some solvents: Effects of the work load. G Ital Med Lav 8:109-118.

*Pezzagno G, Imbriani M, Ghittori S, et al. 1988. Urinary concentration environmental concentration and respiratory uptake of some solvents: Effect of the workload. Am Ind Hyg Assoc J 49:546-552.

Pfaffenberger CD, Peoples AJ, Briggle TV. 1984. Blood plasma levels of volatile chlorinated solvents and metabolites in occupationally exposed workers. Studies in Environmental Science 25:559-569.

*Pincince AB. 1988. Of: Estimating volatile organic compound emissions from publicly owned treatment works. J Water Pollut Control Fed 59:119-121.

Pise VM, Reigle TG, Muralidhara S, et al. 1995. Neuroendocrine toxicity on acute inhalation exposure to 1,1,1-trichloroethane (TRI), reflected as suppression of the hypothalamo-pituitary-adrenal (HPA) axis. Neurotoxicology 16:756.

*Pise VM, Reigle TG, Muralidhara S, et al. 1998. Effects of acute inhalation exposure to 1,1,1-trichloroethane on the hypothalamo-pituitary-adrenal axis in male Sprague-Dawley rats. J Toxicol Environ Health A 54:193-208.

*Piwoni MD, Wilson JT, Walters DM, et al. 1986. Behavior of organic pollutants during rapid-infiltration of wastewater into soil. I. Processes, definition, and characterization using a microcosm. Haz Waste Haz Mater 3:43-55.

*Plaa GL. 1986. Toxic responses of the liver. In: Klaassen CD, Amdur MO, Doull J, eds. Casarett and Doull's toxicology: The basic science of poisons. 3rd ed. New York: Macmillan Publishing Company, 236-309.

*Plaa GL. 1988. Experimental evaluation of haloalkanes and liver injury. Fundam Appl Toxicol 10:563-570.

*Plaa GL, Larson RE. 1965. Relative nephrotoxic properties of chlorinated methane, ethane, and ethylene derivatives in mice. Toxicol Appl Pharmacol 7:37-44.

*Plaa GL, Evans EA, Hine CH. 1958. Relative hepatotoxicity of seven halogenated hydrocarbons. J Pharmacol Exp Ther 123:224-229.

*Platt DS, Cockrill BL. 1969. Biochemical changes in rat liver in response to treatment with drugs and other agents. II. Effects of halothane, DDT, other chlorinated hydrocarbons, dimethylnitrosamine and ethionine. Biochem Pharmacol 18:445-457.

*Pleil JD, Whiton RS. 1990. Determination of organic emissions from new carpeting. Appl Occup Environ Hyg 5:693-699.

Pleil JD, Oliver KD, McClenny WA. 1988. Ambient air analyses using nonspecific flame ionization and electron capture detection compared to specific detection by mass spec. J Air Pollut Control Assoc 38:1006-1010.

*Pluemacher J, Renner I. 1993. Determination of volatile chlorinated hydrocarbons and trichloroacetic acid in conifer needles by headspace gas chromatography. Fresenius' J Anal Chem 347:129-135.

*Plumb RH Jr. 1987. A comparison of ground water monitoring data from CERCLA and RCRA sites. Ground Water Monit Rev 7:94-100.

*Poet TS, Thrall KD, Corley RA, et al. 2000. Utility of real time breath analysis and physiologically based pharmacokinetic modeling to determine the percutaneous absorption of methyl chloroform in rats and humans. Toxicol Sci 54:42-51.

Pointer J. 1982. Typewriter correction fluid inhalation: New substance of abuse. J Toxicol Clin Toxicol 19:493-499.

Pollak JK, Harsas W. 1982. Effects of organochlorine compounds on lipid catabolism of fetal rat liver mitochondria and microsomes. Bull Environ Contam Toxicol 28:313-318.

Poplawski-Tabarelli S, Uehleke H. 1982. Inhibition of microsomal drug oxidations by aliphatic halohydrocarbons: Correlation with vapor pressure. Xenobiotica 12:55-61.

Pratt GC, Palmer K, Wu CY, et al. 2000. An assessment of air toxics in Minnesota. Environ Health Perspect 108:815-825.

*Prendergast JA, Jones RA, Jenkins LJ Jr., et al. 1967. Effects on experimental animals of long-term inhalation of trichloroethylene, carbon tetrachloride, 1,1,1-trichloroethane dichlorodifluoromethane, and 1,1-dichloroethylene. Toxicol Appl Pharmacol 10:270-289.

- *Price PJ, Hassett CM, Mansfield JI. 1978. Transforming activities of trichloroethylene and proposed industrial alternatives. In Vitro 14:290-293.
- *Priestly BG, Plaa GL. 1976. Hepatic function after acute or subchronic nicotine administration in untreated mice and mice treated with hepatotoxic chemicals. Arch Int Pharmacodyn Ther 223:132-141.
- *Prinn RG, Cunnold D, Rasmussen R, et al. 1987. Atmospheric trends in methylchloroform and the global average for the hydroxyl radical. Science 238:945-950.
- *Prinn RG, Cunnold D, Simmonds P. 1992. Global average concentration and trend for hydroxyl radicals deduced from ale gauge trichloroethane (methyl chloroform) data for 1978-1990. J Geophys Res 97:2445-2461.
- *Prinn RG, Rasmussen RA, Simmonds PG, et al. 1983. The atmospheric lifetime experiment. 5. Results for 1,1,1-trichloroethane based on three years of data. J Geophys Res C 88:8415-8426.
- *Pryor P. 1987. Health hazard evaluation: Report HETA 85-256-1716. AMF Head Division, Boulder CO. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB87161287.
- Purchase IFH, Ray V. 1981. Summary report on the performance of in vivo assays. Prog Mutat Res 1:86-95.
- *Quast JF, Calhoun LL, Frauson LE. 1988. 1,1,1-Trichloroethane formulation: A chronic inhalation toxicity and oncogenicity study in Fischer 344 rats and B6C3F1 mice. Fundam Appl Toxicol 11:611-625.
- Quast JF, Calhoun LL, McKenna MJ. 1985. 1,1,1-Trichloroethane formulation: A chronic inhalation toxicity and oncogenicity study in rats and mice. Part 1. Results of findings in mice. In: Proceedings of the 24th Society of Toxicology Annual Meeting, San Diego, CA, March 18-22, 1985. Washington, DC: Society of Toxicology.
- *Quast JF, Rampy LW, Balmer MG, et al. 1978. Toxicologic carcinogenic evaluation of a 1,1,1-trichloroethane formulation by chronic inhalation in rats. Midland, MI: Toxicology Research Laboratory, Health and Environmental Research, The Dow Chemical Company.
- *Quillardet P, DeBellecombe C, Hofnung M. 1985. The SOS chromotest, a colorimetric bacterial assay for genotoxins: Validation study with 83 compounds. Mutat Res 147:79-95.
- *Ramanathan V, Cicerone RJ, Singh HB, et al. 1985. Trace gas trends and their potential role in climate change. J Geophys Res 95:5547-5566.
- *Ramsey JC, Andersen ME. 1984. A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. Toxicol Appl Pharmacol 73:159-175.
- *Rank J, Nielsen MH. 1994. Evaluation of the Allium anaphase-telophase test in relation to genotoxicity screening of industrial wastewater. Mutat Res 312:17-24.
- *Ranson DL, Berry PJ. 1986. Death associated with the abuse of typewriter correction fluid. Med Sci Law 26:308-310.

- *Rasmussen RA, Khalil MAK, Chang JS. 1982. Atmospheric trace gases over China. Environ Sci Technol 16:124-126.
- *Rasmussen RA, Khalil MAK, Dalluge RW. 1981. Atmospheric trace gases in Antarctica. Science 211:285-287.
- *Rasmussen RA, Khalil MAK, Hoyt SD. 1983. Trace gases in snow and rain. In: Pruppacher HR, Semonin RG, Slinn WGN, eds. Precipitation scavenging, dry deposition, and resuspension: Proceedings of the fourth international conference, Santa Monica, California, 29 November-3 December 1982. Vol 2. New York: Elsevier, 1301-1314.
- *Rastogi SC. 1992. Headspace analysis of chlorinated organic solvents in aerosol cans by gas chromatography. Chromatographia 33:117-121.
- *Rastogi SC. 1993. Organic solvent levels in model and hobby glues. Bull Environ Contam Toxicol 51:501-507.
- *Rawlings GD, Deangelis DG. 1979. Toxicity removal in textile plant waste waters. J Am Leather Chem Assoc 74:404-417.
- *Raymer JH, Pellizzari ED, Thomas KW, et al. 1991. Elimination of volatile organic compounds in breath after exposure to occupational and environmental microenvironments. J Exposure Anal Environ Epidemiol 1:439-452.
- Raymer JH, Thomas K, Cooper S, et al. 1989. VOC breath measurement study: Alveolar breath method, final report. Research Triangle Park, NC: Research Triangle Institute.
- *Raymer JH, Thomas KW, Cooper SD, et al. 1990. A device for sampling of human alveolar breath for the measurement of expired volatile organic compounds. J Anal Toxicol 14:337-344.
- Reding R. 1987. Chromatographic monitoring methods for organic contaminants under the Safe Drinking Water Act. J Chromatogr Sci 25:338-344.
- Redmond MS, Crocker PA, McKenna KM, et al. 1996. Sediment toxicity testing with the amphipod *Ampelisca abdita* in Calcasieu Estuary, Louisiana. Arch Environ Contam Toxicol 30:53-61.
- *Rees DC, Knisley JS, Balster RL, et al. 1987b. Pentobarbital-like discriminative stimulus properties of halothane, 1,1,1-trichloroethane, isoamyl nitrite, flurothyl and oxazepam in mice. J Pharmacol Exp Ther 241:507-515.
- *Rees DC, Knisley JS, Breen TJ, et al. 1987a. Toluene, halothane, 1,1,1-trichloroethane and oxazepam produce ethanol-like discriminative stimulus effects in mice. J Pharmacol Exp Ther 243:931-937.
- Reinhard M, Goodman NL, Barker JR. 1984. Occurrence and distribution of organic chemicals in two landfill leachate plumes. Environ Sci Technol 18:953-961.
- Reinhard M, Goodman NL, McCarty PL, et al. 1986. Removing trace organics by reverse osmosis using cellulose acetate and polyamide membranes. J Am Water Works Assoc 78:163-174.
- *Reinhardt CF, Azar A, Masfield ME, et al. 1971. Cardiac arrhythmias and aerosol "sniffing." Arch Environ Health 22:265-279.

*Reinhardt CF, Mullin LS, Maxfield ME. 1973. Epinephrine-induced cardiac arrhythmia potential of some common industrial solvents. J Occup Med 15:953-955.

*Reist PC, Rex F. 1977. Odor detection and respirator cartridge replacement. Am Ind Hyg Assoc J 38:563-566.

*Reitz RH, McDougal JN, Himmelstein MW, et al. 1988. Physiologically based pharmacokinetic modeling with methylchloroform: Implications for interspecies, high dose/low dose, and dose route extrapolations. Toxicol Appl Pharmacol 95:185-199.

Reitz RH, Schumann AM, Osborne DW, et al. 1985. Pharmacokinetics of 1,1,1-trichloroethane (MC) in humans rats and mice after inhalation or drinking water administration. In: Proceedings of the 24th Society of Toxicology Annual Meeting, San Diego, CA, March 18-22, 1985. Washington, DC: Society of Toxicology.

Rice AJ, Roberts RJ, Plaa GL. 1967. The effect of carbon tetrachloride, administered in vivo, on the hemodynamics of the isolated perfused rat liver. Toxicol Appl Pharmacol 11:422-431.

Rich CA. 1981. Geotechnical methods combined with cluster wells to investigate and monitor organic and inorganic ground water contamination. Stud Environ Sci 17:309-314.

*Richold M, Jones E. 1981. Mutagenic activity of 42 coded compounds in the Salmonella/microsome assay. In: Evaluations of short-term tests for carcinogens: Report of the international collaborative program. Prog Mutat Res 1:314-322.

*Riddick JA, Bunger WB, Sakano TK. 1986. Organic solvents: Physical properties and methods of purification. Techniques of chemistry. Vol. 2. 4th ed. New York, NY: Wiley-Interscience, 501, 1325.

*RIDH. 1989. Written communication (June 19) regarding Rhode Island guidelines for 1,1,1-trichloroethane levels in the public water supply and private well water. Providence, RI: Rhode Island Department of Health.

Riihimaki V. 1986. Metabolism and excretion or organic solvents. Prog Clin Biol Res 220:61-72.

*Riihimaki V, Pfaffli P. 1978. Percutaneous absorption of solvent vapors in man. Scand J Work Environ Health 4:73-85.

Rittmann BE, McCarty PL, Roberts PV. 1980. Trace-organics biodegradation in aquifer recharge. Ground Water 18:236-243.

Roberts PV, Valocchi AJ. 1981. Principles of organic contaminant behavior during artificial recharge. Sci Total Environ 21:161-172.

Roberts PV, Schreiner J, Hopkins GD. 1982. Field study of organic water quality changes during groundwater recharge in the Palo Alto baylands. Water Res 16:1025-1035.

*Robinson SE, Hooker EP, Rzigalinski BA. 2001. Solvent exposure affects NMDA-induced increases in intracellular free calcium ([CA₂₊]_i) in cultured rat cerebellar granule cells. Neurotoxicol Teratol 23:297.

- *Rogers SE, Peterson DL, Lauer WC. 1987. Organic contaminants removal for potable reuse. J Water Pollut Control Fed 59:722-732.
- *Rohr Indus Inc. 1986. Attachment II. Background information. Tab I. Mortality study of Rohr employees final report. November 4, 1986. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS0535753.
- *Rohr Indus Inc. 1987. Initial submission: Letter reviewing a mortality study of Rohr Indus Inc. employees with attachments and cover letter dated 022692. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS0535753.
- *Roldan-Arjona T, Garcia-Pedrajas MD, Luque-Romero FL, et al. 1991. An association between mutagenicity of the Ara test of *Salmonella typhimurium* and carcinogenicity in rodents for 16 halogenated aliphatic hydrocarbons. Mutagenesis 6:199-206.
- Rosenbaum AS, Axelrod DA, Woodruff TJ, et al. 1999. National estimates of outdoor air toxics concentrations. J Air Waste Manage Assoc 49:1138-1152.
- *Rosenberg C, Nylund L, Kontsas AT, et al. 1991. Volatile organohalogen compounds from the bleaching of pulp occurence and genotoxic potential in the work environment. Tenth International Symposium on Chlorinated Dioxins and Related Compounds 1990, Part 2, Bayreuth, Germany, Sept 10-14, 1990. Chemosphere 23(11-12):1617-1628.
- *Rosengren LE, Aurell A, Kjellstrand P, et al. 1985. Astrogliosis in the cerebral cortex of gerbils after long-term exposure to 1,1,1-trichloroethane. Scand J Work Environ Health 11:447-456.
- *Rosenkranz HS, Hyman J, Leifer Z. 1981. DNA polymerase deficient assay. Prog Mutat Res 1:210-218.
- Rostad CE, Martin BS, Barber LB. 2000. Effect of a constructed wetland on disinfection byproducts: removal processes and production of precursors. Environ Sci Technol 34:2703-2710.
- *Rothweiler H, Wager PA, Schlatter C. 1992. Volatile organic compounds and some very volatile organic compounds in new and recently renovated buildings in Switzerland. Fifth International Conference of Indoor Air Quality and Climate (Indoor Air '90): Characterization of Indoor Air, Toronto, Ontario, Canada, July 29-August 3, 1990. Atmos Environ Part A: Gen Top 26:2219-2225.
- Roux PH, Althoff WF. 1980. Investigation of organic contamination of ground water in South Brunswick Township, New Jersey, USA. Ground Water 18:464-471.
- *Rowland I, Severn B. 1981. Mutagenicity of carcinogens and noncarcinogens in the *Salmonella*/microsome test. Prog Mutat Res 1:323-332.
- *RTECS. 2004. Registry of Toxic Effects of Chemical Substances. http://hazard.com/msds/. June 2004.
- *RTI. 1987. Absorption, disposition, metabolites, and excretion of 1,1,1-trichloroethane (TCEN). RTI-213/311T-3662. Research Triangle Park: National Institute of Environmental Health by Research Triangle Institute.

*Russell JW, Shadoff LA. 1977. The sampling and determination of halocarbons in ambient air using concentration on porous polymer. J Chromatogr 134:375-384.

Saalwaechter AT, McCammon CS Jr., Roper CP, et al. 1977. Performance testing of the NIOSH charcoal tube technique for the determination of air conditions of organic vapors. Am Ind Hyg Assoc J 38:476-486.

*Sabel GV, Clark TP. 1984. Volatile organic compounds as indicators of municipal solid waste leachate contamination. Waste Manage Res 2:119-130.

*Sack TM, Steele DH, Hammerstrom K, et al. 1992. A survey of household products for volatile organic compounds. Atmos Environ 26:1063-1070.

Salamone MF. 1981. Toxicity of 41 carcinogens and noncarcinogenic analogs. Prog Mutat Res 1:682-685.

*Salamone MF, Heddle JA, Katz M. 1981. Mutagenic activity of 41 compounds in the in vivo micronucleus assay. Prog Mutat Res 1:686-697.

*Salisbury S, McConnell R, Anger K. 1986. Health hazard evaluation: Report HETA 83-369-1672. Lockheed-Georgia Company, Marietta, GA. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB86223989.

*Salkinoja-Salonen MS, Jokela JK. 1991. Measurement of organic halogen compounds in urine as an indicator of exposure. Scand J Work Environ Health 17:75-78.

*Sallmén M, Lindbohm M-L, Anttila A, et al. 1998. Time to pregnancy among the wives of men exposed to organic solvents. Occup Environ Med 55:24-30.

*Salvini M, Binaschi S, Riva M. 1971. Evaluation of the psychophysiological functions in humans exposed to the threshold limit value of 1,1,1-trichloroethane. Br J Ind Med 28:286-292.

Sato A, Nakajima T. 1987. Pharmacokinetics of organic solvent vapors in relation to their toxicity. Scand J Work Environ Health 13:81-93.

*Savolainen H, Pfaffli P, Tengen M, et al. 1977. Trichloroethylene and 1,1,1-trichloroethane: Effects on brain and liver after five days intermittent inhalation. Arch Toxicol 38:229-237.

*Savolainen K, Riihimaki V, Laine A, et al. 1981. Short-term exposure of human subjects to m-xylene and 1,1,1-trichloroethane. Int Arch Occup Environ Health 49:89-98.

*Sax NI, Lewis RJSR. 1987. Hawley's condensed chemical dictionary. 11th ed. New York, NY, Van Nostrand Reinhold Co., 1176.

*Schairer LA, Sautkulis RC, Tempel NR. 1983. A search for the identity of genotoxic agents in the ambient air using the Tradescantia bioassay. Environ Sci Res 27:211-228.

Schoeler HF, Schmitz R. 1986. Occurrence and persistence of halogenated organic compounds in the Sieg River (West Germany). Vom Wasser 67:249-256.

*Schumann AM, Fox TR, Watanabe PG. 1982a. [¹⁴C]Methyl chloroform (1,1,1-trichloroethane): Pharmacokinetics in rats and mice following inhalation exposure. Toxicol Appl Pharmacol 62:390-401.

*Schumann AM, Fox TR, Watanabe PG. 1982b. A comparison of the fate of inhaled methyl chloroform (1,1,1-trichloroethane) following single or repeated exposure in rats and mice. Fundam Appl Toxicol 2:27-32.

Schwarzenbach RP, Giger W, Hoehn E, et al. 1983. Behavior of organic compounds during infiltration of river water to groundwater. Field studies. Environ Sci Technol 17:472-479.

*Schwetz BA, Leong BKJ, Gehring PJ. 1975. The effect of maternally inhaled trichloroethylene, perchloroethylene, methyl chloroform, and methylene chloride on embryonal and fetal development in mice and rats. Toxicol Appl Pharmacol 32:84-96.

Scott DR, Dunn WJ III, Emery SL. 1987. Classification and identification of hazardous organic compounds in ambient air by pattern recognition of mass spectral data. Environ Sci Technol 21:891-897.

Scudamore KA. 1987. Fumigant residues in wheat and other cereal resulting from the use of 1,1,1-tri-chloroethane and bromomethane as a liquid fumigant mixture. J Pestic Sci 20:1-18.

*Seki Y, Urashima Y, Aikawa H, et al. 1975. [Trichloro-compounds in the urine of humans exposed to methyl chloroform at sub-threshold levels.] Arch Arbeitsmedizin-Int Arch Occup Health 34:39-49. (German)

*Setchell BP, Waites GMH. 1975. The blood-testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. Handbook of physiology: Endocrinology V. Washington, DC: American Physiological Society.

Sextib JM, Westberg H. 1980. Elevated ozone concentrations measured downwind of the Chicago-Gary urban complex. J Air Pollut Control Assoc 30:911-914.

Shah HC, Lal H. 1976. Effects of 1,1,1-trichloroethane administered by different routes and in different solvents on barbiturate hypnosis and metabolism in mice. J Toxicol Environ Health 1:807-816.

*Sharp DC, Parry JM. 1981a. Induction of mitotic gene conversion by 41 coded compounds using the yeast culture JD1. Prog Mutat Res 1:491-501.

*Sharp DC, Parry JM. 1981b. Use of repair-deficient strains of yeast to assay the activity of 40 coded compounds. Prog Mutat Res 1:502-516.

Shaw GM, Swan SH, Harris JA, et al. 1990. Maternal water consumption during pregnancy and congenital cardiac anomalies. Epidemiology 1:206-211.

Shelley ML, Andersen ME, Fisher JW. 1989. A risk assessment approach for nursing infants exposed to volatile organics through the mother's occupational inhalation exposure. Appl Ind Hyg 4:21-26.

*Shen TT. 1982. Estimation of organic compound emissions from waste lagoons. J Air Pollut Control Assoc 32:79-82.

*Shields HC, Weschler CJ. 1992. Volatile organic compounds measured at a telephone switching center from 5/30/85²12/6/88: A detailed case study. J Air Waste Manage Assoc 42:792-804.

- *Shikiya J, Tsou G, Kowalski J, et al. 1984. Ambient monitoring of selected halogenated hydrocarbons and benzene in the California south coast air basin. Proceedings 77th annual meeting of Air Pollution Control Association 1:84-101.
- *Shimada Y. 1988. [Studies on monochlorobenzene poisoning. III. Distribution of monochlorobenzene in the organs of pregnant mice and its transfer to the fetus through the placenta: Comparison with trichloroethylene and 1,1,1-trichloroethane.] Okayama Igakkai Zasshi 100:147-153. (Japanese)
- *Shimada T, Swanson A, Leber P, et al. 1983. The evaluation for genotoxicity of several halogenated solvents. Environ Mutagen 5:447.
- Sickles JE II, Wright RS, Sutcliffe CR, et al. 1980. Smog chamber studies of the reactivity of volatile organic compounds. Proceedings of annual meeting of Air Pollution Control Association 73:80-501.
- Sievers RE, Barkley RM Jr, Denney DW et al. 1980. Gas chromatographic and mass spectrometric analysis of volatile organics in the atmosphere. American Society for Testing and Materials Special Technical Publication 721, 3-21.
- *Silverstein MA. 1983. Letter to the Editor. Arch Environ Health 38:252.
- *Simmon VF, Shepherd GF. 1981. Mutagenic activity of 42 coded compounds in the *Salmonella*/microsome assay. Prog Mutat Res 1:333-342.
- *Simmon VF, Kauhanen K, Tardiff RG. 1977. Mutagenic activity of chemicals identified in drinking water. Dev Toxicol Environ Sci 2:249-258.
- *Simmonds PG, Kerrin SL, Lovelock JE, et al. 1974. Distribution of atmospheric halocarbons in the air over the Los Angeles basin. Atmos Environ 8:209-216.
- *Singh HB, Salas LJ, Cavanagh LA. 1977. Distribution sources and sinks of atmospheric halogenated compounds. J Air Pollut Control Assoc 27:332-336.
- *Singh HB, Salas LJ, Smith, AJ, et al. 1981. Measurements of some potentially hazardous organic chemicals in urban environments. Atmos Environ 15:601-612.
- *Singh HB, Salas LJ, Stiles RE. 1982. Distribution of selected gaseous organic mutagens and suspect carcinogens in ambient air. Environ Sci Technol 16:872-880.
- *Singh HB, Salas LJ, Viezee W, et al. 1992. Measurement of volatile organic chemicals at selected sites in California. Atmos Environ Part A: Gen Top 26:2929-2946.
- *Skopek TR, Andon BM, Kaden DA, et al. 1981. Mutagenic activity of 42 coded compounds using 8-azaguanine resistance as a genetic marker in *Salmonella typhimurium*. Prog Mutat Res 1:371-375.
- Smith LR, Dragun J. 1984. Degradation of volatile aliphatic priority pollutants in groundwater. Environ Int 10:291-298.
- *Solomon S, Albritton DL. 1992. Time-dependant ozone depletion potentials for short- and long-term forecasts. Nature (London) 357:33-37.

Sonnenfeld G, Hudgens RW, Streips UN. 1983. Effect of environmental carcinogens and other chemicals on murine alpha-beta interferon production. Environ Res 31:355-361.

*Sot RJ, Groff SA, Lebrun AJ, et al. 1975. 1,1,1-Trichloroethane: Development of a biologic standard for the industrial worker by breath analysis. Cincinnati, OH: Report to National Institute for Occupational Safety and Health. PB82151879.

Spayd SE. 1985. Movement of volatile organics through a fractured rock aquifer. Ground Water 23:496-502.

Spee T. 1986. Evaluation of an ISO (International Standards Organization) draft proposal for sampling and analysis of chlorinated hydrocarbon solvent vapours in work-place atmospheres. Am Ind Hyg Assoc J 47:27-36.

*Spence JW, Hanst PL. 1978. Oxidation of chlorinated ethanes. J Air Pollut Control Assoc 38:250-253.

*Spencer PJ, Albee RR, Mattsson JL, et al. 1990. Acute neurophysiologic effects of 1,1,1-trichloroethane via gavage in rats. Final report. The Dow Chemical Company. Submitted to the U.S. Environmental Protection Agency under TSCA Section 4. OTS533134.

*Spicer CW, Holdren MW, Slivon LE, et al. 1987. Intercomparison of sampling techniques for toxic organic compounds in indoor air. Research Triangle Park, NC: U.S. Environmental Environmental Agency. PB87165262.

*Spirtas R, Stewart PA, Lee JS, et al. 1991. Retrospective cohort mortality study of workers at an aircraft maintenance facility. I. Epidemiological results. Br J Ind Med 48:515-530.

Sportstoel S, Urdal K, Drangsholt H, et al. 1985. Description of a method for automated determination of organic pollutants in water. Int J Environ Anal Chem 21:129-138.

Squillace PJ, Moran MJ, Lapman WW, et al. 1999. Volatile organic compounds in untreated ambient groundwater of the United States, 1985-1995. Environ Sci Technol 33:4176-4187.

*SRI. 1991. 1991 Directory of Chemical Producers: United States of America. Menlo Park, CA: Stanford Research Institute International, 1048.

*SRI. 1992. 1992 Directory of Chemical Producers: United States of America. Menlo Park, CA: Stanford Research Institute International, 1032.

*SRI. 1994. 1994 Directory of Chemical Producers.USA. Menlo Park, CA: SRI International, 978.

*SRI. 2003. Products. 2003 Directory of chemical producers in the United States. Menlo Park, CA: SRI International, 922.

Stacey NH. 1989a. Toxicity of combinations of chlorinated aliphatic hydrocarbons in vitro and in vivo. Toxicology In Vitro 3:137-143.

Stacey NH. 1989b. Toxicity of mixtures of trichloroethylene, tetrachloroethylene and 1,1,1-trichloroethane: Similarity of in vitro to in vivo responses. Toxicol Ind Health 5:441-450.

- Stachel B, Lahl U, Zeschmar B. 1984. Pollution of the River Rhine with halogenated organic compounds: An investigation during a "Fliessende Welle." Sci Total Environ 40:103-113.
- Stackelberg PE, Kauffman LJ, Ayers MA, et al. 2004. Frequently co-occuring pesticides and volatile organic compounds in public supply monitoring wells, southern New Jersey, U.S.A. Environ Toxicol Chem 20:853-865.
- Stadler JC, Kennedy Jr GL. 1996. Evaluation of the sensory irritation potential of volatile organic chemicals from carpets- alone and in combination. Food Chem Toxicol 34:1125-1130.
- *Stahl CJ, Fatteh AV, Dominguez AM. 1969. Trichloroethane poisoning: Observations on the pathology and toxicology in six fatal cases. J Forensic Sci 14:393-397.
- *Stanley JS. 1986a. Broad scan of the FY82 national human adipose tissue survey specimens. Volume 1: Executive Summary. Washington, DC: U.S. Environmental Protection Agency.
- *Stanley JS. 1986b. Broad scan analysis of the FY82 national human adipose tissue survey specimens. Volume II: Volatile Organic Compounds. Washington, DC: U.S. Environmental Protection Agency. EPA 560586036.
- *Stewart RD. 1971. Methyl chloroform intoxication: Diagnosis and treatment. JAMA 215:1789-1792.
- *Stewart RD. 1983. Trichloroethanes. Encycl Occup Health Safety 2:2213-2214.
- *Stewart RD, Andrews JT. 1966. Acute intoxication with methylchloroform. JAMA 195:120-122.
- *Stewart RD, Dodd HC. 1964. Absorption of carbon tetrachloride, trichloroethylene, tetrachloroethylene, methylene chloride, and 1,1,1-trichloroethane through the human skin. Ind Hyg J 25:439-446.
- *Stewart RD, Gay HH, Erley DS, et al. 1961. Human exposure to 1,1,1-trichloroethane vapor: Relationship of expired air and blood concentrations to exposure and toxicity. Am Ind Hyg Assoc J 22:252-262.
- *Stewart RD, Gay HH, Schaffer AW, et al. 1969. Experimental human exposure to methyl chloroform vapor. Arch Environ Health 19:467-472.
- *Stonebraker RD, Smith JR. 1980. Containment and treatment of a mixed chemical discharge from "The Valley of the Drums" near Louisville, KY. In: Control of hazardous material spills: Proceedings of the 1980 National Conference of Control Hazardous Material Spills, May 13-15, 1980, Louisville, Kentucky. Nashville, TN: Vanderbilt University, 1-10.
- *STORET. 1988. EPA Storet Water Quality Data Base. December 12, 1988.
- Story DL, Meierhenry EF, Tyson CA, et al. 1986. Differences in rat liver enzyme-altered foci produced by chlorinated aliphatics and phenobarbital. Toxicol Ind Health 2:351-356.
- *Sturges WT, Taylor BE. 1990. Atmospheric concentrations of chlorinated solvents around a nuclear processing plant in Colorado. Environ Technol 11:1063-1070.

- *Stutz DR, Janusz SJ. 1988. Hazardous materials injuries: A handbook for pre-hospital care. 2nd ed. Beltsville, MD: Bradford Communications Corporation, Protocol 50.
- *Styles JA. 1981. Activity of 42 coded compounds in the BHK-21 cell transformation test. Prog Mutat Res 1:638-646.
- *Su C, Goldberg ED. 1976. Environmental concentration and fluxes of some halocarbons. In: Windom HL, Duce RA, eds. Marine pollutant transfer. Lexington, MA: D.C. Heath Co., 353-374.
- *Sullivan LJ. 1994. Construction fatality: Application of a concrete sealant. Appl Occup Environ Hyg 9:681-682.
- Sun B, Griffin BM, Ayala-del-Rio HL, et al. 2002. Microbial dehalorespiration with 1,1,1-trichloroethane. Science 298:1023-1025.
- *Suovaniemi O, Ekholm P, Falck K, et al. 1985. An automated analysis system for bacterial mutagenicity assays. Am Lab 17:122, 124-129.
- *Swan SH, Shaw G, Harris JA, et al. 1989. Congenital cardiac anomalies in relation to water contamination, Santa Clara County California 1981-1983. Am J Epidemiol 129:885-893.
- *Swann RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio, and water solubility. Residue Rev 85:17-28.
- *Sweet CW, Vermette SJ. 1992. Toxic volatile organic compounds in urban air in Illinois. Environ Sci Technol. 26:165-173.
- *Tabak HH, Quave SA, Maschi CI, Barth EF. 1981. Biodegradability studies with organic priority pollutant compounds. J Water Pollut Control Fed 53:1503-1518.
- Tahti H, Korpela M. 1985. In-vitro experiments on the effects of organic solvents on red cell membrane acetylcholinesterase. Food Chem Toxicol 24:805-806.
- *Takahara K. 1986a. [Experimental study on toxicity of trichloroethane. III. Changes in liver function of mice after exposure to 1,1,1- and 1,1,2- trichloroethane.] Okayama Igakkai Zasshi 98:1099-1110. (Japanese)
- *Takahara K. 1986b. [Experimental study on toxicity of trichloroethane. I. Organ distribution of 1,1,1-and 1,1,2-trichloroethanes in exposed mice.] Okayama Igakkai Zasshi 98:1079-1089. (Japanese)
- *Takahara K. 1986c. [Experimental study on toxicity of trichloroethane. II. 1,1,1- and 1,1,2-trichloroethane in expired air and in urine of mice.] Okayama Igakkai Zasshi 98:1091-1097. (Japanese)
- *Takano T, Miyazaki Y. 1982. Effect of chlorinated ethanes and ethylenes on electron transport in rat liver mitochondria. J Toxicol Sci 7:143-149.
- Takano T, Miyazaki Y, Araki R. 1988. Interaction of 1,1,1-trichloroethane with the mixed-function oxidation system in rat liver microsomes. Xenobiotica 18:1457-1464.

Takano T, Miyazaki Y, Motohashi Y. 1985. Interaction of trichloroethane isomers with cytochrome P-450 in the perfused rat liver. Fundam Appl Toxicol 5:353-360.

*Takeoka GR, Flath RA, Guntert M, et al. 1988. Nectarine volatiles: Vacuum steam distillation versus headspace sampling. J Agric Food Chem 36:553-560.

*Taketomo AP, Grimsrud E. 1977. An analysis of halocarbons in the air of several working and living environments. Proceedings of the Montana Academy of Science 37:128-134.

Talebzadeh VC, Chevrolet JC, Chatelain P, et al. 1990. Myocardite à éosinophiles et hypertension pulmonaire chez une toxicomane: Etude anatomo-clinique et brève revue de la littérature. Ann Pathol 10:40-46.

*Talukdar RK, Mellouki A, Schmoltner AM, et al. 1992. Kinetics of the OH reaction with methyl chloroform and its atmospheric implications. Science 257:227-230.

*Taningher M, Parodi S, Grilli S, et al. 1991. Lack of correlation between alkaline DNA fragmentation and DNA covalent binding induced by polychloroethanes after in vivo administration. Problems related to the assessment of a carcinogenic hazard. Cancer Detect Prev 15:35-39.

*Taskinen H, Anttila A, Lindbohm ML, et al. 1989. Spontaneous abortions and congenital malformations among the wives of men occupationally exposed to organic solvents. Scand J Work Environ Health 15:345-352.

Taylor GJ, Drew RT, Lores EM Jr, et al. 1976. Cardiac depression by haloalkane propellants, solvents, and inhalation anesthetic in rabbits. Toxicol Appl Pharmacol 38:379-387.

Terrill JB. 1989. Acute inhalation toxicity studies of 1,1,1-trichloroethane in the rat with cover letter 032889. 3M Co. Submitted to the U.S. Environmental Protection Agency under TSCA Section 8E. OTS509711-8.

*Texter EC, Grunow WA, Zimmerman HJ. 1979. Centrizonal necrosis of the liver from alpha trichloroethane followed by chronic active liver disease with recovery and Budd-Chiari syndrome. Clin Res 27:684.

Thiele DL, Eigenbrodt EH, Ware AJ. 1982. Cirrhosis after repeated trichloroethylene and 1,1,1-tri-chloroethane exposure. Gastroenterology 83:926-929.

Thom NS, Agg AR. 1975. The breakdown of synthetic organic compounds in biological processes. Proc R Soc Lond [Biol] 189:347-357.

*Thomas K, Colborn T. 1992. Organochlorine endocrine disruptors in human tissue. In: Colborn, T, Clement C, eds. Chemically induced alterations in sexual and functional development: The wildlife/human connection. Princeton, NJ: Princeton Scientific Publishing, 365-394.

Thompson JA, Ho B, Mastovich SL. 1984. Reductive metabolism of 1,1,1,2-tetrachloroethane and related chloroethanes by rat liver microsomes. Chem Biol Interact 51:321-333.

*Thomson JA. 1981. Mutagenic activity of 42 coded compounds in the lambda induction assay. Prog Mutat Res 1:224-235.

Thomson M, Lucas D, Koshland CP, et al. 1996. Reducing hazardous waste incinerator emissions through blending: a study of 1,1,1-trichloroethane injection. Haz Waste Haz Mater 13:387-398.

*Toftgaard R, Nilsen OG, Gustafsson JA. 1981. Changes in rat liver microsomal cytochrome P-450 and enzymatic activities after the inhalation of n-hexane, xylene, methyl ethyl ketone and methylchloroform for four weeks. Scand J Work Environ Health 7:31-37.

Tomasi A, Albano E, Bini A, et al. 1984. Free radical intermediates under hypoxic conditions in the metabolism of halogenated carcinogens. Toxicol Pathol 12:240-246.

Topham JC. 1980. Do induced sperm-head abnormalities in mice specifically identify mammalian mutagens rather than carcinogens? Mutat Res 74:379-387.

Topham JC. 1981. Evaluation of some chemicals by the sperm morphology assay. Prog Mutat Res 1:718-720.

*Toraason M, Breitenstein MJ, Wey HE. 1992. Reversible inhibition of intercellular communication among cardiac myocytes by halogenated hydrocarbons. Fundam Appl Toxicol 18:59-65.

*Toraason M, Krueger JA, Breitenstein MJ, et al. 1990. Depression of contractility in cultured cardiac myocytes from neonatal rat by carbon tetrachloride and 1,1,1-trichloroethane. Toxicology In Vitro 4:363-368.

Torkelson TR, Hoyle HR, Rowe VK. 1966. Toxicological hazards and properties of commonly used space, structural and certain other fumigants. Pest Control 34:13-18, 42-50.

*Torkelson TR, Oyen F, McCollister DD, et al. 1958. Toxicity of 1,1,1-trichloroethane as determined on laboratory animals and human subjects. Am Ind Hyg Assoc J 19:353-362.

*Traiger GJ, Plaa GL. 1974. Chlorinated hydrocarbon toxicity: Potentiation by isopropyl alcohol and acetone. Arch Environ Health 28:276-278.

*Travers H. 1974. Death from 1,1,1-trichloroethane abuse: Case report. Milit Med 139:889-890.

Travis CC, Hattemer-Frey HA, Arms AD. 1988. Relationships between dietary intake of organic chemicals and their concentrations in human adipose tissue and breast milk. Arch Environ Contam Toxicol 17:473-478.

*TRI03. 2005. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Office of Environmental Information. U.S. Environmental Protection Agency. Toxics Release Inventory. http://www.epa.gov/triexplorer/. June 12, 2005.

*Trocha PJ, Samimi BS. 1993. Analysis of volatile chemicals in the workplace by Fourier transform infrared spectroscopy. Appl Occup Environ Hyg 8:571-579.

*Trochimowicz HJ, Reinhardt CF, Mullin LS, et al. 1974. Cardiac sensitization studies in dogs with myocardial infarctions. Proceedings of the Annual Conference of Environmental Toxicology 5:135-144.

*Troutman WG. 1988. Additional deaths associated with the intentional inhalation of typewriter correction fluid. Vet Hum Toxicol 30:130-132.

*Trueman RW. 1981. Activity of 42 coded compounds in the *Salmonella* reverse mutation test. Prog Mutat Res 1:343-350.

*Truffert L, Girard-Wallon C, Emmerich E, et al. 1977. Early experimental demonstration of the hepatotoxicity of some chlorinated solvents by the study of the synthesis of hepatic DNA. Arch Mal Prof 38:261-263.

Truong KN, Blackburn JW. 1984. The stripping of organic chemicals in biological treatment processes. Environ Prog 3:143-152.

*Tse G, Orbey H, Sandler SI. 1992. Infinite dilution activity coefficients and Henry's law coefficients of some priority water pollutants determined by a relative gas chromatographic method. Environ Sci Technol 26:2017-2022.

Tse SYH, Mak IT, Weglicki WB, et al. 1988. Chlorinated hydrocarbons enhance lipid peroxidation in cultured endothelial cells and smooth muscle cells. J Mol Cell Cardiol 20(Suppl 3):S36.

Tse SYH, Mak IT, Weglicki WB, et al. 1990. Chlorinated aliphatic hydrocarbons promote lipid peroxidation in vascular cells. J Toxicol Environ Health 31:217-226.

*Tsuchimoto T, Matter BE. 1981. Activity of coded compounds in the micronucleus test. Prog Mutat Res 1:705-711.

*Tsuruta H. 1975. Percutaneous absorption of organic solvents. I. Comparative study of the in vivo percutaneous absorption of chlorinated solvents in mice. Ind Health 13:227-236.

*Tu AS, Murray TA, Hatch KM, et al. 1985. In vitro transformation of BALB/c-3T3 cells by chlorinated ethanes and ethylenes. Cancer Lett 28:85-92.

*Turina MP, Colacci A, Grilli S, et al. 1986. Short-term tests of genotoxicity for 1,1,1-trichloroethane. Res Commun Chem Pathol Pharmacol 52:305-320.

*Tweats DJ. 1981. Activity of 42 coded compounds in a differential killing test using Escherichia coli strains WP2, WP67 (uvrA polA), and CM871 (uvrA lexA recA). Prog Mutat Res 1:199-209.

Tyson CA, Gee SJ, Hawk-Prather K, et al. 1989. Correlation between in vivo and in vitro toxicity of some chlorinated aliphatics. Toxicol In Vitro 3:145-150.

*Tyson CA, Hawk-Prather K, Story DL, et al. 1983. Correlations of in vitro and in vivo hepatotoxicity for five haloalkanes. Toxicol Appl Pharmacol 70:289-302.

Tyson CA, Mitoma C, Kalivoda J. 1980. Evaluation of hepatocytes isolated by a nonperfusion technique in a prescreen for cytotoxicity. J Toxicol Environ Health 6:197-205.

*UDH. 1989. Written communication (July 20) regarding Utah state groundwater quality standards for 1,1,1-trichloroethane. Salt Lake City, UT: State of Utah Department of Health, Division of Environmental Health.

*Uhler AAD, Diachenko GW. 1987. Volatile halocarbon compounds in process water and processed foods. Bull Environ Contam Toxicol 39:601-607.

*USAF. 1990. Development and validation of methods for applying pharmacokinetic data in risk assessment. Volume 1: Executive summary/introduction. U.S. Air Force. Wright-Patterson Air Force Base, Ohio: Harry G. Armstrong Aerospace Medical Research Laboratory. ADA2373652.

USITC. 1986a. Synthetic organic chemicals: United States production and sales, 1985. USITC Publication 1892. Washington, DC: U.S. International Trade Commission.

USITC. 1986b. Synthetic organic chemicals: United States production and sales, 1986. USITC Publication 2009. Washington, DC: U.S. International Trade Commission.

USITC. 1987. Synthetic organic chemicals: United States production and sales, 1987. USITC Publication 2118. Washington, DC: U.S. International Trade Commission.

USITC. 1989. Synthetic organic chemicals: United States production and sales, 1988. USITC Publication 2119. Washington, DC: U.S. International Trade Commission, 15-7.

USITC. 1990. Synthetic organic chemicals: United States production and sales, 1989. USITC Publication 2338. Washington, DC: U.S. International Trade Commission, 15-7.

Ustyugova NV, Ostrovskii YV, Belozerov IM, et al. 1987. Hydrolysis of methylchloroform during recovery at activated carbon AR-A. Journal of Applied Chemistry USSR 60:2327-2330.

*Vainio HM, Parkki G, Marniemi J. 1976. Effects of aliphatic chlorohydrocarbons on drug-metabolizing enzymes in rat liver in vitro. Xenobiotica 6:599-604.

Van Dyke RA. 1977. Dechlorination mechanisms of chlorinated olefins. Environ Health Perspect 21:121-124.

Van Dyke RA, Rikans LE. 1970. Effect of the volatile anesthetics on aniline hydroxylase and aminopyrine demethylase. Biochem Pharmacol 19:1501- 1502.

*Van Dyke RA, Wineman CG. 1971. Enzymatic dechlorination: Dechlorination of chloroethanes and propanes in vitro. Biochem Pharmacol 20:463-470.

*Vancil MA, Parrish CR, Palazzolo MA. 1991. Emissions of metals and organic from municipal wastewater sludge incinerators. Cincinnati, OH: U.S. Environmental Protection Agency

Vandemeent D, Denhollander HA, Pool WG, et al. 1986. Organic micropollutants in Dutch coastal waters. Water Science and Technology 18:73-81.

*Vanlaethem-Meuree N, Wisemberg J, et al. 1979. Ultraviolet absorption spectrum of methylchloroform in the vapor phase. Geophys Res Lett 6:451-454.

*Vargas C, Ahlert RC. 1987. Anaerobic degradation of chlorinated solvents. J Water Pollut Control Fed 59:964-968.

*Varma MM. 1985. A case study of Moyer landfilled site, Collegeville, PA. Proceedings of the Pennsylvania Academy of Science 59:67-73.

*Vegella T. 1979. Mining health hazard evaluation: HHE 79-101-105. Weld Shop. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. PB80149628.

*Venitt S, Crofton-Sleigh C. 1981. Mutagenicity of 42 coded compounds in a bacterial assay using *Escherichia coli* and *Salmonella typhimurium*. Prog Mutat Res 1:351-360.

Venkataramani ES, Ahlert RC, Corbo P. 1984. Biological treatment of landfill leachates. CRC Critical Reviews in Environmental Controls 14:333-376.

Verkoelen PJHD, Nielen MWF. 1988. Short-term sample loss and sample uptake by Tenax adsorption tubes. HRC CC J High Resolut Chromatogr Chromatogr Commun 11:291-293.

Verschuuren HG, De Rooij CG. 1990. Health risk assessment of environmental exposure to 1,1,1-trichloroethane. Regul Toxicol Pharmacol 11:90-99.

Verschuuren HG, Wilmer JW. 1990. Effects of low-dose inhalation of three chlorinated aliphatic organic solvents on deoxyribonucleic acid in gerbil brain. Scand J Work Environ Health 16:144-145.

Verschuuren HG, Wilmer JW. 1990. Neurotoxicity of 1,1,1-trichloroethane questioned. Scand J Work Environ Health 16:144-146.

*VIAR. 1987. Contract Laboratory Program Statistical Database. April 13, 1987.

*Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. Eur J Biochem 238:476-483.

*Viola A, Sigon M, Pittoni G, et al. 1981. Serum enzyme activities and histological changes after percutaneous application of methylchloroform. Med Lav 72:410-415.

*Vogel EW, Nivard MJM. 1993. Performance of 181 chemicals in a Drosophila assay predominantly monitoring interchromosomal mitotic recombination. Mutagenesis 8:57-81.

*Vogel TM, McCarty PL. 1987. Abiotic and biotic transformations of 1,1,1-trichloroethane under methanogenic conditions. Environ Sci Technol 21:1208-1213.

Vogel TM, Criddle CS, McCarty PL. 1987. Transformations of halogenated aliphatic compounds. Environ Sci Technol 21:722-736.

*Wahlberg JE. 1984a. [Edema-inducing effects of solvents following topical administration.] Derm Beruf Umwelt 32:91-94. (German)

*Wahlberg JE. 1984b. Erythema-inducing effects of solvents following epicutaneous administration to man - studied by laser Doppler flowmetry. Scand J Work Environ Health 10:159-162.

*Wahlberg JE, Boman A. 1979. Comparative percutaneous toxicity of ten industrial solvents in the guinea pig. Scand J Work Environ Health 5:345-351.

*Wakeham SG, Davis AC, Karas JL. 1983b. Mesocosm experiments to determine the fate and persistence of volatile organic compounds in coastal seawater. Environ Sci Technol 17:611-617.

- *Wakeham SG, Goodwin JT, Davis AC. 1983a. Distributions and fate of volatile organic compounds in Narragansett Bay, RI. Can J Fish Aquat Sci 40:304-321.
- *Walker BL, Cooper CD. 1992. Air pollution factors for medical waste incinerators. J Air Waste Manage Assoc 42:784-791.
- *Wallace LA. 1986. Personal exposures, indoor and outdoor air concentrations and exhaled breath concentrations of selected volatile organic compounds measured for 600 residents of New Jersey, North Dakota, North Carolina and California. Toxicol Environ Chem 12:215-236.
- *Wallace LA. 1987. Exhaled breath as an indicator of recent exposure to volatile organic compounds. Proceedings of the Air Pollution Control Association Annual Meeting 80:16.
- *Wallace LA, Hartwell TD, Perritt K, et al. 1987d. The influence of personal activities on exposure to volatile organic compounds. In: Proceedings of the 4th International Conference: Indoor Air Quality and Climate, Germany. Research Triangle Park, NC: U.S. Environmental Protection Agency, 2-181 to 2-185.
- *Wallace LA, Jungers R, Sheldon L, et al. 1987c. Volatile organic chemicals in 10 public-access buildings. Washington, DC: U.S. Environmental Protection Agency. EPA60038152.
- *Wallace LA, Nelson W, Ziegenfus R, et al. 1991. The Los Angeles team study: personal exposures, indoor-outdoor air concentrations, and breath concentrations of 25 volatile organic compounds. J Exp Anal Environ Epidemiol 1:157-172.
- *Wallace LA, Pellizzari E, Hartwell T, et al. 1984a. Personal exposure to volatile organic compounds. I. Direct measurements in breathing-zone air, drinking water, food, and exhaled breath. Environ Res 35:293-319.
- *Wallace LA, Pellizzari E, Hartwell T, et al. 1984b. Analyses of exhaled breath of 355 urban residents for volatile organic compounds. Indoor Air: Chemical Characterization and Personal Exposure 4:15-20.
- *Wallace LA, Pellizzari E, Hartwell T, et al. 1986c. Concentrations of 20 volatile organic compounds in the air and drinking water of 350 residents of New Jersey compared with concentrations in their exhaled breath. J Occup Med 28:603-608.
- *Wallace LA, Pellizzari E, Hartwell T, et al. 1987a. The TEAM study: Personal exposures to toxic substances in air, drinking water, and breath of 400 residents of New Jersey, North Carolina, and North Dakota. Environ Res 43:290-307.
- *Wallace LA, Pellizzari E, Hartwell TD, et al. 1985. Personal exposures, indoor-outdoor relationships, and breath levels of toxic air pollutants measured for 335 persons in New Jersey. Atmos Environ 19:1651-1661.
- *Wallace LA, Pellizzari E, Leaderer B, et al. 1987b. Emissions of volatile organic compounds for building materials and consumer products. Atmos Environ 21:385-395.
- *Wallace LA, Pellizzari E, Sheldon L, et al. 1986a. The total exposure assessment methodology (TEAM) study: Direct measurement of personal exposures through air and water for 600 residents of several U.S. cities. In: Cohen Y, ed. Pollutants in a multimedia environment. New York, NY: Plenum Press, 289-315.

*Wallace LA, Pellizzari ED, Hartwell TD, et al. 1986b. Total exposure assessment methodology (TEAM) study: Personal exposures, indoor-outdoor relationships, and breath levels in volatile organic compounds in New Jersey. Environ Int 12:369-387.

*Wallace LA, Pellizzari ED, Hartwell TD, et al. 1988. The California team study breath concentrations and personal exposures to 26 volatile compounds in air and drinking water of 188 residents of Los Angeles, Antioch, and Pittsburg, California, USA. In: Proceedings of Human Exposure Assessment.

*Wallace LA, Pellizzari ED, Hartwell TD, et al. 1989. The influence of personal activities on exposure to volatile organic compounds. Environ Res 50:37-55.

*Wallace LA, Zweidinger R, Erickson M, et al. 1982. Monitoring individual exposure: Measurements of volatile organic compounds in breathing-zone air, drinking water and exhaled breath. Environ Int 8:269-282.

*Walsh JJ, Conrad ET, Stubing HD, et al. 1988. Control of volatile organic compound emissions at a landfill site in New York: A community perspective. Waste Manage Res 6:23-34.

Walter PA, Craigmill A, Villaume J, et al. 1976. Chlorinated hydrocarbon toxicity (1,1,1-trichloroethane, trichloroethylene and tetrachloroethylene): A monograph. Bethesda, MD: Consumer Product Safety Commission, Bureau of Biomedical Science. PB257185.

Walum E. 1998. Acute oral toxicity. Environ Health Perspect 106:497-503.

*Wang R-S, Nakajima T, Tsuruta H, et al. 1996. Effect of exposure to four organic solvents on hepatic cytochrome P450 isozymes in rat. Chem Biol Interact 99:239-252.

Warner JR, Hughes TJ, Claxton LD. 1988. Mutagenicity of 16 volatile organic chemicals in a vaporization technique with Salmonella typhimurium TA100. Environ Mol Mutagen 11(Suppl 11):111-112.

*Warren DA, Reigle TG, Dallas CE. 1997. Effect of single versus repeated exposure to 1,1,1-trichloroethane on rat operant behavior. Int J Toxicol 16:585-598.

*Warren DA, Reigle TG, Muralidhara S, et al. 1998. Schedule-controlled operant behavior of rats during 1,1,1-trichloroethane inhalation: Relationship to blood and brain solvent concentrations. Neurotoxicol Teratol 20:143-153.

Watanabe Y. 1983. [Studies on biological effects of hydrocarbons. III. Chlorinated hydrocarbons.] Kanagawa-ken Taiki Osen Chosa Kenkyu Hokoku 25:146-152. (Japanese)

Watson RT, Machado G, Fischer S, et al. 1977. A temperature dependent kinetics study of the reaction of OH with CH2CLF, CHCL2F, CHCLF2, CH3CCL3, CH3CF2CL, and CF2CLCFCL2. J Phys Chem 81:256-262.

*Weast RC, ed. 1988. CRC handbook of chemistry and physics. 69th ed. Boca Raton, FL: CRC Press, Inc., C-266.

Weidner J. 1985. Exploration and disposal of halogenated hydrocarbon contamination of groundwater. Water Supply 3:165-172.

*West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. J Pediatr 32:10-18.

Westerberg E, Larsson L. 1982. Use of automated head-space gas chromatography for determination of 1,1,1-trichloroethane in rat blood and brain tissue. Int J Environ Anal Chem 12:3-4.

*Westrick JJ, Mello JW, Thomas RF. 1984. The groundwater supply survey. J Am Water Works Assoc 76:52-59.

Whim BP. 1982. Halogenated solvents in industry control of solvent exposures. In: Collings AJ, Luxon SG, eds. Safe Use of Solvents. London, UK: Academic Press, Inc., 239-250.

*Whitehead LW, Ball GL, Fine LJ, et al. 1984. Solvent vapor exposures in both spray painting and spray gluing, and associated operations. Am Ind Hyg Assoc J 45:767-772.

*Whittaker SG, Zimmermann FK, Dicus B, et al. 1990. Detection of induced mitotic chromosome loss in *Saccharomyces cerevisiae* an interlaboratory assessment of 12 chemicals. Mutat Res 241:225-242.

*WHO. 1992. Environmental health criteria 136: 1,1,1-trichloroethane. Geneva, Switzerland: World Health Organization, International programme on chemical safety. http://www.inchem.org/documents/ehc/ehc/ehc136.htm. July 09, 2002.

*WHO. 1996. 1,1,1-Trichloroethane. Guidelines for drinking-water quality. Volume 2. Health criteria and other supporting information. Geneva, Switzerland: World Health Organization. http://www.who.int/water_sanitation_health/dwq/en/2edvol2p2c.pdf. June 06, 2004.

*Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advanced treatise. Volume II: The elements Part A. New York: Academic Press.

Wilcosky TC, Simonsen NR. 1991. Solvent exposure and cardiovascular disease. Am J Ind Med 19:569-586.

*Wiley JL, Fagalde RE, Buhler K, et al. 2002. Evaluation of 1,1,1-trichloroethane and flurothyl locomotor effects following diazepam treatment in mice. Pharmacol Biochem Behav 71:163-169.

*Williams GM, Mori H, McQueen CA. 1989. Structure-activity relationships in the rat hepatocyte DNA-repair test for 300 chemicals. Mutat Res 221:263-286.

Wilmer JW, Reitz RH, Gilbert JR, et al. 1993. 1,1,1-Trichloroethane: determination of solvent concentrations in rat brain following inhalation exposure. Neurotoxicology 14:547.

*Wilson BH, Pogue DW. 1987. Biological removal of trichloroethylene from contaminated ground water. Presented before the Division of Environmental Chemistry, American Chemical Society, New Orleans, LA, Aug. 30:Sept. 4, 1987. Preprint Extended Abstract 194:628-631.

Wilson HK, Ottley TW. 1981. The use of a transportable mass spectrometer for the direct measurement of industrial solvents in breath. Biomed Mass Spectrom 8:606-610.

*Wilson JT, McNabb JF, Wilson RH, et al. 1983. Biotransformation of selected organic pollutants in ground water. Dev Ind Microbiol 24:225-233.

*Wilson SC, Burnett V, Waterhouse KS, et al. 1994. Volatile organic compounds in digested United Kingdom sewage sludges. Environ Sci Technol 28:259-266.

*Windham GC, Shusterman D, Swan SH, et al. 1991. Exposure to organic solvents and adverse pregnancy outcome. Am J Ind Med 20:241-259.

*Winek CL, Wahba WW, Huston R, et al. 1997. Fatal inhalation of 1,1,1-trichloroethane. Forensic Sci Int 87:161-165.

Wing MR. 1997. Apparent first-order kinetics in the transformation of 1,1,1-trichloroethane in groundwater following a transient release. Chemosphere 34:771-781.

Wise MG, Fisher JG, de la Pena AM. 1983. Trichloroethane (TCE) and central sleep apnea: A case study. J Toxicol Environ Health 11:101-104.

Witmer C, Cooper KR, Jowa L, et al. 1990. Oral toxicity of trans-1,2-dichloroethylene (DCE) and 1,1,1-trichloroethane (TCE) given alone and in combination to rats. In: Proceedings of the 29th Society of Toxicology Annual Meeting, Miami Beach, FL, February 12-16, 1990. Washington DC: Society of Toxicology, 203.

*Wodka RM, Jeong EWS. 1991. Myocardial injury following the intentional inhalation of typewriter correction fluid. Military Med 156:204-205.

*Wofsy SC, Fan SM, Blake DR, et al. 1994. Factors influencing atmospheric composition over subarctic North America during summer. J Geophys Res (Atmos) 99(D1):1887-1897.

*Wolf K, Chesnutt TW. 1987. Chlorinated solvents: Market interactions and regulation. J Haz Mater 15:137-161.

*Wood JA, Porter ML. 1987. Hazardous pollutants in Class II landfills. J Air Pollut Control Assoc 37:609-615.

*Wood PR, Lang RF, Payan IL. 1985. Anaerobic transformation, transport and removal of volatile chlorinated organics in ground water. In: Ward CH, Giger W, McCarty PL, eds. Ground Water Quality. New York, NY: John Wiley and Sons, Inc., 493-511.

*Woolverton WL, Balster RL. 1981. Behavioral and lethal effects of combinations of oral ethanol and inhaled 1,1,1-trichloroethane in mice. Toxicol Appl Pharmacol 59:1-7.

Woolverton WL, Hassoun JK, Schuster CR. 1982. Conditioned flavor avoidance in rats induced by inhalation of 1,1,1-trichloroethane. Fed Proc 41:7661.

Woolverton WL, Pross RS, Balster RL. 1980. Interactions between ethanol and inhaled 1,1,1-trichloroethane in mice. Fed Proc 39(3):519.

*Wrensch M, Swan S, Lipscomb J, et al. 1990b. Pregnancy outcomes in women potentially exposed to solvent-contaminated drinking water in San Jose, CA. Am J Epidemiol 131:283-300.

- *Wrensch M, Swan S, Murphy PJ, et al. 1990a. Hydrogeologic assessment of exposure to solvent-contaminated drinking water: Pregnancy outcomes in relation to exposure. Arch Environ Health 45:210-216.
- *Wright MF, Strobl DJ. 1984. 1,1,1-Trichloroethane cardiac toxicity: Report of a case. J Am Osteopath Assoc 84:285-288.
- Wright PFA, Schlichting LM, Stacey NH. 1994. Effects of chlorinated solvents on the natural lymphocytotoxic activities of human liver immune cells. Toxicol in Vitro 8:1037-1039.
- *WSDHS. 1989. Written communication (June 8) regarding Wisconsin groundwater quality standards for 1,1,1-trichloroethane. Madison, WI: State of Wisconsin Department of Health and Social Services, Division of Health.
- *Xia L, Yu T. 1992. Study of the relationship between hepatotoxicity and free radical induced by 1,1,2-trichloroethane and 1,1,1-trichloroethane in rat. Biomed Environ Sci 5:303-313.
- *Xiao H, Levine SP. 1993. Application of computerized differentiation technique to remote-sensing Fourier transform infrared spectrometry for analysis of toxic vapors. Anal Chem 65:2262-2269.
- *Yao CCD, Haag WR. 1991. Rate constants for direct reactions of ozone with several drinking water contaminants. Water Res 25:761-774.
- *York RG, Sowry BM, Hastings L, et al. 1982. Evaluation of teratogenicity and neurotoxicity with maternal inhalation exposure to methyl chloroform. J Toxicol Environ Health 9:251-266.
- *You L, Dallas CE. 2000. Effects of inhaled 1,1,1-trichloroethane on the regional brain cyclic GMP levels in mice and rats. J Toxicol Environ Health A 60:331-341.
- *You L, Muralidhara S, Dallas CE. 1994. Comparisons between operant response and 1,1,1-trichloroethane toxicokinetics in mouse blood and brain. Toxicology 93:151-163.
- *Young DR. 1978. Priority pollutants in municipal wastewaters. Annual Report. South California Coastal Water Project, 103-112.
- *Young DR, Gossett RW, Baird RB, et al. 1983. Wastewater inputs and marine bioaccumulation of priority pollutant organics off Southern California. In: Jolley RL, ed. Water chlorination: Environmental impact health effects, Volume 4: Proceedings of the Forth Conference on Water Clorination-Environmental Impact and Health Effects, Pacific Grove, California, October 18-23, 1981. Ann Arbor, MI: Ann Arbor Science, 871-884.
- Young P, Parker A. 1984. Vapors, odors, and toxic gases from landfills. American Society for Testing and Materials Special Technical Publication 851, 24-41.
- *Zaki MH. 1986. Groundwater contamination with synthetic organic compounds and pesticides in Suffolk County. Northeastern Environmental Science 5:15-22.
- Zarchy TM. 1996. Chlorinated hydrocarbon solvents and biliary-pancreatic cancer: Report of three cases. Am J Ind Med 30:341-342.

*Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. Pediatr Res 12:29-34.

*Zimmermann FK, Scheel I. 1981. Induction of mitotic gene conversion in strain D7 of Saccharomyces cerevisiae by 42 coded chemicals. Prog Mutat Res 1:481-490.

Zoeteman BCJ, DeGreef E, Brinkman FJJ. 1981. Persistence of organic contaminants in ground water: Lessons from soil pollution incidents in the Netherlands. Sci Total Environ 21:187-202.

Zoeteman BCJ, Harmsen K, Linders JBHJ, et al. 1980. Persistent organic pollutants in river water and ground water of the Netherlands. Chemosphere 9:231-249.

*Zweidinger R, Erickson M, Cooper S, et al. 1983. Direct measurement of volatile organic compounds in breathing-zone air, drinking water, breath, blood and urine. Washington, DC: U.S. Environmental Protection Agency. EPA600482015.