

ICD-9-CM Diagnosis Codes Used to Identify MH/SA Patients

Codes	Descriptions	Comments
-------	--------------	----------

Senile/Presenile Psychoses		
290*	Senile/Presenile Psychoses	<i>recommended</i>
290.0*	Senile Dementia Uncomp	<i>recommended</i>
290.1*	Presenile Dementia	<i>recommended</i>
290.2*	Senile Delusion/Depress	<i>recommended</i>
290.3*	Senile Delirium	<i>recommended</i>
290.4*	Arteriosclerotic Dementia	<i>recommended</i>
290.42	Vascular Dementia Delusions	<i>recommended</i>
290.43	Vascular Dementia Depressed Mood	<i>recommended</i>
290.8*	Senile Psychosis NEC	<i>recommended</i>
290.9*	Senile Psychotic Condition NOS	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 290.0* assumes 290.0 through 290.09, inclusive)

Alcoholic Psychoses		
291*	Alcoholic Psychoses	<i>recommended</i>
291.0*	Delirium Tremens	<i>recommended</i>
291.1*	Alcohol Amnestic Syndrome	<i>recommended</i>
291.2*	Alcoholic Dementia NEC	<i>recommended</i>
291.3*	Alcohol Hallucinosi	<i>recommended</i>
291.4*	Pathologic Alcohol Intoxication	<i>recommended</i>
291.5*	Alcoholic Jealousy	<i>recommended</i>
291.8*	Alcoholic Psychosis NEC	<i>recommended</i>
291.9*	Alcoholic Psychosis NOS	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 291.0* assumes 291.0 through 291.09, inclusive)

Drug Psychoses		
292*	Drug Psychoses	<i>recommended</i>
292.0*	Drug Withdrawal Syndrome	<i>recommended</i>
292.1*	Drug Paranoid/Hallucinosi	<i>recommended</i>
292.2*	Pathologic Drug Intoxication	<i>recommended</i>
292.8*	Other Drug Mental Disease	<i>recommended</i>
292.9*	Drug Mental Disorder NOS	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 292.0* assumes 292.0 through 292.09, inclusive)

Transient Organic Mental Disease		
293*	Transient Organic Mental Disease	<i>recommended</i>
293.0*	Acute Delirium	<i>recommended</i>
293.1*	Subacute Delirium	<i>recommended</i>
293.8*	Other Transient Organic Mental Disease	<i>recommended</i>
293.9*	Transient Organic Mental Disease, NOS	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 293.0* assumes 293.0 through 293.09, inclusive)

Other Organic Psychotic Conditions		
294*	Other Organic Psychotic Conditions	<i>recommended</i>
294.0*	Amnestic Syndrome	<i>recommended</i>
294.1*	Dementia In Other Diseases	<i>recommended</i>
294.8*	Organic Brain Syndrome NEC	<i>recommended</i>
294.9*	Organic Brain Syndrome NOS	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 294.0* assumes 294.0 through 294.09, inclusive)

ICD-9-CM Diagnosis Codes Used to Identify MH/SA Patients

Codes	Descriptions	Comments
-------	--------------	----------

Schizophrenic Disorders		
295*	Schizophrenic Disorders	<i>recommended</i>
295.0*	Simple Schizophrenia	<i>recommended</i>
295.1*	Hebephrenia	<i>recommended</i>
295.2*	Catatonic Schizophrenia	<i>recommended</i>
295.3*	Paranoid Schizophrenia	<i>recommended</i>
295.4*	Acute Schizophrenic Episode	<i>recommended</i>
295.5*	Latent Schizophrenia	<i>recommended</i>
295.6*	Residual Schizophrenia	<i>recommended</i>
295.7*	Schizoaffective Type	<i>recommended</i>
295.8*	Schizophrenia NEC	<i>recommended</i>
295.9*	Schizophrenia NOS	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 295.0* assumes 295.0 through 295.09, inclusive)

Affective Psychoses		
296*	Affective Psychoses	<i>recommended</i>
296.0*	Manic Disorder, Single Episode	<i>recommended</i>
296.1*	Manic, Recurrent Episode	<i>recommended</i>
296.2*	Depressive Psychosis, Single Episode	<i>recommended</i>
296.3*	Depressive Psychosis, Recurrent Episode	<i>recommended</i>
296.4*	Bipolar Affective, Manic	<i>recommended</i>
296.5*	Bipolar Affect, Depressive	<i>recommended</i>
296.6*	Bipolar Affective, Mixed	<i>recommended</i>
296.7*	Bipolar Affective NOS	<i>recommended</i>
296.8*	Manic-Depressive NEC/Nos	<i>recommended</i>
296.9*	Affect Psychoses NEC/Nos	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 296.0* assumes 296.0 through 296.09, inclusive)

Paranoid States		
297*	Paranoid States	<i>recommended</i>
297.0*	Paranoid State, Simple	<i>recommended</i>
297.1*	Paranoia	<i>recommended</i>
297.2*	Paraphrenia	<i>recommended</i>
297.3*	Shared Paranoid Disorder	<i>recommended</i>
297.8*	Paranoid States NEC	<i>recommended</i>
297.9*	Paranoid State NOS	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 297.0* assumes 297.0 through 297.09, inclusive)

Other Nonorganic Psychoses		
298*	Other Nonorganic Psychoses	<i>recommended</i>
298.0*	Reaction Depressive Psychosis	<i>recommended</i>
298.1*	Excitative Type Psychosis	<i>recommended</i>
298.2*	Reactive Confusion	<i>recommended</i>
298.3*	Acute Paranoid Reaction	<i>recommended</i>
298.4*	Psychogenic Paranoid Psychosis	<i>recommended</i>
298.8*	Reactive Psychosis NEC/Nos	<i>recommended</i>
298.9*	Psychosis NOS	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 298.0* assumes 298.0 through 298.09, inclusive)

ICD-9-CM Diagnosis Codes Used to Identify MH/SA Patients

Codes	Descriptions	Comments
-------	--------------	----------

Psychoses Of Childhood		
299*	Psychoses Of Childhood	<i>recommended</i>
299.0*	Infantile Autism	<i>recommended</i>
299.1*	Disintegrative Psychosis	<i>recommended</i>
299.8*	Early Childhood Psychoses NEC	<i>recommended</i>
299.9*	Early Childhood Psychosis NOS	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 299.0* assumes 299.0 through 299.09, inclusive)

Neurotic Disorders		
300*	Neurotic Disorders	<i>recommended</i>
300.0*	Anxiety States	<i>recommended</i>
300.1*	Hysteria	<i>recommended</i>
300.2*	Phobic Disorders	<i>recommended</i>
300.3*	Obsessive-Compulsive Disease	<i>recommended</i>
300.4*	Neurotic Depression	<i>recommended</i>
300.5*	Neurasthenia	<i>recommended</i>
300.6*	Depersonalization Syndrome	<i>recommended</i>
300.7*	Hypochondriasis	<i>recommended</i>
300.8*	Neurotic Disorders NEC	<i>recommended</i>
300.9*	Neurotic Disorder NOS	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 300.0* assumes 300.0 through 300.09, inclusive)

Personality Disorders		
301*	Personality Disorders	<i>recommended</i>
301.0*	Paranoid Personality	<i>recommended</i>
301.1*	Affective Personality	<i>recommended</i>
301.2*	Schizoid Personality	<i>recommended</i>
301.3*	Explosive Personality	<i>recommended</i>
301.4*	Compulsive Personality	<i>recommended</i>
301.5*	Histrionic Personality	<i>recommended</i>
301.6*	Dependent Personality	<i>recommended</i>
301.7*	Antisocial Personality	<i>recommended</i>
301.8*	Other Personality Disorder	<i>recommended</i>
301.9*	Personality Disorder NOS	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 301.0* assumes 301.0 through 301.09, inclusive)

Sexual Disorders		
302*	Sexual Disorders	<i>recommended</i>
302.0*	Ego-Dystonic Homosexuality	<i>recommended</i>
302.1*	Zoophilia	<i>recommended</i>
302.2*	Pedophilia	<i>recommended</i>
302.3*	Transvestism	<i>recommended</i>
302.4*	Exhibitionism	<i>recommended</i>
302.5*	Trans-Sexualism	<i>recommended</i>
302.6*	Psychosexual Identity Disorder	<i>recommended</i>
302.7*	Psychosexual Dysfunction	<i>recommended</i>
302.8*	Psychosexual Disorder NEC	<i>recommended</i>
302.9*	Psychosexual Disorder NOS	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 302.0* assumes 302.0 through 302.09, inclusive)

ICD-9-CM Diagnosis Codes Used to Identify MH/SA Patients

Codes	Descriptions	Comments
-------	--------------	----------

Alcohol Dependence Syndrome

303*	Alcohol Dependence Syndrome	<i>recommended</i>
303.0*	Acute Alcohol Intoxication	<i>recommended</i>
303.9*	Alcohol Dependency NEC/Nos	<i>recommended</i>

** These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 303.0* assumes 303.0 through 303.09, inclusive)*

Drug Dependence

304*	Drug Dependence	<i>recommended</i>
304.0*	Opioid Type Dependence	<i>recommended</i>
304.1*	Barbiturate Dependence	<i>recommended</i>
304.2*	Cocaine Dependence	<i>recommended</i>
304.3*	Cannabis Dependence	<i>recommended</i>
304.4*	Amphetamine Dependence	<i>recommended</i>
304.5*	Hallucinogen Dependence	<i>recommended</i>
304.6*	Drug Dependence NEC	<i>recommended</i>
304.7*	Opioid/Other Drug Dependence	<i>recommended</i>
304.8*	Comb Drug Dependence NEC	<i>recommended</i>
304.9*	Drug Dependence NOS	<i>recommended</i>

** These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 304.0* assumes 304.0 through 304.09, inclusive)*

Nondependent Drug Abuse

305*	Nondependent Drug Abuse	<i>recommended</i>
305.0*	Alcohol Abuse	<i>recommended</i>
305.1*	Tobacco Use Disorder	<i>recommended</i>
305.2*	Cannabis Abuse	<i>recommended</i>
305.3*	Hallucinogen Abuse	<i>recommended</i>
305.4*	Barbiturate Abuse	<i>recommended</i>
305.5*	Opioid Abuse	<i>recommended</i>
305.6*	Cocaine Abuse	<i>recommended</i>
305.7*	Amphetamine Abuse	<i>recommended</i>
305.8*	Antidepressant Abuse	<i>recommended</i>
305.9*	Drug Abuse NEC/Nos	<i>recommended</i>

** These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 305.0* assumes 305.0 through 305.09, inclusive)*

Psychophysiologic Disease

306*	Psychophysiologic Disease	<i>recommended</i>
306.0*	Psychogenic Musculoskeletal Disease	<i>recommended</i>
306.1*	Psychogenic Respiratory Disease	<i>recommended</i>
306.2*	Psychogenic Cardiovascular Disease	<i>recommended</i>
306.3*	Psychogenic Skin Disease	<i>recommended</i>
306.4*	Psychogenic GI Disease	<i>recommended</i>
306.5*	Psychogenic GU Disease	<i>recommended</i>
306.6*	Psychogenic Endocrine Disease	<i>recommended</i>
306.7*	Psychogenic Sensory Disease	<i>recommended</i>
306.8*	Psychogenic Disorder NEC	<i>recommended</i>
306.9*	Psychogenic Disorder NOS	<i>recommended</i>

** These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 306.0* assumes 306.0 through 306.09, inclusive)*

ICD-9-CM Diagnosis Codes Used to Identify MH/SA Patients

Codes	Descriptions	Comments
-------	--------------	----------

Special Symptom Nec		
307*	Special Symptom NEC	<i>recommended</i>
307.0*	Stammering & Stuttering	<i>recommended</i>
307.1*	Anorexia Nervosa	<i>recommended</i>
307.2*	Tics	<i>recommended</i>
307.3*	Stereotyped Movements	<i>recommended</i>
307.4*	Nonorganic Sleep Disorder	<i>recommended</i>
307.5*	Eating Disorders NEC/NOS	<i>recommended</i>
307.6*	Enuresis	<i>recommended</i>
307.7*	Encopresis	<i>recommended</i>
307.8*	Psychalgia	<i>recommended</i>
307.9*	Special Symptom NEC/Nos	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 307.0* assumes 307.0 through 307.09, inclusive)

Acute Reaction To Stress		
308*	Acute Reaction To Stress	<i>recommended</i>
308.0*	Stress Reaction, Emotional	<i>recommended</i>
308.1*	Stress Reaction, Fugue	<i>recommended</i>
308.2*	Stress React, Psychomotor	<i>recommended</i>
308.3*	Acute Stress React NEC	<i>recommended</i>
308.4*	Stress React, Mixed Disorder	<i>recommended</i>
308.9*	Acute Stress React NOS	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 308.0* assumes 308.0 through 308.09, inclusive)

Adjustment Reaction		
309*	Adjustment Reaction	<i>recommended</i>
309.0*	Brief Depressive Reaction	<i>recommended</i>
309.1*	Prolong Depressive Reaction	<i>recommended</i>
309.2*	Adjustment Reaction/Other Emotion	<i>recommended</i>
309.3*	Adjustment Reaction-Conduct Disorder	<i>recommended</i>
309.4*	Adjustment Reaction-Emotion/Conduct	<i>recommended</i>
309.8*	Other Adjustment Reaction	<i>recommended</i>
309.9*	Adjustment Reaction NOS	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 309.0* assumes 309.0 through 309.09, inclusive)

Nonpsychotic Brain Syndrome		
310*	Nonpsychotic Brain Syndrome	<i>recommended</i>
310.0*	Frontal Lobe Syndrome	<i>recommended</i>
310.1*	Organic Personality Syndrome	<i>recommended</i>
310.2*	Postconcussion Syndrome	<i>recommended</i>
310.8*	Nonpsychotic Brain Syndrome NEC	<i>recommended</i>
310.9*	Nonpsychotic Brain Syndrome NOS	<i>recommended</i>

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 310.0* assumes 310.0 through 310.09, inclusive)

ICD-9-CM Diagnosis Codes Used to Identify MH/SA Patients

Codes	Descriptions	Comments
-------	--------------	----------

Depressive Disorder NEC

311*	Depressive Disorder NEC	recommended
------	-------------------------	-------------

** These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 311* assumes 311 through 311.99, inclusive)*

Conduct Disturbance NEC

312*	Conduct Disturbance NEC	recommended
312.0*	Unsocialized Aggression	recommended
312.1*	Unsocialized, Unaggressive	recommended
312.2*	Socialized Conduct Disorder	recommended
312.3*	Impulse Control Disorder NEC	recommended
312.4*	Mixed Disturbance Conduct/Emotion	recommended
312.8*	Other Conduct Disturbance	recommended
312.9*	Conduct Disturbance NOS	recommended

** These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 312.0* assumes 312.0 through 312.09, inclusive)*

Emotional Disorder Child/Adolescence

313*	Emotional Disorder Child/Adolescence	recommended
313.0*	Overanxious Disorder	recommended
313.1*	Misery & Unhappiness Disorder	recommended
313.2*	Sensitivity & Withdrawal	recommended
313.3*	Relationship Problems	recommended
313.8*	Other Emotional Disturbance Child	recommended
313.9*	Emotional Disturbance Child NOS	recommended

** These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 313.0* assumes 313.0 through 313.09, inclusive)*

Hyperkinetic Syndrome

314*	Hyperkinetic Syndrome	recommended
314.0*	Attention Deficit Disorder	recommended
314.1*	Hyperkinetic W/ Developmental Delay	recommended
314.2*	Hyperkinetic Conduct Disorder	recommended
314.8*	Other Hyperkinetic Syndrome	recommended
314.9*	Hyperkinetic Syndrome NOS	recommended

** These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 314.0* assumes 314.0 through 314.09, inclusive)*

Psychotic Factor W/ Other Disease

316*	Psychotic Factor W/ Other Disease	recommended
------	-----------------------------------	-------------

** These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 316* assumes 316 through 316.99, inclusive)*

Cerebral Degeneration

331*	Cerebral Degeneration	recommended
331.0*	Alzheimer'S Disease	recommended
331.1*	Pick's Disease	recommended
331.2*	Senile Degeneration Brain	recommended
331.3*	Communicative Hydrocephalus	recommended
331.4*	Obstructive Hydrocephalus	recommended
331.7*	Cerebral Degeneration In Other Disease	recommended
331.8*	Cerebral Degeneration NEC	recommended
331.9*	Cerebral Degeneration NOS	recommended

** These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 331.0* assumes 331.0 through 331.09, inclusive)*

ICD-9-CM Diagnosis Codes Used to Identify MH/SA Patients

Codes	Descriptions	Comments
Other Conditions		
648.3*	Drug Dependence In Pregnancy	
648.4*	Mental Disorders In Pregnancy	
797*	Senility W/O Psychosis	
967*	Poisoning by Sedative and Hypnotics	
968*	Poisoning by Other Central Nervous System Depressants and Anesthetics	
969*	Poisoning by Psychotropic Agents	
970*	Poisoning by Central Nervous System Stimulants	
995.5*	Child Maltreatment Syndrome-	
995.8*	Adverse Effect Medicine –	

* These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 648.3* assumes 648.3 through 648.39, inclusive)

ICD-9-CM Diagnosis Codes Used to Identify MH/SA Patients

Codes	Descriptions	Comments
OPTIONAL CONDITIONS		

V Codes		
V11*	History Of Mental Disorder	V codes usually not reimbursable, though they can be reasons for behavioral health services
V11.0*	History Of Schizophrenia	
V11.1*	History Of Affective Disorder	
V11.2*	History Of Neurosis	
V11.3*	History Of Alcoholism	
V11.8*	History Of Mental Disorder NEC	
V11.9*	History Of Mental Disorder NOS	
V40	Mental/Behavioral Problem	
V40.2*	Mental Problems NEC	
V40.3*	Behavioral Problems NEC	
V40.9*	Mental/Behavior Problems NOS	
V61	Other Family Circumstances	
V61.0*	Family Disruption	
V61.1*	Marital Problems	
V61.2*	Parent-Child Problems	
V65.2*	Malingering	
V66.3*	Mental Disorder Convalescence	
V67.3*	Psychiatric Follow-Up	
V70.1*	Psychiatric Exam-Authority Required	
V70.2*	General Psychiatric Exam Nec	
V71.0*	Observation For Mental Conditions	

** These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., V11.0* assumes V11.0 through V11.09, inclusive)*

Substance Abuse		
535.3*	Alcoholic Gastritis	Associated with concurrent alcohol or substance abuse
571.1*	Acute Alcoholic Hepatitis	
655.4*	Fetal Damage D/T Other Disease	
655.5*	Fetal Damage D/T Drug	
760.7*	Noxious Substance Affecting Newborn	
779.5*	Newborn Drug Withdrawal Syndrome	
790.3*	Excessive Blood Alcohol Level	
980*	Alcohol Toxicity	

** These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 535.3* assumes 535.3 through 535.39, inclusive)*

Medication Induced Movement Disorders		
332.1*	Secondary Parkinsinism	Though not a mental illness, these are conditions caused by psychotropic agents and require treatment.
333.1*	Essential and other specified forms of tremor	
333.7*	Symptomatic torsion dystonia	
333.82	Orofacial dyskinesia	
333.90	Unspecified extrapramidal diseases and abnormal movement disorders	

** These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 332.1* assumes 332.1 through 332.19, inclusive)*

ICD-9-CM Diagnosis Codes Used to Identify MH/SA Patients

Codes	Descriptions	Comments
-------	--------------	----------

Developmental Disorders		
315.5*	Mixed Development Disorder	Children may receive treatment for these disorders through the
315.8*	Development Delays NEC	
315.9*	Development Delay NOS	

** These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 315.5* assumes 315.5 through 315.59, inclusive)*

Symptoms		
780.52	Insomnia	Symptoms associated with a mental illness.
780.71	Chronic Fatigue	
781.3*	Ataxia	
783.1*	Weight Gain, Abnormal	
783.2*	Weight Loss, Abnormal	
787.6*	Encopresis, Unspecified Cause	
787.7*		
788.3*		
789.55	Sleep Disturbance	

** These flagged ICD-9-CM codes listed as less than five digits include any subsequent digit (e.g., 781.3* assumes 781.3 through 781.39, inclusive)*

ICD-9-CM Diagnosis Codes Used to Identify MH/SA Patients

Codes		Descriptions	Comments
CONSIDERED AND EXCLUDED			
Substance Abuse			<i>exclude</i>
265.2	Pellagra	Diagnosis are associated with a history of substance abuse, but not necessarily current abuse.	
357.5	Alcoholic Polyneuropathy		
357.6	Neuropathy Due To Drugs		
425.5	Alcoholic Cardiomyopathy		
571.0	Alcoholic Fatty Liver		
571.2	Alcohol Cirrhosis Liver		
571.3	Alcohol Liver Damage NOS		
Specific Develop Delays			<i>exclude</i>
315	Specific Development Delays	Associated with learning disorders or neurological disorders.	
315.0	Specific Reading Disorder		
315.1	Arithmetical Disorder		
315.2	Other Learning Difficulty		
315.3	Speech/Language Disorder		
315.4	Coordination Disorder		
Mental Retardation			<i>exclude</i>
317	Mild Mental Retardation	Treated by the behavioral health system	
318	Other Mental Retardation		
318.0	Moderate Mental Retardation		
318.1	Severe Mental Retardation		
318.2	Profound Mental Retardation		
319	Mental Retardation NOS		
Poisonings			<i>exclude</i>
962	Poisoning By Hormones	These agents are not used to treat mental illness	
965	Poisoning-Analgesic/Antipyretic		
966	Poisoning-Anticonvulsants		
971	Poisoning-Autonomic Agent		
972	Poisoning-Cardiovascular Agent		
973	Poisoning-GI Agents		
974	Poisoning-Water/Min/Metabolic Agent		
975	Poisoning-Muscle Agent		
976	Poisoning-Skin/Eent/Dental Agent		
977	Poisoning-Medicinal NEC/NOS		
978	Poisoning-Bacterial Vaccines		
979	Poisoning-Other Vaccine/Biologicals		

ICD-9-CM Diagnosis Codes Used to Identify MH/SA Patients

Codes	Descriptions	Comments
Medical Illnesses		<i>exclude</i>
536.9	Functional GI Distress	Frequently associated with behavioral health problems and symptoms.
556.9	Ulcerative Colitis	
564.1	Irritable Bowel Syndrome	
V Codes		<i>exclude</i>
V17	Family History Of Chr Disabling Disorder	Stressors not directly associated with a mental illness or substance abuse
V17.0	Family History Of psychiatric Condition	
V18.4	Family History Of Mental Retardation	
V40.0	Problems With Learning	
V40.1	Problems With Communication	
V61.3	Problem W/ Aged Parent	
V61.4	Health Problem In Family	
V61.5	Multiparity	
V61.6	Illegitimate Pregnancy	
V61.7	Unwanted Pregnancy NEC	
V61.8	Family Circumstances NEC	
V61.9	Family Circumstance NOS	
V62	Other Psychosocial Circumstances	
V62.0	Unemployment	
V62.1	Adverse Effect Of Work Environment	
V62.2	Occupational Circumstances NEC	
V62.3	Educational Circumstance	
V62.4	Social Maladjustment	
V62.5	Legal Circumstances	
V62.6	Refusal Of Treatment	
V62.8	Other Psychological Stress	
V62.9	Psychosocial Circumstances NOS	