

(S)-METHOPRENE

ORAL, CAT

Number of Animals Evaluated

5

Sign

TREMBLING

CONVULSION(S)

FEVER, BODY

TWITCH

ANOREXIA

ABN COLOR, URINE

ADIPSIA

BUN HI, BLD

CA LO, BLD

CREATININE HI, BLD

CRYSTALS, URINE

DEATH

DEATH(EUTHANIZED)

DEPRESSION/LETHARGY

HYPOTHERMIA, BODY

PACING

RECUMBENCY

SPEC GRAVITY LO, URINE

---

(S)-METHOPRENE

ORAL, DOG

Number of Animals Evaluated

1420

Sign

DEPRESSION/LETHARGY

VOMITING

ATAXIA

ANOREXIA

TREMBLING

NERVOUSNESS

DIARRHEA

HYPERACTIVITY

APPREHENSION

CONFUSION

INEFFECT, FLEAS

PRURITIS

VOCALIZATION

CONVULSION(S)

(S)-METHOPRENE

ORAL, DOG

Number of Animals Evaluated

1420

Sign

SHAKING

ALOPECIA

WEAKNESS

TWITCH

HYPERPNEA

DIZZINESS

HYPERSALIVATION

BEHAVIOR DISORDER

HYPERESTHESIA

FEVER, BODY

HIDING

POLYPNEA

ADIPSIA

HEAD BOBBING

STAGGERING

URTICARIA

HALLUCINATION

INCONTINENCE, URINARY

MYDRIASIS

DIARRHEA, BLOODY

DYSPNEA

TACHYCARDIA

AGGRESSION

DEATH

HEMATOCHEZIA

RASH

VOMITING, UNPRODUCTIVE

DIARRHEA, MILD

FROTH, MOUTH/LIP(S)

PACING

PARESIS, HIND LIMB(S)

POLYDIPSIA

URINATION ABN

CIRCLING

HEAD TILT

RECUMBENCY

SPASM

STUPOR

CONGESTION, SKIN

INFLAM, SKIN

(S)-METHOPRENE

ORAL, DOG

Number of Animals Evaluated

1420

Sign

JERKING

BLD, SKIN

PAPULE(S)

SOMNOLENCE

BUN HI, BLD

DEHYDRATION

DIARRHEA, MUCOID

GAGGING

HAIR, SHEDDING

PAIN, ABDOMEN

ALK PHOS HI, BLD

CREATININE HI, BLD

DEFECATION ABN

ICTERUS, BODY

NAUSEA

ODOR

P HI, BLD

PAIN

POLYURIA

SGPT/ALT HI, BLD

STARING

WEIGHT LOSS

ACCIDENTAL EXPOSURE

ANEMIA

BITING/CHEWING

BLD, RECTUM

BRADYCARDIA

COLLAPSE

COUGHING

DIFFICULTY RISING

DYSMETRIA

EDEMA, HEAD/FACE

EYE DISORDER

FLATULENCE

GLUCOSE HI, BLD

HYPOTHERMIA

HYPOTHERMIA, BODY

LOCOMOTION DISORDER

PALLOR, MUCOUS MEMBRAN

PROLAPSE, TONGUE

(S)-METHOPRENE

ORAL, DOG

Number of Animals Evaluated

1420

Sign

SHAKING, HEAD/FACE  
SOUND ABN, RESPIRATORY  
STIFFNESS  
AMYLASE HI, BLD  
APNEA  
ARREST, HEART  
BLD, URINE  
BLOAT  
CONGESTION, EYE(S)/LID  
CONSTIPATION  
DEMENTIA  
DERMATITIS, MOIST  
DIARRHEA, SEVERE  
DISCHARGE, EYE(S)/LID(S)  
DISSOCIATION  
DISTRESS  
DYSURIA  
HEART DISORDER  
HYPOSALIVATION  
INFECTION, URINARY TRA  
INTERACTION, DRUG(S)  
LIVER DISORDER  
LIVER ENZYMES HI, BLD  
MELENA  
PLATELETS LO, BLD  
POLLAKIURIA  
PROTEIN(TOT) HI, BLD  
PUPIL(S), AREFLEXIA  
RELUCTANT TO MOVE  
REPETITIVE MOVEMENTS  
SGOT/AST HI, BLD  
SHOCK  
SLEEP ABN  
SORE(S)  
SPEC GRAVITY LO, URINE  
VESICLE(S)/BULLAE, SKI  
VOMITING, BLOODY  
VOMITING, SEVERE  
WBC HI, BLD  
WHEEZING

(S)-METHOPRENE

ORAL, DOG

Number of Animals Evaluated

1420

Sign

ALBUMIN HI, BLD  
ALBUMIN LO, BLD  
ANAPHYLAXIS/TOID  
ANURIA  
ARRHYTHMIA  
ASCITES  
BALANCE DISORDER  
BEHAVIOR DISORDER  
BILIRUBIN(TOT) HI, BLD  
BLD, EAR(S)  
BLD, SCLERA  
BLD, VAGINA  
BLEPHAROSPASM  
BLINDNESS, PARTIAL  
BORBORYGMI  
BREATHING ABN  
CARDIOMEGALY  
CHLORIDE LO, BLD  
CHOKING  
CHOLESTEROL HI, BLD  
CNS DISORDER  
COLITIS  
CONGESTION, LUNG(S)  
CPK HI, BLD  
DEATH(EUTHANIZED)  
DESTRUCTIVENESS  
DIABETES  
DIARRHEA, WATERY  
DISCOMFORT  
DISTRESS, RESP  
DRY, SKIN  
DYSPHAGIA  
EDEMA  
EDEMA, BRISKET/CHEST  
EDEMA, EYE(S)/LID(S)  
EDEMA, LUNG(S)/TRACHEA  
EFFUSION, PERITONEAL  
ENLARGEMENT(S), SKIN  
EPISTAXIS  
FLY BITING

(S)-METHOPRENE

ORAL, DOG

Number of Animals Evaluated

1420

Sign

FROTH

GLOBULIN HI, BLD

HEPATOMEGALY

HYPERPIGMENTATION, SKI

HYPERTONIA

HYPOPNEA

ILL

INCONTINENCE, FECAL

INFECTION, SKIN

INSOMNIA

IRRITATION

IRRITATION, EYE(S)/LID

IRRITATION, SKIN

KETOSIS

KIDNEY FAILURE

LAMENESS

LESION(S), SKIN

LYMPHS HI, BLD

MASS, SKIN

MIOSIS

NA LO, BLD

NYSTAGMUS

OBSTRUCTION, TRACHEA

PAIN, BACK

PANCREAS ENZYMES HI, B

PARALYSIS, HIND LIMB(S)

PARESIS

PARESTHESIA

PHOTOPHOBIA

PNEUMONIA, ASPIRATION

PR-LIVER, LESION(S)

PR-TRACHEA, LESION(S)

PROLAPSE, RECTUM

PROTEIN, URINE

PRURITIS, EAR(S)

PRURITIS, TAIL

PUSTULE(S)

REACTION, UNSPECIFIED

ROLLING

SCALE(S), SKIN

(S)-METHOPRENE

ORAL, DOG

Number of Animals Evaluated

1420

Sign

SEBORRHEA

SKIN, CRUST(S)

SKIN, DRY

SKIN, SCAB(S)

STOMATITIS

STOOL ABN

STOOL, MUCOID

STRANGURIA

STUMBLING

SWELLING, EYE(S)/LID(S)

SYNCOPE

TENESMUS, RECTAL

TRACHITIS

TREMBLING, FACE

ULCER(S), SKIN

UNCONSCIOUS

UNPALATABLE, WON'T SWA

URINATION

VAGINITIS

VESTIBULAR DISORDER

VISION DISORDER

---

(S)-METHOPRENE

ORAL, HUMAN

Number of Animals Evaluated

3

Sign

CONSTIPATION

DIARRHEA

FLATULENCE

NAUSEA

---

(S)-METHOPRENE

MISSING, DOG

Number of Animals Evaluated

2

(S)-METHOPRENE

MISSING, DOG

Number of Animals Evaluated

2

Sign

DEPRESSION/LETHARGY

NEUROLOGICAL DISORDER

---

(S)-METHOPRENE

TOPICAL, DOG

Number of Animals Evaluated

1

Sign

HALLUCINATION

HYPERESTHESIA

---

ACEPROMAZINE

ORAL, CAT

Number of Animals Evaluated

18

Sign

DEATH

CONVULSION(S)

SHOCK

VOMITING

APNEA

ATAXIA

DEPRESSION/LETHARGY

DYSPNEA

HYPOTHERMIA, BODY

INEFFECT, SEDATION

PR-LUNG(S), EDEMA

PR-LUNG(S), LESION(S)

PR-MULT SITES, CONGEST

SEDATION PROLONGED

SEDATION TOO DEEP

STUPOR

---

ACEPROMAZINE



ACEPROMAZINE

ORAL, DOG

Number of Animals Evaluated

44

Sign

INEFFECT, TRANQUILIZAT

DEATH

SEDATION PROLONGED

INEFFECT, SEDATION

SEDATION

SEDATION TOO DEEP

COLLAPSE

AGGRESSION

CONVULSION(S)

STAGGERING

STUPOR

ANAPHYLAXIS/TOID

BITING/CHEWING

BLD, URINE

BREATHING ABN

CNS DISORDER

DEATH(EUTHANIZED)

DEPRESSION/LETHARGY

DESTRUCTIVENESS

DIARRHEA

DIFFICULTY RISING

HEART DISORDER

HORNER'S SYNDROME

INEFFECT

PROLAPSE, THIRD EYELID

SNEEZING

SOMNOLENCE

VOMITING, BLOODY

---

ACEPROMAZINE

ORAL, HUMAN

Number of Animals Evaluated

1

Sign

STUPOR

UNCONSCIOUS

---

ACEPROMAZINE  
ORAL, VARIOUS

Number of Animals Evaluated  
6

Sign

INEFFECT, TRANQUILIZAT

---

ACEPROMAZINE  
MISSING, CAT

Number of Animals Evaluated  
2

Sign

DEATH

---

ACEPROMAZINE  
MISSING, DOG

Number of Animals Evaluated  
4

Sign

SEDATION PROLONGED

---

ACEPROMAZINE  
UNKNOWN, CAT

Number of Animals Evaluated  
8

Sign

DEATH

ANESTH INDUC TURBULENT

ANESTH RECOV TURBULENT

BLD, MOUTH/LIP(S)

DISCHARGE, MOUTH/LIP(S)

EPISTAXIS

INEFFECT, SEDATION

ANESTH RECOV PROLONGED

DEAFNESS

---

ACEPROMAZINE  
UNKNOWN, DOG

ACEPROMAZINE

UNKNOWN, DOG

Number of Animals Evaluated

23

Sign

ANESTH RECOV PROLONGED

SEDATION TOO DEEP

HYPERACTIVITY

NERVOUSNESS

BRADYCARDIA

POLYPNEA

PRESSURE LO, BLD

DEATH

BEHAVIOR DISORDER

CONVULSION(S)

FEVER, BODY

RECUMBENCY

VOCALIZATION

---

ACEPROMAZINE

UNKNOWN, PIG

Number of Animals Evaluated

1

Sign

PROLAPSE, PENIS

---

ACEPROMAZINE

UNKNOWN, HORSE

Number of Animals Evaluated

2

Sign

PROLAPSE, PENIS

---

ACEPROMAZINE

UNKNOWN, MOUSE

Number of Animals Evaluated

4

Sign

DEATH

---

January 2, 2009

ACEPROMAZINE  
VARIOUS, HORSE

Number of Animals Evaluated  
2

Sign

ATAXIA  
BEHAVIOR DISORDER  
CIRCLING  
COLLAPSE  
HEAD TILT  
STUPOR

---

ACEPROMAZINE  
VARIOUS, UNKNOWN

Number of Animals Evaluated  
5

Sign

INEFFECT, SEDATION

---

ACEPROMAZINE  
VARIOUS, VARIOUS

Number of Animals Evaluated  
3

Sign

DYSPNEA  
DEATH

---

ACEPROMAZINE  
PARENTERAL, CAT

Number of Animals Evaluated  
78

Sign

APNEA  
HYPOPNEA  
DEATH  
ANESTH RECOV PROLONGED  
SEDATION TOO DEEP  
ARREST, HEART  
ANESTH TOO DEEP

ACEPROMAZINE  
PARENTERAL, CAT

Number of Animals Evaluated  
78

Sign

COLLAPSE  
CYANOSIS  
BLINDNESS  
ATAXIA  
ANESTH RECOV TURBULENT  
CONVULSION(S)  
HYPOTHERMIA, BODY  
ANAPHYLAXIS/TOID  
ANESTH INDUC TURBULENT  
DEATH(EUTHANIZED)  
DEPRESSION/LETHARGY  
DYSPNEA  
HEAD TILT  
INEFFECT, SEDATION  
NEUROLOGICAL DISORDER  
NYSTAGMUS  
PARESIS, HIND LIMB(S)  
POSTURAL RXN(S) ABN  
PR-CEREBELLUM, LESION(S)  
PR-LUNG(S), EDEMA  
PR-THYMUS, LESION(S)  
SEDATION PROLONGED  
STAGGERING  
STUPOR  
VESTIBULAR DISORDER

---

ACEPROMAZINE  
PARENTERAL, DOG

Number of Animals Evaluated  
56

Sign

INEFFECT, SEDATION  
ANESTH RECOV PROLONGED  
CONVULSION(S)  
DEATH  
SEDATION TOO DEEP  
ANAPHYLAXIS/TOID  
PALLOR, MUCOUS MEMBRAN

ACEPROMAZINE  
PARENTERAL, DOG

Number of Animals Evaluated  
56

Sign

ARREST, HEART  
COLLAPSE  
DEPRESSION/LETHARGY  
FEVER, BODY  
FROTH, MOUTH/LIP(S)  
SEDATION PROLONGED  
SHOCK  
VOCALIZATION  
ANEMIA  
ANESTH RECOV TURBULENT  
ANOREXIA  
BRADYCARDIA  
EDEMA, LUNG(S)/TRACHEA  
HEMATOCHEZIA  
HYPOTHERMIA, BODY  
INTERACTION, DRUG(S)  
MELENA  
RECUMBENCY  
SGPT/ALT HI, BLD  
STAGGERING  
SYNCOPE  
VOMITING

---

ACEPROMAZINE  
PARENTERAL, PIG

Number of Animals Evaluated  
5

Sign

PROLAPSE, PENIS

---

ACEPROMAZINE  
PARENTERAL, HORSE

Number of Animals Evaluated  
18

Sign

PROLAPSE, PENIS

ACEPROMAZINE  
PARENTERAL, HORSE

Number of Animals Evaluated  
18

Sign

INJ SITE SWELLING  
COLLAPSE  
DEATH  
HYPERACTIVITY  
APNEA  
CIRCLING  
HYPERPNEA  
PACING  
PRIAPISM  
ANAPHYLAXIS/TOID  
BLD, PENIS  
CONGESTION, MUCOUS MEM  
DEATH(EUTHANIZED)  
EDEMA, PREPUCE  
EXCESS EXPECTED EFFECT  
NYSTAGMUS  
PHALLITIS  
PR-GI, LESION(S)  
SWEATING  
SWELLING, PREPUCE

---

ACEPROMAZINE  
PARENTERAL, CATTLE

Number of Animals Evaluated  
1

Sign

INEFFECT, SEDATION

---

ACEPROMAZINE  
PARENTERAL, RABBIT

Number of Animals Evaluated  
13

Sign

INJ SITE NECROSIS  
ALOPECIA

---

ACEPROMAZINE  
PARENTERAL, VARIOUS

Number of Animals Evaluated  
15

Sign

ANESTH RECOV PROLONGED  
SEDATION TOO DEEP

---

ALBENDAZOLE  
ORAL, CAT

Number of Animals Evaluated  
1

Sign

BUN HI, BLD  
DEPRESSION/LETHARGY  
FEVER, BODY  
STOMATITIS  
WBC LO, BLD

---

ALBENDAZOLE  
ORAL, DOG

Number of Animals Evaluated  
177

Sign

DIARRHEA, BLOODY  
MELENA  
DIARRHEA  
WBC LO, BLD  
ANOREXIA  
DEPRESSION/LETHARGY  
VOMITING  
FEVER, BODY  
DEATH  
LIVER ENZYMES HI, BLD  
PANCREAS ENZYMES HI, B  
PLATELETS LO, BLD  
ALK PHOS HI, BLD  
SEGS LO, BLD  
ANEMIA  
AMYLASE HI, BLD  
BILIRUBIN(TOT) HI, BLD



ALBENDAZOLE

ORAL, DOG

Number of Animals Evaluated

177

Sign

BUN HI, BLD  
CONVULSION(S)  
CREATININE HI, BLD  
DEHYDRATION  
HYPOTHERMIA, BODY  
TACHYCARDIA  
WEAKNESS  
ABORTION  
ALBUMIN HI, BLD  
ATAXIA  
BIRTH DEFECT(S)  
BLD, MOUTH/LIP(S)  
COLLAPSE  
DIARRHEA, SEVERE  
DISTENTION, ABDOMEN  
ENTERITIS  
GLOBULIN LO, BLD  
INEFFECT, COCCIDIA  
INFECTION, SKIN  
NEUROLOGICAL DISORDER  
PALLOR, MUCOUS MEMBRAN  
PANCYTOPENIA  
PR-INTEST, LESION(S)  
PR-LYMPH NODE(S), LESI  
SOUND ABN, RESPIRATORY  
STOOL ABN  
URTICARIA  
VOMITING, BLOODY  
WEIGHT LOSS

---

ALBENDAZOLE

ORAL, GOAT

Number of Animals Evaluated

59

Sign

DEATH  
DIARRHEA  
ABORTION

---

ALBENDAZOLE

ORAL, HUMAN

Number of Animals Evaluated

1

Sign

HEMATOCHEZIA

HUMAN EXPOSURE, INGEST

---

ALBENDAZOLE

ORAL, OTHER

Number of Animals Evaluated

1

Sign

ATAXIA

---

ALBENDAZOLE

ORAL, SHEEP

Number of Animals Evaluated

673

Sign

INEFFECT, STOMACH WORM

PR-STOMACH, LESION(S)

DEATH

INEFFECT, TAPES

INEFFECT, STRONGYLES

INEFFECT, WORMS

ANOREXIA

INEFFECT, LARGE STRONG

PR-GI, LESION(S)

FROTH, NOSE

PR-SM INTEST, LESION(S)

COLLAPSE

DEPRESSION/LETHARGY

DIARRHEA

WEIGHT LOSS

PAIN, ABDOMEN

RECUMBENCY

ANESTRUS

ATAXIA

BEHAVIOR DISORDER

BLINDNESS

January 2, 2009

ALBENDAZOLE

ORAL, SHEEP

Number of Animals Evaluated

673

Sign

DEATH(TX FAILURE)

DYSPNEA

---

ALBENDAZOLE

ORAL, CATTLE

Number of Animals Evaluated

1937

Sign

INEFFECT, FLUKES

INEFFECT, STRONGYLES

DIARRHEA

INEFFECT, STOMACH WORM

INEFFECT, SMALL STRONG

INEFFECT, WORMS

INEFFECT, LUNGWORMS

INEFFECT, ASCARIDS

INEFFECT, COCCIDIA

INEFFECT, PARASITE(S)

DEATH

HAIR, ABN

PR-STOMACH, LESION(S)

RESPIRATORY DISORDER

DISTRESS, RESP

HYPERSALIVATION

DEPRESSION/LETHARGY

COLLAPSE

FEVER, BODY

PR-LUNG(S), LESION(S)

DYSPNEA

INEFFECT

ANOREXIA

RECUMBENCY

DEHYDRATION

ABORTION

COUGHING

PARETIC

WEAKNESS, NEWBORN

ATAXIA

ALBENDAZOLE  
ORAL, CATTLE

Number of Animals Evaluated  
1937

Sign

DEATH(TX FAILURE)  
DIARRHEA, SEVERE  
INEFFECT, TAPES  
IRRITATION, PHARYNX/TH  
SWELLING, PHARYNX/THRO  
ANAPHYLAXIS/TOID  
DEATH(STILLBORN)  
DEATH(EUTHANIZED)  
PHARYNGITIS  
BREATHING ABN  
CONVULSION(S)

---

ALBENDAZOLE  
TOPICAL, DOG

Number of Animals Evaluated  
1

Sign

FEVER, BODY  
WBC LO, BLD

---

ALBENDAZOLE  
TOPICAL, HUMAN

Number of Animals Evaluated  
1

Sign

APPLICATION SITE INFLAM  
HEADACHE

---

ALBENDAZOLE  
UNKNOWN, DOG

Number of Animals Evaluated  
5

Sign

VOMITING

January 2, 2009

ALBENDAZOLE  
UNKNOWN, DOG

Number of Animals Evaluated  
5

Sign

DIARRHEA  
KIDNEY FAILURE  
DEATH  
ANOREXIA  
DEPRESSION/LETHARGY  
PLATELETS LO, BLD  
WBC LO, BLD  
WEIGHT LOSS

---

ALBENDAZOLE  
UNKNOWN, HUMAN

Number of Animals Evaluated  
1

Sign

DEATH

---

ALBENDAZOLE  
PARENTERAL, DOG

Number of Animals Evaluated  
25

Sign

HYPERSALIVATION  
VOMITING  
DEATH

---

ALBENDAZOLE  
PARENTERAL, LLAMA

Number of Animals Evaluated  
1

Sign

INJ SITE SWELLING

---

ALBENDAZOLE

ALBENDAZOLE  
NOT APPLICABLE, HUMAN

Number of Animals Evaluated  
1

Sign

DYSPNEA  
RASH

---

ALTRENOGEST  
ORAL, HORSE

Number of Animals Evaluated  
15

Sign

INEFFECT, ESTRUS SYNCH  
DEATH  
PAIN, ABDOMEN  
INEFFECT  
LAMINITIS  
CIRCULATORY DISORDER  
EDEMA, LIMB(S)  
FEVER, BODY  
INFLAM, SKIN  
LAMENESS  
LIVER ENZYMES HI, BLD  
SKIN DISORDER  
SWEATING  
VASCULITIS  
WBC HI, BLD

---

ALTRENOGEST  
ORAL, HUMAN

Number of Animals Evaluated  
2

Sign

DIARRHEA  
PAIN, ABDOMEN  
HEADACHE  
NAUSEA  
VOMITING

---

ALTRENOGEST  
TOPICAL, HUMAN

Number of Animals Evaluated  
56

Sign

MENSES, ABNORMAL  
HEADACHE  
PAIN, ABDOMEN  
ESTRUS CYCLE ABNORMAL  
HUMAN EXPOSURE  
ANESTRUS  
ESTRUS BEHAVIOR  
REPRODUCTION DISORDER  
BEHAVIOR DISORDER  
NAUSEA  
ABORTION  
ACCIDENTAL EXPOSURE  
BLD, VAGINA  
DISCHARGE, VULVA  
DYSPNEA  
DYSURIA  
FERTILITY, REDUCED  
FEVER, BODY  
HOT FLASH  
LIVER ENZYMES HI, BLD  
PAIN  
PAIN, JOINT(S)  
PAIN, MUSCLE(S)  
PAIN, OVARY  
PRURITIS  
PRURITIS, FEET/DIGIT(S)  
RASH  
TESTOSTERONE LOW  
VISION DISORDER  
VOMITING  
WEIGHT LOSS

---

ALTRENOGEST  
UNKNOWN, HORSE

Number of Animals Evaluated  
1

Sign

LAMINITIS

ALTRENOGEST  
UNKNOWN, HORSE

Number of Animals Evaluated  
1

Sign  
URTICARIA

---

ALTRENOGEST  
UNKNOWN, HUMAN

Number of Animals Evaluated  
4

Sign  
HUMAN EXPOSURE  
NAUSEA  
PAIN, ABDOMEN  
DIZZINESS  
ESTRUS CYCLE ABNORMAL  
HEADACHE  
MENSES, ABNORMAL  
PAIN, BRISKET/CHEST  
RASH

---

ALTRENOGEST  
VARIOUS, HUMAN

Number of Animals Evaluated  
1

Sign  
TASTE ABNORMALITY  
VOMITING

---

ALTRENOGEST  
PARENTERAL, HORSE

Number of Animals Evaluated  
5

Sign  
INJ SITE PAIN  
INJ SITE INFLAM  
TWITCH  
VASCULITIS

---



ALTRENOGEST  
PARENTERAL, HUMAN

Number of Animals Evaluated  
1

Sign

HAIR, ABN  
MAMMARY, HYPERPLASIA  
WEIGHT INCREASE

---

ALUMINUM HYDROXIDE  
NOT APPLICABLE, FISH, PET  
Number of Animals Evaluated  
20

Sign

DYSPNEA  
DEATH

---

AMIKACIN  
UNKNOWN, DOG

Number of Animals Evaluated  
1

Sign

FEVER, BODY

---

AMIKACIN  
PARENTERAL, CAT

Number of Animals Evaluated  
1

Sign

INJ SITE PAIN

---

AMIKACIN  
PARENTERAL, DOG

Number of Animals Evaluated  
19

Sign

PAIN

AMIKACIN  
PARENTERAL, DOG

Number of Animals Evaluated  
19

Sign

VOMITING  
BUN HI, BLD  
CONFUSION  
DEAFNESS  
HEAD TILT  
INJ SITE PAIN  
INJ SITE SLOUGH  
INJ SITE SWELLING

---

AMIKACIN  
PARENTERAL, SHEEP

Number of Animals Evaluated  
2

Sign

ANOREXIA  
DISCOMFORT  
TENESMUS, RECTAL

---

AMIKACIN  
PARENTERAL, CHICKEN

Number of Animals Evaluated  
1

Sign

DEATH  
DEPRESSION/LETHARGY

---

---

AMINOPENTAMIDE  
ORAL, CAT

Number of Animals Evaluated  
3

Sign

MYDRIASIS  
HYPERACTIVITY  
SOMNOLENCE

---

AMINOPENTAMIDE

ORAL, DOG

Number of Animals Evaluated

3

Sign

BLD, EYE(S)  
CONVULSION(S)  
DEPRESSION/LETHARGY  
EDEMA, EYE(S)/LID(S)  
FEVER, BODY  
IMMUNE DISORDER  
PLATELETS LO, BLD  
POLYDIPSIA  
POLYURIA  
STIFFNESS  
WBC HI, BLD

---

AMINOPENTAMIDE

MISSING, CAT

Number of Animals Evaluated

1

Sign

DEATH  
RECUMBENCY

---

AMINOPENTAMIDE

UNKNOWN, CAT

Number of Animals Evaluated

1

Sign

CONSTIPATION

---

AMINOPENTAMIDE

UNKNOWN, DOG

Number of Animals Evaluated

2

Sign

BRADYCARDIA  
COLLAPSE

January 2, 2009

AMINOPENTAMIDE

UNKNOWN, DOG

Number of Animals Evaluated

2

Sign

REGURGITATION

---

AMINOPENTAMIDE

VARIOUS, CAT

Number of Animals Evaluated

1

Sign

MYDRIASIS

---

AMINOPENTAMIDE

PARENTERAL, CAT

Number of Animals Evaluated

5

Sign

MYDRIASIS

DYSPHAGIA

RECUMBENCY

TREMBLING

---

AMINOPENTAMIDE

PARENTERAL, DOG

Number of Animals Evaluated

14

Sign

DEATH

INJ SITE PAIN

PR-PANCREAS, LESION(S)

PR-SPLEEN, LESION(S)

RECUMBENCY

VOMITING

ANOREXIA

ATAXIA

BLOAT

COLLAPSE

AMINOPENTAMIDE  
PARENTERAL, DOG

Number of Animals Evaluated  
14

Sign

CONVULSION(S)  
DEHYDRATION  
DEPRESSION/LETHARGY  
DIARRHEA  
DRY MOUTH SYNDROME  
ERUPTION(S)  
FEVER, BODY  
HEAD BOBBING  
MYDRIASIS  
PAIN, ABDOMEN  
PARALYSIS, ALL LIMBS  
PR-SM INTEST, LESION(S)  
PR-STOMACH, LESION(S)  
RETINA ABN  
SGPT/ALT HI, BLD  
SHOCK  
SWELLING, HEAD/FACE  
TACHYCARDIA  
UNCONSCIOUS  
WEAKNESS  
WEIGHT LOSS

---

AMINOPENTAMIDE, ATTAPULGITE, BISMUTH, KANAMYCIN, PECTIN  
ORAL, CAT

Number of Animals Evaluated  
1

Sign

NAUSEA

---

AMINOPENTAMIDE, ATTAPULGITE, BISMUTH, KANAMYCIN, PECTIN  
ORAL, DOG

Number of Animals Evaluated  
2

Sign

CONVULSION(S)

---

January 2, 2009

AMINOPENTAMIDE, ATTAPULGITE, BISMUTH, KANAMYCIN, PECTIN  
UNKNOWN, DOG

Number of Animals Evaluated  
2

Sign  
ATAXIA  
CONFUSION

---

AMITRAZ  
ORAL, DOG

Number of Animals Evaluated  
1

Sign  
VOMITING

---

AMITRAZ  
ORAL, HUMAN

Number of Animals Evaluated  
4

Sign  
UNCONSCIOUS  
APNEA  
CONVULSION(S)  
DYSPNEA  
SEDATION  
SGOT/AST HI, BLD  
STUPOR

---

AMITRAZ  
TOPICAL, CAT

Number of Animals Evaluated  
1

Sign  
ATAXIA  
VOMITING

---

AMITRAZ  
TOPICAL, DOG

AMITRAZ  
TOPICAL, DOG

Number of Animals Evaluated  
164

Sign

DEPRESSION/LETHARGY  
DEATH  
VOMITING  
CONVULSION(S)  
ATAXIA  
ANOREXIA  
DIARRHEA  
FEVER, BODY  
AGGRESSION  
CONGESTION, SKIN  
SEDATION  
HYPERALIVATION  
UNCONSCIOUS  
WEAKNESS  
BLOAT  
SWELLING, HEAD/FACE  
HYPOTHERMIA  
POLYDIPSIA  
SHOCK  
URTICARIA  
ALK PHOS HI, BLD  
ANEMIA  
BLD(PETECHIAE)  
COLLAPSE  
GLUCOSE LO, BLD  
MYDRIASIS  
PAIN  
POLYURIA  
STUPOR  
SWELLING, LIMB(S)  
TREMBLING  
AMYLASE HI, BLD  
BRADYCARDIA  
CATARACT(S)  
DISTRESS, RESP  
DYSPNEA  
FROTH, MOUTH/LIP(S)  
HYPERACTIVITY  
HYPOTHERMIA, BODY  
INEFFECT, MITES

AMITRAZ  
TOPICAL, DOG

Number of Animals Evaluated  
164

Sign

MELENA  
MIOSIS  
NEUROLOGICAL DISORDER  
PALLOR, MUCOUS MEMBRAN  
PLATELETS LO, BLD  
PR-KIDNEY(S), LESION(S)  
PR-LIVER, LESION(S)  
PRURITIS  
RECUMBENCY  
VOCALIZATION  
APNEA  
CONSTIPATION  
DEATH(EUTHANIZED)  
DIARRHEA, BLOODY  
EDEMA, CORNEA(S)  
EDEMA, HEAD/FACE  
GLUCOSE HI, BLD  
HEMATOCHEZIA  
INCONTINENCE, URINARY  
LOCKJAW  
PARESIS, HIND LIMB(S)  
PR-SPLEEN, LESION(S)  
PRESSURE LO, BLD  
RASH  
SHAKING  
THRASHING/PADDLING  
WEIGHT LOSS  
ACCIDENTAL EXPOSURE  
ALOPECIA  
AMMONIA HI, BLD  
ANAPHYLAXIS/TOID  
APPREHENSION  
ATONY, BLADDER  
AZOTEMIA  
BANDS HI, BLD  
BILIRUBIN(TOT) HI, BLD  
BLD, LUNG(S)/TRACHEA  
BLD, MOUTH/LIP(S)  
BLINDNESS  
CA HI, BLD



AMITRAZ  
TOPICAL, DOG

Number of Animals Evaluated  
164

Sign

CIRCLING  
COAGULATION DISORDER  
CONFUSION  
CONGESTION, LUNG(S)  
DEAFNESS  
DEHYDRATION  
DIABETES MELLITUS  
DIC  
DISTENTION, ABDOMEN  
DYSPHAGIA  
EDEMA  
EDEMA, LUNG(S)/TRACHEA  
EDEMA, MULTIPLE SITES  
ENLARGEMENT(S), SKIN  
ENLARGEMENT, LYMPH NOD  
FLY BITING  
GAGGING  
GI, ABNORMAL  
GLUCOSE, URINE  
HEAD PRESSING  
HEAD TILT  
HEART FAILURE  
HYPERPNEA  
HYPERTONIA  
ICTERUS  
ICTERUS, BODY  
ILL  
JERKING  
LEUKODERMA  
LIPASE HI, BLD  
LIVER ENZYMES HI, BLD  
MURMUR, HEART  
PAIN, ABDOMEN  
PAIN, BACK  
PANCREATITIS  
PARALYSIS, HIND LIMB(S)  
POLYPHAGIA  
PR-HEART, LESION(S)  
PR-INTEST, LESION(S)  
PR-LUNG(S), LESION(S)

AMITRAZ  
TOPICAL, DOG

Number of Animals Evaluated  
164

Sign

PR-PANCREAS, LESION(S)  
PR-PERITONEUM, LESION(  
REFLEX(ES) ABN  
SGPT/ALT HI, BLD  
SKIN DISORDER  
SOMNOLENCE  
SPASM  
STIFFNESS, HIND LIMB(S)  
SWELLING  
SWELLING, EAR(S)  
SWELLING, PHARYNX/THRO  
SWELLING, PREPUCE  
TACHYCARDIA  
TWITCH  
ULCER(S), CORNEA(S)  
URINATION  
WBC HI, BLD

---

AMITRAZ  
TOPICAL, HUMAN

Number of Animals Evaluated  
51

Sign

RASH  
PRURITIS  
CONGESTION, SKIN  
DEPRESSION/LETHARGY  
ILL  
URTICARIA  
DIZZINESS  
DYSPNEA  
HUMAN EXPOSURE  
NAUSEA  
PAIN, HEAD/FACE  
SEDATION  
SOMNOLENCE  
SWELLING  
SYNCOPE

AMITRAZ  
TOPICAL, HUMAN

Number of Animals Evaluated  
51

Sign

ALOPECIA  
CONVULSION(S)  
DYSPHAGIA  
EPIPHORA  
HAIR, ABN  
HYPOESTHESIA  
INFLAM, SKIN  
IRRITATION, EYE(S)/LID  
LIVER ENZYMES HI, BLD  
PAIN  
PAIN, EYE(S)/LID(S)  
PAIN, JOINT(S)  
PALLOR  
PAPULE(S)  
PRURITIS, EYE(S)  
PUSTULE(S)  
SCALE(S), SKIN  
STIFFNESS  
STUPOR  
SWELLING, LIMB(S)  
TREMBLING  
WEAKNESS

---

AMITRAZ  
TOPICAL, OTHER

Number of Animals Evaluated  
1

Sign

ANOREXIA  
DEATH  
DEHYDRATION  
DIARRHEA  
SWELLING, EYE(S)/LID(S)

---

AMITRAZ  
UNKNOWN, HUMAN

AMITRAZ  
UNKNOWN, HUMAN

Number of Animals Evaluated  
2

Sign

DIZZINESS  
TASTE ABNORMALITY

---

AMITRAZ  
INHALATION, HUMAN

Number of Animals Evaluated  
2

Sign

HEADACHE  
HUMAN EXPOSURE, INHALA

---

AMITRAZ  
PARENTERAL, DOG

Number of Animals Evaluated  
1

Sign

ANOREXIA  
DEPRESSION/LETHARGY  
INJ SITE ABSCESS  
INJ SITE INFLAM  
INJ SITE SWELLING

---

---

AMITRIPTYLINE  
ORAL, DOG

Number of Animals Evaluated  
1

Sign

ANOREXIA  
DEATH (EUTHANIZED)  
DEHYDRATION  
DEPRESSION/LETHARGY  
ICTERUS, BODY

---

---

AMLODIPINE BESYLATE

ORAL, CAT

Number of Animals Evaluated

1

Sign

ANOREXIA

DEPRESSION/LETHARGY

---

AMOXICILLIN

ORAL, CAT

Number of Animals Evaluated

90

Sign

VOMITING

DIARRHEA

ANOREXIA

INEFFECT, COCCIDIA

DEATH

DEPRESSION/LETHARGY

ALOPECIA

CONGESTION, SKIN

VOCALIZATION

ANEMIA

BEHAVIOR DISORDER

DIARRHEA, BLOODY

HYPERACTIVITY

RECUMBENCY

TACHYCARDIA

WEAKNESS

APPREHENSION

ATAXIA

BILIRUBIN(TOT) HI, BLD

BLD, URINE

BLINDNESS

CA LO, BLD

CONVULSION(S)

CPK HI, BLD

CYANOSIS

EDEMA, HEAD/FACE

EDEMA, LUNG(S)/TRACHEA

ERUPTION(S)

GAGGING

GLUCOSE HI, BLD

AMOXICILLIN

ORAL, CAT

Number of Animals Evaluated

90

Sign

HYPERESTHESIA  
HYPERPNEA  
HYPERSALIVATION  
HYPOTHERMIA  
HYPOTHERMIA, BODY  
ICTERUS  
INEFFECT, ANTIBIOTIC  
LIVER ENZYMES HI, BLD  
LYMPHS LO, BLD  
MYDRIASIS  
PLATELETS LO, BLD  
POLYDIPSIA  
POLYPNEA  
POLYURIA  
PRURITIS  
SGOT/AST HI, BLD  
TENESMUS, URINARY  
TREMBLING  
TWITCH  
VOMITING, BLOODY  
WBC HI, BLD  
WEIGHT LOSS

---

AMOXICILLIN

ORAL, DOG

Number of Animals Evaluated

84

Sign

VOMITING  
DEPRESSION/LETHARGY  
DEATH  
ANOREXIA  
BIRTH DEFECT(S)  
DEATH(EUTHANIZED)  
DYSPNEA  
FEVER, BODY  
SGPT/ALT HI, BLD  
ALK PHOS HI, BLD

AMOXICILLIN

ORAL, DOG

Number of Animals Evaluated

84

Sign

ANEMIA  
BUN HI, BLD  
EDEMA, LUNG(S)/TRACHEA  
RASH  
TREMBLING  
URTICARIA  
ANAPHYLAXIS/TOID  
ATAXIA  
BLD, URINE  
CONGESTION, SKIN  
CONVULSION(S)  
DIARRHEA  
EDEMA, HEAD/FACE  
LIVER ENZYMES HI, BLD  
NECROSIS  
POLYDIPSIA  
POLYURIA  
SWELLING, EYE(S)/LID(S)  
WEAKNESS  
ACCIDENTAL EXPOSURE  
BIRTH DEFECT(S), HEAD/  
BLD(ECCHYMOSES)  
COLLAPSE  
CONSTIPATION  
CREATININE HI, BLD  
CYANOSIS  
DIARRHEA, MUCOID  
EPISTAXIS  
ERUPTION(S)  
GAGGING  
GLUCOSE LO, BLD  
HEAD TILT  
HEMATOCHEZIA  
HEMOGLOBIN, URINE  
HYPERACTIVITY  
HYPOTHERMIA  
ICTERUS  
INEFFECT, ANTIBIOTIC  
INFLAM, SKIN  
P HI, BLD

AMOXICILLIN

ORAL, DOG

Number of Animals Evaluated

84

Sign

PARESIS, HIND LIMB(S)  
POLYPNEA  
PR-LIVER, LESION(S)  
PR-LUNG(S), EDEMA  
PR-LUNG(S), LESION(S)  
PR-SKIN, LESION(S)  
PROTEIN(TOT) LO, BLD  
PRURITIS  
SEDATION  
SEGS HI, BLD  
SKIN, CRUST(S)  
SKIN, SCAB(S)  
SWELLING, HEAD/FACE  
SWELLING, TONGUE  
ULCER(S), SKIN  
UNCONSCIOUS  
UNPALATABLE, WON'T EAT  
VESICLE(S)/BULLAE, SKI  
WBC HI, BLD  
WBC LO, BLD

---

AMOXICILLIN

ORAL, HUMAN

Number of Animals Evaluated

1

Sign

DIARRHEA  
PAIN, ABDOMEN

---

AMOXICILLIN

ORAL, FERRET

Number of Animals Evaluated

1

Sign

ALOPECIA

---



AMOXICILLIN

ORAL, RABBIT

Number of Animals Evaluated

1

Sign

ANOREXIA

DEATH

DIARRHEA

PR-COLON, LESION(S)

PR-KIDNEY(S), LESION(S)

PR-SM INTEST, LESION(S)

WEIGHT LOSS

---

AMOXICILLIN

MISSING, UNKNOWN

Number of Animals Evaluated

1

Sign

INJ SITE PAIN

---

AMOXICILLIN

MISSING, MISSING INFORMATION

Number of Animals Evaluated

3

Sign

INJ SITE PAIN

VOCALIZATION

---

AMOXICILLIN

TOPICAL, DOG

Number of Animals Evaluated

1

Sign

INFLAM, SKIN

---

AMOXICILLIN

TOPICAL, HUMAN

AMOXICILLIN  
TOPICAL, HUMAN

Number of Animals Evaluated  
1

Sign

HEADACHE  
SWELLING, HEAD/FACE  
URTICARIA

---

AMOXICILLIN  
TOPICAL, RABBIT

Number of Animals Evaluated  
1

Sign

DEATH  
DIARRHEA

---

AMOXICILLIN  
UNKNOWN, CAT

Number of Animals Evaluated  
27

Sign

INJ SITE PAIN  
ANOREXIA  
VOMITING  
STUPOR  
ATAXIA  
CONVULSION(S)  
DEATH  
FEVER, BODY  
HYPERALIVATION  
NYSTAGMUS, HORIZONTAL  
POLYPNEA  
PROLAPSE, THIRD EYELID  
PRURITIS  
TWITCH  
VOCALIZATION

---

AMOXICILLIN

January 2, 2009

AMOXICILLIN

UNKNOWN, DOG

Number of Animals Evaluated

29

Sign

INJ SITE PAIN  
PD-PRODUCT DEFECT  
ANAPHYLAXIS/TOID  
INJ SITE SWELLING  
VOMITING  
WEAKNESS

---

AMOXICILLIN

UNKNOWN, UNKNOWN

Number of Animals Evaluated

15

Sign

INJ SITE PAIN

---

AMOXICILLIN

UNKNOWN, VARIOUS

Number of Animals Evaluated

5

Sign

INJ SITE PAIN

---

AMOXICILLIN

VARIOUS, UNKNOWN

Number of Animals Evaluated

10

Sign

INJ SITE PAIN

---

AMOXICILLIN

VARIOUS, VARIOUS

Number of Animals Evaluated

15

AMOXICILLIN  
VARIOUS, VARIOUS

Number of Animals Evaluated  
15

Sign

INJ SITE PAIN

---

AMOXICILLIN  
INTRANASAL, DOG

Number of Animals Evaluated  
1

Sign

PNEUMONIA

---

AMOXICILLIN  
PARENTERAL, CAT

Number of Animals Evaluated  
39

Sign

INJ SITE PAIN  
ANAPHYLAXIS/TOID  
DEATH  
ANOREXIA  
FEVER, BODY  
VOMITING  
APNEA  
ARREST, HEART  
BILIRUBIN(TOT) HI, BLD  
CA LO, BLD  
COLLAPSE  
CONFUSION  
CPK HI, BLD  
DEPRESSION/LETHARGY  
DIARRHEA  
DYSPNEA  
EDEMA, HEAD/FACE  
EDEMA, LUNG(S)/TRACHEA  
ERUPTION(S)  
HYPERSALIVATION  
ICTERUS, BODY  
ILL

AMOXICILLIN  
PARENTERAL, CAT

Number of Animals Evaluated  
39

Sign

INEFFECT, ANTIBIOTIC  
KIDNEY FAILURE  
LYMPHS LO, BLD  
PR-LUNG(S), LESION(S)  
SGOT/AST HI, BLD  
SWELLING, HEAD/FACE  
UNCONSCIOUS  
UREMIA  
URTICARIA

---

AMOXICILLIN  
PARENTERAL, DOG

Number of Animals Evaluated  
89

Sign

INJ SITE PAIN  
ENLARGEMENT(S), SKIN  
INJ SITE ABN  
TECH ERROR ADMINISTRAT  
ANAPHYLAXIS/TOID  
COLLAPSE  
INJ SITE SWELLING  
BRADYCARDIA  
DYSPNEA  
HYPOPNEA  
INJ SITE MASS  
SHOCK  
VOMITING  
ALK PHOS HI, BLD  
APNEA  
CYANOSIS  
DEATH  
DEATH (EUTHANIZED)  
DEPRESSION/LETHARGY  
EDEMA  
EDEMA, LUNG(S)/TRACHEA  
GLUCOSE HI, BLD  
HYPERALIVATION

AMOXICILLIN  
PARENTERAL, DOG

Number of Animals Evaluated  
89

Sign

INJ SITE SEROMA  
LEUKODERMA  
POLYDIPSIA  
POLYURIA  
PR-INTEST, LESION(S)  
PRURITIS  
SLOUGH, SKIN  
SORE(S)  
STUPOR  
SWELLING, HEAD/FACE  
TREMBLING  
URTICARIA

---

AMOXICILLIN  
PARENTERAL, HORSE

Number of Animals Evaluated  
1

Sign

DEATH

---

AMOXICILLIN  
PARENTERAL, CATTLE

Number of Animals Evaluated  
31

Sign

DEATH  
ILL  
UDDER, MASTITIS  
CYANOSIS  
DYSPNEA  
HYPERSALIVATION  
SWELLING, HEAD/FACE  
ANAPHYLAXIS/TOID  
RESIDUE, MILK  
COLLAPSE

---

AMOXICILLIN  
PARENTERAL, UNKNOWN

Number of Animals Evaluated  
1

Sign

INJ SITE PAIN

---

AMOXICILLIN  
PARENTERAL, VARIOUS

Number of Animals Evaluated  
45

Sign

INJ SITE PAIN

---

AMOXICILLIN  
INTRAMAMMARY, CATTLE

Number of Animals Evaluated  
484

Sign

RESIDUE, MILK  
INEFFECT, ANTIBIOTIC

---

AMOXICILLIN, CLAVULANATE  
ORAL, CAT

Number of Animals Evaluated  
361

Sign

VOMITING  
DIARRHEA  
ANOREXIA  
DEPRESSION/LETHARGY  
HYPERALIVATION  
PD-PRODUCT DEFECT  
DEATH  
ATAXIA  
DEHYDRATION  
CONVULSION(S)  
FEVER, BODY  
ANEMIA

AMOXICILLIN, CLAVULANATE

ORAL, CAT

Number of Animals Evaluated

361

Sign

SGPT/ALT HI, BLD

WEAKNESS

ANAPHYLAXIS/TOID

PRURITIS

GASTRITIS

BILIRUBIN(TOT) HI, BLD

DIARRHEA, BLOODY

DYSPNEA

INEFFECT, ANTIBIOTIC

PARESTHESIA

URTICARIA

BUN HI, BLD

MYDRIASIS

UNPALATABLE, WON'T EAT

CONGESTION, SKIN

DEATH(EUTHANIZED)

GLUCOSE HI, BLD

STUPOR

WEIGHT LOSS

COLLAPSE

CONFUSION

DIARRHEA, MUCOID

HIDING

HYPOTHERMIA, BODY

MELENA

PLATELETS LO, BLD

POLYPNEA

SNEEZING

TREMBLING

TWITCH

VESTIBULAR DISORDER

VOCALIZATION

WBC HI, BLD

ANEMIA, AUTOIMMUNE HEM

CREATININE HI, BLD

DISCOMFORT, MOUTH/LIP(S)

DISTRESS, RESP

EDEMA, LUNG(S)/TRACHEA

GLUCOSE, URINE

HEAD TILT



AMOXICILLIN, CLAVULANATE

ORAL, CAT

Number of Animals Evaluated

361

Sign

HYPERPNEA  
ICTERUS, BODY  
INEFFECT  
INFECTION, SKIN  
INFLAM, SKIN  
NYSTAGMUS  
PALLOR, MUCOUS MEMBRAN  
PD-COLOR, ABN  
PD-TABLET(S), ABN  
PR-LUNG(S), LESION(S)  
RECUMBENCY  
RESPIRATORY DISORDER  
SGOT/AST HI, BLD  
SHOCK  
SPASM  
STUMBLING  
ULCER(S), MOUTH/LIP(S)  
ULCER(S), TONGUE  
ALBUMIN LO, BLD  
ALK PHOS HI, BLD  
ALOPECIA  
AMYLASE HI, BLD  
ANEMIA, HEINZ BODY  
ANISOCORIA  
ANURIA  
APPLICATION SITE, ALOPECIA  
ARREST, HEART  
BANDS HI, BLD  
BILIRUBIN, URINE  
BLD, ABN  
BLD, MULT SITES  
BLD, URINE  
BLD, VAGINA  
BLINDNESS  
BLINDNESS, TEMP  
CALCULI, BLADDER  
CIRCLING  
CONGESTION, LUNG(S)  
CONJUNCTIVITIS  
CONSTIPATION

AMOXICILLIN, CLAVULANATE  
ORAL, CAT

Number of Animals Evaluated  
361

Sign

CPK HI, BLD  
CYANOSIS  
DEAFNESS, TEMP  
DIARRHEA, SEVERE  
DIFFICULTY RISING  
EDEMA  
EDEMA, HEAD/FACE  
EFFUSION, PLEURAL  
ENLARGEMENT(S), SKIN  
EPISTAXIS  
GI, ABNORMAL  
GLOBULIN HI, BLD  
GLUCOSE LO, BLD  
GRINDING TEETH  
ICTERUS  
INCONTINENCE, URINARY  
INFECTION, FEET/DIGIT(  
LESION(S), SKIN  
MONOS LO, BLD  
ODOR, MOUTH  
OTITIS  
PAIN, ABDOMEN  
PAWING  
PD-ODOR, ABN  
PD-SOLUTION, ABN  
POLYCYTHEMIA  
POLYDIPSIA  
PR-BLADDER, LESION(S)  
PR-LUNG(S), EDEMA  
PR-PLEURA, LESION(S)  
PROTEIN(TOT) HI, BLD  
PROTEIN(TOT) LO, BLD  
PUPIL(S), AREFLEXIA  
RADIOGRAPH(S) ABN  
RASH  
SALIVA, ABN  
SEGS HI, BLD  
SKIN ABNORMAL  
SKIN, CRUST(S)  
SKIN, NECROSIS

AMOXICILLIN, CLAVULANATE

ORAL, CAT

Number of Animals Evaluated

361

Sign

SLOUGH, FEET/DIGIT(S)  
SLOUGH, SKIN  
SOMNOLENCE  
SOUND ABN, VOICE  
SPLENOMEGALY  
STAGGERING  
STIFFNESS  
STOOL ABN  
ULCER(S), SKIN  
UNCONSCIOUS  
UNPALATABLE  
UNPALATABLE, WON'T SWA  
VOMITING, BLOODY  
WBC LO, BLD

---

AMOXICILLIN, CLAVULANATE

ORAL, DOG

Number of Animals Evaluated

339

Sign

VOMITING  
ANOREXIA  
DEPRESSION/LETHARGY  
DEATH  
ALK PHOS HI, BLD  
SGPT/ALT HI, BLD  
CONVULSION(S)  
ATAXIA  
DIARRHEA  
FEVER, BODY  
INEFFECT, ANTIBIOTIC  
ANEMIA  
TREMBLING  
URTICARIA  
BLD, URINE  
CONGESTION, SKIN  
DYSPNEA  
DEATH (EUTHANIZED)

AMOXICILLIN, CLAVULANATE

ORAL, DOG

Number of Animals Evaluated

339

Sign

POLYDIPSIA  
ANEMIA, AUTOIMMUNE HEM  
BILIRUBIN(TOT) HI, BLD  
BIRTH DEFECT(S), HEAD/  
BIRTH DEFECT(S), LIMB(  
BUN HI, BLD  
PLATELETS LO, BLD  
PRURITIS  
DEATH(NEWBORN)  
EDEMA, HEAD/FACE  
ICTERUS, BODY  
POLYURIA  
WEAKNESS  
DIARRHEA, BLOODY  
PR-SKIN, LESION(S)  
WBC HI, BLD  
ALOPECIA  
ANAPHYLAXIS/TOID  
ICTERUS  
MELENA  
ULCER(S), SKIN  
CONFUSION  
HYPERACTIVITY  
INCONTINENCE, URINARY  
INEFFECT  
PALLOR, MUCOUS MEMBRAN  
POLYPNEA  
RESIDUE, MILK  
SEGS HI, BLD  
SGOT/AST HI, BLD  
SWELLING, HEAD/FACE  
COUGHING  
DEHYDRATION  
DIFFICULTY RISING  
GLUCOSE HI, BLD  
HYPERALIVATION  
INFLAM, SKIN  
LESION(S), SKIN  
PAIN, ABDOMEN  
PUSTULE(S)

AMOXICILLIN, CLAVULANATE

ORAL, DOG

Number of Animals Evaluated

339

Sign

RASH

VESICLE(S)/BULLAE, SKI

VOCALIZATION

VOMITING, BLOODY

WBC LO, BLD

WEIGHT LOSS

ANEMIA, HEMOLYTIC

ARREST, HEART

BEHAVIOR DISORDER

BILIRUBIN, URINE

CHOLESTEROL HI, BLD

COAGULATION DISORDER

COLLAPSE

CREATININE HI, BLD

DEAFNESS

DIARRHEA, MILD

ENLARGEMENT(S), SKIN

ERUPTION(S)

HYPERPNEA

INFECTION, SKIN

INJ SITE BLD

KIDNEY FAILURE

LEUKODERMA

LIVER ENZYMES HI, BLD

NERVOUSNESS

PACING

PAIN

PARESIS, HIND LIMB(S)

RADIOGRAPH(S) ABN

RBC, NUCLEATED

RELUCTANT TO MOVE

SCALE(S), SKIN

SKIN, CRUST(S)

SOMNOLENCE

STOOL ABN

TACHYCARDIA

TWITCH

ULCER(S), MOUTH/LIP(S)

ABORTION

ALKALINE URINE

AMOXICILLIN, CLAVULANATE

ORAL, DOG

Number of Animals Evaluated

339

Sign

AMMONIA HI, BLD  
APPREHENSION  
BALANCE DISORDER  
BANDS HI, BLD  
BILE ACIDS HI, BLD  
BIRTH DEFECT(S)  
BITING/CHEWING  
BLD  
BLD(ECCHYMOSES)  
BLINDNESS  
BREATHING ABN  
CA LO, BLD  
CONGESTION, EAR(S)  
CONGESTION, NOSE  
CONSTIPATION  
COOMBS TEST POS  
CPK HI, BLD  
CRYSTALS, URINE  
DIABETES MELLITUS  
DISCHARGE, NOSE  
DISTRESS, RESP  
DYSMETRIA  
EDEMA, FEET/DIGIT(S)  
EDEMA, LUNG(S)/TRACHEA  
EPIPHORA  
ERYTHEMA MULTIFORME  
HAIR, ABN COLOR  
HEAD TILT  
HEPATITIS  
HYPERESTHESIA  
HYPOSMIA  
INEFFECT, OTHER DRUG(S)  
INTERACTION, DRUG(S)  
IRIS(BLD)  
JOINT DISORDER  
LAMENESS  
LESION(S), MOUTH/LIP(S)  
LIVER DISORDER  
LOCOMOTION DISORDER  
NAUSEA

AMOXICILLIN, CLAVULANATE  
ORAL, DOG

Number of Animals Evaluated  
339

Sign

NEUROLOGICAL DISORDER  
NOSE ABN  
NYSTAGMUS  
P HI, BLD  
PAIN, HIND LIMB(S)  
PAIN, JOINT(S)  
PAIN, MOUTH/LIP(S)  
PALLOR  
PD-COLOR, ABN  
PHOTOSENSITIZATION  
PR-BRAIN, LESION(S)  
PR-PANCREAS, LESION(S)  
PROTEIN(TOT) HI, BLD  
PROTEIN(TOT) LO, BLD  
PROTEIN, URINE  
RBC ABN  
RBC, ANISO  
RBC, POLYCHROM  
RECUMBENCY  
REGURGITATION  
SEDATION  
SKIN DISORDER  
SKIN, NECROSIS  
SLOUGH, FEET/DIGIT(S)  
SLOUGH, SKIN  
SLOUGH, TONGUE  
SORE(S)  
STARING  
STIFFNESS  
STUPOR  
SWELLING, JOINT(S)  
SWELLING, LIMB(S)  
SWELLING, MOUTH/LIP(S)  
SWELLING, MULT SITES  
SYNCOPE  
THRASHING/PADDLING  
TREMBLING, FACE  
ULCER(S)  
ULCER(S), FEET/DIGIT(S)  
ULCER(S), GI

AMOXICILLIN, CLAVULANATE

ORAL, DOG

Number of Animals Evaluated

339

Sign

ULCER(S), MUCOCUTANEOU

UNCONSCIOUS

US-LIVER ABN

WBC, URINE

---

AMOXICILLIN, CLAVULANATE

ORAL, BIRD

Number of Animals Evaluated

1

Sign

ANOREXIA

---

AMOXICILLIN, CLAVULANATE

ORAL, RABBIT

Number of Animals Evaluated

4

Sign

DEATH

ANOREXIA

---

AMOXICILLIN, CLAVULANATE

ORAL, UNKNOWN

Number of Animals Evaluated

6

Sign

NAUSEA

VOMITING

UNPALATABLE

---

AMOXICILLIN, CLAVULANATE

ORAL, VARIOUS

Number of Animals Evaluated



AMOXICILLIN, CLAVULANATE  
ORAL, VARIOUS

Number of Animals Evaluated  
23

Sign

VOMITING  
DIARRHEA  
PD-PRODUCT DEFECT

---

AMOXICILLIN, CLAVULANATE  
TOPICAL, HUMAN

Number of Animals Evaluated  
1

Sign

URTICARIA

---

AMOXICILLIN, CLAVULANATE  
UNKNOWN, CAT

Number of Animals Evaluated  
2

Sign

ANOREXIA  
CONVULSION(S)  
VOMITING

---

AMPICILLIN  
MISSING, DOG

Number of Animals Evaluated  
1

Sign

CONGESTION, SKIN  
PRURITIS  
SWELLING, HEAD/FACE  
URTICARIA

---

AMPICILLIN  
UNKNOWN, CAT

AMPICILLIN  
UNKNOWN, CAT

Number of Animals Evaluated  
13

Sign

INJ SITE PAIN  
ANAPHYLAXIS/TOID  
DEATH

---

AMPICILLIN  
UNKNOWN, DOG

Number of Animals Evaluated  
22

Sign

INJ SITE PAIN

---

AMPICILLIN  
UNKNOWN, HORSE

Number of Animals Evaluated  
2

Sign

WEAKNESS  
DEATH

---

AMPICILLIN  
UNKNOWN, CATTLE

Number of Animals Evaluated  
16

Sign

ANAPHYLAXIS/TOID  
PR-LUNG(S), LESION(S)  
PR-PLEURA, LESION(S)

---

AMPICILLIN  
PARENTERAL, CAT

Number of Animals Evaluated  
43

AMPICILLIN  
PARENTERAL, CAT

Number of Animals Evaluated  
43

Sign

INJ SITE PAIN  
SKIN DISORDER  
FEVER, BODY  
INJ SITE ALOPECIA  
INJ SITE EDEMA  
INJ SITE FIBROSIS  
INJ SITE NECROSIS  
INJ SITE NEOPLASM  
INJ SITE SLOUGH  
INJ SITE SWELLING  
PR-INJ SITE, LESION(S)

---

AMPICILLIN  
PARENTERAL, DOG

Number of Animals Evaluated  
55

Sign

INJ SITE PAIN  
ANAPHYLAXIS/TOID  
INJ SITE ABN  
ANOREXIA  
INJ SITE SWELLING  
PALLOR, MUCOUS MEMBRAN  
VOMITING  
ANEMIA, AUTOIMMUNE HEM  
BRADYCARDIA  
CONGESTION, MUCOUS MEM  
DEAFNESS  
DEPRESSION/LETHARGY  
EDEMA  
EDEMA, LUNG(S)/TRACHEA  
FEVER, BODY  
SHAKING  
TREMBLING  
URTICARIA

---

AMPICILLIN

January 2, 2009

AMPICILLIN  
PARENTERAL, HORSE

Number of Animals Evaluated  
13

Sign

ANOREXIA  
INJ SITE INFLAM  
INJ SITE PAIN  
PAIN, ABDOMEN  
INJ SITE EDEMA  
INJ SITE SWELLING

---

AMPICILLIN  
PARENTERAL, CATTLE

Number of Animals Evaluated  
840

Sign

RESIDUE, MILK  
DYSPNEA  
FROTH, MOUTH/LIP(S)  
STAGGERING  
CYANOSIS  
UDDER, CYANOSIS  
RESIDUE, MEAT

---

AMPICILLIN  
PARENTERAL, UNKNOWN

Number of Animals Evaluated  
5

Sign

INJ SITE PAIN

---

AMPROLIUM  
ORAL, DOG

Number of Animals Evaluated  
5

Sign

CONVULSION(S)  
BLD, URINE

January 2, 2009

AMPROLIUM

ORAL, DOG

Number of Animals Evaluated

5

Sign

MYDRIASIS

TREMBLING

WEAKNESS

---

AMPROLIUM

ORAL, GOAT

Number of Animals Evaluated

20

Sign

CONVULSION(S)

RECUMBENCY

DEATH

---

AMPROLIUM

ORAL, CATTLE

Number of Animals Evaluated

123

Sign

INEFFECT, COCCIDIA

DIARRHEA

DEATH

---

AMPROLIUM

TOPICAL, FISH

Number of Animals Evaluated

4

Sign

DEATH

---

ANTI-INFLAMMATORY

ORAL, DOG

Number of Animals Evaluated

ANTI-INFLAMMATORY

ORAL, DOG

Number of Animals Evaluated

1

Sign

BLD

DEATH

---

ANTI-INFLAMMATORY

TOPICAL, HORSE

Number of Animals Evaluated

1

Sign

SORE(S)

VESICLE(S)/BULLAE, SKI

---

APRAMYCIN

ORAL, PIG

Number of Animals Evaluated

30

Sign

INEFFECT

---

ARECOLINE

ORAL, DOG

Number of Animals Evaluated

2

Sign

BRADYCARDIA

CONVULSION(S)

PR-LIVER, LESION(S)

PR-LUNG(S), LESION(S)

SHOCK

STUPOR

TOX

UNCONSCIOUS

DEATH

---

ARSENAMIDE  
UNKNOWN, DOG

Number of Animals Evaluated  
13

Sign

VOMITING  
ICTERUS, BODY

---

ARSENAMIDE  
PARENTERAL, DOG

Number of Animals Evaluated  
115

Sign

VOMITING  
DEATH  
DEPRESSION/LETHARGY  
ICTERUS  
INEFFECT, HW ADULTS  
ANOREXIA  
SGPT/ALT HI, BLD  
LIVER DISORDER  
CONFUSION  
FEVER, BODY  
DIARRHEA  
DISTRESS, RESP  
ATAXIA  
ICTERUS, BODY  
LIVER PROFILE HI  
BLD, LUNG(S)/TRACHEA  
LIVER ENZYMES HI, BLD  
NAUSEA  
VOMITING, BLOODY  
ANEMIA  
BRADYCARDIA  
DIARRHEA, BLOODY  
DIARRHEA, SEVERE  
ILL  
SGOT/AST HI, BLD  
SWELLING, LIMB(S)  
UNCONSCIOUS  
WEAKNESS  
ANAPHYLAXIS/TOID  
BLD, ABDOMEN

ARSENAMIDE  
PARENTERAL, DOG

Number of Animals Evaluated  
115

Sign

CONGESTION, EYE(S)/LID  
CONVULSION(S)  
DEATH(EUTHANIZED)  
DIARRHEA, MILD  
EDEMA, LIMB(S)  
INJ SITE EDEMA  
INJ SITE SWELLING  
KIDNEY FAILURE  
PALLOR, MUCOUS MEMBRAN  
PR-LIVER, LESION(S)  
PR-LUNG(S), LESION(S)  
STAGGERING

---

ASPIRIN  
ORAL, DOG

Number of Animals Evaluated  
1

Sign

ANEMIA  
ANOREXIA  
BLD  
BLD, ABDOMEN  
COAGULATION DISORDER  
DEATH(EUTHANIZED)  
DEPRESSION/LETHARGY  
DISTENTION, ABDOMEN  
LIVER ENZYMES HI, BLD  
MYDRIASIS  
PAIN, ABDOMEN

---

ASPIRIN, METHYLPREDNISOLONE  
ORAL, DOG

Number of Animals Evaluated  
4

Sign

ANOREXIA



ASPIRIN, METHYLPREDNISOLONE  
ORAL, DOG

Number of Animals Evaluated  
4

Sign

BLD  
COAGULATION DISORDER  
DEATH  
DEPRESSION/LETHARGY  
HEMATOCHEZIA  
SHOCK  
ULCER(S), GI  
VOMITING, BLOODY

---

ATIPAMEZOLE  
ORAL, DOG

Number of Animals Evaluated  
2

Sign

EDEMA, LUNG(S)/TRACHEA  
HYPERSALIVATION  
VOMITING

---

ATIPAMEZOLE  
MISSING, DOG

Number of Animals Evaluated  
5

Sign

DEATH  
ANISOCORIA  
ARREST, HEART  
DEPRESSION/LETHARGY  
GLUCOSE LO, BLD  
HYPERPNEA  
INEFFECT, REVERSAL  
INTERACTION, DRUG(S)  
MIOSIS  
RECUMBENCY  
SOMNOLENCE

---

ATIPAMEZOLE  
UNKNOWN, CAT

Number of Animals Evaluated  
20

Sign

HYPERSALIVATION  
VOCALIZATION  
HYPERACTIVITY  
APNEA  
CONVULSION(S)  
POLYPNEA  
DEATH  
HYPERPNEA  
APPREHENSION  
ARREST, HEART  
ATAXIA  
BRADYCARDIA  
DEFECATION  
DEPRESSION/LETHARGY  
DIARRHEA  
EDEMA, LUNG(S)/TRACHEA  
FIBRILLATION  
FROTH, MOUTH/LIP(S)  
HAIR, ABN  
PARALYSIS, HIND LIMB(S)  
RECUMBENCY  
SPASM  
STAGGERING  
VOMITING

---

ATIPAMEZOLE  
UNKNOWN, DOG

Number of Animals Evaluated  
48

Sign

INEFFECT, REVERSAL  
DEPRESSION/LETHARGY  
INEFFECT, ANTIDOTE  
DEATH  
POLYPNEA  
FEVER, BODY  
HYPERACTIVITY  
SEDATION RELAPSE

ATIPAMEZOLE  
UNKNOWN, DOG

Number of Animals Evaluated  
48

Sign

TACHYCARDIA  
VOMITING  
ARREST, HEART  
DEATH(NEWBORN)  
DIARRHEA, BLOODY  
HYPERALIVATION  
APPREHENSION  
ATAXIA  
CPK HI, BLD  
HEAD PRESSING  
ALK PHOS HI, BLD  
ANAPHYLAXIS/TOID  
ANESTH RECOV TURBULENT  
ANOREXIA  
APNEA  
BILIRUBIN(TOT) HI, BLD  
BORBORYGMI  
COLLAPSE  
CONVULSION(S)  
DIARRHEA  
DRY MOUTH SYNDROME  
DYSPNEA  
DYSURIA  
EDEMA, LUNG(S)/TRACHEA  
FIBRILLATION, VENTRICU  
HALLUCINATION  
HYPERPNEA  
HYPOTHERMIA  
INEFFECT  
K LO, BLD  
MUCOUS MEMBR, ABN COLO  
MYDRIASIS  
NERVOUSNESS  
NYSTAGMUS  
OPISTHOTONOS  
PR-STOMACH, LESION(S)  
PRESSURE LO, BLD  
SEGS HI, BLD  
SGOT/AST HI, BLD  
SGPT/ALT HI, BLD

ATIPAMEZOLE  
UNKNOWN, DOG

Number of Animals Evaluated  
48

Sign

SWELLING, HEAD/FACE  
TECH ERROR ADMINISTRAT  
TREMBLING  
URTICARIA  
VOCALIZATION  
VOLVULUS, STOMACH  
VOMITING, BLOODY  
WBC HI, BLD  
WEIGHT LOSS

---

ATIPAMEZOLE  
UNKNOWN, PIG

Number of Animals Evaluated  
4

Sign

VOMITING

---

ATIPAMEZOLE  
UNKNOWN, VARIOUS

Number of Animals Evaluated  
3

Sign

DEATH  
DEPRESSION/LETHARGY  
DISTRESS, RESP  
PR-GI, LESION(S)  
PR-LUNG(S), LESION(S)

---

ATIPAMEZOLE  
VARIOUS, DOG

Number of Animals Evaluated  
4

Sign

INEFFECT, REVERSAL

ATIPAMEZOLE  
VARIOUS, DOG

Number of Animals Evaluated  
4

Sign  
DEATH

---

ATIPAMEZOLE  
OPHTHALMIC, HUMAN

Number of Animals Evaluated  
2

Sign  
IRRITATION, EYE(S)/LID  
MYDRIASIS

---

ATIPAMEZOLE  
PARENTERAL, CAT

Number of Animals Evaluated  
80

Sign  
DEATH  
HYPERALIVATION  
APNEA  
ARREST, HEART  
HYPERPNEA  
VOCALIZATION  
ANAPHYLAXIS/TOID  
ATAXIA  
POLYPNEA  
DEPRESSION/LETHARGY  
DISTRESS, RESP  
DYSPNEA  
EDEMA, LUNG(S)/TRACHEA  
CONVULSION(S)  
HYPERACTIVITY  
HYPOTHERMIA  
VOMITING  
ANOREXIA  
COLLAPSE  
CYANOSIS  
DEATH (EUTHANIZED)

ATIPAMEZOLE  
PARENTERAL, CAT

Number of Animals Evaluated

80

Sign

GLUCOSE HI, BLD  
PR-LUNG(S), EDEMA  
RECUMBENCY  
SWELLING, HEAD/FACE  
ANESTH RECOV PROLONGED  
ANESTH RECOV TURBULENT  
ANURIA  
APPREHENSION  
BUN HI, BLD  
CONFUSION  
CPK HI, BLD  
CREATININE HI, BLD  
FEVER, BODY  
HORNER'S SYNDROME  
HYPOTHERMIA, BODY  
INEFFECT, ANTIDOTE  
INEFFECT, REVERSAL  
NERVOUSNESS  
P HI, BLD  
PROLAPSE, THIRD EYELID  
SEDATION  
TREMBLING  
TWITCH  
AGGRESSION  
ALK PHOS HI, BLD  
BILIRUBIN(TOT) HI, BLD  
BLD, EAR(S)  
BLINDNESS  
BLINDNESS, TEMP  
BREATHING, PERIODIC  
CONGESTION, EYE(S)/LID  
CONGESTION, SKIN  
CONJUNCTIVITIS  
DEHYDRATION  
DIARRHEA  
ENLARGEMENT, LYMPH NOD  
EPISTAXIS  
HIDING  
HYPERESTHESIA  
IRRITATION, EAR(S)

ATIPAMEZOLE  
PARENTERAL, CAT

Number of Animals Evaluated  
80

Sign

LIVER DISORDER  
MUCOUS MEMBR, ABN COLO  
MYDRIASIS  
NEUROLOGICAL DISORDER  
NYSTAGMUS  
PAIN, HIND LIMB(S)  
PR-MULT SITES, CONGEST  
SHAKING  
SKIN, NECROSIS  
SOMNOLENCE  
SWELLING, EYE(S)/LID(S)  
TECH ERROR ADMINISTRAT  
ULCER(S), TONGUE  
VESTIBULAR DISORDER

---

ATIPAMEZOLE  
PARENTERAL, DOG

Number of Animals Evaluated  
355

Sign

DEATH  
INEFFECT, REVERSAL  
INEFFECT, ANTIDOTE  
CONVULSION(S)  
VOMITING  
ARREST, HEART  
APNEA  
DEPRESSION/LETHARGY  
HYPERACTIVITY  
ATAXIA  
COLLAPSE  
FEVER, BODY  
POLYPNEA  
HYPERALIVATION  
BRADYCARDIA  
NERVOUSNESS  
SEDATION PROLONGED  
TREMBLING

ATIPAMEZOLE  
PARENTERAL, DOG

Number of Animals Evaluated  
355

Sign

CONFUSION  
HYPERPNEA  
SGPT/ALT HI, BLD  
ANESTH RECOV PROLONGED  
TACHYCARDIA  
INEFFECT, SEDATION  
DEAFNESS  
SEDATION RELAPSE  
ALK PHOS HI, BLD  
ANOREXIA  
DIARRHEA  
PALLOR, MUCOUS MEMBRAN  
SHOCK  
VOCALIZATION  
BLD, SCROTUM  
BLINDNESS  
DYSPNEA  
HYPOTHERMIA, BODY  
INEFFECT  
SGOT/AST HI, BLD  
SWELLING, SCROTUM  
CIRCLING  
CREATININE HI, BLD  
DEATH(EUTHANIZED)  
DEATH(NEWBORN)  
HYPOTHERMIA  
INTERACTION, DRUG(S)  
RECUMBENCY  
ANEMIA  
APPREHENSION  
BLINDNESS, TEMP  
BUN HI, BLD  
CYANOSIS, MUCOUS MEMBR  
DIARRHEA, BLOODY  
EDEMA, HEAD/FACE  
ICTERUS, BODY  
INCONTINENCE, URINARY  
MYDRIASIS  
NYSTAGMUS  
SPASM



ATIPAMEZOLE  
PARENTERAL, DOG

Number of Animals Evaluated  
355

Sign

TWITCH

WEAKNESS

AGGRESSION

ALBUMIN LO, BLD

ANAPHYLAXIS/TOID

ANESTH RECOV TURBULENT

AZOTEMIA

BILIRUBIN(TOT) HI, BLD

BLD, ABDOMEN

BLD, LUNG(S)/TRACHEA

BLD, MOUTH/LIP(S)

CONGESTION, EYE(S)/LID

CONGESTION, LUNG(S)

CONGESTION, MUCOUS MEM

CONGESTION, SKIN

CYANOSIS

GLUCOSE LO, BLD

HEAD TILT

MORIBUND

MUCOUS MEMBR, ABN COLO

OPISTHOTONOS

PACING

PNEUMONIA, ASPIRATION

PR-LUNG(S), EDEMA

PRESSURE LO, BLD

SEDATION

SPLENOMEGALY

URTICARIA

UVEITIS

VOMITING, BLOODY

ACCIDENTAL EXPOSURE

AMYLASE HI, BLD

ANURIA

ARRHYTHMIA

ARRHYTHMIA, BLOCK

BEHAVIOR DISORDER

BILE ACIDS HI, BLD

BITING/CHEWING

BLD, SCLERA

BLD, URINE

ATIPAMEZOLE  
PARENTERAL, DOG

Number of Animals Evaluated  
355

Sign

BLEPHAROSPASM  
COUGHING  
DESTRUCTIVENESS  
DIARRHEA, MILD  
DIC  
DISTRESS, RESP  
ECG, ABN  
EDEMA, CORNEA(S)  
EDEMA, LIMB(S)  
EDEMA, LUNG(S)/TRACHEA  
EOSINOS HI, BLD  
EPISTAXIS  
EYE DISORDER  
FIBRILLATION, VENTRICU  
FROTH, MOUTH/LIP(S)  
GAGGING  
GGT HI, BLD  
HALLUCINATION  
HEAD PRESSING  
HEMATOCHEZIA  
HYPERESTHESIA  
HYPOPNEA  
ICTERUS, SERUM  
INEFFECT, ANESTHESIA  
IRIS(BLD)  
KIDNEY FAILURE  
LIPASE HI, BLD  
LOCKJAW  
MUCOUS MEMBR, MUDDY  
MURMUR, HEART  
NAUSEA  
NEUROLOGICAL DISORDER  
NYSTAGMUS, VERTICAL  
P HI, BLD  
PANCREATITIS  
PARESIS, HIND LIMB(S)  
PHOTOPHOBIA  
PLATELETS LO, BLD  
PR-HEART, LESION(S)  
PR-KIDNEY(S), LESION(S)

ATIPAMEZOLE  
PARENTERAL, DOG

Number of Animals Evaluated  
355

Sign

PR-LIVER, LESION(S)  
PR-LUNG(S), LESION(S)  
PR-MULT SITES, BLD  
PR-MULT SITES, CONGEST  
PR-MULT SITES, EDEMA  
PR-PANCREAS, LESION(S)  
PR-STOMACH, LESION(S)  
PRIAPISM  
PROLAPSE, THIRD EYELID  
PROPRIOCEPTIVE DISORDE  
PUPIL(S), AREFLEXIA  
RASH  
SEDATION TOO DEEP  
SEGS HI, BLD  
SHAKING  
SOMNOLENCE  
SOUND ABN, RESPIRATORY  
SQUINTING  
STAGGERING  
STARING  
STOOL ABN  
STUPOR  
SWELLING, EYE(S)/LID(S)  
UNCONSCIOUS  
UREMIA  
US ABN  
US-LIVER ABN  
WBC HI, BLD

---

ATIPAMEZOLE  
PARENTERAL, OTHER

Number of Animals Evaluated  
1

Sign

DEATH  
SEDATION PROLONGED

---

ATIPAMEZOLE  
NOT APPLICABLE, HUMAN

Number of Animals Evaluated  
0

Sign

---

ATROPINE  
PARENTERAL, DOG

Number of Animals Evaluated  
1

Sign  
ARREST, HEART  
CONVULSION(S)  
DEATH

---

ATTAPULGITE, BISMUTH, KANAMYCIN  
ORAL, CAT

Number of Animals Evaluated  
1

Sign  
ATAXIA  
BILIRUBIN(TOT) HI, BLD  
HEAD TILT

---

ATTAPULGITE, BISMUTH, KANAMYCIN  
ORAL, DOG

Number of Animals Evaluated  
3

Sign  
DEPRESSION/LETHARGY  
HIDING  
RASH  
SHAKING  
URTICARIA

---

AZAPERONE  
PARENTERAL, PIG

AZAPERONE  
PARENTERAL, PIG

Number of Animals Evaluated  
3

Sign

DEATH  
PROLAPSE, PENIS

---

BACITRACIN METHYLENE DISALICYLATE  
ORAL, PIG

Number of Animals Evaluated  
922

Sign

INEFFECT  
DIARRHEA  
DEATH

---

BACITRACIN METHYLENE DISALICYLATE  
ORAL, CHICKEN

Number of Animals Evaluated  
100

Sign

TOX

---

BACITRACIN, HYDROCORTISONE, NEOMYCIN, POLYMYXIN B  
OPHTHALMIC, CAT

Number of Animals Evaluated  
19

Sign

IRRITATION, EYE(S)/LID  
ANAPHYLAXIS/TOID  
ULCER(S), CORNEA(S)  
DEATH  
DYSPNEA  
CONJUNCTIVITIS  
SWELLING, EYE(S)/LID(S)  
VOMITING  
BREATHING ABN  
CYANOSIS

BACITRACIN, HYDROCORTISONE, NEOMYCIN, POLYMYXIN B  
OPHTHALMIC, CAT

Number of Animals Evaluated  
19

Sign

DISTRESS, RESP  
EDEMA, EYE(S)/LID(S)  
FEVER, BODY  
FROTH, MOUTH/LIP(S)  
GLUCOSE HI, BLD  
LIPASE HI, BLD  
MELENA  
PR-MULT SITES, CONGEST  
SGPT/ALT HI, BLD  
STUPOR

---

BACITRACIN, HYDROCORTISONE, NEOMYCIN, POLYMYXIN B  
OPHTHALMIC, DOG

Number of Animals Evaluated  
9

Sign

IRRITATION, EYE(S)/LID  
CONJUNCTIVITIS  
GAGGING  
OPACITY, CORNEA(S)  
PAIN, EYE(S)/LID(S)  
SWELLING, EYE(S)/LID(S)

---

BACITRACIN, HYDROCORTISONE, NEOMYCIN, POLYMYXIN B  
OPHTHALMIC, NOT APPLICABLE

Number of Animals Evaluated  
0

Sign

---

BACITRACIN, NEOMYCIN, POLYMYXIN B  
TOPICAL, CAT

Number of Animals Evaluated  
78

Sign

BACITRACIN, NEOMYCIN, POLYMYXIN B  
TOPICAL, CAT

Number of Animals Evaluated  
78

Sign

ULCER(S), CORNEA(S)  
CONJUNCTIVITIS  
INEFFECT

---

BACITRACIN, NEOMYCIN, POLYMYXIN B  
TOPICAL, VARIOUS

Number of Animals Evaluated  
7

Sign

ULCER(S), CORNEA(S)

---

BACITRACIN, NEOMYCIN, POLYMYXIN B  
OPHTHALMIC, CAT

Number of Animals Evaluated  
157

Sign

CONJUNCTIVITIS  
ULCER(S), CORNEA(S)  
DISCHARGE, EYE(S)/LID(  
EPIPHORA  
PAIN, EYE(S)/LID(S)  
INEFFECT  
IRRITATION, EYE(S)/LID  
PHOTOSENSITIZATION  
SWELLING, EYE(S)/LID(S)  
DEATH  
CONGESTION, EYE(S)/LID  
VOMITING  
ANAPHYLAXIS/TOID  
HYPERSALIVATION  
ARREST, HEART  
BLEPHAROSPASM  
SQUINTING  
COLLAPSE  
CONVULSION(S)  
CYANOSIS

BACITRACIN, NEOMYCIN, POLYMYXIN B  
OPHTHALMIC, CAT

Number of Animals Evaluated  
157

Sign

DEFECATION  
DIARRHEA  
FROTH, MOUTH/LIP(S)  
GAGGING  
HYPERACTIVITY  
PALLOR, MUCOUS MEMBRAN  
POLYPNEA  
RECUMBENCY  
UNCONSCIOUS  
APNEA  
BLD, LUNG(S)/TRACHEA  
BLOAT  
COUGHING  
CYANOSIS, MUCOUS MEMBR  
DILITATION, STOMACH  
DYSPNEA  
EDEMA, LUNG(S)/TRACHEA  
ENLARGEMENT, LYMPH NOD  
EYE DISORDER  
HYPERPNEA  
INCONTINENCE, FECAL  
MORIBUND  
PALLOR  
PR-COLON, LESION(S)  
PR-HEART, LESION(S)  
PR-KIDNEY(S), LESION(S)  
PR-LUNG(S), LESION(S)  
PR-MULT SITES, BLD  
PR-MULT SITES, CONGEST  
PR-SM INTEST, LESION(S)  
PULSE TREADY  
SWELLING, HEAD/FACE

---

BACITRACIN, NEOMYCIN, POLYMYXIN B  
OPHTHALMIC, DOG

Number of Animals Evaluated  
20

Sign



BACITRACIN, NEOMYCIN, POLYMYXIN B  
OPHTHALMIC, DOG

Number of Animals Evaluated  
20

Sign

IRRITATION, EYE(S)/LID  
BLEPHAROSPASM  
CONJUNCTIVITIS  
CONGESTION, EYE(S)/LID  
ANAPHYLAXIS/TOID  
ATAXIA  
MYDRIASIS  
SWELLING, EYE(S)/LID(S)

---

BACITRACIN, NEOMYCIN, POLYMYXIN B  
OPHTHALMIC, HORSE

Number of Animals Evaluated  
3

Sign

PAIN, EYE(S)/LID(S)  
S-IRRITATION, EYE(S)/LID

---

BACITRACIN, NEOMYCIN, POLYMYXIN B  
OPHTHALMIC, RABBIT

Number of Animals Evaluated  
1

Sign

CONJUNCTIVITIS  
ULCER(S), CORNEA(S)

---

BACITRACIN, NEOMYCIN, POLYMYXIN B  
OPHTHALMIC, VARIOUS

Number of Animals Evaluated  
5

Sign

CONGESTION, EYE(S)/LID  
IRRITATION, EYE(S)/LID

---

BALSAM PERU, TRYPSIN, CASTOR OIL  
TOPICAL, HORSE

Number of Animals Evaluated  
2

Sign

IRRITATION, SKIN  
VESICLE(S)/BULLAE, SKI

---

BALSAM PERU, TRYPSIN, CASTOR OIL  
INHALATION, HUMAN

Number of Animals Evaluated  
1

Sign

BRONCHITIS  
CHOKING  
COUGHING

---

BENZOCAINE  
TOPICAL, HORSE

Number of Animals Evaluated  
1

Sign

APPLICATION SITE ALOPECIA  
APPLICATION SITE ERYTHEMA  
APPLICATION SITE INFLAM  
APPLICATION SITE LESION(S)  
EXFOLIATION, SKIN  
PD-COLOR, ABN  
SKIN, SCAB(S)  
ULCER(S), SKIN

---

BETA-AMINOPROPIONITRILE  
PARENTERAL, HORSE

Number of Animals Evaluated  
6

Sign

INJ SITE PAIN  
INJ SITE SWELLING  
LAMENESS

BETA-AMINOPROPIONITRILE  
PARENTERAL, HORSE

Number of Animals Evaluated  
6

Sign

SWELLING, TENDON(S)  
EDEMA, LIMB(S)  
FEVER, BODY  
INJ SITE SEPSIS  
PR-TENDON(S), LESION(S)  
SKIN, NECROSIS

---

BETAMETHASONE  
PARENTERAL, CAT

Number of Animals Evaluated  
2

Sign

ATAXIA  
DEATH  
DIABETES MELLITUS  
GLUCOSE, URINE  
HYPERPNEA  
LIVER FAILURE  
POLYDIPSIA  
POLYURIA

---

BETAMETHASONE  
PARENTERAL, DOG

Number of Animals Evaluated  
20

Sign

POLYURIA  
DIARRHEA  
INEFFECT, DELAYED EFFE  
POLYDIPSIA  
DEPRESSION/LETHARGY  
VOMITING  
BLD, PASSING  
BRADYCARDIA  
CAPILLARY REFILL PROLO  
COLLAPSE

BETAMETHASONE  
PARENTERAL, DOG

Number of Animals Evaluated  
20

Sign

CONGESTION, SKIN  
CYANOSIS  
DEATH  
DIABETES MELLITUS  
DIARRHEA, MILD  
HYPERPNEA  
HYPERMOTILITY  
POLYPNEA  
PUPIL(S), AREFLEXIA  
RECUMBENCY  
TACHYCARDIA

---

BETAMETHASONE  
PARENTERAL, HORSE

Number of Animals Evaluated  
2

Sign

DEATH (EUTHANIZED)  
EFFUSION, JOINT(S)  
LAMINITIS  
PAIN, JOINT(S)

---

BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN  
ORAL, DOG

Number of Animals Evaluated  
10

Sign

DIARRHEA, MILD  
VOMITING  
DIARRHEA

---

BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN  
MISSING, DOG

Number of Animals Evaluated

BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN  
MISSING, DOG

Number of Animals Evaluated  
1

Sign

INEFFECT, LOSS OF EFFE

---

BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN  
TOPICAL, CAT

Number of Animals Evaluated  
19

Sign

DEAFNESS  
ATAXIA  
DEAFNESS, TEMP  
HEAD TILT  
ANOREXIA  
DEATH (EUTHANIZED)  
DEPRESSION/LETHARGY  
VESTIBULAR DISORDER  
VOMITING  
ALOPECIA  
BLINDNESS  
CIRCLING  
CONVULSION(S)  
DEAFNESS, PARTIAL  
DEATH  
DIARRHEA  
EAR DISORDER  
FEVER, BODY  
HEAD BOBBING  
HORNER'S SYNDROME  
KIDNEY DISORDER  
MIOSIS  
NYSTAGMUS  
PARESIS, HIND LIMB(S)  
PR-EAR(S), LESION(S)  
RECUMBENCY  
STAGGERING  
VOCALIZATION

---

BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN

BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN  
TOPICAL, DOG

Number of Animals Evaluated  
724

Sign

DEAFNESS, TEMP  
DEAFNESS  
IRRITATION, EAR(S)  
INEFFECT, ANTIBIOTIC  
DEAFNESS, PARTIAL  
INEFFECT  
RASH  
CONGESTION, EAR(S)  
HEAD TILT  
URTICARIA  
REACTION, UNSPECIFIED  
VESICLE(S)/BULLAE, SKI  
VESTIBULAR DISORDER  
BIRTH DEFECT(S), HEAD/  
ATAXIA  
DEPRESSION/LETHARGY  
EAR DISORDER  
INFLAM, SKIN  
SWELLING, HEAD/FACE  
APPLICATION SITE INFLAM  
APPLICATION SITE LESION(S)  
APPLICATION SITE ERYTHEMA  
CONGESTION, SKIN  
ULCER(S), EAR(S)  
CONGESTION, EYE(S)/LID  
DEATH(STILLBORN)  
INFLAM  
LESION(S), SKIN  
NYSTAGMUS  
OTITIS  
PAPULE(S)  
SOMNOLENCE  
STAGGERING  
SWELLING, EAR(S)  
ULCER(S), SKIN  
VOMITING  
ANAPHYLAXIS/TOID  
ANOREXIA  
APPLICATION SITE EDEMA  
AZOTEMIA

BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN  
TOPICAL, DOG

Number of Animals Evaluated  
724

Sign

BLD, ABDOMEN  
BRADYCARDIA  
COLLAPSE  
DEATH  
DEATH(EUTHANIZED)  
DEHISCENCE  
DIARRHEA  
DISCHARGE, EYE(S)/LID(  
EDEMA, CORNEA(S)  
EDEMA, EYE(S)/LID(S)  
HEALING IMPAIRED  
HYPERALIVATION  
INEFFECT, OTHER DRUG(S)  
NEUROLOGICAL DISORDER  
PARAESTHESIA, EYE(S)/L  
PARESIS, HIND LIMB(S)  
POLYDIPSIA  
POLYURIA  
PRURITIS  
PRURITIS, EAR(S)  
PRURITIS, EYE(S)  
PUSTULE(S)  
TWITCH  
WEAKNESS

---

BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN  
TOPICAL, VARIOUS

Number of Animals Evaluated  
2

Sign

DEAFNESS, TEMP  
VESTIBULAR DISORDER

---

BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN  
OPHTHALMIC, DOG

Number of Animals Evaluated

BETAMETHASONE, CLOTRIMAZOLE, GENTAMICIN  
OPHTHALMIC, DOG

Number of Animals Evaluated  
3

Sign

APPLICATION SITE ERYTHEMA  
APPLICATION SITE INFLAM  
APPLICATION SITE PAIN  
CONGESTION, EYE(S)/LID  
EYE DISORDER  
IRRITATION, EYE(S)/LID  
KERATOCONJUNCTIVITIS S  
PAIN, EYE(S)/LID(S)

---

BETAMETHASONE, GENTAMICIN  
ORAL, DOG

Number of Animals Evaluated  
4

Sign

ANOREXIA  
DEPRESSION/LETHARGY  
DIARRHEA  
INEFFECT  
VOMITING

---

BETAMETHASONE, GENTAMICIN  
TOPICAL, CAT

Number of Animals Evaluated  
10

Sign

DEAFNESS  
WEIGHT LOSS  
ANISOCORIA  
ANOREXIA  
APPLICATION SITE PAIN  
APPREHENSION  
ATAXIA  
CACHEXIA  
DEATH(EUTHANIZED)  
DEPRESSION/LETHARGY  
EAR DISORDER



BETAMETHASONE, GENTAMICIN  
TOPICAL, CAT

Number of Animals Evaluated  
10

Sign

HEAD TILT  
HORNER'S SYNDROME  
MYDRIASIS

---

BETAMETHASONE, GENTAMICIN  
TOPICAL, DOG

Number of Animals Evaluated  
35

Sign

DEAFNESS  
DEAFNESS, TEMP  
IRRITATION, EAR(S)  
BUN HI, BLD  
APPLICATION SITE PAIN  
CREATININE HI, BLD  
POLYDIPSIA  
POLYURIA  
SWELLING, HEAD/FACE  
URTICARIA  
VOMITING  
WEAKNESS  
ACCIDENTAL EXPOSURE  
ANEMIA  
APPLICATION SITE INFLAM  
ARRHYTHMIA  
CONGESTION, SKIN  
DEATH(EUTHANIZED)  
DEPRESSION/LETHARGY  
DIARRHEA  
EDEMA, HEAD/FACE  
HEAD TILT  
HORNER'S SYNDROME  
KIDNEY FAILURE  
NYSTAGMUS  
PARALYSIS, FACIAL NERV  
PR-KIDNEY(S), LESION(S)  
RELUCTANT TO MOVE  
SPEC GRAVITY LO, URINE

BETAMETHASONE, GENTAMICIN  
TOPICAL, DOG

Number of Animals Evaluated  
35

Sign

TREMBLING  
VESTIBULAR DISORDER

---

BETAMETHASONE, GENTAMICIN  
TOPICAL, HUMAN

Number of Animals Evaluated  
2

Sign

APPLICATION SITE ERYTHEMA  
URTICARIA

---

BETAMETHASONE, GENTAMICIN  
INTRANASAL, DOG

Number of Animals Evaluated  
1

Sign

DEPRESSION/LETHARGY  
DISTENTION, ABDOMEN  
HAIR, ABN

---

BETAMETHASONE, GENTAMICIN  
OPHTHALMIC, CAT

Number of Animals Evaluated  
9

Sign

CONJUNCTIVITIS  
STAGGERING  
ULCER(S), CORNEA(S)  
ANOREXIA  
BALANCE DISORDER  
BLINDNESS, PARTIAL  
DEPRESSION/LETHARGY  
EYE DISORDER  
HEAD TILT

BETAMETHASONE, GENTAMICIN  
OPHTHALMIC, CAT

Number of Animals Evaluated  
9

Sign

INEFFECT  
PARALYSIS, FACIAL NERV  
RELUCTANT TO MOVE  
SWELLING, EYE(S)/LID(S)  
VOMITING  
WEIGHT LOSS

---

BETAMETHASONE, GENTAMICIN  
OPHTHALMIC, DOG

Number of Animals Evaluated  
9

Sign

PAIN, EYE(S)/LID(S)  
EDEMA, EYE(S)/LID(S)  
IRRITATION, EYE(S)/LID  
ALOPECIA  
ANAPHYLAXIS/TOID  
CONJUNCTIVITIS  
DEATH(EUTHANIZED)  
EDEMA, HEAD/FACE  
PARESIS, HIND LIMB(S)  
PRURITIS  
ULCER(S), CORNEA(S)

---

BETAMETHASONE, GENTAMICIN  
OPHTHALMIC, HUMAN

Number of Animals Evaluated  
2

Sign

IRRITATION, EYE(S)/LID  
PAIN, EYE(S)/LID(S)

---

BETAMETHASONE, GENTAMICIN  
NOT APPLICABLE, NOT APPLICABLE

January 2, 2009

BETAMETHASONE, GENTAMICIN  
NOT APPLICABLE, NOT APPLICABLE

Number of Animals Evaluated  
0

Sign

---

BOLDENONE  
UNKNOWN, HORSE

Number of Animals Evaluated  
7

Sign

INJ SITE SWELLING  
AGGRESSION  
BEHAVIOR DISORDER  
DEMENTIA

---

BOLDENONE  
PARENTERAL, HORSE

Number of Animals Evaluated  
2

Sign

AGGRESSION  
BEHAVIOR DISORDER  
LAMENESS

---

BOTANICAL PRODUCTS  
TOPICAL, HORSE

Number of Animals Evaluated  
1

Sign

APPLICATION SITE INFLAM

---

BOTANICAL PRODUCTS  
TOPICAL, PARROT

Number of Animals Evaluated  
1

Sign

BOTANICAL PRODUCTS

TOPICAL, PARROT

Number of Animals Evaluated

1

Sign

FEATHERS, ABNORMAL

---

BUNAMIDINE

ORAL, DOG

Number of Animals Evaluated

2

Sign

DEATH

DEPRESSION/LETHARGY

VOMITING

---

BUSPIRONE

ORAL, CAT

Number of Animals Evaluated

1

Sign

ANAPHYLAXIS/TOID

DEATH

DIARRHEA

VOMITING

---

BUTAMISOLE

UNKNOWN, DOG

Number of Animals Evaluated

4

Sign

INEFFECT, WHIPS

DEPRESSION/LETHARGY

HYPERPNEA

INJ SITE SWELLING

---

BUTAMISOLE

PARENTERAL, DOG

BUTAMISOLE  
PARENTERAL, DOG

Number of Animals Evaluated  
8

Sign

DEPRESSION/LETHARGY  
STAGGERING  
VOMITING  
ANOREXIA  
ATAXIA  
BREATHING ABN  
COLLAPSE  
CONGESTION, EYE(S)/LID  
CONGESTION, LUNG(S)  
CONGESTION, SKIN  
DEATH  
DISCOMFORT, MOUTH/LIP(  
EDEMA, LUNG(S)/TRACHEA  
HYPERSALIVATION  
INJ SITE EDEMA  
INJ SITE SWELLING  
TREMBLING

---

BUTORPHANOL  
ORAL, CAT

Number of Animals Evaluated  
17

Sign

HYPERACTIVITY  
DEATH  
AGGRESSION  
APPREHENSION  
ATAXIA  
BLINDNESS  
BREATHING ABN  
BUN HI, BLD  
CONFUSION  
CREATININE HI, BLD  
DEHYDRATION  
DEMENTIA  
DISSOCIATION  
DYSPHAGIA  
DYSPNEA

BUTORPHANOL

ORAL, CAT

Number of Animals Evaluated

17

Sign

HYPOTHERMIA, BODY

ICTERUS, BODY

INSOMNIA

INTERACTION, DRUG(S)

MYDRIASIS

PR-KIDNEY(S), LESION(S)

PUPIL(S), AREFLEXIA

SGPT/ALT HI, BLD

SPLENOMEGALY

STARING

TWITCH

---

BUTORPHANOL

ORAL, DOG

Number of Animals Evaluated

58

Sign

SEDATION

SGPT/ALT HI, BLD

ANOREXIA

DEPRESSION/LETHARGY

LIVER ENZYMES HI, BLD

ALK PHOS HI, BLD

CONVULSION(S)

VOMITING

DIARRHEA

HYPERACTIVITY

ATAXIA

DEATH

ICTERUS

NERVOUSNESS

AGGRESSION

ANEMIA, REGEN

BEHAVIOR DISORDER

BUN HI, BLD

INEFFECT

POLYPNEA

VOMITING, SEVERE

BUTORPHANOL

ORAL, DOG

Number of Animals Evaluated

58

Sign

AMMONIA HI, BLD

APPREHENSION

BILE ACIDS HI, BLD

BILIRUBIN(DIR) HI, BLD

BILIRUBIN(IND) HI, BLD

BILIRUBIN(TOT) HI, BLD

BRADYCARDIA

CIRCLING

COLLAPSE

CONFUSION

CREATININE HI, BLD

DEHYDRATION

DIARRHEA, BLOODY

DYSPNEA

HEPATITIS

HEPATOMEGALY

HYPERSALIVATION

INTERACTION, DRUG(S)

PACING

PALLOR

POLYPHAGIA

PR-LIVER, LESION(S)

RADIOGRAPH(S) ABN

RECUMBENCY

SEDATION PROLONGED

SGOT/AST HI, BLD

STUPOR

VOCALIZATION

WBC HI, BLD

WEAKNESS

WEIGHT LOSS

---

BUTORPHANOL

ORAL, HUMAN

Number of Animals Evaluated

1

Sign

DIZZINESS



January 2, 2009

BUTORPHANOL

ORAL, HUMAN

Number of Animals Evaluated

1

Sign

NAUSEA

PAIN, ABDOMEN

SEDATION

VOMITING

---

BUTORPHANOL

ORAL, VARIOUS

Number of Animals Evaluated

5

Sign

LIVER ENZYMES HI, BLD

TACHYCARDIA

---

BUTORPHANOL

ORAL, GUINEA PIG

Number of Animals Evaluated

1

Sign

DEATH

SEDATION

---

BUTORPHANOL

MISSING, CAT

Number of Animals Evaluated

11

Sign

INEFFECT, ANESTHESIA

DEATH

BLD, MOUTH/LIP(S)

EPISTAXIS

ANOREXIA

ATAXIA

BUN HI, BLD

CREATININE HI, BLD

BUTORPHANOL  
MISSING, CAT

Number of Animals Evaluated  
11

Sign

HYPOTHERMIA  
NYSTAGMUS  
RECUMBENCY  
SEDATION PROLONGED  
VESTIBULAR DISORDER

---

BUTORPHANOL  
MISSING, DOG

Number of Animals Evaluated  
35

Sign

DIARRHEA  
DEATH  
ARREST, HEART  
COLLAPSE  
CONVULSION(S)  
NYSTAGMUS  
VOMITING

---

BUTORPHANOL  
MISSING, HORSE

Number of Animals Evaluated  
2

Sign

FEVER, BODY  
HYPERPNEA  
SHOCK

---

BUTORPHANOL  
UNKNOWN, CAT

Number of Animals Evaluated  
30

Sign

DEATH

BUTORPHANOL  
UNKNOWN, CAT

Number of Animals Evaluated  
30

Sign

AGGRESSION  
ANESTH RECOV TURBULENT  
ANESTH RECOV PROLONGED  
BITING/CHEWING  
CONVULSION(S)  
INJ SITE ALOPECIA  
INJ SITE INFLAM  
INJ SITE NECROSIS  
INJ SITE SLOUGH  
VOCALIZATION  
ANESTH INDUC TURBULENT  
MYDRIASIS  
NYSTAGMUS  
ANISOCORIA  
ANOREXIA  
ATAXIA  
BLINDNESS  
CNS DISORDER  
CONFUSION  
DEPRESSION/LETHARGY  
DIARRHEA  
FEVER, BODY  
HEAD BOBBING  
HEAD TILT  
HYPERACTIVITY  
HYPOTHERMIA  
RECUMBENCY  
STAGGERING  
TREMBLING  
URINATION  
VESTIBULAR DISORDER  
VISION DISORDER

---

BUTORPHANOL  
UNKNOWN, DOG

Number of Animals Evaluated  
23

Sign

BUTORPHANOL  
UNKNOWN, DOG

Number of Animals Evaluated  
23

Sign

DEATH  
DIARRHEA  
INJ SITE ALOPECIA  
INJ SITE INFLAM  
INJ SITE NECROSIS  
INJ SITE SLOUGH  
ANAPHYLAXIS/TOID  
ANEMIA  
EDEMA, LUNG(S)/TRACHEA  
AGGRESSION  
BLD, LUNG(S)/TRACHEA  
BLOAT  
BRADYCARDIA  
CONGESTION  
CONGESTION, LUNG(S)  
CONVULSION(S)  
DEAFNESS  
DEHYDRATION  
DEPRESSION/LETHARGY  
DISTENTION, ABDOMEN  
DYSPNEA  
FEVER, BODY  
HYPOMOTILITY  
PLATELETS LO, BLD  
SEDATION  
SEDATION TOO DEEP  
SHOCK  
WBC HI, BLD

---

BUTORPHANOL  
UNKNOWN, HORSE

Number of Animals Evaluated  
10

Sign

INEFFECT, ANALGESIA  
INEFFECT, SEDATION  
DEATH  
APNEA

January 2, 2009

BUTORPHANOL  
UNKNOWN, HORSE

Number of Animals Evaluated  
10

Sign

ATAXIA  
HYPERACTIVITY  
INJ SITE SWELLING  
POLYPNEA  
REFLEX(ES) ABN  
TACHYCARDIA

---

BUTORPHANOL  
UNKNOWN, RABBIT

Number of Animals Evaluated  
1

Sign

APNEA  
DEATH

---

BUTORPHANOL  
UNKNOWN, VARIOUS

Number of Animals Evaluated  
12

Sign

ANESTH RECOV PROLONGED  
INEFFECT, ANESTHESIA  
PD-VIAL(S), ABN

---

BUTORPHANOL  
VARIOUS, CAT

Number of Animals Evaluated  
23

Sign

INJ SITE PAIN  
VOCALIZATION  
ANESTH RECOV TURBULENT  
INEFFECT, ANALGESIA  
SOMNOLENCE

---

January 2, 2009

BUTORPHANOL  
VARIOUS, DOG

Number of Animals Evaluated  
2

Sign

ATAXIA  
CONFUSION  
DEATH  
PACING  
PARESIS, HIND LIMB(S)  
SEDATION PROLONGED

---

BUTORPHANOL  
VARIOUS, HORSE

Number of Animals Evaluated  
1

Sign

INJ SITE SWELLING

---

BUTORPHANOL  
INHALATION, VARIOUS

Number of Animals Evaluated  
5

Sign

FEVER, BODY

---

BUTORPHANOL  
PARENTERAL, CAT

Number of Animals Evaluated  
138

Sign

ANESTH RECOV TURBULENT  
DEATH  
VOCALIZATION  
FEVER, BODY  
MYDRIASIS  
APNEA  
HYPERESTHESIA  
ANESTH RECOV PROLONGED

BUTORPHANOL  
PARENTERAL, CAT

Number of Animals Evaluated  
138

Sign

INTERACTION, DRUG(S)  
HYPERACTIVITY  
ARREST, HEART  
ATAXIA  
PHOTOSENSITIZATION  
CONVULSION(S)  
BLINDNESS  
CONFUSION  
DYSPNEA  
HYPOTHERMIA, BODY  
NYSTAGMUS  
RECUMBENCY  
THRASHING/PADDLING  
AGGRESSION  
ANAPHYLAXIS/TOID  
ANOREXIA  
FROTH, MOUTH/LIP(S)  
HORNER'S SYNDROME  
INJ SITE PAIN  
PUPIL(S), AREFLEXIA  
TWITCH  
VESTIBULAR DISORDER  
ANURIA  
APPREHENSION  
BEHAVIOR DISORDER  
BITING/CHEWING  
BLD, RETINA  
BLINDNESS, TEMP  
BUN HI, BLD  
CREATININE HI, BLD  
CYANOSIS  
CYANOSIS, MUCOUS MEMBR  
DEPRESSION/LETHARGY  
DIFFICULTY RISING  
DISTRESS  
EDEMA, HEAD/FACE  
FROTH, NOSE  
HALLUCINATION  
HEAD BOBBING  
HEART FAILURE

BUTORPHANOL  
PARENTERAL, CAT

Number of Animals Evaluated  
138

Sign

HYPERSALIVATION  
INEFFECT, ANESTHESIA  
NERVOUSNESS  
NEUROLOGICAL DISORDER  
PAIN  
POLYPNEA  
PR-LUNG(S), EDEMA  
PR-THYMUS, LESION(S)  
PROLAPSE, TONGUE  
SEDATION PROLONGED  
SGPT/ALT HI, BLD  
SHAKING, HEAD/FACE  
SPASM  
STUPOR  
SWELLING, FEET/DIGIT(S)  
SWELLING, LIMB(S)  
SWELLING, TONGUE  
TACHYCARDIA  
TREMBLING, FACE  
ULCER(S), MOUTH/LIP(S)  
ULCER(S), TONGUE  
UNCONSCIOUS  
VISION DISORDER  
VOMITING  
WEIGHT LOSS

---

BUTORPHANOL  
PARENTERAL, DOG

Number of Animals Evaluated  
239

Sign

DIARRHEA  
INEFFECT, ANESTHESIA  
DEATH  
APNEA  
ARREST, HEART  
DEPRESSION/LETHARGY  
ANESTH RECOV TURBULENT



BUTORPHANOL  
PARENTERAL, DOG

Number of Animals Evaluated  
239

Sign

INEFFECT  
POLYPNEA  
ATAXIA  
VOMITING  
SEDATION PROLONGED  
TACHYCARDIA  
CONVULSION(S)  
FEVER, BODY  
HYPERALIVATION  
INEFFECT, SEDATION  
SEDATION  
SEDATION TOO DEEP  
ANESTH INDUCTION RAPID  
ANESTH RECOV PROLONGED  
BRADYCARDIA  
HYPERACTIVITY  
COLLAPSE  
CYANOSIS  
INJ SITE SWELLING  
NERVOUSNESS  
PALLOR, MUCOUS MEMBRAN  
RECUMBENCY  
ANAPHYLAXIS/TOID  
ANOREXIA  
CONFUSION  
EDEMA, LUNG(S)/TRACHEA  
SHOCK  
UNCONSCIOUS  
CONGESTION, SKIN  
DIARRHEA, SEVERE  
DYSPNEA  
EDEMA  
INJ SITE EDEMA  
SOMNOLENCE  
STUPOR  
VOCALIZATION  
ANEMIA  
APPREHENSION  
ARRHYTHMIA  
BLD, LUNG(S)/TRACHEA

BUTORPHANOL  
PARENTERAL, DOG

Number of Animals Evaluated  
239

Sign

BLD, RECTUM  
CNS DISORDER  
DEAFNESS  
DEFECATION ABN  
DIFFICULTY RISING  
EDEMA, LARYNX  
FROTH, NOSE  
GI, ABNORMAL  
HEAD PRESSING  
HEMATOCHEZIA  
HYPERPNEA  
HYPOPNEA  
HYPOTHERMIA  
HYPOTHERMIA, BODY  
ICTERUS, BODY  
INEFFECT, ANALGESIA  
INJ SITE EFFUSION  
INJ SITE NECROSIS  
INJ SITE PAIN  
INTERACTION, DRUG(S)  
K LO, BLD  
MELENA  
PACING  
PALLOR  
PARESIS, HIND LIMB(S)  
PR-CEREBELLUM, LESION(  
PR-LIVER, LESION(S)  
PR-LUNG(S), LESION(S)  
PR-THYMUS, LESION(S)  
PRESSURE HI, BLD  
RADIOGRAPH(S) ABN  
REFLEX(ES) ABN  
SGPT/ALT HI, BLD  
STAGGERING  
STIFFNESS  
STOOL, MUCCOID  
TWITCH

---

BUTORPHANOL

BUTORPHANOL  
PARENTERAL, HORSE

Number of Animals Evaluated  
41

Sign

ATAXIA  
INEFFECT, TRANQUILIZAT  
HYPERACTIVITY  
INEFFECT, SEDATION  
SPASM  
DEATH  
INEFFECT, ANALGESIA  
DEATH(EUTHANIZED)  
COLLAPSE  
CONVULSION(S)  
RECUMBENCY  
TACHYCARDIA  
TWITCH  
INJ SITE PHLEBITIS  
ANESTH RECOV PROLONGED  
ANOREXIA  
ARREST, HEART  
BREATHING ABN  
CIRCLING  
DEPRESSION/LETHARGY  
DYSPNEA  
HYPERPNEA  
INTERACTION, DRUG(S)  
PARESIS, HIND LIMB(S)  
UNCONSCIOUS

---

BUTORPHANOL  
PARENTERAL, HUMAN

Number of Animals Evaluated  
1

Sign

INJ SITE PHLEBITIS

---

BUTORPHANOL  
PARENTERAL, ALPACA

Number of Animals Evaluated

BUTORPHANOL  
PARENTERAL, ALPACA

Number of Animals Evaluated  
1

Sign

INEFFECT, ANESTHESIA

---

BUTORPHANOL  
PARENTERAL, CATTLE

Number of Animals Evaluated  
2

Sign

INEFFECT, ANALGESIA  
PD-POTENCY, LO

---

BUTORPHANOL  
PARENTERAL, RABBIT

Number of Animals Evaluated  
1

Sign

DEATH  
PR-KIDNEY(S), LESION(S)  
PR-LIVER, LESION(S)

---

BUTORPHANOL  
PARENTERAL, VARIOUS

Number of Animals Evaluated  
29

Sign

ARREST, HEART  
BRADYCARDIA  
HYPOPNEA  
INEFFECT, ANESTHESIA  
INEFFECT, LOSS OF EFFE  
FEVER, BODY  
ANESTH RECOV PROLONGED  
CONVULSION(S)

---

CARBADOX

ORAL, PIG

Number of Animals Evaluated

575

Sign

INEFFECT, ANTIBIOTIC

INEFFECT

---

CARBADOX

ORAL, HORSE

Number of Animals Evaluated

2

Sign

COLLAPSE

DEATH

DISTRESS, RESP

---

CARPROFEN

ORAL, CAT

Number of Animals Evaluated

495

Sign

VOMITING

DEPRESSION/LETHARGY

ANOREXIA

BUN HI, BLD

CREATININE HI, BLD

DEATH

SGPT/ALT HI, BLD

DEHYDRATION

P HI, BLD

DIARRHEA

KIDNEY FAILURE

ANEMIA

VOMITING, BLOODY

FEVER, BODY

AZOTEMIA

BILIRUBIN(TOT) HI, BLD

POLYDIPSIA

WEAKNESS

ATAXIA

CARPROFEN

ORAL, CAT

Number of Animals Evaluated

495

Sign

DEATH(EUTHANIZED)

WEIGHT LOSS

ICTERUS, BODY

LIVER ENZYMES HI, BLD

CONVULSION(S)

GLUCOSE HI, BLD

KIDNEY VALUES HI, BLD

SPEC GRAVITY LO, URINE

WBC HI, BLD

ALK PHOS HI, BLD

HYPERSALIVATION

K HI, BLD

ADIPSIA

BLD, URINE

DIARRHEA, BLOODY

POLYURIA

PROTEIN, URINE

DYSPNEA

HYPOTHERMIA

HYPOTHERMIA, BODY

PAIN, ABDOMEN

PROTEIN(TOT) HI, BLD

RECUMBENCY

SGOT/AST HI, BLD

TREMBLING

VOCALIZATION

ACCIDENTAL EXPOSURE

ALBUMIN LO, BLD

BEHAVIOR DISORDER

CONSTIPATION

HYPERPNEA

INTERACTION, DRUG(S)

MELENA

PALLOR, MUCOUS MEMBRAN

ANURIA

CASTS, URINE

DIARRHEA, MILD

GAGGING

HIDING

ICTERUS

CARPROFEN

ORAL, CAT

Number of Animals Evaluated

495

Sign

KIDNEY DISORDER  
PR-LIVER, LESION(S)  
TACHYCARDIA  
ULCER(S), GI  
CHLORIDE LO, BLD  
COAGULATION DISORDER  
CONFUSION  
GLOBULIN HI, BLD  
GLUCOSE, URINE  
HEPATOMEGALY  
MYDRIASIS  
NA LO, BLD  
PALLOR  
PERFORATION, GI  
PLATELETS LO, BLD  
POLYPNEA  
PR-KIDNEY(S), LESION(S)  
PROTEIN(TOT) LO, BLD  
RADIOGRAPH(S) ABN  
VOMITING, SEVERE  
AGGRESSION  
ALBUMIN HI, BLD  
ANEMIA, REGEN  
ANISOCORIA  
APNEA  
ARREST, HEART  
BLD, RECTUM  
CA HI, BLD  
COLLAPSE  
CONGESTION, SKIN  
GI, ABNORMAL  
GLUCOSE LO, BLD  
HYPERACTIVITY  
ICTERUS, SERUM  
ILL  
LIVER FAILURE  
LYMPHS LO, BLD  
ODOR, MOUTH  
PAIN  
PR-STOMACH, LESION(S)

CARPROFEN

ORAL, CAT

Number of Animals Evaluated

495

Sign

SEGS HI, BLD  
STUPOR  
TWITCH  
ULCER(S), MOUTH/LIP(S)  
WBC LO, BLD  
ABSCESS, SKIN  
ALKALINE URINE  
AMYLASE HI, BLD  
ANEMIA, AUTOIMMUNE HEM  
ANEMIA, BLD LOSS  
ANEMIA, HEINZ BODY  
APPREHENSION  
ARRHYTHMIA  
BLADDER, PARALYSIS  
BLD  
BLD(ECCHYMOSES)  
BLD(HEMATOMA)  
BLD, GI  
BLD, MOUTH/LIP(S)  
BRADYCARDIA  
BREATHING ABN  
BUN LO, BLD  
CA LO, BLD  
CHEMISTRY ABN  
CHOLESTEROL HI, BLD  
CO2 LO, BLD  
CORT/CREAT HI, URINE  
COUGHING  
CPK HI, BLD  
CYANOSIS  
DIABETES MELLITUS  
DIARRHEA, SEVERE  
DIFFICULTY RISING  
DISCHARGE, NOSE  
EDEMA, HEAD/FACE  
EDEMA, LUNG(S)/TRACHEA  
EDEMA, TONGUE  
FROTH, MOUTH/LIP(S)  
GINGIVITIS  
HEAD TILT



CARPROFEN

ORAL, CAT

Number of Animals Evaluated

495

Sign

HEART FAILURE  
HEMATOCHEZIA  
HYPERESTHESIA  
INCISION SITE INFECTION  
INEFFECT, LOSS OF EFFE  
K HI, BLOOD  
K LO, BLD  
LIPASE HI, BLD  
LIVER PROFILE HI  
MASS, ABDOMEN  
MONOS HI, BLD  
MORIBUND  
MUCOUS MEMBR, ABN COLO  
MURMUR, HEART  
NAUSEA  
NERVOUSNESS  
NEUROLOGICAL DISORDER  
OLIGURIA  
P HI, URINE  
P LO, BLD  
P LO, BLD  
PARESIS  
POSTURE ABN  
PR-HEART, LESION(S)  
PR-LUNG(S), LESION(S)  
PR-PANCREAS, LESION(S)  
PR-SM INTEST, LESION(S)  
PROLAPSE, THIRD EYELID  
PROSTRATION  
RETICULOCYTES LO, BLD  
RETINA ABN  
SHAKING  
SHOCK  
SKIN, SCAB(S)  
SLOUGH, TONGUE  
SORE(S)  
SPASM  
STOMATITIS  
STOOL ABN  
SWELLING, TONGUE

CARPROFEN

ORAL, CAT

Number of Animals Evaluated

495

Sign

TENESMUS, URINARY

ULCER(S), PYLORUS

ULCER(S), TONGUE

UNCONSCIOUS

UNKNOWN

URINE ABN

UROBILINOGEN HI, URINE

US ABN

US-LIVER ABN

WBC, URINE

---

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

VOMITING

ANOREXIA

SGPT/ALT HI, BLD

ALK PHOS HI, BLD

DEPRESSION/LETHARGY

BILIRUBIN(TOT) HI, BLD

DEATH

DIARRHEA

BUN HI, BLD

DEATH(EUTHANIZED)

CREATININE HI, BLD

ANEMIA

ICTERUS, BODY

WBC HI, BLD

SGOT/AST HI, BLD

LIVER ENZYMES HI, BLD

POLYDIPSIA

CONVULSION(S)

PLATELETS LO, BLD

ATAXIA

WEIGHT LOSS

PR-LIVER, LESION(S)

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

MELENA

INTERACTION, DRUG(S)

POLYURIA

ALBUMIN LO, BLD

WEAKNESS

DIARRHEA, BLOODY

P HI, BLD

BLD, URINE

FEVER, BODY

POLYPNEA

VOMITING, BLOODY

AMYLASE HI, BLD

CHOLESTEROL HI, BLD

GGT HI, BLD

US-LIVER ABN

SPEC GRAVITY LO, URINE

CONFUSION

KIDNEY FAILURE

COLLAPSE

INCONTINENCE, URINARY

EPISTAXIS

PROTEIN(TOT) LO, BLD

PAIN, ABDOMEN

DEHYDRATION

RADIOGRAPH(S) ABN

PROTEIN, URINE

DYSPNEA

RECUMBENCY

HEMATOCHEZIA

INEFFECT, ANALGESIA

NERVOUSNESS

BILIRUBIN, URINE

BILE ACIDS HI, BLD

ICTERUS

PR-KIDNEY(S), LESION(S)

HEPATOMEGALY

PALLOR, MUCOUS MEMBRAN

TREMBLING

PRURITIS

ANEMIA, AUTOIMMUNE HEM

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

LIPASE HI, BLD  
SEGS HI, BLD  
LIVER DISORDER  
PARESIS, HIND LIMB(S)  
AGGRESSION  
COAGULATION DISORDER  
US ABN  
HYPERACTIVITY  
ALOPECIA  
HYPERSALIVATION  
BLD(PETECHIAE)  
GLUCOSE HI, BLD  
GLUCOSE, URINE  
WBC LO, BLD  
ASCITES  
VOCALIZATION  
HEAD TILT  
PR-STOMACH, LESION(S)  
CA HI, BLD  
BLD(ECCHYMOSES)  
ULCER(S), GI  
BEHAVIOR DISORDER  
PANCREATITIS  
GLUCOSE LO, BLD  
ABN COLOR, URINE  
DERMATITIS, MOIST  
INFLAM, SKIN  
VESTIBULAR DISORDER  
DISTENTION, ABDOMEN  
K HI, BLD  
NYSTAGMUS  
ADIPSIA  
SPLENOMEGALY  
TACHYCARDIA  
THYROID HORMONE(S) LO  
DIARRHEA, MILD  
GLOBULIN HI, BLD  
CASTS, URINE  
LIVER FAILURE  
CPK HI, BLD

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

PROTEIN(TOT) HI, BLD  
HYPERPNEA  
PARESIS  
APPREHENSION  
AZOTEMIA  
PACING  
PR-SPLEEN, LESION(S)  
POLYCYTHEMIA  
PTT PROLONGED, BLD  
BUN LO, BLD  
KIDNEY VALUES HI, BLD  
BLINDNESS  
BLD  
EDEMA, LIMB(S)  
PT PROLONGED, BLD  
KIDNEY DISORDER  
PALLOR  
BLD, ABDOMEN  
CIRCLING  
PERITONITIS  
URTICARIA  
BLD, MOUTH/LIP(S)  
COUGHING  
BANDS HI, BLD  
ANURIA  
ULCER(S), STOMACH  
WBC, URINE  
ANEMIA, REGEN  
PR-SM INTEST, LESION(S)  
STAGGERING  
K LO, BLD  
SWELLING, HEAD/FACE  
ULCER(S), MOUTH/LIP(S)  
EDEMA, HEAD/FACE  
CONGESTION, SKIN  
COOMBS TEST POS  
DIABETES MELLITUS  
ICTERUS, SERUM  
MONOS HI, BLD  
HAIR, SHEDDING

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

INCONTINENCE, FECAL  
PROPRIOCEPTIVE DISORDE  
SKIN DISORDER  
CA LO, BLD  
GASTROENTERITIS  
INEFFECT, ANTIINFLAM  
INFECTION, SKIN  
NA LO, BLD  
PR-PANCREAS, LESION(S)  
SOMNOLENCE  
SHOCK  
DIC  
CYSTITIS  
DIFFICULTY RISING  
ENLARGEMENT, LYMPH NOD  
LESION(S), SKIN  
PERFORATION, STOMACH  
PR-SKIN, LESION(S)  
LYMPHS LO, BLD  
TRIGLYCERIDES HI, BLD  
ARREST, HEART  
CONSTIPATION  
HEPATITIS  
INFECTION, URINARY TRA  
NEUROLOGICAL DISORDER  
PAIN  
PARALYSIS, HIND LIMB(S)  
SHAKING  
HYPOTHERMIA, BODY  
EOSINOS HI, BLD  
ILL  
PERFORATION, GI  
BLD(HEMATOMA)  
PR-GI, LESION(S)  
STUPOR  
BLD, RECTUM  
DIARRHEA, SEVERE  
RBC, NUCLEATED  
CRYSTALS, URINE  
MURMUR, HEART

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

RETICULOCYTES HI, BLD  
GLOBULIN LO, BLD  
CHLORIDE LO, BLD  
LAMENESS  
ULCER(S), SKIN  
ALBUMIN HI, BLD  
BILIRUBIN(DIR) HI, BLD  
EFFUSION, PERITONEAL  
ANEMIA, HEMOLYTIC  
DEAFNESS  
FLATULENCE  
PR-LUNG(S), LESION(S)  
UNCONSCIOUS  
DIARRHEA, MUCOID  
EDEMA  
EDEMA, LUNG(S)/TRACHEA  
PR-HEART, LESION(S)  
PARALYSIS  
POLYPHAGIA  
SEDATION  
LYMPHS HI, BLD  
MASS, ABDOMEN  
STOOL ABN  
ANAPHYLAXIS/TOID  
GAGGING  
HAIR, ABN  
SEGS LO, BLD  
ULCER(S), TONGUE  
BLD, GI  
MICROORANISMS, URINE  
TWITCH  
CHLORIDE HI, BLD  
DISCHARGE, NOSE  
RBC, ANISO  
INEFFECT  
INEFFECT, LOSS OF EFFE  
NA HI, BLD  
STUMBLING  
PR-BONE MARROW, LESION  
SWELLING, LIMB(S)

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

BLD, EYE(S)  
COLITIS  
MYDRIASIS  
ERUPTION(S)  
PR-MULT SITES, BLD  
RBC, POLYCHROM  
SKIN, NECROSIS  
STOOL, MUCOID  
VOMITING, SEVERE  
DIARRHEA, WATERY  
DISTRESS, RESP  
NAUSEA  
VOLVULUS, STOMACH  
BLOAT  
CYANOSIS  
INCONTINENCE  
PARALYSIS, FACIAL NERV  
RASH  
RELUCTANT TO MOVE  
SKIN, CRUST(S)  
ARRHYTHMIA  
GASTRITIS  
NEOPLASM, LIVER  
PICA  
URINATION  
ANEMIA, SPHERO  
HYPOTHERMIA  
MICROORGANISMS, URINE  
POLYCYTHEMIA(RELATIVE)  
RBC ABN  
VOMITING, UNPRODUCTIVE  
BITING/CHEWING  
HEART DISORDER  
KERATOCONJUNCTIVITIS S  
PLATELETS HI, BLD  
TENESMUS, RECTAL  
BLD, LUNG(S)/TRACHEA  
CARDIOMEGALY  
CONJUNCTIVITIS  
DISCOMFORT



CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

EDEMA, VENTRAL

KETONES, URINE

NEOPLASM

PR-INTEST, LESION(S)

REFLEX(ES) ABN

ALKALINE URINE

APNEA

BLD, SKIN

ODOR, MOUTH

OLIGURIA

PUSTULE(S)

SCALE(S), SKIN

SPASM

ANEMIA, BLD LOSS

CACHEXIA

HIDING

NYSTAGMUS, HORIZONTAL

P LO, BLD

PR-LYMPH NODE(S), LESI

RETINA ABN

SWELLING, JOINT(S)

ACCIDENTAL EXPOSURE

BLD, INCISION SITE

CORT/CREAT HI, URINE

LDH HI, BLD

PR-SM INTEST, LESION(S)

SNEEZING

ULCER(S), CORNEA(S)

ATROPHY, MUSCLE(S)

BORBORYGMI

CHEMISTRY ABN

GI, ABNORMAL

IMMUNE DISORDER

LICKING

MASS, SKIN

NEPHRITIS

SHAKING, HEAD/FACE

ULCER(S), PYLORUS

BLD, VAGINA

BLINDNESS, TEMP

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

BRADYCARDIA  
EFFUSION, PLEURAL  
EYE DISORDER  
HEAD PRESSING  
HORNER'S SYNDROME  
OTITIS  
PR-PERITONEUM, LESION(  
URINATION ABN  
VESICLE(S)/BULLAE, SKI  
CHOLESTEROL LO, BLD  
DYSPHAGIA  
DYSURIA  
FIBRINOGEN LO, BLD  
HEART FAILURE  
HYPHEMA  
INFECTION  
MORIBUND  
ODOR  
PR-PERITONEAL EFFUSION  
PROLAPSE, THIRD EYELID  
SORE(S)  
STRANGURIA  
UVEITIS  
BILIRUBIN(IND) HI, BLD  
DEAFNESS, TEMP  
DILITATION, ESOPHAGUS  
DISCHARGE, EYE(S)/LID(S)  
HEMOGLOBIN, URINE  
HYPERESTHESIA  
LOCOMOTION DISORDER  
NEOPLASM, SPLEEN  
PANCREAS ENZYMES HI, B  
PLATELETS ABN  
PR-LUNG(S), EDEMA  
PRESSURE HI, BLD  
STIFFNESS  
UNPALATABLE, WON'T EAT  
BLD, ANUS  
BLINDNESS, PARTIAL  
CREATININE LO, BLD

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

DEFECATION

ENCEPHALOPATHY

HYPOADRENOCORTICISM

INSOMNIA

NECROSIS

STOMATITIS

SWELLING, EYE(S)/LID(S)

AMMONIA HI, BLD

BLD, THORAX

BREATHING ABN

CAPILLARY REFILL PROLO

CNS INFARCT

DEAFNESS, PARTIAL

DEMENTIA

PNEUMONIA, ASPIRATION

POLLAKIURIA

PR-BLD VESSEL(S), LESI

PR-COLON, LESION(S)

PUPIL(S), AREFLEXIA

SKIN, SCAB(S)

SOUND ABN, RESPIRATORY

STARING

SWELLING, FEET/DIGIT(S)

UREMIA

URINE ABN

WEIGHT INCREASE

ANISOCORIA

BALANCE DISORDER

BILE ACIDS ABN, BLD

BLD, SCLERA

CONGESTION, LUNG(S)

DISTRESS

EFFUSION, PERICARDIAL

FROTH, MOUTH/LIP(S)

HEAD BOBBING

LICKING, FEET/DIGIT(S)

PAIN, JOINT(S)

PR-BRAIN, LESION(S)

PULSE TREADY

REGURGITATION

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

ACIDOSIS

CONGESTION, EAR(S)

CONGESTION, EYE(S)/LID

DEATH(STILLBORN)

DIZZINESS

FLY BITING

GINGIVITIS

GLAUCOMA

INEFFECT, OTHER DRUG(S)

LIPIDS HI, BLD

MUCOUS MEMBR, MUDDY

MYOSITIS

NEOPLASM, LYMPH NODE(S)

PANCREAS DISORDER

PAPULE(S)

PARALYSIS, ALL LIMBS

PR-BLADDER, LESION(S)

PRESSURE LO, BLD

RESPIRATORY DISORDER

SLEEP ABN

SLOUGH, SKIN

TENESMUS, URINARY

TREMBLING, FACE

VASCULITIS

VISION DISORDER

BLD, ABN

CNS DISORDER

CO2 LO, BLD

DEHISCENCE

EDEMA, EYE(S)/LID(S)

ERUCTATION

ERYTHEMA MULTIFORME

FIBRINOGEN HI, BLD

LESION(S), MOUTH/LIP(S)

LIVER PROFILE HI

MASS

MUCOUS MEMBR, ABN COLO

ODOR, URINE

PNEUMONIA

PR-GALL BLADDER, LESION(S)

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

PR-TONGUE, LESION(S)  
TENESMUS  
TONGUE, ABN  
ABN ODOR, URINE  
ACID URINE  
ANEMIA, APLASTIC  
APLASIA, BONE MARROW  
CALCULI, BLADDER  
CALCULI, URINE  
CONGESTION, MUCOUS MEM  
DIABETES  
DIABETES M, POOR REGUL  
DILITATION, STOMACH  
EDEMA, BRISKET/CHEST  
EFFUSION  
ELECTROLYTE DISORDER  
GALL BLADDER, ABN  
GINGIVA, ABN  
GLOSSITIS  
HYPERPIGMENTATION, SKI  
HYPOPNEA  
INCISION SITE ABN  
INJ SITE BLD  
MG LO, BLD  
PAIN, BACK  
PAIN, MOUTH/LIP(S)  
PAIN, NECK  
PARESIS, FORELIMB(S)  
PERFORATION  
PR-MOUTH/LIP(S), LESIO  
PR-PLEURAL EFFUSION  
PRURITIS, FEET/DIGIT(S)  
RETICULOCYTES LO, BLD  
SEBORRHEA  
SEDIMENT, URINE  
SLOUGH, FEET/DIGIT(S)  
SWELLING, EAR(S)  
SWELLING, NECK  
SYNCOPE  
TRANSUDATE

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

UNPALATABLE  
WHEEZING  
ANESTH RECOV PROLONGED  
BLD, PENIS  
BLEPHAROSPASM  
BREATHING, DIFFICULT  
CATARACT(S)  
CELLULITIS  
CYANOSIS, MUCOUS MEMBR  
DESTRUCTIVENESS  
DISCHARGE, VULVA  
DISSOCIATION  
DYSMETRIA  
ECG ABN  
EFFUSION, JOINT(S)  
ENLARGEMENT(S)  
ENLARGEMENT(S), SKIN  
EXERCISE INTOLERANCE  
HEALING IMPAIRED  
INFECTION, FEET/DIGIT(  
MUCOUS MEMBR, RED  
NA:K LO, BLD  
NYSTAGMUS, VERTICAL  
PROSTATOMEGALY  
SALIVA, ABN  
SEDATION PROLONGED  
SEPSIS  
SKIN, DRY  
SPEC GRAVITY HI, URINE  
SWELLING, MOUTH/LIP(S)  
THROMBUS  
VOLVULUS  
A/G RATIO LO, BLD  
ANA POS  
ANEMIA, HEINZ BODY  
BIRTH DEFECT(S), HEAD/  
BLD, RETINA  
BLD, SQ  
CULTURE/TITER DATA ABN  
DEATH(TX FAILURE)

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

DISCHARGE, EYE(S)/LID(  
EDEMA, CORNEA(S)  
EDEMA, MULTIPLE SITES  
EOSINOS LO, BLD  
HYPERADRENOCORTICISM  
HYPERKERATOSIS  
IMPROVEMENT, UNEXPECT  
INFARCT  
IRRITATION, PERINEUM  
JOINT DISORDER  
LEUKODERMA  
MG HI, BLD  
MIOSIS  
MONOS LO, BLD  
NOCTURIA  
NYSTAGMUS, ROTARY  
PARESIS, FORE LIMB(S)  
PR-ADRENAL(S), LESION(S)  
PR-ASCITES  
PR-MESENTERY, LESION(S)  
PR-MULT SITES, CONGEST  
PR-MULT SITES, ICTERUS  
REACTION, UNSPECIFIED  
REFLUX, STOMACH  
RUPTURE, STOMACH  
SWELLING, BRISKET/CHES  
TACHYCARDIA, VENTRICUL  
THRASHING/PADDLING  
ULCER(S)  
ULCER(S), MUCOCUTANEOU  
UROBILINOGEN HI, URINE  
ABSCESS, SKIN  
ARTHRITIS  
BASOS HI, BLD  
BLADDER, PARALYSIS  
BLD, EAR(S)  
BLD, JOINT(S)  
BLD, MULT SITES  
BLD, PASSING  
CHOLECYSTITIS

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

DEFECATION ABN  
DISCHARGE, EAR(S)  
ECG, ABN  
EDEMA, FEET/DIGIT(S)  
EDEMA, SCROTUM  
ENTERITIS  
ESTRUS BEHAVIOR  
ESTRUS CYCLE ABNORMAL  
IMMUNOSUPPRESSION  
INCISION SITE, ECCHYMOSIS  
INJ SITE ALOPECIA  
INJ SITE NECROSIS  
IRRITATION, ESOPHAGUS  
IRRITATION, MOUTH/LIP(S)  
IRRITATION, SKIN  
K HI, URINE  
LIVER DISORDER, OBSTRU  
NYSTAGMUS, POSITIONAL  
OPISTHOTONOS  
PAIN, HIND LIMB(S)  
PAIN, LIMB(S)  
PANCYTOPENIA  
PD-TABLET(S), ABN  
PHOTOPHOBIA  
PR-CECUM, LESION(S)  
PR-ESOPHAGUS, LESION(S)  
PR-MENINGES, LESION(S)  
PR-MULT SITES, LESION(S)  
PROSTRATION  
PRURITIS, EAR(S)  
RBC, MICRO  
SHOCK, ENDOTOXEMIA  
SWELLING  
SWELLING, ANUS  
SWELLING, PHARYNX/THRO  
SWELLING, SCROTUM  
TEETH, ABN  
THYROID HORMONE(S) HI  
TORTICOLLIS  
ULCER(S), EAR(S)



January 2, 2009

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

A/G RATIO HI, BLD  
ARRHYTHMIA, BLOCK  
ATONY, BLADDER  
BLD, FEET/DIGIT(S)  
BREATHING, PERIODIC  
CALCULI, KIDNEY  
CO2 HI, BLD  
CONGESTION  
CSF ABN  
DIARRHEA, PROJECTILE  
DISCHARGE, INCISION SITE  
DISCHARGE, MOUTH/LIP(S)  
DISTENTION, BLADDER  
DRY MOUTH SYNDROME  
ECCHYMOSES, INCISION SITE  
EDEMA, LARYNX  
EDEMA, SCLERA  
EXFOLIATION, SKIN  
FIBRILLATION, ATRIAL  
FIBROSIS  
GRANULOMA, LICK  
GRINDING TEETH  
HAIR, ABN COLOR  
HCO3 HI, BLD  
HYPERSENSITIVE, SOUND  
HYPERTONIA  
INFECTION, UTERUS  
INFLAM  
IRIS(BLD)  
IRRITATION, EYE(S)/LID  
K LO, BLOOD  
KETOSIS  
LARYNGITIS  
LEG DISORDER  
LOCKJAW  
MYOGLOBIN, URINE  
NAIL DISORDER  
NEOPLASM, SKIN  
NEUROPATHY  
NOSE ABN

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

PAIN, EYE(S)/LID(S)  
PAIN, HEAD/FACE  
PARAESTHESIA, EYE(S)/L  
PERIODONTAL, ABSCESS  
POLYCYTHEMIA (ABSOLUTE)  
PR-ADRENAL(S), LESION(  
PR-CEREBRUM, LESION(S)  
PR-GI, EDEMA  
PR-MULT SITES, EDEMA  
PR-NOSE, LESION(S)  
PR-PERICARDIAL EFFUSIO  
PR-SPINAL CORD, LESION  
PR-WHOLE BODY, LESION(S)  
PROTRUSION, EYE(S)  
SLOUGH, TONGUE  
SOUND ABN, VOICE  
SPERM ABN  
STIFFNESS, HIND LIMB(S)  
STIFFNESS, LIMB(S)  
SWELLING, MULT SITES  
SWELLING, TONGUE  
SWELLING, VENTRUM  
TESTICLE, ABN  
TOX  
ULCER(S), FEET/DIGIT(S)  
VOICE DISORDER  
WBC ABN  
ADIPOSE, INFLAM  
ADVERSE DRUG REACTION  
AGRANULOCYTOSIS, BLD  
ALBUMIN HI, URINE  
ANION GAP HI, BLD  
ATROPHY  
BLD, SEMEN  
BLINDNESS, NIGHT  
BRONCHITIS  
CA/P RATIO LO, BLD  
CAT SCAN ABN  
CLOUDY URINE  
COLITIS, ULCERATIVE

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

CONGESTION, NOSE  
CONGESTION, SINUS  
DELIRIUM  
DIABETES INSIPIDUS  
DISCOMFORT, MOUTH/LIP(S)  
EDEMA, NECK  
EDEMA, PREPUCE  
EMBOLUS  
ENDOCRINE DISORDER  
ENLARGEMENT, JOINT(S)  
EPIPHORA  
ERECTION, ABN  
FE HI, BLD  
FERTILITY, LACK OF  
FEVER, JOINT(S)  
FIBRILLATION, VENTRICU  
G-HAIR, ABN COLOR  
GRANULOMA  
HAIR, ABNORMAL  
HALLUCINATION  
HCO3 LO, BLD  
HYPERMOTILITY  
HYPOESTHESIA  
HYPOSALIVATION  
HYPOSMIA  
INCISION SITE INFECTION  
INEFFECT, ANTIBIOTIC  
INFECTION, EYE(S)  
INJ SITE EDEMA  
INJ SITE FIBROSIS  
INJ SITE INFECT  
INJ SITE PAIN  
INJ SITE PRURITIS  
INJ SITE SWELLING  
IRIS, INFLAM  
IRRITATION, PHARYNX/TH  
JERKING  
LESION(S)  
LOSS OF CONDITION  
NECK, VENTROFLEXION

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

NEOPLASM, BONE  
NEOPLASM, HEART  
NEOPLASM, LUNG(S)  
NEOPLASM, PANCREAS  
NEURITIS, OPTIC  
OBSTRUCTION, INTESTINE  
OPACITY, CORNEA(S)  
P HI, URINE  
PAIN, BRISKET/CHEST  
PAIN, FEET/DIGIT(S)  
PAIN, MUSCLE(S)  
PAIN, SPINAL  
PALPITATIONS  
PARALYSIS, LARYNX  
PARESTHESIA, MOUTH/LIP  
PHALLITIS  
PHLEBITIS  
PHOTOSENSITIZATION  
POSTURAL RXN(S) ABN  
POSTURE ABN  
PR-BRONCHI, LESION(S)  
PR-EYE(S)/LID(S), LESI  
PR-INJ SITE, LESION(S)  
PR-MULT SITES, LESION(  
PR-MUSCLE(S), LESION(S  
PR-NERVE(S), LESION(S)  
PR-PARATHYROID, LESION  
PR-PHARYNX, LESION(S)  
PR-RECTUM, LESION(S)  
PR-TRACHEA, LESION(S)  
PRIAPISM  
PROLAPSE, DISC  
PRURITIS, EYE(S)  
RELUCTANT TO CLIMB  
REPETITIVE MOVEMENTS  
REPRODUCTION DISORDER  
RUPTURE  
SCENT DEFICIT  
SEPTICEMIA  
SINUSITIS

CARPROFEN

ORAL, DOG

Number of Animals Evaluated

14987

Sign

SLOUGH

SLOUGH, GINGIVA

STIFFNESS, FRONT LIMB(

STOOL, PALE/GRAY

STRABISMUS

SWELLING, PREPUCE

SWELLING, TENDON(S)

SWELLING, TESTICLE

TAIL DISORDER

TEARS, ABN

UDDER, DYSGALACTIA

URIC ACID HI, BLD

VAGINITIS

VESICLE(S)/BULLAE, MOU

XEROSTOMIA

---

CARPROFEN

ORAL, PIG

Number of Animals Evaluated

3

Sign

ANOREXIA

FEVER, BODY

INFECTION, SKIN

---

CARPROFEN

ORAL, FISH

Number of Animals Evaluated

1

Sign

PR-LIVER, LESION(S)

PR-PHARYNX, LESION(S)

PR-STOMACH, LESION(S)

ULCER(S), STOMACH

---

CARPROFEN  
ORAL, HUMAN

Number of Animals Evaluated  
47

Sign

NAUSEA  
VOMITING  
DEPRESSION/LETHARGY  
DIARRHEA  
DIZZINESS  
HYPERSALIVATION  
PAIN, ABDOMEN  
HYPERESTHESIA  
XEROSTOMIA  
ABN COLOR, URINE  
ACIDOSIS  
AGGRESSION  
ALK PHOS HI, BLD  
BLD, VAGINA  
BUN HI, BLD  
CONVULSION(S)  
CREATININE HI, BLD  
DEHYDRATION  
DIARRHEA, MILD  
FEVER, BODY  
GLUCOSE HI, BLD  
HEADACHE  
HUMAN EXPOSURE, INGEST  
IRRITATION, PHARYNX/TH  
KIDNEY FAILURE  
MYOSITIS  
NERVOUSNESS  
PARESTHESIA, MOUTH/LIP  
SEDATION  
SGOT/AST HI, BLD  
SOMNOLENCE  
TACHYCARDIA  
TREMBLING  
WBC HI, BLD  
WEAKNESS

---

CARPROFEN  
ORAL, OTHER

CARPROFEN  
ORAL, OTHER

Number of Animals Evaluated  
7

Sign

ALK PHOS HI, BLD  
ANEMIA  
ATAXIA  
CREATININE HI, BLD  
DEATH(EUTHANIZED)  
EPISTAXIS  
GLUCOSE HI, BLD  
GLUCOSE, URINE  
LIVER ENZYMES HI, BLD  
MASS, SKIN  
NAUSEA  
POLYPNEA  
PROPRIOCEPTIVE DISORDE  
REFLEX(ES) ABN  
THYROID HORMONE(S) LO  
WBC HI, BLD  
WEAKNESS  
WEIGHT INCREASE  
WEIGHT LOSS

---

CARPROFEN  
ORAL, PANDA

Number of Animals Evaluated  
2

Sign

ANEMIA  
BUN HI, BLD  
CREATININE HI, BLD  
DEATH(EUTHANIZED)  
LYMPHS LO, BLD  
PR-HEART, LESION(S)  
PR-KIDNEY(S), LESION(S)  
PROTEIN, URINE  
WBC LO, BLD  
WBC, URINE

---

CARPROFEN

CARPROFEN  
ORAL, RABBIT

Number of Animals Evaluated  
5

Sign

INCONTINENCE, URINARY  
ANOREXIA  
DEATH  
PR-LIVER, LESION(S)  
SGPT/ALT HI, BLD  
BUN HI, BLD  
CONFUSION  
CREATININE HI, BLD  
DEPRESSION/LETHARGY  
PR-KIDNEY(S), LESION(S)  
PR-LUNG(S), EDEMA  
PR-LUNG(S), LESION(S)  
SEDATION  
STUPOR

---

CARPROFEN  
ORAL, VARIOUS

Number of Animals Evaluated  
16

Sign

DIARRHEA  
NEOPLASM, SPLEEN  
SPLENOMEGALY  
CREATININE HI, BLD  
CYANOSIS  
DYSPNEA  
SGPT/ALT HI, BLD  
UNCONSCIOUS  
VOMITING  
POLYDIPSIA  
KIDNEY FAILURE  
DEATH  
LIVER ENZYMES HI, BLD

---

CARPROFEN  
ORAL, GUINEA PIG



CARPROFEN  
ORAL, GUINEA PIG

Number of Animals Evaluated  
1

Sign

ATAXIA  
STAGGERING  
STUMBLING  
STUPOR

---

CARPROFEN  
ORAL, NOT REVIEWED

Number of Animals Evaluated

Sign

---

CARPROFEN  
MISSING, DOG

Number of Animals Evaluated  
11

Sign

VOMITING  
ANOREXIA  
CONVULSION(S)  
DEATH (EUTHANIZED)  
DIARRHEA  
DIARRHEA, BLOODY  
RECUMBENCY  
ADIPSIA  
ALBUMIN LO, BLD  
ALK PHOS HI, BLD  
ALOPECIA  
ANEMIA  
ATAXIA  
BILIRUBIN(TOT) HI, BLD  
BLD, INCISION SITE  
COAGULATION DISORDER  
CONGESTION, SKIN  
DEPRESSION/LETHARGY  
DIFFICULTY RISING  
EDEMA, LIMB(S)

CARPROFEN  
MISSING, DOG

Number of Animals Evaluated  
11

Sign

ERUPTION(S)  
INFLAM, SKIN  
MELENA  
NERVOUSNESS  
POLYPNEA  
PRURITIS  
SGPT/ALT HI, BLD  
SKIN, CRUST(S)  
ULCER(S), MOUTH/LIP(S)  
VOMITING, BLOODY  
WEIGHT LOSS

---

CARPROFEN  
TOPICAL, CAT

Number of Animals Evaluated  
1

Sign

APPLICATION SITE ALOPECIA

---

CARPROFEN  
TOPICAL, HUMAN

Number of Animals Evaluated  
5

Sign

PRURITIS  
UNCONSCIOUS  
ANAPHYLAXIS/TOID  
CONGESTION, SKIN  
DIZZINESS  
HYPERESTHESIA  
INFLAM, SKIN  
NAUSEA  
RASH  
SORE(S)  
SWELLING, EYE(S)/LID(S)  
SWELLING, HEAD/FACE

CARPROFEN  
TOPICAL, HUMAN

Number of Animals Evaluated  
5

Sign

SWELLING, MOUTH/LIP(S)  
URTICARIA

---

CARPROFEN  
UNKNOWN, CAT

Number of Animals Evaluated  
1

Sign

INJ SITE NECROSIS

---

CARPROFEN  
UNKNOWN, DOG

Number of Animals Evaluated  
36

Sign

DEATH  
DEPRESSION/LETHARGY  
ALK PHOS HI, BLD  
BLD, URINE  
ANOREXIA  
ICTERUS, BODY  
ILL  
SGPT/ALT HI, BLD  
VOMITING  
BILIRUBIN(TOT) HI, BLD  
WBC HI, BLD  
ATAXIA  
BUN HI, BLD  
POLYDIPSIA  
POLYURIA  
GGT HI, BLD  
INTERACTION, DRUG(S)  
P HI, BLD  
PR-LIVER, LESION(S)  
SEGS HI, BLD  
WEIGHT LOSS

CARPROFEN  
UNKNOWN, DOG

Number of Animals Evaluated

36

Sign

ADIPSIA  
ASCITES  
BLD(ECCHYMOSES)  
BUN LO, BLD  
CA HI, BLD  
CHOLESTEROL HI, BLD  
CONVULSION(S)  
CREATININE HI, BLD  
DEHYDRATION  
DIARRHEA  
DIARRHEA, BLOODY  
DYSPNEA  
ENCEPHALOPATHY  
EPISTAXIS  
HYPERACTIVITY  
HYPERPNEA  
HYPOTHERMIA, BODY  
INEFFECT, ANTIINFLAM  
INJ SITE ABSCESS  
INJ SITE NECROSIS  
INTUSSUSCEPTION  
K HI, BLD  
LAMENESS  
LIPASE HI, BLD  
LIVER ENZYMES HI, BLD  
LIVER FAILURE  
MONOS HI, BLD  
NA LO, BLD  
PALLOR, MUCOUS MEMBRAN  
PANCREATITIS  
PARESIS  
PERFORATION, STOMACH  
PR-KIDNEY(S), LESION(S)  
PR-STOMACH, LESION(S)  
SGOT/AST HI, BLD  
STIFFNESS, HIND LIMB(S)  
ULCER(S), STOMACH  
US ABN  
VESTIBULAR DISORDER  
WEAKNESS

CARPROFEN  
UNKNOWN, DOG

Number of Animals Evaluated  
36

Sign  
WHEEZING

---

CARPROFEN  
OPHTHALMIC, HUMAN

Number of Animals Evaluated  
44

Sign  
IRRITATION, EYE(S)/LID  
PAIN, EYE(S)/LID(S)  
CONGESTION, EYE(S)/LID  
VISION DISORDER  
CONGESTION  
ABRASION, CORNEA(S)  
BLD, EYE(S)  
EDEMA, EYE(S)/LID(S)  
EPIPHORA  
PHOTOSENSITIZATION  
PRURITIS, EYE(S)  
SWELLING, EYE(S)/LID(S)  
ULCER(S), CORNEA(S)

---

CARPROFEN  
PARENTERAL, CAT

Number of Animals Evaluated  
73

Sign  
DEPRESSION/LETHARGY  
ANOREXIA  
DEATH  
BUN HI, BLD  
VOMITING  
CREATININE HI, BLD  
DEATH(EUTHANIZED)  
DYSPNEA  
COUGHING  
SEDATION PROLONGED

CARPROFEN  
PARENTERAL, CAT

Number of Animals Evaluated

73

Sign

SEDATION TOO DEEP  
TRACHEITIS  
HYPOTHERMIA, BODY  
P HI, BLD  
BLD, URINE  
DEHYDRATION  
KIDNEY FAILURE  
SGPT/ALT HI, BLD  
ANEMIA  
ATAXIA  
CONVULSION(S)  
HYPERPNEA  
PROTEIN, URINE  
SKIN, NECROSIS  
ANESTH RECOV PROLONGED  
ANURIA  
ARREST, HEART  
BRADYCARDIA  
DIARRHEA  
FEVER, BODY  
ICTERUS, BODY  
INCISION SITE ABN  
INJ SITE NECROSIS  
INTERACTION, DRUG(S)  
K HI, BLD  
MYDRIASIS  
PAIN, ABDOMEN  
PERFORATION, GI  
PERITONITIS  
PR-HEART, LESION(S)  
PR-KIDNEY(S), LESION(S)  
PR-SM INTEST, LESION(S)  
RECUMBENCY  
VOCALIZATION  
WBC LO, BLD  
WEAKNESS  
WEIGHT LOSS  
ABN COLOR, URINE  
ALBUMIN LO, BLD  
ALK PHOS HI, BLD

CARPROFEN  
PARENTERAL, CAT

Number of Animals Evaluated

73

Sign

ANAPHYLAXIS/TOID  
ARRHYTHMIA  
AZOTEMIA  
BILIRUBIN(TOT) HI, BLD  
BILIRUBIN, URINE  
BLD(ECCHYMOSES)  
BLD, INCISION SITE  
CACHEXIA  
CONSTIPATION  
CYANOSIS  
DEHISCENCE  
DISCHARGE, NOSE  
DISTRESS, RESP  
EFFUSION, PLEURAL  
ENLARGEMENT, LYMPH NOD  
HEPATITIS  
HEPATOMEGALY  
HYPERSALIVATION  
ICTERUS  
INJ SITE INFLAM  
INJ SITE PRURITIS  
INJ SITE SLOUGH  
LAMENESS  
NA LO, BLD  
NEUROLOGICAL DISORDER  
NYSTAGMUS  
OPACITY, CORNEA(S)  
PACING  
PAIN  
PALLOR, MUCOUS MEMBRAN  
PLATELETS LO, BLD  
POLYCYTHEMIA  
POLYPNEA  
PR-INJ SITE, LESION(S)  
PR-LUNG(S), EDEMA  
PR-LUNG(S), LESION(S)  
PR-STOMACH, LESION(S)  
PROTEIN(TOT) HI, BLD  
PROTEIN(TOT) LO, BLD  
PUPIL(S), AREFLEXIA

CARPROFEN  
PARENTERAL, CAT

Number of Animals Evaluated  
73

Sign

RADIOGRAPH(S) ABN  
SALIVA, ABN  
SGOT/AST HI, BLD  
SPEC GRAVITY LO, URINE  
SPLENOMEGALY  
STUPOR  
SWELLING  
TACHYCARDIA  
ULCER(S), MOUTH/LIP(S)  
US ABN  
US-LIVER ABN  
VOMITING, BLOODY  
WBC HI, BLD

---

CARPROFEN  
PARENTERAL, DOG

Number of Animals Evaluated  
759

Sign

VOMITING  
ANOREXIA  
DEPRESSION/LETHARGY  
SGPT/ALT HI, BLD  
ALK PHOS HI, BLD  
DEATH  
INJ SITE SWELLING  
DIARRHEA  
BILIRUBIN(TOT) HI, BLD  
WBC HI, BLD  
ANEMIA  
BUN HI, BLD  
INJ SITE NECROSIS  
DEATH(EUTHANIZED)  
BLD, URINE  
PLATELETS LO, BLD  
CREATININE HI, BLD  
DIARRHEA, BLOODY  
ICTERUS, BODY



CARPROFEN  
PARENTERAL, DOG

Number of Animals Evaluated  
759

Sign

INTERACTION, DRUG(S)  
MELENA  
DEHYDRATION  
SGOT/AST HI, BLD  
ANAPHYLAXIS/TOID  
FEVER, BODY  
VOMITING, BLOODY  
ALBUMIN LO, BLD  
ATAXIA  
P HI, BLD  
CONVULSION(S)  
INJ SITE INFLAM  
INJ SITE ABSCESS  
NERVOUSNESS  
POLYDIPSIA  
BLD, INCISION SITE  
WEIGHT LOSS  
PALLOR, MUCOUS MEMBRAN  
PROTEIN(TOT) LO, BLD  
ENLARGEMENT, LYMPH NOD  
INJ SITE ALOPECIA  
DYSPNEA  
DEHISCENCE  
HYPERALIVATION  
POLYPNEA  
WEAKNESS  
INJ SITE ULCER(S)  
PR-LIVER, LESION(S)  
VOCALIZATION  
COAGULATION DISORDER  
INCISION SITE ABN  
INJ SITE MASS  
DISTRESS  
INJ SITE SLOUGH  
PAIN, ABDOMEN  
POLYURIA  
CONGESTION, SKIN  
GGT HI, BLD  
INJ SITE PAIN  
INJ SITE EDEMA

CARPROFEN  
PARENTERAL, DOG

Number of Animals Evaluated  
759

Sign

SKIN, SCAB(S)  
CONFUSION  
EDEMA, HEAD/FACE  
INCONTINENCE, URINARY  
PT PROLONGED, BLD  
PTT PROLONGED, BLD  
RECUMBENCY  
SEGS HI, BLD  
AMYLASE HI, BLD  
APNEA  
BLD(ECCHYMOSES)  
HEMATOCHEZIA  
INJ SITE ABN  
INJ SITE PRURITIS  
PERFORATION, STOMACH  
PERITONITIS  
PR-KIDNEY(S), LESION(S)  
PR-STOMACH, LESION(S)  
PRURITIS  
US ABN  
INJ SITE STERILE ABSCE  
MONOS HI, BLD  
PERFORATION, GI  
SKIN, NECROSIS  
TREMBLING  
US-LIVER ABN  
BILIRUBIN, URINE  
BLD(PETECHIAE)  
COLLAPSE  
GLUCOSE HI, BLD  
INFECTION, URINARY TRA  
LIVER ENZYMES HI, BLD  
PR-INJ SITE, LESION(S)  
PROTEIN, URINE  
RADIOGRAPH(S) ABN  
SPEC GRAVITY LO, URINE  
HYPOTHERMIA, BODY  
K LO, BLD  
LESION(S), SKIN  
TACHYCARDIA

CARPROFEN  
PARENTERAL, DOG

Number of Animals Evaluated  
759

Sign

ULCER(S), GI  
URTICARIA  
ADIPSIA  
AGGRESSION  
ARREST, HEART  
BLD, ABDOMEN  
EPISTAXIS  
GLUCOSE LO, BLD  
HYPERACTIVITY  
HYPERPNEA  
INEFFECT, ANALGESIA  
INJ SITE INFECT  
NA LO, BLD  
SWELLING, HEAD/FACE  
ULCER(S), STOMACH  
WBC LO, BLD  
ALBUMIN HI, BLD  
ALOPECIA  
ANEMIA, AUTOIMMUNE HEM  
ANURIA  
BILE ACIDS HI, BLD  
BLD  
BLD, LUNG(S)/TRACHEA  
CHOLESTEROL HI, BLD  
ICTERUS  
INFECTION, SKIN  
INJ SITE SEROMA  
LIPASE HI, BLD  
PAIN  
PR-HEART, LESION(S)  
SHOCK  
ABN COLOR, URINE  
ANEMIA, BLD LOSS  
BLD(HEMATOMA)  
BLD, RECTUM  
CA HI, BLD  
CA LO, BLD  
CHLORIDE LO, BLD  
CIRCLING  
CRYSTALS, URINE

CARPROFEN  
PARENTERAL, DOG

Number of Animals Evaluated  
759

Sign

DERMATITIS, MOIST  
DIC  
DIFFICULTY RISING  
DISTENTION, ABDOMEN  
EDEMA, LUNG(S)/TRACHEA  
FROTH, MOUTH/LIP(S)  
GLOBULIN HI, BLD  
HYPOTHERMIA  
INFLAM, SKIN  
INJ SITE BLD  
INJ SITE EFFUSION  
NA HI, BLD  
PARESIS, HIND LIMB(S)  
POLYCYTHEMIA  
PR-LUNG(S), LESION(S)  
PR-SKIN, LESION(S)  
RELUCTANT TO MOVE  
SKIN, CRUST(S)  
SWELLING, EYE(S)/LID(S)  
SWELLING, LIMB(S)  
ULCER(S), PYLORUS  
ANISOCORIA  
ARRHYTHMIA  
AZOTEMIA  
BANDS HI, BLD  
BLD, MOUTH/LIP(S)  
BLD, VAGINA  
BLINDNESS  
BRADYCARDIA  
BUN LO, BLD  
CONGESTION, LUNG(S)  
CPK HI, BLD  
DISCOMFORT  
EDEMA  
EDEMA, LIMB(S)  
GLUCOSE, URINE  
HEAD TILT  
HEPATOMEGALY  
HYPERPIGMENTATION, SKI  
INJ SITE FIBROSIS

CARPROFEN  
PARENTERAL, DOG

Number of Animals Evaluated  
759

Sign

KIDNEY FAILURE  
LAMENESS  
NYSTAGMUS  
PALLOR  
PANCREATITIS  
PAPULE(S)  
PARESIS  
PR-BLADDER, LESION(S)  
PR-SM INTEST, LESION(S)  
PR-SPLEEN, LESION(S)  
PROTEIN(TOT) HI, BLD  
SLOUGH, SKIN  
SPLENOMEGALY  
SWELLING, EAR(S)  
SWELLING, SCROTUM  
UNCONSCIOUS  
URINATION ABN  
WBC, URINE  
ANESTH RECOV PROLONGED  
APPREHENSION  
BEHAVIOR DISORDER  
BILE ACIDS ABN, BLD  
CASTS, URINE  
CHEMISTRY ABN  
COUGHING  
CULTURE/TITER DATA ABN  
CYANOSIS  
CYANOSIS, MUCOUS MEMBR  
DEAFNESS  
DIARRHEA, WATERY  
DISCHARGE, INCISION SITE  
DYSPHAGIA  
ECCHYMOSIS, INCISION SITE  
EDEMA, MULTIPLE SITES  
EDEMA, VENTRAL  
EFFUSION, PERITONEAL  
GALL BLADDER, ABN  
HALLUCINATION  
HIDING  
HYPERESTHESIA

CARPROFEN  
PARENTERAL, DOG

Number of Animals Evaluated  
759

Sign

ICTERUS, SERUM  
INCISION SITE, BLD  
INJ SITE INDURATION  
K HI, BLD  
LIVER DISORDER  
LIVER FAILURE  
LYMPHS HI, BLD  
NECROSIS  
PAIN, NECK  
PARALYSIS, HIND LIMB(S)  
PARESIS, FORELIMB(S)  
POLLAKIURIA  
POLYPHAGIA  
PR-BLD VESSEL(S), LESI  
PR-INTEST, LESION(S)  
PR-PANCREAS, LESION(S)  
PR-PERITONEAL EFFUSION  
PR-SM INTEST, LESION(S)  
RBC, NUCLEATED  
REFLEX(ES) ABN  
RETICULOCYTES HI, BLD  
SEGS LO, BLD  
SPASM  
SWELLING  
SWELLING, PHARYNX/THRO  
URINATION  
VOMITING, UNPRODUCTIVE  
ABORTION  
ABSCESS, SKIN  
ACID URINE  
ACIDOSIS  
AGRANULOCYTOSIS, BLD  
ALBUMIN HI, URINE  
ALKALINE URINE  
ANEMIA, REGEN  
ASCITES  
BASOS HI, BLD  
BILIRUBIN(DIR) HI, BLD  
BLD, PENIS  
BLD, SCLERA

CARPROFEN  
PARENTERAL, DOG

Number of Animals Evaluated  
759

Sign

BLD, SCROTUM  
BLD, SKIN  
BORBORYGMI  
BREATHING ABN  
BRONCHITIS  
CERVICAL SPINE ABN  
CHLORIDE HI, BLD  
CNS DISORDER  
CONGESTION, MUCOUS MEM  
CONSTIPATION  
CREATININE LO, BLD  
CYSTITIS  
DEFECATION  
DEMENTIA  
DIARRHEA, MILD  
DISCHARGE, MOUTH/LIP(S)  
DISCHARGE, NOSE  
DISCHARGE, VULVA  
DISTENTION, BLADDER  
DISTRESS, RESP  
DYSURIA  
ECG ABN  
EDEMA, LARYNX  
EDEMA, NECK  
EDEMA, PHARYNX  
EDEMA, SCLERA  
ENLARGEMENT(S)  
ENLARGEMENT(S), SKIN  
EOSINOS HI, BLD  
EPIPHORA  
ERUPTION(S)  
ERYTHEMA MULTIFORME  
FLATULENCE  
GLOBULIN LO, BLD  
GRANULOMA  
HAIR, SHEDDING  
HEAD BOBBING  
HEART FAILURE  
HEMOGLOBIN, URINE  
HYPERTONIA

CARPROFEN  
PARENTERAL, DOG

Number of Animals Evaluated  
759

Sign

HYPOESTHESIA  
INCISION SITE, ECCHYMOSIS  
INCONTINENCE, FECAL  
INEFFECT, ANTIINFLAM  
INFECTION  
INFECTION, FEET/DIGIT(  
INFECTION, JOINT(S)  
INFECTION, UTERUS  
INJ SITE HAIR, ABN  
INSOMNIA  
IRRITATION, ESOPHAGUS  
IRRITATION, EYE(S)/LID  
IRRITATION, MOUTH/LIP(S)  
IRRITATION, PERINEUM  
KIDNEY DISORDER  
KIDNEY VALUES HI, BLD  
LICKING  
LICKING, FEET/DIGIT(S)  
LOCOMOTION DISORDER  
LYMPHS LO, BLD  
MACULE(S)  
MASS, SKIN  
MICROORANISMS, URINE  
MICROORGANISMS, URINE  
MONOS LO, BLD  
MUCOUS MEMBR, MUDDY  
MUCOUS MEMBR, RED  
MURMUR, HEART  
MYDRIASIS  
NEOPLASM  
NEUROLOGICAL DISORDER  
NYSTAGMUS, HORIZONTAL  
OLIGURIA  
PACING  
PAIN, BACK  
PAIN, FEET/DIGIT(S)  
PAIN, HEAD/FACE  
PANCREAS DISORDER  
PARALYSIS  
PARALYSIS, ALL LIMBS



CARPROFEN  
PARENTERAL, DOG

Number of Animals Evaluated  
759

Sign

PARALYSIS, FACIAL NERV  
PLATELETS HI, BLD  
PNEUMONIA, ASPIRATION  
POSTURE ABN  
PR-BRAIN, LESION(S)  
PR-GALL BLADDER, LESION(S)  
PR-GI, LESION(S)  
PR-LUNG(S), EDEMA  
PR-LYMPH NODE(S), LESI  
PR-PERITONEUM, LESION(  
PR-PROSTATE, LESION(S)  
PR-SPINAL CORD, LESION  
PR-THYMUS, LESION(S)  
PROPRIOCEPTIVE DISORDE  
PUSTULE(S)  
RASH  
RBC, ANISO  
RBC, POLYCHROM  
SEDATION  
SEPTICEMIA  
SHOCK, ENDOTOXEMIA  
SOMNOLENCE  
STAGGERING  
STIFFNESS  
STOMATITIS  
STOOL ABN  
STRABISMUS  
STRANGURIA  
STUMBLING  
SWELLING, FEET/DIGIT(S)  
SWELLING, MOUTH/LIP(S)  
SWELLING, NECK  
SWELLING, VENTRUM  
TACHYCARDIA, VENTRICUL  
THROMBUS  
THYROID HORMONE(S) LO  
TREMBLING, FACE  
TRIGLYCERIDES HI, BLD  
ULCER(S), FEET/DIGIT(S)  
ULCER(S), MOUTH/LIP(S)

CARPROFEN  
PARENTERAL, DOG

Number of Animals Evaluated  
759

Sign

ULCER(S), PHARYNX/THRO  
ULCER(S), SKIN  
URINE ABN  
VESTIBULAR DISORDER  
VOLVULUS  
VOLVULUS, STOMACH  
WHEEZING

---

CARPROFEN  
PARENTERAL, PIG

Number of Animals Evaluated  
1

Sign

ANAPHYLAXIS/TOID  
DEATH

---

CARPROFEN  
PARENTERAL, BIRD

Number of Animals Evaluated  
1

Sign

DEATH

---

CARPROFEN  
PARENTERAL, HUMAN

Number of Animals Evaluated  
4

Sign

INJ SITE PAIN  
INJ SITE INFLAM  
HYPOESTHESIA  
INJ SITE EDEMA  
INJ SITE SWELLING

---

CARPROFEN  
PARENTERAL, OTHER

Number of Animals Evaluated  
1

Sign

DEATH  
INJ SITE STERILE ABSCE

---

CARPROFEN  
PARENTERAL, FERRET

Number of Animals Evaluated  
1

Sign

DEPRESSION/LETHARGY  
DIARRHEA, BLOODY  
HEMATOCHEZIA

---

CARPROFEN  
NOT APPLICABLE, DOG

Number of Animals Evaluated  
1

Sign

DEPRESSION/LETHARGY  
VOMITING

---

CEFADROXIL  
ORAL, CAT

Number of Animals Evaluated  
37

Sign

VOMITING  
DIARRHEA  
CONGESTION, SKIN  
PRURITIS  
ANAPHYLAXIS/TOID  
BLD (ECCHYMOSES)  
DEATH  
DEPRESSION/LETHARGY  
DYSPNEA

CEFADROXIL

ORAL, CAT

Number of Animals Evaluated

37

Sign

ALOPECIA

ANOREXIA

COLLAPSE

CONGESTION, LUNG(S)

DEATH(EUTHANIZED)

DISTRESS, RESP

EDEMA, LUNG(S)/TRACHEA

FROTH, MOUTH/LIP(S)

GAGGING

GLUCOSE HI, BLD

HYPERSALIVATION

ILL

LICKING, FEET/DIGIT(S)

SKIN, CRUST(S)

SWELLING, JOINT(S)

---

CEFADROXIL

ORAL, DOG

Number of Animals Evaluated

17

Sign

VOMITING

DEPRESSION/LETHARGY

DEATH

ANAPHYLAXIS/TOID

ANEMIA

ANOREXIA

HYPERSALIVATION

URTICARIA

ANEMIA, AUTOIMMUNE HEM

COLLAPSE

CONGESTION, SKIN

COUGHING

DIARRHEA

EDEMA, HEAD/FACE

EDEMA, LUNG(S)/TRACHEA

FEVER, BODY

HYPERPIGMENTATION, SKI

CEFADROXIL

ORAL, DOG

Number of Animals Evaluated

17

Sign

ICTERUS, BODY

ILL

INCONTINENCE, FECAL

LIVER ENZYMES HI, BLD

PALLOR

PR-LUNG(S), EDEMA

PRURITIS

SCALE(S), SKIN

SGOT/AST HI, BLD

SGPT/ALT HI, BLD

SHAKING

WBC HI, BLD

WEAKNESS

---

CEFADROXIL

ORAL, VARIOUS

Number of Animals Evaluated

25

Sign

ANOREXIA

DEPRESSION/LETHARGY

---

CEFADROXIL

UNKNOWN, DOG

Number of Animals Evaluated

1

Sign

VOMITING

---

CEFOVECIN

UNKNOWN, CAT

Number of Animals Evaluated

1

Sign

CEFOVECIN  
UNKNOWN, CAT

Number of Animals Evaluated  
1

Sign

ANOREXIA  
ATAXIA  
BEHAVIOR DISORDER  
CONSTIPATION  
DEATH  
DEHYDRATION  
DEPRESSION/LETHARGY  
K LO, BLD  
NA HI, BLD  
NYSTAGMUS  
RADIOGRAPH(S) ABN  
SGPT/ALT HI, BLD

---

CEFOVECIN  
UNKNOWN, DOG

Number of Animals Evaluated  
1

Sign

DEATH

---

CEFOVECIN  
PARENTERAL, CAT

Number of Animals Evaluated  
62

Sign

ANOREXIA  
DEPRESSION/LETHARGY  
DEATH  
VOMITING  
DEATH (EUTHANIZED)  
ATAXIA  
WEIGHT LOSS  
ANAPHYLAXIS/TOID  
ANEMIA  
DEHYDRATION  
DYSPNEA

CEFOVECIN  
PARENTERAL, CAT

Number of Animals Evaluated

62

Sign

FEVER, BODY  
BUN HI, BLD  
HYPOTHERMIA, BODY  
SGPT/ALT HI, BLD  
VOCALIZATION  
INTERACTION, DRUG(S)  
MURMUR, HEART  
PALLOR, MUCOUS MEMBRAN  
POLYPNEA  
ADIPSIA  
BEHAVIOR DISORDER  
CACHEXIA  
CREATININE HI, BLD  
DIARRHEA  
HEAD TILT  
HIDING  
HYPERALIVATION  
INEFFECT, ANTIBIOTIC  
KIDNEY FAILURE  
P HI, BLD  
PLATELETS LO, BLD  
TACHYCARDIA  
VESTIBULAR DISORDER  
ANESTH RECOV PROLONGED  
ARREST, HEART  
BLINDNESS  
CONVULSION(S)  
DIARRHEA, BLOODY  
DISCHARGE, NOSE  
EDEMA, LUNG(S)/TRACHEA  
HYPERACTIVITY  
HYPOTHERMIA  
INFLAM, SKIN  
INJ SITE ABN  
INJ SITE PAIN  
PAIN  
PR-KIDNEY(S), LESION(S)  
SNEEZING  
UNCONSCIOUS  
WBC HI, BLD

CEFOVECIN  
PARENTERAL, CAT

Number of Animals Evaluated

62

Sign

WEAKNESS  
ABN COLOR, URINE  
ALBUMIN LO, BLD  
ALOPECIA  
AMYLASE HI, BLD  
ANISOCORIA  
APNEA  
ASCITES  
AZOTEMIA  
BILIRUBIN(TOT) HI, BLD  
BLD  
BLD, URINE  
BUN LO, BLD  
CA HI, BLD  
CA LO, BLD  
CHOLESTEROL HI, BLD  
COLLAPSE  
CONFUSION  
CONGESTION, SKIN  
CONJUNCTIVITIS  
COUGHING  
CREATININE LO, BLD  
CRYSTALS, URINE  
DIARRHEA, MILD  
DISCHARGE, EYE(S)/LID(S)  
DISTENTION, ABDOMEN  
DISTRESS, RESP  
ECG ABN  
EFFUSION, PLEURAL  
EOSINOS HI, BLD  
GLUCOSE LO, BLD  
HEART DISORDER  
HYPERESTHESIA  
ICTERUS, BODY  
INJ SITE ALOPECIA  
INJ SITE INFLAM  
INJ SITE SEROMA  
INJ SITE SWELLING  
INJ SITE ULCER(S)  
LEG DISORDER



CEFOVECIN  
PARENTERAL, CAT

Number of Animals Evaluated  
62

Sign

LIVER FAILURE  
NAUSEA  
NYSTAGMUS  
PAIN, HIND LIMB(S)  
PARALYSIS, HIND LIMB(S)  
PARESIS, HIND LIMB(S)  
POLYDIPSIA  
POLYURIA  
PR-CEREBRUM, LESION(S)  
PR-HEART, LESION(S)  
PR-INJ SITE, LESION(S)  
PR-INTEST, LESION(S)  
PR-LUNG(S), LESION(S)  
PR-PERICARDIAL EFFUSIO  
PR-SPLEEN, LESION(S)  
PROTEIN(TOT) HI, BLD  
PROTEIN, URINE  
RBC, ANISO  
RBC, POLYCHROM  
REFLEX(ES) ABN  
RESPIRATORY DISORDER  
SEGS HI, BLD  
SEGS LO, BLD  
SEPTICEMIA  
SGOT/AST HI, BLD  
SKIN, NECROSIS  
TEETH, ABN  
THROMBUS  
TREMBLING  
ULCER(S), EAR(S)  
WBC LO, BLD  
WBC, URINE

---

CEFOVECIN  
PARENTERAL, DOG

Number of Animals Evaluated  
66

Sign

CEFOVECIN  
PARENTERAL, DOG

Number of Animals Evaluated

66

Sign

DEATH  
DEPRESSION/LETHARGY  
VOMITING  
ANAPHYLAXIS/TOID  
ANOREXIA  
CONGESTION, SKIN  
PRURITIS  
FEVER, BODY  
WBC HI, BLD  
ATAXIA  
CONVULSION(S)  
DEHYDRATION  
URTICARIA  
COLLAPSE  
INEFFECT, ANTIBIOTIC  
INFLAM, SKIN  
LIPASE HI, BLD  
PAIN, ABDOMEN  
RASH  
VESTIBULAR DISORDER  
ANEMIA  
DIARRHEA, BLOODY  
ENLARGEMENT, LYMPH NOD  
HEAD TILT  
INTERACTION, DRUG(S)  
NAUSEA  
PAIN  
PLATELETS LO, BLD  
POLYDIPSIA  
RELUCTANT TO MOVE  
SWELLING, HEAD/FACE  
TREMBLING  
UNCONSCIOUS  
VOCALIZATION  
ACIDOSIS  
ADIPSIA  
ALK PHOS HI, BLD  
AMYLASE HI, BLD  
ANEMIA, AUTOIMMUNE HEM  
APNEA

CEFOVECIN  
PARENTERAL, DOG

Number of Animals Evaluated

66

Sign

BEHAVIOR DISORDER  
BITING/CHEWING  
BLD  
BLD(ECCHYMOSES)  
BLD(HEMATOMA)  
BLD, MOUTH/LIP(S)  
BRADYCARDIA  
BUN HI, BLD  
CREATININE HI, BLD  
DEATH(EUTHANIZED)  
DEFECATION  
DIARRHEA  
DIARRHEA, MILD  
DIC  
DYSPNEA  
EDEMA, EYE(S)/LID(S)  
EDEMA, HEAD/FACE  
EPISTAXIS  
EXFOLIATION, SKIN  
GLOBULIN HI, BLD  
GLUCOSE HI, BLD  
HEMATOCHEZIA  
HYPERALIVATION  
INJ SITE ABN  
INJ SITE ABSCESS  
INJ SITE PAIN  
KIDNEY FAILURE  
LESION(S), SKIN  
MELENA  
NYSTAGMUS  
NYSTAGMUS, HORIZONTAL  
P HI, BLD  
PALLOR, MUCOUS MEMBRAN  
PAPULE(S)  
PARALYSIS, FACIAL NERV  
PARESIS, FORELIMB(S)  
PARESIS, HIND LIMB(S)  
POLYURIA  
PR-LYMPH NODE(S), LESI  
PR-SKIN, LESION(S)

CEFOVECIN  
PARENTERAL, DOG

Number of Animals Evaluated  
66

Sign

PROTEIN(TOT) HI, BLD  
PUPIL(S), AREFLEXIA  
REFLEX(ES) ABN  
SEGS LO, BLD  
SGOT/AST HI, BLD  
SHOCK  
SKIN ABNORMAL  
STIFFNESS, HIND LIMB(S)  
SWELLING, EYE(S)/LID(S)  
TACHYCARDIA  
TWITCH  
VOMITING, BLOODY  
WBC LO, BLD  
WEIGHT LOSS

---

CEFOVECIN  
PARENTERAL, PIG

Number of Animals Evaluated  
1

Sign

DEATH  
INTERACTION, DRUG(S)

---

CEFOVECIN  
PARENTERAL, COUGAR

Number of Animals Evaluated  
1

Sign

ANEMIA  
ATAXIA  
BILIRUBIN(TOT) HI, BLD  
BUN HI, BLD  
CPK HI, BLD  
CREATININE HI, BLD  
DEATH  
K HI, BLD

CEFOVECIN  
PARENTERAL, COUGAR

Number of Animals Evaluated  
1

Sign

LYMPHS LO, BLD  
MG HI, BLD  
P HI, BLD  
POLYPNEA  
PR-BRAIN, LESION(S)  
PR-HEART, LESION(S)  
PR-LUNG(S), LESION(S)  
SGOT/AST HI, BLD  
SGPT/ALT HI, BLD

---

CEFOVECIN  
PARENTERAL, GUINEA PIG

Number of Animals Evaluated  
1

Sign

DEATH

---

CEFPODOXIME  
ORAL, CAT

Number of Animals Evaluated  
10

Sign

VOMITING  
ANOREXIA  
DIARRHEA  
DEATH  
DYSPNEA  
WEAKNESS  
WEIGHT LOSS  
ALK PHOS HI, BLD  
ALOPECIA  
ANAPHYLAXIS/TOID  
ATAXIA  
BUN HI, BLD  
CONFUSION  
CONGESTION, SKIN

CEFPODOXIME

ORAL, CAT

Number of Animals Evaluated

10

Sign

CONJUNCTIVITIS  
CREATININE HI, BLD  
DEPRESSION/LETHARGY  
DYSPHAGIA  
EDEMA  
FEVER, BODY  
GINGIVITIS  
GLUCOSE LO, BLD  
INFLAM  
INFLAM, SKIN  
KIDNEY DISORDER  
LIVER DISORDER  
MURMUR, HEART  
NYSTAGMUS  
PROTEIN(TOT) HI, BLD  
PRURITIS  
RECUMBENCY  
SEGS LO, BLD  
SGPT/ALT HI, BLD  
SNEEZING  
STOMATITIS

---

CEFPODOXIME

ORAL, DOG

Number of Animals Evaluated

289

Sign

ANOREXIA  
VOMITING  
DEPRESSION/LETHARGY  
ALK PHOS HI, BLD  
DIARRHEA  
SGPT/ALT HI, BLD  
ANEMIA  
CONVULSION(S)  
INEFFECT, ANTIBIOTIC  
PLATELETS LO, BLD  
WBC HI, BLD

CEFPODOXIME

ORAL, DOG

Number of Animals Evaluated

289

Sign

DEATH

FEVER, BODY

POLYDIPSIA

ATAXIA

BUN HI, BLD

BILIRUBIN(TOT) HI, BLD

POLYURIA

ALBUMIN LO, BLD

PRURITIS

WEIGHT LOSS

DEATH(EUTHANIZED)

POLYPNEA

BLD, URINE

PALLOR, MUCOUS MEMBRAN

BLD(ECCHYMOSES)

INCONTINENCE, URINARY

PR-SKIN, LESION(S)

PROTEIN, URINE

RADIOGRAPH(S) ABN

TREMBLING

BILIRUBIN, URINE

BLD(PETECHIAE)

CREATININE HI, BLD

DEHYDRATION

DYSPNEA

HYPERACTIVITY

ALOPECIA

ANEMIA, AUTOIMMUNE HEM

COLLAPSE

CONGESTION, SKIN

LESION(S), SKIN

NERVOUSNESS

P HI, BLD

HYPERSALIVATION

ICTERUS, BODY

SEGS HI, BLD

SPEC GRAVITY LO, URINE

WEAKNESS

ANAPHYLAXIS/TOID

CONFUSION

CEFPODOXIME

ORAL, DOG

Number of Animals Evaluated

289

Sign

DISTENTION, ABDOMEN  
ENLARGEMENT, LYMPH NOD  
ERYTHEMA MULTIFORME  
INTERACTION, DRUG(S)  
PR-LIVER, LESION(S)  
PR-SPLEEN, LESION(S)  
SKIN, SCAB(S)  
SPLENOMEGALY  
URTICARIA  
WBC LO, BLD  
AMYLASE HI, BLD  
DEAFNESS  
DIARRHEA, BLOODY  
DISCHARGE, EYE(S)/LID(S)  
ERUPTION(S)  
GLUCOSE LO, BLD  
HEAD TILT  
HIDING  
ICTERUS  
IMMUNE DISORDER  
INFLAM, SKIN  
KERATOCONJUNCTIVITIS S  
MELENA  
NA LO, BLD  
PAIN  
PAIN, ABDOMEN  
POLYCYTHEMIA  
PROTEIN(TOT) LO, BLD  
RECUMBENCY  
SGOT/AST HI, BLD  
SWELLING, EYE(S)/LID(S)  
ULCER(S), SKIN  
ABN COLOR, URINE  
ANEMIA, HEMOLYTIC  
APPREHENSION  
BLD  
BLD(HEMATOMA)  
BLD, RECTUM  
CHLORIDE LO, BLD  
CHOLESTEROL HI, BLD



CEFPODOXIME

ORAL, DOG

Number of Animals Evaluated

289

Sign

COAGULATION DISORDER  
CONJUNCTIVITIS  
DIARRHEA, MILD  
DIARRHEA, SEVERE  
EOSINOS HI, BLD  
GALL BLADDER, ABN  
GGT HI, BLD  
GLOBULIN HI, BLD  
GLUCOSE, URINE  
HEPATOMEGALY  
HYPERPNEA  
HYPOTHERMIA, BODY  
ICTERUS, SERUM  
INCONTINENCE, FECAL  
LAMENESS  
LICKING, FEET/DIGIT(S)  
LIVER ENZYMES HI, BLD  
MYDRIASIS  
NAUSEA  
ODOR  
OTITIS  
PACING  
PAIN, LIMB(S)  
PR-BRAIN, LESION(S)  
PR-MULT SITES, BLD  
PROPRIOCEPTIVE DISORDE  
PRURITIS, FEET/DIGIT(S)  
PUPIL(S), AREFLEXIA  
RELUCTANT TO MOVE  
SEGS LO, BLD  
SHAKING  
SHAKING, HEAD/FACE  
SKIN ABNORMAL  
SKIN, NECROSIS  
SWELLING, EAR(S)  
SWELLING, FEET/DIGIT(S)  
SWELLING, HEAD/FACE  
TACHYCARDIA  
THYROID HORMONE(S) LO  
VESICLE(S)/BULLAE, SKI

CEFPODOXIME

ORAL, DOG

Number of Animals Evaluated

289

Sign

VOCALIZATION  
VOMITING, BLOODY  
WBC, URINE  
ABORTION  
ADIPSIA  
ADVERSE DRUG REACTION  
AGGRESSION  
ANEMIA, REGEN  
ANEMIA, SPHERO  
APNEA  
ARREST, HEART  
ARRHYTHMIA  
ASCITES  
BANDS HI, BLD  
BASOS HI, BLD  
BEHAVIOR DISORDER  
BILE ACIDS HI, BLD  
BITING/CHEWING  
BLD, INCISION SITE  
BLD, MOUTH/LIP(S)  
BLINDNESS, TEMP  
BREATHING ABN  
BUN LO, BLD  
CA HI, BLD  
CALCULI, BLADDER  
CASTS, URINE  
CNS DISORDER  
COOMBS TEST POS  
CRYSTALS, URINE  
CULTURE/TITER DATA ABN  
CYANOSIS, MUCOUS MEMBR  
CYSTITIS  
DEAFNESS, PARTIAL  
DEAFNESS, TEMP  
DIABETES MELLITUS  
DIARRHEA, WATERY  
DIFFICULTY RISING  
DISCHARGE, NOSE  
DISCOMFORT  
DISCOMFORT, MOUTH/LIP(S)

CEFPODOXIME

ORAL, DOG

Number of Animals Evaluated

289

Sign

DISTRESS, RESP  
EDEMA  
EFFUSION, JOINT(S)  
EFFUSION, PERITONEAL  
EFFUSION, PLEURAL  
ENLARGEMENT(S), SKIN  
EPISTAXIS  
EYE DISORDER  
FROTH, MOUTH/LIP(S)  
GAGGING  
GINGIVA, ABN  
GINGIVITIS  
GLOBULIN LO, BLD  
GLUCOSE HI, BLD  
HAIR, SHEDDING  
HEAD BOBBING  
HEMATOCHEZIA  
HYPERADRENOCORTICISM  
INFECTION  
INFECTION, FEET/DIGIT(  
INFECTION, SKIN  
JOINT DISORDER  
K HI, BLD  
K LO, BLD  
KETONES, URINE  
LEUKODERMA  
LICKING  
LIPASE HI, BLD  
LYMPHS HI, BLD  
LYMPHS LO, BLD  
MASS  
MASS, ABDOMEN  
MONOS HI, BLD  
MONOS LO, BLD  
MURMUR, HEART  
MYOSITIS  
NA HI, BLD  
NEOPLASM  
NEUROLOGICAL DISORDER  
ODOR, MOUTH

CEFPODOXIME

ORAL, DOG

Number of Animals Evaluated

289

Sign

ODOR, URINE  
OPACITY, CORNEA(S)  
PAIN, JOINT(S)  
PAIN, MOUTH/LIP(S)  
PARESIS  
PERITONITIS  
POLLAKIURIA  
POSTURE ABN  
PR-COLON, LESION(S)  
PR-JOINT(S), LESION(S)  
PR-LUNG(S), LESION(S)  
PR-MOUTH/LIP(S), LESIO  
PR-SM INTEST, LESION(S)  
PR-SM INTEST, LESION(S)  
PR-SPINAL CORD, LESION  
PROLAPSE, THIRD EYELID  
PROTEIN(TOT) HI, BLD  
PRURITIS, EYE(S)  
PT PROLONGED, BLD  
PTT PROLONGED, BLD  
PUSTULE(S)  
RASH  
RBC, ANISO  
REACTION, UNSPECIFIED  
RELUCTANT TO CLIMB  
RETICULOCYTES LO, BLD  
RETINA ABN  
SEDATION  
SEDIMENT, URINE  
SHOCK  
SKIN, CRUST(S)  
SOUND ABN, RESPIRATORY  
STIFFNESS  
STUMBLING  
SWELLING, JOINT(S)  
SWELLING, LIMB(S)  
SWELLING, VAGINA/VULVA  
SYNOVIAL FLUID ABN  
TEARS, ABN  
TOX

January 2, 2009

CEFPODOXIME

ORAL, DOG

Number of Animals Evaluated

289

Sign

TWITCH

ULCER(S), CORNEA(S)

ULCER(S), FEET/DIGIT(S)

ULCER(S), MOUTH/LIP(S)

URINATION ABN

US ABN

US-LIVER ABN

VESTIBULAR DISORDER

WBC ABN

---

CEFPODOXIME

ORAL, HORSE

Number of Animals Evaluated

1

Sign

DEATH(EUTHANIZED)

DIARRHEA

KIDNEY FAILURE

PROLAPSE, RECTUM

---

CEFPODOXIME

TOPICAL, HUMAN

Number of Animals Evaluated

2

Sign

RASH

---

CEFTIOFUR

ORAL, HORSE

Number of Animals Evaluated

1

Sign

COLITIS

DEATH

---

CEFTIOFUR  
ORAL, CATTLE

Number of Animals Evaluated  
71

Sign

INEFFECT, ANTIBIOTIC  
INJ SITE SWELLING  
INJ SITE NECROSIS

---

CEFTIOFUR  
MISSING, DOG

Number of Animals Evaluated  
1

Sign

PD-SUSPENSION, ABN

---

CEFTIOFUR  
MISSING, CATTLE

Number of Animals Evaluated  
2

Sign

DEATH

---

CEFTIOFUR  
TOPICAL, HUMAN

Number of Animals Evaluated  
7

Sign

RASH  
ILL  
CONGESTION, EYE(S)/LID  
CONGESTION, SKIN  
FEVER, BODY  
IRRITATION, EYE(S)/LID  
PRURITIS, EYE(S)  
SLOUGH, SKIN  
SWELLING, EYE(S)/LID(S)

---

CEFTIOFUR  
UNKNOWN, DOG

Number of Animals Evaluated  
2

Sign

CYANOSIS  
DIARRHEA  
EDEMA, LUNG(S)/TRACHEA  
INTERACTION, DRUG(S)  
VOMITING

---

CEFTIOFUR  
UNKNOWN, HUMAN

Number of Animals Evaluated  
12

Sign

INJ SITE PAIN  
INJ SITE INFLAM  
INJ SITE SWELLING  
SWELLING  
CONGESTION, SKIN  
DIZZINESS  
FEVER, BODY  
HYPERESTHESIA  
INFLAM, SKIN  
INJ SITE STIFFNESS  
NAUSEA  
PAIN, ABDOMEN  
PAIN, BRISKET/CHEST  
STIFFNESS, HAND(S)  
SYNCOPE  
URTICARIA  
VOMITING

---

CEFTIOFUR  
UNKNOWN, CATTLE

Number of Animals Evaluated  
8

Sign

DEATH  
ANAPHYLAXIS/TOID

CEFTIOFUR  
UNKNOWN, CATTLE

Number of Animals Evaluated  
8

Sign

BLOAT  
PAIN  
SHAKING  
STAGGERING  
COLLAPSE  
RESIDUE, MEAT

---

CEFTIOFUR  
VARIOUS, HORSE

Number of Animals Evaluated  
3

Sign

DEATH  
ANOREXIA  
DEATH(EUTHANIZED)  
DEPRESSION/LETHARGY  
DIARRHEA  
DIARRHEA, SEVERE  
ENTERITIS  
FEVER, BODY  
PAIN, ABDOMEN  
SHOCK

---

CEFTIOFUR  
VARIOUS, CATTLE

Number of Animals Evaluated  
2

Sign

DEATH  
PR-BRAIN, LESION(S)  
PR-CEREBRUM, LESION(S)

---

CEFTIOFUR  
PARENTERAL, CAT



CEFTIOFUR  
PARENTERAL, CAT

Number of Animals Evaluated  
1

Sign

CONVULSION(S)  
DEATH

---

CEFTIOFUR  
PARENTERAL, DOG

Number of Animals Evaluated  
4

Sign

PLATELETS LO, BLD  
ANEMIA  
ALK PHOS HI, BLD  
AMYLASE HI, BLD  
APPREHENSION  
BEHAVIOR DISORDER  
BLD(PETECHIAE)  
CHLORIDE LO, BLD  
DEHYDRATION  
DIARRHEA  
EYE DISORDER  
GLUCOSE LO, BLD  
LIPASE HI, BLD  
MELENA  
PALLOR, MUCOUS MEMBRAN  
POLYCYTHEMIA  
STARING  
WBC LO, BLD

---

CEFTIOFUR  
PARENTERAL, PIG

Number of Animals Evaluated  
760

Sign

DIARRHEA  
DEATH  
ANAPHYLAXIS/TOID  
EFFUSION, PERITONEAL

CEFTIOFUR  
PARENTERAL, PIG

Number of Animals Evaluated  
760

Sign

PR-LUNG(S), EDEMA  
DYSPNEA  
VOMITING

---

CEFTIOFUR  
PARENTERAL, GOAT

Number of Animals Evaluated  
3

Sign

DEATH  
ANAPHYLAXIS/TOID  
ATAXIA  
COLLAPSE  
HYPERACTIVITY  
NERVOUSNESS  
NYSTAGMUS  
VOCALIZATION

---

CEFTIOFUR  
PARENTERAL, HORSE

Number of Animals Evaluated  
27

Sign

DEATH  
DIARRHEA  
FEVER, BODY  
PAIN, ABDOMEN  
ANAPHYLAXIS/TOID  
ANOREXIA  
LAMINITIS  
COLLAPSE  
DIARRHEA, BLOODY  
DIARRHEA, MUCOID  
PR-SM INTEST, LESION(S)  
DIARRHEA, SEVERE  
DIARRHEA, WATERY

CEFTIOFUR  
PARENTERAL, HORSE

Number of Animals Evaluated  
27

Sign

ANEMIA  
ANEMIA, AUTOIMMUNE HEM  
ANEMIA, HEMOLYTIC  
BITING/CHEWING  
CONVULSION(S)  
DEATH(EUTHANIZED)  
DIARRHEA, MILD  
DIC  
DISTRESS, RESP  
EMPHYSEMA, SQ  
GI, ABNORMAL  
HYPERPNEA  
HYPOMOTILITY  
INEFFECT, ANTIBIOTIC  
INJ SITE EDEMA  
INJ SITE EMPHYSEMA  
PALLOR  
PNEUMONIA, ASPIRATION  
PR-COLON, LESION(S)  
PR-GI, LESION(S)  
PR-KIDNEY(S), LESION(S)  
PR-LIVER, LESION(S)  
PR-SM INTEST, LESION(S)  
RECUMBENCY  
SHAKING  
STAGGERING  
STIFFNESS  
SWELLING, JOINT(S)  
URTICARIA

---

CEFTIOFUR  
PARENTERAL, HUMAN

Number of Animals Evaluated  
36

Sign

INJ SITE PAIN  
INJ SITE SWELLING  
INJ SITE INFLAM

CEFTIOFUR  
PARENTERAL, HUMAN

Number of Animals Evaluated  
36

Sign

DIZZINESS  
HYPOESTHESIA  
NAUSEA  
CONGESTION, SKIN  
ILL  
DIARRHEA  
FEVER, BODY  
HYPOTHERMIA, BODY  
INJ SITE ABN  
INJ SITE BLD  
PAIN, LIMB(S)  
RASH  
SWELLING, TONGUE  
WEAKNESS

---

CEFTIOFUR  
PARENTERAL, SHEEP

Number of Animals Evaluated  
1

Sign

ANAPHYLAXIS/TOID  
ATAXIA  
FEVER, BODY  
HYPERSALIVATION  
POLYURIA  
TREMBLING

---

CEFTIOFUR  
PARENTERAL, CATTLE

Number of Animals Evaluated  
3476

Sign

INEFFECT, ANTIBIOTIC  
INJ SITE SWELLING  
INJ SITE ABSCESS  
RESIDUE, MILK

CEFTIOFUR  
PARENTERAL, CATTLE

Number of Animals Evaluated  
3476

Sign

INJ SITE SEROMA  
DEATH(TX FAILURE)  
DEATH  
PR-INJ SITE, LESION(S)  
HEAD TILT  
PR-EAR(S), LESION(S)  
TORTICOLLIS  
MEAT ABN  
MEAT, ABN COLOR  
INJ SITE STERILE ABSCE  
COLLAPSE  
INJ SITE EDEMA  
ANAPHYLAXIS/TOID  
INEFFECT  
ATAXIA  
CONVULSION(S)  
DEPRESSION/LETHARGY  
INJECT SITE SEPSIS  
TECH ERROR ADMINISTRAT  
BLD, INCISION SITE  
BLINDNESS, TEMP  
COAGULATION DISORDER  
DYSPNEA  
EAR DISORDER  
INJ SITE INFLAM  
ARTHRITIS, SEPTIC  
RECUMBENCY  
INJ SITE BLD  
KICKING  
TREMBLING  
TWITCH  
ABORTION  
BREATHING, PERIODIC  
PR-LUNG(S), EDEMA  
SHAKING  
STAGGERING  
SWELLING, EYE(S)/LID(S)  
BLD, LUNG(S)/TRACHEA  
BLINDNESS  
CELLULITIS

CEFTIOFUR  
PARENTERAL, CATTLE

Number of Animals Evaluated  
3476

Sign

CHOKING  
CONFUSION  
CONJUNCTIVITIS  
DEATH(EUTHANIZED)  
DIARRHEA, BLOODY  
DISTRESS, RESP  
EDEMA, CORNEA(S)  
EDEMA, LUNG(S)/TRACHEA  
FEVER, BODY  
FROTH, MOUTH/LIP(S)  
HYPERESTHESIA  
HYPERPNEA  
HYPERSALIVATION  
INJ SITE INFECT  
LESION(S), SKIN  
OPACITY, CORNEA(S)  
POSTURE ABN  
PR-BRAIN, LESION(S)  
PR-KIDNEY(S), LESION(S)  
PR-LUNG(S), LESION(S)  
PR-MULT SITES, BLD  
PR-PLEURAL EFFUSION  
PR-SKIN, LESION(S)  
RESIDUE, MEAT  
SLOUGH, SKIN  
SPASM  
SWELLING, EAR(S)  
SWELLING, HEAD/FACE  
SWELLING, JOINT(S)  
THRASHING/PADDLING  
UNCONSCIOUS  
VOCALIZATION

---

CEFTIOFUR  
PARENTERAL, DONKEY

Number of Animals Evaluated  
2

Sign

CEFTIOFUR  
PARENTERAL, DONKEY  
Number of Animals Evaluated  
2

Sign  
DEATH  
PD-SOLUTION, ABN

---

CEFTIOFUR  
INTRAMAMMARY, GOAT  
Number of Animals Evaluated  
2

Sign  
INEFFECT, ANTIBIOTIC  
UDDER, HYPOGALACTIA

---

CEFTIOFUR  
INTRAMAMMARY, CATTLE  
Number of Animals Evaluated  
679

Sign  
RESIDUE, MILK  
INEFFECT, ANTIBIOTIC  
UDDER, MILK ABN  
UDDER, HYPOGALACTIA  
UDDER, HARD  
UDDER, MASTITIS  
ILL  
UDDER, AGALACTIA  
UDDER, SWELLING  
FERTILITY, REDUCED  
LABOR

---

CEFTIOFUR  
NOT APPLICABLE, CATTLE  
Number of Animals Evaluated  
20

Sign  
DIARRHEA

CEFTIOFUR  
NOT APPLICABLE, CATTLE

Number of Animals Evaluated  
20

Sign  
DEATH

---

CEPHALEXIN  
ORAL, DOG

Number of Animals Evaluated  
16

Sign  
VOMITING  
ANOREXIA  
ALBUMIN LO, BLD  
DEATH(EUTHANIZED)  
DEPRESSION/LETHARGY  
ADIPSIA  
ALK PHOS HI, BLD  
ANEMIA, AUTOIMMUNE HEM  
BANDS HI, BLD  
CHLORIDE HI, BLD  
COLLAPSE  
DEHYDRATION  
DIARRHEA, BLOODY  
DIARRHEA, MILD  
HYPOTHERMIA, BODY  
LESION(S), SKIN  
LYMPHS HI, BLD  
MONOS HI, BLD  
MORIBUND  
NA HI, BLD  
NYSTAGMUS, VERTICAL  
PALLOR, MUCOUS MEMBRAN  
PR-INTEST, LESION(S)  
PR-SKIN, LESION(S)  
PROTEIN(TOT) LO, BLD  
SEGS HI, BLD  
SLOUGH  
STOOL, MUCOID  
VOCALIZATION  
VOMITING, BLOODY  
WBC HI, BLD



CEPHALEXIN

ORAL, DOG

Number of Animals Evaluated

16

Sign

WEIGHT LOSS

---

CEPHAPIRIN BENZATHINE

PARENTERAL, CATTLE

Number of Animals Evaluated

1

Sign

RESIDUE, MILK

---

CEPHAPIRIN BENZATHINE

INTRAMAMMARY, CATTLE

Number of Animals Evaluated

329

Sign

RESIDUE, MILK

DEATH

UDDER, MASTITIS

UDDER, SWELLING

FEVER, BODY

RECUMBENCY

INEFFECT, ANTIBIOTIC

ANOREXIA

DEPRESSION/LETHARGY

ABORTION

HYPOMOTILITY

SHOCK

INEFFECT

DEATH (EUTHANIZED)

DIARRHEA, WATERY

INFECTION

SEPSIS

SWELLING, EYE(S)/LID(S)

COLLAPSE

PD-CAP(S), ABN

PD-TUBE(S), ABN

---

January 2, 2009

CEPHAPIRIN SODIUM  
PARENTERAL, CATTLE

Number of Animals Evaluated  
1

Sign  
RESIDUE, MILK

---

CEPHAPIRIN SODIUM  
INTRAMAMMARY, HORSE

Number of Animals Evaluated  
1

Sign  
UDDER, ABN

---

CEPHAPIRIN SODIUM  
INTRAMAMMARY, CATTLE

Number of Animals Evaluated  
1235

Sign  
RESIDUE, MILK  
INEFFECT, ANTIBIOTIC  
INEFFECT  
PD-PRODUCT DEFECT  
DEATH  
UDDER, DYSGALACTIA  
UDDER, MASTITIS  
HEMATOCHEZIA  
STOOL, MUCOID  
UDDER, AGALACTIA  
RECUMBENCY  
UDDER, HARD  
WBC HI, MILK

---

CHLORAMPHENICOL  
ORAL, CAT

Number of Animals Evaluated  
3

Sign  
ANOREXIA

CHLORAMPHENICOL

ORAL, CAT

Number of Animals Evaluated

3

Sign

DEATH

DEPRESSION/LETHARGY

VOCALIZATION

VOMITING

---

CHLORAMPHENICOL

ORAL, DOG

Number of Animals Evaluated

3

Sign

DEPRESSION/LETHARGY

VOMITING

ACCIDENTAL EXPOSURE

PAPULE(S)

PRURITIS

RASH

---

CHLORAMPHENICOL

ORAL, HUMAN

Number of Animals Evaluated

1

Sign

ENDOCRINE DISORDER

---

CHLORAMPHENICOL

OPHTHALMIC, CAT

Number of Animals Evaluated

21

Sign

IRRITATION, EYE(S)/LID

CONJUNCTIVITIS

CONGESTION, EYE(S)/LID

ULCER(S), CORNEA(S)

BLEPHAROSPASM

CHLORAMPHENICOL  
OPHTHALMIC, CAT

Number of Animals Evaluated  
21

Sign

DISCHARGE, EYE(S)/LID(  
SQUINTING  
CONGESTION  
PAIN, EYE(S)/LID(S)

---

CHLORAMPHENICOL  
OPHTHALMIC, DOG

Number of Animals Evaluated  
11

Sign

CONJUNCTIVITIS  
ANAPHYLAXIS/TOID  
RESPIRATORY DISORDER  
IRRITATION, EYE(S)/LID  
PAIN, EYE(S)/LID(S)  
PD-PRODUCT DEFECT

---

CHLORAMPHENICOL, PREDNISOLONE  
OPHTHALMIC, CAT

Number of Animals Evaluated  
1

Sign

BLEPHAROSPASM  
PAIN, EYE(S)/LID(S)  
PAWING  
VOCALIZATION

---

CHLORAMPHENICOL, PREDNISOLONE, SQUALENE, TETRACA  
TOPICAL, CAT

Number of Animals Evaluated  
1

Sign

ATAXIA  
BALANCE DISORDER

---

CHLORAMPHENICOL, PREDNISOLONE, SQUALENE, TETRACA  
TOPICAL, DOG

Number of Animals Evaluated  
5

Sign

DEAFNESS, TEMP  
DEAFNESS  
DEPRESSION/LETHARGY

---

CHLORHEXIDINE  
TOPICAL, CAT

Number of Animals Evaluated  
4

Sign

IRRITATION, SKIN

---

CHLORHEXIDINE  
TOPICAL, DOG

Number of Animals Evaluated  
6

Sign

EDEMA  
PHLEBITIS  
SKIN, NECROSIS  
SLOUGH, SKIN  
ULCER(S), TONGUE  
ANAPHYLAXIS/TOID  
ANOREXIA  
ARREST, HEART  
DEAFNESS  
DEATH  
DEPRESSION/LETHARGY  
EAR DISORDER  
EDEMA, NECK  
EDEMA, TONGUE  
INFLAM  
IRRITATION, EAR(S)  
TACHYCARDIA

---

CHLORHEXIDINE

January 2, 2009

CHLORHEXIDINE  
TOPICAL, HORSE

Number of Animals Evaluated  
1

Sign

VESICLE(S)/BULLAE, SKI

---

CHLORHEXIDINE  
TOPICAL, HUMAN

Number of Animals Evaluated  
1

Sign

LESION(S), RINGWORM

---

CHLORHEXIDINE  
TOPICAL, VARIOUS

Number of Animals Evaluated  
5

Sign

ABCESS, SKIN  
APPLICATION SITE ERYTHEMA  
ENLARGEMENT(S)  
SWELLING, SCROTUM

---

CHLORHEXIDINE  
INTRAMAMMARY, CATTLE

Number of Animals Evaluated  
1

Sign

RESIDUE, MILK

---

CHLORHEXIDINE  
INTRAUTERINE, HORSE

Number of Animals Evaluated  
1

Sign

REPRODUCTION DISORDER

CHLORHEXIDINE  
INTRAUTERINE, HORSE

Number of Animals Evaluated  
1

Sign  
VAGINITIS

---

CHLORHEXIDINE  
INTRAUTERINE, CATTLE

Number of Animals Evaluated  
9

Sign  
REPRODUCTION DISORDER  
PAIN, ABDOMEN  
RESIDUE, MILK  
SWELLING, UTERUS

---

CHLORPHENIRAMINE, DEXAMETHASONE, DIHYDROSTREPTOMYCIN,  
PENICILLIN G PROCAINE  
UNKNOWN, HORSE

Number of Animals Evaluated  
2

Sign  
REACTION, UNSPECIFIED

---

CHLORPHENIRAMINE, DEXAMETHASONE, DIHYDROSTREPTOMYCIN,  
PENICILLIN G PROCAINE  
PARENTERAL, CAT

Number of Animals Evaluated  
11

Sign  
APPREHENSION  
ATAXIA  
HYPERALIVATION  
MYDRIASIS  
ANAPHYLAXIS/TOID  
FROTH, MOUTH/LIP(S)  
VOMITING  
DEATH

CHLORPHENIRAMINE, DEXAMETHASONE, DIHYDROSTREPTOMYCIN,  
PENICILLIN G PROCAINE  
PARENTERAL, CAT

Number of Animals Evaluated  
11

Sign  
COLLAPSE  
CONVULSION(S)

---

CHLORPHENIRAMINE, DEXAMETHASONE, DIHYDROSTREPTOMYCIN,  
PENICILLIN G PROCAINE  
PARENTERAL, DOG

Number of Animals Evaluated  
2

Sign  
DEATH  
ANAPHYLAXIS/TOID  
COLLAPSE  
DYSPNEA

---

CHLORPHENIRAMINE, DEXAMETHASONE, DIHYDROSTREPTOMYCIN,  
PENICILLIN G PROCAINE  
PARENTERAL, HORSE

Number of Animals Evaluated  
1

Sign  
RECUMBENCY  
STAGGERING  
SWEATING

---

CHLORPHENIRAMINE, DIHYDROSTREPTOMYCIN, DIPHEMANIL, PENICILLIN G  
PROCAINE  
UNKNOWN, DOG

Number of Animals Evaluated  
2

Sign  
COLLAPSE  
DEATH  
DEPRESSION/LETHARGY



CHLORPHENIRAMINE, DIHYDROSTREPTOMYCIN, DIPHEMANIL, PENICILLIN G  
PROCAINE  
UNKNOWN, DOG

Number of Animals Evaluated  
2

Sign

DRY MOUTH SYNDROME  
TACHYCARDIA

---

CHLORPHENIRAMINE, DIHYDROSTREPTOMYCIN, DIPHEMANIL, PENICILLIN G  
PROCAINE  
PARENTERAL, DOG

Number of Animals Evaluated  
8

Sign

DEATH  
ARRHYTHMIA  
DEPRESSION/LETHARGY  
FEVER, BODY  
TACHYCARDIA  
VOCALIZATION  
WEAKNESS

---

CHLORPROMAZINE  
UNKNOWN, DOG

Number of Animals Evaluated  
1

Sign

RECUMBENCY  
SHAKING

---

CHLORTETRACYCLINE  
ORAL, PIG

Number of Animals Evaluated  
40

Sign

DEATH

---

CHLORTETRACYCLINE

CHLORTETRACYCLINE

ORAL, CATTLE

Number of Animals Evaluated

62

Sign

UNPALATABLE, WON'T EAT

DIARRHEA, WATERY

INEFFECT, ANTIBIOTIC

---

CHLORTETRACYCLINE

TOPICAL, HUMAN

Number of Animals Evaluated

1

Sign

SKIN ABNORMAL

---

CHLORTETRACYCLINE, SULFAMETHAZINE

ORAL, CATTLE

Number of Animals Evaluated

3

Sign

ANOREXIA

DEATH

DEPRESSION/LETHARGY

TENESMUS, RECTAL

---

CHORIONIC GONADOTROPIN

PARENTERAL, HORSE

Number of Animals Evaluated

12

Sign

DEATH

PAIN, ABDOMEN

ANAPHYLAXIS/TOID

BLINDNESS

CONVULSION(S)

SWEATING

URTICARIA

DIARRHEA

CHORIONIC GONADOTROPIN  
PARENTERAL, HORSE

Number of Animals Evaluated  
12

Sign

DYSPNEA  
HYPERPNEA  
ATAXIA  
DIARRHEA, BLOODY  
EDEMA, HEAD/FACE  
PAWING  
POLYCYTHEMIA  
PR-SM INTEST, LESION(S)  
PRURITIS  
PULSE THRADY  
RADIOGRAPH(S) ABN  
RECUMBENCY  
SWELLING, HEAD/FACE  
TACHYCARDIA

---

CHORIONIC GONADOTROPIN  
PARENTERAL, OTHER

Number of Animals Evaluated  
10

Sign

INEFFECT, OVULATION

---

CISAPRIDE  
ORAL, CAT

Number of Animals Evaluated  
1

Sign

VOMITING

---

CLENBUTEROL  
ORAL, HORSE

Number of Animals Evaluated  
8

Sign

CLENBUTEROL

ORAL, HORSE

Number of Animals Evaluated

8

Sign

DEATH

SWEATING

AGGRESSION

APPREHENSION

ATAXIA

CYANOSIS, MUCOUS MEMBR

HYPERACTIVITY

LEUKODERMA

NERVOUSNESS

PACING

RECUMBENCY

SHOCK

STAGGERING

THRASHING/PADDLING

TREMBLING

---

CLENBUTEROL

ORAL, HUMAN

Number of Animals Evaluated

1

Sign

APPREHENSION

BREATHING ABN

ECG ABN

FIBRILLATION, ATRIAL

PALPITATIONS

TACHYCARDIA

---

CLENBUTEROL

UNKNOWN, HORSE

Number of Animals Evaluated

3

Sign

APPREHENSION

PAIN, ABDOMEN

SWEATING

---

---

CLINDAMYCIN

ORAL, CAT

Number of Animals Evaluated

49

Sign

DIARRHEA

ANOREXIA

CONVULSION(S)

FEVER, BODY

VOMITING

DEPRESSION/LETHARGY

DIARRHEA, SEVERE

PLATELETS LO, BLD

ANAPHYLAXIS/TOID

DEATH

DEATH(EUTHANIZED)

DYSPNEA

PARALYSIS, HIND LIMB(S)

ATAXIA

BEHAVIOR DISORDER

BLD(PETECHIAE)

BLD, MOUTH/LIP(S)

COLLAPSE

DIARRHEA, MILD

PANCYTOPENIA

PARESIS

TREMBLING

VOCALIZATION

WEAKNESS

ALBUMIN LO, BLD

ANEMIA, AUTOIMMUNE HEM

APLASIA, BONE MARROW

BILIRUBIN(TOT) HI, BLD

BILIRUBIN, URINE

BLINDNESS

BUN HI, BLD

COLITIS

CONFUSION

CREATININE HI, BLD

CYANOSIS, MUCCOUS MEMBR

DEHYDRATION

DIARRHEA, BLOODY

DIARRHEA, WATERY

FROTH, MOUTH/LIP(S)

CLINDAMYCIN

ORAL, CAT

Number of Animals Evaluated

49

Sign

HEMATOCHEZIA  
HYPERESTHESIA  
ICTERUS  
INTERACTION, DRUG(S)  
NEUROLOGICAL DISORDER  
PALLOR, MUCOUS MEMBRAN  
RECUMBENCY  
SHAKING  
STOOL, MUCOID  
WBC HI, BLD

---

CLINDAMYCIN

ORAL, DOG

Number of Animals Evaluated

56

Sign

DEPRESSION/LETHARGY  
DEATH  
CONVULSION(S)  
VOMITING  
ATAXIA  
ALK PHOS HI, BLD  
ANOREXIA  
DIARRHEA, BLOODY  
PLATELETS LO, BLD  
BLD(PETECHIAE)  
CONFUSION  
DIARRHEA  
PROLAPSE, THIRD EYELID  
SGPT/ALT HI, BLD  
TREMBLING  
VOMITING, BLOODY  
AGGRESSION  
ANEMIA, AUTOIMMUNE HEM  
COLITIS  
CONGESTION, SKIN  
DEATH(EUTHANIZED)  
FEVER, BODY

CLINDAMYCIN

ORAL, DOG

Number of Animals Evaluated

56

Sign

RECUMBENCY  
STAGGERING  
TEETH, ABN  
TWITCH  
WBC HI, BLD  
ABN COLOR, URINE  
ADIPSIA  
ALOPECIA  
ANURIA  
BALANCE DISORDER  
BILIRUBIN(TOT) HI, BLD  
BLD  
BLD, URINE  
BRADYCARDIA  
BREATHING ABN  
BUN HI, BLD  
CHOLESTEROL HI, BLD  
COLLAPSE  
CPK HI, BLD  
DEHYDRATION  
DISTRESS, RESP  
DYSPNEA  
EDEMA, LUNG(S)/TRACHEA  
EOSINOS HI, BLD  
EPISTAXIS  
HYPERPIGMENTATION, SKI  
HYPERPNEA  
HYPERSALIVATION  
ICTERUS, BODY  
INCONTINENCE  
INFLAM  
INTERACTION, DRUG(S)  
KIDNEY FAILURE  
LDH HI, BLD  
MELENA  
NYSTAGMUS  
PAIN, ABDOMEN  
PALLOR, MUCOUS MEMBRAN  
PARESIS, HIND LIMB(S)  
POLYDIPSIA

CLINDAMYCIN

ORAL, DOG

Number of Animals Evaluated

56

Sign

POLYURIA

PR-SM INTEST, LESION(S)

PRURITIS

PRURITIS, EAR(S)

PRURITIS, EYE(S)

RADIOGRAPH(S) ABN

SEDATION

SEGS HI, BLD

SHAKING

SWELLING, EYE(S)/LID(S)

TACHYCARDIA

ULCER(S), GI

URTICARIA

VOCALIZATION

WEAKNESS

---

CLINDAMYCIN

ORAL, HUMAN

Number of Animals Evaluated

1

Sign

TASTE ABNORMALITY

---

CLINDAMYCIN

TOPICAL, HUMAN

Number of Animals Evaluated

1

Sign

DEAFNESS, PARTIAL

NAUSEA

---

CLINDAMYCIN

INTRANASAL, DOG

Number of Animals Evaluated



CLINDAMYCIN  
INTRANASAL, DOG

Number of Animals Evaluated  
1

Sign  
ANOREXIA  
WEAKNESS

---

CLINDAMYCIN  
PARENTERAL, HUMAN

Number of Animals Evaluated  
1

Sign  
INJ SITE PAIN

---

CLOMIPRAMINE  
ORAL, CAT

Number of Animals Evaluated  
26

Sign  
DEPRESSION/LETHARGY  
MYDRIASIS  
ANOREXIA  
TACHYCARDIA  
CONFUSION  
ALK PHOS HI, BLD  
ANURIA  
APPREHENSION  
ATAXIA  
BILIRUBIN(TOT) HI, BLD  
CONSTIPATION  
HIDING  
PALLOR, MUCOUS MEMBRAN  
SGPT/ALT HI, BLD  
STUPOR  
VOCALIZATION  
VOMITING  
BLD, RECTUM  
BUN HI, BLD  
CHLORIDE LO, BLD  
CREATININE HI, BLD

CLOMIPRAMINE

ORAL, CAT

Number of Animals Evaluated

26

Sign

DEHYDRATION  
DELIRIUM  
FEVER, BODY  
GI, ABNORMAL  
HYPERALIVATION  
HYPOTHERMIA, BODY  
IMPROVEMENT, UNEXPECT  
INEFFECT  
K LO, BLD  
NA LO, BLD  
PACING  
PR-LIVER, LESION(S)  
PRESSURE HI, BLD  
PROTEIN(TOT) HI, BLD  
RECUMBENCY  
SEDATION  
SOMNOLENCE  
STUMBLING  
TWITCH

---

CLOMIPRAMINE

ORAL, DOG

Number of Animals Evaluated

330

Sign

DEPRESSION/LETHARGY  
ANOREXIA  
VOMITING  
SGPT/ALT HI, BLD  
ALK PHOS HI, BLD  
AGGRESSION  
ATAXIA  
CONVULSION(S)  
TREMBLING  
BILIRUBIN(TOT) HI, BLD  
SGOT/AST HI, BLD  
VOCALIZATION  
MYDRIASIS

CLOMIPRAMINE

ORAL, DOG

Number of Animals Evaluated

330

Sign

DIARRHEA  
POLYDIPSIA  
WEIGHT LOSS  
GGT HI, BLD  
TACHYCARDIA  
INTERACTION, DRUG(S)  
NERVOUSNESS  
CHOLESTEROL HI, BLD  
CONFUSION  
DEATH  
HYPERACTIVITY  
POLYURIA  
APPREHENSION  
PR-LIVER, LESION(S)  
BRADYCARDIA  
US-LIVER ABN  
ANEMIA  
DEATH(EUTHANIZED)  
ICTERUS, BODY  
POLYPNEA  
WBC HI, BLD  
DIARRHEA, BLOODY  
HYPERALIVATION  
PLATELETS LO, BLD  
BILE ACIDS HI, BLD  
BILIRUBIN, URINE  
CREATININE HI, BLD  
HYPERPNEA  
INCONTINENCE, URINARY  
RECUMBENCY  
SPEC GRAVITY LO, URINE  
THYROID HORMONE(S) LO  
ALBUMIN LO, BLD  
ANISOCORIA  
ARRHYTHMIA  
BUN HI, BLD  
BUN LO, BLD  
DIARRHEA, MILD  
FEVER, BODY  
GLOBULIN HI, BLD

CLOMIPRAMINE

ORAL, DOG

Number of Animals Evaluated

330

Sign

K LO, BLD  
PROTEIN(TOT) LO, BLD  
SEGS HI, BLD  
SPLENOMEGALY  
AMYLASE HI, BLD  
BLD, URINE  
CA LO, BLD  
COUGHING  
CPK HI, BLD  
DESTRUCTIVENESS  
ENLARGEMENT, LYMPH NOD  
HEMATOCHEZIA  
LIPASE HI, BLD  
LIVER ENZYMES HI, BLD  
LYMPHS LO, BLD  
MURMUR, HEART  
RADIOGRAPH(S) ABN  
STARING  
TWITCH  
UNCONSCIOUS  
URINATION ABN  
US ABN  
WEAKNESS  
ALKALINE URINE  
ANEMIA, REGEN  
ANION GAP HI, BLD  
CA HI, BLD  
COLLAPSE  
CREATININE LO, BLD  
DISCHARGE, EYE(S)/LID(S)  
DISTENTION, ABDOMEN  
EXERCISE INTOLERANCE  
HEPATITIS  
HEPATOMEGALY  
HYPERESTHESIA  
HYPOTHERMIA  
ICTERUS  
ICTERUS, SERUM  
K HI, BLD  
KERATOCONJUNCTIVITIS S

CLOMIPRAMINE

ORAL, DOG

Number of Animals Evaluated

330

Sign

LICKING

LIVER DISORDER

MELENA

MUCOUS MEMBR, RED

P HI, BLD

PAIN

PALLOR, MUCOUS MEMBRAN

PR-KIDNEY(S), LESION(S

SEDATION

STUPOR

THRASHING/PADDLING

ACCIDENTAL EXPOSURE

AMMONIA HI, BLD

ANEMIA, AUTOIMMUNE HEM

ANEMIA, HEMOLYTIC

ANEMIA, SPHERO

ARREST, HEART

ARRHYTHMIA, BLOCK

ASCITES

BANDS HI, BLD

BEHAVIOR DISORDER

BEHAVIOR DISORDER

BITING/CHEWING

BLINDNESS

BLOAT

BORBORYGMI

CAPILLARY REFILL PROLO

CHLORIDE HI, BLD

CHLORIDE LO, BLD

COLITIS

CONGESTION, EYE(S)/LID

CONGESTION, MUCOUS MEM

COOMBS TEST POS

CRYSTALS, URINE

DEFECATION

DEHYDRATION

DIARRHEA, MUCOID

DISCOMFORT

DISSOCIATION

DISTENTION, BLADDER

CLOMIPRAMINE

ORAL, DOG

Number of Animals Evaluated

330

Sign

DYSPNEA  
EDEMA, HEAD/FACE  
EFFUSION  
EPIPHORA  
EPISTAXIS  
ERUCTION  
ESTRUS CYCLE ABNORMAL  
FLATULENCE  
FLY BITING  
GAGGING  
GASTROENTERITIS  
GLOBULIN LO, BLD  
GLUCOSE LO, BLD  
GLUCOSE, URINE  
HAIR, ABN  
HAIR, SHEDDING  
HIDING  
ILL  
INCONTINENCE, FECAL  
INEFFECT  
INEFFECT, OTHER DRUG(S)  
LAMENESS  
LESION(S), SKIN  
LEUKODERMA  
LICKING, FEET/DIGIT(S)  
LIVER FAILURE  
MG HI, BLD  
MONOS HI, BLD  
MONOS LO, BLD  
NA HI, BLD  
NA LO, BLD  
OLIGURIA  
PAIN, ABDOMEN  
PAIN, BACK  
PALLOR  
PANCREATITIS  
PARESIS  
PERITONITIS  
PHOTOPHOBIA  
PLATELETS ABN

CLOMIPRAMINE

ORAL, DOG

Number of Animals Evaluated

330

Sign

PLATELETS HI, BLD  
PNEUMONIA, ASPIRATION  
POLYCYTHEMIA  
PR-HEART, LESION(S)  
PR-INTEST, LESION(S)  
PR-LYMPH NODE(S), LESI  
PR-MULT SITES, CONGEST  
PR-SPLEEN, LESION(S)  
PRESSURE HI, BLD  
PROLAPSE, TONGUE  
PROPRIOCEPTIVE DISORDE  
PROTEIN(TOT) HI, BLD  
PROTEIN, URINE  
PRURITIS  
PRURITIS, EYE(S)  
PT PROLONGED, BLD  
PTT PROLONGED, BLD  
PUPIL(S), AREFLEXIA  
RBC ABN  
REACTION, UNSPECIFIED  
SEBORRHEA  
SHAKING  
SHAKING, HEAD/FACE  
SKIN, NECROSIS  
SOMNOLENCE  
SPASM  
STIFFNESS  
STOMATITIS  
STOOL ABN  
TACHYCARDIA, VENTRICUL  
TENESMUS  
THYROID HORMONE(S) HI  
TRIGLYCERIDES HI, BLD  
URINE ABN  
URTICARIA  
VOMITING, BLOODY  
VOMITING, SEVERE  
WBC, URINE  
WEIGHT INCREASE

---

CLOMIPRAMINE

ORAL, BIRD

Number of Animals Evaluated

2

Sign

ATAXIA  
ALBUMIN LO, BLD  
CA LO, BLD  
CHLORIDE HI, BLD  
CONVULSION(S)  
CPK HI, BLD  
DEATH  
DIARRHEA, SEVERE  
GLOBULIN LO, BLD  
GLUCOSE LO, BLD  
HYPERACTIVITY  
K HI, URINE  
PROTEIN(TOT) LO, BLD  
SGOT/AST HI, BLD  
STAGGERING  
URIC ACID HI, BLD  
VOMITING

---

CLOMIPRAMINE

ORAL, HUMAN

Number of Animals Evaluated

171

Sign

DEPRESSION/LETHARGY  
NAUSEA  
DIZZINESS  
VOMITING  
XEROSTOMIA  
DIARRHEA  
HEADACHE  
NERVOUSNESS  
TACHYCARDIA  
APPREHENSION  
WEAKNESS  
HYPERESTHESIA  
INSOMNIA  
PAIN, ABDOMEN  
SHAKING



CLOMIPRAMINE

ORAL, HUMAN

Number of Animals Evaluated

171

Sign

TASTE ABNORMALITY

ANOREXIA

CONFUSION

MYDRIASIS

PRESSURE HI, BLD

ARRHYTHMIA

ATAXIA

DIARRHEA, MILD

DISSOCIATION

FEVER, BODY

GAGGING

GI, ABNORMAL

HOT FLUSH

HYPOSALIVATION

PARAESTHESIA

PARESIS

PARESTHESIA

SEDATION

SLEEP ABN

TREMBLING

TREMBLING, FACE

UTERUS, CONTRACTIONS

VISION DISORDER

VOICE DISORDER

---

CLOPROSTENOL

TOPICAL, HUMAN

Number of Animals Evaluated

6

Sign

RESPIRATORY DISORDER

ABORTION

ACCIDENTAL EXPOSURE

ANEMIA

BEHAVIOR DISORDER

FERTILITY, LACK OF

HUMAN EXPOSURE, TOPICA

MENSES, ABNORMAL

CLOPROSTENOL  
TOPICAL, HUMAN

Number of Animals Evaluated  
6

Sign

NERVOUSNESS  
PAIN, ABDOMEN  
TACHYCARDIA

---

CLOPROSTENOL  
UNKNOWN, CATTLE

Number of Animals Evaluated  
35

Sign

INEFFECT, ESTRUS SYNCH

---

CLOPROSTENOL  
PARENTERAL, DOG

Number of Animals Evaluated  
1

Sign

DEATH  
PALLOR  
VOMITING

---

CLOPROSTENOL  
PARENTERAL, HORSE

Number of Animals Evaluated  
2

Sign

CONVULSION(S)  
PAIN, ABDOMEN

---

CLOPROSTENOL  
PARENTERAL, HUMAN

Number of Animals Evaluated  
1

CLOPROSTENOL  
PARENTERAL, HUMAN

Number of Animals Evaluated  
1

Sign

INJ SITE BLD  
INJ SITE PAIN

---

CLOPROSTENOL  
PARENTERAL, CATTLE

Number of Animals Evaluated  
343

Sign

INEFFECT  
INEFFECT, ESTRUS SYNCH  
ESTRUS CYCLE ABNORMAL  
INEFFECT, EXPUL PLACEN

---

CLORSULON, IVERMECTIN  
ORAL, DOG

Number of Animals Evaluated  
4

Sign

ATAXIA  
MYDRIASIS  
VOMITING  
ARREST, HEART  
DEATH  
RECUMBENCY  
TACHYCARDIA  
VOCALIZATION

---

CLORSULON, IVERMECTIN  
ORAL, HORSE

Number of Animals Evaluated  
7

Sign

DIARRHEA  
FEVER, BODY

CLORSULON, IVERMECTIN

ORAL, HORSE

Number of Animals Evaluated

7

Sign

ALK PHOS HI, BLD

LDH HI, BLD

BLD, URINE

PAIN, ABDOMEN

---

CLORSULON, IVERMECTIN

ORAL, SHEEP

Number of Animals Evaluated

12

Sign

ATAXIA

BLINDNESS

---

CLORSULON, IVERMECTIN

PARENTERAL, CAT

Number of Animals Evaluated

1

Sign

ATAXIA

---

CLORSULON, IVERMECTIN

PARENTERAL, DOG

Number of Animals Evaluated

1

Sign

BEHAVIOR DISORDER

HYPERSALIVATION

STUMBLING

UNCONSCIOUS

---

CLORSULON, IVERMECTIN

PARENTERAL, HUMAN

CLORSULON, IVERMECTIN

PARENTERAL, HUMAN

Number of Animals Evaluated

2

Sign

PAIN

PARESTHESIA

---

CLORSULON, IVERMECTIN

PARENTERAL, CATTLE

Number of Animals Evaluated

1045

Sign

INEFFECT, PARASITE(S)

INEFFECT, STRONGYLES

INEFFECT, ASCARIDS

INJ SITE ABSCESS

INJ SITE SWELLING

ABORTION

ANAPHYLAXIS/TOID

HYPERSALIVATION

DEATH

EPISTAXIS

FROTH, MOUTH/LIP(S)

---

CLORSULON, IVERMECTIN

PARENTERAL, BUFFALO

Number of Animals Evaluated

3

Sign

ATAXIA

CONVULSION(S)

DEATH

---

CLOTRIMAZOLE

TOPICAL, CAT

Number of Animals Evaluated

2

Sign

CLOTRIMAZOLE

TOPICAL, CAT

Number of Animals Evaluated

2

Sign

ATAXIA

CONGESTION, SKIN

SKIN DISORDER

---

CLOTRIMAZOLE, GENTAMICIN, MOMETASONE

TOPICAL, DOG

Number of Animals Evaluated

5

Sign

INEFFECT, ANTIBIOTIC

ANOREXIA

CIRCLING

CONVULSION(S)

DIARRHEA, BLOODY

VESTIBULAR DISORDER

VOMITING

---

CLOXACILLIN BENZATHINE

INTRAMAMMARY, CATTLE

Number of Animals Evaluated

74

Sign

RESIDUE, MILK

UDDER, MASTITIS

DEATH

UDDER, SWELLING

UDDER, AGALACTIA

ABORTION

ILL

ANAPHYLAXIS/TOID

EMPHYSEMA

HYPOTHERMIA, BODY

SEPTICEMIA

UDDER, ABN

RESIDUE, MEAT

---

January 2, 2009

CLOXACILLIN SODIUM

UNKNOWN, UNKNOWN

Number of Animals Evaluated

1

Sign

PD-DISPENSER, ABN

---

CLOXACILLIN SODIUM

INTRAMAMMARY, CATTLE

Number of Animals Evaluated

289

Sign

INEFFECT

RESIDUE, MILK

---

COMPETITIVE EXCLUSION PRODUCTS

INHALATION, HUMAN

Number of Animals Evaluated

8

Sign

CONGESTION, LUNG(S)

COUGHING

HEADACHE

PHARYNGITIS

CONGESTION, MUCOUS MEM

DYSPNEA

EDEMA, LUNG(S)/TRACHEA

EPISTAXIS

NAUSEA

PAIN, BRISKET/CHEST

---

COPPER DISODIUM EDETATE

VARIOUS, CATTLE

Number of Animals Evaluated

100

Sign

ATAXIA

BLINDNESS

COLLAPSE

COPPER DISODIUM EDETATE  
VARIOUS, CATTLE

Number of Animals Evaluated  
100

Sign

DEPRESSION/LETHARGY  
PR-HEART, LESION(S)  
PR-INJ SITE, LESION(S)  
PR-LIVER, LESION(S)  
DEATH

---

COPPER DISODIUM EDETATE  
PARENTERAL, CATTLE

Number of Animals Evaluated  
107

Sign

DEATH  
PR-LIVER, LESION(S)  
DEPRESSION/LETHARGY  
NEUROLOGICAL DISORDER

---

COPPER GLYCINATE  
UNKNOWN, CATTLE

Number of Animals Evaluated  
35

Sign

ANOREXIA  
DEPRESSION/LETHARGY  
STIFFNESS

---

COPPER GLYCINATE  
VARIOUS, CATTLE

Number of Animals Evaluated  
30

Sign

ANOREXIA  
FEVER, BODY  
INJ SITE SWELLING  
UDDER, HYPOGALACTIA

---



January 2, 2009

COPPER GLYCINATE  
PARENTERAL, CATTLE

Number of Animals Evaluated  
114

Sign

ANOREXIA  
ANESTRUS  
FERTILITY, REDUCED  
INJ SITE ABSCESS  
INJ SITE PAIN  
INJ SITE SWELLING  
WEIGHT LOSS  
DEPRESSION/LETHARGY  
DEATH  
DEHYDRATION  
ICTERUS, BODY

---

COPPER NAPHTHENATE  
ORAL, DOG

Number of Animals Evaluated  
1

Sign

DEPRESSION/LETHARGY  
HYPERALIVATION  
PAIN, ABDOMEN  
VOMITING

---

COPPER NAPHTHENATE  
ORAL, GOAT

Number of Animals Evaluated  
2

Sign

UDDER, SWELLING

---

COPPER NAPHTHENATE  
TOPICAL, CAT

Number of Animals Evaluated  
1

Sign

COPPER NAPHTHENATE

TOPICAL, CAT

Number of Animals Evaluated

1

Sign

ANOREXIA

DEATH(EUTHANIZED)

HYPOTHERMIA, BODY

KIDNEY FAILURE

POLYURIA

---

COPPER NAPHTHENATE

TOPICAL, GOAT

Number of Animals Evaluated

1

Sign

APPLICATION SITE INFLAM

APPLICATION SITE PAIN

---

COPPER NAPHTHENATE

TOPICAL, HORSE

Number of Animals Evaluated

4

Sign

ALOPECIA

INFLAM, SKIN

IRRITATION, SKIN

SLOUGH, SKIN

---

COPPER NAPHTHENATE

TOPICAL, HUMAN

Number of Animals Evaluated

1

Sign

RESPIRATORY DISORDER

---

COPPER NAPHTHENATE

TOPICAL, RABBIT

January 2, 2009

COPPER NAPHTHENATE

TOPICAL, RABBIT

Number of Animals Evaluated

1

Sign

DEATH

---

COPPER NAPHTHENATE

OPHTHALMIC, HORSE

Number of Animals Evaluated

1

Sign

BLEPHAROSPASM

---

CORTICOTROPIN (ACTH)

PARENTERAL, DOG

Number of Animals Evaluated

1

Sign

INEFFECT

---

COUMAPHOS

ORAL, CATTLE

Number of Animals Evaluated

20

Sign

DEATH

---

CYCLOSPORINE

ORAL, CAT

Number of Animals Evaluated

93

Sign

ANOREXIA

VOMITING

WEIGHT LOSS

DEPRESSION/LETHARGY

CYCLOSPORINE

ORAL, CAT

Number of Animals Evaluated

93

Sign

DIARRHEA  
WBC LO, BLD  
DEATH(EUTHANIZED)  
POLYDIPSIA  
BILIRUBIN(TOT) HI, BLD  
BUN HI, BLD  
DEATH  
GLUCOSE HI, BLD  
WBC HI, BLD  
BLD, URINE  
POLYURIA  
SEGS LO, BLD  
SGPT/ALT HI, BLD  
ATAXIA  
CREATININE HI, BLD  
DEHYDRATION  
FEVER, BODY  
LYMPHS LO, BLD  
RADIOGRAPH(S) ABN  
US ABN  
ALK PHOS HI, BLD  
ANEMIA  
CULTURE/TITER DATA ABN  
DIABETES MELLITUS  
DYSPNEA  
ENLARGEMENT, LYMPH NOD  
GINGIVAL HYPERPLASIA  
HAIR, SHEDDING  
HYPOTHERMIA, BODY  
INFECTON  
INFLAM, SKIN  
PNEUMONIA  
PR-LIVER, LESION(S)  
PROTEIN(TOT) HI, BLD  
WEAKNESS  
ADIPSIA  
AMYLASE HI, BLD  
BEHAVIOR DISORDER  
CA HI, BLD  
CIRCLING

CYCLOSPORINE

ORAL, CAT

Number of Animals Evaluated

93

Sign

CONSTIPATION  
COUGHING  
CPK HI, BLD  
EOSINOS HI, BLD  
GLUCOSE LO, BLD  
GLUCOSE, URINE  
HAIR, ABN COLOR  
INFECTION, URINARY TRA  
LESION(S), SKIN  
MICROORANISMS, URINE  
MONOS HI, BLD  
MURMUR, HEART  
PALLOR, MUCOUS MEMBRAN  
POLYCYTHEMIA  
PR-KIDNEY(S), LESION(S)  
PROTEIN, URINE  
RECUMBENCY  
SEGS HI, BLD  
SGOT/AST HI, BLD  
UVEITIS  
VOMITING, BLOODY  
WHEEZING  
ALBUMIN LO, BLD  
ALOPECIA  
ANEMIA, REGEN  
APNEA  
BANDS HI, BLD  
BASOS HI, BLD  
BILE ACIDS HI, BLD  
BLD, ABN  
BLINDNESS  
BRADYCARDIA  
CALCULI, BLADDER  
CALCULI, KIDNEY  
CARDIOMEGALY  
CHLORIDE LO, BLD  
CHOLESTEROL HI, BLD  
CONFUSION  
CONGESTION, SINUS  
CONGESTION, SKIN

CYCLOSPORINE

ORAL, CAT

Number of Animals Evaluated

93

Sign

CONJUNCTIVITIS  
CONVULSION(S)  
DIARRHEA, BLOODY  
DIARRHEA, MILD  
DISCHARGE, NOSE  
EDEMA, CORNEA(S)  
EPIPHORA  
EPISTAXIS  
FLATULENCE  
FROTH, MOUTH/LIP(S)  
GASTROENTERITIS  
GINGIVA, ABN  
GINGIVITIS  
GLOBULIN HI, BLD  
HAIR, ABN  
HEAD PRESSING  
HEAD TILT  
HEPATOMEGALY  
HIDING  
HYPERALIVATION  
HYPHEMA  
INCONTINENCE, URINARY  
K HI, BLD  
K LO, BLD  
LAMENESS  
LIPASE HI, BLD  
LIVER DISORDER  
LYMPHS HI, BLD  
MG LO, BLD  
NA HI, BLD  
NEOPLASM  
NEOPLASM, KIDNEY(S)  
NEOPLASM, LYMPH NODE(S)  
NEOPLASM, SKIN  
NYSTAGMUS, ROTARY  
OTITIS  
PAIN, ABDOMEN  
PAIN, MOUTH/LIP(S)  
PANCREAS DISORDER  
PHOTOPHOBIA

CYCLOSPORINE

ORAL, CAT

Number of Animals Evaluated

93

Sign

PLATELETS HI, BLD  
PLATELETS LO, BLD  
POLLAKIURIA  
POLYPNEA  
POSTURAL RXN(S) ABN  
PR-BRAIN, LESION(S)  
PR-EYE(S)/LID(S), LESI  
PR-LUNG(S), LESION(S)  
PR-LYMPH NODE(S), LESI  
PR-MENINGES, LESION(S)  
PR-PANCREAS, LESION(S)  
PR-SKIN, LESION(S)  
PROLAPSE, THIRD EYELID  
PRURITIS  
RBC, NUCLEATED  
SHOCK  
SKIN, CRUST(S)  
SKIN, NECROSIS  
SNEEZING  
SOMNOLENCE  
STEATORRHEA  
STUPOR  
SWELLING, LIMB(S)  
SWELLING, MAMMARY  
SWELLING, MOUTH/LIP(S)  
TACHYCARDIA  
TREMBLING  
TWITCH  
ULCER(S), CORNEA(S)  
ULCER(S), FEET/DIGIT(S)  
ULCER(S), TONGUE  
US-LIVER ABN  
WBC, URINE  
WEIGHT INCREASE

---

CYCLOSPORINE

ORAL, DOG

Number of Animals Evaluated

CYCLOSPORINE

ORAL, DOG

Number of Animals Evaluated

3617

Sign

VOMITING  
DIARRHEA  
DEPRESSION/LETHARGY  
ANOREXIA  
PRURITIS  
ALK PHOS HI, BLD  
INTERACTION, DRUG(S)  
SGPT/ALT HI, BLD  
INEFFECT, ATOPY CONTROL  
POLYPNEA  
TREMBLING  
POLYDIPSIA  
POLYURIA  
CONVULSION(S)  
WEIGHT LOSS  
DIARRHEA, MILD  
HYPERACTIVITY  
MASS, SKIN  
NERVOUSNESS  
DEATH(EUTHANIZED)  
WBC HI, BLD  
DIARRHEA, BLOODY  
ALBUMIN LO, BLD  
CONGESTION, SKIN  
BUN HI, BLD  
ALOPECIA  
INFECTION, SKIN  
FEVER, BODY  
BILIRUBIN(TOT) HI, BLD  
INCONTINENCE, URINARY  
ANEMIA  
ENLARGEMENT, LYMPH NOD  
ATAXIA  
COLLAPSE  
GINGIVAL HYPERPLASIA  
INFLAM, SKIN  
RADIOGRAPH(S) ABN  
GLUCOSE HI, BLD  
BLD, URINE  
WEAKNESS



CYCLOSPORINE

ORAL, DOG

Number of Animals Evaluated

3617

Sign

NEOPLASM, SKIN  
OTITIS  
SPEC GRAVITY LO, URINE  
PR-SKIN, LESION(S)  
VOCALIZATION  
PROTEIN, URINE  
HAIR, SHEDDING  
DEATH  
PAIN, ABDOMEN  
AGGRESSION  
CREATININE HI, BLD  
WBC LO, BLD  
PALLOR, MUCOUS MEMBRAN  
GGT HI, BLD  
CHOLESTEROL HI, BLD  
GLOBULIN HI, BLD  
US ABN  
DYSPNEA  
LIPASE HI, BLD  
SEGS HI, BLD  
SGOT/AST HI, BLD  
APPREHENSION  
AMYLASE HI, BLD  
CONFUSION  
INFECTION, URINARY TRA  
NEOPLASM  
VOMITING, BLOODY  
DIABETES MELLITUS  
SKIN, CRUST(S)  
THYROID HORMONE(S) LO  
URTICARIA  
ENLARGEMENT(S), SKIN  
NAUSEA  
PLATELETS LO, BLD  
TACHYCARDIA  
BEHAVIOR DISORDER  
NEOPLASM, LYMPH NODE(S)  
PROTEIN(TOT) HI, BLD  
DEHYDRATION  
LESION(S), SKIN

CYCLOSPORINE

ORAL, DOG

Number of Animals Evaluated

3617

Sign

SHAKING

LAMENESS

PACING

PR-LYMPH NODE(S), LESI

US-LIVER ABN

DIARRHEA, MUCOID

GINGIVITIS

P HI, BLD

PARESIS, HIND LIMB(S)

HIDING

MICROORANISMS, URINE

RECUMBENCY

TWITCH

WBC, URINE

HYPERPNEA

ANAPHYLAXIS/TOID

PANCREATITIS

TRIGLYCERIDES HI, BLD

COUGHING

DERMATITIS, MOIST

FLATULENCE

GINGIVA, ABN

GLUCOSE, URINE

CRYSTALS, URINE

DIARRHEA, SEVERE

DISCOMFORT

HAIR, ABN

HYPERSALIVATION

ICTERUS, BODY

MASS

POLYCYTHEMIA

PR-LIVER, LESION(S)

TENESMUS, RECTAL

CONJUNCTIVITIS

HYPERPIGMENTATION, SKI

PLATELETS HI, BLD

POLYPHAGIA

RASH

HEMATOCHEZIA

STUPOR

CYCLOSPORINE

ORAL, DOG

Number of Animals Evaluated

3617

Sign

CA HI, BLD  
INCONTINENCE, FECAL  
MURMUR, HEART  
PROTEIN(TOT) LO, BLD  
SOMNOLENCE  
DIARRHEA, WATERY  
GLUCOSE LO, BLD  
HEPATOMEGALY  
K HI, BLD  
NA LO, BLD  
SEGS LO, BLD  
ULCER(S), CORNEA(S)  
BILIRUBIN, URINE  
CONSTIPATION  
CYSTITIS  
KERATOCONJUNCTIVITIS S  
LYMPHS LO, BLD  
MYDRIASIS  
ODOR  
SCALE(S), SKIN  
VOMITING, SEVERE  
CALCULI, BLADDER  
DISTENTION, ABDOMEN  
K LO, BLD  
MONOS HI, BLD  
SEBORRHEA  
BANDS HI, BLD  
CATARACT(S)  
CIRCLING  
HYPOTHERMIA, BODY  
MELENA  
PALLOR  
PICA  
SHAKING, HEAD/FACE  
ALBUMIN HI, BLD  
BILE ACIDS HI, BLD  
HYPERKERATOSIS  
INFECTION, FEET/DIGIT(  
LESION(S), MOUTH/LIP(S)  
MG LO, BLD

CYCLOSPORINE

ORAL, DOG

Number of Animals Evaluated

3617

Sign

NEOPLASM, LIVER  
ULCER(S), SKIN  
VOMITING, UNPRODUCTIVE  
BITING/CHEWING  
CA LO, BLD  
CONGESTION, EAR(S)  
DISCHARGE, NOSE  
KETONES, URINE  
PAIN  
PROPRIOCEPTIVE DISORDE  
SWELLING, FEET/DIGIT(S)  
URINATION ABN  
WEIGHT INCREASE  
CARDIOMEGALY  
CHLORIDE LO, BLD  
CULTURE/TITER DATA ABN  
DEFECATION  
EOSINOS HI, BLD  
ERUPTION(S)  
HYPERTONIA  
INFECTION  
LICKING  
LICKING, FEET/DIGIT(S)  
POLLAKIURIA  
SHOCK  
SKIN SCRAPING ABNORMAL  
SPASM  
SWELLING, HEAD/FACE  
ABN COLOR, URINE  
ALKALINE URINE  
ANEMIA, REGEN  
BORBORYGMI  
CPK HI, BLD  
DISCHARGE, EYE(S)/LID(S)  
GASTROENTERITIS  
HEAD TILT  
INEFFECT, LOSS OF EFFE  
LESION(S), RINGWORM  
MASS, ABDOMEN  
NEUROLOGICAL DISORDER

CYCLOSPORINE

ORAL, DOG

Number of Animals Evaluated

3617

Sign

ODOR, MOUTH  
PAPULE(S)  
SNEEZING  
STAGGERING  
STARING  
ADIPSIA  
ANEMIA, AUTOIMMUNE HEM  
APNEA  
BLD, MOUTH/LIP(S)  
BLINDNESS  
CONGESTION, LUNG(S)  
EPIPHORA  
EPISTAXIS  
GAGGING  
GLOBULIN LO, BLD  
HAIR, ABN COLOR  
LIVER ENZYMES HI, BLD  
NEOPLASM, MAMMARY  
PAIN, BACK  
PR-MOUTH/LIP(S), LESIO  
PRESSURE HI, BLD  
PUSTULE(S)  
RBC, NUCLEATED  
SPLENOMEGALY  
ABSCESS, SKIN  
ARRHYTHMIA  
BLD(PETECHIAE)  
BUN LO, BLD  
CHLORIDE HI, BLD  
DIFFICULTY RISING  
DISTRESS  
DYSURIA  
EDEMA, LIMB(S)  
HEART FAILURE  
HYPERADRENOCORTICISM  
LYMPHS HI, BLD  
NA HI, BLD  
NEOPLASM, LUNG(S)  
PRURITIS, EAR(S)  
RETINA ABN

CYCLOSPORINE

ORAL, DOG

Number of Animals Evaluated

3617

Sign

SEDIMENT, URINE

STRANGURIA

TEETH, ABN

THYROID HORMONE(S) HI

BLD

BLINDNESS, PARTIAL

CASTS, URINE

CYANOSIS

DISCHARGE, VULVA

NEOPLASM, SPLEEN

OPACITY, CORNEA(S)

PR-HEART, LESION(S)

PR-KIDNEY(S), LESION(S)

PR-SPLEEN, LESION(S)

PRURITIS, FEET/DIGIT(S)

REGURGITATION

RELUCTANT TO CLIMB

RETICULOCYTES HI, BLD

SKIN, SCAB(S)

STIFFNESS, HIND LIMB(S)

STOOL ABN

SWELLING, EAR(S)

SWELLING, JOINT(S)

ULCER(S), MOUTH/LIP(S)

UVEITIS

VESICLE(S)/BULLAE, SKI

ALBUMIN HI, URINE

ARREST, HEART

BILE ACIDS ABN, BLD

BILIRUBIN(DIR) HI, BLD

BRADYCARDIA

CORT/CREAT HI, URINE

DEAFNESS

DISSOCIATION

ECG ABN

EDEMA, HEAD/FACE

ENLARGEMENT(S)

ERUCTATION

HEALING IMPAIRED

ODOR, URINE

CYCLOSPORINE

ORAL, DOG

Number of Animals Evaluated

3617

Sign

P LO, BLD

PAIN, MOUTH/LIP(S)

PAIN, NECK

PARESIS

POSTURE ABN

PR-LUNG(S), LESION(S)

RBC ABN

REFLEX(ES) ABN

RELUCTANT TO MOVE

STOMATITIS

SWELLING, EYE(S)/LID(S)

SWELLING, LIMB(S)

VESTIBULAR DISORDER

VISION DISORDER

ANEMIA, APLASTIC

ASCITES

ATROPHY, MUSCLE(S)

BASOPHILIA, BLD

BLD(ECCHYMOSES)

BLD(HEMATOMA)

BLD, SKIN

BLEPHAROSPASM

CAPILLARY REFILL PROLONGED

CHOKING

CHOLESTEROL LO, BLD

CONGESTION, MUCOUS MEMBRANE

CSF ABN

DEFECATION ABN

DEMENTIA

DYSPHAGIA

EAR DISORDER

EDEMA, EYE(S)/LID(S)

EDEMA, FEET/DIGIT(S)

EDEMA, LUNG(S)/TRACHEA

EOSINOPHILIA, BLD

EYE DISORDER

GLAUCOMA

HEPATITIS

HYPOTHERMIA

IMMUNOSUPPRESSION

CYCLOSPORINE

ORAL, DOG

Number of Animals Evaluated

3617

Sign

INCISION SITE INFECTION  
INSOMNIA  
IRRITATION, EAR(S)  
IRRITATION, PERINEUM  
IRRITATION, SKIN  
KETOSIS  
KIDNEY FAILURE  
LOCOMOTION DISORDER  
MICROORGANISMS, URINE  
MIOSIS  
MUCOUS MEMBR, RED  
MYOSITIS  
NEOPLASM, MULT SITES  
PANCREAS ENZYMES HI, B  
PARALYSIS, FACIAL NERV  
PNEUMONIA  
PR-BLADDER, LESION(S)  
PR-BONE MARROW, LESION  
PR-GI, LESION(S)  
PR-MULT SITES, LESION(S)  
PR-NOSE, LESION(S)  
PUPIL(S), AREFLEXIA  
REPETITIVE MOVEMENTS  
SKIN DISORDER  
SKIN, DRY  
SLOUGH, SKIN  
SPEC GRAVITY HI, URINE  
STIFFNESS  
STOOL, MUCOID  
SWELLING, ANUS  
TENESMUS  
TREMBLING, FACE  
ULCER(S), TONGUE  
UNCONSCIOUS  
VAGINITIS  
ANEMIA, SPHERO  
ANURIA  
BILIRUBIN(IND) HI, BLD  
BLD, EAR(S)  
BLD, EYE(S)



CYCLOSPORINE

ORAL, DOG

Number of Animals Evaluated

3617

Sign

BLD, SCLERA  
BLOAT  
BREATHING ABN  
BREATHING, DIFFICULT  
BRONCHITIS  
CALCULI, KIDNEY  
CHEMISTRY ABN  
COAGULATION DISORDER  
COLITIS  
CONGESTION, EYE(S)/LID  
CONGESTION, SINUS  
CYANOSIS, MUCOUS MEMBR  
DEAFNESS, TEMP  
DIARRHEA, PROJECTILE  
DILITATION, ESOPHAGUS  
DRY MOUTH SYNDROME  
EFFUSION, JOINT(S)  
EFFUSION, PERITONEAL  
EXERCISE INTOLERANCE  
GRANULOMA  
GRANULOMA, LICK  
GRINDING TEETH  
HCO3 LO, BLD  
HEART DISORDER  
HOT FLASH/FLUSH  
HYPERESTHESIA  
HYPOADRENOCORTICISM  
INFARCT  
IRRITATION, MOUTH/LIP(  
KICKING  
KIDNEY DISORDER  
LEUKODERMA  
MG HI, BLD  
MONOS LO, BLD  
MUCOUS MEMBR, MUDDY  
NAIL DISORDER  
NECROSIS  
NEOPLASM, PANCREAS  
NYSTAGMUS  
PAIN, HEAD/FACE

CYCLOSPORINE

ORAL, DOG

Number of Animals Evaluated

3617

Sign

PAIN, HIND LIMB(S)  
PAIN, JOINT(S)  
PAIN, LIMB(S)  
PERITONITIS  
POLYCYTHEMIA(RELATIVE)  
PR-EYE(S)/LID(S), LESI  
PR-MULT SITES, BLD  
PR-PANCREAS, LESION(S)  
PR-STOMACH, LESION(S)  
PRESSURE LO, BLD  
PROLAPSE, THIRD EYELID  
PROTRUSION, EYE(S)  
PT PROLONGED, BLD  
PTT PROLONGED, BLD  
RBC, ANISO  
RBC, POLYCHROM  
RESIDUE, URINE  
SKIN ABNORMAL  
SKIN, NECROSIS  
SWELLING  
SWELLING, MAMMARY  
SWELLING, MOUTH/LIP(S)  
SWELLING, TONGUE  
SWELLING, VAGINA/VULVA  
SYNCOPE  
TENESMUS, URINARY  
ULCER(S), MUCOCUTANEOU  
URINATION  
WHEEZING  
A/G RATIO HI, BLD  
ADIPOSE, INFLAM  
ANA POS  
ANISOCORIA  
APLASIA, BONE MARROW  
APPLICATION SITE ALOPECIA  
ARRHYTHMIA, BLOCK  
ARTHRITIS  
ATROPHY, TESTICLE(S)  
AZOTEMIA  
BLD, ANUS

CYCLOSPORINE

ORAL, DOG

Number of Animals Evaluated

3617

Sign

BLD, GI  
BLD, LUNG(S)/TRACHEA  
BLD, VAGINA  
BLINDNESS, TEMP  
BRAIN, NEOPLASM  
CALCULI, URINE  
CELLULITIS  
CNS DISORDER  
CONGESTION  
CONGESTION, PHARYNX  
CONGESTION, TONGUE  
COOMBS TEST POS  
COPROPHAGIA  
CREATININE LO, BLD  
DEAFNESS, PARTIAL  
DEHISCENCE  
DESTRUCTIVENESS  
DIABETES INSIPIDUS  
DIC  
DIGESTION DISORDER  
DISTENTION, BLADDER  
DRY, SKIN  
EDEMA  
EDEMA, CORNEA(S)  
EDEMA, LARYNX  
EDEMA, MULTIPLE SITES  
EDEMA, VENTRAL  
EFFUSION, PERICARDIAL  
EFFUSION, PLEURAL  
EMBOLUS  
ERG ABN  
FEVER, JOINT(S)  
FLY BITING  
FROTH, MOUTH/LIP(S)  
GALL BLADDER, ABN  
GASTRITIS  
GLOSSITIS  
HCO3 HI, BLD  
HEMOGLOBIN, URINE  
HORNER'S SYNDROME

CYCLOSPORINE

ORAL, DOG

Number of Animals Evaluated

3617

Sign

HOT FLUSH  
HYPHEMA  
ICTERUS  
IMMUNE DISORDER  
INCISION SITE DISCHARGE  
INCONTINENCE  
INEFFECT  
INFECTION, EYE(S)  
INFECTION, JOINT(S)  
INFLAMMATION, MAMMARY  
INFLAMMATION, NOSE  
IRRITATION  
IRRITATION, PHARYNX/TH  
JERKING  
JOINT DISORDER  
KIDNEY VALUES HI, BLD  
LEUKOTRICHIA  
LIPIDS HI, BLD  
LIVER DISORDER  
MRI SCAN ABN  
NA:K LO, BLD  
NECK, VENTROFLEXION  
NEOPLASM, HEART  
NOSE ABN  
NYSTAGMUS, HORIZONTAL  
OLIGURIA  
P HI, URINE  
PAIN, BRISKET/CHEST  
PAIN, FEET/DIGIT(S)  
PAIN, MUSCLE(S)  
PARALYSIS  
PARESIS, FORE LIMB(S)  
PARESTHESIA, MOUTH/LIP  
PAWING  
PERIODONTAL, ABSCESS  
PLATELETS ABN  
PNEUMONIA, ASPIRATION  
PR-ADRENAL(S), LESION(S)  
PR-BLD VESSEL(S), LESI  
PR-CECUM, LESION(S)

CYCLOSPORINE

ORAL, DOG

Number of Animals Evaluated

3617

Sign

PR-COLON, LESION(S)  
PR-JOINT(S), SEPSIS  
PR-LUNG(S), EDEMA  
PR-MULT SITES, CONGEST  
PR-PERITONEUM, LESION(  
PR-SM INTEST, LESION(S)  
PR-SM INTEST, LESION(S)  
PR-THYROID, LESION(S)  
PR-TONGUE, LESION(S)  
PRIAPISM  
PROLAPSE, TONGUE  
PROSTATOMEGALY  
PROTRUSION, TONGUE  
REFLUX, STOMACH  
REGURGITATION, FOOD  
RHINITIS  
ROLLING  
S-IRRITATION, EYE(S)/LID  
SEDATION  
SEPTICEMIA  
SINUSITIS  
SLEEP ABN  
SORE(S)  
SOUND ABN, RESPIRATORY  
SOUND ABN, VOICE  
STIFFNESS, FRONT LIMB(  
STIFFNESS, LIMB(S)  
SWEATING  
TABLET(S), UNDIGEST  
TAIL CHASING  
TEARS, ABN  
TECH ERROR ADMINISTRAT  
THRASHING/PADDLING  
THROMBUS  
TONGUE, ABN  
TORTICOLLIS  
TRACHEITIS  
TYMPANIC MEM, RUPTURED  
VOLVULUS, STOMACH  
VOMITING, PROJECTILE

---

CYCLOSPORINE

ORAL, HUMAN

Number of Animals Evaluated

7

Sign

NAUSEA

DIARRHEA

DIZZINESS

DYSPHAGIA

IRRITATION, ESOPHAGUS

PAIN, ABDOMEN

---

CYCLOSPORINE

MISSING, DOG

Number of Animals Evaluated

1

Sign

IRRITATION, EYE(S)/LID

---

CYCLOSPORINE

TOPICAL, DOG

Number of Animals Evaluated

8

Sign

IRRITATION, EYE(S)/LID

DEPRESSION/LETHARGY

INEFFECT, KCS

URTICARIA

VOMITING

---

CYCLOSPORINE

TOPICAL, HUMAN

Number of Animals Evaluated

2

Sign

CONGESTION, NOSE

DEPRESSION/LETHARGY

NAUSEA

PRURITIS

CYCLOSPORINE  
TOPICAL, HUMAN

Number of Animals Evaluated  
2

Sign  
VOMITING

---

CYCLOSPORINE  
UNKNOWN, DOG

Number of Animals Evaluated  
3

Sign  
VOMITING  
BILIRUBIN(TOT) HI, BLD

---

CYCLOSPORINE  
OPHTHALMIC, CAT

Number of Animals Evaluated  
1

Sign  
IRRITATION, EYE(S)/LID

---

CYCLOSPORINE  
OPHTHALMIC, DOG

Number of Animals Evaluated  
73

Sign  
INEFFECT, KCS  
IRRITATION, EYE(S)/LID  
SWELLING, EYE(S)/LID(S)  
CONJUNCTIVITIS  
BLEPHAROSPASM  
CONGESTION, EYE(S)/LID  
DEPRESSION/LETHARGY  
ALOPECIA  
BLINDNESS  
UVEITIS  
AGGRESSION  
ANOREXIA

CYCLOSPORINE  
OPHTHALMIC, DOG

Number of Animals Evaluated  
73

Sign

CONVULSION(S)  
DISSOCIATION  
EDEMA, CORNEA(S)  
EPIPHORA  
EYE DISORDER  
G-HAIR, ABN COLOR  
GLAUCOMA  
HAIR, ABN COLOR  
HEAD TILT  
HIDING  
INEFFECT  
INFLAM, SKIN  
NYSTAGMUS  
PAIN, EYE(S)/LID(S)  
PD-TUBE(S), ABN  
SHAKING, HEAD/FACE  
SWELLING, HEAD/FACE  
TREMBLING

---

CYCLOSPORINE  
PARENTERAL, DOG

Number of Animals Evaluated  
5

Sign

INEFFECT, ATOPY CONTROL  
ANAPHYLAXIS/TOID  
ANOREXIA  
BRADYCARDIA  
CAPILLARY REFILL PROLO  
DIARRHEA  
DIARRHEA, BLOODY  
DIARRHEA, MILD  
GINGIVA, ABN  
INCONTINENCE, URINARY  
INFLAM, SKIN  
INTERACTION, DRUG(S)  
LICKING, FEET/DIGIT(S)  
MUCOUS MEMBR, ABN COLO



CYCLOSPORINE  
PARENTERAL, DOG

Number of Animals Evaluated  
5

Sign

ODOR, MOUTH  
SKIN, CRUST(S)  
VOMITING

---

CYTHIOATE  
ORAL, CAT

Number of Animals Evaluated  
5

Sign

GASTROENTERITIS  
WEAKNESS  
DEATH  
VOMITING  
CONVULSION(S)  
DIARRHEA, BLOODY  
EPIPHORA  
FROTH, MOUTH/LIP(S)

---

CYTHIOATE  
ORAL, DOG

Number of Animals Evaluated  
16

Sign

VOMITING  
CONVULSION(S)  
DEATH  
HYPERALIVATION  
DEPRESSION/LETHARGY  
BEHAVIOR DISORDER  
DIARRHEA  
DYSPNEA  
MYDRIASIS  
SHAKING  
TREMBLING  
AGGRESSION  
ANOREXIA

CYTHIOATE

ORAL, DOG

Number of Animals Evaluated

16

Sign

APPREHENSION

CHE LO, SERUM

CONGESTION, SKIN

CYANOSIS

GLUCOSE LO, BLD

HEAD TILT

HYPERACTIVITY

HYPERPNEA

PR-BRAIN, LESION(S)

THYROID HORMONE(S) LO

WBC HI, BLD

WEAKNESS

---

---