



Educational Material

HANDOUTS

“A woman born in 1967 presents with abdominal pain...”

Support materials for the Case Vignette

Developed by MCP Hahnemann School of Medicine

*** Please do not open this packet until instructed to do so. ***

*** The instructor will indicate when each page of this handout should be used. ***





Handouts

This handout is intended for reproduction and use by both the student and the instructor.

Multiple levels of reproduction will adversely affect the quality of the images.

For best results, this file should be printed from a good quality laser printer and copying restricted to one generation, with sharpness maximized and contrast slightly increased.

Handouts

Table 1: Lower abdominal pain presentation

Diagnosis	Pain (Typical Characteristics)				
	Location	Quality	Radiation	Severity	Behavior over Time
Appendicitis	Initially diffuse, later RLQ focus	Crampy	Sometimes lower back or groin	Variable	Constant; may crescendo before rupture
Incarcerated hernia	Variable	Achy, crampy	—	Severe	Steady
Ectopic pregnancy	RLQ, LLQ, or suprapubic	Achy or sharp	Variable	Moderate to severe	Crescendos until point of rupture
Spontaneous abortion	Midline suprapubic	Achy, crampy	Variable	Variable	Variable
Salpingitis	RLQ or LLQ	Variable	—	Variable	Variable
Mittelschmerz	Midline suprapubic	Crampy, occasionally boring and sharp	Sometimes lower back or groin	Variable	Usually resolves after several days of declining severity
Endometriosis	RLQ, LLQ, or suprapubic	Crampy	Variable	Variable	Pain worst during menstrual period
Corpus luteum cyst	RLQ or LLQ	Initially crampy, later boring and sharp	Sometimes lower back	Moderate	Crescendos until point of rupture or leakage
Adnexal or ovarian torsion	RLQ or LLQ	Sharp, boring	Sometimes lower back	Severe	Steady; occasionally intermittent
Ovarian cancer	Variable	Variable	Variable	Variable	Variable
Ureterolithiasis	R or L flank	Sharp, colicky	Variable	Severe	Steady
Cystitis	Suprapubic and urethral	Burning	—	Moderate to severe	Pain worst on urination
Abdominal trauma	Variable	Variable	Variable	Variable	Variable
Herpes zoster	Variable (dermatomal)	Burning (especially with contact)	—	Variable	Pain precedes vesicular rash


Developed by:
Reviewed by:

Elizabeth Tillman, MD
Ana Nunez, MD
Shahab Minassian, MD
Glenda Donoghue, MD
MCP Hahnemann School of Medicine



Handouts

Figure 1: Cervical collar with pseudopolyp and cockscomb



Handouts

Table 2: Trade names under which DES and other nonsteroidal estrogens have been sold in the United States⁴¹

Nonsteroidal Estrogens		
Benzestrol	Fonatul	Palestrol
Chlorotrianisene	Gynben	Restrol
Comestrol	Gyneben	Stil-Rol
Cyren A.	Hexestrol	Stilbal
Cyren B.	Hexoestrol	Stilbestrol
Delvinal	Hi-Bestrol	Stilbestronate
DES	Menocrin	Stilbetin
DesPlex	Meprane	Stilbinol
Dibestil	Mestilbol	Stilboestroform
Diestryl	Microest	Stilboestrol
Dienestrol	Methallenestril	Stilboestrol DP
Dienoestrol	Mikarol	Stilestrate
Diethylstilbestrol dipalmitate	Mikarol Forti	Stilpalmitate
Diethylstilbestrol diphosphate	Milestrol	Stilphostrol
Diethylstilbestrol dipropionate	Monomestrol	Stilronate
Diethylstilbenediol	Neo-Oestrinol I	Stilrone
Digestil	Neo-Oestrinol II	Stils
Domestrol	Nulabort	Synestrin
Estilben	Oestrogenine	Synestrol
Estrobene	Oestromenin	Synthoestrin
Estrobene DP	Oestromon	Tace
Estrosyn	Orestol	Vallestril
	Pabestrol D	Willestrol
Nonsteroidal Estrogen-Androgen Combinations		
Amperone	Metystil	Tylosterone
Di-Erone	Teserene	
Estan	Tylandril	
Nonsteroidal Estrogen-Progesterone Combination		
Progravidium		
Vaginal Cream Suppositories and Nonsteroidal Estrogens		
AVC Cream with Dienestrol	Dienestrol Cream	

Handouts

Advertisement from a 1957 medical journal⁴¹



"Really?"

Yes...
desPLEX
to prevent ABORTION, MISCARRIAGE and
PREMATURE LABOR

recommended for routine prophylaxis
in ALL pregnancies . . .

86 per cent live delivery with desPLEX
in one series of 1300 patients*
= bigger and stronger babies, too.†

No gastric or other side effects with desPLEX
= in either high or low dosage*††

Handouts

What is Diethylstilbestrol?

- Synthetic nonsteroidal estrogen
- First produced in 1938
- Manufactured by over 267 companies under a wide variety of names
- Stilbestrol used most commonly
- Contained even in some prenatal vitamins



What are the Indications for Use?

- Pregnancy
 - Prevention of miscarriage, premature delivery, postmaturity, and toxemia in high-risk pregnancies
 - Infertility, morning sickness, and low-risk pregnancies
 - *No longer FDA approved*
- Postcoital Contraception
 - *No longer FDA approved*
- Breast and Prostate Cancer Treatment
- Livestock Fattening
 - *No longer FDA approved*



Handouts

When was DES Used?

- Became available in 1938
- In US, contraindicated for use in pregnancy in 1971
- Outside US, use continued after 1971



What is DES's Mechanism of Action?

- Pregnancy
 - Thought to induce placental hormone production, thus sustaining a viable pregnancy; later disproven^{43,45}
- Postcoital Contraception
 - Thought to decrease circulating progesterone levels, thus altering tubal motility and accelerating passage of ovum through oviduct
 - Inhibits synthesis of endometrial production of carbonic anhydrase, thus making implantation unfavorable⁴⁸



Handouts

What is DES's Mechanism of Action?

- Breast Cancer Treatment
 - At high doses, paradoxically inhibits growth of estrogen receptor positive tumors
 - Precise mechanism unknown⁵⁴
- Prostate Cancer Treatment
 - Inhibits pituitary production of luteinizing hormone, subsequently decreasing testicular androgen production⁵²
- Livestock Fattening
 - Increases lean muscle mass and decreases fat deposition
 - Precise mechanism unknown⁵⁵



Was DES Effective for Preventing Miscarriages?

NO

- DES increased the rate of miscarriages, premature deliveries and neonatal mortality⁴³



Handouts

Caveats to Consider When Assessing Health Risks

- Most people who were exposed to DES have not experienced negative health consequences
- These case materials represent the state of DES research at the time of development and interpret studies current at that time for clinical practice
- Research on DES is ongoing, and some animal studies have identified health effects that might yet occur



DES Effects on Daughters

- Clear Cell Adenocarcinoma (CCA) of the Vagina and Cervix
 - Rare cancer, previously seen in women >50 years old
 - No premalignant lesion known



Handouts

DES Effects on Daughters

- Clear Cell Adenocarcinoma (CCA) of the Vagina and Cervix
 - RR in DES exposed 40.7 compared with nonexposed;⁵⁷ absolute risk 1.0-1.5: 1000 in DES exposed⁵⁸
 - Peak incidence in late teens and early 20s; appears in DES Daughters as they reach 30s and 40ss⁵⁷





Photographs and photomicrographs courtesy of Kenneth Noller, MD





Handouts



Handouts

DES Effects on Daughters

- Additional Cancer Risks
 - None proven,⁵⁷ but average age of DES Daughters is 35–55 years
 - Relation with cervical intraepithelial neoplasia uncertain⁶⁵
 - Breast cancer risk a concern and still being investigated⁶²⁻⁶⁵
 - 2002 study links exposure to increased risks in Daughters over 40⁶⁶




DES Effects on Daughters

- Reproductive Tract Structural Differences
 - Benign Vaginal Adenosis
 - Seen in approximately 33% of exposed women³⁷⁻³⁹
 - Present in 90% of cases with clear cell adenocarcinoma (CCA)⁵⁶
 - Not a proven premalignant lesion for CCA






Handouts



Cervical ectropion with adenosis




Cervix with Lugol's stain

Handouts

DES Effects on Daughters

- Reproductive Tract Abnormalities
 - Cervical Malformations
 - Seen in 25%–33% of exposed population^{34,75-79}
 - Cockscomb; hood; collar, and pseudopolyp



Large cockscomb cervix

Handouts

DES Effects on Daughters

- Reproductive Tract Abnormalities
 - Uterine Malformations
 - Up to 69% of DES Daughters²¹
 - T-shaped uterus most common
 - Variety of other abnormalities
 - Frequently associated with cervical lesions





Illustrations courtesy of
DES Screening Program,
ProHEALTH Care Associates





Handouts



Handouts

DES Effects on Daughters

- Additional Reproductive Risks
 - Infertility
 - Up to 33% in Dieckmann cohort vs. 14% in unexposed women^{80,81}
 - Adverse Pregnancy Outcomes⁸⁹
 - Ectopic pregnancy RR 3.84
 - Premature birth RR 2.9
 - Miscarriage RR 1.31, 1st trimester
RR 4.25, 2nd trimester
 - Risk higher in presence of reproductive tract abnormalities⁸⁹



DES Effects on Daughters

Overall pregnancy outcomes still good in most cases

Approximately 85% of pregnancies in DES-exposed women resulted in a live-born infant⁸⁹



Handouts

DES Effects on Daughters

- Other Disorders
 - Links have not been proven in
 - Immunologic diseases
 - Psychosexual disorders*

* But animal studies have raised concerns about effects on cognitive abilities differentiated by sex



DES Effects on Women Exposed While Pregnant

- Breast Cancer
 - RR is $\sim 1.3^{101}$
 - Absolute risk 13.3% vs. 10.2% in unexposed¹⁰¹
 - No study has shown RR of 2 or greater, which would lead to changes in clinical screening
 - RR of family history of breast cancer 2.1¹⁰⁸
 - RR of 5 years of HRT 1.35¹⁰⁹



Handouts

DES Effects on Women Exposed While Pregnant

- Other Effects
 - Exposed women, now in 50s to 90s
 - Concerns about:
 - Using HRT
 - Other gynecologic disorders
 - Other cancers
 - None of these concerns yet verified through research studies



DES Effects on Sons

- Urologic Abnormalities
 - Increased risk for epididymal cysts¹¹¹
 - 20.8% exposed vs. 4.9% nonexposed
 - Increased risk for other genital abnormalities^{115,116}
 - Testicular hypoplasia
 - Undescended testicles
 - Microphallus



Handouts

DES Effects on Sons

- Testicular Cancer
 - Increased rates of testicular cancer, shown in a prospective study, not statistically significant;¹¹⁷ may reflect increasing rates overall in past 60 years
 - Several case-control studies have shown increased risk;¹¹⁸⁻¹²¹ others have shown none^{122,123}
 - Secondary risk exists for DES Sons with undescended and hypoplastic testes



DES Effects on Sons

- Other Abnormalities
 - No proven decrease in fertility,¹¹⁴ but concerns persist because of the problems with DES Daughters
 - Rates of cancer of rete testis and prostatic utricle are increased in mice¹²⁵⁻¹²⁷



Handouts

DES Effects on Third Generation

- Animal studies have generated concerns about uterine and rete testis tumors¹³¹⁻¹³³
- Only one published human study has demonstrated third-generation effects
- Sons of DES Daughters at increased risk for hypospadias¹³⁹



Ongoing Research on Health Effects in DES Sons, Daughters and Third Generation

- Baylor
- Boston University
- Dartmouth
- University of Chicago
- Tufts-New England Medical Center
- National Cancer Institute
- Netherlands Cancer Institute



Handouts

Table 3: Summary of effects of DES exposure

Group Exposed	Established Effects	Continuing Unproven Concerns
Daughters	Clear cell adenocarcinoma (RR ~ 40) Infertility (33% vs. 14%) Adverse pregnancy outcomes Cervical or uterine malformations	Immunologic disease Psychosexual disorders Other cancers, especially breast cancer
Women Exposed While Pregnant	Breast cancer (13.3% vs. 10.2%)	HRT use; gynecologic disorders; other cancers
Sons	Urogenital abnormalities Benign epididymal cysts (20.8% vs. 4.9%)	Other genital abnormalities; testicular cancer; prostatic utricle and rete testis tumors
Third Generation	—	Prostatic utricle and rete testis tumors seen in male mice; uterine cancer and ovarian tumors in female mice

Handouts

Screening Recommendations for DES Daughters

- Routine exams (annual breast and pelvic exam, including bimanual and rectal exams) and careful monitoring for clear cell adenocarcinoma (CCA), throughout life
- With presence of cervical intraepithelial neoplasia: routine monitoring with close follow up
- With vaginal adenosis: no specific change in monitoring



Screening Recommendations for DES Daughters

- With CCA: referral to gynecologic oncologist
- With uterine or cervical abnormalities: increased frequency of colposcopy and iodine staining
- When abnormalities are found: consultation with gynecologist experienced with DES
- Biopsy of any gross vaginal lesion



Handouts

Screening Recommendations for Women Prescribed DES While Pregnant

- Women aged 20 and older: monthly breast self-exams
- Women aged 20–39: clinical breast exam by a health professional every 3 years
- Women aged 40 and older: annual clinical breast exam by a health professional
- Women aged 40 and older: annual mammogram

American Cancer Society Web site¹⁴⁴



Women who know they were exposed
to DES while pregnant should be
strongly encouraged to share this
information with their children



Handouts

Screening Recommendations for DES Sons

- Annual clinical testicular exam by a health professional
- Education regarding proper testicular self-exam technique and prompt medical evaluation if any abnormalities are found
- Monthly testicular self-exam for men with certain risk factors: cryptorchidism, previous germ cell tumor on one side, or family history of testicular cancer

American Cancer Society Web site¹⁴⁵



Indications for Referral to an OB/GYN

- Preconception counseling, including discussion of increased risks for infertility, ectopic pregnancy, miscarriage, premature labor, and premature birth
- Consideration of diagnostic testing, including
 - Pelvic exam to assess for cervical anomalies
 - Hysterosalpingogram to assess for upper genital tract anomalies
 - Endometrial biopsy to diagnose luteal phase defect
 - Early diagnosis of pregnancy with close monitoring for ectopic pregnancy



Handouts

Screening of DES Daughters by OB/GYN

- Preconception counseling
- Pelvic exam
- Hysterosalpingogram
- Close monitoring for early pregnancy
- Referral to an MFM specialist





Handouts

Resources for consumers and health care providers

U.S. Government Resources

Centers for Disease Control and Prevention

CDC's DES Update
888-232-6789 (toll-free phone)
www.cdc.gov/DES

A national education program for consumers and health care providers based on the latest research on DES-related health risks and treatment options.

National Cancer Institute

Cancer Information Service
800-4-CANCER (800-422-6237) (toll-free phone)
www.cancer.gov

A national service providing the latest cancer information to patients, families, health professionals, and the general public.

National Cancer Institute

Questions & Answers About DES
http://cis.nci.nih.gov/fact/3_4.htm

A national service providing the latest DES information to patients, families, health professionals, and the general public.

Consumer Organizations

DES Action USA

610 16th Street, Suite 301
Oakland, CA 94612
510-465-4011 (phone)
800-DES-9288 (800-337-9288) (toll-free phone)
510-465-4815 (fax)
desaction@earthlink.net
<http://www.desaction.org>

A national organization representing DES Mothers, Daughters, and Sons. Mission includes promoting research and educating both public and medical professionals about DES consequences and subsequent treatment options. Services include website; physician referrals; DES publications; and a quarterly newsletter, DES Action Voice.



Handouts

DES Cancer Network

P.O. Box 220465
Chantilly, VA 20153-0465
202-628-6330 (phone)
800-DESNET4 (800-337-6384) (toll-free phone)
202-628-6217 (fax)
desnetwrk@aol.com
<http://www.descancer.org>

A national network for DES Mothers and offspring. Mission includes research advocacy, educational of both public and medical professionals, and peer support. Services include website; educational programs for DES-exposed people with cancer; medical referrals; and a newsletter, DES Issues.

DES Daughters Listserv and Online Support Group

http://www.surrogacy.com/online_support/des/

An online support group to promote discussion, support, and sharing of information among DES Daughters.

DES-Family Listserv

An online listserv for all DES-exposed people, their families and friends, designed to promote mutual support and sharing of information. To subscribe, send an e-mail to listserv@sact.com. In the body of your message, write only “subscribe des-family” (without the quotation marks).

DES Sons Network

104 Sleepy Hollow Pl.
Cherry Hill, NJ 08003
609-795-1658 (phone)
msfreilick@hotmail.com

The DES Sons Network is a national network providing information and support for men exposed to DES before birth, and counseling for men with testicular cancer.

DES Sons Discussion Network

<http://groups.yahoo.com/group/des-sons/>

A private, professional health information and support network for DES Sons.



Handouts

National Women's Health Network

514 10th St., NW, Ste. 400
Washington, DC 20004
202-347-1140 Administration
202-628-7814 Health Information

<http://www.womenshealthnetwork.org>

A coalition of women's health organizations that lobbies Congress for women's health issues and provides an information clearinghouse on various women's health topics, including DES.

Resolve

National Office:
1310 Broadway
Somerville, MA 02144-1731
617-623-0744 (phone)

Philadelphia Office:
821 Westview St.
Philadelphia, PA 19119
215-849-3920 (phone)

<http://www.resolve.org>

A national infertility organization with regional offices that provides support groups, publications, and a newsletter.



Handouts

References

1. Crass RA, Trunkey DD. Abdominal pain. In: Saunders CE, Ho MT, editors. Current emergency diagnosis and treatment. New York: McGraw-Hill/Medical Publishing Division; 1992. pp. 107–27.
2. Andreoli TE, Bennett JC, et al. Cecil essentials of medicine, 4th ed. Philadelphia: WB Saunders Company, 1997.
3. Holmes HN. Professional guide to signs and symptoms. Springhouse (PA): Springhouse Corporation; 1997.
4. Eubanks WS. Hernias. In: Townsend CM, editor. Sabiston textbook of surgery: the biological basis of modern surgical practice. Philadelphia: WB Saunders Company; 2001. pp. 783–801.
5. Kim HH, Fox JH. The fallopian tube and ectopic pregnancy. In: Ryan KJ, Berkowitz RS, et al., editors. Kistner's gynecology and women's health. New York: Mosby Inc.; 1999. pp. 143–65.
6. Carr BR, Bradshaw KD. Disturbances of menstruation and other common gynecologic complaints in women. In: Fauci AS, Braunwald E, et al., editors. Harrison's principles of internal medicine. New York: McGraw-Hill/Health Professions Division; 1998. pp. 289–92.
7. Goldstein PJ. Obstetric and gynecologic emergencies and rape. In: Saunders CE, Ho MT, editors. Current emergency diagnosis and treatment. New York: McGraw-Hill/Medical Publishing Division; 1992. pp. 524–44.
8. DeGowin RL. DeGowin and DeGowin's diagnostic examination. New York: McGraw-Hill/Health Professions Division; 1994.
9. Gant NF, Cunningham FG, editors. Basic gynecology and obstetrics. Norwalk (CT): Appleton & Lange; 1993.
10. Wheeler JE, Woodruff JD. Benign disorders of the ovaries and oviducts. In: DeCherney AH, Pernoll ML, editors. Current obstetric and gynecologic diagnosis and treatment. Norwalk (CT): Appleton & Lange; 1994. pp. 744–53.
11. Seller RH. Differential diagnosis of common complaints. Philadelphia: WB Saunders Company; 1996.



Handouts

12. Abargel A, Pansky M, Neeman O, Bukovsky I. Torsion of single normal adnexa in a premenarchal girl. *J Am Assoc Gynecol Laparoscopists* 2000;7:421–2.
13. Bayer AI, Wiskind AK. Adnexal torsion: can the adnexa be saved? *Am J Obstet Gynecol* 1994;171:1506–10.
14. Baker VV. Premalignant and malignant disorders of the ovaries and oviducts. In: DeCherney AH, Pernoll ML, editors. *Current obstetrics and gynecologic diagnosis and treatment*. Norwalk (CT): Appleton & Lange; 1994. pp. 954–66.
15. Presti JC, Stoller ML, Carroll PR. Urology. In: Tierney LM, McPhee SJ, Papadakis MA, editors. *Current medical diagnosis and treatment*. New York: Lange Medical Books/McGraw-Hill; 2000. pp. 917–58.
16. Salber PR, Taliaferro E. *The physician's guide to domestic violence: how to ask the right questions and recognize abuse*. Volcano (CA): Volcano Press; 1995.
17. Pernoll ML, Garmel SH. Early pregnancy risks. In: DeCherney AH, Pernoll ML, editors. *Current obstetrics and gynecologic diagnosis and treatment*. Norwalk (CT): Appleton & Lange; 1994. pp. 306–30.
18. McQuaid KR. Alimentary tract. In: Tierney LM, McPhee SJ, Papadakis MA, editors. *Current medical diagnosis and treatment 2001*. New York: Lange Medical Books/McGraw-Hill/Health Professions Division; 2001. pp. 559–661.
19. Pernoll ML, Taylor CH. Normal pregnancy and prenatal care. In: DeCherney AH, Pernoll ML, editors. *Current obstetrics and gynecologic diagnosis and treatment*. Norwalk (CT): Appleton & Lange; 1994. pp. 183–201.
20. Hill EC, Pernoll ML. Benign disorders of the uterine cervix. In: DeCherney AH, Pernoll ML, editors. *Current obstetrics and gynecologic diagnosis and treatment*. Norwalk (CT): Appleton & Lange; 1994. pp. 713–30.
21. Kaufman RH, Adam E, Binder GL, Gerthoffer, E. Upper genital tract changes and pregnancy outcome in offspring exposed in utero to diethylstilbestrol. *Am J Obstet Gynecol* 1980;137:299–308.
22. Wexler AS, Pernoll ML. Benign disorders of the uterine corpus. In: DeCherney AH, Pernoll ML, editors. *Current obstetrics and gynecologic diagnosis and treatment*. Norwalk (CT): Appleton & Lange; 1994. pp. 731–43.



Handouts

23. Muse KN, Fox MD. Endometriosis. In: DeCherney AH, Pernoll ML, editors. *Current obstetrics and gynecologic diagnosis and treatment*. Norwalk (CT): Appleton & Lange; 1994. pp. 801–8.
24. Crombleholme WR. Obstetrics. In: Tierney LM, McPhee SJ, Papadakis MA, editors. *Current medical diagnosis and treatment*. New York: Lange Medical Books/McGraw-Hill; 2000. pp. 758–82.
25. Barnhart K, Esposito M, Coutifaris C. An update on the medical treatment of ectopic pregnancy. *Obstet Gynecol Clin North Am* 2000;27:653–67.
26. Ankum WM, Van der Veen F, Hamerlynck JV, Lammes FB. Transvaginal sonography and human chorionic gonadotropin measurements in suspected ectopic pregnancy: a detailed analysis of a diagnostic approach. *Human Reprod* 1993;8:1307–11.
27. Cunningham FG, MacDonald PC, et al. *Williams obstetrics*. Stamford (CT): Appleton & Lange; 1997.
28. Marchbanks PA, Annegers JF, Coulam CB, Strathy JH, Kurland LT. Risk factors for ectopic pregnancy: a population-based study. *JAMA* 1988;259:1823–7.
29. Job-Spira N, Collet P, et al. Facteurs de risqué de la grossesse extra-uterine: resultats d'une enquete cas-temoins dans la region Rhone-Alpes. *Contraception Fertilite Sexualite* 1993;21:307–12.
30. Cowen BD. Ectopic pregnancy. In: Rakel RE, editor. *Conn's current therapy 2000*. Philadelphia: WB Saunders Company; 2000. pp. 985–6.
31. Ankum WM, Mol BW, Van der Veen F, Bossuyt PM. Risk factors for ectopic pregnancy: a meta-analysis. *Fertil Steril* 1996;65:1093–9.
32. Cousins L, Karp W, Lacey C, Lucas WE. Reproductive outcome of women exposed to diethylstilbestrol in utero. *Obstet Gynecol* 1980;56:70–6.
33. Veridiano NP, Delke I, Rogers J, Tancer ML., Reproductive performance of DES-exposed female progeny. *Obstet Gynecol* 1981;58:58–61.
34. Robboy SJ, Young RH, Herbst AL. Female genital tract changes related to prenatal diethylstilbestrol exposure. In: Blaustein A, editor. *Pathology of the female genital tract*. New York: Springer Verlag; 1982. pp. 99–118.



Handouts

35. Sheets EE. The cervix. In: Ryan KJ, Berkowitz RS, et al., editors. *Kistner's gynecology and women's health*. New York: Mosby Inc.; 1999. pp. 93–120.
36. Stevens A., Lowe J. *Pathology: illustrated review in color*. Edinburgh: Mosby; 2000.
37. Bengston JM. The vagina. In: Ryan KJ, Berkowitz RS, et al., editors. *Kistner's gynecology and women's health*. New York: Mosby Inc.; 1999. pp. 81–92.
38. Cotran RS, Kumar V, et al. *Robbins pathologic basis of disease*. Philadelphia: WB Saunders Company; 1994.
39. Mulley AG. Vaginal cancer and other effects of diethylstilbestrol exposure. In: Goroll AH, May LA, Mulley AG Jr, editors. *Primary care medicine: office evaluation and management of the adult patient*. Philadelphia: Lippincott-Raven Publishers; 1995. pp. 595–7.
40. Smith OW. Diethylstilbestrol in the prevention and treatment of complications of pregnancy. *Am J Obstet Gynecol* 1948;56:821–34.
41. NCI. Exposure in utero to diethylstilbestrol and related synthetic hormones. *JAMA* 1976;236:1107–9.
42. NCI. Cancer Facts: Questions and answers about DES. [Cited on 2000 June 27]. Available from URL: <http://cis.nci.nih.gov/fact/>.
43. Dieckmann WJ, Davis ME, Rynkiewicz LM, Pottinger RE. Does the administration of diethylstilbestrol during pregnancy have therapeutic value? *Am J Obstet Gynecol* 1953;66:1062–81.
44. Noller, KL, Fisch CR. Diethylstilbestrol usage: its interesting past, important questions and questionable future. *Med Clin North Am* 1974;58:739–810.
45. Brackbill Y, Berendes HW. Dangers of diethylstilboestrol: a review of a 1953 paper. *Lancet* 1978;2:520.
46. National Institutes for Health, Centers for Disease Control and Prevention. DES research update 1999: current knowledge, future directions. [Cited on 1999 Jul 19–20]. Available from URL: <http://osp.nci.nih.gov/whealth/DES/index.html>.
47. Nordqvist SRB. Perspective: DES exposure in utero. What are the effects? In: Ballon SC, editor. *Gynecologic oncology: controversies in cancer treatment*. Boston: Hall GK Medical Publishers; 1981.



Handouts

48. Brenner PF, Mishell DR. Postcoital contraception/interception. In: Mishell DR, Brenner PF, editors. Management of common problems in obstetrics and gynecology. Boston: Blackwell Scientific Publications; 1994. pp. 829–33.
49. McEvoy GK, editor. AHFS drug information 2000. Bethesda (MD): American Society of Health-System Pharmacists Inc.; 2000. pp. 2797–9.
50. Greenspan FS, Baxter JD, editors. Basic and clinical endocrinology. Norwalk (CT): Appleton & Lange; 1994.
51. Slapak CA, Kufe DW. Principles of cancer therapy. In: Fauci AS, Braunwald E, et al., editors. Harrison's principles of internal medicine. New York: McGraw-Hill/Health Professions Division; 1998. pp. 523–37.
52. Hardman JG, Limbird LE, et al., editors. Goodman and Gilman's: the pharmacologic basis of therapeutics. New York: McGraw-Hill/Health Professions Division; 1996.
53. Food Safety and Inspection Service, USDA. Use of DES in the United States. Available from URL: <http://www.fsis.usda.gov:80/oa/background/des.htm>.
54. Fleming ID, Brady LW, et al. Basis for major current therapies for cancer. In: Murphy GP, Lawrence W, Lenhard RE, editors. American Cancer Society textbook of clinical oncology. Atlanta (GA): American Cancer Society Inc.; 1995. pp. 96–134.
55. Anderson PT, Crooker BA, Pullen MM. Animal products: contributors to a safe food supply. University of Minnesota Extension Service. Available from URL: <http://www.extension.umn.edu/distribution/nutrition/DJ5513.html#Hormones>.
56. Herbst AL, Ulfelder H, Poskanzer DC. Adenocarcinoma of the vagina: association of maternal stilbestrol therapy with tumor appearance in young women. *New Engl J Med* 1971;284:878–81.
57. Hatch EE, Palmer JR, Titus-Ernstoff L, Noller KL, Kaufman RH, Mittendorf R, et al. Cancer risk in women exposed to diethylstilbestrol in utero. *JAMA* 1998;280:630–634.
58. Melnick S, Cole P, Anderson D, Herbst AL. Rates and risks of diethylstilbestrol-related clear cell adenocarcinoma of the vagina and cervix. *N Engl J Med* 1987;315:514–6.
59. Herbst AL. Oral communication. March 2000.



Handouts

60. Robboy SJ, Noller KL, O'Brien P, Kaufman RH, Townsend D, Barnes AB, et al. Increased incidence of cervical and vaginal dysplasia in 2980 diethylstilbestrol-exposed young women: experience of the National Collaborative Diethylstilbestrol Adenosis Project. *JAMA* 1984;252:2979–83.
61. Hatch EE, Herbst AL, Hoover, RN, Noller KL, Adam E, Kaufman, RH, et al. Incidence of squamous neoplasia of the cervix and vagina in women exposed prenatally to diethylstilbestrol (United States). *Cancer Causes Control* 2001 Nov;12:837–45.
62. Trichopoulos D. Hypothesis: does breast cancer originate in utero? *Lancet* 1990;335:939–40.
63. Thompson WK, Janerich DT. Maternal age at birth and risk of breast cancer in daughters. *Epidemiology* 1990;1:101–6.
64. Ekbon A, Trichopoulos D, Adami HO, Hsieh CC, Lan SJ. Evidence of prenatal influences on breast cancer risk. *Lancet* 1992;340:1015–8.
65. Braun MM, Ahlbom A, Floderus B, Brinton LA, Hoover RN. Effect of twinship on incidence of cancer of the testis, breast and other sites (Sweden). *Cancer Causes Control* 1995;6:519–24.
66. Palmer JR, Hatch EE, Rosenberg CL, Hartge P, Kaufman RH, Titus-Ernstoff L, et al. Risk of breast cancer in women exposed to diethylstilbestrol in utero: preliminary results (United States). *Cancer Causes Control* 2002;13:753–8.
67. Herbst AL, Anderson S, Hubby MM, Haenszel WM, Kaufman RH, Noller KL. Risk factors for development of diethylstilbestrol-associated clear cell adenocarcinoma: a case-control study. *Am J Obstet Gynecol* 1986;154:814–22.
68. Spence MR, Hernandez E. Benign conditions of the vagina and cervix. In: Hernandez E, Atkinson BF, editors. *Clinical gynecologic pathology*. Philadelphia: WB Saunders Company; 1996. pp. 91–128.
69. Kumar V, Cotran RS, Robbins SL. *Basic pathology*. Philadelphia: WB Saunders Company; 1997.
70. Noller KL, Townsend DE, Kaufman RH, Barnes AB, Robboy SJ, Fish CR, et al. Maturation of vaginal and cervical epithelium in women exposed in utero to diethylstilbestrol (DESAD Project). *Am J Obstet Gynecol* 1983;146:279–85.

71. Frank AR, Krumholz BA, Deutsch S. Regression of cervicovaginal abnormalities in DES-exposed women: a comparison of changes in sexually inactive women and the effects of the onset of sexual activity. *J Reprod Med* 1985;30:400–3.
72. Muram D. Developmental abnormalities. In: Copeland LJ, editor. *Textbook of gynecology*. Philadelphia: WB Saunders Company; 2000. pp. 199–226.
73. Ulfelder H, Robboy SJ. The embryologic development of the human vagina. *Am J Obstet Gynecol* 1976;126:769–76.
74. Giusti RM, Iwamoto K, Hatch EE. Diethylstilbestrol revisited: a review of the long-term health effects. *Ann Intern Med* 1995;122:778–88.
75. Herbst AL, Poskanzer DC, Robboy SJ, Friedlander L, Scully RE. Prenatal exposure to stilbestrol: a prospective comparison of exposed female offspring with unexposed controls. *N Engl J Med* 1975;292:334–9.
76. Bibbo M, Gill WB, Azizi F, Blough R, Fang VS, Rosenfield RL, et al. Follow-up study of male and female offspring of DES-exposed mothers. *Obstet Gynecol* 1977;49:1–7.
77. Kaufman RH, Ervin A. Genital tract anomalies associated with in utero exposure to diethylstilbestrol. *Isr J Med* 1978;14:353–62.
78. Jefferies JA, Robboy SJ, O'Brien PC, Bergstralh EJ, Labarthe DR, Barnes AB, et al. Structural anomalies of the cervix and vagina in women enrolled in the Diethylstilbestrol Adenosis (DESAD) Project. *Am J Obstet Gynecol* 1984;148:59–66.
79. Herbst AL, Hubby MM, Anderson D. Neoplastic changes in the human female genital tract following intrauterine exposure to diethylstilbestrol. *Progr Cancer Res* 1984;31:389–99.
80. Senekjian EK, Potkul RK, Frey K, Herbst AL. Infertility among daughters either exposed or not exposed to diethylstilbestrol. *Am J Obstet Gynecol* 1988; 158:493–8.
81. Palmer JR, Hatch EE, Rao RS, Kaufman RH, Herbst AL, Noller KL. Infertility among women exposed prenatally to diethylstilbestrol. *Am J Epidemiol* 2001;154:319–21.
82. Barnes AB, Colton T, Gundersen J, Noller KL, Tilley BC, Strama T, et al. Fertility and outcome of pregnancy in women exposed in utero to diethylstilbesrol. *N Engl J Med* 1980;302:609.



Handouts

83. Barnes AB. Menstrual history and fecundity of women exposed and unexposed in utero to diethylstilbestrol. *J Reprod Med* 1984;29:651–5.
84. Haney AF. The reproductive consequences of prenatal DES exposure. In: Guisti RM, editor. Report of the NIH workshop on long-term effects of exposure to diethylstilbestrol (DES). Washington (DC): US Department of Health and Human Services, Public Health Service, National Institutes of Health; 1992. pp. 46–9.
85. Karande VC, Lester RG, Muasher SJ, Jones DL, Acosta AA, Jones HW Jr, et al. Are implantation and pregnancy outcome impaired in diethylstilbestrol exposed women after in vitro fertilization and embryo transfer? *Fertil Steril* 1990;54:287.
86. Wu CH, Mangan CE, Burtnett MM, Mikhail G. Plasma hormones in DES-exposed females. *Obstet Gynecol* 1980;55:157–62.
87. Peress MR, Tsai CC, Mathur RS, Williamson HO. Hirsutism and menstrual patterns in women exposed to diethylstilbestrol in utero. *Am J Obstet Gynecol* 1982;144:135–40.
88. Assies J. Hyperprolactinaemia in diethylstilboestrol-exposed women. *Lancet* 1991;337:983.
89. Kaufman RH, Adam E, Hatch EE, Noller K, Herbst AL, Palmer JR, et al. Continued follow-up of pregnancy outcomes in diethylstilbestrol-exposed offspring. *Obstet Gynecol* 2000;96:483–9.
90. Swan SH. Pregnancy outcome in DES daughters. In: Giusti RM, editor. Report of the NIH workshop on long-term effects of exposure to diethylstilbestrol (DES). Washington, D.C.: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health; 1992. pp. 42–9.
91. Noller KL, Blair PB, O'Brien PC, Melton LJ, Offord JF, Kaufman RH, et al. Increased occurrence of autoimmune diseases among men and women exposed in utero to diethylstilbestrol. *Fertil Steril* 1988;49:1080–2.
92. Beach FA. Hormonal modification of sexually dimorphic behavior. *Psychoneuroendocrinology* 1975;1:3–23.
93. Goy RB, McEwen BS. Sexual differentiation of the brain. Cambridge (MA): The MIT Press; 1980.
94. Hines M, Sandberg EC. Sexual differentiation of cognitive abilities in women exposed to diethylstilbestrol (DES) prenatally. *Horm Behav* 1996;30:354–63.



Handouts

95. Vessey MP, Fairweather DVI, Norman-Smith B, Buckley J. A randomized double-blind controlled trial of the value of stilbestrol therapy in pregnancy: long-term follow-up of mothers and their offspring. *Br J Obstet Gynaecol* 1983;90:1007–17.
96. Hernandez E, Atkinson BF. Malignant neoplasm of the cervix and vagina. In: Hernandez E, Atkinson BF, editors. *Clinical gynecologic pathology*. Philadelphia: WB Saunders Company; 1996. pp. 175–221.
97. Senekjin EK, Frey KW, Stone C, Herbst AL. Local therapy in stage I clear cell adenocarcinoma of the vagina. *Cancer* 1987;60:1319–24.
98. Herbst AL, Anderson D. Clear cell adenocarcinoma of the vagina and cervix secondary to intrauterine exposure to diethylstilbestrol. *Semin Surg Oncol* 1990;6:343–6.
99. Helfland J. A healthy baby girl [videocassette]. Film Scouts LLC96B. 1997.
100. Felton BS. The lingering tragedy of DES. *RN* 1990;8;36–40.
101. Titus-Ernstoff L, Hatch EE, Hoover RN, Palmer J, Greenberg ER, Ricker W, et al. Long-term cancer risk in women given diethylstilbestrol (DES) during pregnancy. *Br J Cancer*. 2001;84:126–33.
102. Clark LC, Portier KM. Diethylstilbestrol and the risk of cancer. *New Engl J Med* 1979;300:263–4.
103. Greenberg ER, Barnes AB, Resseguie L, Barrett JA, Burnside S, Lanza LL, et al. Breast cancer in mothers given diethylstilbestrol in pregnancy. *New Engl J Med* 1984;311:1393–8.
104. Colton T, Greenberg ER, Noller K, Resseguie L, Van Bennekom C, Heeren T, et al. Breast cancer in mothers prescribed diethylstilbestrol in pregnancy: further follow-up. *JAMA* 1993;269:2096–100.
105. Calle EE, Mervis CA, Thun MJ, Rodriguez C, Wingo PA, Health CW. Diethylstilbestrol and risk of fatal breast cancer in a prospective cohort of US women. *Am J Epidemiol* 1996;144:645–51.
106. Bibbo M, Haenszel WM, Wied GL, Hubby M, Herbst AL. A twenty-five year follow-up study of women exposed to diethylstilbestrol during pregnancy. *New Engl J Med* 1978;298:263–767.



Handouts

107. Vessey MP, Fairweather DVI, Norman-Smith B, Buckley J. A randomized double-blind controlled trial of the value of stilbestrol therapy in pregnancy: long-term follow-up of mothers and their offspring. *Br J Obstet Gynaecol* 1983;90:1007–17.
108. Pharoah PD, Day NE, Duffy S, Easton DF, Ponder BA. Family history and the risk of breast cancer: a systematic review and meta-analysis. *Int J Cancer* 1997;71:800–9.
109. Collaborative Group on Hormonal Factors in Breast Cancer. Breast cancer and hormonal contraceptives: collaborative reanalysis of individual data on 53,297 women with breast cancer and 100,239 women without breast cancer from 54 epidemiological studies. *Lancet* 1996;347:1713–27.
110. Bibbo M, Gill WB, Azizi F, Blough R, Fang VS, Rosenfield RL, et al. Follow-up study of male and female offspring of DES-exposed mothers. *Obstet Gynecol* 1977;49:1–8.
111. Gill WB, Schumacher GF, Bibbo M, Straus FH, Schoenberg HW. Association of diethylstilbestrol exposure in utero with cryptorchidism, testicular hypoplasia and semen abnormalities. *J Urol* 1979;122:36–9.
112. Conley GR, Sant GR, Ucci AA, Micheson HD. Seminoma and epididymal cysts in a young man with known diethylstilbestrol exposure in utero. *JAMA* 1983;249:1325–6.
113. Niculescu A. Effects of in utero exposure to DES on male progeny. *J Obstet Gynecol Neonatal Nurs* 1985;14:468–70.
114. Wilcox AJ, Baird DD, Weinberg CR, Nornsby PP, Herbst AL. Fertility in men exposed prenatally to diethylstilbestrol. *N Engl J Med* 1995;332:1411–6.
115. Vessey M, Fairweather DV, Norman-Smith B, Buckley J. A randomized double-blind controlled trial of the value of stilbestrol therapy in pregnancy: long-term follow-up of mothers and their offspring. *Br J Obstet Gynaecol* 1983;90:1007–17.
116. Leary FJ, Resseguie LJ, Kurland LT, O'Brien PC, Emslander RF, Noller K. Males exposed in utero to diethylstilbestrol. *JAMA* 1984;525:2984–9.
117. Strohsnitter WC, Noller KL, Hoover RN, Robboy SJ, Palmer JR, Titus-Ernstoff L, et al. Cancer risk in men exposed in utero to diethylstilbestrol. *J Natl Cancer Inst* 2001;93:545–51.
118. Henderson BE, Benton B, Jing J, Yu MC, Pike MC. Risk factors for cancer of the testis in young men. *Int J Cancer* 1979;23:598–602.



Handouts

119. Schottenfeld D, Warschauer ME, Sherlock S, Zauber AG, Leder M, Payne R. The epidemiology of testicular cancer in young adults. *Am J Epidemiol* 1980;112:232–46.
120. Depue RH, Pike MC, Henderson BE. Estrogen exposure during gestation and risk of testicular cancer. *J Natl Cancer Inst* 1983;71:1151–5.
121. Moss A, Osmond D, Bacchetti P, Torit FM, Gurgin V. Hormonal risk factors in testicular cancer: a case-control study. *Am J Epidemiol* 1986;124:39–52.
122. Brown LM, Pottner LM, Hoover RN. Prenatal and perinatal risk factors for testicular cancer. *Cancer Res.* 1986;46:4812–6.
123. Gershman ST, Stolley PD. A case-control study of testicular cancer using Connecticut tumor registry data. *Int J Epidemiol* 1988;17:738–42.
124. Dieckmann WJ, Davis ME, Rynkiewicz LM, and Pottinger RE. Does the administration of diethylstilbestrol during pregnancy have therapeutic value? *Am J Obstet Gynecol* 1953;66:1062–81.
125. Newbold RR, Bullock BC, McLaughlan JA. Lesions of the rete testis in mice exposed prenatally to diethylstilbestrol. *Cancer Res* 1985;45:5145–8.
126. Newbold RR, Bullock BC, McLaughlan JA. Testicular tumors in mice exposed in utero to diethylstilbestrol. *J Urol* 1987;138:1446–50.
127. McLaughlan JA, Newbold RR, Li S, Negishi M. Are estrogens carcinogenic during development of the testes? *APMIS* 1998;106:240–4.
128. McLachlan M, et al. *Science.* 1975;190:991–2.
129. McLachlan, J. Rodent models for perinatal exposure to diethylstilbestrol and their relation to human disease in the male. In: Herbst AL, Bern HA, editors. *Developmental effects of diethylstilbestrol (DES) in pregnancy.* NY: Thieme-Stratton, Inc.; 1981.
130. Pylkkanen L, Makela S, Valve E, Harkonen P, Toikkanen S, Santti R. Prostatic dysplasia associated with increased expression of c-myc in neonatally estrogenized mice. *J Urol* 1993;149:1593–601.
131. Turusov VS, Trukhanova LS, Parfenov YD, Tomatis L. Occurrence of tumors in the descendants of CBA male mice prenatally treated with diethylstilbestrol. *Int J Cancer* 1992; 50:131–5.



Handouts

132. Newbold RR, Hanson RB, Jefferson WN, Bullock BC, Haseman JA. Increased tumors but uncompromised fertility in the female descendants of mice exposed developmentally to diethylstilbestrol. *Carcinogenesis* 1998;19:1655–63.
133. Newbold RR, Hanson RB, Jefferson WN, Bullock BC, Haseman J, McLachlan JA. Proliferative lesions and reproductive tract tumors in male descendants of mice exposed developmentally to diethylstilbestrol. *Carcinogenesis* 2000;21:1355–63.
134. Mittendorf R, Herbst AL. Managing the DES-exposed woman: an update. *Contemp OB/GYN* 1994;9:62–80.
135. Wilcox AJ, Baird DD, Weinberg CR, Hornsby PP, Herbst AL. Fertility in men exposed prenatally to diethylstilbestrol. *N Engl J Med* 1995;332:1411–6.
136. Bekker MHJ, Van Heck GL, Vingerhoets AJJM. Gender-identity, body-experience, sexuality, and the wish for having children in DES daughters. *Women Health* 1996;24:65–83.
137. Kaufman RN, Adam E. Findings in female offspring of women exposed in utero to diethylstilbestrol. *Obstet Gynecol* 2002;99:197–200.
138. Wilcox AJ, Umbach DM, Hornsby PP, Herbst AL. Gynecology: age at menarche among diethylstilbestrol granddaughters. *Am J Obstet Gynecol* 1995;173:835–6.
139. Klip H, Verloop J, Koster M, Burger CW, van Leeuwen FE. Hypospadias in sons of women exposed to diethylstilbestrol in utero: a cohort study. *Lancet* 2002;359:1102–7.
140. Kaufman RH, Adam E, Haynes SG, Herbst AL, Kutzner SK, McPhee SJ, et al. Physician information: how to identify and manage DES exposed individuals. Bethesda, MD: National Cancer Institute; 1995.
141. Robboy SJ, Kaufman RH, Prat J, Welch WR, Gaffey T, Scully RE, et al. Pathologic findings in young women enrolled in the National Cooperative Diethylstilbestrol Adenosis (DESAD) Project. *Obstet Gynecol* 1979;53:309–17.
142. O'Brien PC, Noller KL, Robboy SJ, Barnes AB, Kaufman RH, Tilley BC, et al. Vaginal epithelial changes in young women enrolled in the National Cooperative Adenosis (DES) Project. *Obstet Gynecol* 1979;53:300–8.
143. Herbst AL, Hubby MM, Anderson D. Neoplastic changes in the human female genital tract following intrauterine exposure to diethylstilbestrol. *Progr Cancer Res Therapy* 1984;31:389–99.



Handouts

144. American Cancer Society. ACS guidelines for the early detection of [breast] cancer. Available from URL: <http://www.cancer.org> Search: “breast cancer screening,” select ACS guidelines for the early detection of cancer.
145. American Cancer Society. ACS testicular cancer resource center. Available from URL: <http://www.cancer.org> Search: “testicular cancer.”