ICD-9-CM Index Addenda (FY06) Effective October 1, 2005

Abnormal, abnormality, abnormalities - see also Anomaly movement 781.0 disorder NEC 333.90 sleep related, unspecified 780.58 Abscess (acute) (chronic) (infectional) (lymphangitic) (metastatic) (multiple) (pyogenic) (septic) (with lymphangitis) (see also Cellulitis) 682.9 abdomen, abdominal cavity - see Abscess, peritoneum 567.22 abdominopelvic - see Abscess, peritoneum 567.22 diaphragm, diaphragmatic - see Abscess, peritoneum 567.22 epiploon, epiploic - see Abscess, peritoneum 567.22 iliopsoas (tuberculous) (see also Tuberculosis) 015.0 [730.88] 567.31 nontuberculous 728.89 tuberculous (see also Tuberculosis) 015.0 [730.88] intra-abdominal (see also Abscess, peritoneum) 567.22 intraperitoneal - see Abscess, peritoneum 567.22 mesentery, mesenteric - see Abscess, peritoneum 567.22 muscle 728.89 psoas 567.31 omentum - see Abscess, peritoneum 567.22 pelvirectal - see Abscess, peritoneum 567.22 peritoneum, peritoneal (perforated) (ruptured) 567.22 psoas (tuberculous) (see also Tuberculosis) 015.0 [730.88] 567.31 nontuberculous 728.89 tuberculous (see also Tuberculosis) 015.0 [730.88] retrocecal - see Abscess, peritoneum 567.22 retroperitoneal - see Abscess, peritoneum 567.38 subdiaphragmatic - see Abscess, peritoneum 567.22 subhepatic - see Abscess, peritoneum 567.22 subperitoneal - see Abscess, peritoneum 567.22 subphrenic - see also Abscess, peritoneum postoperative 998.59 567.22 postoperative 998.59 suprahepatic - see Abscess, peritoneum 567.22 Absorption anticonvulsants, through placenta or breast milk 760.77 antifungals, through placenta or breast milk 760.74 antimetabolics, through placenta or breast milk 760.78 chemical NEC 989.9 through placenta or breast milk (fetus or newborn) 760.70 anticonvulsants 760.77 antifungals 760.74 antimetabolics 760.78 drug NEC (see also Reaction, drug) through placenta or breast milk (fetus or newborn) 760.70 anticonvulsants 760.77 antifungals 760.74 antimetabolics 760.78 Accident, accidental - see also condition cerebrovascular (current) (CVA) (see also Disease, cerebrovascular, acute) 434.91 hemorrhagic - see Hemorrhage, brain

ICD-9-CM Index Addenda (FY06)

Key: Underline – Add

Strikeout – Delete Underline italic – Revise

Acne (pustular) (vulgaris) 706.1 neonatal 706.1 Acrocvanosis 443.89 newborn 770.83 meaning transient blue hands and feet - omit code Acromelalgia 443.82 ADEM (acute disseminated encephalomyelitis) (postinfectious) 136.9 [323.6] infectious 323.6 noninfectious 323.8 Adiposity 278.02 Admission (encounter) for aftercare (see also Aftercare) V58.9 chemotherapy V58.11 antineoplastic chemotherapy V58.11 immunotherapy V58.12 blood typing V72.86 chemotherapy, antineoplastic V58.11 counseling (see also Counseling) V65.40 genetic V26.33 examination (see also Examination) V70.9 pregnancy (possible) (unconfirmed) V72.40 positive result V72.42 preprocedural V72.84 cardiovascular V72.81 general physical V72.83 respiratory V72.82 specified NEC V72.83 immunotherapy, antineoplastic V58.12 respirator [ventilator] dependence, during power failure V46.12 during power failure V46.12 mechanical failure V46.14 for weaning V46.13 therapy chemotherapy, antineoplastic V58.11 immunotherapy, antineoplastic V58.12 vaccination, prophylactic (against) not done because of contraindication V64.09 Aftercare V58.9 chemotherapy session (adjunctive) (maintenance) V58.11 Akathisia, acathisia 781.0 neuroleptic-induced acute 333.99 Alagille syndrome 759.89 Alcohol, alcoholic induced circadian rhythm sleep disorder 291.82 hypersomnia 291.82 insomnia 291.82 mental disorder 291.9 sleep 291.82 parasomnia 291.82 sleep disorder 291.82

ICD-9-CM Index Addenda (FY06)

Key:

Anemia 285.9 in chronic kidney disease 285.21 refractoria sideroblastica 238.7 refractory (primary) 238.7 with hemochromatosis 238.7 sideroblastic 238.7 sideroblastic (acquired) (any type) (congenital) (drug-induced) (due to disease) (hereditary) (primary) (refractory) (secondary) (sex-linked hypochromic) (vitamin B<sub>6</sub> responsive) 285.0 refractory 238.7 Anhydration 276.51 Anhydremia 276.52 Anomaly, anomalous (congenital) (unspecified type) 759.9 arteriovenous (congenital) (peripheral) NEC 747.60 gastrointestinal 747.61 acquired - see Angiodysplasia Gartner's duct 752.41 Anoxemia 799.02 Anoxia **799.02** pathological 799.02 Antritis (chronic) 473.0 acute .461.0 maxilla 473.0 acute 461.0 stomach 535.4 Apical ballooning syndrome 429.89 Apnea, apneic (spells) 786.03 sleep-NEC, unspecified 780.57 with hypersomnia, unspecified 780.53 hyposomnia, unspecified 780.51 insomnia, unspecified 780.51 sleep disturbance NEC 780.57 central, in conditions classified elsewhere 327.27 obstructive (adult) (pediatric) 327.23 organic 327.20 other 327.29 primary central 327.21 Arousals confusional 327.41 Asphyxia, asphyxiation (by) 799.01 mucus 933.1 newborn 770.18 vaginal (fetus or newborn) 770.18 pathological 799.01 Aspiration amniotic fluid 770.13 with respiratory symptoms 770.14 clear amniotic fluid 770.13 with pneumonia 770.14 pneumonitis 770.14 respiratory symptoms 770.14

ICD-9-CM Index Addenda (FY06)

Key:

Aspiration, continued contents of birth canal 770.17 with respiratory symptoms 770.18 fetal pneumonitis 770.10 blood 770.15 with pneumonia 770.16 pneumonitis 770.16 pneumonitis 770.18 meconium 770.11 with pneumonia 770.12 pneumonitis 770.12 respiratory symptoms 770.12 below vocal cords 770.11 with respiratory symptoms 770.12 mucus 933.1 newborn 770.17 vaginal (fetus or newborn) 770.17 newborn 770.10 with respiratory symptoms 770.18 blood 770.15 with pneumonia 770.16 pneumonitis 770.16 respiratory symptoms 770.16 pneumonia 507.0 fetus or newborn 770.18 meconium 770.12 pneumonitis 507.0 fetus or newborn 770.18 meconium 770.12 obstetric 668.0 postnatal stomach contents 770.85 with pneumonia 770.86 pneumonitis 770.86 respiratory symptoms 770.86 syndrome of newborn (massive) (meconium) 770.18 meconium 770.12 vernix caseosa 770.17 At risk for falling V15.88 Barth syndrome 759.89 **Bed confinement status V49.84** Birth strangulation or suffocation due to aspiration of *clear* amniotic fluid 770.13 with respiratory symptoms 770.14 BMI (body mass index) adult 25.0-25.9 V85.21 26.0-26.9 V85.22 27.0-27.9 V85.23 28.0-28.9 V85.24 29.0-29.9 V85.25

ICD-9-CM Index Addenda (FY06)

Key:

adult, continued 30.0-30.9 V85.30 31.0-31.9 V85.31 32.0-32.9 V85.32 33.0-33.9 V85.33 34.0-3<u>4.9 V85.34</u> 35.0-35.9 V85.35 36.0-36.9 V85.36 37.0-37.9 V85.37 38.0-38.9 V85.38 39.0-39.9 V85.39 40 and over V85.4 between 19-24 V85.1 less than 19 V85.0 Body, bodies mass index (BMI) adult 25.0-25.9 V85.21 26.0-26.9 V85.22 27<u>.0-27.9 V85.23</u> 28.0-28.9 V85.24 29.0-29.9 V85.25 30.0-30.9 V85.30 31.0-31.9 V85.31 32.0-32.9 V85.32 33.0-33.9 V85.33 34.0-34.9 V85.34 35.0-35.9 V85.35 36.0-36.9 V85.36 37.0-37.9 V85.37 38.0-38.9 V85.38 39.0-39.9 V85.39 40 and over V85.4 between 19-24 V85.1 less than 19 V85.0 Bomford-Rhoads anemia (refractory) 238.7 Breathing mouth 784.9 causing malocclusion 524.59 periodic 786.09 high altitude 327.22 Bruxism 306.8 sleep related 327.53 Cachexia 799.4 dehydration 276.51 Carbohydrate-deficient glycoprotein syndrome (CDGS) 271.8 Cardiomyopathy (congestive) (constrictive) (familial) (infiltrative) (obstructive) (restrictive) (sporadic) 425.4 newborn 425.4 congenital 425.3 takotsubo 429.89 CDGS (carbohydrate-deficient glycoprotein syndrome) 271.8

ICD-9-CM Index Addenda (FY06)

BMI (body mass index), continued

Key:

Underline – Add Strikeout – Delete Underline italic – Revise

Cellulitis (diffuse) (with lymphangitis) (see also Abscess) 682.9 pelvis, pelvic male (see also Abscess, peritoneum) 567.21 retroperitoneal (see also Peritonitis) 567.38 Changing sleep-work schedule, affecting sleep 327.36 Chemotherapy encounter (for) V58.11 maintenance V58.11 Choleperitoneum, choleperitonitis (see also Disease, gallbladder) 567.81 Complications arthroplasty (see also Complications prosthetic joint) 996.49 artificial opening esophagostomy 530.87 due to (presence of) any device, implant, or graft classified to 996.0-996.5 NEC 996.70 esophagostomy 530.87 esophagostomy 530.87 external (fixation) device with internal component(s) NEC 996.78 mechanical 996.49 mechanical device NEC 996.59 fixation, external, with internal components 996.49 fixation, internal (nail, rod, plate) 996.40 orthopedic, internal 996.40 prosthetic joint (see also Complications, mechanical, device, orthopedic, prosthetic, joint) 996.47 prosthetic NEC 996.59 joint (see also Complications, prosthetic joint) 996.47 articular bearing surface wear 996.46 aseptic loosening 996.41 breakage 996.43 dislocation 996.42 failure 996.43 fracture 996.43 around prosthetic 996.44 peri-prosthetic 996.44 instability 996.42 loosening 996.41 peri-prosthetic osteolysis 996.45 subluxation 996.42 wear 996.46 graft NEC 996.52 bone 996.49 cartilage 996.49 muscle 996.49 orthopedic, internal 996.49 tendon 996.49 implant NEC 996.59 orthopedic, internal 996.49 respirator [ventilator] V46.14 ventilator [respirator] V46.14 orthopedic device, implant, or graft internal (fixation) (nail) (plate) (rod) NEC 996.78 mechanical 996.40 respirator [ventilator], mechanical V46.14

ICD-9-CM Index Addenda (FY06)

Key:

Underline – Add Strikeout – Delete Underline italic – Revise

Complications, continued stoma, external gastrointestinal tract esophagostomy 530.87 ventilator [respirator], mechanical V46.14 Confusional arousals 327.41 Conjunctivitis (exposure) (infectious) (nondiphtheritic) (pneumococcal) (pustular) (staphylococcal) (streptococcal) NEC 372.30 chemical 372.01 allergic 372.05 meaning corrosion - See Burn, conjunctiva Counseling NEC V65.40 genetic V26.33 Cramp(s) sleep related leg 327.52 Creutzfeldt-Jakob disease (syndrome) (new variant) 046.1 Cyst (mucus) (retention) (serous) (simple) Gartner's duct 752.41 Deficiency, deficient oxygen (see also Anoxia) 799.02 phosphomannomutase 271.8 phosphomannose isomerase 271.8 phosphomannosyl mutase 271.8 thrombopoieten 287.39 Deficit oxygen 799.02 Dehydration (cachexia) 276.51 Delivery complicated (by) NEC 669.9 female genital mutilation 660.8 fetal reduction of multiple fetuses reduced to single fetus 651.7 multiple gestation NEC 651.9 following (elective) fetal reduction 651.7 specified type NEC 651.8 following (elective) fetal reduction 651.7 quadruplet NEC 651.2 following (elective) fetal reduction 651.7 auintuplet NEC 651.8 following (elective) fetal reduction 651.7 sextuplet NEC 651.8 following (elective) fetal reduction 651.7 triplets NEC 651.1 following (elective) fetal reduction 651.7 twins NEC 651.0 following (elective) fetal reduction 651.7 Dementia 294.8 due to or associated with condition(s) classified elsewhere Jakob-Creutzfeldt disease (new variant) Dependence on hemodialysis V45.1 peritoneal dialysis V45.1

Key:

Dependence, continued on, continued respirator [ventilator] V46.11 encounter-during power failure V46.12 durina power failure V46.12 mechanical failure V46.14 for weaning V46.13 Depletion extracellular fluid 276.52 plasma 276.52 volume 276.50 extracellular fluid 276.52 plasma 276.52 Diabetes, diabetic (brittle) (congenital) (familial) (mellitus) (poorly controlled) (severe) (slight) (without complication) 250.0 macular edema 250.5 [362.07] retinal edema 250.5 [362.07] retinopathy 250.5 [362.01] nonproliferative 250.5 [362.03] mild 250.5 [362.04] moderate 250.5 [362.05] severe 250.5 [362.06] Dialysis (intermittent) (treatment) hemodialysis V56.0 status only V45.1 peritoneal V56.8 status only V45.1 Difficulty feeding 783.3 adult 783.3 child 783.3 elderly 783.3 infant 783.3 Disease, diseased - see also Syndrome Creutzfeldt-Jakob (new variant) 046.1 Evans' (thrombocytopenic purpura) 287.32 Gerhardt's (erythromelalgia) 443.82 hemoglobin (Hb) 282.7 Bart's 282.49 Jakob-Creutzfeldt (new variant) 046.1 kidney (functional) (pelvis) (see also Disease, renal) 593.9 chronic 585.9 stage I 585.1 II (mild) 585.2 III (moderate) 585.3 IV (severe) 585.4 V 585.5 Mitchell's (erythromelalgia) 443.82 renal (functional) (pelvis) (see also Disease, kidney) 593.9 acute - see Nephritis, acute593.9 chronic (see also Disease, kidney, chronic) 585.9 end-stage 585.6

ICD-9-CM Index Addenda (FY06)

Key: Underline – Add

Strikeout – Delete Underline italic – Revise

Disease, diseased, continued Weir Mitchell's (erythromelalgia) 443.82 Werlhof's (see also Purpura, thrombocytopenic) 287.39 Disorder - see also Disease central auditory processing 315.32 congenital glycosylation (CDG) 271.8 male erectile 607.84 nonorganic origin 302.72 movement NEC 333.90 medication-induced 333.90 periodic limb 327.51 sleep related, unspecified 780.58 other organic 327.59 periodic limb movement 327.51 psychogenic NEC (see also condition) 300.9 appetite 307.59 REM sleep behavior 327.42 sleep 780.50 alcohol induced 291.82 arousal 307.46 confusional 327.41 circadian rhythm 327.30 advanced sleep phase type 327.32 alcohol induced 291.82 delayed sleep phase type 327.31 drug induced 292.85 free running type 327.34 in conditions classified elsewhere 327.37 irregular sleep-wake type 327.33 jet lag type 327.35 other 327.39 shift work type 327.36 drug induced 292.85 organic specified type NEC 327.8 periodic limb movement 327.51 wake cycle - see Disorder, sleep, circadian rhythm schedule - see Disorder, sleep, circadian rhythm Disruption phase-shift, of 24 hour sleep wake cycle, unspecified 780.55 sleep\_wake cycle (24\_hour), unspecified 780.55 circadian rhythm 327.33 Donor egg (oocyte) (ovum) V59.70 over age 35 V59.73 anonymous recipient V59.73 designated recipient V59.74 under age 35 V59.71 anonymous recipient V59.71 designated recipient V59.72 Drug - see also condition induced circadian rhythm sleep disorder 292.85 hypersomnia 292.85

ICD-9-CM Index Addenda (FY06)

Key:

Underline – Add Strikeout – Delete Underline italic – Revise

Drug, continued induced, continued insomnia 292.85 mental disorder 292.9 sleep 292.85 parasomnia 292.85 sleep disorder 292.85 therapy (maintenance) status NEC V58.1 chemotherapy, antineoplastic V58.11 immunotherapy, antineoplastic V58.12 Dysfunction erectile 607.84 nonorganic origin 302.72 systolic 429.9 with heart failure - see Failure, heart Dysgenesis tidal platelet 287.31 Dyskinesia 781.3 neuroleptic-induced tardive 333.82 Dysplasia - see also Anomaly colon 211.3 high grade, focal - see Neoplasm, by site, benign Dystonia neuroleptic-induced acute 333.7 Edema, edematous 782.3 macula 362.83 diabetic 250.5 [362.07] retina (localized) (macular) (peripheral) 362.83 diabetic 250.5 [362.07] Edentia (complete) (partial) (see also Absence, tooth) 520.0 acquired (see also Edentulism) 525.40 Edentulism 525.40 complete 525.40 class | 525.41 class II 525.42 class III 525.43 class IV 525.44 partial 525.50 class | 525.51 class II 525.52 class III 525.53 class IV 525.54 Egg (oocyte) (ovum) donor V59.70 over age 35 V59.73 anonymous recipient V59.73 designated recipient V59.74 under age 35 V59.71 anonymous recipient V59.71 designated recipient V59.72 Elevation lipoprotein a level 272.8 liver function test (LFT) 790.6

ICD-9-CM Index Addenda (FY06)

Key:

Underline – Add Strikeout – Delete Underline italic – Revise

Encephalomyelitis (chronic) (granulomatous) (hemorrhagic necrotizing, acute) (myalgic, benign) (see also Encephalitis) 323.9 acute disseminated (ADEM) (postinfectious) 136.9 [323.6] infectious 323.6 noninfectious 323.8 Encounter for - see also Admission for chemotherapy, antineoplastic V58.11 immunotherapy, antineoplastic V58.12 respirator [ventilator] dependence, during power failure V46.12 during mechanical failure V46.14 power failure V46.12 for weaning V46.13 weaning from respirator [ventilator] V46.13 Erythermalgia (primary) 443.82 Erythralgia 443.82 Erythromelalgia 443.82 Esophagostomy complication 530.87 Evans' syndrome (thrombocytopenic purpura) 287.32 Examination (general) (routine) (of) (for) V70.9 pregnancy (unconfirmed) (possible) V72.40 positive result V72.42 preprocedural V72.84 cardiovascular V72.81 general physical V72.83 respiratory V72.82 specified NEC V72.83 Excess, excessive, excessively crying of infant (baby) 780.92 780.95 of infant (baby) 780.92 fat 278.02 weight 278.02 Failure, failed fusion (joint) (spinal) 996.49 renal 586 chronic 585.9 Fat excessive 278.02 general 278.02 necrosis - see also Fatty, degeneration mesentery 567.82 omentum 567.82 peritoneum 567.82 Fatness 278.02 Feeding problem (elderly) (infant) 783.3 infancy or early childhood 307.59 Feminization, testicular 259.5 with pseudohermaphroditism, male 259.5 Fibrosis, fibrotic sclerosing mesenteric (idiopathic) 567.82 Findings, abnormal, without diagnosis (examination) (laboratory test) 796.4 liver function test 790.6

ICD-9-CM Index Addenda (FY06)

Key:

Strikeout – Delete Underline italic – Revise

Underline – Add

Fistula (sinus) 686.9 peritoneum (see also Peritonitis) 567.22 Fluid loss (acute) 276.50 Frank's essential thrombocytopenia (see also Purpura, thrombocytopenic) 287.39 Functioning borderline intellectual V62.89 Gartner's duct cyst 752.41 persistent 752.41 Gastropathy, exudative 579.8 537.9 exudative 579.8 Gerhardt's disease (erythromelalgia) 443.82 Gianotti Crosti syndrome 057.8 due to known virus- see Infection, virus due to unknown virus 057.8 Goldberg (-Maxwell) (-Morris) syndrome (testicular feminization) 259.5 Health hazard (see also History of) V15.9 falling V15.88 Hemochromatosis (acquired) (diabetic) (hereditary) (liver) (myocardium) (primary idiopathic) (secondary) 275.0 with refractory anemia 238.7 Hemoperitoneum 568.81 infectional (see also Peritonitis) 567.29 Hemorrhage, hemorrhagic (nontraumatic) 459.0 cerebrovascular accident - see Hemorrhage, brain purpura (primary) (see also Purpura, thrombocytopenic) 287.39 Hepatitis 573.3 history of B V12.09 C V12.09 Hernia, hernial (acquired) (recurrent) 553.9 due to adhesion with obstruction 560.81 History (personal) of disease (of) V13.9 respiratory system V12.60 pneumonia V12.61 specified NEC V12.69 disorder (of) V13.9 urinary system V13.00 infection V13.02 nephrotic syndrome V13.03 encephalitis V12.42 falling V15.88 family carrier, genetic disease V18.9 disease or disorder (of) musculoskeletal NEC V17.89 osteoporosis V17.81 genetic disease carrier V18.9 musculoskeletal disease NEC V17.89 osteoporosis V17.81 osteoporosis V17.81

ICD-9-CM Index Addenda (FY06)

Key:

History (personal) of, continued health hazard V15.9 falling V15.88 hepatitis B V12.09 C V12.09 infection central nervous system V12.42 urinary (tract) V13.02 meningitis V12.42 nephrotic syndrome V13.03 respiratory system disease V12.60 pneumonia V12.61 specified NEC V12.69 syndrome, nephrotic V13.03 urinary system disorder V13.00 infection V13.02 nephrotic syndrome V13.03 Hyperkeratosis (see also Keratosis) 701.1 cervix 622.2 Hypersomnia, unspecified 780.54 with sleep apnea, unspecified 780.53 alcohol induced 291.82 drug induced 292.85 due to medical condition classified elsewhere 327.14 mental disorder 327.15 idiopathic with long sleep time 327.11 without long sleep time 327.12 menstrual related 327.13 organic 327.10 other 327.19 primary 307.44 recurrent 327.13 Hypertension, hypertensive (arterial)... Malignant Benign Unspective (unspective) 401.0------401.1------401.9 Unspecified with chronic kidney disease ----- 403.01 ----- 403.11 ---- 403.91 cardiorenal (disease) ----- 404.10 ---- 404.90 with <u>chronic kidney disease ------ 403.01 ----- 403.11 ---- 403.91</u> <u>and heart failure ----- 404.03 ----- 404.13 ---- 404.93</u> heart failure -----404.01 ----- 404.01 ----- 404.11 ---- 404.91 and chronic kidney disease ----- 404.03 ----- 404.13 ---- 404.93 kidney -----403.00 ---- 403.10 ---- 403.90 with chronic kidney disease ----- 403.01 ----- 403.01 ----- 403.11 ---- 403.91 Hypogonadism male 257.2 hereditary familial (Reifenstein's syndrome) 259.5 Hypoplasia, hypoplasis 759.89 megakaryocytic 287.30 Hyposomnia. unspecified (see also Insomnia) 780.52 with sleep apnea, unspecified 780.53

ICD-9-CM Index Addenda (FY06)

Key: Underline – Add

Strikeout – Delete Underline italic – Revise

Hypoventilation 786.09 congenital central alveolar syndrome 327.25 idiopathic sleep related nonobstructive alveolar 327.24 sleep related, in conditions classifiable elsewhere 327.26 Hypovolemia 276.52 Hypoxemia (see also Anoxia) 799.02 sleep related, in conditions classifiable elsewhere 327.26 Hypoxia (see also Anoxia) 799.02 sleep related 327.24 Ideation suicidal V62.84 Immunotherapy, prophylactic V07.2 antineoplastic V58.12 Impotence (sexual) (psychogenic) 607.84 psychogenic 302.72 Infarct, infarction mesentery, mesenteric (embolic) (thrombotic) (with gangrene) 557.0 myocardium, myocardial (acute or with a stated duration of 8 weeks or less) (with hypertension) 410.9 with symptoms after 8 weeks from date of infarction 414.8 non-ST elevation (NSTEMI) 410.7 ST elevation (STEMI) 410.9 anterior (wall) 410.1 anterolateral (wall) 410.0 inferior (wall) 410.4 inferolateral (wall) 410.2 inferoposterior wall 410.3 lateral wall 410.5 posterior (strictly) (true) (wall) 410.6 specified site NEC 410.8 non-ST elevation myocardial infarction (NSTEMI) 410.7 Infection, infected, infective (opportunistic) 136.9 Ebola 078.89 Enterobacter sakazakii 041.85 retroperitoneal 567.39 Infertility female 628.9 age related 628.8 Inhalation meconium (fetus or newborn) 770.11 with respiratory symptoms 770.12 Injury 959.9 diffuse axonal - see Injury, intracranial Insensitivity androgen 259.5 partial259.5 Insomnia, unspecified 780.52 with sleep apnea, unspecified 780.51 adjustment 307.41 alcohol induced 291.82 behavioral, of childhood V69.5 drug induced 292.85 due to medical condition classified elsewhere 327.01 mental disorder 327.02

ICD-9-CM Index Addenda (FY06)

Key:

Insomnia, continued idiopathic 307.42 organic 327.00 other 327.09 paradoxical 307.42 primary 307.42 psychophysiological 307.42 Insufficiency, insufficient kidney (acute) (chronic) 593.9 acute 593.9 chronic 585.9 renal (acute) (chronic) 593.9 acute 593.9 chronic 585.9 Insufflation meconium 770.11 with respiratory symptoms 770.12 Intoxication chemical - see also Table of Drugs and Chemicals via placenta or breast milk 760.70 anticonvulsants 760.77 antifungals 760.74 antimetabolics 760.78 drug 292.89 via placenta or breast milk 760.70 anticonvulsants 760.77 antifungals 760.74 antimetabolics 760.78 fetus or newborn, via placenta or breast milk 760.70 anticonvulsants 760.77 antifungals 760.74 antimetabolics 760.78 Inversion sleep rhythm 327.39 Irregular, irregularity sleep-wake rhythm (non-24-hour) 327.39 Jakob-Creutzfeldt disease (syndrome) (new variant) 046.1 Jervell-Lange-Nielsen syndrome 426.82 Kasabach-Merritt syndrome (capillary hemangioma associated with thrombocytopenic purpura) 287.39 Kleine-Levin syndrome 327.13 Labor (see also Delivery) obstructed NEC 660.9 due to female genital mutilation 660.8 Lipodystrophy (progressive) 272.6 mesenteric 567.82 Loss fluid (acute) 276.50 Luetscher's syndrome (dehydration) 276.51 Maintenance chemotherapy regimen or treatment V58.11 drug therapy or regimen V58.1 chemotherapy, antineoplastic V58.11 immunotherapy, antineoplastic V58.12

ICD-9-CM Index Addenda (FY06)

Key:

Underline – Add Strikeout – Delete Underline italic – Revise

Marrow (bone) megakaryocytic 287.30 Maternal condition, affecting fetus or newborn noxious substance transmitted via breast milk or placenta 760.70 anticonvulsants 760.77 antifungals 760.74 antimetabolics 760.78 transmission of chemical substance through the placenta 760.70 anticonvulsants 760.77 antifungals 760.74 antimetabolics 760.78 Meconium aspiration 770.11 with pneumonia 770.12 pneumonitis 770.12 respiratory symptoms 770.12 below vocal cords 770.11 with respiratory symptoms 770.12 syndrome 770.12 insufflation 770.11 with respiratory symptoms 770.12 passage of 792.3 noted during delivery - omit code763.84 staining 779.84 Mesenteritis retractile 567.82 sclerosing 567.82 Microalbuminuria 791.0 Mitchell's disease (erythromelalgia) 443.82 Morris syndrome (testicular feminization) 259.5 Mounier-Kuhn syndrome 748.3 with acute exacerbation 494.1 acute exacerbation 494.1 bronchiectasis 494.0 with (acute) exacerbation 494.1 acquired 519.1 with bronchiectasis 494.0 with (acute) exacerbation 494.1 Mucus asphyxia or suffocation (see also Asphyxia, mucus) 933.1 newborn 770.18 plug (see also Asphyxia, mucus) 933.1 aspiration, of newborn 770.17 tracheobronchial 519.1 newborn 770.18 Mutism (see also Aphasia) 784.3 deaf (acquired) (congenital) 389.7 selective (elective) 313.23 adjustment reaction 309.83 hysterical 300.11 selective (elective) 313.23 adjustment reaction 309.83

ICD-9-CM Index Addenda (FY06)

Key:

Necrosis, necrotic fat, fatty (generalized) (see also Degeneration, fatty) 272.8 abdominal wall 567.82 mesentery 567.82 omentum 567.82 peritoneum 567.82 mesentery 557.0 fat 567.82 omentum 557.0 fat 567.82 peritoneum 557.0 fat 567.82 Neoplasm, neoplastic Malig-Malig-Uncer-Malignant nant tain nant Second-Ca in Behav- Unspeci-Primary ary situ Benign ior fied posterior fossa (cranial) 191.9 198.3 225.0 237.5 239.6 Nephritis, nephritic (albuminuric) (azotemic) (congenital) (degenerative) (diffuse) (disseminated) (epithelial) (familial) (focal) (granulomatous) (hemorrhagic) (infantile) (nonsuppurative, excretory) (uremic) 583.9 end state (chronic) (terminal) NEC 585.6 terminal (chronic) (end-stage) NEC 585.6 Neuropathy, neuropathic (see also Disorder, nerve) 355.9 uremic 585.9 [357.4] Newborn (infant) (liveborn) affected by maternal abuse of drugs (gestational) (via placenta) (via breast milk) (see also Noxious, substances transmitted through placenta or breast milk (affecting fetus or newborn)) 760.70 apnea 770.81 obstructive 770.82 specified NEC 770.82 cardiomyopathy 425.4 congenital 425.3 convulsion 779.0 electrolyte imbalance NEC (transitory) 775.5 infection 771.89 candida 771.7 mastitis 771.5 specified NEC 771.89 urinary tract 771.82 mastitis 771.5 omphalitis 771.4 seizure 779.0 sepsis 771.81 specified condition NEC 779.89 Noxious substances transmitted through placenta or breast milk (affecting fetus or newborn) 760.70 acetretin 760.78 aminopterin 760.78 antiandrogens 760.79 anticonvulsant 760.77 antifungal 760.74 antimetabolic 760.78 atorvastatin 760.78 Underline – Add

ICD-9-CM Index Addenda (FY06)

Key:

Strikeout – Delete Underline italic - Revise

Noxious, continued

substances transmitted through placenta or breast milk (affecting fetus or newborn), continued

carbamazepine 760.77 divalproex sodium 760.77 endocrine disrupting chemicals 760.79 estrogens 760.79 etretinate 760.78 fluconazole 760.74 fluvastatin 760.78 hormones 760.79 lithium 760.79 lovastatin 760.78 methotrexate 760.78 misoprostil 760.79 phenobarbital 760.77 phenytoin 760.77 pravastatin 760.78 progestins 760.79 retinoic acid 760.78 simvastatin 760.78 solvents 760.79 statins 760.78 tetracycline 760.74 thalidomide 760.79 trimethadione 760.77 valproate 760.77 valproic acid 760.77 vitamin A 760.78 Obstruction, obstructed, obstructive urethra 599.60 urinary (moderate) 599.60 organ or tract (lower) 599.60 due to benign prostatic hypertrophy (BPH) - see category 600 specified NEC 599.69 due to benign prostatic hypertrophy (BPH) - see category 600 specified NEC 599.69 due to benign prostatic hypertrophy (BPH) - see category 600 uropathy 599.60 Oocyte (egg) (ovum) donor V59.70 over age 35 V59.73 anonymous recipient V59.73 designated recipient V59.74 under age 35 V59.71 anonymous recipient V59.71 designated recipient V59.72 Overweight (see also Obesity) 278.02 Ovum donor V59.70 over age 35 V59.73 anonymous recipient V59.73 designated recipient V59.74

Key:

Ovum, continued donor, continued under age 35 V59.71 anonymous recipient V59.71 designated recipient V59.72 Panniculitis 729.30 mesenteric 567.82 Paralysis, paralytic (complete) (incomplete) 344.9 isolated sleep, recurrent 327.43 recurrent laryngeal nerve (see also Paralysis, vocal cord) 478.30 isolated sleep 327.43 laryngeal nerve (see also Paralysis, vocal cord) 478.30 stomach 536.3 nerve (nondiabetic) 352.3 Parasomnia 307.47 alcohol induced 291.82 drug induced 292.85 organic 327.40 in conditions classified elsewhere 327.44 other 327.49 Parkinsonism (arteriosclerotic) (idiopathic) (primary) 332.0 neuroleptic-induced 332.1 Passage meconium noted during delivery 763.84 Pathologic, pathological - see also condition asphyxia 799.01 PBA (pseudobulbar affect) 310.8 Pelviperitonitis male (see also Peritonitis) 567.21 Pericarditis (granular) (with decompensation) (with effusion) 423.9 uremic 585.9 [420.0] Periodic - see also condition limb movement disorder 327.51 Peritonitis (acute) (adhesive) (fibrinous) (hemorrhagic) (idiopathic) (localized) (perforative) (primary) (with adhesions) (with effusion) 567.9 with or following abscess 567.21 bacterial 567.29 spontaneous 567.23 bile, biliary 567.81 chronic proliferative 567.89 diaphragmatic 567.22 diffuse NEC 567.29 disseminated NEC 567.29 due to bile 567.81 urine 567.89 fibrinopurulent 567.29 fibrinous 567.29 fibropurulent 567.29 general, generalized (acute) 567.21 pelvic male (acute) 567.21 phlegmonous 567.29 Underline – Add

ICD-9-CM Index Addenda (FY06)

Key:

Strikeout – Delete Underline italic - Revise

Peritonitis, continued proliferative, chronic 567.89 purulent 567.29 septic 567.29 spontaneous bacterial 567.23 staphylococcal 567.29 streptococcal 567.29 subdiaphragmatic 567.29 subphrenic 567.29 suppurative 567.29 urine 567.89 Persistence, persistent (congenital) 759.89 Gartner's duct 752.41 Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration) (insular) (intermittent) (latent) (lobe) (migratory) (newborn) (organized) (overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular) 486 aspiration 507.0 fetal 770.18 due to blood 770.16 clear amniotic fluid 770.14 meconium 770.12 postnatal stomach contents 770.86 newborn 770.18 due to blood 770.16 clear amniotic fluid 770.14 meconium 770.12 postnatal stomach contents 770.86 congenital (infective) 770.0 aspiration 770.18 intrauterine (infective) 770.0 aspiration 770.18 blood 770.16 clear amniotic fluid 770.14 meconium 770.12 postnatal stomach contents 770.86 meconium aspiration 770.12 Pneumonitis (acute) (primary) (see also Pneumonia) 486 aspiration 507.0 fetal 770.18 due to blood 770.16 clear amniotic fluid 770.14 meconium 770.12 postnatal stomach contents 770.86 newborn 770.18 due to blood 770.16 clear amniotic fluid 770.14 meconium 770.12 postnatal stomach contents 770.86

ICD-9-CM Index Addenda (FY06)

Key:

Pneumonitis, continued fetal aspiration 770.18 due to blood 770.16 clear amniotic fluid 770.14 meconium 770.12 postnatal stomach contents 770.86 meconium aspiration 770.12 Polyneuropathy (peripheral) 356.9 in uremia 585.9 [357.4] Pregnancy (single) (uterine) (without sickness) V22.2 complicated (by) 646.9 current disease or condition (nonobstetric) female genital mutilation 648.9 female genital mutilation 648.9 fetal reduction of multiple fetuses reduced to single fetus 651.7 examination, pregnancy positive result V72.42 multiple NEC 651.9 following (elective) fetal reduction 651.7 specified type NEC 651.8 following (elective) fetal reduction 651.7 quadruplet NEC 651.2 following (elective) fetal reduction 651.7 quintuplet NEC 651.8 following (elective) fetal reduction 651.7 sextuplet NEC 651.8 following (elective) fetal reduction 651.7 superfecundation NEC 651.9 following (elective) fetal reduction 651.7 superfetation NEC 651.9 following (elective) fetal reduction 651.7 triplet NEC 651.1 following (elective) fetal reduction 651.7 twin NEC 651.0 following (elective) fetal reduction 651.7 Problem (with) V49.9 feeding (elderly) (infant) 783.3 nonorganic 307.59 marital V61.10 relationship V61.10 parent-child V61.20 relationship V61.20 partner V61.10 relationship V61.10 sibling relational V61.8 relational V61.8 relationship V61.8 Prolonged, prolongation QT interval 794.31 syndrome 426.82 Pseudobulbar affect (PBA) 310.8

Key: Underline – Add Strikeout – Delete

Underline italic - Revise

Pseudohermaphroditism 752.7 male (without gonadal disorder) 752.7 with feminizing testis 259.5 Pseudomeningocele (cerebral) (infective) (surgical) 349.2 postprocedural 997.01 Psychosis 298.9 organic NEC 294.9 due to or associated with disease Jakob-Creutzfeldt (new variant) Jakob-Creutzfeldt disease (syndrome) (new variant) Purpura 287.2 hemorrhagic (see also Purpura, thrombocytopenic) 287.39 thrombocytopenic 287.39 idiopathic 287.31 thrombocytopenic 287.31 immune thrombocytopenic 287.31 thrombocytopenic (congenital) (cssential) (hereditary) (idiopathic) (primary) (see also Thrombocytopenia) 287.30 congenital 287.33 essential 287.30 hereditary 287.31 idiopathic 287.31 immune 287.31 primary 287.30 thrombopenic (congenital) (essential) (see also Thrombocytopenia) 287.30 congenital 287.33 essential 287.30 Werlhof's (see also Purpura, thrombocytopenic) 287.39 Pyopneumothorax (infectional) 510.9 subdiaphragmatic (see also Peritonitis) 567.29 subphrenic (see also Peritonitis) 567.29 Quadriparesis - see Quadriplegia meaning muscle weakness 728.87 Quadruplet pregnancy (complicating delivery) NEC 651.8 following (elective) fetal reduction 651.7 Quintuplet pregnancy (complicating delivery) NEC 651.2 following (elective) fetal reduction 651.7 Rape- see Injury, by site 959.9 adult 995.83 child 995.53 Rapid time-zone change syndrome 327.35 Reaction obsessive (-compulsive)-compulsive 300.3 Reifenstein's syndrome (hereditary familial hypogonadism, male) 259.5 Respiration periodic 786.09 high altitude 327.22

Key:

Retention, retained urine NEC 788.20 bladder, incomplete emptying 788.21 due to benign prostatic hypertrophy (BPH) - see category 600 due to benign prostatic hypertrophy (BPH) - see category 600 Retinitis (see also Chorioretinitis) 363.20 albuminurica 585.9 [363.10] renal 585.9 [363.13] Retinopathy (background) 362.10 diabetic 250.5 [362.01] nonproliferative 250.5 [362.03] mild 250.5 [362.04] moderate 250.5 [362.05] severe 250.5 [362.06] nonproliferative diabetic 250.5 [362.03] mild 250.5 [362.04] moderate 250.5 [362.05] severe 250.5 [362.06] Rhoads and Bomford anemia (refractory) 238.7 Rhythm sleep, inversion 327.39 Risk falling V15.88 Romano-Ward syndrome (prolonged QT interval syndrome) 426.82 Saponification, mesenteric 567.89 Schloffer's tumor (see also Peritonitis) 567.29 Schoffer's tumor (see also Peritonitis) 567.29 Sciatica (infectional) 724.3 wallet 724.3 Seizure 780.39 febrile 780.31 with status epilepticus 345.3 Sextuplet pregnancy (complicating delivery) NEC 651.8 following (elective) fetal reduction 651.7 Sexual impotence (psychogenic) 607.84 psychogenic 302.72 Shifting sleep-work schedule (affecting sleep) 327.36 Sleep disorder 780.50 movement, unspecified 780.58 movement disorder, unspecified 780.58 related movement disorder, unspecified 780.58 rhythm inversion 327.39 Stain, staining meconium 779.84 Status (post) bed confinement V49.84 dialysis (hemo) (peritoneal) V45.1 hemodialysis V45.1

ICD-9-CM Index Addenda (FY06)

Key:

Status (post), continued peritoneal dialysis V45.1 respirator [ventilator]V46.11 encounter-during power failure V46.12 durina mechanical failure V46.14 power failure V46.12 for weaning V46.13 ventilator [respirator] V46.11 encounter-during power failure V46.12 durina mechanical failure V46.14 power failure V46.12 for weaning V46.13 Stickler syndrome 759.89 Strangulation, strangulated 994.7 mucus (see also Asphyxia, mucus) 933.1 newborn 770.18 Stroke 434.91 hemorrhagic - see Hemorrhage, brain Suffocation (see also Asphyxia) 799.01 Suicide, suicidal (attempted) ideation V62.84 Superfecundation 651.9 following (elective) fetal reduction 651.7 Superfetation 651.9 following (elective) fetal reduction 651.7 Suppuration, suppurative - see also condition pelvis, pelvic male (see also Peritonitis) 567.21 Syndrome - see also Disease Alagille 759.89 androgen insensitivity 259.5 apical ballooning 429.89 aspiration, of newborn (massive)-(meconium) 770.18 meconium 770.12 Barth 759.89 carbohydrate-deficient glycoprotein (CDGS) 271.8 congenital congenital central alveolar hypoventilation 327.25 Creutzfeldt-Jakob (new variant) 046.1 Evans' (thrombocytopenic purpura) 287.32 Gianotti Crosti 057.8 due to known virus- see Infection, virus due to unknown virus 057.8 Goldberg (-Maxwell) (-Morris) (testicular feminization) 259.5 insufficient sleep 307.44 Jakob-Creutzfeldt (new variant) 046.1 Jervell-Lange-Nielsen 426.82 jet lag 327.35 Kasabach-Merritt (capillary hemangioma associated with thrombocytopenic purpura) 287.39 Kleine-Levin 327.13 Luetscher's (dehydration) 276.51 massive aspiration of newborn 770.18

ICD-9-CM Index Addenda (FY06)

Key: U

Underline – Add Strikeout – Delete Underline italic – Revise

Syndrome, continued meconium aspiration 770.12 Morris (testicular feminization) 259.5 Mounier-Kuhn 748.3 with acute exacerbation 494.1 acute exacerbation 494.1 bronchiectasis 494.0 with (acute) exacerbation 494.1 acquired 519.1 with bronchiectasis 494.0 with (acute) exacerbation 494.1 QT interval prolongation 426.82 rapid time-zone change 327.35 Reifenstein's (hereditary familial hypogonadism, male) 259.5 Romano-Ward (prolonged <u>QT</u> interval syndrome) 426.82 Stickler 759.89 testicular feminization 259.5 thrombopenia-hemangioma 287.39 time-zone (rapid) 327.35 uremia, chronic 585.9 Werlhof-Wichmann (see also Purpura, thrombocytopenic) 287.39 Tachycardia 785.0 AV nodal re-entry (re-entrant) 427.89 Talc granuloma 728.82 in operation wound 998.7 Test(s) blood typing V72.86 genetic V26.32 for genetic disease carrier status V26.31 pregnancy positive result V72.42 first pregnancy V72.42 Testicle, testicular, testis - see also condition feminization (syndrome) 259.5 Therapy V57.9 chemotherapy, antineoplastic V58.11 immunotherapy antineoplastic V58.12 Thrombocytopenia, thrombocytopenic 287.5 with giant hemangioma 287.3 absent radii (TAR) syndrome 287.33 giant hemangioma 287.39 amegakaryocytic, congenital 287.33 congenital 287.33 cyclic 287.39 essential 287.30 hereditary 287.33 Kasabach-Merritt 287.39 primary 287.30 purpura (see also Purpura, thrombocytopenic) 287.30 sex-linked 287.39

ICD-9-CM Index Addenda (FY06)

Key:

Thrombosis, thrombotic (marantic) (multiple) (progressive) (septic) (vein) (vessel) 453.9 tumor - see Neoplasm, by site vas deferens 608.83 vein vein deep 453.40 Tracheobronchomegaly (congenital) 748.3 with bronchiectasis 494.0 with (acute) exacerbation 494.1 acquired 519.1 with bronchiectasis 494.0 with (acute) exacerbation 494.1 Transmission of chemical substances through the placenta (affecting fetus or newborn) 760.70 anticonvulsants 760.77 antifungals 760.74 antimetabolics 760.78 Tremor 781.0 medication-induced postural 333.1 Triplet pregnancy (complicating delivery) NEC 651.1 following (elective) fetal reduction 651.7 Tumor (M8000/1) - see also Neoplasm, by site, unspecified nature Schloffer's (see also Peritonitis) 567.29 Twin pregnancy (complicating delivery) NEC 651.0 following (elective) fetal reduction 651.7 Ulcer, ulcerated, ulcerating, ulceration, ulcerative 707.9 stasis (leg) (venous) 454.0 with varicose veins 454.0 Uremia, uremic (absorption) (amaurosis) (amblyopia) (aphasia) (apoplexy) (coma) (delirium) (dementia) (dropsy) (dyspnea) (fever) (intoxication) (mania) (paralysis) (poisoning) (toxemia) (vomiting) 586 chronic 585.9 neuropathy 585.9 [357.4] pericarditis 585.9 [420.0] Uropathy 599.9 obstructive 599.60 Vaccination not carried out (contraindicated) V64.00 because of patient's decision V64.2 acute illness V64.01 allergy to vaccine or component V64.04 caregiver refusal V64.05 chronic illness V64.02 immune compromised state V64.03 patient had disease being vaccinated against V64.08 patient refusal V64.06 reason NEC V64.09 religious reasons V64.07 Weak, weakness (generalized) 780.79 muscle (generalized) 728.87 Weir Mitchell's disease (erythromelalgia) 443.82 Werlhof's disease (see also Purpura, thrombocytopenic) 287.39 Werlhof-Wichmann syndrome (see also Purpura, thrombocytopenic) 287.39

ICD-9-CM Index Addenda (FY06)

Key: 1

Underline – Add Strikeout – Delete Underline italic – Revise