9. REFERENCES

Abe M, Fujii K, Inoue T, et al. 1986. Boron-10 distribution in rat brain tumor and normal brain after intracarotid hyperosmolal infusion. In: Hatanaka H, ed. Neutron capture theory. Niigata, Japan: Nishimura Company, Ltd., 401-409.

ACGIH. 1986. Documentation of the threshold limit values and biological exposure indices. 5th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

*ACGIH. 2006. Boron. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, 14-15.

Acs N, Banhidy F, Puho E, et al. 2006. Teratogenic effects of vaginal boric acid treatment during pregnancy. Int J Gynaecol Obstet 93(1):55-56.

*Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. Dev Med Child Neurol 27(4):532-537.

*Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. Environ Health Perspect Suppl 103(7):103-112.

*Agency for Toxic Substances and Disease Registry. 1989. Decision guide for identifying substancespecific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry, Division of Toxicology. Fed Regist 54(174):37618-37634.

Agency for Toxic Substances and Disease Registry. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary, and immune systems. Subcommittee on Biomarkers of Organ Damage and Dysfunction. Atlanta, GA: Agency for Toxic Substances and Disease Registry.

*AIHA. 1999. Boron trifluoride. Emergency response planning guidelines (ERPG). Fairfax, VA: American Industrial Hygiene Association.

*Alam F, Evans F, Mani G, et al. 2003. Boron halides. Kirk-Othmer encyclopedia of chemical technology. John Wiley & Sons, Inc. http://www.mrw.interscience.wiley.com/emrw/9780471238966/kirk/article/boroalam.a01/current/pdf. March 26, 2007.

*Alimonti A, Fornarelli L, Coni E, et al. 1992. Assessment of trace element concentrations in human lungs of urban subjects. Microchem J 46(2):191-198.

*Allen BC, Strong PL, Price CJ, et al. 1996. Benchmark dose analysis of developmental toxicity in rats exposed to boric acid. Fundam Appl Toxicol 32(2):194-204.

Allen BJ, Brown JK, Mountford MH, et al. 1989. In vitro and in vivo studies of boron conjugated melanoma affined biochemicals. Strahlenther Onkol 165:163-165.

*Cited in text

⁺Cited in supplemental document

*Allen GT, Blackford SH, Tabor VM, et al. 2001. Metals, boron, and selenium in *Neosho madtom* habitats in the Neosho River in Kansas, USA. Environ Monit Assess 66(1):1-21.

*Altman PL, Dittmer DS. 1974. Biological handbooks: Biology data book. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.

*Andersen ME, Krishnan K. 1994. Relating in vitro to in vivo exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. Animal test alternatives: Refinement, reduction, replacement. New York: Marcel Dekker, Inc., 9-25.

*Andersen ME, Clewell HJ, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. Toxicol Appl Pharmacol 87(2):185-205.

APHA. 1985a. Method 404A: Boron, curcumin method. In: Standard methods for the examination of water and wastewater. 16th ed. Washington, DC: American Public Health Association, 274-276.

APHA. 1985b. Method 404B: Boron, carmine method. In: Standard methods for the examination of water and wastewater. 16th ed. Washington, DC: American Public Health Association, 276-277.

APHA. 1985c. Method 305. Metals by emission spectroscopy using an inductively coupled plasma source (tentative). In: Standard methods for the examination of water and wastewater. 16th ed. Washington, DC: American Public Health Association, 180-182.

*APHA. 1998a. Method 3120 A. Introduction. Method 3120 B. Inductively coupled plasma (ICP) method. In: Clesceri LS, Greenberg AE, Eaton AD, eds. Standard methods for the examination of water and wastewater. 20th ed. Washington, DC: American Public Health Association. American Water Works Association. Water Environmental Federation, 3-37 to 3-43.

*APHA. 1998b. Method 4500 BB. Curcumin method. In: Clesceri LS, Greenberg AE, Eaton AD, eds. Standard methods for the examination of water and wastewater. 20th ed. Washington, DC: American Public Health Association. American Water Works Association. Water Environmental Federation, 4-21 to 4-22.

*APHA. 1998c. Method 4500 BC. Carmine method. In: Clesceri LS, Greenberg AE, Eaton AD, eds. Standard methods for the examination of water and wastewater. 20th ed. Washington, DC: American Public Health Association. American Water Works Association. Water Environmental Federation, 4-23.

Armstrong D, Hiramitsu T, Gutteridge J, et al. 1982. Studies on experimentally induced retinal degeneration. 1. Effect of lipid peroxides on electroretinographic activity in the albino rabbit. Exp Eye Res 35:157-171.

Baker MD, Bogema SC. 1986. Ingestion of boric acid by infants. Am J Emerg Med 4:358-361.

Banner W, Koch M, Capin DM, et al. 1986. Experimental chelation therapy in chromium, lead, and boron intoxication with N-acetylcysteine and other compounds. Toxicol Appl Pharmacol 83:142-147.

Banuelos GS. 2002. Irrigation of broccoli and canola with boron- and selenium-laden effluent. J Environ Qual 31(6):1802-1808.

*Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. Regul Toxicol Pharmacol 8(4):471-486.

Barr RD, Barton SA, Schull WJ. 1996. Boron levels in man: Preliminary evidence of genetic regulation and some implications for human biology. Med Hypotheses 46(3):286-289.

Barr RD, Clarke B, Clarke RM et al. 1993. Regulation of lithium and boron levels in normal human blood: Environmental and genetic considerations. J Lab Clin Med 121(4):614-619.

*Barranco WT, Hudak PF, Eckhert CD. 2007. Evaluation of ecological and in vitro effects of boron on prostate cancer risk (United States). Cancer Causes Control 18:71-77.

Barth RF, Adams DM, Soloway AH, et al. 1991. Determination of boron in tissues and cells using direct-current plasma atomic emission spectroscopy. Anal Chem 63(9):890-893.

*Baselt RC. 1988. Borate. In: Biological monitoring methods for industrial chemicals. 2nd ed. Littleton, MA: PSG Publishing Company, Inc., 48-50.

+*Beckett WS, Oskvig R, Gaynor ME, et al. 2001. Association of reversible alopecia with occupational topical exposure to common borax-containing solutions (Comment in J Am Acad Dermatol 47(4):636-637). J Am Acad Dermatol 44(4):599-602.

Benfena TI, Di Toro N, Fanelli R, et al. 1992. Characterization of organic and inorganic pollutants in the Adige river (Italy). Chemosphere 25(11):1665-1674.

*Benson WH, Birge WJ, Dorough HW. 1984. Absence of mutagenic activity of sodium borate (borax) and boric acid in the Salmonella preincubation test. Environ Toxicol Chem 3:209-214.

*Berger GS, ed. 1994. Epidemiology of endometriosis. In: Endometriosis: Advanced management and surgical techniques. New York, NY: Springer-Verlag, 3-7.

Berlin M, Lee IP, Russell LD. 1983. Effects of metals on male reproduction. In: Clarkson TW, Nordberg GF, Sager PR, eds. Reproductive and developmental toxicity of metals. New York, NY: Plenum Press, 29-40.

*Bertine KK, Goldberg ED. 1971. Fossil fuel combustion and the major sedimentary cycle. Science 173:233-235.

*Beyer KH, Bergfeld WF, Berndt WO, et al. 1983. Final report on the safety assessment of sodium borate and boric acid. J Am Coll Toxicol 2(7):87-125.

Bibak A, Behrens A, Sturup S, et al. 1998. Concentrations of 63 major and trace elements in Danish agricultural crops measured by inductively coupled plasma mass spectrometry. 1. Onion (*Allium cepa Hysam*). J Agric Food Chem 46:3139-3145.

Biego GH, Joyeux M, Hartemann P, et al. 1998. Daily intake of essential minerals and metallic micropollutants form foods in France. Sci Total Environ 217(1-2):27-36.

*Biggar JW, Fireman M. 1960. Boron adsorption and release by soils. Soil Sci Soc Proc 115-120.

*Bingham FT, Page AL, Coleman NT, et al. 1971. Boron adsorption characteristics of selected amorphous soils from Mexico and Hawaii. Soil Sci Am Proc 35:546-550.

Briggs M. 2001. Boron oxides, boric acid, and borates, elemental. Kirk-Othmer encyclopedia of chemical technology. John Wiley & Sons, Inc. http://www.mrw.interscience.wiley.com/emrw/9780471238966/kirk/article/borosmit.a01/current/pdf. April 25, 2007.

Buchter B, Davidoff B, Amacher MC, et al. 1989. Correlation of Freundlich *Kd* and *n* retention parameters with soils and elements. Soil Sci 148(5):370-379.

Buhl KJ, Hamilton SJ. 1996. Toxicity of inorganic contaminants, individually and in environmental mixtures, to three endangered fishes (Colorado squawfish, bonytail, and razorback sucker). Arch Environ Contam Toxicol 30(1):84-92.

Burgess J. 1996. Man and the elements of groups 3 and 13. Chem Soc Rev 25:85-92.

Butte W, Heinzow B. 2002. Pollutants in house dust as indicators of indoor contamination. Rev Environ Contam Toxicol 175:1-46.

*Butterwick L, de Oude N, Raymond K. 1989. Safety assessment of boron in aquatic and terrestrial environments. Ecotoxicol Environ Safety 17:339-371.

+*Cain WS, Jalowayski AA, Kleinman M, et al. 2004. Sensory and associated reactions to mineral dusts: Sodium borate, calcium oxide, and calcium sulfate. J Occup Environ Hyg 1:222-236.

Caujolle F, Chanh PH, Pene AM, et al. 1966. The comparative toxicity of boron organic compounds towards the non-anesthetized rabbit chemical structure - toxicity relationship. Med Pharmacol Exp 15:130-138.

+*Chang BL, Robbins WA, Wei F, et al. 2006. Boron exposure in China: Exploring work and lifestyle factors to boron exposure. AAOHN J 54(10):435-443.

*Chao TC, Maxwell SM, Lyen K, et al. 1991a. Mass poisoning in Perak, Malaysia or the Tale of the Nine Emperor Gods and rat tail noodles. J Forensic Sci Soc 31(2):283-288.

*Chao TC, Maxwell SM, Wong SY. 1991b. An outbreak of aflatoxicosis and boric acid poisoning in Malaysia: A clinicopathological study. J Pathol 164(3):225-233.

Chapin RE, Ku WW. 1994. The reproductive toxicity of boric acid. Environ Health Perspect Suppl 102(7):87-91.

*Chapin RE, Ku WW, Kenney MA, et al. 1997. The effects of dietary boron on bone strength in rats. Fundam Appl Toxicol 35(2):205-215.

Chauveheid E, Denis M. 2004. The boron-organic carbon correlation in water. Water Res 38:1663-1668.

*ChemIDplus. 2007. Boron and selected boron chemicals. ChemIDplus. Bethesda, MD: U.S. National Library of Medicine. http://sis.nlm.nih.gov/chemical.html. March 13, 2007.

+*Cherrington JW, Chernoff N. 2002. Periods of vertebral column sensitivity to boric acid treatment in CD-1 mice in utero. Reprod Toxicol 16(3):237-243.

*Choi WW, Chen KY. 1979. Evaluation of boron removal by adsorption on solids. Environ Sci Technol 13(2):189-196.

Clarke WB, Webber CE, Koekebakker K. 1987. Lithium and boron in human blood. J Lab Clin Med 109:155-158.

*Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. Toxicol Ind Health 1(4):111-131.

CLPSD. 1989. Contract laboratory program statistical database. Alexandria, VA: Viar and Company, Management Services Division. July 1989.

Cotton FA, Wilkinson G. 1980. Advanced inorganic chemistry: A comprehensive text. New York, NY: John Wiley and Sons, 293.

*Cotton FA, Wilkinson G, Murillo CA, et al., eds. 1999. Boron. In: Advanced inorganic chemistry. 6th ed. New York, NY: John Wiley & Sons, Inc., 131-174.

Craan AG, Myres AW, Green DW. 1997. Hazard assessment of boric acid in toys. Regul Toxicol Pharmacol 26:271-280.

CRISP. 1990. Computer Retrieval of Information on Scientific Projects. U.S. Department of Health and Human Services, Public Health Service, National Institute of Health, Bethesda, MD. January 1990.

*Cui Y, Winton MI, Zhang Z, et al. 2004. Dietary boron intake and prostate cancer risk. Oncol Rep 11:887-892.

*Culver BD, Shen PT, Taylor TH, et al. 1994a. The relationship of blood- and urine-boron exposure in borax-workers and usefulness of urine-boron as an exposure marker. Environ Health Perspect 102:133-137.

*Culver BD, Smith RG, Brotherton RJ, et al. 1994b. Boron. In: Clayton GD, Clayton FE, eds. Patty's industrial hygiene and toxicology. Vol. II. Part F. 4th ed. New York, NY: John Wiley & Sons, Inc., 4411-4448.

*Culver BD, Strong PL, Murray JF. 2001. Boron. In: Bingham E, Cohrssen B, Powell CH, eds. Patty's toxicology. Vol. 3. 5th ed. New York, NY: John Wiley & Sons, Inc., 519-582.

Cvetkou D, Popov T. 1970. [On the mechanism of the borax action in rabbits with subacute oral intoxication.] Khig Zdraveopazvane 13:58-62. (Russian)

*Davies K. 1990. Human exposure pathways to selected organochlorines and PCBs in Toronto and Southern Ontario. Adv Environ Sci Technol 23:525-540.

*Demerec M, Bertani G, Flint J. 1951. A survey of chemicals for mutagenic action on E. coli. American Naturalist 85:119-136.

*Deverel SJ, Millard SP. 1988. Distribution and mobility of selenium and other trace elements in shallow groundwater of the western San Joaquin Valley, California. Environ Sci Technol 22:697-702.

+*Dieter MP. 1994. Toxicity and carcinogenicity studies of boric acid in male and female B6C3F1 mice. Environ Health Perspect Suppl 102(7):93-97.

Dill H, Gmeiner B, Raab W. 1977. Blood boron levels in patients using buffered sodium peroxyborate monohydrate mouthwash three times daily for four weeks. Int J Clin Pharmacol 15:16-18.

Di Renzo F, Cappelletti G, Broccia ML, et al. 2007. Boric acid inhibits embryonic histone deacetylases: A suggested mechanism to explain boric acid-related teratogenicity. Toxicol Appl Pharmacol 220(2):178-185.

+*Dixon RL, Lee IP, Sherins RJ. 1976. Methods to assess reproductive effects of environmental chemicals: Studies of cadmium and boron administered orally. Environ Health Perspect 13:59-67.

+*Dixon RL, Sherins RJ, Lee IP. 1979. Assessment of environmental factors affecting male fertility. Environ Health Perspect 30:53-68.

Doherty FG, Evans DW, Neuhauser EF. 1993. An assessment of total and leachable contaminants in zebra mussels (*Dreissena polymorpha*) from Lake Erie. Ecotoxicol Environ Saf 25:328-340.

DOI. 1980. Elements in fruits and vegetables from areas of commercial production in the conterminous United States. Washington, DC: U.S. Department of the Interior. Geological Survey Professional Paper 1178.

*Dourson M, Maier A, Meek B, et al. 1998. Boron tolerable intake: Re-evaluation of toxicokinetics for data-derived uncertainty factors. Biol Trace Elem Res 66:453-463.

*Draize JH, Kelley EA. 1959. The urinary excretion of boric acid preparations following oral administration and topical applications to intact and damaged skin of rabbits. Toxicol Appl Pharmacol 1:267-276.

*Dunlop W. 1981. Serial changes in renal haemodynamics during normal human pregnancy. Br J Obstet Gynaecol 88(1):1-9.

Dusing DC, Bishop PL, Keener TC. 1992. Effect of redox potential on leaching from stabilized/solidified waste materials. J Air Waste Manage Assoc 42:56-62.

Eary LE, Rai D, Mattigod SV, et al. 1990. Geochemical factors controlling the mobilization of inorganic constituents from fossil fuel combustion residues: II. Review of the minor elements. J Environ Qual 19:202-214

*Eckel W, Langley WD. 1988. A background-based ranking technique for assessment of elemental enrichment in soils at hazardous waste sites. In: Superfund '88: Proceedings of the 9th National Conference, November 28-30, 1988, Washington, D.C. Silver Spring, MD: The Hazardous Materials Control Research Institute, 282-286.

Edwall L, Karlen B, Rosen A. 1979. Absorption of boron after mouthwash treatment with Bocosept. Eur J Clin Pharmacol 15:417-420.

*Ellenhorn MJ, Schonwald S, Ordog G, et al., eds. 1997. Ellenhorn's medical toxicology: Diagnosis and treatment of human poisoning. 2nd ed. Baltimore, MA: Williams & Wilkins, 106t, 162t, 1098-1100.

*Ellenhorn MJ, Barceloux DG. 1988. Medical toxicology: Diagnosis and treatment of human poisoning. New York, NY: Elsevier, 921-924.

EPA. 1974. Trace pollutant emissions from the processing of non-metallic ores. Report to U.S. Environmental Protection Agency, Office of Research and Development, Research Triangle Park, NC, by PEDCo-Environmental Specialists, Inc., Cincinnati, OH. EPA650274122. PB240117.

EPA. 1976. Quality criteria for water. Washington, DC: U.S. Environmental Protection Agency, Office of Water Planning and Standards. EPA440976023. PB263943.

EPA. 1979. Toxic trace metals in mammalian hair and nails. U.S. Environmental Protection Agency, Office of Research and Development. EPA600479049. PB80103997.

*EPA. 1983. Method 212.3. Boron (colorimetric, curcumin). In: EPA methods and guidance for analysis of water. U.S. Environmental Protection Agency. http://web1.er.usgs.gov/nemi/method_pdf/5279.pdf. March 22, 2007.

EPA. 1986a. Broad scan analysis of the FY82 national human adipose tissue survey specimens, V. Trace elements. Washington, DC: U.S. Environmental Protection Agency. EPA560586039.

*EPA. 1986b. Quality criteria for water. Washington, DC: U.S. Environmental Protection Agency, Office of Water Planning and Standards. EPA440586001.

*EPA. 1986c. Broad scan analysis of the FY82 national human adipose tissue survey specimens: Vol. I. Executive summary. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA560586035.

EPA. 1987a. U.S. Environmental Protection Agency: Part II. Fed Regist 52:13398.

EPA. 1987b. Health effects assessment for boron and compounds. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development. EPA600888021. ECAOCINH111. PB88178710.

*EPA. 1987c. Toxic air pollutant/source crosswalk: A screening tool for locating possible sources emitting toxic air pollutants. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA450487023a. PB88161146.

EPA. 1987d. Emergency planning and notification: The list of extremely hazardous substances and their threshold planning quantities. Fed Regist 52(77):13395-13410.

EPA. 1987e. Quality criteria for water 1986. U.S. Environmental Protection Agency, Office of Water Regulations and Standards. EPA440586001.

EPA. 1987f. Reference dose (RfD): Description and use in health risk assessments. Vol. I. Appendix A: Integrated risk information system supportive documentation. Washington, DC: U.S. Environmental Protection Agency, Office of Health and environmental Assessment. EPA600886032a.

EPA. 1988a. Reportable quantity document for boron trifluoride. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. ECAO-CIN-R528.

EPA. 1988b. U.S. Environmental Protection Agency. Part II. Fed Regist 53:1892-1902.

EPA. 1989a. Interim methods for development of inhalation reference doses. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA600888066F.

EPA. 1989b. Reportable quantity adjustments. Washington, DC: U.S. Environmental Protection Agency. Fed Regist 54:35988-35989, 35993, 35998, 35999.

*EPA. 1990. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA600890066A.

EPA. 1991. Drinking water health advisory for boron. Washington, DC: U.S. Environmental Protection Agency. PB92135458.

*EPA. 1993. Reregistration Eligibility Decision (RED). Boric acid and its sodium salts. Washington, DC: U.S. Environmental Protection Agency. EPA738F93006.

*EPA. 1994. Method 200.7. Determination of metals and trace elements in water and wastes by inductively coupled plasma-atomic emission spectrometry. In: EPA methods and guidance for analysis of water. U.S. Environmental Protection Agency. http://web1.er.usgs.gov/nemi/method_pdf/4690.pdf. March 22, 2007.

EPA. 1995. Determination of background concentrations of inorganics in soils and sediments at hazardous waste sites. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA540S96500.

*EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA630R96012.

*EPA. 1998. The drinking water contaminant candidate list. Washington, DC: U.S. Environmental Protection Agency. Fed Regist 63:10274. http://www.gpoaccess.gov/fr/index.html. April 11, 2007.

*EPA. 2000. Method 6010C. Inductively coupled plasma-atomic emission spectrometry. In: EPA methods and guidance for analysis of water. U.S. Environmental Protection Agency. http://web1.er.usgs.gov/nemi/method_pdf/4712.pdf. March 21, 2007.

*EPA. 2003. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency, Office of Ground Water and Drinking Water. EPA816F03016. http://www.epa.gov/safewater/mcl.html. March 07, 2006.

*EPA. 2004. Inert pesticide ingredients in pesticide products. Washington, DC: U.S. Environmental Protection Agency. http://www.epa.gov/opprd001/inerts/lists.html. April 11, 2007.

*EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency. Office of Environmental Information. EPA260B05001.

*EPA. 2006. Drinking water standards and health advisories. Washington, DC: Office of Water, U.S. Environmental Protection Agency. EPA822R04005. http://epa.gov/waterscience/criteria/drinking/. April 11, 2007.

*EPA. 2007a. Boron trifluoride. Acute exposure guideline levels (AEGLs). Washington, DC: Office of Pollution Prevention and Toxics, U.S. Environmental Protection Agency. http://www.epa.gov/oppt/aegl/pubs/compiled.pdf. April 11, 2007.

*EPA. 2007b. Regulated toxic substances and threshold quantities for accidental release prevention. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 68.130. http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm. April 11, 2007.

*EPA. 2007c. Superfund, emergency planning, and community right-to-know programs. Extremely hazardous substances and their threshold planning quantities. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 355, Appendix A. http://www.epa.gov/epacfr40/chapt-Linfo/chi-toc.htm. April 11, 2007.

EPA. 2007d. Superfund, emergency planning, and community right-to-know programs. Toxic chemical release reporting. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65. http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm. April 11, 2007

*EPA. 2007e. Tolerances and exemptions from tolerances for pesticide chemicals in food. Washington, DC: U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.101. http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm. April 11, 2007.

*Fail PA, Chapin RE, Price CJ, et al. 1998. General, reproductive, developmental, and endocrine toxicity of boronated compounds. Reprod Toxicol 12(1):1-18.

+*Fail PA, George JD, Seely JC, et al. 1991. Reproductive toxicity of boric acid in Swiss (CD-1) mice: Assessment using the continuous breeding protocol. Fundam Appl Toxicol 17(2):225-239.

*Farr LE, Konikowski T. 1963. The renal clearance of sodium pentaborate in mice and men. Clin Chem 9(6):717-726.

*FDA. 2006. Indirect food additives: adhesives and components of coatings. Washington, DC: U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.105. http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm. April 11, 2007.

*FDA. 2007. Everything added to food in the United States (EAFUS). Washington, DC: U.S. Food and Drug Administration. http://vm.cfsan.fda.gov/~dms/eafus.html. April 11, 2007.

*FEDRIP. 2007. Boron and selected boron compounds. Federal Research in Progress database. Springfield, VA: National Technical Information Service.

Feng X, Melander AP, Klaue B. 2000. Contribution of municipal waste incineration to trace metal deposition on the vicinity. Water Air Soil Pollut 119:295-316.

Ferguson A, Yee M, Garneff A, et al. 1982. CEH marketing research report: Boron minerals and chemicals. In: Chemical economics handbook. Menlo Park, CA: SRI International, 717.1000A-717.1005S.

+*Ferrando AA, Green NR. 1993. The effect of boron supplementation on lean body mass, plasma testosterone levels, and strength in male bodybuilders. Int J Sport Nutr 3(2):140-149.

Finkbone HN, Williams MW, Miller CD. 1975. Toxic effects of a new boron containing heterocycle: 4,4,8,8-tetraethyl-3,3a,4,8-tetrahydro 3a,4a,4-diazabora-S-indacene. Proc Soc Exp Biol Med 150:434-440.

*Fisher RS, Freimuth HC. 1958. Blood boron levels in human infants. J Invest Dermatol 30:85-86.

*FNB/IOM. 2001. Dietary reference intakes for vitamin A, vitamin K, arsenic, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium, and zinc (2000). A Report of the Panel on Micronutrients, subcommittees on upper reference levels of nutrients and of interpretation and uses of dietary reference intakes, and the standing committee on the scientific evaluation of dietary reference intakes. Food and Nutrition Board. Institute of Medicine. Washington, DC: National Academy Press, 510-520. http://books.nap.edu/openbook.php?record_id=10026&page=R2. August 06, 2007.

*Fomon SJ. 1966. Body composition of the infant: Part I: The male reference infant. In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 239-246.

*Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. Am J Clin Nutr 35(Suppl 5):1169-1175.

Forbes RM, Mitchell HH. 1957. Accumulation of dietary boron and strontium in young and adult albino rats. AMA Arch Ind Health 16:489-492.

Forbes RM, Cooper AR, Mitchell HH. 1954. On the occurrence of beryllium, boron, cobalt, and mercury in human tissues. J Biol Chem 209:857-865.

*Fox KK, Cassani G, Facchi A, et al. 2002. Measured variation in boron loads reaching European sewage treatment works. Chemosphere 47(5):499-505.

FSTRAC. 1988. Summary of state and federal drinking water standards and guidelines. Washington, DC: Federal-State Toxicology and Regulatory Alliance Committee, Chemical Communication Subcommittee.

+*Fukuda R, Hirode M, Mori I, et al. 2000. Collaborative work to evaluate toxicity on male reproductive organs by repeated dose studies in rats. 24). Testicular toxicity of boric acid after 2- and 4-week administration periods. J Toxicol Sci 25:233-239.

*Gallardo-Williams MT, Chapin RE, King PE, et al. 2004. Boron supplementation inhibits the growth and local expression of IGF-1 in human prostate adenocarcinoma (LNCaP) tumors in nude mice. Toxicol Pathol 32:73-78.

+*Garabrant DH, Bernstein L, Peters JM, et al. 1984. Respiratory and eye irritation from boron oxide and boric acid dusts. J Occup Med 26(8):584-586.

+*Garabrant DH, Bernstein L, Peters JM, et al. 1985. Respiratory effects of borax dust. Br J Ind Med 42:831-837.

Gerritse RG, Vriesema R, Dalenberg H, et al. 1981. Trace element mobility in soils; effect of sewage sludge. Heavy Met Environ Int Conf 4:180-184.

Gerritse RG, Vriesema R, Dalengerg JW, et al. 1982. Effect of sewage sludge on trace element mobility in soils. J Environ Qual 11(3):359-364.

Giardini O, Cardi E. 1970. [Poisoning by boric acid in childhood. Cases observed at the Clinica Pediatrica di Roma in the years 1958-1968.] Minerva Pediatrica 22:1723-1726. (Italian)

Giertych MJ, De Temmerman LO, Rachwal L. 1997. Distribution of elements along the length of Scots pine needles in a heavily polluted and a control environment. Tree Physiol 17(11):697-703.

*Giwercman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. Environ Health Perspect Suppl 101(2):65-71.

*Goldfrank LR, Flomenbaum NE, Lewin NA, et al. 1990. Goldfrank's toxicologic emergencies. 4th ed. Norwalk, CT: Appleton & Lange, 664-665.

*Goldfrank LR, Flomenbaum NE, Lewin NA, et al., eds. 2002. Goldfrank's toxicologic emergencies. 7th ed. New York, NY: McGraw-Hill, 1282, 1289-1290, 1134.

*Gonzales M, Shah V, Bobelu A, et al. 2004. Concentrations of surface-dust metals in Native American jewelry-making homes in Zuni Pueblo, New Mexico. Arch Environ Health 59(5):245-249.

*Gordon AS, Prichard JS, Freedman MH. 1973. Seizure disorders and anemia associated with chronic borax intoxication. Can Med Assoc J 108:719-721, 724.

Gosselin RE, Smith RP, Hodge HC, et al. 1984. Clinical toxicology of commercial products. 5th ed. Baltimore, MD: Williams and Wilkins, II-118-II-119.

*Goullé JP, Mahieu L, Castermant J, et al. 2005. Metal and metalloid multi-elementary ICP-MS validation in whole blood, plasma, urine and hair. Forensic Sci Int 153(1):39-44.

*Graedel TE. 1978. Inorganic elements, hydrides, oxides and carbonates. In: Chemical compounds in the atmosphere. New York, NY: Academic Press, 35-49.

Grayson M, ed. 1985. Kirk-Othmer concise encyclopedia of chemical technology. Abridged version. 3rd ed. New York, NY: John Wiley and Sons, Inc., 177.

Great Lakes Water Quality Board. 1983. An inventory of chemical substances identified in the Great Lakes ecosystem. Vol. 1. Windsor Ontario, Canada: Great Lakes Water Quality Board.

Great Lakes Water Quality Board. 1989. 1987 Report on Great Lakes water quality. Appendix B. Great Lakes surveillance. Vol. 1. Windsor Ontario, Canada: Great Lakes Water Quality Board.

Great Lakes Water Quality Board. 1990. A review of Lake Superior water quality with emphasis on the 1983 intensive survey. Windsor Ontario, Canada: Great Lakes Water Quality Board.

*Green DR, Le Pape D. 1987. Stability of hydrocarbon samples on solid-phase extraction columns. Anal Chem 59:699-703.

Green NR, Ferrando AA. 1994. Plasma boron and the effects of boron supplementation in males. Environ Health Perspect Suppl 102(7):73-77.

Grella P, Tambuscio B, Suma V. 1976. Avvelenamento da acido borico in gravidanze. Acta Anaesth 27:745-748.

*Griffin RA, Burau RG. 1974. Kinetic and equilibrium studies of boron desorption from soil. Soil Sci Soc Am Proc 38:892-897.

Grimes RN. 1999. Boron. In: Cotton FA, Wilkinson G, Murillo CA, et al, eds. Advanced inorganic chemistry. 6th ed. New York, NY: John Wiley & Sons, Inc., 131-174.

Guaschino S, De Seta F, Sartore A, et al. 2001. Efficacy of maintenance therapy with topical boric acid in comparison with oral itraconazole in the treatment of recurrent vulvovaginal candidiasis. Am J Obstet Gynecol 184(4):598-602.

Gutenmann WH, Rutzke M, Kuntz HT, et al. 1994. Elements and polychlorinated biphenyls in sewage sludges of large cities in the United States. Chemosphere 28(4):725-728.

*Guzelian PS, Henry CJ, Olin SS, eds. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.

*Hall LW, Killen WD, Anderson RD, et al. 2004. Analysis of historical salinity and boron surface water monitoring data from the San Joaquin river watershed: 1985-2002. Environ Monit Assess 95(1-3):125-151.

+*Harris MA, Chapin RE, Lockhart AC, et al. 1992. Assessment of short-term reproductive and developmental toxicity screen. Fundam Appl Toxicol 19(2):186-196.

*Haworth S, Lawlor T, Mortelmans K, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. Environ Mutagen 5(Suppl 1):3-142.

*HazDat. 2007. Boron. HazDat Database: ATSDR's Hazardous Substance Release and Health Effects Database. Atlanta, GA: Agency for Toxic Substances and Disease Registry. http://www.atsdr.cdc.gov/hazdat.html. April 23, 2007.

+*Heindel JJ, Price CJ, Field EA, et al. 1992. Developmental toxicity of boric acid in mice and rats. Fundam Appl Toxicol 18(2):266-277.

*Heindel JJ, Price CJ, Schwetz BA. 1994. The developmental toxicity of boric acid in mice, rats, and rabbits. Environ Health Perspect Suppl 102(7):107-112.

Hellou J, Fancey LL, Payne JF. 1992a. Concentrations of twenty-four elements in bluefin tuna, *Ithunnus thynnus* from the Northwest Atlantic. Chemosphere 24(2):211-218.

Hellou J, Warren WG, Payne JF, et al. 1992b. Heavy metals and other elements in three tissues of cod, *Gadus morhua* from the Northwest Atlantic. Mar Pollut Bull 24(9):452-458.

Hill WH, Merrill JM, Palm BJ. 1957. Electrochromatography of boron. AMA Arch Ind Health 15:152-159.

*Hill WH, Smith RC. 1959. Analysis of blood for boron. Am Ind Hyg Assoc J 20:131-133.

*Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. J Natl Cancer Inst 84(5):313-320.

Holak W. 1971a. Atomic absorption determination of boron in foods. J Assoc Off Anal Chem 54:1138-1139.

Holak W. 1971b. Collaborative study of the determination of boric acid in foods by atomic absorption spectrophotometry. J Assoc Off Anal Chem 55:890-891.

*Hollis JF, Keren R, Gal M. 1988. Boron release and sorption by fly ash as affected by pH and particle size. J Environ Qual 17:181-184.

*Howe PD. 1998. A review of boron effects in the environment. Biol Trace Elem Res 66(1-3):153-166.

*HSDB. 2007. Boron and selected boron chemicals. Hazardous Substances Data Bank. National Library of Medicine. http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB. March 14, 2007

*Hu X, Wegman DH, Eisen EA, et al. 1992. Dose related acute irritant symptom responses to occupational exposure to sodium borate dusts. Br J Ind Med 49(10):706-713.

*Hubbard SA. 1998. Comparative toxicology of borates. Biol Trace Elem Res 66:343-357.

Hudak PF. 2004. Boron and selenium contamination in south Texas groundwater. J Environ Sci Health A Tox Hazard Subst Environ Eng 39(11-12):2827-2834.

Hunt CD, Stoecker BJ. 1996. Deliberations and evaluations of the approaches, endpoints and paradigms for boron, chromium and fluoride dietary recommendations. J Nutr 126:2441S-2451S.

*Hunt CD, Shuler TR, Mullen LM. 1991. Concentration of boron and other elements in human foods and personal-care products. J Am Diet Assoc 91(5):558-568.

*IARC. 2006. Agents reviewed by the IARC monographs. Volumes 1–96. Lyon, France: International Agency for Research on Cancer. http://monographs.iarc.fr/ENG/Classification/index.php. April 11, 2007.

*Imbus HR, Cholak J, Miller LH, et al. 1963. Boron, cadmium, chromium, and nickel in blood and urine. Arch Environ Health 6:286-295.

*IRIS. 2007. Boron and boron compounds. Washington, DC: Integrated Risk Information System. U.S. Environmental Protection Agency. http://www.epa.gov/iris/subst/index.html. April 11, 2007.

+*Ishii Y, Fujizuka N, Takahashi T, et al. 1993. A fatal case of acute boron poisoning. J Toxicol Clin Toxicol 31(2):345-352.

Ito S, Yokoyama T, Asakura K. 2006. Emissions of mercury and other trace elements from coal-fired power plants in Japan. Sci Total Environ 368(1):397-402.

Iyer VN, Szybalski W. 1958. Two simple methods for the detection of chemical mutagens. Appl Microbiol 6:23-29.

*Jansen JA, Anderson J, Schou JS. 1984b. Boric acid single dose pharmacokinetics after intravenous administration to man. Arch Toxicol 55:64-67.

*Jansen JA, Schou JS, Aggerback B. 1984a. Gastro-intestinal absorption and in vitro release of boric acid from water-emulsifying ointments. Food Chem Toxicol 22:49-53.

*Jansen LH. 2003. Boron, elemental. In: Kirk-Othmer encyclopedia of chemical technology. John Wiley & Sons, Inc.

http://www.mrw.interscience.wiley.com/emrw/9780471238966/kirk/article/borojans.a01/current/pdf. March 26, 2007.

*Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. Brain Res 190(1):3-16.

Kent NL, McCance RA. 1941. The absorption and excretion of 'minor' elements by man. I. Silver, gold, lithium, boron and vanadium. Biochem J 35:837-844.

Keren R, Bingham FT. 1985. Boron in water, soils, and plants. In: Advances in soil science. Vol. 1. New York, NY: Springer-Verlag, Inc., 229-276.

*Keren R, Mezuman U. 1981. Boron adsorption by clay minerals using a phenomenological equation. Clays Clay Miner 29:198-204.

*Keren R, Gast RG, Bar-Yosef B. 1981. pH-dependent boron adsorption by Na-montmorillonite. Soil Sci Soc Am J 45:45-48.

Kilbride KM, Paveglio FL, Altstatt AL, et al. 1998. Contaminant loading in drainage and fresh water used for wetland management at Stillwater National Wildlife Refuge. Arch Environ Contam Toxicol 35:236-248.

Klaassen CD, Amdur MO, Doull J, eds. 1986. Casarett and Doull's toxicology: The basic science of poisons. 3rd ed. New York, NY: Macmillian Publishing Company, 348, 350, 407, 453.

*Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. Biochemistry 29(18):4430-4433.

*Korkmaz M, Uzgoren E, Bakirdere S, et al. 2007. Effects of dietary boron on cervical cytopathology and on micronucleus frequency in exfoliated buccal cells. Environ Toxicol 22(1):17-25.

Krasovskii GN, Varshavskaya SP, Borisov AI. 1976. Toxic and gonadotropic effects of cadmium and boron relative to standards for these substances in drinking water. Environ Health Perspect 13:69-75.

Krause C, Chutsch M, Henke M, et al. 1989. Umwelt-survey. Band I. Studienbeschreibung und humanbiologisches monitoring. Berlin: Institut fur Wasser-, Boden- und Lufthygiene des Bundes-Gesundheitsamtes.

Krieger RI, Dinoff TM, Peterson J. 1996. Human disodium octaborate tetrahydrate exposure following carpet flea treatment is not associated with significant dermal absorption. J Expo Anal Environ Epidemiol 6(3):279-288.

*Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. Principles and methods of toxicology. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.

*Krishnan K, Anderson ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, eds. Toxicology of chemical mixtures. New York, NY: Academic Press, 399-437.

*Krutzen E, Olofsson P, Back SE, et al. 1992. Glomerular filtration rate in pregnancy: a study in normal subjects and in patients with hypertension, preeclampsia and diabetes. Scand J Clin Lab Invest 52(5):387-392.

Ku WW, Chaplin RE. 1994. Mechanism of the testicular toxicity of boric acid in rats: *In vivo* and *in vitro* studies. Environ Health Perspect 102(Suppl 7):99-105.

*Ku WW, Chapin RE, Moseman RF, et al. 1991. Tissue disposition of boron in male Fischer rats. Toxicol Appl Pharmacol 111:145-151.

+*Ku WW, Chapin RE, Wine RN, et al. 1993a. Testicular toxicity of boric acid (BA): Relationship of dose to lesion development and recovery in the F344 rat. Reprod Toxicol 7(4):305-319.

*Ku WW, Shih LM, Chapin RE. 1993b. The effects of boric acid (BA) on testicular cells in culture. Reprod Toxicol 7:321-331.

+*Kudo S, Tanase H, Yamasaki M, et al. 2000. Collaborative work to evaluate toxicity on male reproductive organs by repeated dose studies in rats. A comparative 2- and 4-week repeated oral dose testicular toxicity study of boric acid in rats. J Toxicol Sci 25:223-232.

Landauer W, Clark EM. 1964. On the role of riboflavin in the teratogenic activity of boric acid. J Exp Zool 156:307-312.

*Landolph JR. 1985. Cytotoxicity and negligible genotoxicity of borax and borax ores to cultured mammalian cells. Am J Ind Med 7:31-43.

*Lang FJ, Bingham FT, Hendrix FF, et al. 1986. Boron deposition on soil and native vegetation from geothermal emissions. J Environ Qual 15(3):260-265.

+*Lee IP, Sherins RJ, Dixon RL. 1978. Evidence for induction of germinal aplasia in male rats by environmental exposure to boron. Toxicol Appl Pharmacol 45:577-590.

*Leeder JS, Kearns GL. 1997. Pharmcogenetics in pediatrics: Implications for practice. Pediatr Clin North Am 44(1):55-77.

Lemasters GK. 1992. Occupational exposures and effects on male and female reproduction. In: Rom WM, ed. Environmental and occupational medicine. 2nd ed. Boston, MA: Little, Brown and Company, 47-170.

*Leung H. 1993. Physiologically-based pharmacokinetic modeling. In: Ballentyne B, Marrs T, Turner P, eds. General and applied toxicology. Vol. 1. New York, NY: Stockton Press, 153-164.

Levinskas GJ. 1955. Comparative toxicity of boranes. Am Ind Hyg Assoc Q 16:280-282.

Lewis RJ. 2001. Hawley's condensed chemical dictionary. 14th ed. New York, NY: John Wiley & Sons, Inc, 154-157.

Lide DR. 2005. CRC handbook of chemistry and physics. 86th ed. Boca Raton, FL: CRC Press. Taylor & Francis Group, 4-6 to 4-7.

+*Linden CH, Hall AH, Kulig KW, et al. 1986. Acute ingestions of boric acid. Clin Toxicol 24:269-279.

*Litovitz TL, Klein-Schwartz W, Oderda GM, et al. 1988. Clinical manifestations of toxicity in a series of 784 boric acid ingestions. Am J Emerg Med 6:209-213.

*Livingston AL. 1978. Forage plant estrogens. J Toxicol Environ Health 4(2-3):301-324.

Lobel PB, Longerich HP, Jackson SE, et al. 1991. A major factor contributing to the high degree of unexplained variability of some elements concentrations in biological tissue: 27 elements in 5 organs of the mussel Mytilus as a model. Arch Environ Contam Toxicol 21:118-125.

*Locatelli C, Minoia C, Tonini M, et al. 1987. Human toxicology of boron with special reference to boric acid poisoning. G Ital Med Lav 9:141-146.

Locksley HB, Sweet WH. 1954. Tissue distribution of boron compounds in relation to neutron-capture therapy of cancer. Proc Soc Exp Biol Med 86:56-63.

Loomis WD, Durst RM. 1992. Chemistry and biology of boron. Biofactors 3(4):229-239.

Loppi S, Bonini I. 2000. Lichens and mosses as biomonitors of trace elements in areas with thermal springs and fumarole activity (Mt. Amiata, central Italy). Chemosphere 41:1333-1336.

*Lowe TP, Day DD. 2002. Metal concentrations in zebra mussels and sediments from embayments and riverine environments of eastern Lake Erie, southern Lake Ontario, and the Niagara River. Arch Environ Contam Toxicol 43(3):301-308.

Lugon-Moulin N, Martin F, Krauss MR, et al. 2006. Cadmium concentration in tobacco (*Nicotiana tabacum L.*) from different countries and its relationship with other elements. Chemosphere 63(7):1074-1086.

Machemer SD. 2004. Characterization of airborne and bulk particulate from iron and steel manufacturing facilities. Environ Sci Technol 38:381-389.

Malins DC, McCain BB, Brown DW, et al. 1984. Chemical pollutants in sediments and diseases of bottom-dwelling fish in Puget Sound, Washington. Environ Sci Technol 18:705-713.

Martin GI. 1971. Asymptomatic boric acid intoxication: Value of peritoneal dialysis. NY State J Med 71:1842-1844.

Mastromatteo E, Sullivan F. 1994. Summary: International symposium on the health effects of boron and its compounds. Environ Health Perspect 102:139-141.

Matthijs E, Debaere G, Itrich N, et al. 1995. The fate of detergent surfactants in sewer systems. Water Sci Technol 31:321-328.

*Matthijs E, Holt MS, Kiewiet A, et al. 1999. Environmental monitoring for linear alkylbenzene sulfonate, alcohol ethoxylate, alcohol ethoxy sulfate, alcohol sulfate, and soap. Environ Toxicol Chem 18(11):2634-2644.

+*Maurer JK, Molai A, Parker RD, et al. 2001. Pathology of ocular irritation with bleaching agents in the rabbit low-volume eye test. Toxicol Pathol 29(3):308-319.

*Mayr U, Butsch A, Schneider S. 1992. Validation of two in vitro test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. Toxicology 74(2-3):135-149.

*McCabe LJ, Symons JM, Lee RD, et al. 1970. Survey of community water supply systems. J Am Water Work Assoc 62:670-687.

*Meacham S, Hunt CD. 1994. Boron content of commercial baby foods and beverages typically consumed by infants. FASEB J 8(4-5):A430.

Meacham SL, Cizdziel J, Sadik A, et al. 2003. Whole blood concentrations of minerals, including chromium and boron, were obtained from a population of indigenous horses in southern Nevada. FASEB J 17(4-5):A706.

*Mezuman U, Keren R. 1981. Boron adsorption by soils using a phenomenological equation. Soil Sci Soc Am J 45:722-726.

Miekeley N, Dias Carneiro MTW, Porto da Silveira CL. 1998. How reliable are human hair reference intervals for trace elements? Sci Total Environ 218(1):9-17.

Minoia C, Gregotti C, DiNucci A, et al. 1987. Toxicology and health impact of environmental exposure to boron. A review. G Ital Med Lav 9:119-124.

*Minoia C, Sabbioni E, Ronchi A, et al. 1994. Trace element reference values in tissues from inhabitants of the European Community. IV. Influence of dietary factors. Sci Total Environ 141:181-195.

Mohora M, Boghianu L, Muscurel C, et al. 2003. Effects of boric acid on redox status in the rat liver. Rom J Biophys 12(3-4):77-82.

Mora MA. 1996. Organochlorines and trace elements in four colonial water bird species nesting in the lower Laguna Madre, Texas. Arch Environ Contam Toxicol 31:533-537.

Mora MA, Anderson DW. 1995. Selenium, boron, and heavy metals in birds from the Mexicali Valley Baja California, Mexico. Bull Environ Contam Toxicol 54(2):198-206.

Morrison RT, Boyd RN. 1983. Organic chemistry, 4th ed. Newton, MA: Allyn and Bacon Inc., 15, 469.

*Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. Clin Pharmacokin 5(6):485-527.

*Moseman RF. 1994. Chemical disposition of boron in animals and humans. Environ Health Perspect 102:113-117.

Mulinos MG, Connant C, Hauser E. 1953. The toxicity of boric acid and the clinical implications of the use of borated baby powders. Bull NY Med Coll 16:92-101.

*Mumma RO, Raupach DC, Waldman JP, et al. 1984. National survey of elements and other constituents in municipal sewage sludges. Arch Environ Contam Toxicol 13:75-83.

Mumma RO, Raupach DC, Sahadewan K, et al. 1990. National survey of elements and radioactivity in municipal incinerator ashes. Arch Environ Contam Toxicol 19:399-404.

Mumma RO, Raupach DC, Sahadewan K, et al. 1991. Variation in elemental composition of municipal refuse incinerator ashes with time of sampling. Chemosphere 23(3):391-395.

Murray FJ. 1995. A human health risk assessment of boron (boric acid and borax) in drinking water. Regul Toxicol Pharmacol 22(3):221-230.

Murray FJ. 1998. A comparative review of the pharmacokinetics of boric acid in rodents and humans. Biol Trace Elem Res 66(1-3):331-341.

*Naderi AS, Palmer BF. 2006. Successful treatment of a rare case of boric acid overdose with hemodialysis. Am J Kidney Dis 48(6):95-97.

*NAS/NRC. 1989. Report of the oversight committee. In: Biologic markers in reproductive toxicology. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press, 15-35.

NATICH. 1989. National Air Toxics Information Clearinghouse: NATICH data base report on state, local and EPA air toxics activities. July, 1989. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA45038929.

Neal C, Smith CJ, Jeffery HA, et al. 1996. Trace element concentrations in the major rivers entering the Humber estuary, NE England. J Hydrol 182:37-64.

*NEMI. 2007. Boron and selected boron compounds. National Environmental Methods Index. U.S. Environmental Protection Agency. U.S. Geological Survey. http://www.nemi.gov. August 06, 2007.

Newnham RE. 1994. Essentiality of boron for healthy bones and joints. Environ Health Perspect 102:83-85.

*Nielsen FH, Hunt CD, Muller LM, et al. 1987. Effect of dietary boron on mineral, estrogen, and testosterone metabolism in postmenopausal women. FASEB Monogr 1:394-397.

Nielsen FH, Shuler TR, Zimmerman TJ, et al. 1988. Dietary magnesium, manganese and boron affect the response of rats to high dietary aluminum. Magnesium 7:133-147.

*NIH. 2004. Boric acid, sodium borate decahydrate (borax), and sodium tetraborate anhydrous. Household products database. National Institutes of Health. U.S. National Library of Medicine. http://hpd.nlm.nih.gov/ingredients.htm. April 03, 2007.

NIOSH. 1977. A recommended standard for occupational exposure to boron trifluoride. Washington, DC: National Institute for Occupational Safety and Health.

NIOSH. 1978. Health hazard evaluation determination report 77-59-496, Kerr-McGee Chemical Corporation, Trona, California. Cincinnati, OH: U.S. Department of Health, Education and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health. PB89145551.

NIOSH. 1984. Elements (ICP) - method 7300. In: NIOSH manual of analytical methods. 3rd ed. Vol. 1. Cincinnati, OH: National Institute for Occupational Safety and Health. DHHS (NIOSH) Publication No. 84-100.

*NIOSH. 1994. Boron carbide. Method 7506. NIOSH manual of analytical methods (NMAM). 4th ed. National Institute for Occupational Safety and Health. http://www.cdc.gov/niosh/nmam/pdfs/7506.pdf. March 14, 2007.

*NIOSH. 2003. Method 7303. Elements by ICP. (Hot block/HCl/HNO3 digestion). In: NIOSH manual of analytical manual. (NMAM). National Institute for Occupational Safety and Health. http://www.cdc.gov.niosh/nmam/pdfs/7303.pdf. March 14, 2007.

*NIOSH. 2005. NIOSH pocket guide to chemical hazards. Boron oxide. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. http://www.cdc.gov/niosh/npg/. April 11, 2007.

*NIOSH. 2007. Boron compounds. International chemical safety cards (ICSCs): U.S. National Version. National Institute for Occupational Safety and Health. http://www.cdc.gov/niosh/ipcs/nicstart.html. March 14, 2007.

*NIRS. 1987. National inorganics and radionuclides survey. Distribution tables. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Drinking Water.

*NOES. 1989. National Occupational Exposure Survey. Cincinnati, OH: National Institute of Occupational Safety and Health. October 18, 1989.

*NOHS. 1989. National Occupational Hazard Survey. National Institute of Occupational Safety and Health, Cincinnati, OH. October 18, 1989.

*Nolte J. 1988. Pollution source analysis of river water and sewage sludge. Environ Technol Lett 9:857-868.

+*Nomiyama T, Omae K, Uemura T, et al. 1995. No-observed-effect level of diborane on the respiratory organs of male mice in acute and subacute inhalation experiments. Sangyo Eiseigaku Zasshi 37(3):157-160.

*Nriagu JO. 1979. Copper in the atmosphere and precipitation. In: Nriagu JO, ed. Copper in the environment. Part I: Ecological cycling. New York, NY: John Wiley and Sons, Inc., 43-67.

*NRC. 1993. Pesticides in the diets of infants and children. Washington, DC: National Research Council. National Academy Press. PB93216091.

+*NTP. 1987. National Toxicology Program--technical report series no. TR324 on the toxicology and carcinogenesis studies of boric acid (CAS No. 10043-35-3) in B6C3F1 mice (feed studies). Research

Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. NIH Publication No. 88-2580.

+*NTP. 1990. National Toxicology Program. Final report on the reproductive toxicity of boric acid in CD-1-Swiss mice. National Institute of Environmental Health Sciences. NTP Report No. 90-105.

*NTP. 1991. Final report on the developmental toxicity of boric acid (CAS No. 10043-35-3) in New Zealand white rabbits. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. PB92129550.

NTP. 1994. Final report on the CNS developmental toxicity of boric acid (CAS No. 10043-35-3) in Sprague-Dawley CD rats exposed on gestation days 6-15. Vol. 2 of 2. Research Triangle Park, NC: National Toxicology Program. PB95149407.

*NTP. 2005. Report on carcinogens. 11th ed. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. http://ntp-server.niehs.nih.gov/ntp/roc/toc11.html. March 08, 2006.

+*Nusier M, Bataineh HN. 2005. Effect of boric acid on fertility, aggressiveness and sex behaviour in male rats. Asian J Chem 17(4):2579-2588.

*Odunola OA. 1997. Individual and combined genotoxic response to boric acid and aflatoxin B1 in *Escherichia coli* PQ37. East Afr Med J 74(8):499-502.

Okay O, Guclu H, Soner E, et al. 1985. Boron pollution in the Simav River, Turkey and various methods of boron removal. Water Res 19(7):857-862.

O'Neil MJ, Smith A, Heckelman PE, eds. 2001. The Merck index. 13th ed. Whitehouse Station, NJ: Merck & Co. Inc, 223-226, 1537.

*Ordonez A, Loredo J, De Miguel E, et al. 2003. Distribution of heavy metals in the street dusts and soils of an industrial city in northern Spain. Arch Environ Contam Toxicol 44:160-170.

OSHA. 1989a. Air contaminants; Final rule. Occupational Safety and Health Administration: Part III. Fed Regist 54:2926.

*OSHA. 1989b. Method ID216SG. Boron trifluoride (BF3). Occupational Safety and Health Administration. http://www.osha.gov/dts/sltc/methods/partial/id216sg/id216sg.html. March 14, 2007.

*OSHA. 2006a. Air contaminants. Occupational safety and health standards for shipyard employment. Washington, DC: Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000. http://www.osha.gov/comp-links.html. April 11, 2007.

*OSHA. 2006b. Gases, vapors, fumes, dusts, and mists. Safety and health regulations for construction. Washington, DC: Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55, Appendix A. http://www.osha.gov/comp-links.html. April 11, 2007.

*OSHA. 2006c. Limits for air contaminants. Occupational safety and health standards. Washington, DC: Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000. http://www.osha.gov/comp-links.html. April 11, 2007.

*OSHA. 2006d. List of highly hazardous chemicals, toxics, and reactives. Occupational safety and health standards. Washington, DC: Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.119. http://www.osha.gov/comp-links.html. April 11, 2007.

*O'Sullivan K, Taylor M. 1983. Chronic boric acid poisoning in infants. Arch Dis Child 58:737-739.

OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment. OTABA438.

*Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 222-238.

*Pahl MV, Culver BD, Strong PL, et al. 2001. The effect of pregnancy on renal clearance of boron in humans: A study based on normal dietary intake of boron. Toxicol Sci 60(2):252-256.

Papachristou E, Tsitouridou R, Kabasakalis B. 1987. Boron levels in some ground waters of Halkidiki (a land at northern Aegean Sea). Chemosphere 16(2/3):419-427.

*Parks WL, White JL. 1952. Boron retention by clay and humus systems saturated with various cations. Soil Sci Soc Proc 16:298-300.

Pendleton GW, Whitworth MR, Olsen GH. 1995. Accumulation and loss of arsenic and boron, alone and in combination, in mallard ducks. Environ Toxicol Chem 14(8):1357-4017.

Penuelas J, Filella I. 2002. Metal pollution in Spanish terrestrial ecosystems during the twentieth century. Chemosphere 46:501-505.

Pfeiffer CC, Hallman LF, Gersh I. 1945. Boric acid ointment: A study of possible intoxication in the treatment of burns. J Am Med Assoc 128:266-274.

Pinto J, Huang YP, McConnell RJ, et al. 1978. Increased urinary riboflavin excretion resulting from boric acid ingestion. J Lab Clin Med 92:126-134.

Pohlandt K, Strecker M, Marutzky R. 1993. Ash from the combustion of wood treated with inorganic wood preservatives: Element composition and leaching. Chemosphere 26:2121-1228.

Price CJ, Marr MC, Myers CB, et al. 1992. Developmental toxicity of boric acid (BORA) in New Zealand white rabbits. Toxicologist 12(1):103.

+*Price CJ, Marr MC, Myers CB, et al. 1996b. The developmental toxicity of boric acid in rabbits. Fundam Appl Toxicol 34(2):176-187.

Price CJ, Navarro HA, Marr MC, et al. 1995a. Pre-and postnatal development of rats exposed to boric acid (BA) on gestational days (GD) 6 to 15. Toxicologist 15(1):160.

Price CJ, Strong PL, Marr MC, et al. 1995b. Developmental toxicity NOAEL and postnatal recovery in rats fed boric acid during gestation. J Am Coll Toxicol 14(2):173.

+*Price CJ, Strong PL, Marr MC, et al. 1996a. Developmental toxicity NOAEL and postnatal recovery in rats fed boric acid during gestation. Fundam Appl Toxicol 32:179-193.

Price CJ, Strong PL, Murray FJ, et al. 1997. Blood boron concentrations in pregnant rats fed boric acid throughout gestation. Reprod Toxicol 11(6):833-842.

+*Price CJ, Strong PL, Murray FJ, et al. 1998. Developmental effects of boric acid in rats related to maternal blood boron concentrations. Biol Trace Elem Res 66:359-372.

Proctor NH, Hughes JP, Fischman ML. 1988. Chemical hazards of the workplace. 2nd ed. Philadelphia, PA: J.B. Lippincott Company, 100.

Qafoku NP, Dudka S, Sumner ME, et al. 2001. Arsenic, boron, selenium, and molybdenum displacement and transport in a fly ash amended soil leached with calcium phosphate solution. Commun Soil Sci Plant Anal 32(9-10):1499-1512.

Quehee SS. 1994. Availability of elements in leaded/unleaded automobile exhausts, a leaded paint, a soil, and some mixtures. Arch Environ Contam Toxicol 27:145-153.

Queste A, Lacombe M, Hellmeier W, et al. 2001. High concentrations of fluoride and boron in drinking water wells in the Muenster region-results of a preliminary investigation. Int J Hyg Environ Health 203(3):221-224.

*Rai D, Zachara JM, Schwab AP, et al. 1986. Chemical attenuation rates, coefficients, and constants in leachate migration. Vol. 1. A critical review. Palo Alto, CA: Electric Power Research Institute, Research Project 2198-1.

*Rainey CJ, Nyquist LA, Christensen RE, et al. 1999. Daily boron intake from the American diet. J Am Diet Assoc 99(3):335-340.

Reddy KJ, Wang L, Gloss SP. 1995. Solubility and mobility of copper, zinc, and lead in acidic environments. Plant Soil 171:53-58.

Reimann C, De Caritat P, Halleraker JH, et al. 1997. Rainwater composition in eight arctic catchments in Northern Europe (Finland, Norway and Russia). Atmos Environ 31(2):159-170.

Reimann C, Nishavaara H, Decaritat P, et al. 1996. Regional variation of snow pack chemistry in the vicinity of nickel and Zapoljarnij, Russia, Northern Finland and Norway. Sci Total Environ 182:147-158.

*Restuccio A, Mortensen ME, Kelley MT. 1992. Fatal ingestion of boric acid in an adult. Am J Emerg Med 10(6):545-547.

*Rope SK, Arthur WJ, Craig TH, et al. 1988. Nutrient and trace elements in soil and desert vegetation of southern Idaho. Environ Monit Assess 10:1-24.

*Rosborg I, Nihlgard B, Gerhardsson L. 2003. Hair element concentrations in females in one acid and one alkaline area in southern Sweden. Ambio 32(7):440-446.

Roudabush RL, TerHaar CJ, Fassett DW, et al. 1965. Comparative acute effects of some chemicals on the skin of rabbits and guinea pigs. Toxicol Appl Pharmacol 7:559-565.

Roy WR. 1994. Groundwater contamination form municipal landfills in the USA. In: Adriano DC, ed. Contamination of groundwaters: Case studies. Northwood, UK: Scientific Review, 411-446.

*RTECS. 2007. Boron. Registry of Toxic Effects on Chemical Substances. National Institute of Occupational Safety and Health. MDL Information Systems, Inc. May 7, 2007.

Rusch GM, Hoffman GM, McConnell RF, et al. 1986. Inhalation toxicity studies with boron trifluoride. Toxicol Appl Pharmacol 83:69-78.

*Ruth JH. 1986. Odor threshold and irritation levels of several chemical substances: A review. Am Ind Hyg Assoc J 47:142-151.

Sabuncuoglu BT, Kocaturk PA, Yaman O, et al. 2006. Effects of subacute boric acid administration on rat kidney tissue. Clin Toxicol 44(3):249-253.

*Sah RN, Brown PH. 1997. Boron determination: A review of analytical methods. Microchem J 56:285-304.

*Sakata M. 1987. Relationship between adsorption of arsenic (III) and boron by soil and soil properties. Environ Sci Technol 21:1126-1130.

Sax NI. 1984. Dangerous properties of hazardous materials. 6th ed. New York, NY: Van Nostrand Reinhold Company, 512-514.

Sax NI, Lewis RJ, eds. 1987. Hawley's condensed chemical dictionary. 11th ed. New York, NY: Van Nostrand Reinhold Company, 161-165.

*Sayli BS. 1998a. An assessment of fertility in boron-exposed Turkish subpopulations. Evidence that boron has no effect on human reproduction. Biol Trace Elem Res 66:409-422.

*Sayli BS. 1998b. The sex ratio of offspring of people exposed to boron. Reprod Toxicol 12(6):673-674.

*Sayli BS. 2003. Low frequency of infertility among workers in a borate processing facility. Biol Trace Elem Res 93:19-29.

*Sayli BS, Tuccar E, Elhan AH. 1998. An assessment of fertility in boron-exposed Turkish subpopulations. Reprod Toxicol 12(3):297-304.

+*Schillinger BM, Berstein M, Goldberg LA, et al. 1982. Boric acid poisoning. J Am Acad Dermatol 7:667-673.

Schoeller F, Bolzer W. 1989. Boron - a substance of problem in the water field. Water Supply 7:169-177.

*Schou JS, Jansen JA, Aggerbeck B. 1984. Human pharmacokinetics and safety of boric acid. Arch Toxicol Suppl 7:232-235.

Schowing J, Cuevas P. 1975. Teratogenic effects of boric acid upon the chick: Macroscopic results. Teratology 12:334.

Schroeder HA, Mitchener M. 1975. Life-term effects of mercury, methyl mercury, and nine other trace metals on mice. J Nutr 105:452-458.

Scialli AR. 1993. Risk assessment uncertainties. Reprod Toxicol 7(4):295-296.

+*Seal BS, Weeth HJ. 1980. Effect of boron in drinking water on the male laboratory rat. Bull Environ Contam Toxicol 25:782-789.

Secor CL, Mills EL, Harshbarger J, et al. 1993. Bioaccumulation of toxicants, element and nutrient composition, and soft tissue histology of zebra mussels (Dreissena polymorpha) from New York State waters. Chemosphere 26(8):1559-1575.

*Setchell BP, Waites GMH. 1975. The blood-testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. Handbook of physiology: Endocrinology V. Washington, DC: American Physiological Society, 143-172.

+*Settimi L, Elovaara E, Savolainen H. 1982. Effects of extended peroral borate ingestion on rat liver and brain. Toxicol Lett 10:219-223.

Siegel E, Wason S. 1986. Boric acid toxicity. Pediatr Clin North Am 33:363-367.

Silaev AA, Kasparov AA, Korolev VV. 1977. [Ultrastructure of the spermatogenic epithelium in boric acid poisoning.] Gig Tr Prof Zabol February(2):34-47. (Russian)

*Sittig M. 1985. Handbook of toxic and hazardous chemicals and carcinogens. 2nd ed. Park Ridge, NJ: Noyes Publications, 137-142.

+*Smyth HF, Carpenter CP, Weil CS, et al. 1969. Range-finding toxicity data: List VII. Am Ind Hyg Assoc J 30:470-476.

Sobel JD, Chaim W. 1997. Treatment of Torulopsis glabrata vaginitis: Retrospective review of boric acid therapy. Clin Infect Dis 24(4):649-652.

Sopova M, Petrovska D, Musalevski A, et al. 1981. Cytogenetical and morphological effect of general toxicity caused with different concentrations of boron. Mutat Res 85:229.

SRI. 1986. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 507-509.

SRI. 1987. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 492-493.

SRI. 1988. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 488-489.

SRI. 1989. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 489.

*SRI. 2006. 2006 Directory of chemical producers. Menlo Park, CA: SRI Consulting, 486, 889.

Steering Group on Chemical Aspects of Food Surveillance. 1998. Food Surveillance Information Sheet: Lead, arsenic and other metals in food.

http://archive.food.gov.uk/maff/archive/food/infsheet/1998/no152/152sum.htm. March 23, 2007.

Steinnes E, Lukina N, Nikonov V, et al. 2000. A gradient study of 34 elements in the vicinity of a copper-nickel smelter in the Kola Peninsula. Environ Monit Assess 60(1):71-88.

*Stewart NJ, McHugh TP. 1990. B. Borates. In: Haddad LM, Winchester JF, eds. Clinical management of poisoning and drug overdose. 2nd ed. Philadelphia, PA: W.B. Saunders Company, 1447-1451.

*Stokinger HE. 1981. Boron. In: Clayton GD, Clayton FE, eds. Patty's industrial hygiene and toxicology. Vol. 2B. Toxicology. 3rd ed. New York, NY: John Wiley and Sons, 2978-3005.

*Sturgiss SN, Wilkinson R, Davison JM. 1996. Renal reserve during human pregnancy. Am J Physiol 271(40):F16-F20.

Stutz DR, Janusz SJ. 1988. Hazardous materials injuries: A handbook for pre-hospital care. 2nd ed. Beltsville, MD: Bradford Communications Corporation, 220-222.

Suedel BC, Boraczek JA, Peddicord RK, et al. 1994. Trophic transfer and biomagnification potential of contaminants in aquatic ecosystems. Rev Environ Contam Toxicol 136:21-59.

Sylvain IC, Berry JP, Galle P. 1998. Ultrastructural apoptotic lesions induced in rat thymocyes after borax ingestion. Anticancer Res 18(4A):2455-2461.

*Tagawa T, Kono K, Dote T, et al. 2000. Pharmacokinetics and effects after intravenous administration of high-dose boron to rat. Int Arch Occup Environ Health 73:S98-S100.

*Tarasenko NY, Kaspurov AA, Strongina OM. 1972. [Effect of boric acid on the generative function in males.] Gigirna Truda i Professionalyne Zabolevaniya 11:13-16. (Russian)

Taylor HE, Antweiler RC, Roth DA, et al. 2001. The occurrence and distribution of selected trace elements in the upper Rio Grande and tributaries in Colorado and northern New Mexico. Arch Environ Contam Toxicol 41:410-426.

Temple PJ, Linzon SN. 1976. Boron as a phytotoxic air pollutant. J Air Pollut Control Assoc 26:498-499.

Thai L, Hart LL. 1993. Boric acid vaginal suppositories. Ann Pharmacother 27(11):1355-1357.

*Thomas K, Colborn T. 1992. Organochlorine endocrine disruptors in human tissue. In: Colborn T, Clement C, eds. Chemically induced alterations in sexual and functional development: The wildlife/human connection. Princeton, NJ: Princeton Scientific Publishing, 365-394.

*Thompson SE, Burton CA, Quinn DJ, et al. 1972. Concentration factors of chemical elements in edible aquatic organisms. Livermore, CA: Lawrence Livermore Laboratory, Bio-Medical Division, University of California. UCRL50564REV1.

Thurman EM, Barber LB, LeBlanc D. 1986. Movement and fate of detergents in groundwater: A field study. J Contam Hydrol 1:143-161.

Tosti A, Piraccini BM, Bergfeld WF, et al. 2002. Occupational alopecia or alopecia areata. J Am Acad Dermatol 47(4):636-637.

+*Treinen KA, Chapin RE. 1991. Development of testicular lesions in F344 rats after treatment with boric acid. Toxicol Appl Pharmacol 107:325-335.

*TRI05. 2007. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Office of Environmental Information. U.S. Environmental Protection Agency. Toxics Release Inventory. http://www.epa.gov/triexplorer/. March 8, 2007

*Tsui PT, McCart PJ. 1981. Chlorinated hydrocarbon residues and heavy metals in several fish species from the Cold Lake area in Alberta, Canada. Intern J Environ Anal Chem 10:277-285.

+*Tuccar E, Elhan AH, Yaduz Y, et al. 1998. Comparison of infertility rates in communities from boron-rich and boron-poor territories. Biol Trace Elem Res 66:401-407.

+*Uemura T, Omae K, Nakashima H, et al. 1995. Acute and subacute inhalation toxicity of diborane in male ICR mice. Arch Toxicol 69(6):397-404.

U.S. Bureau of Mines. 1983. Mineral commodity summaries. Washington, DC: U.S. Bureau of Mines.

U.S. Bureau of Mines. 1988. Mineral commodity summaries. Washington, DC: U.S. Bureau of Mines.

U.S. Bureau of Mines. 1989. Mineral commodity summaries. Washington, DC: U.S. Bureau of Mines.

*USGS. 1984. Element concentrations in soils and other surficial materials of the conterminous United States. Alexandria, VA: U.S. Geological Survey. Geological Survey Professional Paper 1270.

*USGS. 1989. In: Fishman MJ, Friedman LC, eds. Techniques of water-resources investigations, Book 5, Chapter A1. Methods for determination of inorganic substances in water and fluvial sediments. Washington, DC: U.S. Geological Survey. http://pubs.usgs.gov/twri/twri5-a1/pdf/TWRI_5-A1.pdf. April 12, 2007.

*USGS. 1996a. Methods of analysis by the U.S. Geological Survey National Water Quality Laboratory-Preparation procedure for aquatic biological material determined for trace metals. Denver, CO: U.S. Geological Survey. Open-File Report 96-362. http://pubs.er.usgs.gov/usgspubs/ofr/ofr96362. March 26, 2007.

*USGS. 1996b. Methods of analysis by the U.S. Geological Survey National Water Quality Laboratory-Determination of dissolved aluminum and boron in water by inductively coupled plasma-atomic emission spectrometry. Denver, CO: U.S. Geological Survey. Open-File Report 96-149. http://pubs.er.usgs.gov/usgspubs/ofr/ofr96149. March 26, 2007.

*USGS. 1998. Methods of analysis by the U.S. Geological Survey National Water Quality Laboratory-Determination of elements in whole-water digests using inductively coupled plasma-optical emission spectrometry and inductively coupled plasma-mass spectrometry. Denver, CO: U.S. Geological Survey. Open-File Report 98-165. http://pubs.er.usgs.gov/usgspubs/ofr/ofr98165. March 26, 2007.

*USGS. 1999. Methods of analysis by the U.S. Geological Survey National Water Quality Laboratory-Determination of dissolved arsenic, boron, lithium, selenium, strontium, thallium, and vanadium using inductively coupled plasma-mass spectrometry. Denver, CO: U.S. Geological Survey. Open-File Report 99-093. http://pubs.er.usgs.gov/usgspubs/ofr/ofr99093. March 26, 2007. *USGS. 2007a. Boron. Mineral commodity studies. U.S. Geological Survey, 34-35. http://minerals.usgs.gov/minerals/pubs/commodity/boron/boronmcs07.pdf. March 14, 2007.

*USGS. 2007b. Boron. 2005 Minerals yearbook. U.S. Geological Survey, 13-1 to 13-10. http://minerals.usgs.gov/minerals/pubs/commodity/boron/boronmyb05.pdf. March 14, 2007.

*Usuda K, Kono K, Dote T, et al. 1998. Study on urine boron reference values of Japanese men: Use of confidence intervals as an indicator of exposure to boron compounds. Sci Total Environ 220(1):45-53.

Valerino DM, Soliman MR, Aurori KC, et al. 1974. Studies on the interaction of several boron hydrides with liver microsomal enzymes. Toxicol Appl Pharmacol 29:358-366.

*Vanderpool RA, Hoff D, Johnson PE. 1994. Use of inductively coupled plasma-mass spectrometry in boron-10 stable isotope experiments with plants, rats, and humans. Environ Health Perspect 102(Suppl 7):13-20.

*Van Ormer DG. 1975. Atomic absorption analysis of some trace elements of toxicological interest. J Forensic Sci 20:595-623.

Vanin AF, Kasparov AA, Matkhanov EI. 1970. [Change in the condition of the respiratory chain of microsomes during poisoning by boron and its compounds.] Biofizika 15:547-548. (Russian)

*Vaziri ND, Oveisi F, Culver BD, et al. 2001. The effect of pregnancy on renal clearance of boron in rats given boric acid orally. Toxicol Sci 60:257-263.

Veysseyre A, Moutard K, Ferrari C, et al. 2001. Heavy metals in fresh snow collected at different altitudes in the Chamonix and Maurienne Valleys, French Alps: Initial results. Atmos Environ 35:415-425.

*Viccellio P, Bania T, Brent J, et al., eds. 1998. Emergency toxicology. 2nd ed. Philadelphia, PA: Lippincott-Raven, 448-449, 470, 1141.

*Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. Eur J Biochem 238(2):476-483.

*Vignec AJ, Ellis R. 1954. Inabsorbability of boric acid in infant powder. Am J Dis Child 88:72-80.

Von Burg R. 1992. Boron, boric acid, borates and boron oxide. J Appl Toxicol 12(2):149-152.

*Waggott A. 1969. An investigation of the potential problem of increasing boron concentrations in rivers and water courses. Water Res 3:749-765.

Weast RC, ed. 1985. CRC handbook of chemistry and physics. 66th ed. Boca Raton, FL: CRC Press, Inc., B-79, B-10.

+*Wegman DH, Eisen EA, Hu X, et al. 1994. Acute and chronic respiratory effects of sodium borate particulate exposures. Environ Health Perspect (Suppl 7):102:119-128.

+*Weir RJ, Fisher RS. 1972. Toxicologic studies on borax and boric acid. Toxicol Appl Pharmacol 23:351-364.

+*Wery N, Narotsky MG, Pacico N, et al. 2003. Defects in cervical vertebrae in boric acid-exposed rat embryos are associated with anterior shifts of hox gene expression domains. Birth Defects Res A Clin Mol Teratol 67(1):59-67.

*West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. J Pediatr 32:10-18.

WHO. 1984. Guidelines for drinking water quality. Vol. 1. Recommendations. Geneva, Switzerland: World Health Organization, 52.

WHO. 1996. Trace elements in human nutrition and health. Geneva, Switzerland: World Health Organization, 175-179, 252.

*WHO. 2000. Air quality guidelines. 2nd ed. Geneva, Switzerland: World Health Organization. http://www.euro.who.int/Document/AIQ/AirQualRepMtg.pdf. March 08, 2006.

*WHO. 2004. Guidelines for drinking-water quality. Vol. 1. Recommendations. 3rd ed. Geneva, Switzerland: World Health Organization. http://www.who.int/water_sanitation_health/dwq/gdwq3/en/. March 08, 2006.

+*Whorton D, Haas J, Trent L. 1994. Reproductive effects of inorganic borates on male employees: Birth rate assessment. Environ Health Perspect Suppl 102(7):129-132.

*Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advanced treatise. Vol. II: The elements. Part A. New York, NY: Academic Press, 1-247.

+*Wilding JL, Smith WJ, Yevich P, et al. 1959. The toxicity of boron oxide. Am Ind Hyg Assoc J 20:284-289.

Wind T, Werner U, Jacob M, et al. 2004. Environmental concentrations of boron, LAS, EDTA, NTA and triclosan simulated with GREAT-ER in the river Itter. Chemosphere 54(8):1135-1144.

Windholz M, Budavari S, Blumetti RF et al., eds. 1983. The Merck index: An encyclopedia of chemicals, drugs, and biologicals. 10th ed. Rahway, NJ: Merck and Company, Inc., 186-187.

Wolny M. 1977. Effect of borate on the catalytic activities of muscle glyceraldehyde-3-phosphate dehydrogenase. Eur J Biochem 80:551-556.

Wong JM. 1984. Boron control in power plant reclaimed water for potable reuse. Environ Prog 3(1):5-11.

+*Wong LC, Heimbach MD, Truscott DR, et al. 1964. Boric acid poisoning: Report of 11 cases. Can Med Assoc J 90:1018-1023.

Woskie SR, Eisen EE, Wegman DH, et al. 1998. Worker sensitivity and reactivity: Indicators of worker susceptibility to nasal irritation. Am J Ind Med 34(6):614-622.

*Woskie SR, Shen P, Eisen EA, et al. 1994. The real-time dust exposure of sodium borate workers: Examination of exposure variability. Am Ind Hyg Assoc J 55(3):207-217.

+*Yoshizaki H, Izumi Y, Hirayama C, et al. 1999. Availability of sperm examination for male reproductive toxicities in rats treated with boric acid. J Toxicol Sci 24(3):199-208.

Young EG, Smith RP, MacIntosh OC. 1949. Boric acid as a poison: Report of six accidental deaths in infants. Can Med Assoc J 61:447-450.

*Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. Pediatr Res 12(1):29-34.