

### ew Product Highlights

GSA Global Supply has something new just for you!

#### Ergo Gel Keyboard ▶

Ergo Gel Keyboard and Monitor Platform – Holds up to 21" monitors and CPUs, this fully-assembled system is designed for the desktop. Strong steel construction holds up to 21" monitors and CPUs on top of platform. The

ball-bearing, roll-out keyboard track drawer accommodates larger and ergonomic keyboards. Drawer also features flip-up gel wrist rest for pencil storage, built-in cable management, and mouse storage.

Order # OS1-E645014837837

**Price** \$52.72



Anti-Glare Screen - 14" to 17". Reduces glare by up to 99%; relieves eye strain. Antiradiation blocks virtually all potentially harmful ELF and VLF e-field radiation. Easy installation; uses no adhesives. Conductive wire dissipates static, protecting computer by eliminating dust build-up.

Order # OS1-E645014837840

**Price** \$52.50



Mixmedia Tower – Holds 20 CDs or DVDs. All 20 slots store CDs or ZIP disks. Extra storage slots on top for in-use media. Patented slots align front edges of all types of

Order # OS1-S745014837842



#### **CD** Jewel Case **A**

CD Jewel Cases – 5/Pack. Replacement jewel case accommodates and protects CDs and DVDs. Perfect for replacement or CD-Rs purchased without a case. Gold tone adds color, distinction, and elegance to media storage.

Order # OS1-S745014839271 Price \$3.62 PK (contains 5 EA)

#### Writing Pads ▼

100% recycled green perforated pad features leatherette tape-bound top stamped with "SKILCRAFT" and the recycled logo. Chlorine-free process with 100% postconsumer recycled materials. 5/16" ruled with double line. 50 sheets per pad. 20 lb.

basis weight. NSN 7530-01-516-9629

**Size** 5" x 8"

**Price** \$11.90 DZ

NSN 7530-01-516-9627

**Size** 8.5" x 11.75"

**Price** \$22.78 DZ

NSN 7530-01-516-9626

**Size** 8.5" x 14"

Price \$10.98 DZ

Got more disks than you know what to do with? We can help you find the perfect storage solution.

#### Comb

Style hair easily with this plastic comb. Features half-coarse and half-fine teeth. Comes individually wrapped. Barber's-type comb.

NSN 8530-01-293-1384

Color Black

**Length** 6-3/4 to 7-1/2"

Price \$45.78 BX (contains 144 EA)

#### **Toothbrush**

Good hygiene starts with this plastic-handled brush with soft nylon bristles. Features a slightly tapered head and is designed for everyday use. Each toothbrush is individually wrapped. Straight handle. Child-size brush measures 5-3/8" long.

NSN 8530-01-293-1388

**Price** \$35.64 BX (contains 144 EA)

#### **Butcher Knife**

Butcher's knife has an 8" stainless steel blade sharpened with a taper grind. The plastic handle is of one-piece construction. Type XII.

NSN 7340-00-205-3335

Price \$48.55 BX (contains 6 EA)

#### Cook's Knife

Knife has a stainless steel blade with plastic handle. 12" blade. Type IV.

NSN 7340-00-223-7771

Color Black handle

Length 17" overall

Price \$60.11 BX (contains 6 EA)

#### **Ironing Board Pad ▼**

Fiber pad has a foam plastic backing and allaround cotton binding. For use on standard household ironing boards.

NSN 7290-00-633-9124

**Dimension** 54" x 14-1/4"

**Price** \$5.73 EA



Ironing board cover provides a smooth, nonslip vsurface for ironing. Envelope-type cover fits standard-size ironing board (52-1/2" x 13" to 54-1/2" x 15") and tapers at the end. Secures with elastic binding, tie cord, or tie tape. Made of 100% cotton sheeting.

NSN 7290-00-946-7905

**Price** \$6.42 EA





#### Slicing Knife ▼

Slicing vegetables and fruit is a breeze with this knife. With a 6"-long stainless steel blade and a plastic handle.

Type XIV. Dispersion of the state of the sta

NSN 7340-00-680-2758

Price \$32.18 BX (contains 6 EA)



#### **Griddle Cleaning System V**

Quick Clean Griddle System Kit. Scotch-Brite starter kit No. 710; kit contains (10) 32-ounce packets of Quick Clean Liquid, NSN 7930-01-487-6098;

(1) multi-purpose pad holder, NSN 7920-01-487-5023;

(10) griddle polishing pads No.46,

NSN 7920-01-891-7537; (1) squeegee,

NSN 7920-1-487-5024; size 14.2" x 21.2" x 2.9".

Kit includes an instructional video to demonstrate the proper use of the Scotch Brite Quick Clean System. Replacement Quick Clean Liquid available in (1) quart containers. NSN 7930-01-488-5450. D

NSN 7930-01-487-6099

Price \$79.11 KT



#### Squeegee Blade

Rubber squeegee blade, Scotch-Brite Squeegee No. 410, specially designed for use with Scotch-Brite "Quick Clean Griddle System." Flexible, heat-resistant 7-inch rubber blade is attached to a long handle for safe removal of liquid residue from griddle surface to grease trap. Blade size is 7.875" x 0.187"; handle 17.075" long. D Javits-Wagner-O'Day

NSN 7920-01-487-5024

**Price** \$21.29 EA



#### **◄ Liquid Griddle Cleaner**

Liquid cleaner Scotch-Brite. Safe for use on food contact surfaces; loosens and lifts carbonized grease and food soil upon contact on hot griddle for easy removal; contains no strong chemical odors or irritating fumes. DD Javits-Wagner-UDDA

NSN 7930-01-487-6098

Size 3.2-oz. packet

Price \$68.78 BX (contains 60 EA)

NSN 7930-01-488-5450

Size 1-quart container

Price \$50.22 BX (contains 4 EA)



#### **◀ All-Purpose Cleaner**

Power Green is a biodegradable, nonabrasive, nonflammable and pH-balanced cleaner/degreaser. It safely removes grease, oil, and dirt while meeting today's safety and environmental standards. This multi-purpose cleaner/degreaser easily cuts most greases, oils, tar, and dirt from bare and painted surfaces. It is safe for cleaning woodwork, furniture, kitchen appliances, and bathroom fixtures. It cleans and freshens naturally and economically. Biodegradable per EPA/OECD test methods. 36-month maximum shelf life (extendable).

NSN 7930-01-373-8849 NSN 7930-01-373-8848

Size 22-oz. trigger spray bottle Size 1-gallon

**Price** \$189.65 BX (contains 24 EA) **Price** \$86.71 BX (contains 6 EA)

NSN 7930-01-373-8845 NSN 7930-01-373-8844

Size 5-gallons Size 55-gallon

Price \$65.00 CN (contains 5 GL) Price \$435.62 DR (contains 55 GL)

#### **S**ponge ▶

This durable and absorbent sponge is intended for general cleaning with commercial detergents, soaps, and cleaning agents. Soft and pliable when wet, sponge is made of regenerated cellulose.

Fine-textured, uncompressed form may be used for photographic purposes.

NSN 7920-00-633-9905 NSN 7920-00-633-9906

Color Natural Color Natural

**Size** 2-3/4" x 4-3/8" x 7/8" **Size** 4-1/4" x 6-1/2" x 2-1/8"

Price \$38.74 BX (contains 60 EA) Price \$104.30 BX (contains 60 EA)

Uncompressed form has coarse pores. DD Javis-Wagner-O'Day

NSN 7920-00-633-9928

Color Natural

**Size** 2-3/4" x 4-3/8" x 1-3/8"

Price \$38.74 BX (contains 60 EA)



#### **Pad Holder**

Scotch-Brite multi-purpose pad holder No. 400. Designed to hold a variety of Scotch-Brite hand pads, including the No. 46 pad (NSN 7920-00-891-7537); includes a 12" handle, which is at a 45-degree angle for constant pressure while keeping hands from heat and food soil. Beacon Lighthouse Inc., 7920-00-NIB-0415.

NSN 7920-01-487-5023

**Price** \$22.69 EA

#### **Electronic Torque Wrenches**

Electronic torque wrenches are designed for the professional technician. Features a comfortable, non-slip handle and is designed to withstand shock without failure. Flex-head ratchet moves 15 degrees in both directions; easy-to-use as each button has only one function. LCD Low Battery Indicator; Auto Shut-off after 2 minutes idle; Runs on 3 AA batteries (included); Furnished in a carrying case. ASME B107.28M.

Square drive: 1/2"; Torque range: 25-250 ft. lb. (33.9-339 Nm, 300-3000 in. lb.); Increments: 1 ft. lb. (setting display)

(1 Nm, 1 in. lb.). Overall length: 26".

NSN 5130-01-514-7767 Price \$346.00 EA

Square drive: 3/8"; Torque range: 5-100 ft. lb. (6.7-135 Nm, 60-1200 in. lb.); Increments; 1 ft. lb. (setting display) (n Nm, 1 in. lb.). Overall length: 17-1/4".

NSN 5130-01-514-7768 Price \$346.00 EA

#### **Combination Box and Open End** Wrench Set

The Safe-T-Drive system has special stop-tabs that are manufactured on every other groove within the 12-point box end. When the six corners of a bolt are aligned in these grooves, the tabs keep the fastener from passing through the box end. This gives positive and safe control of the fastener especially in high leverage situations. The wrench can be rotated one groove to allow fastener to pass through. Furnished in a plastic tray. This set contains 7 combination wrenches in the following sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4". Tanner Tools LLC P/N TTL-TW-7ST. DD

NSN 5120-01-515-0449 **Price** \$94.18 SET

#### **Ratchet Wrench** (Side Terminal Battery Wrench)

This compact ratcheting tool is used to remove side-mounted battery cables in tight places on all General Motors vehicles. It also fits the brake bleeder screw on many vehicles. The high impact polymer handle is comfortable to hold and has a convenient ring hanger. It has a 5/16", 6-point socket made of forged and hardened steel. The wrench has been tested to 120 ft. lbs. of torque. Ratchkey Corp P/N AK-3. Length: 4".

NSN 5120-01-515-4561 **Price \$5.00 EA** 

#### **Combination Metric Wrench Set**

The Safe-T-Drive system has special stop-tabs that are manufactured on every other groove within the 12-point box end. When the six corners of a bolt are aligned in these grooves, the tabs keep the fastener from passing through the box end. This gives positive and safe control of the fastener especially in high leverage situations. The wrench can be rotated one groove to allow fastener to pass through. Furnished in a plastic tray. This set contains 10 combination wrenches in the following Metric sizes: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, and 19mm.

NSN 5120-01-515-0451 Price \$142.90 SET



#### ▲ Tap Rethreading Set

This 52-piece set is an industrial quality, professional grade, internal and external thread repair tools in American Standard and Metric sizes. The set includes: Tap Sizes: Standard-NC - 1/4-20", 5/16-18", 3/8-16", 7/16-14", 1/2-13", 9/16-12"; NF - 1/4-28", 5/16-24", 3/8-24", 7/16-20", 1/2-20", 9/16-18". Metric- 6mm-1.00, 8mm-1.25, 10mm-1.00, 100mm-1.25, 10mm-1.50, 11mm-1.50, 12mm-1.25, 12mm-1.50, 12mm-1.75, 14mm-1.50. Hexagon Split Die Sizes: Standard-NC - 1/4-20", 5/16-18", 3/8-16", 7/16-14", 1/2-13", 9/16-12", 5/8-11"; NF- 1/4-28", 5/16-24", 3/8-24", 7/16-20", 1/2-20", 9/16-18", 5/8-18". Metric- 6mm-1.00, 8mm-1.25, 10mm-1.00, 10mm-1.25, 10mm-1.50, 11mm-1.50, 12mm-1.25, 12mm-1.50, 12mm-1.75, 14mm-1.50. US Thread File 11-24" with handle; American and Metric Gorilla thread pitch gauges; 10 small SPAK-S springs; 4 medium SPAK-M springs; 4 medium and 10 small extra springs. Provided in a molded plastic case with position slots for each component. Four Star Products, Inc. P/N C5203.

NSN 5136-01-513-6996

Price \$671.89 SET

A job well done is all in the details.
Get all the equipment parts you need from GSA Global Supply.

MarkeTips November/December GSA Global Supply | 57

#### **Socket Wrench Holders**

Provides convenient storage of sockets. Push-button, spring-loaded clips provide for quick, easy release of sockets. Extruded aluminum socket rails are light-weight and durable. Detent ball at bottom of clip permits clip to easily be positioned on the rail.

Contains 12 clips for 3/8" square drive sockets Length: 10.38".

NSN 5140-01-514-7775

Price \$19.99 EA

Contains 6 clips for 1/4" square drive sockets. Length: 7-1/4".

NSN 5140-01-514-7758

Price \$16.99 EA

#### Adjustable Wrench

Designed for heavy industrial use. Jaw capacity: 3" (77mm); fixed jaw and handle are forged in one piece to ensure maximum strength. SAE and Metric scales on fixed jaw indicate wrench opening. Has a side adjusting nut, which provides smoother operation and allows greater jaw opening with a minimum of jaw play. The wrench is balanced to minimize wrist stress. Contains a hole on the end of the handle for tether or hanging. Length: 30".

NSN 5120-01-514-7769

**Price** \$196.00 EA

#### Radiator Hose Pick Set

Six-piece set has chrome-plated blades that resist corrosion and provide for easy cleanup. The soft-grip handles provide comfortable sure gripping surface. Specially designed blade shape and length ensure access in tight or difficult-to-reach areas. Set consists of the following Snap-On P/N's: P/N Blade Length Overall Length SGA1712 11.01" 15.91" SGA1710 11.66" 16.56" SGA1711 10.89" 15.79" SGA174 4.94" 9.84" SGA175 4.61" 9.51" SGA173 5.43" 10.33". DD

NSN 5120-01-514-7764

Price \$119.85 SET



## ission Essentials

GSA Global Supply is the source for your Mission essential product needs.

#### **▼** Polaroid Camera

One Step Express Box Camera, hand-held, focus-free operation with a close-up option for subjects between




2 ft. and 4 ft. Automatic builtin electronic flash, frames remaining window, light/dark control, adjustable hand strap for easy comfortable handling. Includes camera case. Use Polaroid Type 600 or 779 film.

NSN 6720-01-452-6932

Price \$44.45 EA

#### **▼** Polaroid Film

Polaroid 600 Platinum, high definition instant processing color film. Fits all Polaroid JobPro, Onestep Flash, One Step Express, Impulse, CoolCam, and 600BE, EMS cameras and Photo Magic systems. Exposure type is daylight. Brighter colors and faster developing. Type 600. ISO 640 color print. Two packs of 10 each. 9-month maximum shelf life (not extendable).



Price \$23.37 PG (contains 20 EX)




▶ Professional, instant color film is intended for cameras using 600 high-definition film. High-speed, medium-contrast film is ideal for photomicrography, general business documentation, crime scene investigation, medical imaging, and professional photography. Type 779 (high speed). 9-month maximum shelf life (not extendable).

NSN 6750-01-461-4800

**Size** 10 exposures

Price \$10.65 PG (contains 10 EA)



MarkeTips November/December GSA Global Supply | 59

#### **▼** Single Use Camera, Ferrania Imaging

The Ferrania Imaging Technologies system 800, singleuse, daylight 35mm camera with color print film. 24-month maximum shelf life (not extendable).



NSN 6720-01-400-1111 **Size** 27 exposures **Price** \$3.94 EA



Ferrania Imaging Technologies system 800

single-use, 35mm camera with flash and color print film. 24-month maximum shelf life (not extendable).

NSN 6720-01-400-1131

Size 27 exposures


**Price** \$5.66 EA

#### **▼ Color Print Film (Kodak Gold)**

Eastman Kodak 35mm color print film. Designed for use in bright light. Produces rich vibrant colors. ASA 100. 12-month maximum shelf life (not extendable).

NSN 6750-01-354-0676

Price \$3.21 RO (contains 24 EX)



NSN 6750-01-353-9720

Price \$3.82 RO (contains 24 EX)





NSN 6750-01-464-0250

Price \$3.99 RO (contains 24 EX)



35mm color print film. ASA 200. Unit of issue is (Each), this is a package of 5 rolls that have 24 exposures per roll for a total of 120 exposures. 12-month maximum shelf life (not extendable).

NSN 6750-01-500-6973

Size 24 exposures

Price \$8.26 EA (contains 5 rolls)

35mm color print film. ASA 400. Unit of issue is (Each), this is a package of 5 rolls that have 24 exposures per roll for a total of 120 exposures. 12-month maximum shelf life (not extendable).

NSN 6750-01-500-6971

**Price** \$9.99 EA

# Toilet Paper

▶ Jumbo single-ply toilet tissue comes in compressed rolls. Consists of unperforated single sheets wound around a core. White. Length: 4,500 feet.

NSN 8540-01-378-6218

Price \$24.19 1 BX (contains 6 EA)





■ Two-ply toilet tissue comes in uncompressed rolls. Consists of perforated sheets wrapped around a core. Individually wrapped. Contains 30% recovered material, which includes 30% postconsumer material.

NSN 8540-01-380-0690

Price \$38.41 BX (contains 96 EA)

# Paper Towels

► Heavyweight paper towels are designed for use in bathroom dispensers.

Single-fold towels may be used in a variety of dispensers. Minimum

surface area: 99 sq. in.; Fold depth: 5-1/2". For use with Paper Towel Dispenser NSN 4510-00-224-8549

Width: 9-1/4". Contains 40% postconsumer material.

NSN 8540-00-262-7178

Price \$21.45 1 BX (contains 4000 EA)

■ Natural in color. BX of 12 Rolls. Size: 7-7/8" x 400 feet.

NSN 8540-01-462-5333

Price \$23.76 1 BX (contains 12 EA)

GSA GLOBAL SUPPLY | 61 MARKETIPS NOVEMBER/DECEMBER



Hand-operated heavy-duty steel cutter with forward cutting action. Comfortable grips and handle stops prevent pinching of operator's hand. Has two hardened steel cutting jaws with tapered ends. Flattened bottom jaw slides under strapping. Cuts strapping up to 2" wide and 0.050" thick. Corrosioninhibiting finish. Weighs 8 lb.

NSN 5110-00-223-6281

Price \$81.52 EA

#### **Bolt Cutter (Center Cut)** ▶

Cutter for bolts, rivets, and steel rods gives a center cut. Has an adjustable, rigid, two-jaw head. Removable jaws have rounded cutting edges and are made of hardened tool steel. Shearing occurs above the surface of the head. Dual lever-arm steel handles have toggle or geared action. Adjustments compensate for jaw wear. Rubber bumper or lock-screw stops eliminate pinching the operator's hands. CID A-A-3047. Capacity: 3/8".

NSN 5110-00-224-7064

**Price** \$82.21 EA

#### **▼ Cable Cutter (Groping Hook Guide)**


Compound-lever-type cable cutter has rigid heads and center-cut style. The jaws can be removed for sharpening or replacement. Adjustment compensates for wear. Rubber stops prevent pinching. Insulated handles protect operator from high voltages (up to 5000v). Groping hook guide consists of a double hook extending 1-7/8" beyond the cutting head. Cutting capacity is 3/8"; overall length is 20-1/2". MIL-C-3958. Length: 20-1/2".



#### Cable Stripper ▼

The stripper has a 3/8" to 1-1/2"-diameter cable capacity for use on armored and unarmored electrical cable sheath. Neatly removes insulation up to 1/8" thick without damaging conductors. Stripper is equipped with adjustable toggle handle, adjustable locking handle, cable rest, and adjustable cutting mechanism. Cutter has replaceable blade and a positive locking depth adjustment. Body frame is made of forged or pressed steel. The cutting blades shall have a sufficient number of adequately spaced grooves to accommodate the range of wire sizes specified.





#### Air Hammer (Riveting) ▼

Portable riveting hammer can be used in the aircraft or fabrication industry. Has teasing throttle for precise control and accommodates a 0.401" shank. Has a pistol-grip handle with 1/4" NPT air inlet thread and operates on 90 psig. Furnished with a beehive retainer and operating and maintenance instructions. Hammer has 1/4" cold rivet capacity in aluminum. Delivers 1,300 to 1,800 blows per minute. Bore diameter is 1/2" or 9/16", with a 4" to 5-1/2" stroke. Measures 8-3/4" long. Length: 8-3/4".

NSN 5130-00-241-3483

Price \$192.29 EA



#### **▼ Pneumatic Drill**

Air-powered, portable drill is for drilling holes in mild steel and wood, or for use with various accessories. Has a three-jaw chuck. Operating pressure is 90 psig. Air inlet connection is 1/4" NPT. Furnished with operating and maintenance instruction. Nonreversible drill has a pistolgrip handle. Maximum no-load speed is 1,000 rpm. Chuck size: 1/4".


NSN 5130-00-720-0551

Price \$210.42 EA

#### Sealant Gun (Pneumatic)

The air operated production aircraft sealant gun is capable of dispensing aircraft fuel tank and wing sealant compounds, filleting mastics, and other similar materials. The tool is self-contained and hand held. Consists of air-actuating cylinder, 12-oz refillable sealant container, single-shot trigger, and injection nozzle. Operates on 75 to 125 psi of air pressure. Weighs 14 lbs. Comes with a manual accessory list, parts list, and manufacturer's standard equipment.

**NSN** 5130-00-345-1179 **Price** \$1335.15 EA



#### Sealant Gun (Pneumatic) ▼

Air-operated gun is for dispensing sealant prepackaged in a Semco 6-oz polyethylene cartridge equipped with the Semco plugged wiper plunger. Gun cap is threaded to accept 1/8" pipe thread needle nozzle or zerk-type connector. Ram rod measures 3/16" in diameter. Gun is trigger actuated and operates at 100 psi of air pressure.

NSN 5130-00-677-7439

Price \$1313.10 EA



#### **◄ Rivet Shaver**

Portable pneumatic single rotation rivet shaver cleanly and precisely shaves aluminum, aluminum alloy, copper, brass, and mild steel rivets with diameters up to 3/4". Shaver has a pistol-grip handle and stabilizer. Skirt and cutter size capacities are 5/16" to 3/4". Depth of cut adjustments are in increments of 0.001". Operating pressure is 90 psig and air inlet connection is 1/4" NPT. Furnished with seven cutters and seven skirts in the following sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" and 3/4". Carrying case and operating maintenance instructions are included. A-A-58066.

NSN 5130-00-621-2647

Price \$569.25 EA

#### **Epoxy Ship Paint**

Epoxy-polyamide finish coat protects bilges, tanks, exterior underwater hulls, and other components of a ship. The hard, durable and chemically resistant coating is appropriate for sandblasted steel, aluminum, or fiberglass surfaces. Resistant to water immersion and solvents. Nonporous. Dries to a semigloss finish. Apply by spray or brush. Kit consists of equal quantities of components A and B. MIL-DTL-24441. Type III. Three coat system. Maximum VOC: 340 g/L; 2.8 lbs/gal. Dark Gray-Ro=1.8. Part A: 1 gal.; Part B: 1 gal.

NSN 8010-01-350-4744

Price \$49.65 KT

Choose from more than 120,000 products that will help you meet your requirements. Check out our complete inventory of office, janitorial, industrial, fire, safety, and outdoor equipment, tools and hardware, and more at www.GSAglobalsupply.gsa.gov.

#### Fuel Tank Anti-Corrosion Coating ▶

Polyurethane coating protects integral aircraft fuel tanks against corrosion from fuel contamination. Resistant to hydrocarbons and salt spray, coating may be used in temperatures ranging from -65 to +250°F. Also suitable for use where air pollution regulations are in effect. Kit consists of separately packaged base, curing agent, and thinner. For brush or spray application. AMS-C-27725, replaces MIL-C-27725. Type I - VOC less than 420 g/L.

NSN 8030-00-062-8449

**Price** \$169.87 (contains 2 GL)



#### **Heat-Resistant Paint** ▶

For use on heated steel surfaces such as superheated steam lines, rocket launchers, boiler castings, drums, and heaters. This aluminum paint resists water, hydrocarbons, salt spray, and weather. Dries to the touch in one hour and is hard in three hours. Applied by brush or spray; may be baked. Withstands continuous temperatures up to 1,200°F. (Formerly TT-P-28) MPI. Intended Use Standard #22. Type I - VOC not to exceed 420 grams per liter (g/L). TPD 1000A. Color Aluminum.

NSN 8010-01-344-5120

Price \$243.57 CN (contains 5 GL)



# Special Save 25% Measuring Tape (Long Steel)

For general-purpose distance measuring. Long steel tape is housed in a round, steel, vinyl-covered case (unless otherwise specified). Tape blades feature easy-to-read markings on either a plated, epoxy-coated or black, etched blade. All tapes include a pop-open folding handle for quick, easy rewinding. Tape features English and metric markings. Graduations are 100ths, 10ths and centimeters, plated blade and finger ring. Ribbon shall have a blank space at each end. Length: 100 feet; Width: 3/8".

NSN 5210-00-245-0786 Originally \$51.68 EA Now only \$38.76 EA





MarkeTips November/December GSA Global Supply | 65