

FETAL DEATH DOCUMENTATION TABLE 9
FETAL DEATHS WITH SELECTED OBSTETRIC PROCEDURES BY AGE AND RACE OF MOTHER:
TOTAL OF 48 REPORTING STATES AND THE DISTRICT OF COLUMBIA, 2001

(FETAL DEATHS INCLUDE ONLY THOSE WITH STATED OR PRESUMED PERIOD OF GESTATION OF 20 WEEKS OR MORE;
SEE TECHNICAL APPENDIX FOR A LISTING OF REPORTING AREAS SEE TECHNICAL APPENDIX)

OBSTETRIC PROCEDURE AND RACE OF MOTHER	ALL FETAL DEATHS ¹	OBSTETRIC PROCEDURE REPORTED							OBSTETRIC PROCEDURE NOT REPORTED	NOT STATED
		AGE OF MOTHER								
		ALL AGES	UNDER 20 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-54 YEARS		
ALL RACES ²										
AMNIOCENTESIS.....	26,070	1,914	175	318	383	456	441	141	22,663	1,493
ELECTRONIC FETAL MONITORING.....	26,070	7,010	1,302	1,706	1,698	1,378	748	178	17,567	1,493
INDUCTION OF LABOR.....	26,070	8,917	1,498	2,140	2,136	1,844	1,035	264	15,660	1,493
STIMULATION OF LABOR.....	26,070	2,219	387	575	527	417	251	62	22,358	1,493
TOCOLYSIS.....	26,070	909	148	231	203	190	119	18	23,668	1,493
ULTRASOUND.....	26,070	14,665	2,531	3,559	3,454	2,968	1,729	424	9,912	1,493
WHITE										
AMNIOCENTESIS.....	17,433	1,508	126	244	296	367	354	121	14,974	951
ELECTRONIC FETAL MONITORING.....	17,433	4,609	760	1,085	1,137	992	515	120	11,873	951
INDUCTION OF LABOR.....	17,433	6,326	962	1,455	1,559	1,383	761	206	10,156	951
STIMULATION OF LABOR.....	17,433	1,512	253	365	366	304	175	49	14,970	951
TOCOLYSIS.....	17,433	611	93	155	131	138	83	11	15,871	951
ULTRASOUND.....	17,433	9,959	1,533	2,325	2,401	2,154	1,229	317	6,523	951
BLACK										
AMNIOCENTESIS.....	7,449	303	47	62	61	56	63	14	6,697	449
ELECTRONIC FETAL MONITORING.....	7,449	2,147	521	582	480	325	196	43	4,853	449
INDUCTION OF LABOR.....	7,449	2,182	518	618	446	339	215	46	4,818	449
STIMULATION OF LABOR.....	7,449	626	127	193	142	94	60	10	6,374	449
TOCOLYSIS.....	7,449	268	54	70	60	43	35	6	6,732	449
ULTRASOUND.....	7,449	4,101	945	1,139	873	650	410	84	2,899	449

¹ Total number of fetal deaths to residents of areas reporting specified medical risk factors.

² Includes races other than white and black.

FETAL DEATH DOCUMENTATION TABLE 10
 FETAL DEATHS WITH SELECTED COMPLICATIONS OF LABOR AND/OR DELIVERY BY AGE AND RACE OF MOTHER:
 TOTAL OF 48 REPORTING STATES AND THE DISTRICT OF COLUMBIA, 2001
 (FETAL DEATHS INCLUDE ONLY THOSE WITH STATED OR PRESUMED PERIOD OF GESTATION OF 20 WEEKS OR MORE; SEE TECHNICAL APPENDIX.
 FOR A LISTING OF REPORTING AREAS SEE TECHNICAL APPENDIX.)

COMPLICATION AND RACE OF MOTHER	COMPLICATION REPORTED										COMPLICATION NOT REPORTED	NOT STATED
	AGE OF MOTHER											
	ALL FETAL DEATHS ¹	ALL AGES	UNDER 20 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-54 YEARS			
ALL RACES ²												
FEBRILE	25,939	1,247	144	292	312	294	160	43	2	22,739	1,953	
MECONIUM MODERATE/HEAVY.....	25,939	1,221	138	313	279	263	172	53	3	22,765	1,953	
PREMATURE RUPTURE OF MEMBRANE.....	25,939	1,924	233	454	428	447	289	65	8	22,062	1,953	
ABRUPTIO PLACENTA.....	25,939	2,102	309	601	475	418	236	56	7	21,884	1,953	
PLACENTA PREVIA.....	25,939	181	33	37	52	37	19	3	-	23,805	1,953	
OTHER EXCESSIVE BLEEDING.....	25,939	458	66	114	88	104	66	19	1	23,528	1,953	
SEIZURES DURING LABOR.....	25,939	26	4	6	6	5	4	1	-	23,960	1,953	
PRECIPITOUS LABOR.....	25,939	420	64	109	82	96	48	21	-	23,566	1,953	
PROLONGED LABOR.....	25,939	186	21	41	42	36	34	11	1	23,800	1,953	
DYSFUNCTIONAL LABOR.....	25,939	145	17	36	34	32	17	8	1	23,841	1,953	
BREECH/MALPRESENTATION.....	25,939	3,004	453	724	663	614	418	116	16	20,982	1,953	
CEPHALOPELVIC DISPROPORTION.....	23,763	63	5	14	17	16	8	3	0	21,784	1,916	
CORD PROLAPSE.....	25,939	406	77	81	95	76	59	15	3	23,580	1,953	
ANESTHETIC COMPLICATIONS.....	23,763	18	5	-	1	7	3	2	0	21,829	1,916	
FETAL DISTRESS.....	23,763	480	70	112	105	101	74	16	2	21,367	1,916	

FETAL DEATH DOCUMENTATION TABLE 10
 FETAL DEATHS WITH SELECTED COMPLICATIONS OF LABOR AND/OR DELIVERY BY AGE AND RACE OF MOTHER:
 TOTAL OF 48 REPORTING STATES AND THE DISTRICT OF COLUMBIA, 2001
 (FETAL DEATHS INCLUDE ONLY THOSE WITH STATED OR PRESUMED PERIOD OF GESTATION OF 20 WEEKS OR MORE; SEE TECHNICAL APPENDIX.
 FOR A LISTING OF REPORTING AREAS SEE TECHNICAL APPENDIX.)

COMPLICATION AND RACE OF MOTHER	COMPLICATION REPORTED										COMPLICATION NOT REPORTED	NOT STATED
	AGE OF MOTHER											
	ALL FETAL DEATHS ¹	ALL AGES	UNDER 20 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-54 YEARS			
WHITE												
FEBRILE.....	17,354	774	84	176	201	189	102	20	2	15,306	1,274	
MECONIUM MODERATE/HEAVY	17,354	887	94	219	204	196	133	39	2	15,193	1,274	
PREMATURE RUPTURE OF MEMBRANE	17,354	1,070	139	231	218	262	173	39	8	15,010	1,274	
ABRUPTIO PLACENTA.....	17,354	1,304	166	366	304	268	155	42	3	14,776	1,274	
PLACENTA PREVIA.....	17,354	129	23	23	38	30	13	2	-	15,951	1,274	
OTHER EXCESSIVE BLEEDING.....	17,354	288	37	67	53	75	39	17	-	15,792	1,274	
SEIZURES DURING LABOR.....	17,354	12	3	3	3	-	2	1	-	16,068	1,274	
PRECIPITOUS LABOR.....	17,354	258	35	67	50	63	28	15	-	15,822	1,274	
PROLONGED LABOR.....	17,354	139	16	27	34	29	22	10	1	15,941	1,274	
DYSFUNCTIONAL LABOR	17,354	106	11	21	27	24	15	8	-	15,974	1,274	
BREECH/MALPRESENTATION.....	17,354	1,942	273	450	420	438	270	80	11	14,138	1,274	
CEPHALOPELVIC DISPROPORTION.....	15,637	47	4	9	11	13	8	2	-	14,350	1,240	
CORD PROLAPSE.....	17,354	273	50	53	61	55	42	9	3	15,807	1,274	
ANESTHETIC COMPLICATIONS.....	15,637	11	5	-	-	2	3	1	-	14,386	1,240	
FETAL DISTRESS.....	15,637	359	46	84	72	87	56	13	1	14,038	1,240	

FETAL DEATH DOCUMENTATION TABLE 10
 FETAL DEATHS WITH SELECTED COMPLICATIONS OF LABOR AND/OR DELIVERY BY AGE AND RACE OF MOTHER:
 TOTAL OF 48 REPORTING STATES AND THE DISTRICT OF COLUMBIA, 2001
 (FETAL DEATHS INCLUDE ONLY THOSE WITH STATED OR PRESUMED PERIOD OF GESTATION OF 20 WEEKS OR MORE; SEE TECHNICAL APPENDIX.
 FOR A LISTING OF REPORTING AREAS SEE TECHNICAL APPENDIX.)

COMPLICATION AND RACE OF MOTHER	COMPLICATION REPORTED										COMPLICATION NOT REPORTED	NOT STATED
	AGE OF MOTHER											
	ALL FETAL DEATHS ¹	ALL AGES	UNDER 20 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-54 YEARS			
BLACK												
FEBRILE.....	7,387	419	59	106	91	92	49	22	-	6,414	554	
MECONIUM, MODERATE/HEAVY.....	7,387	275	44	82	55	48	34	11	1	6,558	554	
PREMATURE RUPTURE OF MEMBRANE	7,387	795	90	216	195	165	106	23	-	6,038	554	
ABRUPTIO PLACENTA.....	7,387	738	142	228	155	131	72	8	2	6,095	554	
PLACENTA PREVIA.....	7,387	47	10	14	11	7	5	-	-	6,786	554	
OTHER EXCESSIVE BLEEDING.....	7,387	155	29	44	31	25	23	2	1	6,678	554	
SEIZURES DURING LABOR.....	7,387	13	1	2	3	5	2	-	-	6,820	554	
PRECIPITOUS LABOR.....	7,387	147	29	39	28	28	19	4	-	6,686	554	
PROLONGED LABOR.....	7,387	38	5	10	6	6	10	1	-	6,795	554	
DYSFUNCTIONAL LABOR.....	7,387	34	5	13	7	8	1	-	-	6,799	554	
BREECH/MALPRESENTATION.....	7,387	936	173	257	202	146	123	30	5	5,897	554	
CEPHALOPELVIC DISPROPORTION.....	6,996	12	1	4	5	2	-	-	-	6,433	551	
CORD PROLAPSE.....	7,387	119	26	27	28	17	15	6	-	6,714	554	
ANESTHETIC COMPLICATIONS.....	6,996	4	-	-	-	4	-	-	-	6,441	551	
FETAL DISTRESS.....	6,996	103	24	25	25	12	14	2	1	6,342	551	

1 Total number of fetal deaths to residents of areas reporting specified complications.

2 Includes race other than black and white

- Quantity zero.

FETAL DEATH DOCUMENTATION TABLE 11
 FETAL DEATHS BY METHOD OF DELIVERY BY AGE AND RACE OF MOTHER: TOTAL OF 48 REPORTING STATES AND THE DISTRICT OF COLUMBIA, 2001
 (FETAL DEATHS INCLUDE ONLY THOSE WITH STATED OR PRESUMED PERIOD OF GESTATION OF 20 WEEKS OR MORE: SEE TECHNICAL APPENDIX.
 FOR A LISTING OF REPORTING AREAS SEE TECHNICAL APPENDIX.)

AGE AND RACE OF MOTHER	ALL FETAL DEATHS	METHOD OF DELIVERY											
		VAGINAL							CESAREAN			HYSTER-OTOMY OR HYSTER-ECTOMY	NOT STATED
		TOTAL	VAGINAL BIRTH AFTER CESAREAN			OTHER VAGINAL			TOTAL	PRIMARY	REPEAT		
			ALL 1	FORCEPS	VACUUM	ALL	FORCEPS	VACUUM					
ALL RACES ²	26,070	21,748	839	5	15	20,909	302	254	2,751	1,748	1,003	82	1,489
UNDER 15 YEARS	263	216	1	-	-	215	-	2	21	21	-	1	25
15-19 YEARS	4,338	3,798	57	-	-	3,741	43	35	326	273	53	12	202
20-24 YEARS	6,242	5,304	161	-	4	5,143	53	58	610	407	203	15	313
25-29 YEARS	6,111	5,037	211	1	3	4,826	63	55	701	423	278	21	352
30-34 YEARS	5,202	4,246	219	3	5	4,027	71	64	627	361	266	14	315
35-39 YEARS	3,115	2,500	145	-	1	2,355	55	29	380	216	164	17	218
40-44 YEARS	750	616	44	1	2	572	16	10	74	42	32	2	58
45-54 YEARS	49	31	1	-	-	30	1	1	12	5	7	-	6
WHITE	17,433	14,446	529	5	8	13,917	234	190	1,988	1,258	730	45	954
UNDER 15 YEARS	129	110	1	-	-	109	-	1	9	9	-	-	10
15-19 YEARS	2,634	2,320	31	-	-	2,289	33	21	203	174	29	8	103
20-24 YEARS	4,008	3,369	96	-	2	3,273	44	41	432	290	142	9	198
25-29 YEARS	4,171	3,419	139	1	2	3,280	48	43	506	303	203	9	237
30-34 YEARS	3,694	2,997	143	3	3	2,854	53	51	480	276	204	5	212
35-39 YEARS	2,209	1,758	88	-	-	1,670	43	25	292	170	122	12	147
40-44 YEARS	551	452	30	1	1	422	12	8	56	31	25	2	41
45-54 YEARS	37	21	1	-	-	20	1	-	10	5	5	-	6
BLACK	7,449	6,296	266	-	6	6,030	50	51	674	426	248	32	447
UNDER 15 YEARS	131	104	-	-	-	104	-	1	12	12	-	1	14
15-19 YEARS	1,602	1,395	26	-	-	1,369	8	14	116	93	23	3	88
20-24 YEARS	2,044	1,765	64	-	2	1,701	8	13	169	109	60	6	104
25-29 YEARS	1,599	1,332	61	-	-	1,271	12	8	165	99	66	10	92
30-34 YEARS	1,164	954	58	-	2	896	10	9	125	70	55	7	78
35-39 YEARS	746	611	45	-	1	566	9	3	73	37	36	5	57
40-44 YEARS	154	127	12	-	1	115	3	2	13	6	7	-	14
45-54 YEARS	9	8	-	-	-	8	-	1	1	-	1	-	-

¹ Includes fetal deaths that were not delivered by forceps or vacuum extraction.
² Includes races other than White and Black.
 - Quantity zero.

FETAL DEATH DOCUMENTATION TABLE 12
 FETAL DEATHS WITH SELECTED CONGENITAL ANOMALIES BY PERIOD OF GESTATION AND RACE OF MOTHER: TOTAL OF 47 REPORTING
 STATES(EXCLUDING NEW YORK CITY) AND THE DISTRICT OF COLUMBIA; 2001
 (FETAL DEATHS INCLUDE ONLY THOSE WITH STATED OR PRESUMED PERIOD OF GESTATION OF 20 WEEKS OR MORE; SEE TECHNICAL APPENDIX.
 FOR A LISTING OF REPORTING AREAS SEE TECHNICAL APPENDIX.)

CONGENITAL ANOMALY AND RACE OF MOTHER	ALL FETAL DEATHS ¹	CONGENITAL ANOMALY REPORTED						CONGENITAL ANOMALY NOT REPORTED	NOT STATED
		Period of gestation							
		TOTAL ²	20-27 WEEKS	28-31 WEEKS	32-36 WEEKS	37-39 WEEKS	40 WEEKS OR MORE		
ALL RACES									
ANENCEPHALUS.....	24,662	243	135	23	45	21	15	22,176	2,243
SPINA BIFIDA/MENINGOCELE.....	24,662	135	87	15	16	13	3	22,284	2,243
HYDROCEPHALUS.....	24,662	214	122	34	33	17	3	22,205	2,243
MICROCEPHALUS.....	24,662	32	15	5	8	2	1	22,387	2,243
OTHER CENTRAL NERVOUS SYSTEM ANOMALIE	24,662	253	143	31	41	25	8	22,166	2,243
HEART MALFORMATIONS.....	24,662	424	230	58	71	33	21	21,995	2,243
OTHER CIRCULATORY/RESPIRATORY ANOMALIES.....	24,662	179	94	29	28	17	8	22,240	2,243
RECTAL ATRESIA/STENOSIS.....	24,662	26	11	5	5	2	2	22,393	2,243
TRACHEO-ESOPHAGEAL FISTULA/ESOPHAGEAL ATRESIA.....	24,662	37	9	3	6	10	6	22,382	2,243
OMPHALOCELE/GASTROSCHISIS.....	24,662	218	121	30	45	12	5	22,201	2,243
OTHER GASTROINTESTINAL ANOMALIES.....	24,662	98	43	15	24	9	5	22,321	2,243
MALFORMED GENITALIA.....	24,662	112	56	21	20	8	6	22,307	2,243
RENAL AGENESIS.....	24,662	101	60	12	18	5	2	22,318	2,243
OTHER UROGENITAL ANOMALIES.....	24,662	158	87	24	22	15	8	22,261	2,243
CLEFT LIP/PALATE.....	24,662	197	86	29	36	29	11	22,222	2,243
POLYDACTYLY/SYNDACTYLY/ADACTYLY.....	24,662	137	64	21	23	19	8	22,282	2,243
CLUB FOOT.....	24,662	205	113	27	34	20	10	22,214	2,243
DIAPHRAGMATIC HERNIA.....	24,662	47	27	8	6	5	1	22,372	2,243
OTHER MUSCULOSKELETAL/INTEGUMENTAL ANOMALIES.....	24,662	326	183	42	56	27	10	22,093	2,243
DOWN'S SYNDROME.....	24,662	277	154	28	49	29	13	22,142	2,243
OTHER CHROMOSOMAL ANOMALIES.....	24,662	631	350	81	109	55	24	21,788	2,243

FETAL DEATH DOCUMENTATION TABLE 12
 FETAL DEATHS WITH SELECTED CONGENITAL ANOMALIES BY PERIOD OF GESTATION AND RACE OF MOTHER: TOTAL OF 47 REPORTING
 STATES(EXCLUDING NEW YORK CITY) AND THE DISTRICT OF COLUMBIA; 2001
 (FETAL DEATHS INCLUDE ONLY THOSE WITH STATED OR PRESUMED PERIOD OF GESTATION OF 20 WEEKS OR MORE; SEE TECHNICAL APPENDIX.
 FOR A LISTING OF REPORTING AREAS SEE TECHNICAL APPENDIX.)

CONGENITAL ANOMALY AND RACE OF MOTHER	ALL FETAL DEATHS ¹	CONGENITAL ANOMALY REPORTED						CONGENITAL ANOMALY NOT REPORTED	NOT STATED
		Period of gestation							
		TOTAL ²	20-27 WEEKS	28-31 WEEKS	32-36 WEEKS	37-39 WEEKS	40 WEEKS OR MORE		
WHITE									
ANENCEPHALUS.....	16,776	192	111	18	31	15	14	15,061	1,523
SPINA BIFIDA/MENINGOCELE.....	16,776	116	77	13	14	8	3	15,137	1,523
HYDROCEPHALUS.....	16,776	162	87	29	25	14	2	15,091	1,523
MICROCEPHALUS.....	16,776	27	13	4	6	2	1	15,226	1,523
OTHER CENTRAL NERVOUS SYSTEM ANOMALIE	16,776	200	119	19	32	19	7	15,053	1,523
HEART MALFORMATIONS.....	16,776	319	171	43	57	24	15	14,934	1,523
OTHER CIRCULATORY/RESPIRATORY ANOMALIES.....	16,776	139	69	21	27	14	6	15,114	1,523
RECTAL ATRESIA/STENOSIS.....	16,776	21	10	3	3	2	2	15,232	1,523
TRACHEO-ESOPHAGEAL FISTULA/ESOPHAGEAL ATRESIA.....	16,776	27	7	2	5	7	4	15,226	1,523
OMPHALOCELE/GASTROSCHISIS.....	16,776	169	98	17	35	10	5	15,084	1,523
OTHER GASTROINTESTINAL ANOMALIES.....	16,776	78	32	13	19	8	4	15,175	1,523
MALFORMED GENITALIA.....	16,776	91	46	18	15	7	4	15,162	1,523
RENAL AGENESIS.....	16,776	87	52	10	16	5	2	15,166	1,523
OTHER UROGENITAL ANOMALIES.....	16,776	118	59	18	18	14	8	15,135	1,523
CLEFT LIP/PALATE.....	16,776	153	64	20	30	26	9	15,100	1,523
POLYDACTYLY/SYNDACTYLY/ADACTYLY.....	16,776	96	41	18	19	11	6	15,157	1,523
CLUB FOOT.....	16,776	163	89	20	29	16	8	15,090	1,523
DIAPHRAGMATIC HERNIA.....	16,776	39	24	6	5	3	1	15,214	1,523
OTHER MUSCULOSKELETAL/INTEGUMENTAL ANOMALIES.....	16,776	256	138	32	47	25	8	14,997	1,523
DOWN'S SYNDROME.....	16,776	228	123	21	44	26	10	15,025	1,523
OTHER CHROMOSOMAL ANOMALIES.....	16,776	509	281	64	88	48	18	14,744	1,523

FETAL DEATH DOCUMENTATION TABLE 12
 FETAL DEATHS WITH SELECTED CONGENITAL ANOMALIES BY PERIOD OF GESTATION AND RACE OF MOTHER: TOTAL OF 47 REPORTING
 STATES(EXCLUDING NEW YORK CITY) AND THE DISTRICT OF COLUMBIA; 2001
 (FETAL DEATHS INCLUDE ONLY THOSE WITH STATED OR PRESUMED PERIOD OF GESTATION OF 20 WEEKS OR MORE; SEE TECHNICAL APPENDIX.
 FOR A LISTING OF REPORTING AREAS SEE TECHNICAL APPENDIX.)

CONGENITAL ANOMALY AND RACE OF MOTHER	ALL FETAL DEATHS ¹	CONGENITAL ANOMALY REPORTED						CONGENITAL ANOMALY NOT REPORTED	NOT STATED
		Period of gestation							
		TOTAL ²	20-27 WEEKS	28-31 WEEKS	32-36 WEEKS	37-39 WEEKS	40 WEEKS OR MORE		
BLACK									
ANENCEPHALUS.....	6,797	44	19	5	14	4	1	6,175	578
SPINA BIFIDA/MENINGOCELE.....	6,797	18	10	2	2	4	-	6,201	578
HYDROCEPHALUS.....	6,797	40	28	4	5	2	1	6,179	578
MICROCEPHALUS.....	6,797	4	2	1	1	-	-	6,215	578
OTHER CENTRAL NERVOUS SYSTEM ANOMALIE	6,797	41	20	10	5	5	1	6,178	578
HEART MALFORMATIONS.....	6,797	84	51	9	10	7	6	6,135	578
OTHER CIRCULATORY/RESPIRATORY ANOMALIES.....	6,797	3	1	-	2	-	-	6,190	578
RECTAL ATRESIA/STENOSIS.....	6,797	3	1	-	2	-	-	6,216	578
TRACHEO-ESOPHAGEAL FISTULA/ESOPHAGEAL ATRESIA.....	6,797	5	0	1	1	1	1	6,214	578
OMPHALOCELE/GASTROSCHISIS.....	6,797	39	20	11	7	1	-	6,180	578
OTHER GASTROINTESTINAL ANOMALIES.....	6,797	16	9	1	4	1	1	6,203	578
MALFORMED GENITALIA.....	6,797	16	9	2	3	-	2	6,203	578
RENAL AGENESIS.....	6,797	12	7	1	2	-	-	6,207	578
OTHER UROGENITAL ANOMALIES.....	6,797	35	24	5	4	1	-	6,184	578
CLEFT LIP/PALATE.....	6,797	34	18	6	5	2	2	6,185	578
POLYDACTYLY/SYNDACTYLY/ADACTYLY.....	6,797	34	22	2	1	7	2	6,185	578
CLUB FOOT.....	6,797	36	21	7	5	2	1	6,183	578
DIAPHRAGMATIC HERNIA.....	6,797	6	2	1	1	2	-	6,213	578
OTHER MUSCULOSKELETAL/INTEGUMENTAL ANOMALIES.....	6,797	60	38	9	7	2	2	6,159	578
DOWN'S SYNDROME.....	6,797	36	23	4	3	3	3	6,183	578
OTHER CHROMOSOMAL ANOMALIES.....	6,797	88	49	14	14	6	5	6,131	578

1 Total number of fetal deaths to residents of areas reporting specified congenital anomaly.

2 Includes fetal deaths with period of gestation not stated.

- Quantity zero.