

**X(3872)**

$$I^G(J^{PC}) = 0^{?}(?^{?}+)$$

Seen by CHOI 03 in  $B \rightarrow K \pi^+ \pi^- J/\psi(1S)$  decays as a narrow peak in the invariant mass distribution of the  $\pi^+ \pi^- J/\psi(1S)$  final state, but not seen in the  $\gamma \chi_{c1}$  final state of these decays. Possibly absent in the invariant mass spectrum of the final state  $\pi^+ \pi^- J/\psi(1S)$  in  $e^+ e^-$  collisions. Interpretation as a  $1^{--}$  charmonium state not favored. Isovector hypothesis excluded by AUBERT 05B. A fit to the dipion mass spectrum is compatible with both S- and P-wave  $J/\psi \rho$  decays implying positive C-parity (ABULENCIA 06B).

Quantum numbers are not established.

### X(3872) MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>3871.2 ± 0.5 OUR AVERAGE</b>		Error includes scale factor of 1.4. See the ideogram below.		
3868.6 ± 1.2 ± 0.2	8	<sup>1</sup> AUBERT	06 BABR	$B^0 \rightarrow K_S^0 J/\psi \pi^+ \pi^-$
3871.3 ± 0.6 ± 0.1	61	<sup>1</sup> AUBERT	06 BABR	$B^- \rightarrow K^- J/\psi \pi^+ \pi^-$
3871.8 ± 3.1 ± 3.0	522	<sup>2,3</sup> ABAZOV	04F D0	$\rho \bar{p} \rightarrow J/\psi \pi^+ \pi^- X$
3871.3 ± 0.7 ± 0.4	730	<sup>3</sup> ACOSTA	04 CDF2	$\rho \bar{p} \rightarrow J/\psi \pi^+ \pi^- X$
3872.0 ± 0.6 ± 0.5	36	CHOI	03 BELL	$B \rightarrow K \pi^+ \pi^- J/\psi$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
3873.4 ± 1.4	25	<sup>4</sup> AUBERT	05R BABR	$B^+ \rightarrow K^+ J/\psi \pi^+ \pi^-$
3836 ± 13	58	<sup>3,5</sup> ANTONIAZZI	94 E705	$300 \pi^\pm \text{Li} \rightarrow J/\psi \pi^+ \pi^- X$

<sup>1</sup> Calculated from the corresponding  $m_{X(3872)} - m_{\psi(2S)}$  using  $m_{\psi(2S)} = 3686.093$  MeV.


<sup>2</sup> Calculated from the corresponding  $m_{X(3872)} - m_{J/\psi}$  using  $m_{J/\psi} = 3096.916$  MeV.

<sup>3</sup> Width consistent with detector resolution.

<sup>4</sup> Calculated from the corresponding  $m_{X(3872)^\pm} - m_{\psi(2S)}$  using  $m_{\psi(2S)} = 3685.96$  MeV. Superseded by AUBERT 06.

<sup>5</sup> A lower mass value can be due to an incorrect momentum scale for soft pions.

WEIGHTED AVERAGE  
 $3871.2 \pm 0.5$  (Error scaled by 1.4)



**$m_{X(3872)^\pm} - m_{J/\psi}$**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b><math>774.9 \pm 3.1 \pm 3.0</math></b>	522	ABAZOV	04F D0	$p\bar{p} \rightarrow J/\psi \pi^+ \pi^- X$

**$m_{X(3872)^\pm} - m_{\psi(2S)}$**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
$187.4 \pm 1.4$	25	<sup>6</sup> AUBERT	05R BABR	$B^+ \rightarrow K^+ J/\psi \pi^+ \pi^-$

<sup>6</sup> Superseded by AUBERT 06.

**X(3872) WIDTH**

VALUE (MeV)	CL%	EVTS	DOCUMENT ID	TECN	COMMENT
<b>&lt;2.3</b>	90	36	CHOI	03 BELL	$B \rightarrow K \pi^+ \pi^- J/\psi$
<4.1	90	69	AUBERT	06 BABR	$B \rightarrow K \pi^+ \pi^- J/\psi$

### X(3872) DECAY MODES

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1$ $e^+ e^-$	
$\Gamma_2$ $\pi^+ \pi^- J/\psi(1S)$	seen
$\Gamma_3$ $\gamma\gamma$	
$\Gamma_4$ $D^0 \bar{D}^0$	not seen
$\Gamma_5$ $D^+ D^-$	not seen
$\Gamma_6$ $D^0 \bar{D}^0 \pi^0$	not seen
$\Gamma_7$ $\gamma\chi_{c1}$	
$\Gamma_8$ $\eta J/\psi$	

### X(3872) PARTIAL WIDTHS

$\Gamma(e^+ e^-)$					$\Gamma_1$
VALUE (keV)	CL%	DOCUMENT ID	TECN	COMMENT	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<0.28	90	<sup>7</sup> YUAN	04	RVUE $e^+ e^- \rightarrow \pi^+ \pi^- J/\psi$	
<sup>7</sup> Using BAI 98E data on $e^+ e^- \rightarrow \pi^+ \pi^- \ell^+ \ell^-$ . Assuming that $\Gamma(\pi^+ \pi^- J/\psi)$ of X(3872) is the same as that of $\psi(2S)$ (85.4 keV).					

### X(3872) $\Gamma(i)\Gamma(e^+ e^-)/\Gamma(\text{total})$

$\Gamma(\pi^+ \pi^- J/\psi(1S)) \times \Gamma(e^+ e^-)/\Gamma_{\text{total}}$					$\Gamma_2 \Gamma_1/\Gamma$
VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT	
< 6.2	90	<sup>8,9</sup> AUBERT	05D	BABR 10.6 $e^+ e^- \rightarrow K^+ K^- \pi^+ \pi^- \gamma$	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
< 8.3	90	<sup>9</sup> DOBBS	05	CLE3 $e^+ e^- \rightarrow \pi^+ \pi^- J/\psi$	
<10	90	<sup>10</sup> YUAN	04	RVUE $e^+ e^- \rightarrow \pi^+ \pi^- J/\psi$	
<sup>8</sup> Using $B(X(3872) \rightarrow J/\psi \pi^+ \pi^-) \cdot B(J/\psi \rightarrow \mu^+ \mu^-) \cdot \Gamma(X(3872) \rightarrow e^+ e^-) < 0.37$ eV from AUBERT 05D and $B(J/\psi \rightarrow \mu^+ \mu^-) = 0.0588 \pm 0.0010$ from the PDG 04.					
<sup>9</sup> Assuming X(3872) has $J^{PC} = 1^{--}$ .					
<sup>10</sup> Using BAI 98E data on $e^+ e^- \rightarrow \pi^+ \pi^- \ell^+ \ell^-$ . From theoretical calculation of the production cross section and using $B(J/\psi \rightarrow \mu^+ \mu^-) = (5.88 \pm 0.10)\%$ .					

### X(3872) $\Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$

$\Gamma(\gamma\gamma) \times \Gamma(\pi^+ \pi^- J/\psi(1S))/\Gamma_{\text{total}}$					$\Gamma_3 \Gamma_2/\Gamma$
VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT	
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●					
<12.9	90	<sup>11</sup> DOBBS	05	CLE3 $e^+ e^- \rightarrow \pi^+ \pi^- J/\psi \gamma$	
<sup>11</sup> Assuming X(3872) has positive C parity and spin 0.					

**X(3872) BRANCHING RATIOS** **$\Gamma(\pi^+\pi^- J/\psi(1S))/\Gamma_{\text{total}}$   $\Gamma_2/\Gamma$** 

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&gt;0.042</b>	90	<sup>12</sup> AUBERT	06E BABR	$B^\pm \rightarrow K^\pm X_{c\bar{c}}$

<sup>12</sup> Calculated by us using  $B(B^\pm \rightarrow K^\pm X(3872)) < 3.2 \times 10^{-4}$  from AUBERT 06E and  $B(B^\pm \rightarrow K^\pm X(3872)) \times B(X(3872) \rightarrow J/\psi \pi^+ \pi^-) = (11.4 \pm 2.0) \times 10^{-6}$  from the 2006 Edition of this Review (PDG 06).

 **$\Gamma(\gamma X_{c1})/\Gamma(\pi^+\pi^- J/\psi(1S))$   $\Gamma_7/\Gamma_2$** 

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
<b>&lt;0.89</b>	90	CHOI	03 BELL	$B \rightarrow K \pi^+ \pi^- J/\psi$

 **$\Gamma(\eta J/\psi)/\Gamma(\pi^+\pi^- J/\psi(1S))$   $\Gamma_8/\Gamma_2$** 

<u>VALUE</u>	<u>CL%</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------	------------	--------------------	-------------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

<0.6	90	AUBERT	04Y BABR	$B \rightarrow K \eta J/\psi$
------	----	--------	----------	-------------------------------

 **$\Gamma(D^0 \bar{D}^0)/\Gamma(\pi^+\pi^- J/\psi(1S))$   $\Gamma_4/\Gamma_2$** 

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------	--------------------	-------------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

not seen	CHISTOV	04 BELL	$B \rightarrow K D^0 \bar{D}^0$
----------	---------	---------	---------------------------------

 **$\Gamma(D^+ D^-)/\Gamma(\pi^+\pi^- J/\psi(1S))$   $\Gamma_5/\Gamma_2$** 

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------	--------------------	-------------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

not seen	CHISTOV	04 BELL	$B \rightarrow K D^+ D^-$
----------	---------	---------	---------------------------

 **$\Gamma(D^0 \bar{D}^0 \pi^0)/\Gamma(\pi^+\pi^- J/\psi(1S))$   $\Gamma_6/\Gamma_2$** 

<u>VALUE</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------	--------------------	-------------	----------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

not seen	CHISTOV	04 BELL	$B \rightarrow K D^0 \bar{D}^0 \pi$
----------	---------	---------	-------------------------------------

**X(3872) REFERENCES**

ABULENCIA	06B	PRL 96 102002	A. Abulencia <i>et al.</i>	(CDF Collab.)
AUBERT	06	PR D73 011101R	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	06E	PRL 96 052002	B. Aubert <i>et al.</i>	(BABAR Collab.)
PDG	06	JPG 33 1	W.-M. Yao <i>et al.</i>	(PDG Collab.)
AUBERT	05B	PR D71 031501R	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	05D	PR D71 052001	B. Aubert <i>et al.</i>	(BABAR Collab.)
AUBERT	05R	PR D71 071103R	B. Aubert <i>et al.</i>	(BABAR Collab.)
DOBBS	05	PRL 94 032004	S. Dobbs <i>et al.</i>	(CLEO Collab.)
ABAZOV	04F	PRL 93 162002	V.M. Abazov <i>et al.</i>	(D0 Collab.)
ACOSTA	04	PRL 93 072001	D. Acosta <i>et al.</i>	(CDF Collab.)
AUBERT	04Y	PRL 93 041801	B. Aubert <i>et al.</i>	(BaBar Collab.)
CHISTOV	04	PRL 93 051803	R. Chistov <i>et al.</i>	(BELLE Collab.)
PDG	04	PL B592 1	S. Eidelman <i>et al.</i>	
YUAN	04	PL B579 74	C.Z. Yuan <i>et al.</i>	
CHOI	03	PRL 91 262001	S.-K. Choi <i>et al.</i>	(BELLE Collab.)
BAI	98E	PR D57 3854	J.Z. Bai <i>et al.</i>	(BES Collab.)
ANTONIAZZI	94	PR D50 4258	L. Antoniazzi <i>et al.</i>	(E705 Collab.)

————— OTHER RELATED PAPERS —————

BRAATEN	06	PR D73 011501	E. Braaten
EICHTEN	06	PR D73 014014	E.J. Eichten, K. Lane, C. Quigg
YUAN	06	PL B634 399	C.Z. Yuan, P. Wang, X.H. Mo
BIGI	05	PR D72 114016	I. Bigi <i>et al.</i>
BRAATEN	05	PR D72 014012	E. Braaten, M. Kusunoki
BRAATEN	05A	PR D72 054022	E. Braaten, M. Kusunoki
BRAATEN	05B	PR D71 074005	E. Braaten, M. Kusunoki
BUGG	05	PR D71 016006	D. Bugg
KALASHNIK...	05A	PR D72 034010	Yu.S. Kalashnikova
KIM	05	PR D71 034025	T. Kim, P. Ko
LI	05	PL B605 306	B.A. Li
MAIANI	05	PR D71 014028	L. Maiani <i>et al.</i>
SETH	05	PL B612 1	K.K. Seth
SUZUKI	05	PR D72 114013	M. Suzuki
BARNES	04	PR D69 054008	T. Barnes, S. Godfrey
BRAATEN	04	PR D69 074005	E. Braaten <i>et al.</i>
BRAATEN	04A	PR D69 114012	E. Braaten, M. Kusunoki
BRAATEN	04B	PRL 93 162001	E. Braaten, M. Kusunoki, S. Nussinov
BUGG	04B	PL B598 8	D.V. Bugg
CLOSE	04	PL B578 119	F.E. Close, P.R. Page
EICHTEN	04	PR D69 094019	E. Eichten, K. Lane, C. Quigg
PAKVASA	04	PL B579 67	S. Pakvasa, M. Suzuki
ROSNER	04	PR D70 094023	J.L. Rosner
SWANSON	04A	PL B588 189	E. Swanson
SWANSON	04B	PL B598 197	E. Swanson
TORNQVIST	04	PL B590 209	N. Tornqvist
VOLOSHIN	04	PL B579 316	M.B. Voloshin
VOLOSHIN	04A	PL B604 69	M.B. Voloshin
WONG	04	PR C69 055202	C. Wong
BAI	98E	PR D57 3854	J.Z. Bai <i>et al.</i>

(BES Collab.)