## CHAPTER 6 REFERENCES

## 6. REFERENCES

Ache, B.W., J.D. Boyle, and C.E. Morse. 2000. A survey of the occurrence of mercury in the fishery resources of the Gulf of Mexico. Prepared by Battelle for the U.S. Environmental Protection Agency, Gulf of Mexico Program, Stennis Space Center, MS.

- Addison, R.F. 1989. Organochlorines and marine mammal reproduction. Canadian Journal for Fisheries and Aquatic Sciences 46:360-368.
- Adelman, I.R. and L.L. Smith Jr. 1970. Effects of hydrocarbon sulfide on northern pike eggs and sac fry. Trans. Am. Fish. Soc. 99(3):501-509.
- Advanced Research Projects Agency. 1995. Final environmental impact statement/environmental impact report (EIS/EIR) for the California Acoustic Thermometry of Ocean Climate (ATOC) Project and its associated Marine Mammal Research Program (MMRP) (Scientific Research Permit Application [P557A]), Vol. 1.
- Agardy, M.T. 1990. Preliminary assessment of the impacts of Hurricane Hugo on sea turtle populations of the Eastern Caribbean. In: Richardson, T.H., J.I. Richardson, and M. Donnelly, comps. Proceedings of the 10th Annual Workshop on Sea Turtle Biology and Conservation, February 20-24, Hilton Island, SC. NOAA Tech. Memo. NMFS-SEFSC-278.
- Aguirre, A.A., G.H. Balazs, T.R. Spraker, and T.S. Gross. 1995. Adrenal and hematological responses to stress in juvenile green turtles (*Chelonia mydas*) with and without fibropapillomas. Physiological Zoology 68:831-854.
- Aharon, P., D. Van Gent, B. Fu, and L.M. Scott. 2001. Fate and effects of barium and radium-rich fluid emissions from hydrocarbon seeps on the benthic habitats of the Gulf of Mexico offshore Louisiana. Prepared by the Louisiana State University, Coastal Marine Institute. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2001-004. 142 pp.
- Alabama State Docks Department. 2001. Of men and ships: The revenue cutter *Alabama*. Alabama Seaport, April.
- Alabama State Oil and Gas Board. 2001. Internet website: http://www.ogb.state.al.us/.
- Albers, P.H. 1979. Effects of Corexit 9527 on the hatchability of mallard eggs. Bull. Environ. Contam. and Toxicol. 23:661-668.
- Albers, P.H. and M.L. Gay. 1982. Effects of a chemical dispersant and crude oil on breeding ducks. Bull. Environ. Contam. and Toxicol. 9:138-139.
- Alexander, S.K. and J.W. Webb. 1983. Effects of oil on growth and decomposition of *Spartina alterniflora*. In: Proceedings, 1983 Oil Spill Conference . . . February 28-March 3, 1983, San Antonio, TX. Washington, DC: American Petroleum Institute. Pp. 529-532.
- Alexander, S.K. and J.W. Webb. 1987. Relationship of *Spartina alterniflora* growth to sediment oil content following an oil spill. In: Proceedings, 1987 Oil Spill Conference. . .April 6-9, 1988, Baltimore, MD. Washington, DC: American Petroleum Institute. Pp. 445-450.
- American Gas Foundation. 2001. Fueling the future: Natural gas and new technology for a cleaner 21<sup>st</sup> century, 2001 update. <a href="http://www.fuelingthefuture.org/FTFUpdate01.pdf">http://www.fuelingthefuture.org/FTFUpdate01.pdf</a>. P. 3.
- American Petroleum Institute (API). 1989. Effects of offshore petroleum operations on cold water marine mammals: A literature review. Washington, DC: American Petroleum Institute. 385 pp.
- American Petroleum Institute (API). 1995. Recommended practices for oil and gas producing and gas processing plant operations involving hydrogen sulfide. API Recommended Practices 55, 2<sup>nd</sup> edition, February 15, 1995. Washington, DC: American Petroleum Institute.
- AmeriStat. 2001. Internet website: <a href="http://www.ameristat.com">http://www.ameristat.com</a>.
- Ames, A.L. and E.S. Van Vleet. 1996. Organochlorine residues in the Florida manatee, *Trichechus manatus latirostris*. Mar. Poll. Bull. 32:374-377.
- Amos, A.F. 1989. The occurrence of hawksbills (*Eretmochelys imbricata*) along the Texas coast. In: Proceedings of the Ninth Annual Workshop on Sea Turtle Conservation and Biology, February 7-11, 1989, Jekyll Island, GA. NOAA-TM-NMFS-SEFC-232. Miami, FL.

- Anderson, S.H. 1995. Recreational disturbance and wildlife populations. In: Knight, R.L. and K.J. Gutzwiller, eds. Wildlife and recreationists: Coexistence through management and research. Washington, DC: Island Press. Pp. 157-168.
- Anderson, C.M. and R.P. LaBelle. 2000. Update of comparative occurrence rates for offshore oil spills. Spill Science and Technology Bulletin 6(5/6):302-321.
- Anderson, D.W., F. Gress, and D.M. Fry. 1996. Survival and dispersal of oiled brown pelicans after rehabilitation and release. Mar. Poll. Bull. 32:711-718.
- Andre, M., M. Terada, and Y. Watanabe. 1997. Sperm whale behavioural response after the playback of artificial sounds. Reports of the International Whaling Commission 47: 499-504.
- Anonymous. 1994. Kemp's ridley nests in Florida. Marine Turtle Newsletter 67:16.
- Anuskiewicz, R.J. 1989. A study of maritime and nautical sites associated with St. Catherines Island, Georgia. Ph.D. dissertation presented to the University of Tennessee, Knoxville, TN. 90 pp.
- Applied Technology Research Corporation. 1994. Louisiana, Gulf of Mexico outer continental shelf offshore oil and gas activity: impacts. Prepared by Applied Technology Research Corporation for the Louisiana Mid-Continent Oil and Gas Association, Baton Rouge, Louisiana. 56 pp.
- Aravamudan, K.S., P.K Raj, and G. Marsh. 1981. Simplified models to predict the breakup of oil on rough seas. International Oil Spill Conference, Atlanta, GA, March 2-5, 1981.
- Aridjis, H. 1990. Mexico proclaims total ban on harvest of turtles and eggs. Marine Turtle Newsletter 50:1.
- Arnold, B.W. 1996. Visual monitoring of marine mammal activity during the Exxon 3-D seismic survey Santa Ynez Unit, offshore California, 9 November to 12 December 1995. Report prepared for Exxon by Impact Sciences Inc.
- Arnold, B. 1997. Personal communication. Texas Antiquities Commission, Austin, TX.
- Arnold, K. and M. Stewart. 1988. Surface production operations. Volume 2: Design of gas-handling systems and facilities. Houston, TX: Gulf Publishing Company. Pp. 141-180.
- Aten, L.E. 1983. Indians of the upper Texas coast. New York, NY: Academic Press.
- Atkeson, T.D. 1999. Mercury in Florida's environment. Florida Dept. of Environmental Protection, South Florida Mercury Science Program, Tallahassee, FL. Internet website (last updated May 2002): <a href="http://www.dep.state.fl.us/labs/mercury/docs/flmercury.htm">http://www.dep.state.fl.us/labs/mercury/docs/flmercury.htm</a>.
- Auburn University. 1999. Gulf Coast beach mouse recovery project data synopsis. Trap data and trap location maps for St. Andrew, Choctawhatchee, Santa Rosa, and Perdido Key subspecies and draft summary reports. Unpublished data, draft, received July 1999.
- Audunson, T. et al. 1984. Fate of oil spills on the Norwegian continental shelf. Continental Shelf Institute, Norway.
- Austin, H. and J. Jones. 1974. Seasonal variation of physical oceanographic parameters on the Florida Middle Ground and their relation to zooplankton biomass on the West Florida Shelf. Florida Scientist 37:16-32.
- Austin, D., K. Coelho, A. Gardner, R. Higgins, and T. McGuire. 2002a. Social and economic impacts of outer continental shelf activities on individuals and families; Volume I: Final report. U.S. Dept. of the Interior, Minerals Management Service, New Orleans, LA. OCS Study MMS 2002-022.
- Austin, D.E., A. Gardner, R. Higgins, J. Schrag-James, S. Sparks, and L. Stauber. 2002b. Social and economic impacts of outer continental shelf activities on individuals and families; Volume II: Case studies of Morgan City and New Iberia, Louisiana. U.S. Dept. of the Interior, Minerals Management Service, New Orleans, LA. OCS Study MMS 2002-023.
- Automotive Information Council. 1990. AIC News--Used motor oil: Pollutant or energy resource. AIC News.
- Avanti Corporation. 1993a. Ocean discharge criteria evaluation for the NPDES general permit for the Western Gulf of Mexico OCS. Prepared for the U.S. Environmental Protection Agency, Water Management Division, Region VI. USEPA contract no. 68-C9-0009.
- Avanti Corporation. 1993b. Environmental analysis of the final effluent guideline, offshore subcatergory, oil and gas industry. Volume II: case impacts. Prepared for the U.S. Environmental Protection Agency, Water Management Division, Region VI. USEPA contract no. 68-C9-0009.

Avery, M.L., P.F. Springer, and N.S. Dailey. 1980. Avian mortality at man-made structures: An annotated bibliography (revised). U.S. Dept. of the Interior, Fish and Wildlife Service, Biological Services Program, National Power Plant Team, Washington, DC. FWS/OBS-80/54.

- Avian Power Line Interaction Committee. 1994. Mitigating bird collisions with power lines: The state of the art. Edison Electric Institute, 701 Pennsylvania Avenue, N.W., Washington, DC 20004-2696. Item #06-94-33.
- Baca, B.J., T.E. Lankford, and E.R. Gundlach. 1987. Recovery of Brittany coastal marshes in the eight years following the *Amoco Cadiz* incident. In: Proceedings of the 1987 International Oil Spill Conference. Washington, DC: American Petroleum Institute. Pp. 459-464.
- Bahr, L.M. and M.W. Wascom. 1984. Wetland trends and factors influencing wetland use in the area influenced by the lower Mississippi River: A case study. Prepared for the U.S. Congress, Office of Technology Assessment, by Louisiana State University, Center for Wetland Resources, Baton Rouge, LA.
- Bain, D., J. Calambokidis, S. Osmek, and M. Fisher. 1999. Effects of seismic survey noise on marine mammals in the inshore waters of Washington State. Abstract, 13th Biennial Conference on the Biology of Marine Mammals, Wailea, Maui, November 28-December 3, 1999.
- Baker, J.M., R.B. Clark, and P.F. Kingston. 1991. Two years after the spill: Environmental recovery in Prince William Sound and the Gulf of Alaska. Institute of Offshore Engineering, Heriot-Watt University, Edinburgh, EH14 4AS, Scotland. 31 pp.
- Baker, J.M., M.L. Guzman, P.D. Bartlett, D.I. Little, and C.M. Wilson. 1993. Long-term fate and effects of untreated thick oil deposits on salt marshes. In: Proceedings of the 1993 International Oil Spill Conference. Washington, DC: American Petroleum Institute. Pp. 395-399.
- Bakus, R.H., J.E. Craddock, R.L. Haedrich, and B.H. Robison. 1977. Atlantic mesopelagic zoogeography. In: Gibbs, R.H., Jr., ed. Fishes of the Western North Atlantic. Pp. 266-287.
- Balazs, G.H. 1985. Impact of ocean debris on marine turtles: entanglement and ingestion. In: Shomura, R.S. and H.O. Yoshida, eds. Proceedings, Workshop on the Fate and Impact of Marine Debris, November 26-29, 1984, Honolulu, HI. U.S. Dept. of Commerce. NOAA Tech. Memo. NMFS-SWFSC-54. Pp. 387-429.
- Ballachey, B.E., J.L. Bodkin, and A.R. DeGange. 1994. An overview of sea otter studies. In: Loughlin, T.R., ed. Marine mammals and the *Exxon Valdez*. San Diego, CA: Academic Press. Pp. 47-59.
- Barkuloo, J.M. 1988. Report on the conservation status of the Gulf of Mexico sturgeon, *Acipenser oxyrhunchus desotoi*. U.S. Dept. of the Interior, Fish and Wildlife Service, Panama City, FL.
- Barrett, S. 1996. Disease threatens green sea turtles. Endangered Species Bulletin 21(8):8-9.
- Barron, G.L. and T.A. Jefferson. 1993. First records of the melon-headed whale (*Peponocephala electra*) from the Gulf of Mexico. Southw. Natural. 38:82-85.
- Barros, N.B. and D.K. Odell. 1990. Ingestion of plastic debris by stranded marine mammals from Florida. In: Shomura, R.S. and M.L. Godfrey, eds. Proceedings of the Second International Conference on Marine Debris, 2-7 April 1989, Honolulu, HI. U.S. Dept. of Commerce, NOAA Tech. Memo. NMFS, NOAA-TM-NMFS-SWFSC-154. 746 pp.
- Bass, A.S. and R.E. Turner. 1997. Relationships between salt marsh loss and dredged canals in three Louisiana estuaries. Journal of Coastal Research 13(3):895-903.
- Baud, R.D., R.H. Peterson, G.E. Richardson, L.S. French, J. Regg, T. Montgomery, T.S. Williams, C. Doyle, and M. Dorner. 2002. Deepwater Gulf of Mexico 2002: America's expanding frontier. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Report MMS 2002-021. 133 pp.
- Baumann, R.H. 1980. Mechanisms of maintaining marsh elevation in a subsiding environment. M.S. Thesis, Dept. of Geography and Anthropology, Louisiana State University, Baton Rouge, LA.
- Baumgartner, M.F. 1995. The distribution of select species of cetaceans in the northern Gulf of Mexico in relation to observed environmental variables. M.Sc. Thesis, University of Southern Mississippi.
- Baumgartner, M.F. 1997. The distribution of Risso's dolphin (*Grampus griseus*) with respect to the physiography of the northern Gulf of Mexico. Mar. Mamm. Sci. 13:614-638.
- Baxter, V.K. 1990. Common themes of social institution impact and response. In: Proceedings, Eleventh Annual Information Transfer Meeting. Sponsored by the U.S. Dept. of the Interior, Minerals Management Service,

- Gulf of Mexico OCS Region, November 13-15, 1990, New Orleans, LA. OCS Study MMS 91-0040. Pp. 270-273.
- Baxter II, L., E.E. Hays, G.R. Hampson, and R.H. Backus. 1982. Mortality of fish subjected to explosive shock as applied to oil well severance on Georges Bank. Woods Hole Oceanographic Institution, Woods Hole, MA. Technical Report WHOI-82-54. 69 pp.
- Bea, R.G., N.W. Lai, A.W. Niedoroda and G.H. Moore. 1983. Gulf of Mexico shallow-water wave heights and forces. In: Proceedings of the Offshore Technical Conference, Houston, TX, May 1983. OTC 4586. Pp. 49-62.
- Beaver, C. 2001. Personal communitation. Texas A&M University at Corpus Christi, Center for Coastal Studies, Corpus Christi, TX.
- Behrens, E.W. 1988. Geology of a continental slope oil seep, northern Gulf of Mexico. American Association of Petroleum Geologists Bulletin 72(2):105-114.
- Bent, A.C. 1926. Life histories of North American marsh birds. New York: Dover Publications.
- Bentzien, M.M. 1989. Florida salt marsh vole survey. Unpublished report. U.S. Dept. of the Interior, Fish and Wildlife Service, Jacksonville, FL. 5 pp.
- Bernard, H.J. and S.B. Reilly. 1999. Pilot whales Globicephala (Lesson, 1828). In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals, Vol. 6: Second book of dolphins. San Diego, CA: Academic Press. Pp. 245-279.
- Bigelow, H.B. and W.C. Schroeder. 1953. Sawfishes, guitarfishes, skates and rays. In: Tee-Van, J., C.M Breder, A.E. Parr, W.C. Schroeder and L.P. Schultz, eds. Fishes of the Western North Atlantic, Part Two. Mem. Sears Found. Mar. Res. I. Pp. 1-514.
- Birtwell, I.K., R. Fink, D. Brand, R. Allexander, and C.D. McAlister. 1999. Survival of pink salmon (*Oncorhynchus gorbuscha*) fry to adulthood following 10-day exposure to the aromatic hydrocarbon water-soluble fraction of crude oil and release to the Pacific Ocean. Canadian Journal of Fisheries and Aquatic Sciences 56(11):2,087-2,098.
- Blaylock, R.A. and W. Hoggard. 1994. Preliminary estimates of bottlenose dolphin abundance in southern U.S. Atlantic and Gulf of Mexico continental shelf waters. NOAA Tech. Memo. NMFS-SEFSC-356. 10 pp.
- Boehm, P., D. Turton, A. Raval, D. Caudle, D. French, N. Rabalais, R. Spies, and J. Johnson. 2001. Deepwater program: Literature review, environmental risks of chemical products used in Gulf of Mexico deepwater oil and gas operations; Volume I: Technical Report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2001-011. 326 pp.
- Boersma, P.D. 1995. Prevention is more important than rehabilitation: Oil and penguins don't mix. In: Proceedings, The Effects of Oil on Wildlife, 4<sup>th</sup> International Conference, April, Seattle, WA.
- Boesch, D.F. and N.N. Rabalais, ed. 1987. Long-term environmental effects of offshore oil and gas development. London: Elsevier Applied Science Publishers, Ltd. 708 pp.
- Boland, G.S. 1986. Discovery of co-occurring bivalve *Acesta* sp. and chemosynthetic tube worms Lamellibrachia. Nature 323:759.
- Boothe, P.N. and B.J. Presley. 1989. Trends in sediment trace element concentrations around six petroleum drilling platforms in the northwestern Gulf of Mexico. In: Engelhardt, F.R., J.P. Ray, and A.H. Gillam, eds. Drilling Wastes. New York: Elsevier Applied Science Publishers, Ltd. Pp. 3-20.
- Bortone, S.A. and J.L. Williams. 1986. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (south Florida)—gray, lane, mutton, and yellowtail snappers. U.S. Dept. of the Interior, Fish and Wildlife Service, Biological Report 82(11.52). U.S. Army Corps of Engineers, TR EL-82-4. 18 pp.
- Bossart, G. 1997. Personal communication. University of Miami, School of Medicine, Department of Pathology.
- Bowen, W.W. 1968. Variation and evolution of Gulf Coast populations of beach mice, *Peromyscus polionotus*. Bull. Florida State Mus. 12:1-91.
- Bowles, A.E. 1995. Responses of wildlife to noise. In: Knight, R.L. and K.J. Gutzwiller, eds. Wildlife and recreationists: Coexistence through management and research. Washington, DC: Island Press. Pp. 109-156.

Bowles, A.E., M. Smultea, B. Würsig, D.P. DeMaster, and D. Palka. 1994. Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island Feasibility Test. Journal of the Acoustical Society of America 96:2469-2484.

- Bowyer, R.T., J.W. Testa, J.B. Faro, C.C. Schwartz, and J.B. Browning. 1994. Changes in diets of river otters in Prince William Sound, Alaska: Effects of the *Exxon Valdez* oil spill. Canadian Journal of Zoology 72:970-976.
- Boyd, R. and S. Penland, eds. 1988. A geomorphologic model for Mississippi Delta evolution. In: Transactions Gulf Coast association of geological societies, Volume XXXVIII.
- Boyd, P.W. and 34 others. 2000. A mesoscale phytoplankton bloom in the polar Southern Ocean stimulated by iron fertilization. Nature 407:695-702.
- Brady, S. and J. Boreman. 1994. Sea turtle distributions and documented fishery threats off the northeastern United States coast. In: Proceedings, 13th Annual Symposium on Sea Turtle Biology and Conservation, February 23-27, Jekyll Island, GA. NOAA Tech. Memo. NMFS-SEFSC-341. Pp. 31-34.
- Brannon, E.L., L.L. Moulton, L.G. Gilbertson, A.W. Maki, and J.R. Skalski. 1995. An assessment of oil spill effects on pink salmon populations following the *Exxon Valdez* oil spill. Part 1: Early life history. In: Wells, P.G., J.N. Butler, and J.S. Hughes, eds. *Exxon Valdez* oil spill: Fate and effects in Alaskan waters. American Society for Testing and Materials, Philadelphia. ASTM STP 1219. Pp. 548-584.
- Breder, C.M. 1952. On the utility of the saw of the sawfish. Copeia 1952(2):90-91.
- Bright, T.J. and R. Rezak. 1978. Northwestern Gulf of Mexico topographic features study. Final report to the BLM, Contract No. AA550-CT7-15. College Station, TX: Texas A&M Research Foundation and Texas A&M University, Department of Oceanography. Available from NTIS, Springfield, VA: PB-294-769/AS. 667 pp.
- Brongersma, L. 1972. European Atlantic turtles. Zool. Verh. Mus., Leiden. 121:1-3.
- Brooks, J.M. (ed.). 1991. Mississippi-Alabama continental shelf ecosystem study: data summary and synthesis. Volumes I and II: Technical Narrative. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 91-0063. 862 pp.
- Brooks, J.M. and B.B. Bernard. 1977. Report to Pennzoil Oil Company through Decca Survey Systems, Inc. on a geochemical study around a platform blowout in High Island, South Addition, Block 563. Houston, TX: Pennzoil Co.
- Brooks, J.M., M.C. Kennicutt II, and R.R. Bidigare. 1986. Final cruise report for Offshore Operators Committee study of chemosynthetic marine ecosystems in the Gulf of Mexico. Geophysical and Environmental Research Group, Department of Oceanography, Texas A&M University, College Station, TX. 102 pp.
- Brost, E. 2001. Personal communication. Fish and Wildlife Commission, Florida Marine Research Institute, St. Petersburg, FL.
- Brouwer, A., P.J.H. Reijnders, and J.H. Koeman. 1989. Polychlorinated biphenyl (PCB)-contaminated fish induces vitamin A and thyroid hormone deficiency in the common seal (*Phoca vitulina*). Aquatic Toxicology 15:99-106.
- Brower, W.A., J.M. Meserve, and R.G. Quayle. 1972. Environmental guide for the U.S. Gulf Coast. Asheville, NC: U.S. National Climatic Center. 177 pp.
- Brown, S. 2000. Do rising oil prices threaten economic prosperity? Southwest Economy. Federal Reserve Bank of Dallas. http://www.dallasfed.org/htm/pubs/swe/11 12 00.html. Issue 6, November/December.
- Brown, Jr., L.F., J.L Brewton, J.H. McGowen, T.J. Evans, W.L. Fisher, and C.G. Groat. 1976. Environmental geologic atlas of the Texas coastal zone: Corpus Christi area. The University of Texas at Austin, Bureau of Economic Geology, Austin, TX.
- Brown, Jr, L.F., J.H. McGowen, T.J. Evans, C.S. Groat, and W.L. Fisher. 1977. Environmental geological atlas of the Texas coastal zone: Kingsville area. The University of Texas at Austin, Bureau of Economic Geology, Austin, TX.
- Buehler, D.A., S.K. Chandler, T.J. Mersmann, and J.D. Fraser. 1992. Nonbreeding bald eagle perch habitat on the northern Chesapeake Bay. Wilson Bulletin 104:540-545.
- Bull, A., L. Dauterive, G. Goeke, J. Kendall, C. Langley, and V. Reggio. 1997. Islands of life: A teacher's companion. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. 24 pp. + poster.

- Burn, D.M. and G.P. Scott. 1988. Synopsis of available information on marine mammal-fisheries interactions in the southeastern United States: preliminary report. NMFS, Contribution CRD-87/88-26.
- Burns, K.A., S.D. Garrity, and S.C. Levings. 1993. How many years until mangrove ecosystems recover from catastrophic oil spills? Mar. Pol. Bul. 26(5)239-248.
- Butler, R.G., A. Harfenist, F.A. Leighton, and D.B. Peakall. 1988. Impact of sublethal oil and emulsion exposure on the reproductive success of Leach's storm-petrels: Short-and long-term effects. Journal of Applied Ecology 25:125-143.
- Byles, R., C. Caillouet, D. Crouse, L. Crowder, S. Epperly, W. Gabriel, B. Gallaway, M. Harris, T. Henwood, S. Heppell, R. Marquez-M., S. Murphy, W. Teas, N. Thompson, and B. Witherington. 1996. A report of the turtle expert working group: Results of a series of deliberations held in Miami, FL, June 1995-June 1996.
- Byrnes, M.R. and R.M. Hammer. 1999. Environmental survey of identified sand resources areas offshore Alabama. U.S. Dept. of Interior, Minerals Management Service, Office of International Activities and Marine Minerals, Herndon, VA. OCS Study MMS 99-0052. 490 pp.
- Byrnes, M.R. and R.A. McBride. 1995. Preliminary assessment of beach response to a segmented breakwater system: Constance Beach and vicinity, 1990-1994. Prepared in cooperation with the Louisiana Dept. of Natural Resources, Coastal Restoration Division.
- Caillouet, C.W., W.B. Jackson, G.R. Gitschlag, E.P. Wilkens, and G.M. Faw. 1981. Review of the environmental assessment of the Buccaneer gas and oil field in the northwestern Gulf of Mexico. In: Proceedings of the Thirty-third Annual Gulf and Caribbean Fisheries Institute, November 1980, San Jose, Costa Rica. Miami, FL: GCFI; June 1981. Pp. 101-124.
- Caillouet Jr., C.W., D.J. Shaver, W.G. Teas, J.M. Nance, D.B. Revera, and A.C. Cannon. 1996. Relationship between sea turtle stranding rates and shrimp fishing intensities in the northwestern Gulf of Mexico: 1986-1989 versus 1990-1993. U.S. Fishery Bulletin 94:237-249.
- Cairns, D.K. and R.D. Elliot. 1987. Oil spill impact assessment for seabirds: The role of refugia and growth centers. Biological Conservation 40:1-9.
- Calambokidis, J. and S.D. Osmek. 1998. Marine mammal research and mitigation in conjunction with air gun operation for the USGS 'Ships' seismic surveys in 1998. Final report prepared for U.S. Dept. of the Interior, Geological Survey; U.S. Dept. of Commerce, National Marine Fisheries Service; and U.S. Dept. of the Interior, Minerals Management Service.
- Caldwell, J. 2001. Acoustic activities of the seismic industry. In: Gulf of Mexico Marine Protected Species Workshop, June 1999. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2001-039. Pp. 55-68.
- Caldwell, D.K. and M.C. Caldwell. 1989. Pygmy sperm whale *Kogia breviceps* (de Blainville, 1838): dwarf sperm whale *Kogia simus* (Owen, 1866). In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 4: River dolphins and the larger toothed whales. London: Academic Press. Pp. 235-260.
- Canadian Journal of Fisheries and Aquatic Sciences. 1996. Dedicated issue: Gulf of Mexico Offshore Operations Monitoring Experiment (GOOMEX); Volume 53. Pp. 2,540-2,654.
- Cannon, A.C., C.T. Fontaine, T.D. Williams, D.B. Revera, and C.W. Caillouet. 1994. Incidental catch of Kemp's ridley sea turtles (*Lepidochelys kempi*), by hook and line, along the Texas coast, 1980-1992. In: Proceedings, 13th Annual Symposium on Sea Turtle Biology and Conservation, February 23-27, Jekyll Island, GA. NOAA Tech. Memo. NMFS-SEFSC-341. Pp. 40-42.
- Capuzzo, J.M. 1987. Biological effects of petroleum hydrocarbons: Assessments from experimental results. In: Boesch, D.F. and N.N. Rabalais, eds. Long-term environmental effects of offshore oil and gas development. New York: Elsevier Applied Science. Pp. 343-410.
- Carls, M.G., G.D. Marty, T.R. Meyers, R.E. Thomas, and S.D. Rice. 1998. Expression of viral hemorrhagic septicemia virus in prespawning Pacific herring (*Clupea pallasi*) exposed to weathered crude oil. Canadian Journal of Fisheries and Aquatic Sciences 55(10):2,300-2,309.
- Carney, R. 1993. Presentation at the Thirteenth Gulf of Mexico Information Transfer Meeting. Sponsored by the U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, December 4-6, 1993, New Orleans, LA.
- Carr, A.F., Jr. 1980. Some problems of sea turtles ecology. Amer. Zoo. 20:489-498.

Carr, A. 1987. Impact of nondegradable marine debris on the ecology and survival outlook of sea turtles. Mar. Poll. Bull. 18:352-356.

- Carr, A. and D.K. Caldwell. 1956. The ecology and migration of sea turtles. I. Results of field work in Florida, 1955. Amer. Mus. Novit. 1793:1-23.
- Carr, A. and S. Stancyk. 1975. Observations on the ecology and survival outlook of the hawksbill turtle. Biol. Conserv. 8:161-172.
- Cato, J.C., F.J. Prochaska, and P.C.H. Pritchard. 1978. An analysis of the capture, marketing and utilization of marine turtles. Purchase Order 01-7-042-11283. St Petersburg, FL: U.S. Dept. of Commerce, National Marine Fisheries Service. 119 pp.
- Center for Marine Conservation. 1996-2001. Cleaning North America's beaches: 1995-1998 beach cleanup results. Washington, DC: Center for Marine Conservation.
- Chambers, J.R. 1992. Coastal degradation and fish population losses. In: Proceedings of the National Symposium of Fish Habitat Conservation, March 7-9, 1991, Baltimore, MD. 38 pp.
- Chan, E.H. and H.C. Liew. 1988. A review on the effects of oil-based activities and oil pollution on sea turtles. In: Proceedings, 11th Annual Seminar of the Malaysian Society of Marine Sciences. Pp. 159-167.
- Chandler, C.R., R.M. Sanders, Jr., and A.M. Landry, Jr. 1985. Effects of three substrate variables on two artificial reef fish communities. Bull. Mar. Sci. 37(1):129-142.
- Chandler, S.K., J.D. Fraser, D.A. Buehler, and J.K.D. Seegar. 1995. Perch trees and shoreline development as predictors of bald eagle distribution on Chesapeake Bay. Journal of Wildlife Management 59:325-332.
- Chapman, B.R. 1981. Effects of the Ixtoc I oil spill on Texas shorebird populations. In: Proceedings, 1981 Oil Spill Conference . . . March 2-5, 1981, Atlanta, GA. Washington, DC: American Petroleum Institute.
- Chapman, F.A., S.F. O'Keefe, and D.E. Campton. 1993. Establishment of parameters critical for the culture and commercialization of Gulf of Mexico sturgeon, *Acipenser oxyrhynchus desotoi*. University of Florida, Dept. of Fisheries and Aquatic Science, Gainesville, FL. U.S. Dept. of Commerce, National Marine Fisheries Service, St. Petersburg, FL. Project Final Report—NOAA No. NA27FD0066-01.
- Christmas, J.Y., D.J. Etzold, L.B. Simpson, and S. Meyers. 1988. The menhaden fishery of the Gulf of Mexico United States: A regional management plan. Gulf States Marine Fisheries Commission, Ocean Springs, MS. 139 pp.
- Clapp, R.B. and P.A. Buckley. 1984. Status and conservation of seabirds in the southeastern United States. In: Croxall, J.P., P.G.H. Evans, and R.W. Schreiber, eds. Status and conservation of the world's seabirds. ICBP Technical Publication No. 2. Pp. 135-155.
- Clapp, R.B., R.C. Banks, D. Morgan-Jacobs, and W.A. Hoffman. 1982. Marine birds of the southeastern United States and Gulf of Mexico. U.S. Dept. of the Interior, Fish and Wildlife Service, Office of Biological Services, Washington, DC. FWS/OBS-82/01. 3 vols.
- Clark, R.B. 1978. Oiled seabird rescue and conservation. Journal of the Fisheries Research Board of Canada 35:675-678.
- Clark, R.B. 1984. Impact of oil pollution on seabirds. Environ. Pollut. Ser. A. 33:1-22.
- Clark, D.R., Jr. and A.J. Krynitsky. 1980. Organochlorine residues in eggs of loggerhead and green sea turtles nesting at Merritt Island, Florida-July and August 1976. Pesticides Monitoring Journal 14:7-10.
- Clausen, C.J. and J.B. Arnold III. 1975. Magnetic delineation of individual shipwreck sites; a new control technique. Bull. of the Texas Archaeological Soc. 46:69-86.
- Clugston, J.P. 1991. Gulf sturgeon in Florida prey on soft-bodied macroinvertebrates. U.S. Dept. of the Interior, Fish and Wildlife Service. Research Information Bulletin No. 90-31. 2 pp.
- Coastal Environments, Inc. (CEI). 1977. Cultural resources evaluation of the northern Gulf of Mexico continental shelf. Prepared for Interagency Archaeological Services, Office of Archaeology and Historic Preservation, National Park Service, U.S. Dept. of the Interior. Baton Rouge, LA. 4 vols.
- Coastal Environments, Inc. (CEI). 1982. Sedimentary studies of prehistoric archaeological sites. Prepared for the U.S. Dept. of the Interior, National Park Service, Division of State Plans and Grants, Baton Rouge, LA.

- Colborn, T., F.S. vom Saal, and A.M. Soto. 1993. Developmental effects of endocrine-disrupting chemicals in wildlife and humans. Environmental Health Perspectives 101:378-384.
- Collard, S.B. 1990. Leatherback turtles feeding near a warm water mass boundary in the eastern Gulf of Mexico. Marine Turtle Newsletter 50:12-14.
- Collard, S.B. and L.H. Ogren. 1990. Dispersal scenarios for pelagic post-hatchling sea turtles. Bull. Mar. Sci. 47:233-243.
- COMTEX. 2001. Oil prices up following attacks on U.S., September 11, 2001, Xinhua via COMTEX. Internet website: http://www.individualnews.com.
- Congdon, J.D. 1989. Growth and reproduction in the Blanding's turtle: A life history model for sea turtles. In: Proceedings of the 9th Annual Workshop on Sea Turtle Conservation and Biology, February 7-11, Jekyll Island, GA. NOAA Tech. Memo. NMFS-SEFSC-232. 306 pp.
- Continental Shelf Associates, Inc. (CSA). 1985. Live-bottom survey of drill-site locations in Destin Dome Area Block 617. February 1985.
- Continental Shelf Associates, Inc. (CSA). 1992a. Mississippi-Alabama shelf pinnacle trend habitat mapping study. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 92-0026. 75 pp. + apps.
- Continental Shelf Associates, Inc. (CSA). 1997a. Characterization and trends of recreational and commercial fishing from the Florida panhandle. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. USGS/BRD/CR-1997-0001 and OCS Study MMS 97-0020. 333 pp.
- Continental Shelf Associates, Inc. (CSA). 1997b. Gulf of Mexico produced water bioaccumulation study: Definitive component technical report. Prepared for Offshore Operators Committee. 258 pp.
- Continental Shelf Associates, Inc. (CSA) and Texas A&M University, Geochemical and Environmental Research Group (GERG). 2001. Mississippi/Alabama pinnacle trend ecosystem monitoring, final synthesis report. U.S. Dept. of the Interior, Geological Survey, Biological Resources Division, USGS/BRD/CR-2001-0007 and Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA, OCS Study MMS 2001-080. 415 pp. + apps.
- Corliss, J.B., J. Dymond, L. Gordon, J.M. Edmond, R.P. von Herzen, R.D. Ballard, K. Green, D. Williams, A. Bainbridge, K. Crane, and T.H. Van Adel. 1979. Submarine thermal springs on the Galapagos Rift. Science 203:1073-1083.
- Coston-Clements, L. and D.E. Hoss. 1983. Synopsis of data on the impact of habitat alteration on sea turtles around the southeastern United States. NOAA Tech. Memo. NMFS-SEFC-117.
- Cottingham, D. 1988. Persistent marine debris: challenge and response: The federal perspective. Alaska Sea Grant College Program. 41 pp.
- Council on Environmental Quality (CEQ). 1997. Environmental justice: Guidance under the National Environmental Policy Act. Council on Environmental Quality, Office of the President.
- Cox, S.A., E.H. Smith, and J.W. Tunnell, Jr. 1997. Macronektonic and macrobenthic community dynamics in a coastal saltmarsh: Phase I. Prepared for Texas Parks and Wildlife Dept., Wildlife Division. TAMU-CC-9701-CCS. Corpus Christi, TX. 67 pp.
- Craig, C. 2001. Personal communication. General Manager, Oil and Gas Aviation Services, Petroleum Helicopters, Inc. September 25.
- Craig, N.J., R.E. Turner, and J.W. Day, Jr., eds. 1980. Wetland losses and their consequences in coastal Louisiana. Z. Geomorph. N.F. 34:225-241.
- Crain, D.A., A.B. Bolten, and K.A. Bjorndal. 1995. Effects of beach nourishment on sea turtles: Review and research initiatives. Restoration Ecology 3:95-104.
- Cran and Stenning Technology Inc. 2001. Internet website: <a href="http://www.coselle.com/press.htm">http://www.coselle.com/press.htm</a>.
- Crouse, D. 1992. TEDs fall victim to election year politics. Marine Turtle Newsletter No. 59 (October).
- Crowder, L.B., S.R. Hopkins-Murphy, and J.A. Royle. 1995. Effects of turtle excluder devices (TEDs) on loggerhead sea turtle strandings with implications for conservation. Copeia 1995(4):773-779.

Cummings, W.C. 1985. Bryde's whale - Balaenoptera edeni. In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 3: The sirenians and baleen whales. London: Academic Press. Pp. 137-154.

- Curry, B.E. and E.F. Edwards. 1998. Investigation of the potential influence of fishery-induced stress on dolphins in the eastern tropical Pacific Ocean: Research planning. NOAA Tech. Memo. NOAA-TM-NMFS-SWFSC-254.
- Curry, B.E. and J. Smith. 1997. Phylogeographic structure of the bottlenose dolphin (*Tursiops truncatus*): Stock identification and implications for management. In: Dizon, D.E., S.J. Chivers, and W.F. Perrin, eds. Molecular genetics of marine mammals. Society for Marine Mammalogy, Special Publication 3. Pp. 227-247.
- Curry, B.E., M. Milinkovitch, J. Smith, and A.E. Dizon. 1995. Stock structure of bottlenose dolphins, *Tursiops truncatus*. Abstract, 11th Biennial Conference on the Biology of Marine Mammals, December 14-18, Orlando, FL.
- Czerny, A.B. and K.H. Dunton. 1995. The effects of in situ light reduction on the growth of two subtropical seagrasses, *Thalassia testudinum* and *Halodule wrightii*. Estuaries 18:418-427.
- Dahl, T.E. 1990. Wetlands losses in the United States 1780's to 1980's. U.S. Dept. of the Interior, Fish and Wildlife Service, Washington, DC. 21 pp.
- Dahlheim, M.E. and J.E. Heyning. 1999. Killer whale *Orcinus orca* (Linnaeus, 1758). In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 6: Second book of dolphins. San Diego, CA: Academic Press. Pp.281-322.
- Dahlheim, M.E. and C.O. Matkin. 1994. Assessment of injuries to Prince William Sound killer whales. In: Loughlin, T.R., ed. Marine mammals and the *Exxon Valdez*. San Diego, CA: Academic Press. Pp. 163-171.
- Daling, P.S., O.M. Amo, A. Lewis, and T. Stom-Kirstiansen. 1997. SINTEF/IKU oil weathering model–predicting oil properties at sea. In: Proceedings, 1997 Oil Spill Conference, April 7-10, Fort Lauderdale, FL. Pp. 297-307.
- Dames and Moore. 1979. The Mississippi, Alabama, Florida, outer continental shelf baseline environmental survey, MAFLA 1977/1978. Volume 1-A: Program synthesis report. U.S. Dept. of the Interior, Bureau of Land Management, Washington, DC. BLM/YM/ES-79/01-Vol-1-A. 278 pp.
- Darnell, R.M. 1988. Marine biology. In: Phillips, N.W. and B.M. James, eds. Offshore Texas and Louisiana marine ecosystems data synthesis. Volume II. Synthesis report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 88-0067. Pp. 203-338.
- Darnell, R.M. and J.A. Kleypas. 1987. Eastern Gulf shelf bio-atlas: A study of the distribution of demersal fishes and penaeid shrimp of soft bottoms of the continental shelf from the Mississippi River delta to the Florida Keys. OCS Study MMS 86-0041. 548 pp.
- Darnell, R.M. and T.M. Soniat. 1979. The estuary/continental shelf as an interactive system. In: Livingston, R.J., ed. Ecological processes in coastal and marine systems. New York, NY: Plenum Press. 39 pp.
- Darnell, R.M., R.E. Defenbaugh, and D. Moore. 1983. Atlas of biological resources of the continental shelf, northwestern Gulf of Mexico. BLM Open File Report No. 82-04. U.S. Dept. of the Interior, Bureau of Land Management, New Orleans, LA.
- Davenport, J., J. Wrench, J. McEnvoy, and V. Camacho-Ibar. 1990. Metal and PCB concentrations in the "Harlech" leatherback. Marine Turtle Newsletter 48:1-6.
- Davis, R.W. and G.S. Fargion, eds. 1996. Distribution and abundance of cetaceans in the north-central and western Gulf of Mexico: Final report. Volume II: Technical report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 96-0027. 357 pp.
- Davis, D.W. and J.L. Place. 1983. The oil and gas industry of coastal Louisiana and its effect on land use and socioeconomic patterns. U.S. Dept. of the Interior, Geological Survey, Reston, VA. Open File Report OFR 83-118. v + 73 pp.
- Davis, J.W., G.G. Salata, J. Sericano, and T. Wade. 1993. An analysis of tissues for total PCB and planar PCB concentrations in marine mammals stranded along the Gulf of Mexico. Abstract, 10th Biennial Conference on the Biology of Marine Mammals, November 11-15, Galveston, TX.
- Davis, R.W., G.P. Scott, B. Würsig, G.S. Fargion, W.E. Evans, L.J. Hansen, R. Benson, K.D. Mullin, T.D. Leming, N. May, B.R. Mate, J.C. Norris, T.A. Jefferson, D.E. Peake, S.K. Lynn, T.D. Sparks, and C. Schroeder. 1995.

- Distribution and abundance of marine mammals in the north-central and western Gulf of Mexico: Draft final report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA.
- Davis, R.W., G.A.J. Worthy, B. Würsig, S.K. Lynn, and F.I. Townsend. 1996. Diving behavior and at-sea movements of an Atlantic spotted dolphin in the Gulf of Mexico. Mar. Mamm. Sci. 12:569-581.
- Davis, R.W., G.S. Fargion, N. May, T.D. Leming, M. Baumgartner, W.E. Evans, L.J. Hansen, and K. Mullin. 1998a. Physical habitat of cetaceans along the continental slope in the north-central and western Gulf of Mexico. Mar. Mamm. Sci. 14: 490-507.
- Davis, R.A., D.H. Thomson, and C.I. Malme. 1998b. Environmental assessment of seismic exploration on the Scotian shelf. Class Assessment prepared by LGL Limited for submission to Canada/Nova Scotia Offshore Petroleum Board, Halifax, NS. 181 pp. + apps.
- Davis, R.W., W.E. Evans, and B. Würsig. 2000. Cetaceans, sea turtles and seabirds in the northern Gulf of Mexico: distribution, abundance and habitat associations. Volume II: Technical report. U.S. Dept. of the Interior, Geological Survey, Biological Resources Division, USGS/BRD/CR-1999-0006 and U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA, OCS Study MMS 2000-003. 346 pp.
- Defenbaugh, R.E. 1976. A study of the benthic macroinvertebrates of the continental shelf of the northern Gulf of Mexico. Unpublished Ph.D. dissertation, Texas A&M University, College Station, TX. 476 pp.
- De Forges, B.R., J.A. Koslow, and G.C. Poore. 2000. Diversity and endemism of benthic seamount fauna in the southwest Pacific. Nature 405:944-947.
- Delaune, R.D., W.H. Patrick, and R.J. Bureh. 1979. Effect of crude oil on a Louisiana *Spartina alterniflora* salt marsh. Environ. Poll. 20:21-31.
- DelMar Operating, Inc. 1994. Site specific survey of seafloor features and topography for proposed Busch Platform Site OCS-G 7825, Block 255, Main Pass Area, Gulf of Mexico. Prepared for DelMar Operating, Inc. by Deepsea Development Services, a division of Science Applications International Corporation, San Diego, CA. August 1, 1994.
- DeMarty, G.D., J.E. Hose, M.D. McGurk, E.D. Evelyn, and D.E. Hinton. 1997. Histopathology and cytogenetic evaluation of Pacific herring larvae exposed to petroleum hydrocarbons in the laboratory or in Prince William Sound, Alaska, after the *Exxon Valdez* oil spill. Canadian Journal of Fisheries and Aquatic Sciences 54(8):1,846-1,857.
- Denton, S.E. and G. Davenport. 1995. Characterization of the reef fish fishery of the eastern U.S. Gulf of Mexico. MARFIN Final Report, Grant No. 95MF1H07.
- De Swart, R.L., P.S. Ross, L.J. Vedder, H.H. Timmerman, S. Heisterkamp, H. Van Loveren, J.G. Vos, P.J.H. Reijnders, and A.D.M.E. Osterhaus. 1994. Impairment of immune function in harbor seals (*Phoca vitulina*) feeding on fish from polluted waters. Ambio 23:155-159.
- De Swart, R.L., T.C. Harder, P.S. Ross, H.W. Vos, and A.D.M.E. Osterhaus. 1995. Morbilliviruses and morbillivirus diseases of marine mammals. Infectious Agents and Disease 4:125-130.
- Deutsch, C.J., J.P. Reid, R.K. Bonde, D.E. Easton, H.I. Kochman, and T.J. O'Shea. 1999. Winter movements among thermal refugia by West Indian manatees (*Trichechus manatus*) along the U.S. Atlantic coast. Abstracts, 13th Biennial Conference on the Biology of Marine Mammals, Wailea, Maui, 28 November 3 December.
- DeWald, O. 1982. Severe storm and hurricane impacts along the Gulf and lower Atlantic coasts. In: U.S. Dept. of the Interior, Bureaus of Land Management. Environmental information on hurricanes, deepwater technology, and Mississippi Delta mudslides in the Gulf of Mexico, Section III. U.S. Dept. of the Interior, Bureau of Land Management, New Orleans OCS Office, New Orleans, LA. BLM Open File Report 80-02. 10 pp.
- Dismukes, D., W. Olatubi, D. Mesyanzhinov, and A. Pulsipher. 2003. Modeling the economic impacts of offshore oil and gas activities in the Gulf of Mexico: Methods and applications. U.S. Dept of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2003-018. 106 pp.
- Ditton, R.B. and J. Auyong. 1984. Fishing offshore platforms central Gulf of Mexico An analysis of recreational and commercial fishing use at 164 major offshore petroleum structures. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Monograph MMS 84-0006. 158 pp. Available from NTIS, Springfield, VA: PB84-216605.

Ditton, R.B. and A.R. Graefe. 1978. Recreational fishing use of artificial reefs on the Texas coast. College Station, TX: Texas A&M University, Department of Recreation and Parks. 155 pp.

- Ditty, J.G., G.G. Zieske, and R.F. Shaw. 1988. Seasonality and depth distribution of larval fishes in the northern Gulf of Mexico above 26°N. Fish. Bull. 86:811-823.
- Dodd, C.K., Jr. 1988. Synopsis of the biological data on the loggerhead sea turtle *Caretta caretta* (Linnaeus 1758). U.S. Dept. of the Interior, Fish and Wildlife Service. Biological Report 88(14). Gainesville, FL: National Ecology Research Center. Available from NTIS: Springfield, VA. PB89-109565. 119 pp.
- Doherty, P. and T. Fowler. 1994. An empirical test of recruitment limitation in a coral reef fish. Science 263:935-939.
- Donato, K.M., D.T. Robinson, and C.L. Bankston III. 1998. To have them is to love them: immigrant workers in the offshore oil industry. Paper read at the Annual Meeting of the Latin American Studies Association, Chicago, IL, September 1998. 18 (unnumbered xerox) pp.
- Doonan, T. 1996. Personal communication. Florida Fish and Wildlife Conservation Commission, Panama City, FL.
- Dowgiallo, M.J. (ed.). 1994. Coastal oceanographic effects of the summer 1993 Mississippi River flooding. Special NOAA Report. U.S. Dept. of Commerce, National Oceanic Atmospheric Administration, Coastal Ocean Office/National Weather Service, Silver Spring, MD. 76 pp.
- Dugas, R., V. Guillory, and M. Fischer. 1979. Oil rigs and offshore fishing in Louisiana. Fisheries 4(6):2-10.
- Duignan, P.J., C. House, D.K. Odell, R.S. Wells, L. Hansen, M. Walsh, B.K. Rima, and J.R. Geraci. 1995a. Morbillivirus infection in bottlenose dolphins: Evidence for recurrent epizootics. Abstract, 11th Biennial Conference on the Biology of Marine Mammals, 14-18 December, Orlando, FL.
- Duignan, P.J., C. House, M.T. Walsh, T. Campbell, G.D. Bossart, N. Duffy, P.J. Fernandes, B.K. Rima, S. Wright, and J.R. Geraci. 1995b. Morbillivirus infection in manatees. Marine Mammal Science 11:441-451.
- Duignan, P.J., C. House, D.K. Odell, R.S. Wells, L.J. Hansen, M.T. Walsh, D.J. St. Aubin, B.K. Rima, and J.R. Geraci. 1996. Morbillivirus infection in bottlenose dolphins: Evidence for recurrent epizootics in the western Atlantic and Gulf of Mexico. Marine Mammal Science 12:499-515.
- Dunbar, J.B., L.D. Britsch, and E.B. Kemp III. 1992. Land loss rates: Report 3, Louisiana coastal plain. U.S. Dept. of the Army, Corps of Engineers, New Orleans District, New Orleans, LA. Technical Report GL-90-2.
- Dunton, K.H. 1994. Seasonal growth and biomass of the subtropical *Halodule wrightii* in relation to continuous measurements of underwater irradiance. Mar. Biol. 120:479-489.
- Dunton, K.H., A. Burd, L. Cifuentes, P. Eldridge, and J. Morse. 1998. The effect of dredge deposits on the distribution and productivity of seagrasses: An intergrative model for Laguna Madre. Draft Final Report to Interagency Coordination Team, Galveston District, U.S. Army Corps of Engineers. Unnumbered report.
- Durako, M.J., M.O. Hall, F. Sargent, and S. Peck. 1992. Propeller scars in sea grass beds: an assessment and experimental study of recolonization in Weedon Island State Preserve, Florida. In: Web, F., ed. Proceedings, 19th Annual Conference of Wetland Restoration and Creation. Hillsborough Community College, Tampa, FL. Pp. 42-53.
- Duronslet, M.J., C.W. Caillouet, S. Manzella, K.W. Indelicato, C.T. Fontaine, D.B. Revera, T. Williams, and D. Boss. 1986. The effects of an underwater explosion on the sea turtles *Lepidochelys kempi* and *Caretta caretta* with observations of effects on other marine organisms (trip report). Galveston, TX: U.S. Dept. of Commerce, National Marine Fisheries Service, Southeast Fisheries Center.
- Dutton, P.H., B.W. Bowen, D.W. Owens, A. Barragan, and S.K. Davis. 1999. Global phylogeography of the leatherback turtle (*Dermochelys coriacea*). J. Zool. Lond. 248:397-409.
- Dwinell, S.E. and C.R. Futch. 1973. Spanish and king mackerel larvae and juveniles in the northeastern Gulf of Mexico June through October 1969. Florida. Dept. of Natural Resource Laboratory. Leaflet Ser. 5 Part 1(24):1-14.
- Eadie, B.J., J.A. Robbins, P. Blackwelder, S. Metz, J.H. Trefry, B. McKee, and T.A. Nelson. 1992. A retrospective analysis of nutrient enhanced coastal ocean productivity in sediments from the Louisiana continental shelf. In: Nutrient Enhanced Coastal Ocean Productivity Workshop Proceedings, TAMU-SG-92-109, Technical Report. Pp. 7-14.

- Eckert, S.A., D.W. Nellis, K.L. Eckert, and G.L. Kooyman. 1986. Diving patterns of two leatherback sea turtles (*Dermochelys coriacea*) during internesting intervals at Sandy Point, St. Croix, U.S. Virgin Islands. Herpetologica 42:381-388.
- Edison Chouest. 2001. Internet website: http://www.chouest.com/c-port/c-port.html
- Edwards, R.E., K.J, Sulak, C.B. Grimes, and M. Randall. Submitted. Movements of Gulf sturgeon (*Acipenser oxyrinchus desotoi*) in nearshore habitat as determined by acoustic telemetry. Manuscript submitted December 17, 2001, to Gulf of Mexico Science.
- Ehrhart, L.M. 1978. Choctawhatchee beach mouse. In: Layne, J.N., ed. Rare and endangered biota of Florida. Volume I: Mammals. Gainesville: University Presses of Florida. Pp. 18-19.
- Eleuterius, L.N. 1987. Seagrass ecology along the coasts of Alabama, Louisiana, and Mississippi. Florida Marine Research Publications, No. 42. Pp. 11-24.
- Encarta. 2002. Internet website: http://encarta.msn.com/find/concise.asp?ti=761568357&sid=37#s37.
- Engelhardt, F.R., J.P. Ray, and A.H. Gillam, eds. 1989. Drilling wastes. New York: Elsevier Applied Science Publishers, Ltd. 708 pp.
- Ernst, C.H., R. W. Barbour, and J. E. Lovich. 1994. Turtles of the United States and Canada. Washington, DC.: Smithsonian Institution Press. 578 pp.
- Espey, Huston & Associates, Inc. 1990. Ground truthing anomalies, Port Mansfield entrance channel, Willacy County, Texas. Prepared for the U.S. Dept. of the Army, Corps of Engineers, Galveston District, Galveston, TX. Contract no. DACW64-89-D-0002. Delivery order no. 0006. Texas antiquities permit no. 857. 60 pp.
- Etkin, D.S. 1998. Personal communication. Research analyst for the Oil Spill Intelligence Report, Cutter Information Corporation.
- Evans, W. 1999. Texas A&M University, Dept. of Wildlife & Fisheries Sciences, Galveston, TX.
- Evans, D.R. and S.D. Rice. 1974. Effects of oil on marine ecosystems: A review for administrators and policy makers. Fishery Bull. 72(3):625-637.
- Fangman, M.S. and K.A. Rittmaster. 1994. Effects of human beach usage on the temporal distribution of loggerhead nesting activities. In: Proceedings, 13th Annual Symposium on Sea Turtle Biology and Conservation, 23-27 February, Jekyll Island, GA. NOAA Tech. Memo. NMFS-SEFSC-341.
- Farr, A.J., C.C. Chabot, and D.H. Taylor. 1995. Behavioral avoidance of flurothene by flathead minnows (*Pimephales promelas*). Neurotoxicology and Teratology 17(3):265-271.
- Fedde, M.R. and W.D. Kuhlmann. 1979. Cardiopulmonary responses to inhaled sulfur dioxide in the chicken. Poultry Science 58:1584-1591.
- Federal Archeology. 1994. Industrial archeology: Special report. 7(2)/Summer 1994.
- Federal Register. 1985a. Endangered and threatened wildlife and plants; determination of endangered status for three beach mice. Final Rule. 50 CFR 17, Thursday, June 6, 1985. 50 FR 109, pp. 23,872-23,885.
- Federal Register. 1985b. Endangered and threatened wildlife and plants; removal of the brown pelican in the southeastern United States from the list of endangered and threatened wildlife. 50 FR 23.
- Federal Register. 1995a. Incidental take of marine mammals; bottlenose dolphins and spotted dolphins. 50 CFR 228.
- *Federal Register*. 1995b. Endangered and threatened wildlife and plants; final rule to reclassify the bald eagle from endangered to threatened in all of the lower 48. 60 FR 133, pp. 36,000-36,010.
- Federal Register. 1998. Endangered and threatened wildlife and plants; determination of endangered status for the St. Andrew beach mouse. 50 CFR 17, December 18, 1998. 63 FR 243. Pp. 70053-70062.
- FERC (Federal Energy Regulatory Commission). 2001 Inside FERC's gas market report. Internet website: <a href="http://www.ferc.gov">http://www.ferc.gov</a>.
- Fertl, D. 1994. Occurrence, movements, and behavior of bottlenose dolphins (*Tursiops truncatus*) in association with the shrimp fishery in Galveston Bay, Texas. M.Sc. Thesis, Texas A&M University, College Station.

Fertl, D. and S. Leatherwood. 1997. Cetacean interactions with trawls: a preliminary review. Journal of Northwest Atlantic Fishery Science 22: 219-248.

- Fertl, D. and B. Würsig. 1995. Coordinated feeding by Atlantic spotted dolphins (*Stenella frontalis*) in the Gulf of Mexico. Aquat. Mamm. 21:3-5.
- Fertl, D., A.J. Schiro, and D. Peake. 1997. Coordinated feeding by Clymene dolphins (*Stenella clymene*) in the Gulf of Mexico. Aquat. Mamm. 23:111-112.
- Fingas, M. 2001. The basics of oil spill cleanup second edition. Boca Raton, FL: CRC Press LLC.
- Fingas, M. and B. Fieldhouse. 1998. Studies of water-in-oil emulsions: Stability and oil properties. In: Proceedings of the Twenty-First Arctic Marine Oilspill Program Technical Seminar, Environment Canada. Ottawa, Ontario, Canada. Pp. 1-25.
- Fischel, M., W. Grip, and I.A. Mendelssohn. 1989. Study to determine the recovery of a Louisiana marsh from an oil spill. In: Proceedings, 1989 Oil Spill Conference . . . February 13-16, 1989, San Antonio, TX. Washington, DC: American Petroleum Institute.
- Fischer, A. 1970. History and current status of the Houma Indians. In: Levine, S. and S. Oestreich Lurie, eds. The American Indian Today. Baltimore, MD: Penguin Books, Inc. Pp. 212-234.
- Fisher, C.R. 1995. Characterization of habitats and determination of growth rate and approximate ages of the chemosynthetic symbiont-containing fauna. In: MacDonald, I.R., W.W. Schroeder, and J.M. Brooks, eds. 1995. Chemosynthetic ecosystems study: Final report. Volume 2: Technical report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 95-0022. Pp. 5.1-5.47.
- Fisher, W.L., J.H. McGowen, L.F. Brown, Jr., and C.G. Groat. 1972. Environmental geologic atlas of the Texas coastal zone: Galveston-Houston area. The University of Texas at Austin, Bureau of Economic Geology, Austin, TX.
- Fisher, W.L., L.F. Brown, Jr., J.H. McGowen, and C.G. Groat. 1973. Environmental geologic atlas of the Texas coastal zone: Beaumont-Port Arthur area. The University of Texas at Austin, Bureau of Economic Geology, Austin, TX.
- Fisher, C.R., I. Urcuyo, M.A. Simpkins, and E. Nix. 1997. Life in the slow lane: growth and longevity of cold-seep vestimentiferans. Marine Ecology 18:83-94.
- Florida Dept. of Environmental Protection (FDEP); U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration; and U.S. Dept. of the Interior. 1997. Damage assessment and restoration plan/environmental assessment for the August 10, 1993, Tampa Bay oil spill. Vol. 1 Ecological injuries.
- Florida Fish and Wildlife Conservation Commission. 2002. Sea turtle nesting activity in Florida. Florida Marine Research Institute, St. Petersburg, FL. Internet website: <a href="http://www.floridamarine.org/features/view-article.asp?id=2377">http://www.floridamarine.org/features/view-article.asp?id=2377</a>.
- Florida Game and Freshwater Fish Commission. 1996. Descriptions of plant communities for Landsat habitat mapping. Written communication (letter) of July 5, 1966, from John E. Stys, Biological Scientist of the Office of Environmental Services, Florida Game and Freshwater Fish Commission.
- Foster and Associates, Inc. 1997. Social and economic consequences of onshore OCS-related activities in coastal Alabama: Final baseline report. Economic baseline of the Alabama coastal region. Report prepared for the U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. 102 pp.
- Fox, D.A. and J. Hightower. 1998. Identification of Gulf sturgeon spawning habitat in the Choctawhatchee River System, Alabama. Final report to North Carolina Cooperative Fish and Wildlife Research Unit, Raleigh, NC. 51 pp.
- Fox, D.A., J.E. Hightower, and F.M. Parauka. 2000. Gulf sturgeon spawning migration and habitat in the Choctawhatchee River System, Alabama-Florida. Transactions of the American Fisheries Society 129:811-826.
- Frazer, N.B., J.W. Gibbons, and J.L. Greene. 1989. Life tables of a slider turtle population. In: Gibbons, J.W., ed. Life history and ecology of the slider turtle. Washington, DC: Smithsonian Institution Press.
- Frazier, J.G. 1980. Marine turtles and problems in coastal management. In: Edge, B.L., ed. Coastal Zone '80; Volume III. Proceedings, Second Symposium on Coastal and Ocean Management. Pp. 2,395-2,2411.

- French, D.P. 1998. Modeling the impacts of the *North Cape* oil spill. In: Proceedings, Twenty-first Arctic and Marine Oil Spill Program (AMOP) Technical Seminar, June 10-12, 1998, West Edmonton Mall Hotel, Edmonton, Alberta, Canada. Pp. 387-430.
- Frink, L. 1994. Rehabilitation of contaminated wildlife. In: Burger, J., ed. Before and after and oil spill: The Arthur Kill. New Brunswick, NJ: Rutgers University Press. Pp. 82-98.
- Fritts, T.H. and M.A. McGehee. 1982. Effects of petroleum on the development and survival of marine turtle embryos. Prepared for the U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. Contract no. 14-16-0009-80-946.
- Fritts, T.H. and R.P. Reynolds. 1981. Pilot study of the marine mammals, birds and turtles in OCS areas of the Gulf of Mexico. U.S. Dept. of the Interior, Fish and Wildlife Service, Biological Services Program. FWS/OBS-81/36.
- Fritts, T.H., A.B. Irvine, R.D. Jennings, L.A. Collum, W. Hoffman, and M.A. McGehee. 1983. Turtles, birds, and mammals in the northern Gulf of Mexico and nearby Atlantic waters. U.S. Dept. of the Interior, Fish and Wildlife Service, Division of Biological Services, Washington, DC. FWS/OBS-82/65. 455 pp.
- Frost, K.J., C-A. Manen, and T.L. Wade. 1994. Petroleum hydrocarbons in tissues of harbor seals from Prince William Sound and the Gulf of Alaska. In: Loughlin, T.R., ed. Marine mammals and the *Exxon Valdez*. San Diego, CA: Academic Press. Pp. 331-358.
- Fry, D.M., S.I. Fefer, and L. Sileo. 1987. Ingestion of plastic debris by laysan albatross and wedge-tailed shearwaters in the Hawaiian islands. Mar. Poll. Bull. 18(6B):339-343.
- Fu, B. and P. Aharon. 1998. Sources of hydrocarbon-rich fluids advecting on the seafloor in the northern Gulf of Mexico. Gulf Coast Association of Geological Societies Transactions 48:73-81.
- Fuller, D.A. and A.M. Tappan. 1986. The occurrence of sea turtles in Louisiana coastal waters. Baton Rouge, LA: Louisiana State University, Center for Wetland Resources. LSU-CFI-86-28.
- Fuller, D. 2002. Personal communication. U.S. Dept. of Interior, Fish and Wildlife Service, Ecological Services, Lafayette, LA.
- Gales, R.S. 1982. Effects of noise of offshore oil and gas operations on marine mammals an introductory assessment. Technical Report 844. Naval Ocean Systems Center, San Diego, CA.
- Gallaway, B.J. and D.K. Beaubien. 1997. Initial monitoring at a synthetic drilling fluid discharge site on the continental slope of the northern Gulf of Mexico: The Pompano Development. In: McKay, M. and J. Nides, eds. Proceedings, Seventeenth Annual Gulf of Mexico Information Transfer Meeting, December 1997. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 99-0042. Pp. 675-685.
- Gallaway, B.J., L.R. Martin, and R.L. Howard, eds. 1988. Northern Gulf of Mexico continental slope study, annual report: Year 3. Volume II: Technical narrative. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 87-0060. 586 pp.
- Gambell, R. 1985. Sei whale -- *Balaenoptera borealis*. In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 3: The sirenians and baleen whales. San Diego, CA: Academic Press. Pp. 155-170.
- Garber, S.D. 1985. The integration of ecological factors affecting marine turtle nesting beach management. In: Proceedings of the Ninth Annual Conference of the Coastal Society, October 14-17, 1984, Atlantic City, NJ: The Coastal Society.
- Garrison, E.G., C.P. Giammona, F.J. Kelly, A.R. Tripp, and G.A. Wolf. 1989. Historic shipwrecks and magnetic anomalies of the Northern Gulf of Mexico: reevaluation of archaeological resource management. Volume II: Technical narrative. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 89-0024. 241 pp.
- Gartner, J.V., Jr. 1993. Patterns of reproduction on the dominant lanternfish species (Pisces: Myctophidae) of the eastern Gulf of Mexico, with a review of reproduction among tropical-subtropical Myctophidae. Bull. Mar. Sci. 52(2):721-750.
- Gartner, J.V., Jr., T.L. Hopkins, R.C. Baird, and D.M. Milliken. 1987. The lanternfishes of the eastern Gulf of Mexico. Fish. Bull. 85(1):81-98.
- Geological Survey of Alabama (GSA). 1998. Governor's report: Options for development of potential natural gas reserves from central Gulf of Mexico, Mobile Area Blocks 826 and 829.

George, R.H. 1997. Health problems and diseases of sea turtles. In: Lutz, P.L. and J.A. Musick, eds. The biology of sea turtles. Boca Raton, FL: CRC Press. Pp. 363-385.

- Geraci, J.R. 1990. Physiologic and toxic effects on cetaceans. In: Geraci, J.R. and D.J. St. Aubin, eds. Sea mammals and oil: confronting the risks. San Diego, CA: Academic Press, Inc. Pp. 167-197.
- Geraci, J.R. and D.J. St. Aubin. 1980. Offshore petroleum resource development and marine mammals: A review and research recommendations. Marine Fisheries Review 42:1-12.
- Geraci, J.R. and D.J. St. Aubin. 1982. Study of the effects of oil on cetaceans. Final report prepared for the U.S. Dept. of the Interior, Bureau of Land Management, New York OCS Office, July 20, 1982. 274 pp.
- Geraci, J.R. and D.J. St. Aubin. 1985. Expanded studies of the effects of oil on cetaceans, part I. Final report prepared for the U.S. Dept. of the Interior, Minerals Management Service, Washington, DC.
- Geraci, J.R., D.J. St. Aubin, and R.J. Reisman. 1983. Bottlenose dolphins, *Tursiops truncatus*, can detect oil. Can. J. Fish. Aquat. Sci. 40(9):1,515-1,522.
- Gerstein, E.R., L. Gerstein, S.E. Forsythe, and J.E. Blue. 1999. The underwater audiogram of the West Indian manatee (*Trichechus manatus*). Journal of the Acoustical Society of America 105:3,575-3,583.
- Getter, C.D., G. Cintron, B. Kicks, R.R. Lewis III, and E.D. Seneca. 1984. The recovery and restoration of salt marshes and mangroves following an oil spill. In: Cairn, J., Jr. and A.L. Buikema, Jr., eds. Restoration of habitats impacted by oil spills. Boston, MA: Butterworth Publishers, Ann Arbor Science Book. Pp. 65-104.
- Gibson, J.L., ed. 1982. Archeology and ethnology on the edges of the Atchafalaya Basin, south central Louisiana, a cultural resources survey of the Atchafalaya basin protection levees: final report. Prepared by the University of Southwestern Louisiana, Center for Archaeological Studies for the U.S. Dept. of the Army, Corps of Engineers, New Orleans District, New Orleans, LA. Contract DACW29-79-C-0265 PD-RC-82-04. 649 pp.
- Gibson, D.J. and P.B. Looney. 1994. Vegetation colonization of dredge spoil on Perdido Key, Florida. Journal of Coastal Research 10:133-134.
- Gibson, J. and G. Smith. 1999. Reducing threats to nesting habitat. In: Eckert, K.L., K.A. Bjorndal, F.A. Abreu-Grobois, and M. Donnelly, eds. Research and management techniques for the conservation of sea turtles. IUCN/SSC Marine Turtle Specialist Group Publication No. 4. Pp. 184-188.
- Gilbert, R.B., E.G. Ward, and A.J. Wolford. 2001. Comparative risk analysis for deepwater production systems. U.S. Dept. of the Interior, Minerals Management Service, Technology Assessment and Research Program, Project 359, January.
- Gilbes, F., C. Tomas, J. Walsh, and F. Muller-Karger. In press. An episodic chlorophyll plume on the West Florida Shelf. Continental Shelf Research.
- Gitschlag, G.R. 1999. Personal communication. Telephone conversations regarding fish kills associated with explosive platform removals. March 1999. U.S. Dept. of Commerce, National Marine Fisheries Service, Galveston Lab.
- Gitschlag, G.R. 2001. Personal communication. U.S. Dept. of Commerce, National Marine Fisheries Service, Galveston Lab.
- Gitschlag, G.R. and B.A. Herczeg. 1994. Sea turtle observations at explosive removals of energy structures. Mar. Fish. Rev. 56:1-8.
- Gitschlag, G.R. and M. Renaud. 1989. Sea turtles and the explosive removal of offshore oil and gas structures. In: Eckert, S.A., K.L. Eckert, and T. H. Richardson, comps. Proceedings, 9th Annual Workshop on Sea Turtle Conservation and Biology. NOAA Tech. Memo. NMFS-SEFSC-232. Pp. 67-68.
- Gitschlag, G.R., B.A. Herczeg, and T.R. Barcak. 1997. Observations of sea turtles and other marine life at the explosive removal of offshore oil and gas structures in the Gulf of Mexico. Gulf Research Reports 9:247-262.
- Gitschlag, G.R., J.S. Schrripa, and J.E. Powers. 2000. Estimation of fisheries impacts due to underwater explosives used to sever and salvage oil and gas platforms in the U.S. Gulf of Mexico. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2000-087. 80 pp.
- Godish, T. 1991. Air quality. 2<sup>nd</sup> ed. Michigan: Lewis Publishers, Inc. 422 pp.
- Golley, F.B. 1962. Mammals of Georgia. University of Georgia Press, Athens. 218 pp.

- Goodyear, C.P. and P. Phares. 1990. Status of red snapper stocks of the Gulf of Mexico, report for 1990. Contribution: CRD 89/90-05. U.S. Dept. of Commerce, National Marine Fisheries Service, Southeast Fisheries Center, Miami, FL. 72 pp.
- Goold, J.C. 1996. Acoustic assessment of populations of common dolphin *Delphinus delphis* in conjunction with seismic surveying. Journal of the Marine Biological Association, U.K. 76:811-820.
- Goold, J.C. and P.J. Fish. 1998. Broadband spectra of seismic survey air-gun emissions, with reference to dolphin auditory thresholds. Journal of the Acoustical Society of America 103:2,177-2,184.
- Gordon, J. and A. Moscroup. 1996. Underwater noise pollution and its significance for whales and dolphins. In: Simmonds, M.P. and J.D. Hutchinson, eds. The Conversation of Whales and Dolphins. New York: John Wiley and Sons. Pp. 281-319.
- Gordon, J.C.D., D. Gillespie, J. Potter, A. Frantzis, M. Simmonds, and R. Swift. 1998. The effects of seismic surveys on marine mammals. In: Seismic and Marine Mammals Workshop, 23-25 June 1998, London, Workshop Documentation (unpublished).
- Gore, J. 1996. Personal communication. Florida Fish and Wildlife Conservation Commission, Panama City, FL.
- Gore, J. 1997. Personal communication. Florida Fish and Wildlife Conservation Commission, Panama City, FL.
- Gosselink, J.G., C.L. Cordes, and J.W. Parsons. 1979. An ecological characterization study of the Chenier Plain coastal ecosystem of Louisiana and Texas. 3 vols. U.S. Dept. of the Interior, Fish and Wildlife Services. FWS/OBS-78/9 through 78/11.
- Govoni, J.J. and C.B. Grimes. 1992. The surface accumulation of larval fishes by hydrodynamic convergence within the Mississippi River plume front. Cont. Shelf Res. 12(11):1265-1276.
- Govoni, J.J., D.E. Hoss, and D.R. Colby. 1989. The spatial distribution of larval fishes about the Mississippi River plume. Limnol. Oceanogr. 34:178-187.
- Gramentz, D. 1988. Involvement of loggerhead turtle with the plastic, metal, and hydrocarbon pollution in the central Mediterranean. Mar. Poll. Bull. 19:11-13.
- Gramling, R. 1984. Housing in the coastal zone parishes. In: Gramling, R.B. and S. Brabant, eds. The role of outer continental shelf oil and gas activities in the growth and modification of Louisiana's coastal zone. U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration; Louisiana Dept. of Natural Resources, Lafayette, LA. Interagency Agreement NA-83-AA-D-CZ025; 21920-84-02. Pp. 127-134.
- Gray, W.M. 1992. Written communication. Updated forecast of Atlantic seasonal activity for 1992.
- Greenpeace. 1992. The environmental legacy of the Gulf War. Greenpeace International, Amsterdam.
- Griffin, R.B. 1999. Sperm whale distributions and community ecology associated with a warm-core ring off Georges Bank. Mar. Mamm. Sci. 15: 33-51.
- Griffin, R.B. and N.J. Griffin. 1999. Distribution and habitat differentiation of *Stenella frontalis* and *Tursiops truncatus* on the eastern Gulf of Mexico continental shelf. Abstracts, 13th Biennial Conference on the Biology of Marine Mammals, Wailea, Maui, 28 November 3 December.
- Grimes, C.B. and J.H. Finucane. 1991. Spatial distribution and abundance of larval and juvenile fish, chlorophyll and macrozooplankton around the Mississippi River discharge plume, and the role of the plume in fish recruitment. Mar. Ecol. Prog. Ser. 75:109-119.
- Grimes, C.B., A. Hamilton, and D.J. Kushner. 1992. A larval index to the Gulf of Mexico spawning stock of Spanish mackerel, *Scomberomorus maculatus*, 1984-1986. Report to the U.S. Dept. of Commerce, National Marine Fisheries Service, Panama City, FL, and Pascagoula, MS. 16 pp.
- Grimes, C.B., G. Fitzhugh, C.C. Koenig, and F.C. Coleman. 1999. Factors influencing the timing and magnitude of settlement of reeffish recruiting to seagrass meadows along the west Florida shelf. In: McKay, M. and J. Nides, eds. Proceedings, Seventeenth Annual Gulf of Mexico Information Transfer Meeting, Decemb er 1997. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 99-0042. Pp. 299-303.
- Groom, M.J. and M.A. Pascual. 1997. The analysis of population persistence: An outlook on the practice of viability analysis. In: Fiedler, P.L. and P.M. Karieva, eds. Conservation biology for the coming decade. New York: Chapman and Hall. Pp. 1-27.

Guinasso N.L., Jr. 1997. Personal communication. Geochemical Environmental Research Group, Texas A&M University, College Station, TX.

- Gulf of Mexico Fishery Management Council (GMFMC). 1985. Final amendment I: Fishery management plan and environmental impact statement for coastal migratory pelagic resources in the Gulf of Mexico and South Atlantic Region. Tampa, FL. 135 pp.
- Gulf of Mexico Fishery Management Council (GMFMC). 1994. Amendment 2 to the fishery management plan for coral and coral reefs of the Gulf of Mexico and South Atlantic. South Atlantic and Gulf of Mexico Fishery Management Councils, Tampa, FL. 136 pp.
- Gulf of Mexico Fishery Management Council (GMFMC). 1995. Draft amendment 8 environmental assessment (effort management amendment) to the reef fishery management plan for the reef fish resources of the Gulf of Mexico. Gulf of Mexico Fishery Management Council, Tampa, FL. 56 pp.
- Gulf of Mexico Fishery Management Council (GMFMC). 1998. Generic amendment for addressing essential fish habitat requirements. Gulf of Mexico Fishery Management Council, Tampa, FL. NOAA Award No. NA87FC0003. 238 pp. + apps.
- Gulf of Mexico Fishery Management Council (GMFMC). 2000. Information on recent proposals and announcements. Internet website: http://www.gulfcouncil.org/index.html.
- Gulf of Mexico Newsletter On-line. 2003. Internet website: <a href="http://www.ods-petrodata.com/ViewPublication?PUB\_ID=18">http://www.ods-petrodata.com/ViewPublication?PUB\_ID=18</a>. Edition 030414, April 11.
- Gulf States Marine Fisheries Commission. 1988. Thirty-eighth annual report (1986-1987) to the Congress of the United States and to the governors and legislators of Alabama, Florida, Louisiana, Mississippi, and Texas. Ocean Springs, MS. 90 pp.
- Gulland, J. and C. Walker. 1998. Marine seismic overview. In: Seismic and Marine Mammals Workshop, 23-25 June 1998, London, Workshop Documentation (unpublished).
- Gunter, G. 1977. Public aguaria and seals in the Gulf of Mexico. The Drum and Croaker. 17 (1):37-40.
- Guo, J., D. Hughes, and W. Keithly. 2001. An analysis of Louisiana Highway 1 in relation to expanding oil and gas activities in the central Gulf of Mexico: Appendix B. In: Keithly, D.C., ed. Lafourche Parish and Port Fourchon, Louisiana: Effects of the outer continental shelf petroleum industry on the economy and public services, part 1. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, Louisiana. OCS Study MMS 2001-019.
- Hall, E.R. 1981. The mammals of North America: Volume II. New York: John Wiley and Sons. Pp. 667-670.
- Hall, R.J., A.A. Belisle, and L. Sileo. 1983. Residues of petroleum hydrocarbons in tissues of sea turtles exposed to the *Ixtoc I* spill. Journal of Wildlife Diseases 19:106-109.
- Halliburton Company. 1995. Halliburton redbook: Halliburton cementing tables.
- Hamilton, P. and A. Lugo-Fernandez. 2001. Observations of high speed deep currents in the northern Gulf of Mexico. Geophys. Res. Let. 28(14):2,867-2,870.
- Hansen, D.J. 1985. Potential effects of oil spills and other chemical pollutants on marine mammals occurring in Alaskan waters. U.S. Dept. of the Interior, Minerals Management Service, Alaska OCS Region, Anchorage. OCS Study MMS 85-0031. 21 pp.
- Hansen, L.J., ed. 1992. Report on investigation of 1990 Gulf of Mexico bottlenose dolphin strandings. U.S. Dept. of Commerce, National Marine Fisheries Service, Southeast Fisheries Center, Miami, FL. Report MIA-92-93-21. 219 pp.
- Hansen, L. 1997. Personal communication. U.S. Dept. of Commerce, National Marine Fisheries Service, Charleston Lab, Charleston, SC.
- Harper, D.E. 1986. A review and synthesis of unpublished and obscure published literature concerning produced water fate and effects. Prepared for the Offshore Operators Committee, Environmental Science Task Force (Chairman, R.C. Ayers, Exxon Production Research Co., Houston, TX).
- Harris InfoSource. 1998. 1998 Alabama manufacturing directory. Twinsburg, OH: Harris InfoSource.
- Hartman, D.S. 1979. Ecology and behavior of the manatee (*Trichechus manatus*) in Florida. American Society of Mammalogists, Special Publication 5. St. Lawrence, KS. 153 pp.

- Harvey, J.T. and M.E. Dahlheim. 1994. Cetaceans in oil. In: Loughlin, T.R., ed. Marine mammals and the *Exxon Valdez*. San Diego, CA: Academic Press. Pp. 257-264.
- Hastings, R.W., L.H. Ogren, and M.T. Mabry. 1976. Observations on the fish fauna associated with offshore platforms in the northeastern Gulf of Mexico. U.S. Fishery Bulletin 74:387-402.
- Haubold, E.M., D. Cowan, A.O. Okorodudu, S. Ferrell, T. Christopher, and A.R. Tripp. 1993. Heavy metals in vertebrae of *Tursiops truncatus* stranded along the Texas coast. Abstract, 10th Biennial Conference on the Biology of Marine Mammals, November 11-15, Galveston, TX.
- Hayes, M.O., D.D. Domeracki, C.D. Getter, T.W. Kana, and G.I. Scott. 1980. Sensitivity of coastal environments to spilled oil, south Texas coast. Research Planning Institute, Inc. Report No. RPI/R/80/4/11-12. Prepared for U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, Office of Marine Pollution Assessment, Columbia, SC. 89 pp.
- Hayman, P., J. Marchant, and T. Prater. 1986. Shorebirds: an identification guide to the waders of the world. Boston, MA: Houghton Mifflin Co. 412 pp.
- Heintz, R.A., J.W. Short, and S.D. Rice. 1999. Sensitivity of fish embryos to weathered crude oil: Part II. Increased mortality of pink salmon (*Oncorhynchus gorbuscha*) embryos incubation downstream from weathered *Exxon Valdez* crude oil. Environmental Toxicology and Chemistry 18(3):494-503.
- Heithaus, M.R. and R.C. Connor. 1995. Conservation of small odontocetes: the importance of prey protection. Abstract, 11th Biennial Conference on the Biology of Marine Mammals, 14-18 December, Orlando, FL.
- Hendrickson, J.R. 1980. The ecological strategies of sea turtles. Amer. Zool. 20:597-608.
- Heneman, B. and the Center for Environmental Education. 1988. Persistent marine debris in the North Sea, northwest Atlantic Ocean, wider Caribbean area, and the west coast of Baja California. Final report for the Marine Mammal Commission. Contract MM3309598-5. Washington, DC. Available from NTIS, Springfield, VA: PB89-109938. 161 pp.
- Henfer, L.M., B.O. Wilen, T.E. Dahl, and W.E. Frayer. 1994. Southeast wetlands: Status and trends, mid-1970's to mid-1980's. U.S. Dept. of the Interior, Fish and Wildlife Service, Atlanta, GA. 32 pp.
- Henry, C.B., P.O. Roberts, and E.B. Overton. 1993. Characterization of chronic sources and impacts of tar along the Louisiana coast. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico Region, New Orleans, LA. OCS Study MMS 93-0046. 64 pp.
- Herbst, L.H. 1994. Fibropapillomatosis of marine turtles. Annu. Rev. Fish. Dis. 4:389-425.
- Herbst, L.H. and E.R. Jacobson. 1995. Diseases of marine turtles. In: Bjorndal, K.A., ed. Biology and conservation of sea turtles. Revised edition. Washington, DC: Smithsonian Institution Press. Pp. 593-596.
- Herbst, L.H. and P.A. Klein. 1995. Green turtle fabropapillomatosis: challenges to assessing the role of environmental cofactors. Environmental Health Perspectives 103:27-30.
- Hersh, S.L. and D.A. Duffield. 1990. Distinction between northwest Atlantic offshore and coastal bottlenose dolphins based on hemoglobin profile and morphometry. In: Leatherwood, S. and R.R. Reeves, eds. The bottlenose dolphin. San Diego, CA: Academic Press. Pp. 129-139.
- Hersh, S.L. and D.K. Odell. 1986. Mass stranding of Fraser's dolphin, *Lagenodelphis hosei*, in the western North Atlantic. Mar. Mamm. Sci. 2:73-76.
- Heyning, J.E. 1989. Cuvier's beaked whale *Ziphius cavirostris* (G. Cuvier, 1823). In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 4: River dolphins and the larger toothed whales. London: Academic Press. Pp. 289-308.
- Hickerson, E.L. 2000. Assessing and tracking resident, immature loggerheads (*Caretta caretta*) in and around the Flower Garden Banks, northwest Gulf of Mexico. M.S. Thesis, Texas A&M University, College Station, TX. 102 pp.
- Hickerson, E.L. 2001. Personal communication. Flower Garden Banks National Marine Sanctuary, Bryan, TX.
- Hiett, R.L. and J.W. Milon. 2002. Economic impact of recreational fishing and diving associated with offshore oil and gas structures in the Gulf of Mexico: Final report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2002-010. 98 pp.

Hildebrand, H.H. 1982. A historical review of the status of sea turtle populations in the western Gulf of Mexico. In: Bjorndal, K.A., ed. Biology and conservation of sea turtles. Washington, D.C.: Smithsonian Institution Press. Pp. 447-453.

- Hildebrand, H.H. 1995. A historical review of the status of sea turtle populations in the western Gulf of Mexico.
   In: Bjorndal, K.A., ed. Biology and Conservation of Sea Turtles. Second edition. Washington, DC: Smithsonian Institution Press. Pp. 447-453.
- Hillestad, H.O., R.J. Reimold, R.R. Stickney, H.L. Windom, and J.H. Jenkins. 1974. Pesticides, heavy metals and radionuclide uptake in loggerhead sea turtles from South Carolina and Georgia. Herp Rev. 5:75.
- Hillestad, H.O., J.I. Richardson, C. McVea, and J.M. Watson. 1982. Worldwide incidental capture of sea turtles. In: Bjorndal, K.A., ed. Biology and conservation of sea turtles. Washington, DC: Smithsonian Institution Press. Pp. 489-495.
- Hillis, Z-M. 1990. Buck Island Reef National Monument Sea Turtle Research Program: 1989 the year of hawksbills and hurricanes. In: Proceedings, 10th Annual Workshop on Sea Turtle Biology and Conservation, February 20-24, Hilton Head Island, SC. NOAA Tech. Memo. NMFS-SEFSC-278. Pp. 15-20.
- Hirth, H.F. 1997. Synopsis of the biological data on the green turtle *Chelonia mydas* (Linnaeus 1758). U.S. Dept. of the Interior, Fish and Wildlife Service. Biological Report 97(1).
- Hoffman, W. and T.H. Fritts. 1982. Sea turtle distribution along the boundary of the Gulf Stream current off eastern Florida. Herpetologica 39:405-409.
- Holder, Jr., S.W. and A. Lugo-Fernandez. 1993. Relationships between the Barataria Basin tidal prism and the basin's barrier islands. In: Clipp, A., ed. Louisiana shoreline erosion: Emphasis on Grand Isle. Proceedings of a Symposium held at Grand Isle, LA, March 3-5, 1993. Pp. 31-42.
- Holler, N.R. and E.H. Rave. 1991. Status of endangered beach mouse populations in Alabama. Journal of the Alabama Academy of Sciences 62:18-27.
- Holler, N.R., M.C. Wooten, and M. Oli. 1999. Viability analysis of endangered Gulf coast beach mice (*Peromyscus polionotus*) populations. Project report for agreement 1448-0004-94-9174, modification 2, object 2 for the U.S. Dept. of the Interior, Fish and Wildlife Service, Panama City, FL. 16 pp., with graphs and tables.
- Hopkins, T.L. and R.C. Baird. 1985. Feeding ecology of four hatchetfishes (*Sternoptychidae*) in the eastern Gulf of Mexico. Bull. Mar. Sci. 36(2):260-277.
- Hopkins T.L. and T.M. Lancraft. 1984. The composition and standing stock of mesopelagic micronekton at 27°N. 86°W. in the eastern Gulf of Mexico. Contrib. Mar. Sci. 27:143-158.
- Horst, J. 1992a. Hurricane Andrew was a killer. Baton Rouge, LA: Louisiana Cooperative Extension Service. Sea Grant Program Lagniappe. October 16(9):4.
- Horst, J. 1992b. Gulf reef fish permit moratorium. Baton Rouge, LA: Louisiana Cooperative Extension Service. Sea Grant Program Lagniappe. July 16(7):1.
- Horst, J. 1993. Black drum. Baton Rouge, LA: Louisiana Cooperative Extension Service. Sea Grant Program Lagniappe. September 13(9):1.
- Hose, J.E. and E.D. Brown. 1998. Field applications of the piscine anaphase aberration test: Lessons from the *Exxon Valdez* oil spill. Mutation Research 399(2):167-178.
- Houde, E.D., J.C. Leak, C.E. Dowd, S.A. Berkeley, and W.J. Richards. 1979. Ichthyoplankton abundance and diversity in the eastern Gulf of Mexico. U.S. Dept. of the Interior, Bureau of Land Management, Gulf of Mexico OCS Region, New Orleans, LA. Available from NTIS, Springfield, VA: PB-299839. 546 pp.
- Houston Chronicle On-line. 2001a. OPEC expected to keep crude output steady as signs of recession increase. Internet website: http://www.chron.com/content/chronicle/business/index.html. September 24.
- Hoyt, E. 1995. The worldwide value and extent of whale watching. Bath, U.K.: Whale and Dolphin Conservation Society. 36 pp.
- Hsu, S.A. 1992. A study of extratropical cyclogenesis events along the mid- to outer Texas-Louisiana shelf. In: Proceedings; Twelfth Annual Gulf of Mexico Information Transfer Meeting. Sponsored by the U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, November 5-7, 1991, New Orleans, LA. OCS Study MMS 92-0027. Pp. 341-347.

- Hsu, S.A. 1996. Analysis of ambient pollutant concentrations and meteorological conditions affecting EPA Class I and II areas in southeastern Louisiana. Volume II: Appendices. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 96-0063. 364 pp.
- Hughes, G.R., P. Luschi, R. Mencacci, and F. Papi. 1998. The 7000-km oceanic journey of a leatherback tracked by satellite. J. Exper. Mar. Biol. Ecol. 229:209-217.
- Hughes, D.W., J.M. Fannin, W. Keithly, W. Olatubi, and J. Guo. 2002. Lafourche Parish and Port Fourchon, Louisiana: Effects of the outer continental shelf petroleum industry on the economy and public services, part 2. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2001-020.
- Hummell, R.L. 1990. Main Pass and the ebb-tidal delta of Mobile Bay, Alabama. Geological Survey of Alabama, Energy and Coastal Geology Division, Circular 146.
- Humphrey, S.R., and P.A. Frank. 1992. Survey for the southeastern beach mouse at Treasure Shores Park. A report prepared for the Board of County Commissioner, Indian River County, Vero Beach, FL.
- Hutchinson, J. and M. Simmonds. 1991. A review of the effects of pollution on marine turtles. Greenpeace International. 27 pp.
- Hutchinson, J. and M. Simmonds. 1992. Escalation of threats to marine turtles. Oryx. 26:95-102.
- International Association of Drilling Contractors (IADC). 1998. IADC deepwater well control guidelines. IADC, Houston, TX. 349 pp.
- International Fund for Animal Welfare (IFAW), Tethys and Europe Conservation. 1995. Report of the Workshop on the Scientific Aspects of Managing Whale Watching, Montecastello di Vibio, Italy. 45 pp.
- Irion, J.B. and R.J. Anuskiewicz. 1999. MMS seafloor monitoring project: First annual technical report, 1997 field season. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico Region, New Orleans, LA. OCS Report MMS 99-0014. 63 pp.
- Irvine, G. 2000. Persistence of spilled oil on shores and its effects on biota. In: Seas at the millennium: An environmental evaluation. Volume III: Global issues and processes. Elsevier Science Ltd.
- Jacobs Engineering Group, Inc. 1989. Air quality impact of proposed OCS lease sale no. 95, final report. Contract No. 14-12-0001-30127.
- James, F.C. 1992. St. Andrews beach mouse. In: Humphrey, S.R., ed. Rare and Endangered Biota of Florida. Volume 1: Mammals. Tallahassee, FL: University Presses of Florida. 392 pp.
- Jasny, M. 1999. Sounding the depths: Supertankers, sonar and the rise of undersea noise. National Resources Defense Council, March 1999. 75 pp.
- Jefferies, L.M. 1979. Status of knowledge. In: Summary of the Tar Ball Workshop. Hosted by Texas Department of Water Resources and National Oceanic and Atmospheric Administration, Office of Marine Pollution Assessment, June 26-27, 1979, Austin, TX.
- Jefferson, T.A. 1995. Distribution, abundance, and some aspects of the biology of cetaceans in the offshore Gulf of Mexico. Ph.D. Thesis, Texas A&M University, College Station, TX. 232 pp.
- Jefferson, T.A. and A.J. Schiro. 1997. Distribution of cetaceans in the offshore Gulf of Mexico. Mamm. Rev. 27:27-50.
- Jefferson, T.A. S. Leatherwood, L.K.M. Shoda, and R.L. Pitman. 1992. Marine mammals of the Gulf of Mexico: A field guide for aerial and shipboard observers. Texas A&M University Printing Center, College Station, TX. 92 pp.
- Jefferson, T.A., S. Leatherwood, and M.A. Webber. 1993. FAO species identification guide. Marine Mammals of the World. Rome: Food and Agriculture Organization.
- Ji, Z.-G., W.R. Johnson, C.F. Marshall, G.B. Rainey, and E. Lear, eds. In preparation. Oil spill risk analysis: Gulf of Mexico Outer Continental Shelf (OCS) lease sales, Eastern Planning Area, 2003 and 2005, and Gulfwide OCS Program, 2003-2042. U.S. Dept. of the Interior, Minerals Management Service, Environmental Division, Washington, DC.
- Ji, Z-G., W.R. Johnson, C.F. Marshall, G.B. Rainey, and E. Lear, eds. 2002. Oil spill risk analysis: Gulf of Mexico Outer Continental Shelf (OCS) lease sales, Central Planning Area and Western Planning Area, 2003-2007, and

Gulfwide OCS Program, 2003-2042. U.S. Dept. of the Interior, Minerals Management Service, Environmental Division, Washington, DC.

- Jochens, A.E., S.F. DiMarco, W.D. Nowlin, Jr., R.O. Reid, and M.C. Kennicutt II. In preparation. Northeastern Gulf of Mexico chemical oceanography and hydrography study: Draft synthesis report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. 538 pp.
- Johansen, O., H. Rye, and C. Cooper. 2001. DeepSpill JIP Field study of simulated oil and gas blowouts in deep water. In: Proceedings from the Fifth International Marine Environment Modeling Seminar, October 9-11, 2001, New Orleans, LA. 377 pp.
- Johnsgard, P.A. 1975. Waterfowl of North America. Bloomington, IN: Indiana University Press.
- Johnson, W.B. and J.G. Gosselink. 1982. Wetland loss directly associated with canal dredging in the Louisiana coastal zone. In: Boesch, D.F., ed. Proceedings of the conference on coastal erosion and wetland modification in Louisiana: Causes, consequences, and options. Baton Rouge, LA. U.S. Dept. of the Interior, Fish and Wildlife Service. FWS/OBS-82/59. Pp. 60-72.
- Johnson, A.G., W.E. Fable, Jr., C.B. Grimes, L. Trent, and J.V. Perez. 1994. Evidence for distinct stocks of king mackerel, Scomberomorus cavalla, in the Gulf of Mexico. Fish. Bull. 92:91-101.
- Johnson, S.A., K.A. Bjorndal, and A.B. Bolten. 1996. Effects of organized turtle watches on loggerhead (*Caretta caretta*) nesting behavior and hatchling production in Florida. Conservation Biology 10(2):570-577.
- Johnson, S.A., A.L. Bass, B. Libert, M. Marshall, and D. Fulk. 2000. Kemp's ridley (*Lepidochelys kempii*) nesting in Florida, USA. In: Kalb, H.J. and T. Wibbles, compilers. Proceedings of the Nineteenth Annual Symposium on Sea Turtle Biology and Conservation. U.S. Dept. of Commerce. NOAA Tech. Memo. NMFS-SEFSC-443. 291 pp.
- Johnston, J. and J. Barras. 2002. Personal communication. Telephone conversations concerning preliminary results from MMS/USGS's NWRC current Coastal Wetland Pipeline Impact Study. Lafayette, LA.
- Johnston, J.B. and D.R. Cahoon. In preparation. Coastal wetland impacts -- OCS canal widening rates and effectiveness of OCS pipeline canal mitigation.
- Johnston, P.A., R.L. Stringer, and D. Santillo. 1996. Cetaceans and environmental pollution: The global concern. In: Simmonds, M.P. and J.D. Hutchinson, eds. The conservation of whales and dolphins. Chichester, England: John Wiley & Sons. Pp. 219-261.
- Jokuty, P., S. Whiticar, Z. Wang, B. Fieldhouse, M. Fingas, and P. Lambert. 1996. Properties of crude oils of the outer continental shelf -- Louisiana Gulf Coast. Environmental Canada, Ottawa, Ontario, Canada. 120 pp.
- Jordan, D.S. and B.W. Evermann. 1896. The fishes of North and Middle America: A descriptive catalogue of the species of fish-like vertebrates found in the waters of North America, north of the Isthmus of Panama. Bull. U.S. Natl. Mus. 47(1):1-1,240.
- Joyce, E.A. 1983. Commercial and sport fisheries. In: French, C.O. and J.W. Parsons, eds. Florida coastal ecological characterization: A socioeconomic study of the northwestern region, Vol. 1 (text). U.S. Dept. of the Interior, Fish and Wildlife Service, Division of Biological Services, Washington, DC. FWS/OBS-83/15. Pp. 195-220.
- Justen, M.E. 1992. Federal regulations of sharks in U.S. Atlantic, Gulf and Caribbean waters. U.S. Dept. of Commerce, National Marine Fisheries Service, Southeast Region, St. Petersburg, FL. News Letter No. NR9 2-05. 1 p.
- Kannan K., K. Senthilkumar, B.G. Loganathan, S. Takahashi, D.K. Odell, and S. Tanabe. 1997. Elevated accumulation of tributyltin and its breakdown products in bottlenose dolphins (*Tursiops truncatus*) found stranded along the U.S. Atlantic and Gulf Coasts. Environmental Science & Technology 31:296-301.
- Keithly, D.C. 2001. Lafourche Parish and Port Fourchon, Louisiana: Effects of the outer continental shelf petroleum industry on the economy and public services, part 1. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2001-019. ix + 22 pp.
- Kelley, S.H., J.V. Gartner, Jr., W.J. Richards, and L. Ejsymont. 1986. SEAMAP 1983 -- Ichthyoplankton. NOAA Tech. Memo. NMFS-SEFSC-167.
- Kemp, N.J. 1996. Habitat loss and degradation. In: Simmonds, M.P. and J.D. Hutchinson, eds. The conservation of whales and dolphins. Chichester, England: John Wiley & Sons. Pp. 263-280.

- Kennicutt II, M.C., ed. 1995. Gulf of Mexico offshore operations monitoring experiment, Phase I: Sublethal responses to contaminant exposure, final report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 95-0045. 709 pp.
- Kennicutt, M.C., J.M. Brooks, R.R. Bidigare, R.R. Fay, T.L. Wade, and T.J. McDonald. 1985. Vent-type taxa in a hydrocarbon seep region on the Louisiana slope. Nature 317:351-353.
- Kenworthy, W.J. and D.E. Haunert. 1991. The light requirements of seagrasses: Proceedings of a workshop to examine the capability of water quality criteria, standards and monitoring programs to protect seagrasses. NOAA Tech. Memo. NMFS-SEFC-250. Washington, DC.
- Ketten, D.R. 1998. Marine mammal auditory systems: a summary of audiometric and anatomical data and its implications for underwater acoustic impacts. NOAA Tech. Memo. NOAA-TM-NMFS-SWFSC-256.
- Kilgen, R.H. and R.J. Dugas. 1989. The ecology of oyster reefs of the northern Gulf of Mexico: an open file report. U.S. Dept. of the Interior, Fish and Wildlife Service, National Wetlands Research Center, Slidell, LA. NWRC-Open File Report 89-02. 113 pp.
- Klentz, R.D. and M.R. Fedde. 1978. Hydrogen sulfide: Effects on avian respiratory control and intrapulmonary CO<sub>2</sub> receptors.
- Klima, E.F. and D.A. Wickham. 1971. Attraction of coastal pelagic fishes with artificial structures. Trans. Am. Fish. Soc. 100(1):86-99.
- Klima, E.F., G.R. Gitschlag, and M.L. Renaud. 1988. Impacts of the explosive removal of offshore petroleum platforms on sea turtles and dolphins. Mar. Fish. Rev. 50:33-42.
- Knowlton, A.R. and B. Weigle. 1989. A note on the distribution of leatherback turtles (*Dermochelys coriacea*) along the Florida coast in February 1988. Proceedings, 9th Annual Workshop on Sea Turtle Conservation and Biology. NOAA Tech. Memo. NMFS-SEFSC-232.
- Knowlton, A.R., S.D. Kraus, D.F. Meck, and M.L. Mooney-Seus. 1997. Shipping/right whale workshop. New England Aquarium, Aquatic Forum Series, Report 97-3.
- Koike, B.G. 1996. News from the bayous Louisiana Sea Turtle Stranding and Salvage Network. Proceedings,15th Annual Workshop on Sea Turtle Conservation and Biology. NOAA Tech. Memo. NMFS-SEFSC-387.
- Kraus, S.D. 1990. Rates and potential causes of mortality in North Atlantic right whales (*Eubalaena glacialis*). Mar. Mamm. Sci. 6:278-291.
- Kruse, S., D.K. Caldwell, and M.C. Caldwell. 1999. Risso's dolphin *Grampus griseus* (G. Cuvier, 1812). In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 6: Second book of dolphins. San Diego, CA: Academic Press. Pp. 183-212.
- Kuehl, D.W. and R. Haebler. 1995. Organochlorine, organobromine, metal, and selenium residues in bottlenose dolphins (*Tursiops truncatus*) collected during an unusual mortality event in the Gulf of Mexico, 1990. Archives of Environmental Contamination and Toxicology. 28:494-499.
- Kuhn, N.L., I.A. Mendelssohn, and D.J. Reed. 1999. Altered hydrology effects on Louisiana salt marsh function. Wetlands 19:3.
- Kulp, M.A. and P.D. Howell. 2001. Modern sediments of the Mississippi River delta plain. In: Penland, S., A. Beall, and J. Waters, eds. Environmental Atlas of the Lake Pontchartrain Basin. Lake Pontchartrain Basin Foundation, New Orleans, LA. P. 54.
- Kwon, H.J. 1969. Barrier islands of the northern Gulf of Mexico coast: Sediment source and development. Coastal Studies Series Number 23. Baton Rouge, LA: Louisiana State University Press.
- LA Hwy 1 Project Task Force. 1999. Gateway to the Gulf: An analysis of LA Highway 1.
- Lahvis, G.P., R.S. Wells, D.W. Kuehl, J.L. Stewart, H.L. Rhinehart, and C.S. Via. 1995. Decreased lymphocyte responses in free-ranging bottlenose dolphins (*Tursiops truncatus*) are associated with increased concentration of PCBs and DDT in peripheral blood. Environmental Health Perspectives 103:67-72.
- Laist, D.W. 1997. Impacts of marine debris: entanglement of marine life in marine debris including a comprehensive list of species with entanglement and ingestion records. In: Coe, J.M. and D.B. Rogers, eds. Marine debris: Sources, impacts, and solutions. New York: Springer-Verlag. Pp. 99-139.

- Laist, D.W. 2001. Personal communication. Marine Mammal Commission, Bethesda, MD.
- Laist, D.W., A.R. Knowlton, J.G. Mead, A.S. Collet, and M. Podesta. 2001. Collisions between ships and whales. Mar. Mamm. Sci. 17:35-75.
- Landry, Jr., A.M. 2000. Personal communication. Texas A&M University at Galveston, Dept. of Marine Biology, Galveston, TX.
- Landry, Jr., A.M. and D. Costa. 1999. Status of sea turtle stocks in the Gulf of Mexico with emphasis on the Kemp's ridley. In: Kumpf, H., K. Steidinger, and K. Sherman, eds. The Gulf of Mexico large marine ecosystem: Assessment, sustainability, and management. Blackwell Science. Pp. 248-268.
- Lane, J.S. and R.P. LaBelle. 2000. Meeting the challenge of potential deepwater spills: Cooperative research effort between industry and government. Presented at the SPE International Conference of Health, Safety, and the Environment in Oil and Gas Exploration and Production, Stavanger, Norway, 26-28 June 2000.
- Lang, W. Personal communication. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA.
- Lange, R. 1985. A 100 ton experimental oil spill at Halten Bank, off Norway. In: Proceedings, 1985 Oil Spill Conference . . . February 25-28, 1985, Los Angeles, CA. Washington, DC: American Petroleum Institute.
- Laska, S.B., V.K. Baxter, R. Seydlitz, R.E. Thayer, S. Brabant, and C.J. Forsyth, ed. 1993. Impact of offshore oil exploration and production on the social institutions of coastal Louisiana. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 93-0007. 246 pp.
- Lazcano-Barrero, M.A. and J.M. Packard. 1989. The occurrence of manatees (*Trichechus manatus*) in Tamaulipas, Mexico. Mar. Mamm. Sci. 5:202-205.
- Leadon, M.E. 1996. Hurricane Opal: Damage to Florida's beaches, dunes, and coastal structures. In: The future of beach nourishment. Proceedings of the 9th National Conference on Beach Preservation Technology, January 24-26, 1996. Shore & Beach Preservation Association. Tallahassee, FL.
- Leary, T.R. 1957. A schooling of leatherback turtles, *Dermochelys coriacea coriacea*, on the Texas coast. Copeia 1957:232.
- Leatherwood, S. and R.R. Reeves. 1983. Abundance of bottlenose dolphins in Corpus Christi Bay and coastal southern Texas. Contributions in Marine Science 26:179-199.
- Leatherwood, S., T.A. Jefferson, J.C. Norris, W.E. Stevens, L.J. Hansen, and K.D. Mullin. 1993. Occurrence and sounds of Fraser's dolphins (*Lagenodelphis hosei*) in the Gulf of Mexico. Tex. J. Sci. 45:349-354.
- LeBlanc, D.J. 1985. Environmental and construction techniques involved with the installation of a gas pipeline across Timbalier Island, Louisiana. In: Proceedings, Sixth Annual Gulf of Mexico Information Transfer Meeting. Sponsored by U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, October 22-24, 1985, New Orleans, LA. OCS Study MMS 86-0073. Pp. 203-205.
- Lecke-Mitchell, K.M. and K. Mullin. 1997. Floating marine debris in the US Gulf of Mexico. Mar. Poll. Bull. 34(9):702-705.
- LeDuc, R.G. and Curry, B.E. 1997. Mitochondrial DNA sequence analysis indicates need for revision of the genus Tursiops. Reports of the International Whaling Commission 47:393.
- Lee, R.F. 1977. Fate of oil in the sea. In: Fore, P.L., ed. Proceedings of the 1977 Oil Spill Response Workshop. U.S. Dept. of the Interior, Fish and Wildlife Service, Biological Services Program, Washington, DC. FWS/OBS/77-24, 1977. Pp 43-54.
- Leighton, F.A. 1990. The toxicity of petroleum oils to birds: An overview. Oil Symposium, Herndon, VA.
- Leis, J.L. 1991. The pelagic stage of reef fishes: The larval biology of coral reef fishes. In: Sale, P.F., ed. The ecology of fishes on coral reefs. New York, NY: Academic Press. Pp. 183-230.
- Lenhardt, M.L. 1994. Seismic and very low frequency sound induced behaviors in captive loggerhead marine turtles (*Caretta caretta*). In: Proceedings, Fourteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Tech. Memo. NMFS-SEFSC-351.
- Lenhardt, M.L., S. Bellmund, R.A. Byles, S.W. Harkins, and J.A. Musick. 1983. Marine turtle reception of bone-conducted sound. Journal of Auditory Research 23:119-125.

- LGL Ecological Research Associates, Inc. and Texas A&M University. 1986. Northern Gulf of Mexico continental slope study, annual report: Year 2. Volume 2, primary volume. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. 220 pp.
- Linden, O., J.R. Sharp, R. Laughlin, Jr., and J.M. Neff. 1979. Interactive effects of salinity, temperature, and chronic exposure to oil on the survival and development rate of embryos of the estuarine killfish *Fundulus heteroclitus*. Mar. Biol. 51:101-109.
- Lindstedt, D.M. and J.C. Holmes, Jr. 1988. September sweep: Louisiana's 1987 beach cleanup. Prepared under DNR Interagency Agreement No. 21912-88-15.
- Lipscomb, T.P., R.K. Harris, A.H. Rebar, B.E. Ballachey, and R.J. Haebler. 1994. Pathology of sea otters. In: Loughlin, T.R., ed. Marine mammals and the *Exxon Valdez*. San Diego, CA: Academic Press. Pp. 265-279.
- Lipscomb, T.P., S. Kennedy, D. Moffett, A. Krafft, B.A. Klaunberg, J.H. Lichy, G.T. Regan, G.A.J. Worthy, and J.K. Taubenberger. 1996. Morbilliviral epizootic in bottlenose dolphins of the Gulf of Mexico. Journal of Veterinary Diagnostics and Investigations 8:283-290.
- Llacuna, S., A. Gorriz, M. Durfort, and J. Nadal. 1993. Effects of air pollution on passerine birds and small mammals. Arch. Environ. Contam. Toxicol. 24:59-66.
- Lohoefener, R.R., W. Hoggard, C.L. Roden, K.D. Mullin, and C.M. Rogers. 1988. Distribution and relative abundance of surfaced sea turtles in the north-central Gulf of Mexico: Spring and fall 1987. Proceedings, 8th Annual Workshop on Sea Turtle Conservation and Biology. NOAA Tech. Memo. NMFS-SEFSC-214.
- Lohoefener, R.R., W. Hoggard, C.L. Roden, K.D. Mullin, and C.M. Rogers. 1989. Petroleum structures and the distribution of sea turtles. In: Proceedings, Spring Ternary Gulf of Mexico Studies Meeting. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 89-0062. Pp. 31-35.
- Lohoefener, R., W. Hoggard, K. Mullin, C. Roden, and C. Rogers. 1990. Association of sea turtles with petroleum platforms in the north-central Gulf of Mexico. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 90-0025. 90 pp.
- Long, B.F. and J.H. Vandermuelen. 1983. Geomorphological impact of cleanup of an oiled salt marsh (Ile Grande, France). In: Proceedings, 1983 Oil Spill Conference . . . February 28-March 3, 1983, San Antonio, TX. Washington, DC: American Petroleum Institute. Pp. 501-505.
- Longwell, A.C. 1977. A genetic look at fish eggs and oil. Oceanus 20(4):46-58.
- Lore, G.L., K.M. Ross, B.J. Bascle, L.D. Nixon, and R.J. Klazynski 1999. Assessment of conventionally recoverable hydrocarbon resources of the Gulf of Mexico and Atlantic Outer Continental Shelf, as of January 1, 1995. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Report MMS 99-0034.
- Lore G.L., D.A. Marin, E.C. Batchelder, W.C. Courtwright, R.P. Desselles, and R.J. Klazynski. 2001. 2000 assessment of conventionally recoverable hydrocarbon resources of the Gulf of Mexico and Atlantic Outer Continental Shelf as of January 1, 1999. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Report MMS 2001-087.
- Loughlin, T.R. 1994. Tissue hydrocarbon levels and the number of cetaceans found dead after the spill. In: Loughlin, T.R., ed. Marine mammals and the *Exxon Valdez*. San Diego, CA: Academic Press. Pp. 359-369.
- Louis Berger Group, Inc. In preparation. OCS-related infrastructure in the Gulf of Mexico, fact book: preliminary draft, April 26, 2001. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA.
- Louisiana Coastal Wetlands Conservation and Restoration Task Force. 1993. Coastal Wetland Planning, Protection, and Restoration Act: Louisiana coastal wetlands restoration plan; main report and environmental impact statement. Louisiana Coastal Wetlands Conservation and Restoration Task Force, Baton Rouge, LA.
- Louisiana Dept. of Environmental Quality. 1996. Air quality annual report, 1996. Office of Air Quality and Radiation Protection, Baton Rouge, LA. 28 pp. + apps.
- Louisiana Dept. of Environmental Quality. 1997. Written communication. Ambient air quality data (monthly). Louisiana Dept. of Environmental Quality, Office of Air Quality, Baton Rouge, LA.
- Louisiana Dept. of Natural Resources. 2000. Louisiana energy facts annual 2000. La. Dept. of Natural Resources, Technology Assessment Division

Louisiana Dept. of Natural Resources. 2001a. Louisiana Dept. of Natural Resources, State Mineral Board, Louisiana Dept. of Revenue and Taxation. Internet website: <a href="http://www.dnr.state.la.us/">http://www.dnr.state.la.us/</a>.

- Louisiana Dept. of Natural Resources. 2001b. Louisiana energy topic: A supplement to LOUISIANA ENERGY FACTS on subjects of special interest (July). La. Dept. of Natural Resources, Technology Assessment Division.
- Louisiana Dept. of Natural Resources. 2002a. News release board announces jump in March mineral lease sale. Internet website (April 8): http://www.dnr.state.la.us/INDBDS/MINBOARD/MINLEASE/032002/newsrel032002.htm. 2 pp.
- Louisiana Dept. of Natural Resources. 2002b. LA royalty and severance tax revenues, fiscal years 2000-2001. Louisiana Dept. of Revenue and Taxation, State Mineral Board. Internet website (April 8): <a href="http://www.lmoga.com/revenues.htm">http://www.lmoga.com/revenues.htm</a>. 1 p.
- Louisiana Dept. of Wildlife and Fisheries. 1992. A fisheries management plan for Louisiana penaeid shrimp fishery: Summary and action items. Baton Rouge, LA. 16 pp.
- Louisiana Dept. of Wildlife and Fisheries. 1994. A fisheries management plan for Louisiana penaeid shrimp fishery: Summary and action items. November 1992, Baton Rouge, LA. 16 pp.
- Louisiana Mid-Continent Oil and Gas Association. 2001. Internet website: <a href="http://www.lmoga.com/home.html">http://www.lmoga.com/home.html</a>.
- Lowery, G.H. 1974. The mammals of Louisiana and its adjacent waters. Baton Rouge, LA: Louisiana State University. 565 pp.
- Lowry, L.F., K.J. Frost, and K.W. Pitcher. 1994. Observations of oiling of harbor seals in Prince William Sound. In: Loughlin, T.R., ed. Marine mammals and the *Exxon Valdez*. San Diego, CA: Academic Press. Pp. 209-225.
- Ludwick, J.C. and W.R. Walton. 1957. Shelf-edge, calcareous prominences in the northwestern Gulf of Mexico. Bulletin of the American Association of Petroleum Geologists (September 1957). 41(9):2,054-2,101.
- Lugo-Fernández, A., M.V. Morin, C.C. Ebesmeyer, and C.F. Marshall. 2001. Gulf of Mexico historic (1955-1987) surface drifter data analysis. J. Coastal Research 17:1-16.
- Luke, R.T., E.S. Schubert, G. Olsson, and F.L. Leistritz. 2002. Socioeconomic baseline and projections of the impact of an OCS onshore base for selected Florida Panhandle communities. Volume I: Final report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2002-024.
- Lukina, L., S. Matisheva, and V. Shapunov. 1996. Ecological monitoring of the captivity sites as a means of studying the influence of contaminated environment on cetaceans. In: Öztürk, B., ed. Proceedings, First International Symposium on the Marine Mammals of the Black Sea, 27-30 June 1994, Istanbul, Turkey. Pp. 52-54.
- Lutcavage, M. and J.A. Musick. 1985. Aspects of the biology of sea turtles in Virginia. Copeia 1985:449-456.
- Lutcavage, M.E., P.L. Lutz, G.D. Bossart, and D.M. Hudson. 1995. Physiologic and clinicopathologic effects of crude oil on loggerhead sea turtles. Arch. Environ. Contam. Toxicol. 28:417-422.
- Lutcavage, M.E., P. Plotkin, B. Witherington, and P.L. Lutz. 1997. Human impacts on sea turtle survival. In: Lutz, P.L. and J.A. Musick, eds. The biology of sea turtles. Boca Raton, FL: CRC Press. Pp. 387-409.
- Lutz, P.L. 1990. Studies on the ingestion of plastic and latex by sea turtles. In: Shomura, R.S. and M.L. Godfrey, eds. Proceedings, Workshop on the Fate and Impact of Marine Debris, November 26-29, 1984, Honolulu, HI. U.S. Dept. of Commerce. NOAA Tech. Memo. NOAA-TM-NMFS-SWFC-154. Pp. 719-735.
- Lutz, P.L. and A.A. Alfaro-Shulman. 1992. The effects of chronic plastic ingestion on green sea turtles, final report. U.S. Dept. of Commerce. NOAA SB2 WC HO6134.
- Lutz, P.L. and M. Lutcavage. 1989. The effects of petroleum on sea turtles: applicability to Kemp's ridley. In: Caillouet, C.W., Jr. and A.M. Landry, Jr., comps. Proceedings of the First International Symposium on Kemp's Ridley Sea Turtle Biology, Conservation, and Management. TAMU-SG-89-105.
- Lyons, T.J. and W.D. Scott. 1990. Principles of air pollution meteorology. Boca Raton, FL: CRC Press, Inc. 225 pp.

- Lytle, J.S. 1975. Fate and effects of crude oil on an estuarine pond. In: Proceedings, Conference on Prevention and Control of Oil Pollution, San Francisco, CA. Pp. 595-600.
- Maccarone, A.D. and J.N. Brzorad. 1994. Gulf and waterfowl populations in the Arthur Kill. In: Burger, J., ed. Before and after an oil spill: The Arthur Kill. New Brunswick, NJ: Rutgers University Press. Pp. 595-600.
- MacDonald, I.R., ed. 1992. Chemosynthetic ecosystems study literature review and data synthesis, northern Gulf of Mexico: Volumes I-III. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 92-0033, 92-0034, and 92-0035.
- MacDonald, I.R., ed. 1998. Stability and change in Gulf of Mexico chemosynthetic communities: interim report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 98-0034. 114 pp.
- MacDonald, I.R., G.S. Boland, J.S. Baker, J.M. Brooks, M.C. Kennicutt II, and R.R. Bidigare. 1989. Gulf of Mexico hydrocarbon seep communities. II. Spatial distribution of seep organisms and hydrocarbons at Bush Hill. Marine Biology 101:235-247.
- MacDonald, I.R., N.L. Guinasso, Jr., J.F. Reilly, J.M. Brooks, W.R. Callender, and S.G. Gabrielle. 1990. Gulf of Mexico hydrocarbon seep communities: VI. Patterns in community structure and habitat. Geo-Marine Letters 10:244-252.
- MacDonald, I.R., N.L. Guinasso Jr., S.G. Ackleson, J.F. Amos, R. Duckworth, R. Sassen, and J.M. Brooks. 1993. Natural oil slicks in the Gulf of Mexico visible from space. J. Geophys. Res. 98(C9):16,351-16,364.
- MacDonald, I.R., N.L. Guinasso, R. Sassen, J.M. Brooks, S. Lee, and K.T. Scott. 1994. Gas hydrates that breach the sea-floor and intersect with the water column on the continental slope of the Gulf of Mexico. Geology 22:699-702.
- MacDonald, I.R., W.W. Schroeder, and J.M. Brooks, eds. 1995. Chemosynthetic ecosystems study: final report. Volume 2: Technical report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 95-0022. 319 pp.
- MacDonald, I.R., J.F. Reilly Jr., W.E. Best, R. Vnkataramaiah, R. Sassen, N.S. Guinasso Jr., and J. Amos. 1996. Remote sensing inventory of active oil seeps and chemosynthetic communities in the northern Gulf of Mexico. In: Schumacher, D. and M.A. Abrams, eds. Hydrocarbon migration and its near-surface expression. American Association of Petroleum Geologists Memoir 66:27-37.
- Mack, D. and N. Duplaix. 1979. The sea turtle: An animal of divisible parts. International trade in sea turtle products. Presented at the World Conference on Sea Turtle Conservation, 1979. Washington, DC. 86 pp.
- MacPherson, S. 2000. Personal communication. U.S. Dept. of the Interior, Fish and Wildlife Service, Jacksonville, FL.
- Mager, A. and R. Ruebsamen. 1988. National Marine Fisheries Service habitat conservation efforts in the coastal southeastern United States. Mar. Fish. Rev. 50(3):43-50.
- Maher, T. 1996. Written communication. Report on condition of offshore natural and artificial reefs, the Florida Panhandle, after passage of Hurricane Opal. Florida Dept. of Environmental Protection. August 1996.
- Maki, A.W., E.J. Brannon, L.G. Gilbertson, L.L. Moulton, J.R. Skalski. 1995. An assessment of oil spill effects on pink salmon populations following the *Exxon Valdez* oil spill-Part 2: Adults and escapement. In: Wells, P.G., J.N. Butler, J.S. Hughes, eds. *Exxon Valdez* oil spill: Fate and effects in Alaskan waters. Philadelphia, PA: American Society for Testing and Materials. ASTM STP 1219. Pp. 585-625.
- Malins, D.C., S. Chan, H.O. Hodgins, U. Varanasi, D.D. Weber, and D.W. Brown. 1982. The nature and biological effects of weathered petroleum. U.S. Dept. of Commerc, National Marine Fisheries Service, Northwest and Alaska Fisheries Center, Environmental Conservation Division, Seattle, WA. 43 pp.
- Maniero, T.G. 1996. The effects of air pollutants on wildlife and implications in Class I areas. National Park Service Air Resources, Denver, CO.
- Mann, D.W. and G.G. Thompson. 2001. Holly Beach, Louisiana, breakwater enhancement and sand management plan. Contracted proposal by Coastal Planning and Engineering, Inc. of Boca Raton, FL, to the Louisiana Dept. of Natural Resources, Coastal Restoration Division.
- Manzella, S.A. and J.A. Williams. 1992. The distribution of Kemp's ridley sea turtles (*Lepidochelys kempi*) along the Texas coast: an atlas. U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration. NOAA Technical Report NMFS 110.

Manzella, S., J. Williams, B. Schroeder, and W. Teas. 1991. Juvenile head-started Kemp's ridleys found in floating grass mats. Marine Turtle Newsletter, No. 52:5-6.

- Marine Mammal Commission (MMC). 1998. Annual report to Congress, 1997. Marine Mammal Commission, Bethesda, MD.
- Marine Mammal Commission (MMC). 1999. Annual report to Congress 1998. Marine Mammal Commission, Bethesda, MD.
- Marine Mammal Commission (MMC). 2002. Annual report to Congress 2001. Marine Mammal Commission, Bethesda, MD. 253pp.
- Marine Resources Research Institute. 1984. South Atlantic OCS area living marine resources study: Phase III. U.S. Dept. of the Interior, Minerals Management Service, Washington, DC.
- Márquez-M., R. 1990. FAO Species Catalogue. Volume 11: sea turtles of the world. An annotated and illustrated catalogue of sea turtle species known to date. FAO Fisheries Synopsis. FAO, Rome.
- Márquez-M., R. 1994. Synopsis of biological data on the Kemp's ridley turtle, *Lepidochelys kempi*, (Garman, 1880). U.S. Dept. of the Interior, Minerals Mangement Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 94-0023. 91 pp.
- Márquez-M., R., P. Burchfield, M. A. Carrasco, C. Jiménez, J. Díaz, M. Garduño, A. Leo, J. Peña, R. Bravo, and E. Gonzáles. 2001. Update on the Kemp's ridley turtle nesting in México. Marine Turtle Newsletter 92: 2-4.
- Martin, R.P. 1991. Regional overview of wading birds in Louisiana, Mississippi, and Alabama. In: Proceedings of the Coastal Nongame Workshop. U.S. Dept. of the Interior, Fish and Wildlife Service, Region 4, and Florida Game and Fresh Water Fish Commission. Pp. 22-33.
- Martin, R.E. 1996. Storm impacts on loggerhead turtle reproductive success. Marine Turtle Newsletter (73):10-12.
- Martin, R.P. and G.D. Lester. 1991. Atlas and census of wading bird and seabird nesting colonies in Louisiana: 1990. Special Publication No. 3, Louisiana Dept. of Wildlife and Fisheries, Louisiana Natural Heritage Program.
- Marx, R.F. 1983. Shipwrecks in the Americas. New York, NY: Bonanza Books.
- Mate, B.R., K.M. Stafford, and D.K. Ljungblad. 1994. A change in sperm whale (*Physeter macroephalus* [sic]) distribution correlated to seismic surveys in the Gulf of Mexico. Journal of the Acoustical Society of America 96(5, Part. 2):3,268-3,269.
- Matkin, C.O. and D. Sheel. 1996. Comprehensive killer whale investigation in Prince William Sound. Abstract, Draft 1996 Restoration Workshop, *Exxon Valdez* Oil Spill Trustee Council, January 16-18, Anchorage, AK.
- Matkin, C.O., G.M. Ellis, M.E. Dahlheim, and J. Zeh. 1994. Status of killer whales in Prince William Sound, 1985-1992. In: Loughlin, T.R., ed. Marine mammals and the *Exxon Valdez*. San Diego, CA: Academic Press. Pp. 141-162.
- McAuliffe, C.D. 1987. Organism exposure to volatile soluble hydrocarbons from crude oil spills—a field and laboratory comparison. In: Proceedings, 1987 Oil Spill Conference . . . April 6-9, 1988, Baltimore, MD. Washington, DC: American Petroleum Institute. Pp. 275-288.
- McAuliffe, C.D., A.E. Smalley, R.D. Groover, W.M. Welsh, W.S. Pickle, and G.E. Jones. 1975. Chevron Main Pass Block 41 oil spill: Chemical and biological investigation. In: Proceedings, 1975 Conference on Prevention and Control of Oil Pollution, March 25-27, 1975, San Francisco, CA. Washington, DC: American Petroleum Institute.
- McAuliffe, C.D., B.L. Steelman, W.R. Leek, D.F. Fitzgerald, J.P. Ray, and C.D. Barker. 1981. The 1979 southern California dispersant treated research oil spills. In: Proceedings 1981 Oil Spill Conference . . . March 2-5, 1981, Atlanta, GA. Washington, DC: American Petroleum Institute. Pp. 269-282.
- McBride, R.A. 1999. Synthesis of hard minerals resources on the Florida Panhandle shelf: Spatial distribution and subsurface evaluation. U.S. Dept. of the Interior, Minerals Management Service, Office of International Activities and Marine Minerals, Herndon, VA. OCS Study MMS 99-0035. 728 pp.
- McCauley, R.D. and R.C. Harrel. 1981. Effects of oil spill cleanup techniques on a salt marsh. In: Proceedings, 1981 Oil Spill Conference . . . March 2-5, 1981, Atlanta, GA. Washington, DC: American Petroleum Institute. Pp. 401-407.

- McCauley, R.D., M-N Jenner, C. Jenner, K.A. McCabe, and J. Murdoch. 1998a. The response of humpback whales (*Megaptera novaeangliae*) to offshore seismic survey noise: preliminary results of observations about a working seismic vessel and experimental exposures. APPEA Journal 1998:692-706.
- McCauley, R.D., M-N Jenner, C. Jenner, and D.H. Cato. 1998b. Observations of the movements of humpback whales about an operating seismic survey vessel near Exmouth, Western Australia. Journal of the Acoustical Society of America 103(5, Part 2):2,909.
- McCauley, R.D., J. Fewtrell, A.J. Duncan, C. Jenner, M-N. Jenner, J.D. Penrose, R.I.T. Prince, A. Adhitya, J. Murdoch, and K. McCabe. 2000. Marine seismic surveys a study of environmental implications. APPEA Journal 2000:692-708.
- McGahey, S. 1996. Personal communication. Archaeologist, Mississippi Dept. of Archives and History, Jackson, MS.
- McRoy, C.P. and C. Helfferich. 1980. Applied aspects of seagrasses. In: Phillips, R.C. and C.P. McRoy, eds. Handbook of seagrass biology—an ecosystem approach. New York, NY: Garland Publications, Inc. Pp. 297-342.
- Mead, J.G. 1989. Beaked whales of the genus Mesoplodon. In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 4: River dolphins and the larger toothed whales. London: Academic Press. Pp. 349-430.
- Mead, J.G. and C.W. Potter. 1990. Natural history of bottlenose dolphins along the Central Atlantic coast of the United States. In: Leatherwood, S. and R.R. Reeves, eds. The bottlenose dolphin. San Diego: Academic Press. Pp. 165-195.
- Meador, J.P., K.T. Tilbury, P.A. Robisch, A. Hohn, and J.E. Stein. 1995. The occurrence of metals in beached bottlenose dolphins (*Tursiops truncatus*) from Texas and Florida. Abstract, 11th Biennial Conference on the Biology of Marine Mammals, 14-18 December, Orlando, FL.
- Mendelssohn, I.A. and M.W. Hester. 1988. Texaco USA: Coastal vegetation project, Timbalier Island. New Orleans, LA: Texaco USA. 207 pp.
- Mendelssohn, I.A., M.W. Hester, C. Sausser, and M. Fishel. 1990. The effect of a Louisiana crude oil discharge from a piepline break on the vegetation of a southeast Louisiana brackish marsh. Oil and Chemical Pollution 7(1990):1-15.
- Mendelssohn, I.A., M.W. Hester, and J.M. Hill. 1993. Effects of oil spills on coastal wetlands and their recovery. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 93-0045. 46 pp.
- Meyers, J.M. 1983. Status, microhabitat, and management recommendations for *Peromyscus polionotus* on Gulf Coast beaches. Unpublished report to the U.S. Dept. of the Interior, Fish and Wildlife Service, Atlanta, GA. 29 pp.
- Meylan, A.B. 1982. Sea turtle migration evidence from tag returns. In: Bjorndal, K.A, ed. Biology and conservation of sea turtles. Washington, DC: Smithsonian Institution Press. Pp. 91-100.
- Meylan, A. 1988. Spongivory in hawksbill turtles: A diet of glass. Science 239:393-395.
- Meylan, A.B., P. Castaneda, C. Coogan, T. Lozon, and J. Fletemeyer. 1990. *Lepidochelys kempi* (Kemp's ridley sea turtle) reproduction. Herpetol. Rev. 21(1):19-20.
- Meylan, A., B. Schroeder, and A. Mosier. 1995. Sea turtle nesting activity in the State of Florida 1979-1992. Florida Marine Research Publications, Florida Marine Research Institute, No. 52.
- Miller, W.G. 1992. An investigation of bottlenose dolphin *Tursiops truncatus* deaths in East Matagorda Bay, Texas, January 1990. U.S. Fishery Bulletin 90:791-797.
- Miller, B. 2001. Personal communication. Eglin Air Force Base, Branch of Natural Resources, Valparaiso, FL.
- Miller, J.E. and D.L. Echols. 1996. Marine debris point source investigation: Padre Island National Seashore, March 1994-September 1995. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 96-0023. 35 pp.
- Miller, J.E., S.W. Baker, and D.L. Echols. 1995. Marine debris point source investigation 1994-1995, Padre Island National Seashore. U.S. Dept. of the Interior, National Park Service, Corpus Christi. June 1995. 40 pp.

Mills, L.R. and K.R. Rademacher. 1996. Atlantic spotted dolphins (*Stenella frontalis*) in the Gulf of Mexico. Gulf Mex. Sci. 1996:114-120.

- Milton, S.L., S. Leone-Kabler, A.A. Schulman, and P.L. Lutz. 1994. Effects of Hurricane Andrew on the sea turtle nesting beaches of South Florida. Bull. Mar. Sci. 54:974-981.
- Mistovich, T.S. and V.J. Knight, Jr. 1983. Cultural resources survey of Mobile Harbor, Alabama. Report submitted to U.S. Dept. of the Army, Corps of Engineers, Mobile District.
- Mitsch, W.J. and J.G. Gosselink. 1995. Wetlands. New York: Van Nostrand Reinhold. 722 pp.
- Mitchell, H.G., J.E Moyers, N.R. Holler, and M.C. Wooten. 1997. Current status and distribution of several Gulf Coast subspecies of beach mice (*Peromyscus polionotus* spp.). Poster presentation: The American Society of Mammalogists, 77th Annual Meeting, June 1997.
- Mitchell, R., I.R. MacDonald, and K.A. Kvenvolden. 1999. Estimation of total hydrocarbon seepage into the Gulf of Mexico based on satellite remote sensing images. Transactions, American Geophysical Union 80(49), Ocean Sciences Meeting, OS242.
- Miyazaki, N. and W.F. Perrin. 1994. Rough-toothed dolphin *Steno bredanensis* (Lesson, 1828). In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 5: First book of dolphins. San Diego, CA: Academic Press. Pp. 1-21.
- Mobile Register. 2002. Tourism big business in Alabama. Mobile, AL. Sunday, May 19, 2002, pp. 1B+.
- Moe, M.A. 1963. A survey of offshore fishing in Florida. Professional Paper Series No. 4, Florida State Board of Conservation, Marine Laboratory, St. Petersburg, FL. 117 pp.
- Moein, S., M. Lenhardt, D. Barnard, J. Keinath, and J. Musick. 1993. Marine turtle auditory behavior. Journal of the Acoustical Society of America 93(4, Pt 2):2,378.
- Moein Bartol, S., J.A. Musick, and M.L. Lenhardt. 1999. Auditory evoked potentials of the loggerhead sea turtle (*Caretta caretta*). Copeia 1999:836-840.
- Monson, D.H., D.F. Doak, B.E. Ballachey, A. Johnson, and J.L. Bodkin. 2000. Long-term impacts of the *Exxon Valdez* oil spill on sea otters, assessed through age-dependent mortality patterns. Proceedings of the National Academy of Sciences 97:6562-6567.
- Mooney, T. 1996. Fishermen ask state: Put us back in water. Providence Journal Bulletin. March 12.
- Moore, J. 1999. Deep-sea finfish fisheries: Lessons from history. Fisheries 24(7):16-24.
- Moore, D.R. and H.R. Bullis, Jr. 1960. A deep-water coral reef in the Gulf of Mexico. Bull. Mar. Sci. 10(1):125-128.
- Moore, J.C. and E. Clark. 1963. Discovery of right whales in the Gulf of Mexico. Science 141:269.
- Morreale, S.J., E.A. Standora, J.R. Spotila, and F.V. Paladino. 1996. Migration corridor for sea turtles. Nature 384:319-320.
- Morton, R.A. 1982. Effects of coastal structures on shoreline stabilization and land loss the Texas experience. In: Boesch, D.F., ed. Proceedings of the conference on coastal erosion and wetland modification in Louisiana: Causes, consequences, and options. Washington, DC: U.S. Dept. of the Interior, Fish and Wildlife Service, Biological Services Program. FWS/OBS-82/59.
- Moyers, J. 1997. Personal communication. St. Joe Timberland Co., Panama City, FL.
- Moyers, J. 1999. Personal communication. St. Joe Timberland Co., Panama City, FL.
- Moyers, J.E. 1996. Food habits of Gulf Coast subspecies of beach mice (*Peromyscus polionotus* spp.). M.S. Thesis, Auburn University, AL. 84 pp.
- Moyers, J.E., H.G. Mitchell, and N.R. Holler. 1996. Status and distribution of Gulf Coast subspecies of beach mouse. Annual Report for Grant Agreement #1448-0004-94-9174, Alabama Cooperative Fish and Wildlife Research Unit, Auburn University, AL.
- Mrosovsky, N., C.Lavin, and M.H. Godfrey. 1995. Thermal effects of condominiums on a turtle beach in Florida. Biological Conservation 74:151-156.
- Mullin, K. 1998. Personal communication. U.S. Dept. of Commerce, National Marine Fisheries Service, Pascagoula, MS.

- Mullin, K.D. and L.J. Hansen. 1999. Marine mammals of the northern Gulf of Mexico. In: H. Kumph, K. Steidinger, and K. Sherman, eds. Gulf of Mexico a large marine ecosystem. Blackwell Science. Pp. 269-277.
- Mullin, K., W. Hoggard, C. Roden, R. Lohoefener, C. Rogers, and B. Taggart. 1991. Cetaceans on the upper continental slope in the north-central Gulf of Mexico. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 91-0027. 108 pp.
- Mullin, K.D., T.A. Jefferson, L.J. Hansen, and W. Hoggard. 1994a. First sightings of melon-headed whales (*Peponocephala electra*) in the Gulf of Mexico. Mar. Mamm. Sci. 10:342-348.
- Mullin, K.D., L.V. Higgins, T.A. Jefferson, and L.J. Hansen. 1994b. Sightings of the Clymene dolphin (*Stenella clymene*) in the Gulf of Mexico. Mar. Mamm. Sci. 10:464-470.
- Mullin, K.D., W. Hoggard, C.L. Roden, R.R. Lohoefener, C.M. Rogers, and B. Taggart. 1994c. Cetaceans on the upper continental slope in the north-central Gulf of Mexico. U.S. Fish. Bull. 92:773-786.
- Muncy, R.J. 1984. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (south Atlantic) -- white shrimp. U.S. Dept. of the Interior, Fish and Wildlife Service FWS/OBS-82/11.27 and U.S. Dept. of the Army, Corps of Engineers, Coastal Ecology Group, Waterways Experiment Station TR EL-82-4. 19 pp.
- Munson, L., N. Calzada, S. Kennedy, and T.B. Sorensen. 1998. Luteinized ovarian cysts in Mediterranean striped dolphins. Journal of Wildlife Diseases 34:656-660.
- Murphy, T.M. and S.R. Hopkins-Murphy. 1989. Sea turtle & shrimp fishing interactions: A summary and critique of relevant information. Washington, DC: Center for Marine Conservation. 52 pp.
- Murray, S.P. 1997. An observational study of the Mississippi-Atchafalaya coastal plume: Final report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 98-0040. 513 pp.
- Musick, J.A. and C.J. Limpus. 1997. Habitat utilization and migration in juvenile sea turtles. In: Lutz, P.L. and Musick, J.A. eds. The biology of sea turtles. Boca Raton, FL: CRC Press. Pp. 1-28.
- Myrick, A.C., Jr. 1988. Is tissue resorption and replacement in permanent teeth of mammals caused by stress-induced hypocalcemia? In: Davidovitch, Z., ed. The biological mechanisms of tooth eruption and root resorption. Birmingham, AL: EBSCO Media. Pp. 379-389.
- Myrick, A.C., Jr. and P.C. Perkins. 1995. Adrenocortical color darkness and correlaes as indicators of continuous acute premortem stress in chased and purse-seine captured male dolphins. Pathophysiology 2:191-204.
- NACE International (National Association of Corrosion Engineers). 1990. Standard material requirements: sulfide stress cracking resistant metallic materials for oilfield equipment. Houston, TX: NACE. NACE Standard MR0175-90, Item No. 53024. 20 pp.
- NACE International (National Association of Corrosion Engineers). 1997. Standard material requirement for sulfide stress cracking resistant metallic materials for oilfield equipment, Houston, TX: NACE. NACE Standard MR0175-97, Item No. 21302. 31 pp.
- National Atmospheric Deposition Program (NRSP-3)/National Trends Network. 2002. Internet website (June 2002; updated continuously): <a href="http://nadp.sws.uiuc.edu/mdn/">http://nadp.sws.uiuc.edu/mdn/</a>. National Atmospheric Deposition Program Office, Illinois State Water Survey, Champaign, IL.
- National Geographic Society. 1983. Field guide to the birds of North America. Washington, DC: The National Geographic Society. 464 pp.
- National Research Council (NRC). 1983. Drilling discharges in the marine environment. Panel on Assessment of Fates and Effects of Drilling Fluids and Cuttings in the Marine Environment. Marine Board; Commission on Engineering and Technical Systems; National Research Council. Washington, DC: National Academy Press.
- National Research Council (NRC). 1985. Oil in the sea: inputs, fates, and effects. Washington, DC: National Academy Press. 601 pp.
- National Research Council (NRC). 1990. The decline of sea turtles: causes and prevention. Washington, DC: National Academy Press. 183 pp.
- National Research Council (NRC). 1996. An assessment of techniques for removing offshore structures. Washington, DC: National Academy Press. 76 pp.

National Wetlands Inventory Group. 1985. Status and trends of wetlands and deepwater habitats in the conterminous United States, 1950's to 1970's. Trans. N. Am. Wildl. Nat. Resour. Conf. 50:440-448.

- Naughton, S.P. and C.H. Saloman. 1978. Fishes of the nearshore zone of St. Andrew Bay, Florida, and adjacent coast. Northeast Gulf Sci. 2(1):43-55.
- Neff, J.M. 1987. Biological effects of drilling fluids, drill cuttings and produced waters. In: Boesch, D.F. and N.N. Rabalais, eds. Long-term environmental effects of offshore oil and gas development. London: Elsevier Applied Science. Pp. 469-538.
- Neff, J.M. 1990. Composition and fate of petroleum and spill-treating agents in the marine environment. In: Geraci, J.R. and D.J. St. Aubin, eds. Sea mammals and oil: confronting the risks. San Diego, CA: Academic Press, Inc. Pp. 1-33.
- Neff, J.M. 2002. Fates and effects of mercury from oil and gas exploration and production operations in the marine environment. Prepared under contract for the American Petroleum Institute, Washington, DC.
- Neff, J. 2002. Influence of offshore oil and gas platforms on environmental risks of mercury in the Gulf of Mexico. Summary remarks to the U.S. Dept. of the Interior, Minerals Management Service, Outer Continental Shelf Scientific Committee, April 23, 2002.
- Neff, J.M., T.C. Sauer, and N. Maciolek. 1989. Fate and effects of produced water discharges in nearshore marine waters. Prepared for the American Petroleum Institute, Washington, DC.
- Neff, J.M., S. McKelvie, and R.C. Ayers, Jr. 2000. Environmental impacts of synthetic based drilling fluids. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2000-064. 118 pp.
- Nelson, W.R. and D.W. Ahrenholz. 1986. Population and fishery characteristics of Gulf menhaden, *Brevoortia patronus*. Fishery Bulletin 84(2):311-325.
- Nelson, H.F. and E.E. Bray. 1970. Stratigraphy and history of the Holocene sediments in the Sabine-High Island Area, Gulf of Mexico. In: Morgam, J.P., ed. Deltaic Sedimentation; Modern and Ancient. Special Publn. No. 15. Tulsa, OK: SEPM.
- Neumann, C.J., B.R. Jarvinen, and J.D. Elms. 1993. Tropical cyclones of the north Atlantic Ocean, 1871-1992. U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, Ashville, NC. 193 pp.
- Newell, M.J. 1995. Sea turtles and natural resource damage assessment. In: Rineer-Garber, C., ed. Proceedings: The effects of oil on wildlife, Fourth International Conference, Seattle, WA. Pp. 137-142.
- Newman, J.R. 1977. Sensitivity of the hose martin (*Delichon urbica*) to fluoride emissions. Fluoride 10:73-76.
- Newman, J.R. 1979. Effects of industrial air pollution on wildlife Biol. Conserv. 15:181-190.
- Newman, J.R. 1980. Effects of air emissions on wildlife resources. U.S. Dept. of the Interior, Fish and Wildlife Service, Biological Services Program, National Power Plant Team. FWS/OBS-80/40.1. 32 pp.
- Newman, J.R. 1981. Effects of air pollutants on animals at concentrations at or below ambient air quality standards. Final report to the U.S. Dept. of the Interior, National Park Service, Denver Air Quality Office. 26 pp.
- Nicholas, M. 2000. Personal communication. U.S. Dept. of the Interior, National Park Service, Gulf Islands National Seashore, Gulf Breeze, FL.
- Nicholas, M. 2001. Personal communication. U.S. Dept. of the Interior, National Park Service, Gulf Islands National Seashore, Gulf Breeze, FL.
- Nicholls, J.L. and G.A. Baldassarre. 1990. Habitat associations of piping plovers wintering in the United States. Wilson Bulletin 102:581-590.
- Northridge, S.P. and R.J. Hofman. 1999. Marine mammal interactions with fisheries. In: Twiss, Jr., J.R. and R.R. Reeves, eds. Conservation and management of marine mammals. Washtington, DC: Smithsonian Institution Press. Pp. 99-119.
- Norton, T.M., E.R. Jacobson, and J.P. Sundberg. 1990. Cutaneous fibropapillomas and renal myxofibroma in a green turtle, *Chelonia mydas*. J. Wildlife Disease 26:265-270.
- NOSAC (National Offshore Safety Advisory Commission). 1999. Deepwater facilities in the Gulf of Mexico: Final report. NOSAC Subcommittee on Collision Avoidance, New Orleans, LA.

- Nowacek, S.M. and R.S. Wells. 2001. Short-term effects of boat traffic on bottlenose dolphins, *Tursiops truncatus*, in Sarasota Bay, Florida. Mar. Mamm. Sci. 17:673-688.
- Nowlin, W.D., Jr. 1972. Winter circulation patterns and property distributions. In: Capurro, L.R.A. and J.L. Reid, eds. Contributions on the physical oceanography of the Gulf of Mexico. Texas A&M University Oceanographic Studies, Vol. 2. Houston, TX: Gulf Publishing Co. Pp. 3-51.
- Nowlin, W.D., Jr. and H.J. McLellan. 1967. A characterization of the Gulf of Mexico waters in winter. J. Mar. Res. 25:29-59.
- Nowlin, W.D. Jr., A.E. Jochens, R.O. Ried, and S.F. DiMarco. 1998. Texas-Louisiana Shelf Circulation and Transport Processes Study: Synthesis report. Volume I: Technical report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 98-0035. 502 pp.
- Nunez, A. 1994. Personal communication. Deepwater production. Shell Offshore Inc.
- Odell, D.K. 1975. Status of aspects of the life history of the bottlenose dolphin, *Tursiops truncatus*, in Florida. Journal of the Fisheries Resource Board of Canada 32:1,055-1,058.
- Odell, D.K. 1976. Distribution and abundance of marine mammals in south Florida: preliminary results. University of Miami Sea Grant Special Report 5:203-212.
- Odell, D.K. and C. MacMurray. 1986. Behavioral response to oil. In: Vargo, S., P.L. Lutz, D.K. Odell, T. Van Vleet, and G. Bossart, eds. Study of the effects of oil on marine turtles, final report. 3 vols. U.S. Dept. of the Interior, Minerals Management Service, Atlantic OCS Region. OCS Study MMS 86-0070.
- Odell, D.K. and K.M. McClune. 1999. False killer whale *Pseudorca crassidens* (Owen, 1846). In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 6: Second book of dolphins. San Diego, CA: Academic Press. Pp. 213-243.
- Offshore-Technology. 2002. Delmar, Shell reach record mooring water depth: Industry news. Internet website (March 12): http://www.offshore-technology.com.
- Ogren, L.H. 1989. Distribution of juvenile and subadult Kemp's ridley turtles: Preliminary result from the 1984-1987 surveys. In: Proceedings of the First International Symposium on Kemp's Ridley Sea Turtle Biology, Conservation and Management, October 1-4, 1985, Galveston, TX. TAMU-SG-89-105. Sea Grant College Program, Texas A&M University. Pp. 116-123.
- O'Hara, J. 1980. Thermal influences on the swimming speed of loggerhead turtle hatchlings. Copeia 1980:773-780.
- O'Hara, K.J. and S. Iudicello. 1987. Plastics in the ocean: more than a litter problem. Center for Environmental Education, Washington, DC.
- O'Hara, J. and J.R. Wilcox. 1990. Avoidance responses of loggerhead turtles, *Caretta caretta*, to low frequency sounds. Copeia 1990(2):564-567.
- Oilnergy. 2003. Internet website (April 8): <a href="http://oilnergy.com">http://oilnergy.com</a>.
- Oil Spill Intelligence Report (OSIR). 1997. Vessel spills during transit, 1960-1995.
- O'Keeffe, D.J. and G.A. Young. 1984. Handbook on the environmental effects of underwater explosives. Naval Surface Weapons Center, Dahlgren, VA, and Silver Springs, MD. NSWC TR 83-240.
- Okuyama, H., Y. Majima, A.M. Dannenberg, Jr., M. Suga, B.G. Bang, and F.B. Bang. 1979. Quantitative histological changes produced in the tracheal mucosa of young chickens by the inhalation of sulfur dioxide in low concentrations. J. Environ. Sci. Health C13(4):267-700.
- Olds, W.T., Jr. 1984. In: U.S., Congress, House, Committee on Merchant Marine Fisheries, Offshore Oil and Gas Activity and Its Socioeconomic and Environmental Influences, 98th Cong., 2d sess., 1984. Pp. 54-55.
- Onuf, C.P. 1994. Seagrasses, dredging and light in Laguna Madre, Texas, USA. Estuarine, Coastal and Shelf Science 39:75-91.
- Ortega, J. 1998. Personal communication. Texas A&M University at Galveston, Marine Mammal Research Program, Galveston, TX.
- Orth, R.J. and K.A. Moore. 1983. Chesapeake Bay: An unprecedented decline in submerged aquatic vegetation. Science 222:51-53.

Osborne, N. 2000. Helicopter transportation in the Gulf of Mexico. In: McKay, M and J. Nides, eds. Proceedings, Eighteenth Annual Information Transfer Meeting, December 1998. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2000-030. Pp. 461-468

- O'Shea, T.J., J.F. Moore, and H.I. Kochman. 1984. Contaminant concentrations in manatees in Florida. Journal of Wildlife Management 48:741-748.
- O'Shea, T.J., G.B. Rathbun, R.K. Bonde, C.D. Buergelt, and D.K. Odell. 1991. An epizootic of Florida manatees associated with a dinoflagellate bloom. Mar. Mamm. Sci. 7:165-179.
- O'Shea, B.B. Ackerman, and H.F. Percival, eds. 1995. Population biology of the Florida manatee. National Biological Service, Information and Technology Report 1.
- O'Sullivan, S. and K.D. Mullin. 1997. Killer whales (*Orcinus orca*) in the northern Gulf of Mexico. Mar. Mamm. Sci. 13:141-147.
- Otvos, E.G. 1979. Barrier island evolution and history of migration: North central Gulf Coast. In: Leatherman, S., ed. Barrier islands from the Gulf of St. Lawrence to the Gulf of Mexico. New York, NY: Academic Press. Pp. 219-319.
- Otvos, E.G. 1980. Barrier island formation through nearshore aggradation stratigraphic and field evidence. Mar. Geo. 43:195-243.
- Overton, E.B., C.J. Byrne, J.A. McFall, S.R. Antoine, and J.L. Laseter. 1983. Results from the chemical analyses of oily residue samples from stranded juvenile sea turtles collected from Padre and Mustang Islands, Texas. Prepared by the Center for Bio-Organic Studies, University of New Orleans for the U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA.
- Owens, D. 1983. Oil and sea turtles in the Gulf of Mexico: A proposal to study the problem. In: Keller, C.E. and J.K. Adams, eds. Proceedings, Workshop on cetaceans and sea turtles in the Gulf of Mexico: Study planning for effects of outer continental shelf development. Prepared by the U.S. Dept. of the Interior, Fish and Wildlife Service, for the U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. Pp. 34-39.
- Parker, R.O., D.R. Colby, and T.D. Willis. 1983. Estimated amount of reef habitat on a portion of the U.S. South Atlantic and Gulf of Mexico continental shelf. Bull. Mar. Sci. 33:935-940.
- Pashley, D.N. 1991. Shorebirds, gulls, and terns: Louisiana, Mississippi, Alabama. In: Proceedings of the coastal nongame workshop. U.S. Dept. of the Interior, Fish and Wildlife Service, Region 4, and Florida Game and Fresh Water Fish Commission. Pp. 79-83.
- Patenaude, N.J., W.J. Richardson, M.A. Smultea, W.R. Koski, and G.W. Miller. 2002. Aircraft sound and disturbance to bowhead and beluga whales during spring migration in the Alaskan Beaufort Sea. Marine Mammal Science 18(2):309-335.
- Patrick, L. 1996. Personal communication. U.S. Dept. of the Interior, Fish and Wildlife Service, Panama City, FL.
- Patrick, L. 1997. Personal communication. U.S. Dept. of the Interior, Fish and Wildlife Service, Panama City, FL.
- Patrick, L. 2001. Personal communication. U.S. Dept. of the Interior, Fish and Wildlife Service, Panama City, FL.
- Paull, C.K., B. Hecker, R. Commeau, R.P Freeman-Lynde, C. Neumann, W.P. Corso, S. Golubic, J.E. Hook, E. Sikes, and J. Curry. 1984. Biological communities at the Florida Escarpment resemble hydrothermal vent taxa. Science (N.Y.) 226:965-967.
- Payne, J.R. 1981. A review of the formation and behavior of water-in-oil emulsions (mousse) from spilled petroleum and tar ball distributions, chemistries, and fates of the worlds oceans. Background information for the Ocean Sciences Board Workshop on Inputs, Fates, and Effects of Petroleum in the Marine Environment, 9-13 November 1981, Clearwater Beach, FL.
- Payne, J.R., N.W. Flynn, P.J. Mankiewicz, and G.S. Smith. 1980. Surface evaporation/dissolution partitioning of lower-molecular-weight aromatic hydrocarbons in a down-plume transect from the IXTOC I wellhead. In: Proceedings of the Conference on the Prelimnary Scientific Results from the Researcher/Pierce Cruise to the IXTOC I blowout. U.S. Dept. of Commerc, National Oceanic and Atmoshperic Administration, Office of Marine Pollution Assessment, Rockville, MD. Pp. 239-266.

- Payne, J.F., J. Kiceniuk, L.L. Fancey, U. Williams, G.L. Fletcher, A. Rahimtula, and B. Fowler. 1988. What is a safe level of polycyclic aromatic hydrocarbons for fish: Subchronic toxicity study on winter flounder (*Pseudopleuronectes americanus*). Can. J. Fish. Aquat. Sci. 45:1983-1993.
- Pearson, C.E., D.B. Kelley, R.A. Weinstein, and S.W. Gagliano. 1986. Archaeological investigations on the outer continental shelf: A study within the Sabine River valley, offshore Louisiana and Texas. U.S. Dept. of the Interior, Minerals Management Service, Reston, VA. OCS Study MMS 86-0119. 314 pp.
- Pearson, W.H., E. Moksness, and J.R. Skalski. 1995. A field and laboratory assessment of oil spill effects on survival and reproduction of Pacific herring following the Exxon Valdez spill. In: Wells, P.G., J.N. Butler, and J.S. Hughes, eds. Exxon Valdez oil spill: Fate and effects in Alaskan waters. Philadelphia, PA: American Society for Testing and Materials. ASTM STP 1219. Pp. 626-661.
- Pearson, W.H., R.A. Elston, R.W. Bienert, A.S. Drum, and L.D. Antrim. 1999. Why did Prince William Sound, Alaska Pacific herring (*Clupea pallasi*) fisheries collapse in 1993 and 1994? Review of hypotheses. Canadian Journal of Fisheries and Aquatic Sciences 56(11):2,087-2,098. and 56(4):711-737.
- Pellew, R. 1991. Disaster in the Gulf. IUCN Bulletin 22(3):17-18.
- Pequegnat, W.E. 1983. The ecological communities of the continental slope and adjacent regimes of the northern Gulf of Mexico. Prepared by TerEco Corp. the U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. 398 pp.
- Pensacola News Journal. 1998a. Navarre Beach park meets future needs (editorials). April 1.
- Pensacola News Journal. 1998b. Navarre condo plan will spark fight (editorials). March 30.
- Pensacola News Journal. 1998c. State purchase a win for community. March 27.
- Pensacola News Journal. 1998d. Convention center planned for beach. April, 30.
- Pensacola News Journal. 1998e. Developer seeks land near lounge. April 9.
- Perret, W.S., J.E. Weaver, R.O. Williams, P.L. Johansen, T.D. McIlwain, R.C. Raulerson, and W.M. Tatum. 1980. Fishery profiles of red drum and spotted seatrout. April 1980, No. 6. Gulf States Marine Fisheries Commission. 60 pp.
- Perrin, W.F. and J.W. Gilpatrick, Jr. 1994. Spinner dolphin *Stenella longirostris* (Gray, 1828). In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 5: First book of dolphins. London: Academic Press. Pp. 99-128.
- Perrin, W.F. and A.A. Hohn. 1994. Pantropical spotted dolphin *Stenella attenuata*. In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 5: The first book of dolphins. London: Academic Press. Pp. 71-98.
- Perrin, W.F. and J.G. Mead. 1994. Clymene dolphin *Stenella clymene* (Gray, 1846). In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 5: The first book of dolphins. London: Academic Press. Pp. 161-171.
- Perrin, W.F., E.D. Mitchell, J.G. Mead, D.K. Caldwell, and P.J.H. van Bree. 1981. *Stenella clymene*, a rediscovered tropical dolphin of the Atlantic. J. Mammal. 62:583-598.
- Perrin, W.F., D.K. Caldwell, and M.C. Caldwell. 1994a. Atlantic spotted *dolphin Stenella frontalis* (G. Cuvier, 1829). In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 5: The first book of dolphins. London: Academic Press. Pp. 173-190.
- Perrin, W.F., S. Leatherwood, and A. Collet. 1994b. Fraser's dolphin *Lagenodelphis hosei* (Fraser, 1956). In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 5: The first book of dolphins. London: Academic Press. Pp. 225-240.
- Perrin, W.F., C.E. Wilson, and F.I. Archer II. 1994c. Striped dolphin *Stenella coeruleoalba* (Meyen, 1833). In: Ridgway, S.H. and R. H arrison, eds. Handbook of marine mammals. Vol. 5: The first book of dolphins. London: Academic Press. Pp. 129-159.
- Perryman, W.L., D.W.K. Au, S. Leatherwood, and T.A. Jefferson. 1994. Melon-headed whale *Peponocephala electra* (Gray, 1846). In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 5: The first book of dolphins. London: Academic Press. Pp. 363-386.

Persinos, J. 1999. For the record: An interview with Petroleum Helicopters, Inc.'s Carroll Suggs. Rotor & Wings On-Line. Internet website: <a href="http://www.rotorandwings.com">http://www.rotorandwings.com</a>. February.

- Plön, S. and R. Bernard. 1999. The fast lane revisited: Life history strategies of Kogia from southern Africa. Abstracts, 13th Biennial Conference on the Biology of Marine Mammals, Wailea, Maui, 28 November - 3 December.
- Plotkin, P. and A.F. Amos. 1988. Entanglement in and ingestion of marine debris by sea turtles stranded along the South Texas coast. In: Proceedings, 8th Annual Workshop on sea turtle conservation and biology. NOAA Tech. Memo. NMFS-SEFSC-214.
- Plotkin, P.T., M.K. Wicksten, and A.F. Amos. 1993. Feeding ecology of the loggerhead sea turtle *Caretta caretta* in the northwestern Gulf of Mexico. Mar. Biol. 115: 1-15.
- Powell, E.N. 1995. Evidence for temporal change at seeps. In: MacDonald, I.R., W.W. Schroeder, and J.M. Brooks, eds. Chemosynthetic ecosystems study: final report. Volume 2: Technical report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 95-0022. Pp. 8.1-8.65.
- Powell, J.A. and G.B. Rathbun. 1984. Distribution and abundance of manatees along the northern coast of the Gulf of Mexico. Northeast Gulf Sci. 7:1-28.
- Power, J.H. and L.N. May, Jr. 1991. Satellite observed sea-surface temperatures and yellowfin tuna catch and effort in the Gulf of Mexico. Fish. Bull. 89:429-439.
- Preen, A. 1991. Report on the die-off of marine mammals associated with the Gulf War oil spill. Report prepared for The National Commission for Wildlife Conservation and Development. 8 pp.
- Preen, A.R. 1996. Infaunal mining: A novel foraging method of loggerhead turtles. Journal of Herpetology 30(1):94-96.
- Price, W.A. 1958. Sedimentology and quaternary geomorphology of south Texas, supplementary to field trip manual "Sedimentology of South Texas": Corpus Christi Geological Society spring field trip 1958. Gulf Coast Association of Geological Societies Transactions 8(1958):41-75.
- Price, J.M., W.R. Johnson, Z.-G. Ji, C.F. Marshall, and G.B. Rainey. 2001. Sensitivity testing for improved efficiency of a statistical oil spill risk analysis model. In: Proceedings; Fifth International Marine Environment Modeling Seminar, October 9-11, 2001, New Orleans, LA. Pp. 533-550.
- Pristas, P.H., A.M. Avrigian, and M.I. Farber. 1992. Big game fishing in the northern Gulf of Mexico during 1991. NOAA Tech. Memo. NMFS-SEFC-312. 16 pp.
- Pritchard, P.C.H. 1971. The leatherback or leathery turtle *Dermochelys coriacea*. IUCN Mono. No. 1, Morges, Switzerland.
- Pritchard, P.C.H. 1997. Evolution, phylogeny, and current status. In: Lutz, P.L. and Musivk, J. A. eds. The biology of sea turtles. Boca Raton, FL: CRC Press. Pp. 1-28.
- Pulich, W., Jr. 1998. Seagrass conservation plan for Texas. Texas Parks and Wildlife Department, Austin, TX.
- Pulsipher, A.G., D. Tootle, and R. Pincomb. 1999. Economic and social consequences of the oil spill in Lake Barre, Louisiana. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 99-0028. 32 pp.
- Quammen, M.L. and C.P. Onuf. 1993. Laguna Madre seagrass changes continue decades after salinity reduction. Estuaries 16:302-310.
- Quigley, D., J.S. Hornafius, B.P. Luyendyk, R.D. Francis, and E. Bartsch. 1996. Temporal variation in the spatial distribution of natural marine hydrocarbon seeps in the northern Santa Barbara Channel, California. Proceedings of the Annual Meeting of the American Geophysical Union.
- Rabalais, N.N., B.A. McKee, D.J. Reed, and J.C. Means. 1991. Fate and effects of nearshore discharges of OCS produced water. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 91-0004, 91-0005, and 91-0006. 3 vols.
- Rainey, G. 1992. The risk of oil spills from the transportation of petroleum in the Gulf of Mexico. In: Proceedings of the Environmental and Economic Status of the Gulf of Mexico, Gulf of Mexico Program, December 2-5, 1990, New Orleans, LA. Pp. 131-142.

- Rainey, G. and E. Peuler. In preparation. What we know about environmental impacts of recent OCS spill events. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA.
- Ramsey, K.E., S. Penland, and H.H. Roberts. 1991. Implications of accelerated sea-level rise on Louisiana coastal environments. In: Coastal Sediments '91; Proceedings, Specialty Conference, WR Division, ASCE, June 25-27, 1991, Seattle, WA.
- Rathbun, G.B., J.P. Reid, and G. Carowan. 1990. Distribution and movement patterns of manatees (*Trichechus manatus*) in northwestern peninsular Florida. FL Mar. Res. Publ. No. 48. 33 pp.
- Rawson, A.J., G.W. Patton, H.F. Anderson, and T. Beecher. 1991. Anthracosis in the Atlantic bottlenose dolphin (*Tursiops truncatus*). Mar. Mamm. Sci. 7:413-416.
- Raymond, P.W. 1984. Sea turtle hatchling disorientation and artificial beachfront lighting: A review of the problem and potential solutions. Washington, DC: Center for Environmental Education. 72 pp.
- Reed, M., N. Ekrol, P. Daling, O. Johansen, and M.K. Ditlevsen. 2000. SINTEF oil weathering model user's manual. Version 1.7. February version released April 15, 2001.
- Reeves, R.R., B.S. Stewart, and S. Leatherwood. 1992. The Sierra Club handbook of seals and Sirenians. San Francisco, CA: Sierra Club Books. 359 pp.
- Regg, J.B., S. Atkins, B. Hauser, J. Hennessey, B.J. Kruse, J. Lowenhaupt, B. Smith, and A. White. 2000. Deepwater development: A reference document for the deepwater environmental assessment Gulf of Mexico OCS (1998 through 2007). U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Report MMS 2000-015. 94 pp.
- Reid, D.F. 1980. Radionuclides in formation water from petroleum production facilities. In: Proceedings: Gulf of Mexico Information Transfer Meeting. U.S. Dept. of the Interior, Bureau of Land Management, New Orleans Outer Continental Shelf Office, New Orleans, LA. 64 pp.
- Reijnders, P. 1986a. Perspectives for studies of pollution in cetaceans. Mar. Poll. Bull. 17:58-59.
- Reijnders, P.J.H. 1986b. Reproductive failure in common seals feeding on fish from polluted coastal waters. Nature 324:456-457.
- Reijnders, P.J.H. 1994. Toxicokinetics of chlorobiphenyls and associated physiological responses in marine mammals, with particular reference to their potential for ecotoxicological risk assessment. Science of the Total Environment 154:229-236.
- Reijnders, P.J.H. and A. Aguilar. 2002. Pollution and marine mammals. In: Perrin, W.F., B. Wursig, and J.G.M. Thewissen, eds. Encyclopedia of Marine Mammals. New York, NY: Academic Press. 1,414 pp.
- Renaud, M.L. 1995. Movements and submergence patterns of Kemp's ridley turtles (*Lepidochelys kempii*). Journal of Herpetology 29(3):370-374.
- Renaud, M. 2001. Sea turtles of the Gulf of Mexico. In: McKay, M., J. Nides, W. Lang, and D. Vigil. 2001. Gulf of Mexico Marine Protected Species Workshop, June 1999. U.S. Dept of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2001-039. Pp. 41-47.
- Research Planning, Inc., Baird & Associates Ltd., and Applied Marine Sciences, Inc. 2001a. Development and design of biological and physical monitoring protocols to evaluate the long-term impacts of offshore dredging operations on the marine environment. U.S. Dept. of the Interior, Minerals Management Service, INTERMAR, Herndon, VA. OCS Report MMS 2001-089. 116 pp. + app.
- Research Planning, Inc., Baird & Associates Ltd., and Applied Marine Sciences, Inc. 2001b. Examination of regional management strategies for federal offshore borrow areas along the United States east and Gulf of Mexico coasts. U.S. Dept. of the Interior, Minerals Management Service, INTERMAR, Herndon, VA. 23pp. + apps. OCS Report MMS 2001-090.
- Rester, J. and R. Condrey. 1996. The occurrence of the hawksbill turtle, *Eretmochelys imbricata*, along the Louisiana coast. Gulf Mex. Sci. 1996:112-114.
- Restrepo and Associates. 1982. *Ixtoc 1* oil spill economic impact study. Final report prepared for the U.S. Dept. of the Interior, Bureau of Land Management. Restrepo and Associates, El Paso, TX. 3 vols.
- Reuters. 1997. Japan oil spill forces dolphin evacuation. News clip from Reuters in January.

Reynolds, J.E. III. 1980. Aspects of the structural and functional anatomy of the gastrointestinal tract of the West Indian manatee, *Trichechus manatus*. Ph.D. Thesis, University of Miami, Coral Gables, FL.

- Reynolds, J.E. 1985. Evaluation of the nature and magnitude of interactions between bottlenose dolphins, *Tursiops truncatus*, and fisheries and other human activities in the coastal areas of the southeastern United States. Available from NTIS, Springfield, VA: PB86-162203.
- Reynolds, J.E., III. and D.K. Odell. 1991. Manatees and dugongs. Facts on File, NY.
- Rezak, R. and T.J. Bright. 1978. South Texas topographic features study. Prepared for the U.S. Dept. of the Interior, Bureau of Land Management, New Orleans OCS Office, New Orleans, LA. Contract no. AA550-CT6-18. 772 pp.
- Rezak, R., T.J. Bright, and D.W. McGrail. 1983. Reefs and banks of the northwestern Gulf of Mexico: their geological, biological, and physical dynamics. Final Technical Report No. 83-1-T.
- Rhinehart, H.L., C.A. Manire, J.D. Buck, P. Cunningham-Smith, and D.R. Smith. 1999. Observations and rehabilitation of rough-toothed dolphins, *Steno bredanensis*, treated at Mote Marine Laboratory from two separate stranding events. Abstracts, 13th Biennial Conference on the Biology of Marine Mammals, Wailea, Maui, 28 November 3 December.
- Rice, D.W. 1989. Sperm whale *Physeter macrocephalus* (Linnaeus, 1758). In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 4: River dolphins and the larger toothed whales. London: Academic Press, Inc. Pp. 177-234.
- Richards, W.J. 1990. List of the fishes in the western central Atlantic and the status of early life history stage information. NOAA. Tech. Memo. NMFS-SEFC-267. 88 pp.
- Richards, W.J., T. Pothoff, S. Kelley, M.F. McGowan, L. Ejsymont, J.H. Power, and R.M. Olvera L. 1984. SEAMAP 1982 -- Ichthyoplankton. Larval distribution and abundance of Engraulidae, Carangidae, Clupeidae, Lutjanidae, Serranidae, Coryphaenidae, Istiophoridae, Xiphiidae, and Scombridae in the Gulf of Mexico. NOAA Tech. Memo. NMFS-SEFSC-144. 51 pp.
- Richards, W.J., T. Leming, M.F. McGowan, J.T. Lamkin, and S. Kelley-Farga. 1989. Distribution of fish larvae in relation to hydrographic features of the Loop Current boundary in the Gulf of Mexico. Rapp. P.-v. Reun. Cons. Int. Explor. Mer. 191:169-176.
- Richards, W.J., M.F. McGowan, T. Leming, J.T. Lamkin, and S. Kelley. 1993. Larval fish assemblages at the Loop Current boundary in the Gulf of Mexico. Bull. Mar. Sci. 53(2):475-537.
- Richardson, W.J. 1997. Bowhead responses to seismic, as viewed from aircraft. In: Proceedings, Arctic Seismic Synthesis and Mitigating Measures Workshop. MBC Applied Environmental Sciences. OCS Study MMS 97-0014. Pp. 15-26.
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. Marine mammals and noise. San Diego, CA: Academic Press.
- Richie, W. and S. Penland. 1985. Overwash process-response characteristics of landforms along the Caminada-Moreau coast, Louisiana. In: Penland, S. and R. Boyd, eds. Transgressive Depositional Environments of the Mississippi River Delta Plain: A Guide to the Barrier Islands, Beaches and Shoals in Louisiana. Louisiana Geological Survey Guidebook Series, No. 3.
- Ridgway, S.H., E.G. Wever, J.G. McCormick, J. Palin, and J.H. Anderson. 1969. Hearing in the giant sea turtle, *Chelonia mydas*. In: Proceedings of the National Academy of Sciences. 64(3):884-890.
- RigZone. 2002. Advanced rig search. Internet website (July 15): http://www.rigzone.com/data/results.
- RigZone. 2002. Internet website: http://www.rigzone.com.
- Rike, J.L. 2000. Downsizing the operation instead of the company. In: McKay, M. and J. Nides, eds. Proceedings, Eighteenth Annual Gulf of Mexico Information Transfer Meeting, December 1998. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2000-030. Pp. 469-475.
- Ripley, S.D. and B.M. Beechler. 1985. Rails of the world, a compilation of new information, 1975-1983, (Aves: Rallidae). Smithsonian Contributions to Zoology, No. 417. Washington, DC: Smithsonian Institute Press.
- Roberts, H.H. and T.W. Neurauter. 1990. Direct observations of a large active mud vent on the Louisiana continental slope. Association of Petroleum Geologists Bulletin 74:1508.

- Roberts, K.J. and M.E. Thompson. 1983. Petroleum production structures: Economic resources for Louisiana sport divers. Louisiana Sea Grant College Program. Baton Rouge, LA: Louisiana State University, Center for Wetland Resources.
- Roberts, H.H., P. Aharon, R. Carney, J. Larkin, and R. Sassen. 1990. Sea floor responses to hydrocarbon seeps, Louisiana continental slope. Geo-Marine Letter 10(4):232-243.
- Robineau, D. and P. Fiquet. 1994. Cetaceans of Dawhat ad-Dafi and Dawhat al-Musallamiya (Saudi Arabia) one year after the Gulf War oil spill. Courier Forsch.-Inst. Senckenberg 166:76-80.
- Rosenberg, Z. 2001. Personal communication. Discussion of ongoing research on the labor demand of the OCS petroleum industry funded by MMS.
- Rosman, I., G.S. Boland, and J.S. Baker. 1987a. Epifaunal aggregations of Vesicomyidae on the continental slope off Louisiana. Deep-Sea Res. 34:1811-1820.
- Rosman, I., G.S Boland, L.R. Martin, and C.R. Chandler. 1987b. Underwater sightings of sea turtles in the northern Gulf of Mexico. U.S. Dept of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 87-0107. 37 pp.
- Ross, S.T. 1983. A review of surf zone ichthyofaunas in the Gulf of Mexico. In: Shabica, S.V., N.B. Cofer, and E.W. Cake, Jr., eds. Proceedings of the Northern Gulf of Mexico Estuaries and Barrier Islands Research Conference. U.S. Dept. of the Interior, National Park Service, Southeast Regional Office, Atlanta, GA. Pp. 25-34.
- Ross, G.J.B. and S. Leatherwood. 1994. Pygmy killer whale *Feresa attenuata* (Gray, 1874). In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 5: The first book of dolphins. London: Academic Press. Pp. 387-404.
- Ross, S.T. and T. Modde. 1981. Seasonality of fishes occupying a surf zone habitat in the northern Gulf of Mexico. Fish. Bull. 78:911-922.
- Ross, P., R. DeSwart, R. Addison, H. Van Loveren, J. Vos, and A. Osterhaus. 1996. Contaminant-induced immunotoxicity in harbour seals: wildlife at risk? Toxicology 112:157-169.
- Rowles, T. 1996. Personal communication. U.S. Dept. of Commerce, National Marine Fisheries Service, Office of Protected Resources.
- Rozas, L.P. 1992. Comparison of nekton habitats associated with pipeline canals and natural channels in Louisiana salt marshes. Wetlands 12(2):136-146.
- Rudloe, J., A. Rudloe, and L. Ogren. 1991. Occurrence of immature Kemp's ridley turtles, *Lepidochelys kempi*, in coastal waters of northwest Florida. Short Papers and Notes. Northeast Gulf Sci. 12:49-53.
- Ruple, D. 1984. Occurrence of larval fishes in the surf zone of a northern Gulf of Mexico barrier island. Estuar. Coast. Shelf Sci. 18:191-208.
- Ryan, P.G. 1988. Effecs of ingested plastic on seabird feeding: evidence from chickens. Mar. Poll. Bull. 19(3):125-128.
- Ryan, P.G. 1990. The effects of ingested plastic and other marine debris on seabirds. In: Shomura, R.S. and M.L. Godfrey, eds. Proceedings of the Second International Conference on Marine Debris, April 2-7, 1989, Honolulu, HI. U.S. Dept. of Commerce, NOAA Tech. Memo. NMFS-NOAA-TM-NMFS-SWFSC-154. Pp. 623-634.
- Rybitski, M.J., R.C. Hale, and J.A. Musick. 1995. Distribution of organochlorine pollutants in Atlantic sea turtles. Copeia 1995:379-390.
- Sadiq, M. and J.C. McCain. 1993. The Gulf War aftermath: An environmental tragedy. Boston, MA: Kluwer Academic.
- Sager, W. 1997. Geophysical detection and characterization of seep community sites. In: MacDonald, I.R., ed. 1998. Stability and change in Gulf of Mexico chemosynthetic communities: interim report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 98-0034. Pp. 49-60.
- Salata, G.G., T.L. Wade, J.L. Sericano, J.W. Davis, and J.M. Brooks. 1995. Analysis of Gulf of Mexico bottlenose dolphins for organochlorine pesticides and PCBs. Environ. Poll. 88:167-175.

Salmon, J., D. Henningsen, and McAlpin. 1982. Dune restoration and revegetation manual. Florida Sea Grant College. Report No. 48, September. 49 pp.

- Saloman, C.H. and S.P. Naughton. 1983. Food of Spanish mackerel, *Scomberomorus maculatus*, from the Gulf of Mexico and southeastern seaboard of the United States. NOAA Tech. Memo. NMFS-SEFSC-128. 22 pp.
- Saloman, C.H. and S.P. Naughton. 1984. Food of crevalle jack, *Caranx hippos*, from Florida, Louisiana, and Texas. NOAA Tech. Memo. NMFS-SEFSC-134. 34 pp.
- Samuels, W.B. and A. Ladino. 1983/1984. Calculations of seabird population recovery from potential oilspills in the mid-Atlantic region of the United States. Ecological Modelling, 21. Pp. 63-84.
- Sankaran, M., N.R. Holler, and M.C. Wooten. 1993. Population dynamics of the beach mouse (*Peromyscus polionotus trissyllepsis*): Simulation study to examine extinction probabilities. Brimleyania No. 25.
- Sargent, F.J., T.J. Leary, D.W. Crewz, and C.R. Kruer. 1995. Scarring of Florida's seagrasses: Assessment and management options. FRMI TR-1, Florida Marine Research Institute, St. Petersburg, FL. 37 pp. + app.
- Sassen, R. 1997. Origins of hydrocarbons and community stability. In: MacDonald, I.R., ed. 1998. Stability and change in Gulf of Mexico chemosynthetic communities: interim report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 98-00034. Pp. 71-76.
- Sassen, R., J.M. Brooks, M.C. Kennicutt II, I.R. MacDonald, and N.L. Guinasso, Jr. 1993a. How oil seeps, discoveries relate in deepwater Gulf of Mexico. Oil and Gas Journal 91(16):64-69.
- Sassen, R., H.H. Roberts, P. Aharon, J. Larkin, E.W. Chinn, and R. Carney. 1993b. Chemosynthetic bacterial mats at cold hydrocarbon seeps, Gulf of Mexico continental slope. Organic Geochemistry 20(1):77-89.
- Scaife, W.W., R.E. Turner, and R. Costanza. 1983. Coastal Louisiana recent land loss and canals impacts. Environmental Management 7(5):433-442.
- Scarborough-Bull, A. and J.J. Kendall, Jr. 1992. Preliminary investigation: Platform removal and associated biota. In: Cahoon, L.B., ed. Diving for science. . . 1992, American Academy of Underwater Sciences, Costa Mesa, CA. Pp. 31-38.
- Schales, S. and D. Soileau. 2001. Personal communication with Samuel Holder: Shell Key, Point au Fer and their surrounding shell reefs, June 15. Both gentlemen were employed by the Louisiana Dept. of Wildlife and Fisheries at the time.
- Schiro, A.J., D. Fertl, L.P. May, G.T. Regan, and A. Amos. 1998. West Indian manatee (*Trichechus manatus*) occurrence in U.S. waters west of Florida. Presentation, World Marine Mammal Conference, 20-24 January, Monaco.
- Schmidly, D.J. 1981. Marine mammals of the southeastern United States coast and the Gulf of Mexico. U.S. Dept. of the Interior, Fish and Wildlife Service, Office of Biological Services, Washington, DC. FWS/OBS-80/41. 163 pp.
- Schmidly, D.J., C.O. Martin, and G.F. Collins. 1972. First occurrence of a black right whale (*Balaena glacialis*) along the Texas coast. Southw. Natural. 17:214-215.
- Schrader, T.J and M.O. Moldestad. 2001. Weathering properties of Endicott and Neptune field composite crude oils. SINTEF Applied Chemistry, Trondheim, Norway.
- Science Applications International Corporation (SAIC). 1991. Descriptive statistics and distributional analysis of cadmium and mercury concentrations in barite, drilling fluids, and drill cuttings. From the API/USEPA Metals Database prepared for Industrial Technology Division, U.S. Environmental Protection Agency (Offshore Rulemaking Record Volume 120).
- Science Applications International Corporation (SAIC). 1997. Northeastern Gulf of Mexico coastal and marine ecosystem program: Data search and synthesis; synthesis report. U.S. Dept. of the Interior, Geological Survey, Biological Resources Division, USGS/BRD/CR-1997-0005 and U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 96-0014. 304 pp.
- Scott, G.P. 1990. Management-oriented research on bottlenose dolphins by the Southeast Fisheries Science Center.In: Leatherwood, S. and R.R. Reeves, eds. The bottlenose dolphin. San Diego, CA: Academic Press. Pp. 623-639.
- Scott, G.P. and L.J. Hansen. 1989. Report of the Southeast Fisheries Science Center marine mammal program review, 2-3 May 1989. NOAA Tech. Memo. NMFS-SEFC-235. 81 pp.

- Seibel, B.A. and P.J. Walsh. 2001. Potential impacts of CO<sub>2</sub> injection of deep-sea biota. Science 294:319-320.
- Seideman, D. 1997. Swimming with trouble. Audubon 99(5):76-82.
- Sharp, B.E. 1995. Does the cleaning and treatment of oiled seabirds mean that they are rehabilitated what about post-release survival? In: Proceedings, The Effects of Oil on Wildlife, 4<sup>th</sup> International Conference, April 1995, Seattle, WA.
- Sharp, B.E. 1996. Post-release survival of oiled, cleaned seabirds in North America. Ibis 138:222-228.
- Shaver, D.J. 1991. Feeding ecology of wild and head-started Kemp's ridley sea turtles in South Texas waters. J. Herpet. 25:327-334.
- Shaver, D.J. 1995. Kemp's ridley sea turtles nest in south Texas. Marine Turtle Newsletter 70:10-11.
- Shaver, D.J. 1996a. Head-started Kemp's ridley sea turtles nest in Texas. Marine Turtle Newsletter 74:5-7.
- Shaver, D.J. 1996b. A note about Kemp's ridleys nesting in Texas. Marine Turtle Newsletter 75:25.
- Shaver, D. 1998. Personal communication. Padre Island National Seashore. U.S. Dept. of the Interior, Geological Survey.
- Shaver, D. 2001. Personal communication. Padre Island National Seashore. U.S. Dept. of the Interior, Geological Survey.
- Shaver, D.J. and C.W. Caillouet, Jr. 1998. More Kemp's ridley turtles return to south Texas to nest. Marine Turtle Newsletter 82:1-5.
- Sheffield, C. 2000. Activity on oil, gas industry increasing although production in Mississippi is down. Mississippi Business Journal On-line. Internet website: <a href="http://www.msbusiness.com">http://www.msbusiness.com</a>.
- Sherman, K., R. Lasker, W.J. Richards, and A.W. Kendall, Jr. 1983. Ichthyoplankton and fishes recruitment studies in large marine ecosystems. Mar. Fish. Rev. 45(10-11-12):1-25.
- Shinn, E.A., B.H. Lidz, and C.D. Reich. 1993. Habitat impacts of offshore drilling: Eastern Gulf of Mexico. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 93-0021. 73 pp.
- Shomura, R.S. and M.L. Godfrey, eds. 1990. Proceedings of the Second International Conference on Marine Debris, 2-7 April 1989, Honolulu, HI. U.S. Dept. of Commerce, NOAA Tech. Memo. NMFS, NOAA-TM-NMFS-SWFSC-154.
- Shoop, C.R. and R.D. Kenney. 1992. Seasonal distributions and abundance of loggerhead and leatherback sea turtles in waters of the northeastern United States. Herpetological Monographs No. 6.
- Shoop, C., T. Doty, and N. Bray. 1981. Sea turtles in the region between Cape Hatteras and Nova Scotia in 1979.In: Shoop, C., T. Doty, and N. Bray. A characterization of marine mammals and turtles in the mid- and north-Atlantic areas of the U.S. outer continental shelf: annual report for 1979: Chapter IX. Kingston: University of Rhode Island. Pp. 1-85.
- Sikora, W.B., J.P. Sikora, and R.E. Turner. 1983. Marsh buggies, erosion, and the air-cushioned alternatives. In: Proceedings of the Water Quality and Wetland Management Conference, New Orleans, LA.
- Sileo, L., P.R. Sievert, and M.D. Samuel. 1990a. Causes of mortality of albatross chicks at Midway Atoll. Jour. Wildl. Diseases. 26(3):329-338.
- Sileo, L., P.R. Sievert, M.D. Samuel, and S.I. Fefer. 1990b. Prevalence and characteristics of plastic ingested by Hawaiian seabirds. In: Shomura, R.S. and M.L. Godfrey, eds. Proceedings of the Second International Conference on Marine Debris, April 2-7, 1989, Honolulu, HI. U.S. Dept. of Commerce, NOAA Tech. Memo. NMFS-NOAA-TM-NMFS-SWFCS-154. Pp. 665-681.
- Simmons, M.R. 2000. Outlook for natural gas: Is a train wreck pending? Internet website: <a href="http://www.simmonsco-iintl.com/research/docview.asp?viewnews=true&newstype=2&viewdoc=true&doc=100">http://www.simmonsco-iintl.com/research/docview.asp?viewnews=true&newstype=2&viewdoc=true&doc=100</a>. December 6.
- Simmons, M.R. 2001. American Gas Association 2001 Executive Conference, Las Vegas, NV, October 8, 2001. Internet website: <a href="http://www.simmonsco-intl.com/domino/html/research.nsf/DocID/8E931B68C0D4FC5686256B1F004CD51A/\$File/195.pdf">http://www.simmonsco-intl.com/domino/html/research.nsf/DocID/8E931B68C0D4FC5686256B1F004CD51A/\$File/195.pdf</a>.

Simmons & Company International. 2000. The Gulf of Mexico supply vessel industry: A return to the crossroads. 32 pp.

- Simpfendorfer, C.A. 2000a. Personal communication. Mote Marine Laboratory, Sarasota, FL, September 2002.
- Simpfendorfer, C.A. 2000b. Written communication. Letter to Charles A. Oravetz regarding information solicitation for sawfish listing process and attached response to request for information.
- Singelmann, J. In press. Job loss and reemployment of minorities and women in the offshore petroleum industry. Prepared by Coastal Marine Institute, Louisiana State University for the U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA.
- Sis, R.F., A.M. Landry, and G.R. Bratton. 1993. Toxicology of stranded sea turtles. In: Proceedings, 24th Annual International Association of Aquatic Animal Medicine Conference, Chicago, IL.
- Slay, C.K. and J.I. Richardson. 1988. King's Bay, Georgia: Dredging and turtles. In: Proceedings, 8th Annual Workshop on Sea Turtle Conservation and Biology. NOAA Tech. Memo. NMFS-SEFSC-214.
- S.L. Ross Environmental Research Ltd. 1997. Fate and behavior of deepwater subsea oil well blowouts in the Gulf of Mexico: Internal report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA.
- S.L. Ross Environmental Research Ltd. 2000. Technology assessment of the use of dispersants on spills from drilling and production facilities in the Gulf of Mexico outer continental shelf. Prepared for the U.S. Dept. of the Interior, Minerals Management Service, Engineering and Research Branch, Herndon, VA. Ottawa, Ontario, Canada: S.L. Ross Environmental Research Ltd.
- Smith, M.F., ed. 1984. Ecological characterization atlas of coastal Alabama: Map narrative. U.S. Dept. of the Interior, Fish and Wildlife Service FWS/OBS-82/46 and the U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 84-0052. 189 pp.
- Smith, E. H. 2001. Barrier islands. In: Tunnell, J.W., Jr. and F.W. Judd, eds. The Laguna Madre of Texas and Tamaulipas. College Station, TX: Texas A&M University Press.
- Smith, G.M. and C.W. Coates. 1938. Fibro-epithelial growths of the skin in large marine turtles, *Chelonia mydas* (Linnaeus). Zoologica (NY) 23:93-98.
- Smith, L.L. Jr., D.M. Oseid, I.R. Adelman, and S.J. Broderius. 1976. Effects of hydrogen sulfide on fish and invertebrates. Part I. Acute and chronic toxicity studies. U.S. Environmental Protection Agency, Environmental Research Laboratory, Duluth, MN. EPA Ecol. Res. Ser. EPA-600/3-76-062a. 286 pp.
- Smith, R.A., J.R. Slack, T. Wyant, and K.J. Lanfear. 1982. The oil spill risk anlaysis model of the U.S. Geological Survey. U.S. Geological Survey Professional Paper 1227.
- Smith, T.G., J.R. Geraci, and D.J. St. Aubin. 1983. The reaction of bottlenose dolphins, *Tursiops truncatus*, to a controlled oil spill. Can. J. Fish. Aquat. Sci. 40(9):1,522-1,527.
- Smith, S.E., D.W. Au, and C.Show. 1998. Intrinsic rebound potentials of 26 species of Pacific sharks. Marine and Freshwater Research 41:663-678.
- Smolen, M.J. and T. Colborn. 1995. Persistent organochlorines as developmental toxicants in large cetaceans. Abstract, 11th Biennial Conference on the Biology of Marine Mammals, 14-18 December, Orlando, FL.
- Smultea, M.A. and B. Würsig. 1991. Bottlenose dolphin reactions to the *Mega Borg* oil spill, Gulf of Mexico, 1990. Final report no. RF-90-1113. U.S. Dept. of Commerce, National Marine Fisheries Service, Southeast Fisheries Center, Miami, FL.
- Smultea, M.A. and B. Würsig. 1995. Behavioral reactions of bottlenose dolphins to the *Mega Borg* oil spill, Gulf of Mexico 1990. Aquatic. Mamm. 21(3):171-181.
- Sorensen, P.E. 1990. Socioeconomic effects of OCS oil and gas development. In: Continental Shelf Associates, Inc. Synthesis of available biological, geological, chemical, socioeconomic, and cultural resource information for the South Florida area. Jupiter, FL: Continental Shelf Associates, Inc. Pp. 609-629.
- South, C. 1999. Personal communication. U.S. Dept. of the Interior, Fish and Wildlife Service, Daphne, AL.
- South, C. and S. Tucker. 1991. Personal communication. U.S. Dept. of the Interior, Fish and Wildlife Service, Daphne Field Office, AL.

- South Atlantic Fishery Management Council. 1998. Habitat plan for the South Atlantic Region: essential fish habitat requirements for fishery management plans of the South Atlantic Fishery Management Council. U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration Nos. NA77FC0002 and NA87FC0004. 449 pp. + app.
- Sparks, T.D., J.C. Norris, R. Benson, and W.E. Evans. 1996. Distributions of sperm whales in the northwestern Gulf of Mexico as determined from an acoustic survey. In: Proceedings of the 11th Biennial Conference on the Biology of Marine Mammals, 14-18 December 1995, Orlando, FL. 108 pp.
- Spies, R.B., J.S. Felton, and L. Dillard. 1982. Hepatic mixed-function oxidases in California flatfishes are increased in contaminated environments and by oil and PCB ingestion. Mar. Biol. 70:117-127.
- Sports Fishing Institute. 1989. Marine fisheries bycatch issues. Bulletin No. 405. Washington, DC. 6 pp.
- Spradlin, T. 1998. Personal communication. Biologist, U.S. Dept. of Commerce, National Marine Fisheries Service, Protected Resources.
- Spradlin, T.R., J.K. Drevenak, A.D. Terbush, and E.T. Nitta. 1999. Interactions between the public and wild dolphins in the United States: biological concerns and the Marine Mammal Protection Act. Thirteenth Biennial Conference on the Biology of Marine Mammals, November 28, 1999. Available at Internet website: http://www.nmfs.noaa.gov/prot/res/MWatch/protectdolphcamp.html).
- Spraker, T.R., L.F. Lowry, and K.J. Frost. 1994. Gross necropsy and histopathological lesions found in harbor seals. In: Loughlin, T.R., ed. Marine mammals and the *Exxon Valdez*. San Diego, CA: Academic Press. Pp. 281-311.
- Squire, J.L., Jr. 1992. Effects of the Santa Barbara, California, oil spill on the apparent abundance of pelagic fishery resources. Marine Fisheries Review 54(1):7-14.
- St. Aubin, D.J. and V. Lounsbury. 1990. Oil effects on manatees: Evaluating the risks. In: Geraci, J.R. and D.J. St. Aubin, eds. Sea mammals and oil: confronting the risk. San Diego, CA: Academic Press. Pp. 241-251.
- Stabile, J., J.R. Waldman, F. Parauka, and I. Wirgin. 1996. Stock structure and homing fidelity of Gulf sturgeon (*Acipenser oxyrinchus desotoi*) based on RFLP and sequence analysis of mitochondrial DNA. Genetics 144:767-775
- Stanley D.R. 1996. Determination of fishery resources associated with petroleum platforms. In: Proceedings, 15th Annual Gulf of Mexico Information Transfer Meeting. Sponsored by the U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, December 12-14, 1995, New Orleans, LA. OCS Study MMS 96-0056. Pp. 125-131.
- Steiner, C.K., M.C. Causley, and M.A. Yocke. 1994. User's guide: Minerals Management Service outer continental shelf activity database (MOAD). U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 94-0018. 22 pp.
- Stewart, B.S. and S. Leatherwood. 1985. Minke whale *Balaenoptera acutorostrata*. In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 3: The Sirenians and baleen whales. London: Academic Press. Pp. 91-136.
- Stone, G.W. 2000. Wave climate and bottom boundary layer dynamics with implications for offshore sand mining and barrier island replenishment in south-central Louisiana. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2000-053. 90 pp.
- Stone, G.W., C.K. Armbruster, J.M. Grymes III, and O.K. Huh. 1996. Impacts of Hurricane Opal on Florida coast. EOS (Earth Observing System) 77:181-183.
- Stoneburner, D.L., M.N. Nicora, and E.R. Blood. 1980. Heavy metals in loggerhead sea turtle eggs (*Caretta caretta*): Evidence to support the hypothesis that demes exist in the western Atlantic population. J. of Herpetology 14:71-175.
- Stout, J.P, M.G. Lelong, J.L. Borom, and M.T. Powers. 1981. Wetland habitat of the Alabama coastal area. Part II: An inventory of wetland habitats south of the battleship parkway. Alabama Coastal Area Board, Technical Publication CAB-81-01.
- Strand, M. 1997. Wetlands deskbook. Washington, DC: Environmental Law Institute.
- Stroud, R.H. 1992. Stemming the tide of coastal fish habitat loss. In: Proceedings of a Symposium on Coastal Fish Habitat, March 7-9, 1991, Baltimore, MD. National Coalition for Marine Conservation, Inc., Savannah, GA. Pp. 73-79.

Stutzenbaker, C.D. and M.W. Weller. 1989. The Texas coast. In: Smith, L.M., R.L. Pederson, and R.K. Kaminski, eds. Habitat management for migrating and wintering waterfowl in North America. Lubbock, TX: Texas Tech. University Press. Pp. 385-405.

- Sulak, K.J. 2002. Personal communication. Research Fishery Biologist, U.S. Geological Survey, Biological Resources Division, Gainsville, FL.
- Sulak, K.J. and J.P. Clugston. 1998. Early life history stages of Gulf sturgeon in the Suwanee River, Florida. Transactions of the American Fisheries Society 127:758-771.
- SUSIO (State University System of Florida Institute of Oceanography). 1975. Compilation and summation of historical and existing physical oceanographic data from the Eastern Gulf of Mexico. In: Molinari, R.L., ed. SUSIO report submitted to the U.S. Dept. of the Interior, Bureau of Land Management. Contract 08550-CT4-16. 275 pp.
- SUSIO (State University System of Florida Institute of Oceanography). 1977. Baseline monitoring studies: Mississippi, Alabama, Florida Outer Continental Shelf, 1975-1976. Volume I: Executive summary. U.S. Dept. of the Interior, Bureau of Land Management. Contract 08550-CT5-30. 55 pp.
- Suter, G.W., L.W. Barnthouse, S.M. Bartell, T. Mill, D. Mackay, and S Paterson. 1993. Ecological risk assessment. Lewis Publishers.
- Sutter, F.C. and T.D. McIlwain. 1987. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Gulf of Mexico)--sand seatrout and silver seatrout. U.S. Dept. of the Interior, Fish and Wildlife Service, Biological Report 82(11.72) and U.S. Dept. of the Army, Corps of Engineers TR EL-82-4. 16 pp.
- Sutter, F.C., III, R.O. Williams, and M.F. Godcharles. 1991. Movement patterns of king mackerel in the southeastern United States. Fish. Bull. 89:315-324.
- Suzik, H.A. 1997. Unraveling the manatee mystery. Journal of the American Veterinary Medical Association 210:740.
- Swanson, R.L. and C.I. Thurlow. 1973. Recent subsidence rates along the Texas and Louisiana coasts as determined from tide measurements. J. Geophys. Res. 78(15):2665-2671.
- Swenson, E.M. and R.E. Turner. 1987. Spoil banks: Effects on a coastal marsh water-level regime. Estuarine Coastal Shelf Science 24:599-609.
- Swift, R.J., J. Butler, P. Gonzalbes, and J.C.D. Gordon. 1999. The effects of seismic airgun arrays on the acoustic behaviour and distribution of sperm whale and other cetaceans in the N.E. Atlantic/Atlantic frontier. European Research on Cetaceans 13:136.
- Swilling, R. 2001. Personal communication. U.S. Dept. of the Interior, Fish and Wildlife Service, Bon Secour National Wildlife Refuge, Gulf Shores, AL.
- Systems Applications International, Sonoma Technology, Inc., Earth Tech, Alpine Geophysics, and A.T. Kearney. 1995. Gulf of Mexico air quality study, final report: Volumes I-III. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 95-0039, 95-0040, and 95-0041.
- Tabberer, D.T., W.Hagg, M. Coquat, and C.L. Cordes. 1985. Pipeline impacts on wetlands: Final environmental assessment. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS EIS/EA MMS 85-0092. 41 pp.
- Tarpley, R.J. and S. Marwitz. 1993. Plastic debris ingestion by cetaceans along the Texas coast: Two case reports. Aqua. Mamm. 19(2):93-98.
- Taubenberger, J.K., M. Tsai, A.E. Kraft, J.H. Lichy, A.H. Reid, F.Y. Schulman, and T.P. Lipscomb. 1996. Two mobillivirouses implicated in bottlenose dolphin epizootics. Emerging Infectious Diseases 2(3):213-216.
- Teal, J.M., J.W. Farrington, K.A. Burns, J.J. Stegeman, B.W. Tripp, B. Woodin, and C. Phinney. 1992. The West Falmouth oil spill after 20 years: Fate of fuel oil compounds and effects on animals. Mar. Pol. Bul. 24(12):607-614.
- Teas, W.G. 1994. Annual report of the sea turtle stranding and salvage network: Atlantic and Gulf Coasts of the United States, January-December 1993.

- Teas, W.G. and A. Martinez. 1992. Annual report of the sea turtle stranding and salvage network Atlantic and Gulf Coasts of the United States, January-December 1989.
- Terres, J.K. 1991. The Audubon Society encyclopedia of North American birds. New York: Wing Books. 1,109 pp.
- Tetrahedron, Inc. 1996. Reliability of blowout preventers tested under fourteen and seven days time interval.
- Texas Public Education Portal. 2001. 2000 comprehensive biennial report on Texas public schools. Internet website: <a href="http://www.ritter.tea.state.tx.us">http://www.ritter.tea.state.tx.us</a>.
- Texas Railroad Commission. 2001. Internet website: <a href="http://www.rrc.state.tx.us">http://www.rrc.state.tx.us</a>.
- The Times-Picayune. 1993. Booty from below. December 7, 1993.
- Theede, H., A. Ponat, K. Hiroki, and C. Schlieper. 1969. Studies on the resistance of marine bottom invertebrates on oxygen deficiency and hydrogen sulfide. Mar. Biol. 2(4):325-337.
- Thomas, J.A., R.A. Kastelein, and F.T. Awbrey. 1990. Behavior and blood catecholamines of captive belugas during playbacks of noise from an oil drilling platform. Zoo Biology 9:393-402.
- Thompson, N.B. 1988. The status of loggerhead, *Caretta caretta*; Kemp's ridley, *Lepidochelys kempi*; and green, *Chelonia mydas* sea turtles in U.S. waters. Mar. Fish. Rev. 50:16-23.
- Thompson, N.P., P.W. Rankin, and D.W. Johnston. 1974. Polychlorinated biphenyls and p,p'DDE in green turtle eggs from Ascension Island, South Atlantic Ocean. Bull. Environ. Contam. Toxicol. 11:399-406.
- Thomson, C.A. and J.R. Geraci. 1986. Cortisol, aldosterone, and leucocytes in the stress response of bottlenose dolphins, *Tursiops truncatus*. Canadian Journal for Fisheries and Aquatic Sciences 43:1,010-1,016.
- Thorson, T.B. 1982. Life history implications of a tagging study of the largetooth sawfish, *Pristis perotteti*, in the Lake Nicaragua-Río San Juan system. Env. Biol. Fishes 7(3):207-228.
- Tiner, R.W. 1984. Wetlands of the United States: Current status and recent trends. U.S. Dept. of the Interior, Fish and Wildlife Service. 59 pp.
- Tobin, L.A. 2001. Post-displacement employment in a rural community: why can't women and oil mix? Unpublished Ph.D. Dissertation, Sociology. Louisiana State University, Baton Rouge, LA. 140 pp.
- Todd, S., P. Stevick, J. Lien, F. Marques, and D. Ketten. 1996. Behavioural effects of exposure to underwater explosions in humpback whales (*Megaptera novaeangliae*). Canadian Journal of Zoology 74:1,661-1,672.
- Tolbert, C.M. 1995. Oil and gas development and coastal income inequality: a comparative analysis. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA.. OCS Study MMS 94-0052. xiii + 75 pp.
- Trefry, J.H. 1981. A review of existing knowledge on trace metals in the Gulf of Mexico. In: Proceedings of a symposium on environmental research needs in the Gulf of Mexico (GOMEX). Vol. II B. U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, Environmental Research Laboratory. Pp. 225-259.
- Trefrey, J.H., R.P. Trocine, S. Metz, and M.A. Sisler. 1986. Forms, reactivity and availability of trace metals in barite. Prepared for the Offshore Operators Committee, Task Force on Environmental Science.
- Trefry, J.H., R. Trocine, M. McElvaine, and R. Rember. 2002. Concentrations of total mercury and methylmercury in sediment adjacent to offshore drilling sites in the Gulf of Mexico. Final report to the Synthetic-Based Muds (SBM) Research Group, October 25, 2002. Internet website: <a href="http://www.gomr.mms.gov/homepg/regulate/environ/ongoing\_studies/gm/MeHgFinal10\_25.pdf">http://www.gomr.mms.gov/homepg/regulate/environ/ongoing\_studies/gm/MeHgFinal10\_25.pdf</a>.
- Trites, A.W., V. Christensen, and D. Pauly. 1997. Competition between fisheries and marine mammals for prey and primary production in the Pacific Ocean. Journal of Northwest Atlantic Fishery Science 22:173-187.
- Trivelpiece, W.Z., R.G. Butler, D.S. Miller, and D.B. Peakall. 1986. Reduced survival of chicks of oil-dosed adult Leach's storm-petrels. The Condor 86:81-82.
- Trudel, K., S.L. Ross, R.Belore, G.B. Rainey, and S. Buffington. 2001. Technology assessment of the use of dispersants on spills from drilling and production facilities in the Gulf of Mexico Outer Continental Shelf. In: Proceedings; Twenty-Third Arctic and Marine Oil Spill Conference, June 2001, Edmonton, Canada.

Tucker & Associates, Inc. 1990. Sea turtles and marine mammals of the Gulf of Mexico, proceedings of a workshop held in New Orleans, August 1-3, 1989. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 90-0009. 211 pp.

- Truman, W. 2002. Personal communication. U.S. Environmental Protection Agency, NPDES Permit Section, Atlanta, GA.
- Turner, R.E. 1987. Relationship between canal and levee density and coastal land loss in Louisiana. U.S. Dept. of the Interior, Fish and Wildlife Service, National Wetlands Research Center, Washington, DC. Biological Report 85(14).
- Turner, R.E. and M.S. Brody. 1983. Habitat suitability index models: northern Gulf of Mexico brown shrimp and white shrimp. U.S. Dept. of the Interior, Fish and Wildlife Service, Washington, DC. FWS/OBS-82/10.54. 24 pp.
- Turner, R.E. and D.R. Cahoon. 1988. Causes of wetland loss in the coastal Central Gulf of Mexico. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 87-0119 (Volume I: Executive Summary), 87-0120 (Volume II: Technical Narrative), and 87-0121 (Volume III: Appendices).
- Turner, R.E. and Y.S. Rao. 1990. Relationships between wetland fragmentation and recent hydrologic changes in deltaic coasts. Estuaries 13:272-281.
- Turner, R.E., R. Costanza, and W. Scaife. 1982. Canals and wetland erosion rates in coastal Louisiana. In: Conference on Coastal Erosion and Wetland Modification in Louisiana: Causes, Consequences, and Options. U.S. Dept. of the Interior, Fish and Wildlife Service, Office of Biological Services. FWS/OBS 82/59.
- Turner, R.E., J.M. Lee, and C. Neill. 1994. Backfilling canals to restore wetlands: Empirical results in coastal Louisiana. Wetlands Ecology and Management 3(1):63-78.
- Tuttle, J.R. and A.J. Combe III. 1981. Flow regime and sediment load affected by alterations of the Mississippi River. In: Cross, R.D. and D.L. Williams, eds. Proceedings, National Symposium: Freshwater inflow estuaries. U.S. Dept. of the Interior, Fish and Wildlife Service, Office of Biological Services. FWS/OBS-81/104. Pp. 334-348.
- U.S. Congress. Office of Technology Assessment. 1990. Coping with an oiled sea: An analysis of oil spill response technologies. OTA-BP-O-63. Washington, DC: U.S. Government Printing Office.
- U.S. Dept. of Commerce. 1967. United States coast pilot 5. Atlantic coast, Gulf of Mexico, Puerto Rico and Virgin Islands, 6th ed. Washington, DC: U.S. Coast and Geodetic Survey, Environmental Science Services Administration. 301 pp.
- U.S. Dept. of Commerce. Bureau of the Census. 2001. Current population survey. Internet website: http://www.census.gov.
- U.S. Dept. of Commerce. National Marine Fisheries Service. 1984. Endangered; Species Act, Section 7 Consultation Biological Opinion. Attachment C. In: Science Application, Inc., Revised Draft Environmental Impact Statement/Report, Technical Appendix 8, Marine Biology for Santa Ynez Unit/Las Flores Canyon Development and Production Plan. 34 pp.
- U.S. Dept. of Commerce. National Marine Fisheries Service. 1989a. Fisheries of the United States, 1988. Current fisheries statistics no. 8800. U.S. Dept. of Commerce, National Marine Fisheries Service, Washington, DC.
- U.S. Dept. of Commerce. National Marine Fisheries Service. 1989b. Quota recommendations for removals of bottlenose dolphins in southeastern U.S. waters. Contribution number CRD-88/89-09.
- U.S. Dept. of Commerce. National Marine Fisheries Service. 1990. Recovery plan for U.S. population of Atlantic green turtle (*Chelonia mydas*). U.S. Dept. of Commerce, National Marine Fisheries Service, St. Petersburg, FL.
- U.S. Dept. of Commerce. National Marine Fisheries Service. 1991. Recovery plan for the northern right whale (*Eubalaena glacialis*). Prepared by the Right Whale Recovery Team for the U.S. Dept. of Commerce, National Marine Fisheries Service, Silver Spring, MD. 86 pp.
- U.S. Dept. of Commerce. National Marine Fisheries Service. 1993. Recovery plan for hawksbill turtles in the U.S. Caribbean Sea, Atlantic Ocean, and Gulf of Mexico. U.S. Dept. of Commerce, National Marine Fisheries Service, St. Petersburg, FL.

- U.S. Dept. of Commerce. National Marine Fisheries Service. 1994a. Fisheries of the United States, 1993. Current fisheries statistics no. 9300. U.S. Dept. of Commerce, National Marine Fisheries Service, Washington, DC. 118 pp
- U.S. Dept. of Commerce. National Marine Fisheries Service. 1994b. Report to Congress on results of feeding wild dolphins: 1989-1994. U.S. Dept. of Commerce, National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD.
- U.S. Dept. of Commerce. National Marine Fisheries Service. 1995. Environmental assessment on the promulgation of regulations to govern the taking of bottlenose and spotted dolphins incidental to the removal of offshore oil and gas structures in the Gulf of Mexico. U.S. Dept. of Commerce, National Marine Fisheries Service, Silver Spring, MD. 44 pp.
- U.S. Dept. of Commerce. National Marine Fisheries Service. 1996. Fisheries of the United States, 1995. Current fisheries statistics no. 9600. U.S. Dept. of Commerce, National Marine Fisheries Service, Washington, DC. 126 pp.
- U.S. Dept. of Commerce. National Marine Fisheries Service. 1997. Report to Congress. Status of fisheries of the United States. U.S. Dept. of Commerce, National Marine Fisheries Service. 50+ pp. + apps. Internet website: <a href="http://www.nmfs.gov/sfa/Fstatus.html">http://www.nmfs.gov/sfa/Fstatus.html</a>.
- U.S. Dept. of Commerce. National Marine Fisheries Service. 1998. Recovery plan for the blue whale (*Balaenoptera musculus*). Prepared by Reeves R.R., P.J. Clapham, R.L. Brownell, Jr., and G.K. Silber for the U.S. Dept. of Commerce, National Marine Fisheries Service, Silver Spring, MD. 42 pp.
- U.S. Dept. of Commerce. National Marine Fisheries Service. 1999a. Final Fishery Management Plan for Atlantic tunas, swordfish, and sharks. Volumes 1-3. U.S. Dept. of Commerce, National Marine Fisheries Service, Highly Migratory Species Division. April 1999.
- U.S. Dept. of Commerce. National Marine Fisheries Service. 1999b. Amendment 1 to the Atlantic billfish fishery management plan. U.S. Dept. of Commerce, National Marine Fisheries Service, Highly Migratory Species Division. April 1999.
- U.S. Dept. of Commerce. National Marine Fisheries Service. 1999c. Marine recreational fisheries statistics survey, Gulf of Mexico. Internet website: <a href="http://www.st.nmfs.gov/st1/recreational/pubs/brochures/GOMbrochure.pdf">http://www.st.nmfs.gov/st1/recreational/pubs/brochures/GOMbrochure.pdf</a>.
- U.S. Dept. of Commerce, National Marine Fisheries Service, 2000. Fisheries of the United States, 1999. U.S. Dept. of Commerce, National Marine Fisheries Service, Washington, DC. 127 pp.
- .U.S. Dept. of Commerce. National Marine Fisheries Service. 2001a. Information and databases on fisheries landings. Internet website: <a href="http://www.st.nmfs.gov/st1/commercial/landings/annual landings.html">http://www.st.nmfs.gov/st1/commercial/landings/annual landings.html</a>.
- U.S. Dept. of Commerce. National Marine Fisheries Service. 2001b. Smalltooth sawfish (*Pristis pectinata*). Internet website (October 10): http://www.nmfs.noaa.gov/prot\_res/species/fish/Smalltooth\_sawfish.html.
- U.S. Dept. of Commerce. National Marine Fisheries Service. 2002. Information and databases on fisheries landings. Internet website: http://www.st.nmfs.gov/st1/commercial/landings/annual landings.html.
- U.S. Dept. of Commerce. National Marine Fisheries Service and U.S. Dept. of the Interior, Fish and Wildlife Service. 1991a. Recovery plan for U.S. population of Atlantic green turtle. U.S. Dept. of Commerce, National Marine Fisheries Service, Washington, DC. 52 pp.
- U.S. Dept. of Commerce. National Marine Fisheries Service and U.S. Dept. of the Interior, Fish and Wildlife Service. 1991b. Recovery plan for U.S. population of loggerhead turtle. U.S. Dept. of Commerce, National Marine Fisheries Service, Washington, DC. 71 pp.
- U.S. Dept. of Commerce. National Marine Fisheries Service and U.S. Dept. of the Interior, Fish and Wildlife Service. 1992. Recovery plan for leatherback turtles in the U.S. Caribbean, Atlantic and Gulf of Mexico. U.S. Dept. of Commerce, National Marine Fisheries Service, Washington, DC. 65 pp.
- U.S. Dept. of Commerce. National Marine Fisheries Service and U.S. Dept. of the Interior, Fish and Wildlife Service. 1993. Recovery plan for the hawksbill turtle in the U.S. Caribbean, Atlantic and Gulf of Mexico. U.S. Dept. of Commerce, National Marine Fisheries, St. Petersburg, FL.

U.S. Dept. of Commerce. National Oceanic and Atmospheric Administration. 1979. A review of the tar ball problem. U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, Office of Marine Pollution Assessment, NSTL Station, MS.

- U.S. Dept. of Commerce. National Oceanic and Atmospheric Administration. 1986. Marine environmental assessment: Gulf of Mexico 1985 annual summary. U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, Washington, DC.
- U.S. Dept. of Commerce. National Oceanic and Atmospheric Administration. 1988. Interagency task force on persistent marine debris. U.S. Dept. of Commerce, National Marine Fisheries, Service, Office of the Chief Scientist, Ecology and Conservation Division.
- U.S. Dept. of Commerce. National Oceanic and Atmospheric Administration. 1990. Estuaries of the United States -- Vital statistics of a national resource base. U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Rockville, MD. 79 pp.
- U.S. Dept. of Commerce. National Oceanic and Atmospheric Administration. 1996. Scientific peer-review of the Marine Mammal Research Program, Southeast Fisheries Science Center: Briefing document.
- U.S. Dept. of Commerce. National Oceanic and Atmospheric Administration 1997a. NOAA's estuarine eutrophication survey. Volume 4: Gulf of Mexico Region. U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, Silver Spring, MD. 77 pp.
- U.S. Dept. of Commerce. National Oceanic and Atmospheric Administration. 1997b. Strandings. Newsletter of the Southeast U.S. Marine Mammal Stranding Network 6(1).
- U.S. Dept. of Commerce. National Oceanic and Atmospheric Administration. 1999. Press Release NOAA 99-R143 (July 19, 1999).
- U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration and U.S. Dept. of the Interior, Minerals Management Service. 2002. Jointly sponsored NOAA/MMS Workshop on Longer-term Weathering, OHMSETT, Naval Weapons Center, NJ, April 17-18, 2002.
- U.S. Dept. of Energy. Energy Information Administration (EIA). 2001a. Annual energy outlook. Internet website: http://www.eia.doe.gov/oiaf/aeo/results.html#tables.
- U.S. Dept. of Energy. Energy Information Administration (EIA). 2001b. Annual energy outlook 2001, market trends. Internet website: http://www.eia.doe.gov/oiaf/aeo/mrktrend.html
- U.S. Dept of Energy. Energy Information Administration (EIA). 2001c. Petroleum state profiles. Internet website: http://www.tonto.eia.doe.gov/oog/info/state/.
- U.S. Dept. of Energy. Energy Information Administration (EIA). 2001d. U.S. natural gas markets: Recent trends and prospects for the future: Executive Summary. May 17, 2001. <a href="http://www.eia.doe.gov/oiaf/servicerpt/naturalgas/">http://www.eia.doe.gov/oiaf/servicerpt/naturalgas/</a>.
- U.S. Dept. of Energy. Energy Information Agency (EIA). 2001e. U.S. refineries operable atmospheric crude oil distillation capacity (barrels per calendar day) as of January 1, 2001. Internet website (April 8): http://www.eia.doe.gov/neic/rankings/refineries.htm. 4 pp.
- U.S. Dept of the Army. Corps of Engineers. 2001a. NDC Publications and U.S. Waterway Data CD, volume 7. U.S. Dept. of the Army, Corps of Enginners, Institute for Water Resources Navigation Data Center.
- U.S. Dept. of the Army. Corps of Engineers. 2002. Ocean disposal database, April 18, 2002. Internet website: http://www.wes.army.mil/el/odd/odd.html.
- U.S. Dept. of the Interior. Fish and Wildlife Service. 1982a. Gulf Coast ecological inventory (1:250,000-scale wetland map, #30088-A1-EI-250).
- U.S. Dept. of the Interior. Fish and Wildlife Service. 1982b. National wetlands reconnaissance survey: Pensacola, Florida (1:250,000-scale wetland map).
- U.S. Dept. of the Interior. Fish and Wildlife Service. 1984. Southeastern states bald eagle recovery plan. U.S. Dept. of the Interior, Fish and Wildlife Service, Southeast Region, Atlanta, GA, and Albuquerque, NM. 92 pp.
- U.S. Dept. of the Interior. Fish and Wildlife Service. 1985a. Endangered and threatened wildlife and plants; determination of endangered status and critical habitat for three beach mice; final rule. *Federal Register* 50 FR 109, pp. 23872-23889.

- U.S. Dept. of the Interior. Fish and Wildlife Service. 1985b. Critical habitat designation Choctawhatchee beach mouse. 50 CFR 1 §17.95.
- U.S. Dept. of the Interior. Fish and Wildlife Service. 1987. Recovery plan for the Choctawhatchee, Perdido Key, and Alabama Beach Mouse. U.S. Dept. of the Interior, Fish and Wildlife Service, Atlanta, GA. 45 pp.
- U.S. Dept. of the Interior. Fish and Wildlife Service. 1999. National wetlands inventory: 1996 coastal Mississippi habitat data. U.S. Dept. of the Interior, Fish and Wildlife Service, National Wetlands Center, Lafayette, LA.
- U.S. Dept. of the Interior. Fish and Wildlife Service. 2001a. News release, August 17, 2001. Daphne Ecological Services Field Office, Daphne, AL. Internet website: http://daphne.fws.gov/new/release17aug01.htm).
- U.S. Dept. of the Interior. Fish and Wildlife Service. 2001b. Share the beach. Newsletter of the U.S. Dept. of the Interior, Fish and Wildlife Service, Ecological Services Field Office, Daphne, AL. October 9, 2001.
- U.S. Dept. of the Interior. Fish and Wildlife Service. 2001c. Technical Agency Draft, Florida manatee recovery plan (*Trichechus manatus latirostris*), third revision. U.S. Dept. of the Interior, Fish and Wildlife Service, Atlanta, GA. 138 pp.
- U.S. Dept. of the Interior, Fish and Wildlife Service and Gulf States Marine Fisheries Commission. 1995. Gulf sturgeon (*Acipenser oxyrinchus desotoi*) recovery/management plan. Prepared by the Gulf Sturgeon Recovery/Management Task Team for the U.S. Dept. of the Interior, Fish and Wildlife Service, Southeast Region, Atlanta, GA; the Gulf States Marine Fisheries Commission, Ocean Springs, MS; and the U.S. Dept. of Commerce, National Marine Fisheries Service, Washington, DC.
- U.S. Dept. of the Interior, Fish and Wildlife Service and U.S. Dept. of Commerce, National Marine Fisheries Service. 1992. Recovery plan for the kemp's ridley sea turtle, *Lepidochelys kempii*. U.S. Dept. of Commerce, National Marine Fisheries Service, St. Petersburg, FL. 40 pp.
- U.S. Dept. of the Interior. Geological Survey. 1984. Personal communication. U.S. Dept. of the Interior, Geological Survey, Office of Energy and Marine Geology, October.
- U.S. Dept. of the Interior. Geological Survey. 1988. Report to Congress: Coastal barrier resource system. Recommendations for additions to or deletions from the Coastal Barrier Resource System. Vol. 18, Louisiana.
- U.S. Dept. of the Interior. Geological Survey. 1998. Chandeleur Islands, La. -- 1992 submerged aquatic vegetation. Geospatial data presentation form: map. Maintained by the U.S. Dept. of the Interior, Geological Survey, National Wetlands Research Center.
- U.S. Dept. of the Interior. Minerals Management Service. 1988. Meteorological database and synthesis for the Gulf of Mexico. Prepared by Florida A&M University for the U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 89-0064. 430 pp.
- U.S. Dept. of the Interior. Minerals Management Service. 1996. Proposed outer continental shelf oil and gas leasing program, 1997 to 2002: decision document. February 1996. U.S. Dept. of the Interior, Minerals Management Service, Washington, DC.
- U.S. Dept. of the Interior. Minerals Management Service. 2000. Gulf of Mexico deepwater operations and activities; environmental assessment. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS EIS/EA MS 2000-001. 264 pp.
- U.S. Dept. of the Interior. Minerals Management Service. 2001a. Proposed use of floating production, storage, and offloading systems on the Gulf of Mexico outer continental shelf; Western and Central Gulf of Mexico Planning Areas; final environmental impact statement. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS EIS/EA MMS 2000-090.
- U.S. Dept. of the Interior. Minerals Management Service. 2001b. Outer Continental Shelf oil & gas leasing program: 2002-2007—draft environmental impact statement, October 2001. 2 vols. U.S. Dept. of the Interior, Minerals Management Service, Herndon, VA. OCS EIS/EA 2001-079.
- U.S. Dept. of the Interior. Minerals Management Service. 2001c. Visual 2: Multiple use areas, Gulf of Mexico outer continental shelf. OCS Map MMS 2001-073.
- U.S. Dept. of the Interior. Minerals Management Service. 2001d. Energy alternatives and the environment. U.S. Dept. of the Interior, Minerals Management Service, Herndon, VA. OCS Report MMS 2001-096.
- U.S. Dept. of the Interior. Minerals Management Service. 2001e. Gulf of Mexico OCS oil and gas lease Sale 181: Eastern Planning Area—final environmental impact statement. 2 vols. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS EIS/EA 2001-051.

U.S. Dept. of the Interior. Minerals Management Service. 2002a. Proposed outer continental shelf oil and gas leasing program, 2002-2007: Decision document. U.S. Dept. of the Interior, Minerals Management Service, Washington, DC.

- U.S. Dept. of the Interior. Minerals Management Service. 2002b. Outer continental shelf oil and gas leasing program: 2002-2007—final environmental impact statement; Volumes I-II. U.S. Dept. of the Interior, Minerals Management Service, Washington, DC. OCS EIS/EA MMS 2002-006.
- U.S. Dept. of the Interior. Minerals Management Service. 2002c. Oil-spill risk nalysis: Gulf of Mexico Outer Continental Shelf (OCS) lease sales, Eastern Planning Area, 2003-2007 and Gulfwide OCS Program, 2003-2042. U.S. Dept. of the Interior, Minerals Management Service, Washington, DC. OCS Report MMS 2002-069.
- U.S. Dept. of the Interior. Minerals Management Service. In preparation. Geological and geophysical exploration for mineral resources on the Gulf of Mexico outer continental shelf; draft programmatic environmental assessment. Prepared by Continental Shelf Associates, Inc. for the U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA.
- U.S. Dept. of the Navy. 2001. Shock trail of the Winston S. Churchill (DDG 81): final environmental impact statement. U.S. Dept. of the Navy and U.S. Dept. of Commerce, National Marine Fisheries Service.
- U.S. Dept. of Transportation. Coast Guard. 1995. National contingency plan. Northwest Florida/Mississippi/Alabama contingency plans, Annexes A-AA. 40 CFR 300.
- U.S. Dept. of Transportation. Coast Guard. 1993. Deepwater ports study. Oil Pollution Act (OPA 90) staff, Office of Marine Safety, Security and Environmental Protection, Washington, DC.
- U.S. Dept. of Transportation. Coast Guard. 2001a. Polluting incident compendium: Cumulative data and graphics for oil spills, 1973-2000. Internet website: http://www.uscg.mil/hq/g-m/nmc/response/stats/summary.htm.
- U.S. Dept. of Transportation. Coast Guard. 2001b. Personal communication. U.S. Dept. of Transportation, Coast Guard, Eighth District, New Orleans, LA.
- U.S. Environmental Protection Agency. 1979. Best management practices guidance, discharge of dredged or fill materials. EPA 440/3-79-028.
- U.S. Environmental Protection Agency. 1985. Compilation of air pollutant emission factors/volume I: stationary point and area sources. AP-42, 4<sup>th</sup> edition. Research Triangle Park, NC: U.S. Environmental Protection Agency.
- U.S. Environmental Protection Agency. 1986. Quality criteria for water, 1986; sulfide-hydrogen sulfide. U.S. Environmental Protection Agency, Office of Water Regulations and Standards. 270 pp. + app.
- U.S. Environmental Protection Agency. 1989. Report to Congress: Methods to manage and control plastic wastes. EPA/530-sw-89-051. Available from NTIS, Springfield VA: PB89-163106.
- U.S. Environmental Protection Agency. 1992. Report on the status and trends of emergent and submerged vegetated habitats of Gulf of Mexico coastal waters, U.S.A. Gulf of Mexico Program, Habitat Degradation Subcommittee. Duke, T. and W.L. Kruszynski, eds. John S. Stennis Space Center, MS. EPA 800-R-92-003. 161 pp.
- U.S. Environmental Protection Agency. 1993a. Development document for effluent limitation guidelines and standards for the offshore subcategory of the oil and gas extraction point source category. EPA 821-R-93-003.
- U.S. Environmental Protection Agency. 1993b. Supplemental information for effluent limitation guidelines and new source performance standards for the offshore subcategory of the oil and gas extraction point source category (49 CFR 435); Office of Water, Washington, DC. Also supportive documents produced by the Office of Water Regulations and Standards, Washington, DC. Economic impact analysis of proposed effluent limitation guidelines and standards for the offshore oil and gas industry. Prepared by Eastern Research Group, Inc. EPA 440/2-91-001. Regulation published in the Federal Register, Vol. 58, No. 41, pages 12,453-12,512 (March 4, 1993).
- U.S. Environmental Protection Agency. 1994. Freshwater inflow action agenda for the Gulf of Mexico; first generation Management Committee Report. EPA 800-B-94-006. 138 pp.
- U.S. Environmental Protection Agency. 1996. Ocean dumping program update, April 27, 1996. Internet website: <a href="http://www.epa/gov/owow/OCPD/oceans/update2.html">http://www.epa/gov/owow/OCPD/oceans/update2.html</a>.

- U.S. Environmental Protection Agency. 1997. Mercury study report to Congress. Volume 1: Executive summary. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards and Office of Research and Development. EPA-452-/R-97-003.
- U.S. Environmental Protection Agency. 1999. The ecological conditions of estuaries in the Gulf of Mexico. U.S. Environmental Protection Agency, Gulf Breeze, FL. 71 pp.
- U.S. Environmental Protection Agency. 2001. Aerometric information retrieval system (AIRS). Internet website: http://www.epa.gov/airs.
- U.S. Environmental Protection Agency. 2002. Final NPDES general permit for new and existing sources and new dischargers in the offshore subcategory of the oil and gas extraction category for the western portion of the outer continental shelf of the Gulf of Mexico (GMG290000). Internet website (retrieved March 2002; last updated June 2002): <a href="http://www.epa.gov/region6/6wq/npdes/genpermt/offshore/fr">http://www.epa.gov/region6/6wq/npdes/genpermt/offshore/fr</a> not.pdf. 114 pp.
- Underwood, A.J. and P.G. Fairweather. 1989. Supply side ecology and benthic marine assemblages. Trends Ecol. Evol. 4(1):16-20.
- United Nations Environment Programme (UNEP). 1991. Contaminants and marine mammals: A review. Marine Mammal Technical Report Number 2, UNEP/ICES/IOC, Nairobi.
- Urian, K.W., D.A. Duffield, A.J. Read, R.S. Wells, and E.D. Shell. 1996. Seasonality of reproduction in bottlenose dolphins, *Tursiops truncatus*. J. Mammal. 77:394-403.
- Van Buuren, J.T. 1984. Ecological survey of a North Sea gas leak. Great Britain: Pergamon Press Ltd. Mar. Poll. Bull. 15(8):305-307.
- Van Horn, W.M. 1958. The effect of pulp and paper mill wastes on aquatic life. In: Proceedings, Fifth Ontario Industrial Wastes Conf. 5:60-66.
- Van Vleet, E.S. and G. Pauly. 1987. Characterization of oil residues scraped from stranded sea turtles from the Gulf of Mexico. Carib. J. Sci. 23:77-83.
- Van Zant, J. 1999. Personal communication. School of Forestry and Wildlife Sciences, Auburn University, Auburn, AL.
- Vargo, S., P. Lutz, D. Odell, E. Van Vleet, and G. Bossart. 1986. Study of the effects of oil on marine turtles, a final report. 3 vols. U.S. Dept. of the Interior, Minerals Management Service, Atlantic OCS Region. OCS Study MMS 86-0070. 360 pp.
- Vaughan, D.S., J.V. Merriner, and J.W. Smith. 1988. The U.S. menhaden fishery: current status and utilization. In: Davis, N., ed. Fatty fish utilization: upgrading from feed to food. Raleigh, NC: University of North Carolina. Sea Grant Publ. 88-04. Pp. 15-38.
- Vermeer, K. and R. Vemeer. 1975. Oil threat to birds on the Canadian west coast. The Canadian Field-Naturalist 89:278-298.
- Vittor and Associates, Inc. 1985. Tuscaloosa Trend regional data search and synthesis study. Volume 1: Synthesis report. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, Metairie, LA. 477 pp.
- Wallace, R.K. 1996. Coastal wetlands in Alabama. Auburn University, Marine Extension and Research Center, Mobile AL. Circular ANR-831 MASGP-96-018.
- Wallace, B., J. Kirkley, T. McGuire, D. Austin, and D. Goldfield. 2001. Assessment of historical, social, and economic impacts of OCS development on Gulf coast communities. 2 vols. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico Region, New Orleans, LA. OCS Study MMS 2001-026 (Volume I: Executive Summary) and 2001-027 (Volume II: Narrative Report). 489 pp.
- Walls, J.G. 1975. Fishes of the northern Gulf of Mexico. Neptune City, NJ: T.F.H. Publications, Inc. 432 pp.
- Wang, F.C. 1987. Effects of levee extension on marsh flooding. Journal of Water Resources Planning and Management 113:161-176.
- Waring, G.T., D.L. Palka, K.D. Mullin, J.H.W. Hain, L.J. Hansen, and K.D. Bisack. 1997. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments -- 1996. NOAA Tech. Memo. NMFS-NE-114.

Waring, G.T., D.L. Palka, P.J. Clapham, S. Swartz, M.C. Rossman, T.V.N. Cole, L.J. Hansen, K.D. Bisack, K.D. Mullin, R.S. Wells, D.K. Odell, and N.B. Barros. 1999. U.S. Atlantic marine mammal stock assessments - 1999. U.S. Dept. of Commerce, NOAA Tech. Memo. NMFS-NE-153.

- Watkins, W.A. and W.E. Schevill. 1976. Right whale feeding and baleen rattle. J. Mammal. 57:58-66.
- Webb, J.W. 1988. Establishment of vegetation on oil-contaminated dunes. Shore and Beach, October. Pp. 20-23.
- Webb, J.W., G.T. Tanner, and B.H. Koerth. 1981. Oil spill effects on smooth cordgrass in Galveston Bay, Texas. Contributions in Marine Science 24:107-114.
- Webb, J.W., S.K. Alexander, and J.K. Winters. 1985. Effects of autumn application of oil on *Spartina alterniflora* in a Texas salt marsh. Environ. Poll., Series A. 38(4):321-337.
- Weeks Bay Reserve Foundation. 1999. Weeks Bay Reserve Foundation: Introductory brochure. Fairhope, AL.
- Weise, B.R. and W.A. White. 1980. Padre Island National Seashore: A guide to the geology, natural environments, and history of a Texas barrier island: Guidebook 17. Austin, TX: Bureau of Economic Geology, University of Texas. 94 pp. + map.
- Weller, D.W., A.J. Schiro, V.G. Cockcroft, and W. Ding. 1996. First account of a humpback whale (*Megaptera novaeangliae*) in Texas waters, with a re-evaluation of historic records from the Gulf of Mexico. Mar. Mamm. Sci. 12:133-137.
- Weller, D.W., B. Würsig, S.K. Lynn, and A.J. Schiro. 2000. Preliminary findings on the occurrence and site fidelity of photo-identified sperm whales (*Physeter macrocephalus*) in the northern Gulf of Mexico. Gulf of Mexico Science 18:35-39.
- Wells, P.G. 1989. Using oil spill dispersants on the sea issues and answers. Workshop on Technical Specifications for Oil and Dispersants Toxicity, January 17-19, 1989, New Orleans, LA. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. Pp. 1-4.
- Wells, R. 1992. Marine mammals. In: Roat, P., C. Ciccolella, H. Smith, and D. Tomasko, eds. Sarasota Bay: Framework for action. Sarasota Bay National Estuary Program, Sarasota, FL. Pp. 9.1-9.29.
- Wells, R.S. and M.D. Scott. 1999. Bottlenose dolphin *Tursiops truncatus* (Montagu, 1821). In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 6: Second book of dolphins. San Diego, CA: Academic Press. Pp. 137-182.
- Wells, R.S., H.L. Rhinehart, P. Cunningham, J. Whaley, M. Baran, C. Koberna, and D.P. Costa. 1999a. Long distance offshore movements of bottlenose dolphins. Mar. Mamm. Sci. 15:1,098-1,114.
- Wells, R., C. Mainire, H. Rhinehart, D. Smith, A. Westgate, F. Townsend, T. Rowles, A. Hohn, and L. Hansen. 1999b. Ranging patterns of rehabilitated rough-toothed dolphins, Steno bredanensis, released in the northeastern Gulf of Mexico. Abstracts, 13th Biennial Conference on the Biology of Marine Mammals, Wailea, Maui, 28 November - 3 December.
- Wetherell, V. 1992. St. Joseph Bay Aquatic Preserve Management Plan: Adopted January 22, 1992. Florida Dept. of Natural Resources and Bureau of Submerged Lands and Preserves Division of State Lands.
- White, W.A., T.R. Calnan, R.A. Morton, R.S. Kimble, T.G. Littleton, J.H. McGowen, H.S. Nance, and K.E. Schmedes. 1986. Submerged lands of Texas, Brownsville-Harlingen aea. University of Texas at Austin, Bureau of Economic Geology, Austin, TX.
- Wicker, K.M., R.E. Emmer, D. Roberts, and J. van Beek. 1989. Pipelines, navigation channels, and facilities in sensitive coastal habitats: An analysis of Outer Continental Shelf impacts, Coastal Gulf of Mexico. Volume I: Technical narrative. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 89-0051. 470 pp.
- Williams, T.M. and R.W. Davis, eds. 1995. Emergency care and rehabilitation of oiled sea otters: A guide for oil spills involving fur-bearing marine mammals. Fairbanks, AK: University of Alaska Press.
- Williams, S.J., S. Penland, and A.H. Sallenger, Jr., eds. 1992. Louisiana barrier island study: Atlas of shoreline changes in Louisiana from 1853 to 1989. U.S. Dept. of the Interior, Geological Survey, Miscellaneous Investigations Series I-2150-A.
- Wilson, R.D., P.H. Monaghan, A. Osanik, L.C. Price, and M.A. Rogers. 1973. Estimate of annual input of petroleum to the marine environment from natural marine seepage. Trans. Gulf Coast Association of Geological Societies 23:182-193.

- Winn, H.E. and N.E. Reichley. 1985. Humpback whale *Megaptera novaeangliae*. In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 3: The sirenians and baleen whales. London: Academic Press, Inc. Pp. 241-274.
- Witham, R. 1978. Does a problem exist relative to small sea turtles and oil spills? In: Proceedings, Conference on Assessment of Ecological Impacts of Oil Spills, June 14-17, Keystone, CO. Washington, DC: American Institute of Biological Sciences. Pp. 630-632.
- Witham, R. 1995. Disruption of sea turtle habitat with emphasis on human influence. In: Bjorndal, K.A., ed. Biology and conservation of sea turtles. Revised edition. Washington, DC: Smithsonian Institution Press. Pp. 519-522.
- Witherington, B.E. 1994. Flotsam, jetsam, post-hatchling loggerheads, and the advecting surface smorgasbord. In: Proceedings, 14th Annual Symposium on Sea Turtle Biology and Conservation. NOAA Tech. Memo. NMFS-SEFSC-351.
- Witherington, B.E. 1997. The problem of photopollution for sea turtles and other nocturnal animals. In: Clemmons, J.R. and R. Buchholz, eds. Behavioral approaches to conservation in the wild. Cambridge, MA: Cambridge University Press. Pp. 303-328.
- Witherington, B.E. 1999. Reducing threats to nesting habitat. In: Eckert, K.L., K.A. Bjorndal, F.A. Abreu-Grobois, and M. Donnelly, eds. Research and management techniques for the conservation of sea turtles. IUCN/SSC Marine Turtle Specialist Group Publication No. 4. Pp. 179-183.
- Witherington, B.E. and R.E. Martin. 1996. Understanding, assessing, and resolving light-pollution problems on sea turtle nesting beaches. Florida Marine Research Institute Technical Report TR-2, Florida Dept. of Environmental Protection. 73 pp.
- Witzell, W.N. 1992. The incidental capture of sea turtles in commercial non-shrimping fisheries in southeastern U.S. waters. Report to the U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Miami Lab., Miami, FL. Contribution number MIA-91/92-43.
- Witzell, W.N. and T. Azarovitz. 1996. Relative abundance and thermal and geographic distribution of sea turtles off the U.S. Atlantic Coast based on aerial surveys (1963-1969). NOAA Tech. Memo. NMFS-SEFSC-381.
- Witzell, W.N. and W.G. Teas. 1994. The impacts of anthropogenic debris on marine turtles in the western North Atlantic Ocan. NOAA Tech. Memo. NOAA-TM-NMFS-SEFCS-355.
- Witzig, J. 1986. Rig fishing in the Gulf of Mexico-1984, marine recreational fishing survey results. In: Reggio, V.C., Jr. and M. Fleetwood, eds. Proceedings, 6th Annual Gulf of Mexico Information Transfer Meeting. U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 86-0073. Pp. 103-105.
- Wolfe, S.H., J.A. Reidenauer, and D.B. Means. 1988. An ecological characterization of the Florida Panhandle. U.S. Dept. of the Interior, Fish and Wildlife Service Biological Report 88(12) and U.S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA, OCS Study MMS 88-0063. 278 pp.
- Wolke, R.E., D.R. Brooks, and A. George. 1982. Spirorchidiasis in loggerhead sea turtles (*Caretta caretta*): Pathology. J. Wildl. Dis. 18:175-186.
- Wollam, M. 1970. Description and distribution of larvae and early juveniles of king mackerel, *Scomberomorus cavalla* (Cuvier) and Spanish mackerel, *Scomberomorus maculatus* (Mitchill); (Pisces:Scombridae), in the western north Atlantic. Florida Dept. of Natural Resources, Marine Research Laboratory, Tech. Ser. 61. 35 pp.
- Woods, C.A. 1988. Status surveys of the Florida salt marsh vole. Report to the U.S. Dept. of the Interior, Fish and Wildlife Service. Cooperative Agreement No. 14-16-0009-1544. 6 pp.
- Woods, C.A., W. Post, and C.W. Kilpatrick. 1982. *Microtus pennsylvanicus* (Rodentia: Murida) in Florida: A Pleistocene relict in a coastal salt marsh. Bulletin of the Florida State Museum, Biological Sciences 28:25-52.
- Woods and Poole Economics, Inc. 2002. The 2002 complete economic and demographic data source (CEEDS) on CD-ROM.
- Wooley, C.M. and E.J. Crateau. 1985. Movement, microhabitat, exploitation, and management of Gulf of Mexico sturgeon, Apalachicola River, Florida. North American Journal of Fishery Management. Pp. 590-605.
- WorkBoat. 1998. WorkBoat's 1997 construction survey: supply side. 55(1) January:64-78.

- WorkBoat. 2000. OSV day rates. 57(6) June:18.
- Workboat. 2002. OSV day rates. 59(9) September:16.
- Workboat. 2003a. OSV day rates. 60(3) March:14.
- Workboat. 2003b. OSV day rates. 60(2) February:14.
- Worthy, G. 1995. Personal communication. Texas Marine Mammal Stranding Network.
- Wright, S. 1996. Personal communication. Florida Marine Research Institute, Marine Mammal Pathobiology Lab.
- Wright, S.D., B.B. Ackerman, R.K. Bonde, C.A. Beck, and D.J. Banowetz. 1995. Analysis of watercraft-related mortality of manatees in Florida, 1979-1991. In: O'Shea, T.J., B.B. Ackerman, and H.F. Percival, eds. Population biology of the Florida manatee. National Biological Service Information and Technology Report 1. Pp. 259-268.
- Würsig, B. 1990. Cetaceans and oil: ecologic perspectives. In: Geraci, J.R. and D.J. St. Aubin, eds. Sea mammals and oil: Confronting the risks. San Diego: Academic Press. Pp. 129-165.
- Würsig, B., S.K. Lynn, T.A. Jefferson, and K.D. Mullin. 1998. Behavior of cetaceans in the northern Gulf of Mexico relative to survey ships and aircraft. Aquatic Mammals 24:41-50.
- Würsig, B., T. Jefferson, and D. Schmidly. 2000. The marine mammals of the Gulf of Mexico. College Station, TX: Texas A&M University Press.
- Yelverton, J.T., D.R. Richmond, E.R. Fletcher, and R.K. Jones. 1973. Safe distances from underwater explosions for mammals and birds. U.S. Dept. of Defense, Defense Nuclear Agency. Tech. Rep. DNA 3114T.
- Yerger, R.W. 1965. The leatherback turtle on the Gulf Coast of Florida. Copeia 1965: 365-366.
- Yochem, P.K. and S. Leatherwood. 1985. Blue whale *Balaenoptera musculus*. In: Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Vol. 3: The sirenians and baleen whales. London: Academic Press, Inc. Pp. 193-240.
- Young, G.A. 1991. Concise methods for predicting the effects of underwater explosions on marine life. Naval Surface Warfare Center, Silver Springs, MD. NAVSWC-TR-91-220. 13 pp.
- Young, D.D., V.G. Cockcroft, and R. Petersen. 1995. Marine mammals and stress. Abstract, 11th Biennial Conference on the Biology of Marine Mammals, 14-18 December, Orlando, FL.
- Zieman, J.C., R. Orth, R.C. Phillips, G. Thayer, and A. Thornhaug. 1984. The efffects of oil on seagrass ecosystems. In: Cairns, J. and A. Buikema, eds. Recovery and restoration of marine ecosystems. Stoneham, MA: Butterworth Publications. Pp. 37-64.