

APPENDIX L.

OPEN LITERATURE ECOTOXICITY (ECOTOX) INFORMATION

Explanation of OPP Acceptability Criteria and Rejection Codes for ECOTOX Data

Studies located and coded into ECOTOX must meet acceptability criteria, as established in the *Interim Guidance of the Evaluation Criteria for Ecological Toxicity Data in the Open Literature, Phase I and II*, Office of Pesticide Programs, U.S. Environmental Protection Agency, July 16, 2004. Studies that do not meet these criteria are designated in the bibliography as “Accepted for ECOTOX but not OPP.” The intent of the acceptability criteria is to ensure data quality and verifiability. The criteria parallel criteria used in evaluating registrant-submitted studies. Specific criteria are listed below, along with the corresponding rejection code.

- The paper does not report toxicology information for a chemical of concern to OPP; (Rejection Code: NO COC)
- The article is not published in English language; (Rejection Code: NO FOREIGN)
- The study is not presented as a full article. Abstracts will not be considered; (Rejection Code: NO ABSTRACT)
- The paper is not publicly available document; (Rejection Code: NO NOT PUBLIC (typically not used, as any paper acquired from the ECOTOX holding or through the literature search is considered public))
- The paper is not the primary source of the data; (Rejection Code: NO REVIEW)
- The paper does not report that treatment(s) were compared to an acceptable control; (Rejection Code: NO CONTROL)
- The paper does not report an explicit duration of exposure; (Rejection Code: NO DURATION)
- The paper does not report a concurrent environmental chemical concentration/dose or application rate; (Rejection Code: NO CONC)
- The paper does not report the location of the study (e.g., laboratory vs. field); (Rejection Code: NO LOCATION)
- The paper does not report a biological effect on live, whole organisms; (Rejection Code: NO IN-VITRO)
- The paper does not report the species that was tested; and this species can be verified in a reliable source; (Rejection Code: NO SPECIES)
- The paper does not report effects associated with exposure to a single chemical. (Rejection Code: NO MIXTURE). It should be noted that all papers including data on pesticide mixtures are considered.

Additionally, efficacy studies on target species are excluded and coded as NO TARGET.

Data that originated from the OPP Pesticide Ecotoxicity Database is coded as NO EFED. These data are already available to the chemical team.

Papers that Were Accepted for ECOTOX

*** = Efficacy and/or other papers that had no appropriate endpoints for consideration.**

The studies that have additional explanations are those that had potential endpoints of interest and were more closely examined. The remainder of the studies either had endpoints that were higher than those used from the studies submitted to the Agency, the endpoint was not relevant to assessment of risk to the CRLF (for example, marine/estuarine endpoints) or the quantitative expression of exposure could not be translated such that it could be compared to the endpoints used in assessment of risk.

Acceptable for ECOTOX and OPP

- *1. Appleby, A. P., Furtick, W. R., and Fang, S. C. (1965). Soil Placement Studies with EPTC on *Avena sativa*. *Weed Res.* 5: 115-122.

Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

- *2. Arnold, R. N., Murray, M. W., Gregory, E. J., and Smeal, D. (1993). Weed Control in Pinto Beans (*Phaseolus vulgaris*) with Imazethapyr Combinations. *Weed Technol.* 7: 361-364.

EcoReference No.: 74060

Chemical of Concern: MTL,EPTC,TFN,PDM,IZT; Habitat: T; Effect Codes: POP; Rejection Code: NO MIXTURE,TARGET(MTL),TARGET(EPTC).

- *3. Ashton, F. M. and Dunster, K. (1961). The Herbicidal Effect of EPTC, CDEC, and CDAA on *Echinochloa crusgalli* with Various Depths of Soil Incorporation. *Weeds* 9: 312-317.

EcoReference No.: 47106

Chemical of Concern: EPTC; Habitat: T; Effect Codes: GRO,PHY; Rejection Code: TARGET(EPTC).

- *4. Ashton, F. M. and Sheets, T. J. (1959). The Relationships of Soil Absorption of EPTC to Oats Injury in Various Soil Types. *Weeds* 7: 88-90.

EcoReference No.: 47105

Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

- *5. Barta, I. C. and Dutka, F. (1989). Effects of Thiocarbamate Herbicides and Dichlormid Antidote of Cuticular Transpiration of Corn. *Cereal Res.Commun.* 17: 135-140.

EcoReference No.: 74426

Chemical of Concern: PCB,CYC,VNT,BTY,MLT,EPTC; Habitat: T; Effect Codes: GRO; Rejection Code: NO ENDPOINT,NO SPECIES(PCB),TARGET(EPTC).

- *6. Bean, B. W., Roeth, F. W., Martin, A. R., and Wilson, R. G. (1988). Duration of Enhanced Soil Degradation of Eptc As Influenced by Herbicide Rotation, Time, and Location. *Weed Sci.* 36: 524-530.

EcoReference No.: 32472
Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

- *7. Bell, C. E. (1986). Prairie Cupgrass (*Eriochloa Contracta* Hitchc.) Control in Established Alfalfa with EPTC. *P W S Wd S* 39: 201-208.

EcoReference No.: 31047
Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

8. Buhl, K. J. and Faerber, N. L. (1989). Acute Toxicity of Selected Herbicides and Surfactants to Larvae of the Midge *Chironomus riparius*. *Arch. Environ. Contam. Toxicol.* 18: 530-536.

EcoReference No.: 3914
Chemical of Concern: ACR,BMN,GYP,MBZ,DMM,BTY,PCH,TRL,EPTC; Habitat: A; Effect Codes: PHY,MOR; Rejection Code: LITE EVAL CODED(EPTC,GYP).

- *9. Buhler, D. D. (1987). Influence of Application Method on the Activity of Butylate and Eptc in Reduced-Tillage Corn (*Zea mays*). *Weed Sci.* 35: 412-417.

EcoReference No.: 31007
Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

- *10. Bujtas, G. Y. (1978). Eptc Notoznyagu Herbicid Es Antidotumjanak Hatasa A Cedia Membranpermeabilitasara. *Novenyterme* 27: 223-229.

EcoReference No.: 26528
Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

11. Butler, P. A. (1965). Effects of Herbicides on Estuarine Fauna. *Proc.South.Weed Conf.* 18: 576-580.

EcoReference No.: 14134
Chemical of Concern:
DU,ATZ,AMTR,PMT,PRO,ACL,DCPA,PAQT,MLT,NTP,TBF,VNT,EPTC,PCL,PEB,DDT,24DXY BEE,24D,DMDP; Habitat: A; Effect Codes: MOR,GRO,POP; Rejection Code: LITE EVAL CODED(DCPA,EPTC,24DXYBEE,PRO,ATZ,MLT,ACL,TBF),NO ENDPOINT(24D,DMDP).

This study has higher endpoints for oysters and fish and a lower endpoint for shrimp; however, there is only a summary table with insufficient details to assess the study, including the % active ingredient. It says Eptam, which could have been a formulation. Therefore, this study was not used for endpoint selection.

12. Cerkauskas, R. F., Verma, P. R., and McKenzie, D. L. (1986). Effects of Herbicides on In Vitro Growth and Carcinogenic Germination of *Sclerotinia sclerotiorum*. *Can.J.Plant Pathol.* 8: 161-166.

EcoReference No.: 98275
Chemical of Concern:
24D,24DB,ACR,ATZ,BMN,CZE,DFPM,EPTC,EFL,FZFB,GYPI,MBZ,SXD,TFN; Habitat: T; Effect Codes: GRO,REP,POP; Rejection Code: LITE EVAL CODED(EPTC),OK(24D,24DB,ACR,ATZ,GYPI,SXD).

- *13. Cole, D. F. and Dexter, A. G. (1986). Effect of Multiple Pesticide Treatments on Sugar Beet Yield and Quality. *J.Am.Soc.Sugar Beet Technol.* 23: 109-115.

EcoReference No.: 74545

- Chemical of Concern: ADC,DDP,EPTC; Habitat: T; Effect Codes: POP,BCM; Rejection Code: LITE EVAL CODED(ADC),TARGET(EPTC).
- *14. Cottingham, C. K., Hatzios, K. K., and Meredith, S. A. (1993). Comparative Responses of Selected Corn (*Zea mays* L.) Hybrids to EPTC and Metolachlor. *Weed Sci.* 33: 161-170.
- EcoReference No.: 74006
Chemical of Concern: MTL,EPTC; Habitat: T; Effect Codes: GRO,BCM; Rejection Code: TARGET(MTL,EPTC).
- *15. De Almeida, F. S. and Fonseca, A. M. (1967). Contribution to the Study of the Effectiveness of EPTC on *Cyperus rotundus* L. *Agron.Mocambicana* 1: 215-221.
- EcoReference No.: 29894
Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).
- *16. Dolzhikova, N. M., Slovtsov, R. I., and Gruzdev, G. S. (1977). The Effect of the Herbicides Eptam, Tca, Hexilur and Their Combinations on the Growth and Yield of Sugar Beets. *Izv Timi Ak* 4: 165-172.
- EcoReference No.: 28850
Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).
17. Eigenbrode, S. D. and Shelton, A. M. (1992). Survival and Behavior of *Plutella xylostella* Larvae on Cabbages with Leaf Waxes Altered by Treatment with S-Ethyl Dipropylthiocarbamate. *Entomol.Exp.Appl.* 62: 139-145.
- EcoReference No.: 98227
Chemical of Concern: EPTC; Habitat: T; Effect Codes: BCM,MOR,BEH; Rejection Code: LITE EVAL CODED(EPTC).
18. Eigenbrode, S. D., Shelton, A. M., Kain, W. C., Leichtweis, H., and Spittler, T. D. (1993). Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide. *Entomol.Exp.Appl.* 69: 41-50.
- EcoReference No.: 98228
Chemical of Concern: EPTC,PMR; Habitat: T; Effect Codes: GRO,MOR,POP,ACC; Rejection Code: LITE EVAL CODED(EPTC,PMR).
19. El-Ibrashy, M. T. (1971). The Herbicide Eptam 6-E: A Selective Female Chemosterilant for the Egyptian Cotton Leafworm, *Spodoptera littoralis*. *Experientia* 27: 808-809.
- EcoReference No.: 71141
Chemical of Concern: EPTC; Habitat: T; Effect Codes: GRO,REP,MOR; Rejection Code: LITE EVAL CODED(EPTC).
20. Fairchild, J. F., Ruessler, D. S., Haverland, P. S., and Carlson, A. R. (1997). Comparative Sensitivity of *Selenastrum capricornutum* and *Lemna minor* to Sixteen Herbicides. *Arch. Environ. Contam. Toxicol.* 32: 353-357.
- EcoReference No.: 18093
Chemical of Concern: 24DXY,ACR,ATZ,BMN,MBZ,MTL,PAQT,SZ,DMM,TFN,EPTC; Habitat: A; Effect Codes: POP; Rejection Code: LITE EVAL CODED(EPTC,24DXY,ATZ,MTL,SZ).
- *21. Fedtke, C. (1987). Physiological Activity Spectra of Existing Graminicides and the New Herbicide 2-(2-Benzothiazolyl-oxy)-N-Methyl-N-Phenylacetamide (Mefenacet). *Weed Res.* 27: 221-228.

EcoReference No.: 74003
Chemical of Concern: MTL,ACR,BTC,PCH,TBC,TRL,FZFB,SXD,CYC,EPTC,TFN,HFP,CBL;
Habitat: T; Effect Codes: POP,GRO; Rejection Code: TARGET (MTL,SXD,CBL,EPTC).

22. Felix, H. R., Chollet, R., and Harr, J. (1988). Use of the Cell Wall-Less Alga *Dunaliella bioculata* in Herbicide Screening Tests. *Ann.Appl.Biol.* 113: 55-60.

EcoReference No.: 13100
Chemical of Concern:
24DXY,ACR,ATZ,DBN,DU,GYP,NFZ,OXF,OYZ,TFN,SXD,ASM,AMTL,PAQT,NFZ,EPTC,FZFB,
ACF,CSF; Habitat: A; Effect Codes: MOR,POP; Rejection Code: LITE EVAL
CODED(OXF,EPTC,OYZ),NO ENDPOINT(GYP).

23. Feyaerts, H., Coosemans, J., and Vander Elst, I. (1990). Synergistic Activity of Thiocarbamate Herbicides, Used Together with Carbamate Nematicides in the Control of Root Knot Nematodes (*Meloidogyne*). *Med.Fac.Landbouww.Rijksuniv.Gent.* 55: 745-752.

EcoReference No.: 98742
Chemical of Concern: CBF,OML,ADC,EPTC; Habitat: T; Effect Codes: POP,GRO,REP; Rejection Code: LITE EVAL CODED(EPTC),NO CONTROL(CBF,OML,ADC).

- *24.Gaillardon, P., Simon, S., and Scalla, R. (1988). Influence of Depth of Sowing, Herbicide Incorporation and Temperature on Metolachlor and EPTC Toxicity to Corn (*Zea mays* L.). *Agronomie* 8: 585-590.

EcoReference No.: 73992
Chemical of Concern: MTL,EPTC; Habitat: T; Effect Codes: GRO; Rejection Code:
TARGET(MTL,EPTC).

- *25.Gentner, W. A. (1962). The (Inhibitory) Influence of Ethyl N, N-Di-n-Propylthiolcarba Te (EPTC) on Wax Formation in Cabbage. *Geowash U B* 62: 38-39.

EcoReference No.: 30743
Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

- *26. Ghosheh, H. Z. and Chandler, J. M. (1998). Johnsongrass (*Sorghum halepense*) Control Systems for Field Corn (*Zea mays*) Utilizing Crop Rotation and Herbicides. *Weed Technol.* 12: 623-630.

EcoReference No.: 73939
Chemical of Concern: MTL,EPTC,NSF,GYP; Habitat: T; Effect Codes: POP; Rejection Code:
LITE EVAL CODED(MTL),TARGET(MTL,GYP,EPTC).

27. Gilbertson, R. L., Ruppel, E. G., and Schweizer, E. E. (1987). Effects of Herbicides on Root Rot of Pinto Bean, Weeds, and Two Soilborne Fungi. *Plant Dis.* 71: 627-629.

EcoReference No.: 98843
Chemical of Concern: EPTC,TFL; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL
CODED(EPTC),NO MIXTURE(TFL).

28. Girman, G. R. (1975). The Effects of a Number of Herbicides upon Photosynthesis and Heterotrophy of Naturally Occurring Algal and Bacterial Communities in Delta Marsh, Manitoba. *M.S.Thesis, University of Manitoba, Winnipeg, Manitoba* 179 p.

EcoReference No.: 13583
Chemical of Concern: 24D,MCPA,SZ,ATZ,AMTL,LNR,EPTC,TRL,PAQT,CuS; Habitat: A; Effect Codes: PHY; Rejection Code: LITE EVAL CODED(EPTC,ATZ,SZ,LNR),OK(24D,CuS).

Most of the endpoints in this study are above the endpoints from the submitted study. There is one endpoint below the endpoint selected from the submitted studies; however, there is a great deal of variability associated with this endpoint. Therefore, this study was not used for endpoint selection.

- *29. Gray, R. A. and Weierich, A. J. (1969). Importance of Root, Shoot, and Seed Exposure on the Herbicidal Activity of EPTC. *Weed Sci.* 17: 223-229.

Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

30. Hart, B. W. and Faiman, M. D. (1995). Inhibition of Rat Liver Low Km Aldehyde Dehydrogenase by Thiocarbamate Herbicides. Occupational Implications. *Biochem.Pharmacol.* 49: 157-163.

EcoReference No.: 73593

Chemical of Concern: MLT,EPTC,BTY,VRN; Habitat: T; Effect Codes: BCM; Rejection Code: LITE EVAL CODED(EPTC),OK(MLT).

- *31. Hauser, E. W. (1963). Response of Purple Nutsedge to Amitrole, 2,4,-D and Eptc. *Weeds* 11: 251-252.

EcoReference No.: 26057

Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

- *32. Heuer, B. and Carmi, A. (1992). Nitrogen-Enhanced Phytotoxicity to Cucumber of Low Concentrations of EPTC and Metolachlor. *Crop Prot.* 11: 572-576.

EcoReference No.: 73352

Chemical of Concern: MTL,EPTC; Habitat: T; Effect Codes: BCM,GRO; Rejection Code: LITE EVAL CODED(MTL)TARGET(EPTC).

- *33. Hoyt, G. D. (1995). Applying Butylate- and EPTC-Impregnated Fertilizer to a Cover Crop for Week Control in No-Till Corn, *Zea mays, L.* *Crop Prot.* 14: 75-79.

EcoReference No.: 73247

Chemical of Concern: MTL,ATZ,ACR,EPTC; Habitat: T; Effect Codes: POP,PHY; Rejection Code: NO MIXTURE(MTL,ATZ,TARGET-MTL),TARGET(EPTC).

34. Hulzebos, E. M., Adema, D. M. M., Dirven-Van Breemen, E. M., Henzen, L., Van Dis, W. A., Herbold, H. A., Hoekstra, J. A., Baerselman, R., and Van Gestel, C. A. M. (1993). Phytotoxicity Studies with *Lactuca sativa* in Soil and Nutrient Solution. *Environ.Toxicol.Chem.* 12: 1079-1094.

EcoReference No.: 46533

Chemical of Concern: PCP,PAH,AZ,AMSV,NAPH,DCB,ACE,BPH,EPTC; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(EPTC,BPH,ACE,AZ,DCB,NAPH,PCP,AMSV).

- *35. Ibrahim, A. F., Shaban, S. A., and El-Metwally, E. A. (1987). Effect of Some Herbicides on Oil Seed Rape (*Brassica napus L.*) and Associated Weeds. *J.Agron.Crop Sci.* 158: 236-240.

EcoReference No.: 73787

Chemical of Concern: MTL,ACR,PDM,ODZ,EPTC; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(MTL),TARGET(MTL,EPTC).

- *36. Jablonkai, I. (1991). Basis for Differential Chemical Selectivity of MG 191 Safener Against Acetochlor and EPTC Injury to Maize. *Z.Naturforsch Sect.C* 46: 836-845.

Chemical of Concern: ACO,EPTC; Habitat: T; Rejection Code: TARGET (ACO,EPTC).

*37. Jablonkai, L. and Hatzios, K. K. (1994). Microsomal Oxidation of the Herbicides EPTC and Acetochlor and of the Safener MG-191 Maize. *Pestic. Biochem. Physiol.* 48: 98-109.

Chemical of Concern: ACO,EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

*38. James, T. K. and Atkinson, G. C. (1978). Herbicide Tolerance of Sainfoin. *Proc. N.Z. Weed Control Conf.* 31: 121-123.

EcoReference No.: 25882

Chemical of Concern: TFN,EPTC,24DB,MCPB,PZM,PAQT,CZE,SZ,MBZ,TRB,OYZ; Habitat: T; Effect Codes: POP,PHY; Rejection Code: TARGET(PZM,OYZ,SZ,EPTC).

39. Johnson, A. W., Smittle, D. A., Sumner, D. R., and Glaze, N. C. (1994). Efficacy and Compatibility for Fenamiphos and EPTC Applied in Irrigation Water for Nematode and Weed Control in Snapbean Production. *J. Nematol.* 26: 690-696.

EcoReference No.: 98330

Chemical of Concern: EPTC; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(EPTC).

40. Jordaan, E. M. and De Waele, D. (1988). Effects of Four Herbicides on the Infestation of Maize by the Nematode *Pratylenchus zeae*. *S. Afr. J. Plant Soil* 5: 165.

EcoReference No.: 98825

Chemical of Concern: 24D,EPTC,ACR,ATZ; Habitat: T; Effect Codes: POP,REP,GRO; Rejection Code: LITE EVAL CODED(EPTC),OK(24D,ACR,ATZ).

*41. Kerstiens, G. (1997). In Vivo Manipulation of Cuticular Water Permeance and Its Effect on Stomatal Response to Air Humidity. *New Phytol.* 137: 473-480.

EcoReference No.: 93665

Chemical of Concern: CYC,EPTC,CF; Habitat: T; Effect Codes: BCM,PHY; Rejection Code: NO COC(DPDP),TARGET(EPTC).

*42. Khan, M. and Saghir, A. R. (1989). Residual Activity of Triazines and Some Other Herbicides in the Soil. *Sarhad J. Agric.* 5: 591-595.

EcoReference No.: 80144

Chemical of Concern: ATZ,ACR,CZE,DMB,MBZ,EPTC; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(ATZ,EPTC),OK(ALL CHEMS).

*43. Komives, T., Hulesch, A., Komives, A. V., and Dutka, F. (1987). Effects of S Ethyl-N N-Dipropylthiocarbamate EPTC on Normal and Dwarf Seedlings of Zea-mays L. *Biochem. Physiol. Pflanz (BPP)* 182: 257-260.

Chemical of Concern: PPG,EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

44. Kowalska-Wochna, E. and Pawlowska, D. (1988). In Vivo Analysis of Eptam Genotoxic Action on Mouse (*Mus musculus*) Chromosomes. *Genet. Pol.* 29: 171-180.

EcoReference No.: 98826

Chemical of Concern: EPTC; Habitat: T; Effect Codes: CEL,BEH; Rejection Code: LITE EVAL CODED(EPTC).

*45. Krishnasamy, S. M., Pothiraj, P., Palaniappan, S., and Sheriff, M. M. (1988). Cucumber Bio-assay Studies on the Residual Effect of Herbicides Applied to Rice. *Indian J. Agron.* 33: 450-451.

- EcoReference No.: 74401
 Chemical of Concern: ANL,BTC,MLT,TBC,EPTC,FXP; Habitat: T; Rejection Code: TARGET(EPTC).
- *46.Lay, M. M. and Niland, A. M. (1985). Biochemical Response of Inbred and Hybrid Corn (*Zea mays* L.) to R-25788 and Its Distribution with EPTC in Corn Seedlings. *Pestic.Biochem.Physiol.* 23: 131-140.
- EcoReference No.: 80222
 Chemical of Concern: ATZ,EPTC; Habitat: T; Effect Codes: PHY,BCM,CEL; Rejection Code: TARGET(ATZ,EPTC).
- *47.McClurg, C. A. and Bergman, E. L. (1972). Influence of Selected Pesticides on Leaf Elemental Content and Yield of Garden Beans (*Phaseolus vulgaris* L.). *J.Environ.Qual.* 1: 200-203.
- EcoReference No.: 52039
 Chemical of Concern: PCH,D CPA,EPTC,TFN,BMY,DS; Habitat: T; Effect Codes: POP,GRO,BCM,PHY; Rejection Code: LITE EVAL CODED(DS),TARGET(D CPA,EPTC).
- *48.McMullan, P. M. and Blackshaw, R. E. (1995). Postemergence Green Foxtail (*Setaria viridis*) Control in Corn (*Zea mays*) in Western Canada. *Weed Technol.* 9: 37-43.
- EcoReference No.: 73801
 Chemical of Concern: MTL,CZE,EPTC,NSF,RIM; Habitat: T; Effect Codes: POP,PHY; Rejection Code: LITE EVAL CODED(MTL),TARGET(EPTC).
- *49.Menges, R. M. and Hubbard, J. L. (1966). Herbicidal Performances of Cdec and Eptc Incorporated to Various Depths in Furrow-Irrigated Soils. *Weeds* 14: 215-219.
- EcoReference No.: 28003
 Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).
50. Michel, A., Johnson, R. D., Duke, S. O., and Scheffler, B. E. (2004). Dose-Response Relationships Between Herbicides with Different Modes of Action and Growth of *Lemna paucicostata*: An Improved Ecotoxicological Method. *Environ.Toxicol.Chem.* 23: 1074-1079.
- EcoReference No.: 72796
 Chemical of Concern: NPM,EPTC,CPH,CPP,ASM,GFS,CMZ,FDE,NFZ,ACF,PAQT,CSF,FZFPB,DFPM,DMB,DBN,ATZ,PQT,ACR,BT,PDM,GYPI; Habitat: A; Effect Codes: GRO; Rejection Code: LITE EVAL CODED(GYPI,EPTC,ATZ,DMB,CMZ),OK(GFS,NFZ).
51. Moorhouse, K. G. and Casida, J. E. (1992). Pesticides as Activators of Mouse Liver Microsomal Glutathione S-Transferase. *Pestic.Biochem.Physiol.* 44: 83-90.
- EcoReference No.: 79085
 Chemical of Concern: EPTC,MITC,Captan,TMT,ATZ,ACR,ACL; Habitat: T; Effect Codes: BCM; Rejection Code: LITE EVAL CODED(EPTC,MITC,Captan),NO IN VITRO(ACL,ACR,ATZ,TMT).
- *52.Murray, M. W., Arnold, R. N., Gregory, E. J., and Smeal, D. (1994). Early Broadleaf Weed Control in Potato (*Solanum tuberosum*) with Herbicides. *Weed Technol.* 8: 165-167.
- EcoReference No.: 74062
 Chemical of Concern: MTL,MBZ,EPTC,DMM,PDM; Habitat: T; Effect Codes: POP; Rejection Code: NO MIXTURE,TARGET(MTL),TARGET(EPTC).

*53. Nalewaja, J. D., Behrens, R., and Schmid, A. R. (1964). Uptake, Translocation, and Fate of Eptc-C14 in Alfalfa. *Weeds* 12: 269-272.

EcoReference No.: 27706

Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

*54. Oliver, L. R., Prendeviller, G. N., and Schreiber, M. M. (1968). Species Differences in Site of Root Uptake and Tolerance to EPTC. *Weed Sci.* 16: 534-537 .

Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

*55. Prendeville, G. N., Oliver, L. R., and Schreiber, M. M. (1968). Species Differences in Site of Shoot Uptake and Tolerance to EPTC. *Weed Sci.* 16: 538-540 .

Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

56. Prescott, L. M. and Olson, D. L. (1972). The Effect of Pesticides on the Soil Amoeba *Acanthamoeba castellanii* (Neff). *Proc. South D. Acad. Sci.* 51: 136-141 .

EcoReference No.: 60074

Chemical of Concern: DDT,24DXY,ATZ,EPTC,PPN; Habitat: A; Effect Codes: POP,REP; Rejection Code: LITE EVAL CODED(EPTC,ATZ),OK(DDT,24DXY,PPN) .

*57. Rabaey, T. L., Harvey, R. G., and Albright, J. W. (1996). Herbicide Timing and Combination Strategies for Woolly Cupgrass Control in Corn. *J. Prod. Agric.* 9: 381-384.

EcoReference No.: 73921

Chemical of Concern: MTL,PMD,EPTC,ACR,NSF,IZT,DMM,CZE; Habitat: T; Effect Codes: POP; Rejection Code: NO MIXTURE,TARGET(MTL),TARGET(EPTC).

*58. Rajoo, R. K. and Ghonsikar, C. P. (1978). Herbicidal Influence on the Uptake of Phosphorus by Paddy (*Oryza sativa* L.) and Maize (*Zea mays* L.). *Plant Soil* 50: 479-484.

EcoReference No.: 98466

Chemical of Concern: ATZ,24D,EPTC; Habitat: T; Effect Codes: PHY,ACC; Rejection Code: TARGET(ATZ,24D,EPTC).

*59. Rashid, A., O'Donovan, J. T., Khan, A. A., Sharma, M. P., and Van Nguyen, H. (1997). Response of Triallate-Resistant and -Susceptible Wild Oat (*Avena fatua*) Populations to Difenzoquat and EPTC in a Seedling Bioassay. *Weed Technol.* 11: 527-531.

EcoReference No.: 67091

Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

*60. Renner, K. A. and Powell, G. E. (1992). Response of Navy Bean (*Phaseolus vulgaris*) and Wheat (*Triticum aestivum*) Grown in Rotation to Clomazone, Imazethapyr, Bentazon, and Acifluorfen. *Weed Sci.* 40: 127-133.

EcoReference No.: 73989

Chemical of Concern: MTL,ACF,BT,CMZ,EPTC,IZT,PMD; Habitat: T; Effect Codes: POP; Rejection Code: NO MIXTURE,TARGET(MTL),TARGET(CMZ,EPTC).

*61. Roseberg, R. J. (1997). Herbicide Tolerance by *Vernonia* Grown in the Temperate Zone. *Ind. Crops Prod.* 6: 89-96.

EcoReference No.: 73987

Chemical of Concern:
MTL,TFN,PDM,EFL,FZF,SXD,PCH,ATZ,CPR,DCPA,NPP,24DXY,DMB,OXF,24DB,EPTC,OYZ,D
U,MBZ,DMM,OXF,BMN; Habitat: T; Effect Codes: PHY; Rejection Code: LITE EVAL
CODED(MTL),TARGET(SXD,DMB,ATZ,24DXY,OYZ,OXF,EPTC).

*62.Saayman, A. E. J. (1996). Control of *Cyperus esculentus* and Other Weeds in Maize with Servian. *Appl.Plant Sci.* 10: 48-51.

EcoReference No.: 73982
Chemical of Concern: MTL,ATZ,EPTC; Habitat: T; Effect Codes: POP; Rejection Code:
TARGET(ATZ,MTL,EPTC).

63. Santiago, L. P. and Recometa, R. D. (1981). Bio-Assay: Evaluation of Three Agricultural Herbicides on the Survival of Nile Tilapia (*Tilapia nilotica*) and Crucian Carp (*Carassius carassius* Anon) Fingerlings. *In: Tech.Rep.No.20, Freshwater Aquacult.Cent., Cent.Luzon State Univ.:* 19-29.

EcoReference No.: 4651
Chemical of Concern: TFN,EPTC; Habitat: A; Effect Codes: MOR; Rejection Code: LITE EVAL
CODED(EPTC).

*64.Saroja, M. S. and Singh, H. G. (1971). Use of Simazine EPTC and PEBC for Weed Control in Hybrid Sorghum. *Madras Agric.J.* 58: 310-315.

EcoReference No.: 26760
Chemical of Concern: SZ,EPTC; Habitat: T; Effect Codes: POP; Rejection Code:
TARGET(SZ,EPTC).

*65.Sasaki, S., Kozlowski, T. T., and Torrie, J. H. (1968). Effect of Pretreatment of Pine Seeds with Herbicides on Seed Germination and Growth of Young Seedlings. *Can.J.Bot.* 46: 255-262.

EcoReference No.: 78675
Chemical of Concern: PPZ,EPTC,ATZ,SZ; Habitat: T; Effect Codes: MOR; Rejection Code: LITE
EVAL CODED(PPZ),TARGET(ATZ,SZ,EPTC).

*66.Schnelle, M. A. and Hensley, D. L. (1990). Effects of Pesticides upon Nitrogen Fixation and Nodulation by Dry Bean. *Pestic.Sci.* 28: 83-88.

EcoReference No.: 53973
Chemical of Concern:
CTN,Captan,BMY,FNV,SXD,DCF,MLN,BT,TFN,ACR,Maneb,EPTC,PNB,ES,DZ,CBL; Habitat: T;
Effect Codes: BCM,GRO; Rejection Code: LITE EVAL CODED(DZ),NO
CROP(CTN,Captan,MLN,Maneb,FNV),OK(ALL CHEMS,TARGET-CBL,EPTC).

*67. Schuh, J. F. and Harvey, R. G. (1991). Carbamothioate and Chloroacetamide Herbicides for Woolly Cupgrass (*Eriochloa villosa*) Control in Corn (*Zea mays*). *Weed Technol.* 5: 331-336.

EcoReference No.: 74054
Chemical of Concern: MTL,ACO,CZE,EPTC,ACR,BTY,CYC,PMD; Habitat: T; Effect Codes:
POP; Rejection Code: NO MIXTURE(MTL,TARGET-MTL),TARGET(EPTC).

*68. Schulz, K. R., Fuhremann, T. W., and Lichtenstein, E. P. (1976). Interaction of Pesticide Chemicals. Effect of Eptam and Its Antidote on the Uptake and Metabolism of (14C)Phorate in Corn Plants. *J.Agric.Food Chem.* 24: 296-299.

EcoReference No.: 78984
Chemical of Concern: PRT,EPTC; Habitat: T; Effect Codes: ACC; Rejection Code: NO

CONTROL(PRT),TARGET(EPTC).

69. Smulders, C. J. G. M., Van Kleef, R. G. D. M., De Groot, A., Gotti, C., and Vijverberg, H. P. M. (2004). A Noncompetitive, Sequential Mechanism for Inhibition of Rat alpha4beta2 Neuronal Nicotinic Acetylcholine Receptors by Carbamate Pesticides. *Toxicol.Sci.* 82: 219-227.

EcoReference No.: 86935

Chemical of Concern: CBL,FYC,EPTC; Habitat: A; Effect Codes: PHY,CEL; Rejection Code: LITE EVAL CODED(CBL,EPTC,FYC).

This was an *in vitro* study using *xenopus* oocyte homogenate, looking at the effects of carbamates on neuronal type nicotinic acetylcholine receptors. This study was not useful for endpoint selection.

- *70. Srinivasan, G. and Pothiraj, P. (1989). Effect of Herbicide Mixtures in Transplanted Rice. *Int.Rice Res.Newsl.* 14: 38-39.

EcoReference No.: 74377

Chemical of Concern: MLT,EPTC,24DC,PPN,BTC; Habitat: T; Effect Codes: POP; Rejection Code: NO MIXTURE(MLT),TARGET(EPTC).

- *71.Srinivasan, G., Pothiraj, P., and Choudhry, G. K. (1993). Response of Azolla (*Azolla pinnata*) to Rice (*Oryza sativa*) Herbicides. *Indian J.Agron.* 38: 156-158.

EcoReference No.: 74286

Chemical of Concern: MLT,EPTC,24DB,TBC,BTC; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(EPTC).

- *72.Srinivasan, G. and Subbian, P. (1991). Study on Weed Management in Rice Pulse Cropping System. *J.Maharashtra Agric.Univ.* 16: 376-378.

EcoReference No.: 74326

Chemical of Concern: MLT,EPTC,TBC,BTC,PPN; Habitat: T; Effect Codes: POP; Rejection Code: TARGET(EPTC).

- *73.Stiles, C. L., Sams, C. E., Robinson, D. K., Coffey, D. L., and Mueller, T. C. (2000). Influence of Metam Sodium on the Dissipation and Residual Biological Activity of the Herbicides EPTC and Pebulate in Surface Soil Under Black Plastic Mulch. *J.Agric.Food Chem.* 48: 4681-4686.

Chemical of Concern: MTAS,EPTC; Habitat: T; Rejection Code: TARGET (MTAS,EPTC).

74. Sund, K. A. and Nomura, N. (1963). Laboratory Evaluation of Several Herbicides. *Weed Res.* 3: 35-43.

EcoReference No.: 42840

Chemical of Concern:

PNB,SZ,ATZ,DU,24DXY,DBN,DMB,LNR,PMT,AMTL,CPP,MLH,PL,NaCLO,PCP,EPTC,2CP,4NP,AMTR,PCP,DLPCP,DL,NH; Habitat: T; Effect Codes: GRO,REP,MOR; Rejection Code: LITE EVAL CODED(EPTC,24DXY,ATZ,DMB,PCP),TARGET(SZ,DMB,PCB),NO SPECIES(PCB),NO ENDPOINT(LNR).

- *75. Talbert, R. E., Johnson, D. H., Wichert, R. A., and Kendig, J. A. (1987). Field Evaluations of Herbicides on Small Fruit and Vegetable Crops, 1987. *Ark.Agric.Exp.Stn.Res.Ser.* 1-25.

EcoReference No.: 73744

Chemical of Concern:
HXZ,GYP,OXF,ACF,OYZ,SZ,CYC,PHMD,DEE,MBZ,DMM,ACR,BS,NPM,NPP,EFL,FZP,IMQ,C
MZ,IZT,FZFPB,MTL,SXD,FSF,EPTC,TFN,BT,PAQT,TRB; Habitat: T; Effect Codes: POP;
Rejection Code: NO MIXTURE(SXD,PHMD),OK(ALL
CHEMS),TARGET(CMZ,OYZ,FSF,HXZ,MYL,SZ,BS,GYP,OXF,EPTC).

- *76. Talbert, R. E., Tierney, M. J., Burgos, N. R., Strebe, T. A., Curlless, J. K., and Miesner, J. (1996). Field Evaluations of Herbicides on Small Fruit Vegetable and Ornamental Crops 1995. *Ark.Agric.Exp.Stn.Res.Ser.* 452: 1-38.

EcoReference No.: 73745
Chemical of Concern:
MTL,MBZ,DMM,BT,24DXY,EPTC,GYP,OYZ,DU,TPZ,OXF,ACF,TFN,CYC,CMZ,FTS,FZF,IZT,F
SF,CPR,DCPA,HSF,PRM,SXD,CPP,NPP,DDP,ACO,GFSNH,PAQT,PHMD; Habitat: T; Effect
Codes: PHY,POP; Rejection Code: LITE EVAL
CODED(SXD,PHMD),TARGET(MTL,24DXY,CMZ,OYZ,FSF,GYP,OXF,EPTC).

- *77. Talbert, R. E., Tierney, M. J., Burgos, N. R., Strebe, T. A., and Kitt, M. J. (1995). Field Evaluation of Herbicides on Small Fruit, Vegetable and Ornamental Crops, 1994. *Ark.Agric.Exp.Stn.Res.Ser.* 447: 1-54.

EcoReference No.: 73916
Chemical of Concern:
MTL,BT,CPP,CLT,CMZ,CPR,CYC,DCPA,DDP,PHMD,DEE,DMM,DU,EPTC,EFL,FZP,FTS,FSF,G
FS,GYP,IZT,MLX,Cu,MBZ,NPP,OYZ,PAQT,PMD,PHMD,QNC,SXD,SFZ,TPZ,TPR,TFN,24DXY;
Habitat: T; Effect Codes: POP,PHY; Rejection Code: LITE EVAL CODED(MTL,PHMD),NO
MIXTURE(SXD),OK(ALL CHEMS),TARGET(24DXY,CMZ,OYZ,FSF,GYP,EPTC).

78. Tu, C. M. (1993). Influence of Ten Herbicides on Activities of Microorganisms and Enzymes in Soil. *Bull. Environ. Contam. Toxicol.* 51: 30-39.

EcoReference No.: 86410
Chemical of Concern: BT,DFP,DU,EPTC,PPZ; Habitat: T; Effect Codes: POP,PHY,SYS; Rejection
Code: LITE EVAL CODED(EPTC),OK(DU,PPZ),NO COC(PRO).

- *79. Turner, P. E. T. (1983). Eptam Super and Sutan Plus for Control of Cyperus Rotundus L. in Plant Crops of Sugarcane. *Proc S Afr Sugar Cane Tech Ass* 57: 131-133.

EcoReference No.: 32188
Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

- *80. Weinberg, M. B. and Castelfranco, P. A. (1975). Effect of Eptc (S-Ethyl Dipropylthio-Carbamate) on Plastid Membrane Constituents in Germinating Cucumber Cotyledons. *Weed Sci.* 23: 185-187.

EcoReference No.: 26107
Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

- *81. Westra, P., Wilson, R. G., and Zimdahl, R. L. (1990). Wild-Proso Millet (*Panicum miliaceum*) Control in Central Great Plains Irrigated Corn (*Zea mays*). *Weed Technol.* 4: 409-414.

EcoReference No.: 74002
Chemical of Concern: MTL,PDM,ACR,CYC,EPTC,CZE,ACO,SXD; Habitat: T; Effect Codes:
POP; Rejection Code: TARGET(SXD,MTL,EPTC).

- *82. Wyse, D. L. (1947). Interaction of Herbicides, Disease, and Cultural Practices on Growth and Development of Navy Bean (*Phaseolus vulgaris* L.). *Ph.D.Thesis, Michigan State Univ., E.Lansing, MI* 167 p.

EcoReference No.: 93289

Chemical of Concern: EPTC,ATZ, Habitat: T; Effect Codes: GRO,POP,ACC,BCM; Rejection Code: TARGET(ATZ,EPTC).

83. Wyss, G. S., Charudattan, R., Roskopf, E. N., and Littell, R. C. (2004). Effects of Selected Pesticides and Adjuvants on Germination and Vegetative Growth of *Phomopsis amaranthicola*, a Biocontrol Agent for *Amaranthus* spp. *Weed Res.* 44: 469-482.

EcoReference No.: 96666

Chemical of Concern:

DCF,EPTC,OXF,PAQT,CLT,TFN,NPM,PDM,AMTR,PRM,NPP,MBZ,IZT,IPD,VCZ,BMY,DMT,MLN,CYR,LNR,DU,BS,GYPI,MTL,SXD,DCPA,IZP,SZ,ATZ,Maneb,MZB,CuOH,CTN,FSTL;

Habitat: T; Effect Codes: MOR,REP; Rejection Code: LITE EVAL

CODED(LNR,GYPI,OXF,EPTC),OK(ATZ,SZ,IZP,DCPA,SXD,MTL,BS,DU,CYR,MLN,DMT),TARGET(FSTL,CTN,CuOH,MZB,Maneb).

- *84. Yamaguchi, S. (1961). Absorption and Distribution of 35S-EPTC. *Weeds* 9: 374-380.

Chemical of Concern: EPTC; Habitat: T; Rejection Code: TARGET(EPTC).

85. Zimmerman, L. J., Valentine, H. L., and Valentine, W. M. (2004). Characterization of S-(N,N-Dialkylaminocarbonyl)Cysteine Adducts and Enzyme Inhibition Produced by Thiocarbamate Herbicides in the Rat. *Chem.Res.Toxicol.* 17: 258-267.

EcoReference No.: 74324

Chemical of Concern: BTY,MLT,VNT,EPTC; Habitat: T; Effect Codes: BCM; Rejection Code: LITE EVAL CODED(EPTC),OK(MLT).

Acceptable for ECOTOX but not OPP

1. Arnold, R. N., Gregory, E. J., and Smeal, D. (1988). Effects of Herbicides on Weeds in Field Corn Grown on Coarse-Textured Soils. *Appl.Agric.Res.* 3: 21-23.

EcoReference No.: 73778

Chemical of Concern: MTL,ACR,EPTC,CZE,24DXY,DMB,VRN; Habitat: T; Effect Codes: POP,PHY; Rejection Code: NO ENDPOINT(ALL CHEMS,TARGET-MTL,EPTC).

2. Ashton, F. M., Devilliers, O. T., Glenn, R. K., and Duke, W. B. (1977). Localization of Metabolic Sites of Action on Herbicides. *Pestic.Biochem.Physiol.* 7: 122-141.

EcoReference No.: 42644

Chemical of Concern: 24DXY,ATZ,BMC,DBN,TFN,PAQT,EPTC; Habitat: T; Effect Codes: PHY,CEL,BCM; Rejection Code: NO ENDPOINT,NO CONTROL(ALL CHEMS).

3. Bandeen, J. D., Jones, G. E., and Switzer, C. M. (1960). An Investigation of the Effects of Various Methods of Herbicide Application on Weed Control in Sugar Beets. *J.Am.Sug.T.* 11: 151-154.

EcoReference No.: 42637

Chemical of Concern: EPTC; Habitat: T; Rejection Code: NO ENDPOINT,NO CONTROL(EPTC).

4. Bennett, M. A. and Gorski, S. F. (1989). Response of Sweet Corn (*Zea mays*) Endosperm Mutants to Chloracetamide and Thiocarbamate Herbicides. *Weed Technol.* 3: 475-478.

EcoReference No.: 73789

Chemical of Concern: MTL,ACR,EPTC,BTY; Habitat: T; Effect Codes: GRO; Rejection Code: NO

CONTROL,ENDPOINT(ALL CHEMS).

5. Buchanan, G. A. and Howeland, L. S. (1971). Tolerance of Yuchi Arrowleaf Clover to Herbicides. *Weed Sci.* 19: 254-256.

EcoReference No.: 41860
Chemical of Concern: EPTC; Habitat: T; Rejection Code: NO ENDPOINT,NO CONTROL(EPTC).
6. Butler, P. A. (1963). Commercial Fisheries Investigations. *Circ.No.167, Fish Wildl.Serv., Washington, D.C.:* 11-25.

EcoReference No.: 2188
Chemical of Concern:
AZ,CBL,DZ,HCCH,MLN,Naled,PSM,24DXY,DS,DU,PEB,Folpet,RTN,FBM,CHD,DEM,TXP,MRX,
ETN,DZ,AND,MCPA,HPT,DDT,DDVP,EN,CBL,MXC,OXD,EPTC; Habitat: A; Effect Codes:
NOC,GRO,MOR,BEH,PHY; Rejection Code: NO CONTROL(ALL CHEMS).
7. Butler, P. A. (1964). Commercial Fishery Investigations. *In: Pesticide-Wildlife Studies, 1963, U.S.D.I., Fish and Wildl.Serv.,Circ.199* 28 p.(Author Communication Used).

EcoReference No.: 646
Chemical of Concern:
AZ,DS,HCCH,MLN,MP,Naled,PRT,24DXY,CMPH,DMT,DU,PEB,PSM,NTP,TXP,CBL,TBF,EPTC;
Habitat: A; Effect Codes: BEH,POP,MOR,GRO,ACC,SYS; Rejection Code: NO
CONTROL(PSM,DS,MP,Naled),LITE EVAL CODED(MLN,PRT),NO ENDPOINT(DMT),NO
ENDPOINT,NO CONTROL(EPTC,24DXY,TBF).
8. Chernova, N. M., Balabina, I. P., and Ponomareva, O. N. (1995). Changes in Population Growth of Springtail (Collembola) Under the Influence of Herbicides. *Pol.Pismo Entomol.* 64: 91-98.

EcoReference No.: 98929
Chemical of Concern: TRL,EPTC,DMDP; Habitat: T; Effect Codes: POP,REP,MOR; Rejection Code: NO CONC(EPTC,DMDP).
9. Cole, A. W. and Coats, G. E. (1973). Tall Morningglory Germination Response to Herbicides and Temperature. *Weed Sci.* 21: 443-446.

EcoReference No.: 41496
Chemical of Concern: ATZ,BMC,DU,SZ,MBZ,TRB,TFN,EPTC,NPM,DCPA,PZM; Habitat: T;
Effect Codes: REP,GRO; Rejection Code: TARGET(ATZ,SZ),NO ENDPOINT,NO
CONTROL(EPTC,PZM,BMC).
10. Couderchet, M., Schmalfuss, J., and Boger, P. (1998). A Specific and Sensitive Assay to Quantify the Herbicidal Activity of Chloroacetamides. *Pestic.Sci.* 52: 381-387.

EcoReference No.: 74055
Chemical of Concern: MTL,BTC,ACR,MBZ,DMM,24DXY,CPP,CSF,OXF,EPTC,ATC; Habitat: A;
Effect Codes: GRO,BCM; Rejection Code: NO ENDPOINT(ALL CHEMS).
11. Day, B. E., McCarty, C. D., and Jordan, L. S. (1962). Dalapon, Amitrole, and Weed Oil Compared for Effectiveness in Control of Bermudagrass in California Citrus Orchards. *Hilgardia* 32: 207-227.

EcoReference No.: 42076
Chemical of Concern: SZ,AMTL,EPTC,PRO; Habitat: T; Effect Codes: POP; Rejection Code: NO
ENDPOINT(SZ,AMTL,PRO),NO ENDPOINT,NO CONTROL(EPTC).

12. Dest, W. M., Peters, R. A., and Barrett, M. (1976). The Control of Crabgrass and Redroot Pigweed in Silage Corn. *Proc.Northeast.Weed Sci.Soc.* 30: 55-58.
- EcoReference No.: 40803
 Chemical of Concern: ATZ,ACR,PDM,24DXY,EPTC,BTY,CZE; Habitat: T; Effect Codes: POP; Rejection Code: OK(CZE,PDM),OK TARGET(ATZ),NO MIXTURE(BTY,EPTC,24DXY,ACR).
13. El Antably, H. M. M. and Risk, T. Y. (1977). The Effect of EPTC on the Bud Dormancy of Purple Nutsedge. *Z Pflanzenp* 84: 189-194.
- EcoReference No.: 43911
 Chemical of Concern: EPTC; Habitat: T; Rejection Code: NO ENDPOINT,NO CONTROL(EPTC).
14. Ezra, G., Dekker, J. H., and Stephenson, G. R. (1985). Tridiphane as a Synergist for Herbicides in Corn (*Zea mays*) and Proso Millet (*Panicum miliaceum*). *Weed Sci.* 33: 287-290.
- EcoReference No.: 44216
 Chemical of Concern: ATZ,ACR,EPTC; Habitat: T; Effect Codes: GRO; Rejection Code: NO ENDPOINT(TARGET-ATZ),NO ENDPOINT,NO CONTROL(EPTC).
15. Fawcett, R. S. and Slife, F. W. (1975). Germination Stimulation Properties of Carbamate Herbicides. *Weed Sci.* 23: 419-424.
- EcoReference No.: 41713
 Chemical of Concern: EPTC; Habitat: T; Rejection Code: NO ENDPOINT,NO CONTROL(EPTC).
16. Fox, P. M. and Thurston, R. (1966). The Effects of 1-Naphthyl-N-Methylcarbamate on Germinating Tobacco Seeds. *Bot.Gaz.* 127: 70-74.
- EcoReference No.: 42386
 Chemical of Concern: CBL,EPTC; Habitat: T; Effect Codes: REP,GRO; Rejection Code: TARGET(CBL),NO ENDPOINT(EPTC).
17. Frear, D. E. H. and Boyd, J. E. (1967). Use of *Daphnia magna* for the Microbioassay of Pesticides. I. Development of Standardized Techniques for Rearing *Daphnia* and Preparation of Dosage-Mortality Curves for Pesticides. *J.Econ.Entomol.* 60: 1228-1236.
- EcoReference No.: 2820
 Chemical of Concern:
 FBM,PPHD,Zineb,DEM,TXP,DOD,PRO,ATZ,HPT,ETN,AND,Naled,PRT,MP,NaDC,Ziram,THM,C aptan,MLN,DCF,AZ,HPT,MXC,DMT,DDT,TCF,CMPH,PRN,HCCH,DLN,EN,ES,MTAS,PPG,EPTC ; Habitat: A; Effect Codes: MOR; Rejection Code: LITE EVAL CODED(MTAS,AZ,PRO,ATZ,DMT,DOD,PRT),NO CONTROL(EPTC,PPG,Naled,Captan,MLN,MP).
18. Gentner, W. A. (1966). The Influence of EPTC on External Foliage Wax Deposition. *Weeds* 14: 27-31.
- EcoReference No.: 42342
 Chemical of Concern: EPTC; Habitat: T; Rejection Code: NO ENDPOINT,NO CONTROL(EPTC).
19. Gillette, L. A., Miller, D. L., and Redman, H. E. (1952). Appraisal of a Chemical Waste Problem by Fish Toxicity Tests. *Sewage Ind.Wastes* 24: 1397-1401.
- EcoReference No.: 927
 Chemical of Concern: EDT,NH,EPTC; Habitat: A; Effect Codes: MOR; Rejection Code: NO CONTROL(EPTC).

20. Hakeem, H. and Shehab, A. (1973). Cytological Effects of Eptam and Cotoran Herbicides on Vicia Faba Broadbeans. *Egypt.J.Bot.* 16: 303-311.
- EcoReference No.: 41697
Chemical of Concern: EPTC; Habitat: T; Rejection Code: NO ENDPOINT,NO CONTROL(EPTC).
21. Hammerton, J. L. (1963). Control of Weeds in Marrowstem Kale by EPTC and Some Other Herbicides. *Weed Res.* 3: 128-139.
- EcoReference No.: 42022
Chemical of Concern: EPTC; Habitat: T; Rejection Code: NO ENDPOINT,NO CONTROL(EPTC).
22. Hawton, D., Johnson, I. D. G., Loch, D. S., Harvey, G. L., Marley, J. M. T., Hazard, W. H. L., Bibo, J., and Walker, S. R. (1990). A Guide to the Susceptibility of Some Tropical Crop and Pasture Weeds and the Tolerance of Some Crop Legumes to Several Herbicides. *Trop.Pest Manag.* 36: 147-150.
- EcoReference No.: 73776
Chemical of Concern:
ACR,ATZ,BT,DMB,DU,MTL,MBZ,DMM,PDM,ACF,BFL,24DXY,EPTC,FZFB,PCL,SXD,TFN,VN
T; Habitat: T; Effect Codes: POP; Rejection Code: NO ENDPOINT(ALL CHEMS,TARGET-ATZ,MTL,EPTC).
23. Hess, F. D. (1980). A Chlamydomonas Algal Bioassay for Detecting Growth Inhibitor Herbicides. *Weed Sci.* 28: 515-520.
- EcoReference No.: 6513
Chemical of Concern:
ACR,ATZ,BMN,BS,DBN,GYP,MLT,TFN,BTY,CPP,AMTL,EPTC,PAQT,FDE; Habitat: A; Effect Codes: POP; Rejection Code: NO CONROL(BS),LITE EVAL CODED(ATZ,MLT),NO ENDPOINT,NO CONTROL(EPTC,GYP).
24. Heydens, W. F., Wilson, A. G. E., Kraus, L. J., Hopkins II, W. E., and Hotz, K. J. (2000). Ethane Sulfonate Metabolite of Alachlor: Assessment of Oncogenic Potential Based on Metabolic and Mechanistic Considerations. *Toxicol.Sci.* 55: 36-43.
- EcoReference No.: 78665
Chemical of Concern: ACR,ESA; Habitat: T; Effect Codes: GRO,CEL,ACC; Rejection Code: NO COC(ESA).
25. Hulzebos, E. M., Dirven-Van Breemen, E. M., Van Dis, W. A., Van Gestel, C. A. N., and et al. (1989). Toxiciteit van het RIVM-Aandeel in Het Proj. Fytotoxiciteit 2. *RIVM Rapport Nr.718710002, RIVM, Netherlands (OECDG Data Files).*
- EcoReference No.: 56351
Chemical of Concern: AZ,HCCH,PCP,AMSV,ACE,EPTC; Habitat: T; Effect Codes: GRO,REP; Rejection Code: NO CONTROL(EPTC,ACE),NO FOREIGN.
26. Humphreys, T. E. and Dugger, W. M. Jr. (1959). Effect of 2,4-Dichlorophenoxyacetic Acid and 2,4-Dinitrophenol on the Uptake and Metabolism of Exogenous Substrates by Corn Roots. *Plant Physiol.* 34: 112-116.
- EcoReference No.: 28477
Chemical of Concern: 24D,DNP; Habitat: T; Effect Codes: ACC,BCM; Rejection Code: NO ENDPOINT(24D),NO COC(DNP).
27. Jirachek, V., Tomankova, H., Vedralova, E., and Kocourek, J. (1964). The Influence of 1- and 6-Thiogluucose on

the Growth and the Sugar and Free Amino Acid Content of Pea Seedlings. *Naturwissen* 51: 199.

EcoReference No.: 42223

Chemical of Concern: NPP,PMT,EPTC; Habitat: T; Effect Codes: GRO,REP; Rejection Code: NO ENDPOINT,NO CONTROL(EPTC).

28. Johnson, B. J. (1972). Effects of Herbicides Applied Preplant or Preemergence on Weeds and Sunflowers. *Crop Sci.* 12: 650-653.

EcoReference No.: 41645

Chemical of Concern: TFN,EPTC; Habitat: T; Effect Codes: MOR; Rejection Code: NO ENDPOINT,NO CONTROL(EPTC).

29. Johnson, B. J. (1974). Grass Control with EPTC in Sand Traps on Golf Courses. *Weed Sci.* 22: 434-436.

EcoReference No.: 41026

Chemical of Concern: EPTC; Habitat: T; Rejection Code: NO ENDPOINT,NO CONTROL(EPTC).

30. Jones, K. H., Sanderson, D. M., and Noakes, D. N. (1968). Acute Toxicity Data for Pesticides (1968). *World Rev.Pest Control* 7: 135-143.

EcoReference No.: 70074

Chemical of Concern:

24DXY,ABT,ACL,ADC,AMTL,AMTR,AND,ASM,ATN,ATZ,AZ,BFL,BMC,BMN,BS,BTY,Captan, CBL,CCA,CHD,CMPH,CPP,CPY,CQTC,CTHM,Cu,CuFRA,DBN,DCB,DCNA,DDD,DDT,DDVP,DEM,DINO,DLD,DMB,DMT,DOD,DPP1,DQTBr,DS,DU,DZ,DZM,EDT,EN,EP,EPTC,ES,ETN,FLA C,FMU,FNF,FNT,FNTH,Folpet,HCCH,HPT,LNR,Maneb,MCB,MCPA,MCPB,MCPP1MDT,MLH,MLN,MLT,MRX,MTM,MVP,MXC,Naled,NPM,PB,PCH,PCL,PCP,PEB,PHMD,PHSL,PMT,PPHD,PPN,PPX,PPZ,PQT,PRN,PRO,PRT,PYN,PYZ,RTN,SFT,SID,SZ,TCF,TFN,THM,TRB,TRL,TXP,VNT, Zineb; Habitat: T; Effect Codes: MOR; Rejection Code: NO PUBL AS(24DXY,ABT,ACL,AMTL,AMTR,ASM,ATN,AZ,BFL,BMC,BMN,BS,BTY,CCA,CMPH,CPP,C PY, CQTC,CTHM,DBN,DCB,DCNA,DDT,DINO,DOD,DPP1,DQTBr,DU,DZM,EP,EPTC,ES,FMU,FNF, FNT,Folpet,HCCH,HPT,LNR,MCB.

31. Karunen, P. and Eronen, L. (1977). Influence of S-Ethyl Dipropylthiocarbamate (EPTC) on the Fatty Acid Composition of Wheat Leaf Galactolipids. *Physiol.Plant.* 40: 101-104.

EcoReference No.: 43001

Chemical of Concern: EPTC; Habitat: T; Effect Codes: BCM; Rejection Code: NO ENDPOINT(EPTC).

32. Komives, A. V., Komives, T., and Dutka, F. (1985). Effect of Thiocarbamate Herbicides on the Activity of Glutathione S-Transferase in Maize. *Cereal Res.Commun.* 13: 253-257.

EcoReference No.: 74428

Chemical of Concern: MLT,CYC,EPTC,VNT,BTY,PEB; Habitat: T; Effect Codes: BCM; Rejection Code: NO ENDPOINT,TARGET(EPTC).

33. Kozlowski, T. T. and Clausen, J. J. (1965). Influence of Various Herbicides on Needle Structure of Young Red Pines. *For.Res.Notes* 126: 3 p.

EcoReference No.: 78599

Chemical of Concern: EPTC,SZ,ATZ,PMT,PPZ; Habitat: T; Effect Codes: PHY; Rejection Code: NO ENDPOINT,CONTROL (ALL CHEMS,TARGET-ATZ,SZ,EPTC).

34. Kozlowski, T. T. and Torrie, J. H. (1965). Effect of Soil Incorporation of Herbicides on Seed Germination and Growth of Pine Seedlings. *Soil Sci.* 100: 139-146.

EcoReference No.: 41006

Chemical of Concern: SZ,EPTC,DCPA,PPZ,ATZ,PMT; Habitat: T; Effect Codes: REP,POP,GRO; Rejection Code: LITE EVAL CODED(PPZ),TARGET(ATZ,SZ),NO ENDPOINT,NO CONTROL(EPTC).

35. Kratky, B. A. and Warren, G. F. (1971). The Use of Three Simple, Rapid Bioassays on Forty-Two Herbicides. *Weed Res.* 11: 257-262.

EcoReference No.: 40616

Chemical of Concern:

EDT,SZ,24DC,ATZ,24DXY,ACR,BMC,BMN,BS,DBN,DMB,LNR,PQT,TRB,TFN,PYZ,NaN3,PRO,EPTC; Habitat: AT; Effect Codes: POP,GRO; Rejection Code: LITE EVAL CODED(LNR,BMC,PRO,ATZ,SZ,PYZ,NaN3-aquatic),NO ENDPOINT(BMC,BS,SZ-terrestrial,DMB),NO ENDPOINT,NO CONTROL(EPTC,24DXY).

36. Krishnamurthy, K. (1970). Effect of Herbicides on Weeds and Yield of Sorghum. *Indian J.Agric.Sci.* 40: 474-480.

EcoReference No.: 41831

Chemical of Concern: SZ,ATZ,DU,24DXY,PPN,EPTC; Habitat: T; Effect Codes: REP; Rejection Code: NO ENDPOINT(SZ,ATZ,24DXY,PPN),NO ENDPOINT,NO CONTROL(EPTC).

37. Laval-Martin, D., Grizeau, D., and Calvayrac, R. (1983). Characterization of Diuron-Resistant Euglena: Greater Tolerance for Various Phenylurea Herbicides and Increased Sensitivity of Thylakoids to Ethyl-s-Dipropyl Thiocarbamate. *Plant Sci.Lett.* 29: 155-167.

EcoReference No.: 89462

Chemical of Concern: DU,SID,ATZ,EPTC; Habitat: A; Effect Codes: PHY,BCM; Rejection Code: NO CONTROL,NO ENDPOINT(ALL CHEMS,TARGET-SID).

38. Mann, J. D. and Pu, M. (1968). Inhibition of Lipid Synthesis by Certain Herbicides. *Weed Sci.* 1: 197-198.

EcoReference No.: 43988

Chemical of Concern: EDT,SZ,24DXY,ATZ,DBN,TFN,PCP,PCL,EPTC; Habitat: T; Effect Codes: BCM; Rejection Code: NO ENDPOINT,NO CONTROL(EPTC,EDT,SZ,24DXY,ATZ,DBN,TFN,PCP,PCL).

39. Mayer, F. L. Jr. and Eilersieck, M. R. (1986). Manual of Acute Toxicity: Interpretation and Data Base for 410 Chemicals and 66 Species of Freshwater Animals. *Resour.Publ.No.160, U.S.Dep.Interior, Fish Wildl.Serv., Washington, DC* 505 p. (USGS Data File).

EcoReference No.: 6797

Chemical of Concern:

EDT,RSM,SZ,24DXY,ACP,ACR,ADC,ATM,ATN,ATZ,AZ,BS,CaPS,Captan,CBF,CBL,CMPH,CQTC,CPY,CuS,DBN,DFZ,DMB,DMT,DOD,DPDP,DS,DU,DZ,FO,GYP,HCCH,HXZ,IGS,LNR,MBZ,MCPB,MDT,MLN,MLT,MOM,MP,MTL,NaN3,Naled,OYZ,PCP,PEB,PAQT,PRT,PSM,Folpet,PYN,CYT,DMM,EFS,NAA,NTP,PMR,PPB,TFN,WFN,RSM,RTN,ALSV,Se,DBAC,Zn,As,MTPN,DCB,MTAS,OXD,PEPPG,TBF,CPYM,FLU,PPG,EPTC; Habitat: A; Effect Codes: MOR,PHY; Rejection Code: LITE EVAL CODED(MTAS,MTPN,DCB,DZ,IGS,ATZ,MTL,MLT,CBF,ADC,MOM,PPB,SZ,DMT,WFN,RTN,CuS, DOD,NaN3,DMB,RSM,CaPS,MCPB, NaPCP,PCP,AMSV,ALSV,PRT,ATM,CQTC,ATN,DBAC),NO CONTROL(EPTC,PPG,GYP,LNR,PSM,DS,FLU,OYZ,24DXY,DPDP,CPYM,CPY,PEPPG,MP,Naled

,BS,OXD,Captan,MLN,HXZ,TBF).

40. McCorkle, F. M., Chambers, J. E., and Yarbrough, J. D. (1977). Acute Toxicities of Selected Herbicides to Fingerling Channel Catfish, *Ictalurus punctatus*. *Bull. Environ. Contam. Toxicol.* 18: 267-270.

EcoReference No.: 858

Chemical of Concern: 24DXY,BS,DU,MBZ,DMM,TFN,EPTC; Habitat: A; Effect Codes: MOR; Rejection Code: NO CONTROL(BS),NO ENDPOINT,NO CONTROL(EPTC,24DXY).

41. Meliyan, R. I. (1991). Effect of Pesticides on Reproductive Function of the Freshwater Amphipod *Gammarus kischineffensis*. *Hydrobiol.J.* 27: 33-36.

EcoReference No.: 7457

Chemical of Concern: HCCH,PCZ,EPTC; Habitat: A; Effect Codes: MOR,REP; Rejection Code: LITE EVAL CODED(PCZ),OK(HCCH),NO ENDPOINT(EPTC).

42. Moreland, D. E., Malhotra, S. S., Gruenhagen, R. D., and Shokraii, E. H. (1969). Effects of Herbicides on RNA and Protein Synthesis. *Weed Sci.* 17: 556-563.

EcoReference No.: 42656

Chemical of Concern: AMTL,PCL,EPTC,PCH,PPN,TFN,DMB,DBN,DU,ATZ; Habitat: T; Effect Codes: BCM; Rejection Code: TARGET(ATZ,DMB),NO ENDPOINT,NO CONTROL(EPTC).

43. Morpurgo, G., Aulicino, F., Bignami, M., Conti, L., and Velcich, A. (1977). Relationship Between Structure and Mutagenicity of Dichlorvos and Other Pesticides. *Acad.Naz.dei Lincei* 62: 692-701.

EcoReference No.: 98465

Chemical of Concern: MP,AZ,EPTC,DDVP,TRL,MVP; Habitat: T; Effect Codes: CEL; Rejection Code: NO ENDPOINT(MP,AZ,EPTC).

44. Nagy, J., Kecskes, M., and Nagy, I. (1991). Microbial Herbicide Safener. In: *7th Int. Congr. of Pestic. Chem., Aug.5-10, 1990, Hamburg, Germany, Pestic.Sci.* 31: 116-119.

EcoReference No.: 74953

Chemical of Concern: MLT,EPTC,BTY,VNT,CYC,ACO,TSF,CSF,CMZ, Habitat: T; Effect Codes: GRO,PHY; Rejection Code: NO ENDPOINT (ALL CHEMS).

45. Ndahi, W. B., Russ, O. G., and Moshier, L. J. (1981). Pearl Millet Tolerance to Selected Herbicides. *Trans.Kans.Acad.Sci.* 84: 105-108.

EcoReference No.: 78602

Chemical of Concern: ATZ,PPZ,CZE,PCH,EPTC,LNR,BTY; Habitat: T; Effect Codes: PHY,GRO,POP; Rejection Code: LITE EVAL CODED(PPZ),NO MIXTURE(EPTC,BTY,TARGET-ATZ,LNR)OK(CZE,PCH).

46. Nishiuchi, Y. (1972). Toxicity of Pesticides to Some Water Organisms. *Bull.Agric.Chem.Insp.Stn.(Noyaku Kensasho Hokoku)* 12: 122-128 (JPN) (ENG TRANSL).

EcoReference No.: 10258

Chemical of Concern:

3CE,AC,AMTL,AMTR,AND,As,ATZ,BMC,BS,Captan,CBL,CPA,CPY,CTN,Cu,DBN,DCPA,DDT,DDVP,DLD,DMB,DMT,DPA,DSMA,DU,DZ,EDB,EDC,EN,EPTC,ES,ETN,Fe,FLAC,FML,FNT,FNTH,HCCH,Hg,HPT,LNR,MCA,MCPB,MCPPI,MDT,MLN,MOM,MP,MTAS,NALED,Ni,NTCN,OPHP,Pb,PCB,PCP,PCZ,PEB,PHMD,PHSL,PHTH,PMT,PNB,PPX,PPZ,PRN,PSM,PYN,SFL,SID,STR EP,SZ,TBC,TFN,THM,TPE,TPH,TPM,TRN,Zn; Habitat: A; Effect Codes: MOR; Rejection Code:

NO CONTROL(ALL CHEMS).

47. Nishiuchi, Y. and Asano, K. (1979). Toxicity of Agricultural Chemicals to Some Freshwater Organisms - LIX. *The Aquiculture (Suisan Zoshoku)* 27: 48-55 (JPN) (ENG TRANSL).
- EcoReference No.: 6954
Chemical of Concern:
ACP,ACR,ATZ,BMC,BT,Captan,CPY,CTN,Cu,CuOH,CuS,DMT,DU,DZ,Folpet,HCCH,LNR,MAL,MDT,MLN,MOM,PCP,PEB,PHMD,PMT,PNB,PPG,PQT,PSM,QOC,TBC,TFN,RTN,CuCl,PPZ,Zn,Ni,As,DCB,CPYM,EPTC; Habitat: A; Effect Codes: MOR; Rejection Code: NO CONTROL(EPTC,PPG,LNR,PSM,CPYM,CPY,DMT,MLN,BMC,CTN,QOC,Captan,Folpet,ATZ).
48. Ogg, A. G. Jr. and Drake, S. R. (1982). Response of Sweetcorn (*Zea mays*) to Alachlor, EPTC + R - 25788, and Vernolate + R - 25788. *Weed Sci.* 30: 446-449 .
- EcoReference No.: 41312
Chemical of Concern: ACR,VNT,EPTC; Habitat: T; Effect Codes: POP,PHY,BCM; Rejection Code: OK(ACR),NO MIXTURE(VNT,EPTC).
49. Palmer, J. S. (1972). Toxicity of 45 Organic Herbicides to Cattle, Sheep and Chickens. *Prod.Res.Rep.No.137, Agricultural Research Serv., U.S.Dep.of Agriculture, Washington, D.C.*
- EcoReference No.: 80557
Chemical of Concern:
24DXEYEE,MCPB,MCPA,PEB,VNT,EPTC,MSMA,CCA,TFN,PAQT,DQTBBr,NPM,PYZ,DCPA,AMTL,DMDP,24D; Habitat: T; Effect Codes: GRO,MOR,BEH; Rejection Code: NO ENDPOINT(DMDP,24D,24DXEYEE,EPTC).
50. Parker, C. and Dean, M. L. (1976). Control of Wild Rice in Rice. *Pestic.Sci.* 7: 403-416.
- EcoReference No.: 98533
Chemical of Concern:
EPTC,LNR,MTZ,MBZ,OYZ,PPN,ACR,BTC,MTL,EFS,MLT,ODZ,PSM,PPN,DFQ; Habitat: T; Effect Codes: GRO; Rejection Code: NO ENDPOINT(EPTC,ACR,MTL,MLT,PZM,OYZ,LNR),NO COC(OXF).
51. Parker, C. and Dean, M. L. (1972). The Effect of Some Plant Growth Regulators on the Sprouting of *Cyperus rotundus* and Its Response to Herbicides. *Proc.Br.Weed Control Conf.* 11: 744-751.
- EcoReference No.: 40595
Chemical of Concern: 24DXY,CFRM,PAQT,TRB,EPTC,As; Habitat: T; Effect Codes: PHY,GRO,POP; Rejection Code: NO ENDPOINT(ALL CHEMS).
52. Peebles, J. L., Curl, E. A., and Rodriguez-Kabana, R. (1976). Effect of the Herbicide EPTC on the Biocontrol Activity of *Trichoderma viride* Against *Sclerotium rolfsii*. *Plant Dis.Rep.* 60: 1050-1054.
- EcoReference No.: 98285
Chemical of Concern: EPTC; Habitat: T; Effect Codes: MOR,BCM; Rejection Code: NO ENDPOINT(EPTC).
53. Perevozchenko, I. I. (1975). Effect of Carbamic and Thiocarbamic Acid Derivatives on Fishes and Amphibians. *Hydrobiol.J.* 11: 74-76.
- EcoReference No.: 5822
Chemical of Concern: MLT,EPTC; Habitat: A; Effect Codes: MOR,BCM; Rejection Code: LITE EVAL CODED(MLT),NO ENDPOINT,NO CONTROL(EPTC).

54. Phatak, S. C. and Cantliffe, D. J. (1975). Effect of Herbicides on Weed Control and Nitrate Accumulation in Table Beets. *Hortscience* 10: 271-273 .
- EcoReference No.: 41580
 Chemical of Concern: PEB,PYZ,EPTC; Habitat: T; Effect Codes: GRO,POP,BCM; Rejection Code: TARGET(PYZ),NO ENDPOINT,NO CONTROL(EPTC).
55. Putnam, A. R. and Davidson, H. (1970). Chemical Control of Weeds in Transplanted Ground Covers. *J.Am.Soc.Hortic.Sci.* 95: 687-689.
- EcoReference No.: 43457
 Chemical of Concern: SZ,BS,DBN,TFN,EPTC; Habitat: T; Effect Codes: PHY,POP; Rejection Code: TARGET(SZ),NO ENDPOINT,NO CONTROL(EPTC,BS).
56. Quistad, G. B., Sparks, S. E., and Casida, J. E. (1994). Aldehyde Dehydrogenase of Mice Inhibited by Thiocarbamate Herbicides. *Life Sci.* 55: 1537-1544.
- EcoReference No.: 74291
 Chemical of Concern: EPTC,TBC,PEB,VNT,MLT,BTY,TRL,CYC; Habitat: T; Effect Codes: BCM; Rejection Code: NO ENDPOINT(EPTC).
57. Raker, R. J. (1978). Evaluation of Herbicides for Control of Yellow Nutsedge on Nursery Fields. *Ohio ARDC.C.* 236: 51-52.
- EcoReference No.: 41842
 Chemical of Concern: GYP,NPP,ACR,BT,EPTC; Habitat: T; Effect Codes: MOR,PHY; Rejection Code: NO ENDPOINT,NO CONTROL(EPTC,GYP).
58. Rincon, D. J. and Warren, G. F. (1978). Effect of Five Thiocarbamate Herbicides on Purple Nutsedge (*Cyperus rotundus*). *Weed Sci.* 26: 127-131.
- EcoReference No.: 41477
 Chemical of Concern: MLT,PEB,BTY,VNT,EPTC; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(MLT),NO ENDPOINT,NO CONTROL(EPTC).
59. Rudyanski, W. J., Fawcett, R. S., and McAllister, R. S. (1987). Effect of Prior Pesticide Use on Thiocarbamate Herbicide Persistence and Giant Foxtail (*Setaria faberi*) Control. *Weed Sci.* 35: 68-74.
- EcoReference No.: 74942
 Chemical of Concern: CBF,EPTC,BTY; Habitat: T; Effect Codes: POP; Rejection Code: OK(BTY),NO MIXTURE(CBF,TARGET-EPTC).
60. Ruppel, E. G., Gilbertson, R. L., and Schweizer, E. E. (1988). Population Densities of Selected Soil-Borne Fungi and Disease Incidence in a Crop Rotation Under Varied Weed-Management Systems. *Agric.Ecosyst.Environ.* 21: 163-169.
- EcoReference No.: 98842
 Chemical of Concern: DMB,PHMD,24DXY,CZE,TFN,ACR,EPTC; Habitat: T; Effect Codes: POP; Rejection Code: NO ENDPOINT(EPTC).
61. Sanders, H. O. (1970). Toxicities of Some Herbicides to Six Species of Freshwater Crustaceans. *J.Water Pollut.Control Fed.* 24: 1544-1550 (Publ in Part As 6797).
- EcoReference No.: 886
 Chemical of Concern: SZ,EDT,24DXY,BS,DBN,DMB,DU,MLT,PEB,TFN,EPTC; Habitat: A; Effect Codes: MOR,PHY; Rejection Code: LITE EVAL CODED(MLT,SZ,DMB),NO

CONTROL(EPTC,24DXY,BS).

62. Sasaki, S. and Kozlowski, T. T. (1968). Effects of Herbicides on Seed Germination and Early Seedling Development of *Pinus resinosa*. *Bot.Gaz.* 129: 238-246.

EcoReference No.: 43872

Chemical of Concern: ATZ,24DXY,EPTC; Habitat: T; Effect Codes: REP,MOR; Rejection Code: TARGET(ATZ),NO ENDPOINT,NO CONTROL(EPTC,24DXY).

63. Scudder, W. T. (1963). Evaluation of Herbicides for Soybeans on Central Florida Organic Soils. *Fla.Agric.Exp.Stn.Bull.* 650: 3-36.

EcoReference No.: 42227

Chemical of Concern: ATZ,DU,SZ,AMTL,NaPCP,EPTC,24DXY,PPZ; Habitat: T; Effect Codes: PHY,POP; Rejection Code: NO ENDPOINT(AMTL,ATZ,DU,PPZ,TARGET-SZ),NO ENDPOINT,NO CONTROL(EPTC,24DXY).

64. Selleck, G. W. and Weber, L. E. (1976). Herbicide Trials for Yellow Nutsedge in Potatoes on Long Island. *Proc.Northeast.Weed.Sci.Soc.* 30: 239-242.

EcoReference No.: 40628

Chemical of Concern: DMM,ACR,MBZ,MTL,EPTC,NPP; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(MTL),NO ENDPOINT(EPTC).

65. Siltanen, H. and Rosenberg, C. (1977). Residue Analyses of the Official Testing of Pesticides, 1976. *In: Pubs.of the State Inst.of Agric.Chem., Helsinki, Finland, State Inst.of Agric.Chem.* 12: 68 p.

EcoReference No.: 94464

Chemical of Concern:

SZ,PCH,PMT,PHMD,MBZ,MTZ,MCPA,LNR,GYP,EPTC,EFS,DFQ,DPP1,CZE,CPP,BMN,TYF,TF R,CBF,IFP,Naled,BMY,CBD,CU,EPH,DCNA,DINO,TZL,ILL,MZB,Maneb,MTM,TBA,TPM,CQTC; Habitat: T; Effect Codes: ACC; Rejection Code: NO ENDPOINT,NO CONTROL(ALL CHEMS).

66. Smith, D. and Buchholtz, K. P. (1964). Modification of Plant Transpiration Rate with Chemicals. *Plant Physiol.* 39: 572-578.

EcoReference No.: 42221

Chemical of Concern: ATZ,SZ,24DXY,LNR,TFN,PPZ,AMTR,AMTL,DU,EPTC; Habitat: T; Effect Codes: PHY; Rejection Code: NO ENDPOINT(ATZ,SZ,TFN,PPZ,AMTR,AMTL,DU),NO ENDPOINT,NO CONTROL(EPTC,LNR,24DXY).

67. Staub, R. E., Quistad, G. B., and Casida, J. E. (1998). Mechanism for Benomyl Action as a Mitochondrial Aldehyde Dehydrogenase Inhibitor in Mice. *Chem.Res.Toxicol.* 11: 535-543.

EcoReference No.: 97967

Chemical of Concern: EPTC,TPE,BMY,CBD; Habitat: T; Effect Codes: BCM; Rejection Code: OK(BMY),NO CONTROL(EPTC,TPE,CBD).

68. Sumida, S. and Ueda, M. (1973). Studies of Pesticide Effects on Chlorella Metabolism. I. Effect of Herbicides on Complex Lipid Biosynthesis. *Plant Cell Physiol.* 14: 781-785.

EcoReference No.: 70737

Chemical of Concern: SZ,24DXY,BMC,EPTC; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(EPTC,BMC,SZ,24DXY).

69. Talbert, R. E., Frans, R. E., and Baker, H. R. (1965). Field Screening of New Chemicals for Herbicidal

Acitivity, 1965. *Rep.No.147, Arkansas Univ.(Fayetteville), Agric.Exp.Stn., Mimeo.Ser.* 12 p.

EcoReference No.: 94352

Chemical of Concern: DU,ATZ,TFR,EPTC,DSMA; Habitat: T; Effect Codes: POP; Rejection Code: NO ENDPOINT(TFR,TARGET-ATZ,EPTC).NO COC(QOC,BS).

70. Thomas, V. M. Jr., Buckley, L. J., Sullivan, J. D. Jr., and Ikawa, M. (1973). Effect of Herbicides on the Growth of Chlorella and Bacillus Using the Paper Disc Method. *Weed Sci.* 21: 449-474.

EcoReference No.: 67240

Chemical of Concern: ATZ,SZ,24DXY,LNR,EPTC; Habitat: A; Effect Codes: POP; Rejection Code: NO ENDPOINT(ATZ,SZ),NO ENDPOINT,NO CONTROL(EPTC,LNR,24DXY).

71. Vasconcelos, M. T. S. D and Leal, M. F. C. (2002). Influence of N-2-Hydroxyethylpiperazine-N'-2-Ethanesulfonic Acid pH Buffer on the Biological Response of Marine Algae. *Environ.Toxicol.Chem.* 21: 404-412.

EcoReference No.: 75650

Chemical of Concern: Cu,Pb,Cd,Hg,ESA; Habitat: A; Effect Codes: PHY,BCM; Rejection Code: NO COC(ESA).

72. Vengris, J. (1977). Annual Weed Control in Alfalfa New Seedlings. *Proc.Northeast.Weed Sci.Soc.* 31: 99-103.

EcoReference No.: 40621

Chemical of Concern: MTL,EPTC,MTZ; Habitat: T; Effect Codes: POP; Rejection Code: LITE EVAL CODED(MTL),NO ENDPOINT(EPTC).

73. Welker, W. V. Jr. and Cialone, J. C. (1972). An Evaluation of Herbicides for the Control of Weeds in Field-Grown Chrysanthemums. *Proc.Northeast.Weed Sci.Soc.* 26: 51-54.

EcoReference No.: 40610

Chemical of Concern: SZ,NPP,ACR,TFN,EPTC,CPP,PZM; Habitat: T; Effect Codes: MOR,PHY,POP,GRO; Rejection Code: NO CONTROL,NO ENDPOINT(ALL CHEMS).

74. Wilkinson, R. E. and Hardcastle, W. S. (1969). EPTC Effects on Sicklepod Petiolar Fatty Acids. *Weed Sci.* 17: 335-338.

EcoReference No.: 42886

Chemical of Concern: EPTC; Habitat: T; Rejection Code: NO ENDPOINT,NO CONTROL(EPTC).

75. Williams, B. J. and Harvey, R. G. (2000). Effect of Nicosulfuron Timing on Wild-Proso Millet (*Panicum miliaceum*) Control in Sweet Corn (*Zea mays*). *Weed Technol.* 14: 377-382.

EcoReference No.: 59737

Chemical of Concern: EPTC,CZE,NSF; Habitat: T; Rejection Code: NO MIXTURE(EPTC).

76. Winget, C. H., Kozlowski, T. T., and Kuntz, J. E. (1963). Effects of Herbicides on Red Pine Nursery Stock. *Weeds* 11: 87-90.

EcoReference No.: 40664

Chemical of Concern: SZ,ATZ,PPZ,EPTC; Habitat: T; Effect Codes: GRO,POP,PHY,MOR; Rejection Code: LITE EVAL CODED(PPZ),OK TARGET(ATZ,SZ),NO ENDPOINT,NO CONTROL(EPTC).

77. Wu, S. Y. and Casida, J. E. (1996). Subacute Neurotoxicity Induced in Mice by Potent Organophosphorus Neuropathy Target Esterase Inhibitors. *Toxicol.Appl.Pharmacol.* 139: 195-202.

EcoReference No.: 98193

Chemical of Concern: FNTH,EPTC,TRL; Habitat: T; Effect Codes: BCM; Rejection Code: NO ENDPOINT(EPTC).

78. Zendzian, R. P. (2000). Dermal Absorption of Pesticides in the Rat. *Am.Ind.Hyg.Assoc.J.* 61: 473-483.

EcoReference No.: 97878

Chemical of Concern: GFSNH,CN,MVP,EPTC,HCB,PSM,BMY,TBC,HCCH,IPD,AZ,DS ; Habitat: T; Effect Codes: ACC; Rejection Code: NO ENDPOINT,NO CONTROL(GFSNH,EPTC,PSM,DS).

79. Zendzian, R. P. (2003). Pesticide Residue on/in the Washed Skin and Its Potential Contribution to Dermal Toxicity. *J.Appl.Toxicol.* 23: 121-136.

EcoReference No.: 94210

Chemical of Concern:

VCZ,MTL,CYR,TVP,MLT,MCPA,MTAS,Maneb,EFX,ATZ,AZ,CCA,DDP,DS,EPTC,EFX; Habitat: T; Effect Codes: ACC; Rejection Code: NO ENDPOINT,NO CONTROL(ALL CHEMS).

EPTC
Papers that Were Excluded from ECOTOX

Reference numbers 44, 91, 150, 164 and 314 were papers on mixtures. Additional notes on these papers are provided with the reference.

Excluded

1. 1990). Enhanced Biodegradation of Carbamothioate Herbicides in South Carolina Usa Au - Skipper Hd. *Racke, k. D. And j. R. Coats (ed.). Acs (american chemical society) symposium series, vol. 426. Enhanced biodegradation of pesticides in the environment* 198th national meeting, miami beach, florida, usa, september 10-15, 1989. X+302p. American chemical society: washington, d.c., Usa. Illus. Isbn 0-8412-1784-x.; 0: 37-52.
Rejection Code: BACTERIA, FATE.
2. Protecting Endangered Species: Interim Measures, Avery County, North Carolina. *Govt reports announcements & index (gra&i), issue 23, 2092.*
Rejection Code: NO TOX DATA.
3. Red Facts: Eptc. *Govt reports announcements & index (gra&i), issue 10, 2000.*
Rejection Code: REVIEW.
4. Reregistration Eligibility Decision (Red): Eptc. (Includes Red Facts: Eptc Fact Sheet). *Govt reports announcements & index (gra&i), issue 10, 2000.*
Rejection Code: HUMAN HEALTH.
5. Aharonson, N. and Katan, J. (1993). Delayed and Enhanced Biodegradation of Soil-Applied Diphenamid, Carbendazim, and Aldicarb. *Arch.Insect Biochem.Physiol.* 22: 451-466.
Rejection Code: REFS CHECKED/REVIEW.
6. Albanis, T., Danis, T., Voutsas, D., and Kouimtzis, T. (1995). Evaluation of Chemical Parameters in Aliakmon River Northern Greece. Part Iii. Pesticides. *Journal of environmental science and health part a environmental science and engineering & toxic and hazardous substance control* 30: 1945-1956.
Rejection Code: FATE, HUMAN HEALTH.
7. Albanis, T. A. (1991). Runoff losses of EPTC, Molinate, Simazine, Diuron, Propanil and Metolachlor in Thermaikos Gulf, N. Greece. *Chemosphere* 22: 645-653.
Rejection Code: FATE.
8. Albanis, T. A. (1991). Runoff Losses of Eptc, Molinate, Simazine, Diuron, Propanil and Metolachlor in Thermaikos Gulf, Northern Greece. *Chemosphere* 22: 645-654.
Rejection Code: FATE.
9. Albanis, T. A. and Hela, D. G. (1995). Multi-Residue Pesticide Analysis in Environmental Water Samples Using Solid-Phase Extraction Discs and Gas Chromatography With Flame Thermionic and Mass-Selective Detection. *Journal of chromatography a* 707: 283-292.
Rejection Code: FATE, CHEM METHODS.
10. Anina, I. A. (Possibility of Using Nucleic Acid Metabolic Indexes for Predicting Long-Term Consequences of the Effect of Some Pesticides. *Gig. Tr. Prof. Zabol.* 3: 51-53 1975..
Rejection Code: NON-ENGLISH.
11. Anina, I. A. , Medved', I. L., and Proklina, T. L. (1975). Gonadotoxic Action of Pesticidal Thiocarbamic Acid Derivatives. *Farmakol. Toksikol. (Moscow)* 38: 90-93.

Rejection Code: NON-ENGLISH.

12. Anklam, E., Berg, H., Mathiasson, L., Sharman, M., and Ulberth, F. (1998). Supercritical Fluid Extraction Sef in Food Analysis a Review. *Food additives and contaminants* 15: 729-750.
Rejection Code: CHEM METHODS.
13. Ankumah, R. O., Dick, W. A., and Mcclung, G. (1995). Metabolism of Carbamothioate Herbicide Eptc by Rhodococcus Strain Je1 Isolated From Soil. *Soil science society of america journal* 59: 1071-1077.
Rejection Code: BACTERIA, FATE.
14. Ankumah, R. O., Mcclung, G., and Abou-Assaf, N. (1989). Enhanced Degradation of Eptc in Soil and by an Isolated Soil Microorganism Au - Dick Wa. *198th acs (american chemical society) national meeting, miami beach, florida, usa, september 10-15, 1989. Abstr pap am chem soc* 198: Agro 117.
Rejection Code: BACTERIA, FATE.
15. Anon (1991). Official Plant Protection Agent List With a Plant Protection Device List of the Federal Institute for Plant Protection Vienna Austria Status as of October 31 1990. *Pflanzenschutz (vienna)* 0: 1-78.
Rejection Code: REVIEW.
16. Anpalov, V. A. (Persistence of Soil Herbicides in Leached Chernozems of the Central Chernozem Region. *Khim. Sel. Khoz.* 12(9): 53-55 1974..
Rejection Code: FATE.
17. Arbuckle, T. E. and Sever, L. E. (1998). Pesticide Exposures and Fetal Death a Review of the Epidemiologic Literature. *Critical reviews in toxicology* 28: 229-270.
Rejection Code: HUMAN HEALTH.
18. Arnold, S. M., Hickey, W. J., Harris, R. F., and Talaat, R. E. (1996). Integrated Chemical and Biological Remediation of Atrazine-Contaminated Aqueous Wastes. *211th american chemical society national meeting, new orleans, louisiana, usa, march 24-28, 1996. Abstracts of papers american chemical society* 211: Agro 71.
Rejection Code: BACTERIA, FATE.
19. Arnold, S. M., Hickey, W. J., Harris, R. F., and Talaat, R. E. (1996). Integrating Chemical and Biological Remediation of Atrazine and S-Triazine-Containing Pesticide Wastes. *Environmental toxicology and chemistry* 15: 1255-1262.
Rejection Code: BACTERIA, FATE.
20. Ashton, F. M., de Villiers, O. T., Glenn, R. K., and Duke, W. B. (1977). Localization of metabolic sites of action of herbicides. *Pesticide Biochemistry and Physiology* 7: 122-141.
Rejection Code: REVIEW.
21. Ashton, F. M. and Monaco, T. J. (1991). Weed Science Principles and Practices Third Edition. *Ashton, f. M. And t. J. Monaco. Weed science: principles and practices, third edition. Ix+466p. John wiley and sons, inc.: New york, new york, usa Chichester, england, uk. Illus. Isbn 0-471-60084-9.; 0: Ix+466p.*
Rejection Code: REVIEW.
22. Aten, C. F. and Bourke, J. B. (Reverse-Phase Liquid Chromatographic Behavior of Some Carbamate and Urea Pesticides. *J. Agric. Food chem.* 25(6): 1428-1430 1977 (6 references).
Rejection Code: CHEM METHODS.
23. Atkinson, R. , Guicherit, R., Hites, R. A., Palm, W. U., Seiber, J. N., and De Voogt P (1999). Transformations of Pesticides in the Atmosphere: a State of the Art. *Water air and soil pollution* 115: 219-243.
Rejection Code: FATE.

24. Bagnati, R., Benfenati, E., Davoli, E., and Fanelli, R. (1988). Screening of 21 Pesticides in Water by Single Extraction With C18 Silica Bonded Phase Columns and Hrgc-Ms. *Chemosphere* 17: 59-66.
Rejection Code: FATE, CHEM METHODS.
25. Bahadir, M. and Pfister, G. (1990). Controlled Release Formulations of Pesticides. *Bahadir, m., P. Boeger, h. Buchenauer, m. Eto, m. A. Q. Khan, g. Pfister and g. Sandmann. Chemistry of plant protection, vol. 6. Controlled release, biochemical effects of pesticides, inhibition of plant pathogenic fungi. Ix+312p. Springer-verlag: berlin, west germany New york, new york, usa. Illus. Isbn 3-540-51316-7; isbn 0-387-51316-7.; 0: 1-64.*
Rejection Code: FATE.
26. Baker, D. B. and Richards, P. (1990). Transport of Soluble Pesticides Through Drainage Networks in Large Agricultural River Basins. *Kurtz, d. A. (Ed.). Long range transport of pesticides 195th national meeting of the american chemical society held jointly with the third chemical congress of north america, toronto, ontario, canada, june 1988. Xv+462p. Lewis publishers, inc.: Chelsea, michigan, usa. Illus. Maps. Isbn 0-87371-168-8.; 0: 241-270.*
Rejection Code: FATE.
27. Barney, J. E. II (Second Collaborative Study of a Gas-Liquid Chromatographic Method for the Assay of Thiocarbamate Formulations. *J. Assoc. Off. Anal. Chem. 59(1): 213-215 1976..*
Rejection Code: CHEM METHODS.
28. Barney Jeii (Collaborative Study of the Gas Chromatographic Determination of Six Thiocarbamate Herbicides in Formulations. *J. Ass. Offic. anal. Chem.57(1): 53-59 1974.*
Rejection Code: CHEM METHODS.
29. Barrett, M. (1997). Herbicide Selectivity Mechanisms in Maize: Using What We Know for the Future. *Br.Crop Prot.Conference- Weeds 587-596.*
Rejection Code: REFS CHECKED/REVIEW.
30. Barta, I. C. , Komives, T., and Dutka, F. (1984). Thiocarbamate Herbicide Effect on Fatty-Acid Composition of Membrane Lipids of Corn Zea-Mays Plants. *23rd meeting of the hungarian biochemical society, pecs, hungary, aug. 26-29, 1984. Acta biochim biophys acad sci hung 19: 131.*
Rejection Code: ABSTRACT.
31. Beach, E. D. , Fernandez-Cornejo, J., Huang, W. Y., and Uri, N. D. (1995). The Potential Risks of Groundwater and Surface Water Contamination by Agricultural Chemicals Used in Vegetable Production. *Journal of environmental science and health part a environmental science and engineering & toxic and hazardous substance control 30: 1295-1325.*
Rejection Code: FATE, HUMAN HEALTH.
32. Bean, B. W., Roeth, F. W., Martin, A. R., and Wilson, R. G. (1988). Influence of Prior Pesticide Treatments on Eptc and Butylate Degradation. *Weed sci 36: 70-77.*
Rejection Code: FATE.
33. Bean, B. W., Roeth, F. W., Martin, A. R., and Wilson, R. G. (1990). Rotation and Continuous Use of Dietholate, Fonofos, and Sc-0058 on Eptc Persistence in Soil. *Weed sci 38: 179-185.*
Rejection Code: FATE.
34. Behki, R., Topp, E., Dick, W., and Germon, P. (1993). Metabolism of the Herbicide Atrazine by Rhodococcus Strains. *Appl environ microbiol 59: 1955-1959 .*
Rejection Code: BACTERIA.
35. Behki, R., Topp, E., and Dick, W. A. (1992). Eptc-Degrading Rhodococcus-Sp Isolates Te1 and B30 Degrade the Herbicide Atrazine. *92nd general meeting of the american society for microbiology, new orleans,*

- louisiana, usa, may 26-30, 1992. Abstr gen meet am soc microbiol 92: 317.*
Rejection Code: BACTERIA, FATE.
36. Behki, R. M. (1995). Activation of Atrazine Metabolism by Thiocarbamate Herbicides in Rhodococcus Te1. *Journal of environmental science and health part b pesticides food contaminants and agricultural wastes* 30: 201-219.
Rejection Code: BACTERIA, FATE.
37. Behki, R. M. (1991). Degradation of Eptc S Ethyl-N N-Dipropylcarbamothioate and Other Carbamothioate Herbicides by a Rhodococcus-Sp. *91st general meeting of the american society for microbiology, dallas, texas, usa, may 5-9, 1991. Abstr gen meet am soc microbiol 91: 290.*
Rejection Code: BACTERIA, FATE.
38. Behki, R. M. (1994). Degradation of Thiocarbamate Herbicides and Organophosphorus Insecticides by Rhodococcus Species. *Chaudhry, g. R. (Ed.). Biological degradation and bioremediation of toxic chemicals. 515p. Dioscorides press: portland, oregon, usa. Isbn 0-931146-27-5. 0: 234-255.*
Rejection Code: BACTERIA, FATE.
39. Behki, R. M. (1991). Diallylate Degradation by an Eptc-Degrading Rhodococcus, and in Eptc-Treated Soil. *Soil biol biochem* 23: 789-794.
Rejection Code: BACTERIA.
40. Behki, R. M. and Khan, S. U. (1991). Inhibitory Effect of Parathion on the Bacterial Degradation of Eptc. *J agric food chem* 39: 805-808.
Rejection Code: BACTERIA, FATE.
41. Behki, R. M. and Khan, S. U. (1988). Metabolism of Propyl-1-Carbon-14-Eptc S Ethyl-N N-Dipropylthiocarbamate by a Soil Bacterial Isolate. *Annual meeting of the american society for microbiology, miami beach, florida, usa, may 8-13, 1988. Abstr annu meet am soc microbiol 88: 226.*
Rejection Code: BACTERIA, FATE.
42. Behki, Ram M. and Khan, Shahamat U. (1990). Degradation of [1-14C-propyl]EPTC (-ethyl dipropylthiocarbamate) by a soil bacterial isolate. *Chemosphere* 21: 1457-1463.
Rejection Code: BACTERIA, FATE.
43. Belashova, I. G. and Klisenko, M. A. (1985). A Method of Quantitative Analysis of a Pesticide Mixture of Varying Chemical Nature in the Urine. *Gig tr prof zabol* 0: 56-58.
Rejection Code: HUMAN HEALTH, CHEM METHODS.
44. Bell, C. E., Guerrero, J. N., and Granados, E. Y. (1996). A Comparison of Sheep Grazing with Herbicides for Weed Control in Seedling Alfalfa in the Irrigated Sonoran Desert. *J.Prod.Agric.* 9: 123-129.
Rejection Code: MIXTURE.
- Appears to be an efficacy study. Data are not conducive to determining measurable endpoints.**
45. Benfenati, E., Tremolada, P., Chiappetta, L., Frassanito, R., Bassi, G., Di Toro N, Fanelli, R., and Stella, G. (1990). Simultaneous Analysis of 50 Pesticides in Water Samples by Solid Phase Extraction and Gc-Ms. *Chemosphere* 21: 1411-1422.
Rejection Code: FATE, CHEM METHODS.
46. Benki, R. M. and Khan, S. U. (1990). Degradation of (1-Carbon-14 Propyl)Eptc (S-Ethyldipropylthiocarbamate) by a Soil Bacterial Isolate. *Chemosphere* 21: 1457-1464.
Rejection Code: BACTERIA, FATE.

47. Beyer, W. N. (1990). Evaluating Soil Contamination. *U s fish wildl serv biol rep* 90: I-viii, 1-25.
Rejection Code: EFFLUENT, SURVEY.
48. Bhatt, K. (1997). Occurrence and Distribution of Nitrate and Pesticides in Bowdle Aquifer, South Dakota. *Environmental monitoring and assessment* 47: 223-237.
Rejection Code: FATE.
49. Boger, P. (1997). Finding the Target Site of Chloroacetamides: A Thorny Subject. *J.Pestic.Sci.* 22: 257-262 .
Rejection Code: NO DURATION.
50. Bolton, Paul and Harwood, John L. (1976). Effect of thiocarbamate herbicides on fatty acid synthesis by potato. *Phytochemistry* 15: 1507-1509.
Rejection Code: IN VITRO.
51. Bottoni, P. and Funari, E. (1992). Criteria for Evaluating the Impact of Pesticides on Groundwater Quality. *Fourth international workshop on chemical, biological and ecotoxicological behaviour of pesticides in the soil environment, rome, italy, may 29-31, 1991. Sci total environ* 123-124: 581-590.
Rejection Code: FATE.
52. Bowers, M. C. (1987). The Effects of Conjunct Herbicides and Growth Stimulators on Moss Sporelings. *Xivth international botanical congress, berlin, west germany, july 24-august 1, 1987. Int bot Congr abstr* 17: 128.
Rejection Code: ABSTRACT.
53. Boyd-Boland, A. A., Chai, M., Luo, Y. Z., Yang, M. J., Zhang, Z., Yang, M. J., Pawliszyn, J. B., and Gorecki, T. (1994). New Solvent-Free Sample Preparation Techniques Based on Fiber and Polymer Technologies. *Environmental science & technology* 28: 569a-574a.
Rejection Code: FATE, CHEM METHODS.
54. Breiter, W. A., Baker, J. M., and Koskinen, W. C. (1998). Direct Measurement of Henry's Constant for S-Ethyl N,N-Di-N-Propylthiocarbamate. *Journal of agricultural and food chemistry* 46: 1624-1629.
Rejection Code: CHEM METHODS.
55. Brodskii, E. S., Klyuev, N. A., Tarasova, O. G., Zhil'nikov, V. G., and Mir-Kadyrova, E. Ya (1992). Chromatographic-Mass-Spectrometric Study of the Composition of Pollutants in Water of the Kilian Arm of the Danube. *Gidrobiol zh* 28: 98-102.
Rejection Code: FATE, HUMAN HEALTH.
56. Brudenell, A. Jp, Baker, D. A., and Grayson, B. T. (1995). Phloem Mobility of Xenobiotics: Tabular Review of Physicochemical Properties Governing the Output of the Kleier Model. *Plant growth regulation* 16: 215-231.
Rejection Code: MODELING.
57. Brueggemann, R., Buecherl, C., Pudenz, S., and Steinberg, C. Ew (1999). Application of the Concept of Partial Order on Comparative Evaluation of Environmental Chemicals. *Acta hydrochimica et hydrobiologica* 27: 170-178.
Rejection Code: NO TOX DATA.
58. Buzio, C. A. and Burt, G. W. (Leaching of Eptc and R-25788 in Soil. *Weed sci.* 28(3): 241-245 1980 (10 references).
Rejection Code: FATE.
59. Cain, R. B. and Head, I. M. (1991). Enhanced Degradation of Pesticides Its Biochemical and Molecular Biological Basis. *Walker, a. (Ed.). British crop protection council monograph, no. 47. Pesticides in soils and water: current perspectives* Symposium, coventry, england, uk, march 25-27, 1991. Ix+233p.

- British crop protection council: farnham, england, uk. Illus. Maps. Paper. Isbn 0-948404-51-5.; 0: 23-40.
Rejection Code: FATE.
60. Canter, L. W., Know, R. C., and Fairchild, D. M. (1987). Ground Water Quality Protection. *Canter, L. W., R. C. Knox and d. M. Fairchild. Ground water quality protection. Xxviii+562p. Lewis publishers, inc.: Chelsea, michigan, usa. Illus. Isbn 0-87371-018-5. 0: Xxviii+562p.*
Rejection Code: FATE.
61. Carere, A., Ortali, V. A., Cardamone, G., and Morpurgo, G. (Mutagenicity of Dichlorvos and Other Structurally Related Pesticides in Salmonella and Steptomyces. *Chem. Biol. Interact. 22(2-3): 297-308 1978 (27 references).*
Rejection Code: BACTERIA.
62. Carey, A. E., Wiersma, G. B., Tai, H., and Mitchell, W. G. (1973). Organochlorine Pesticide Residues in Soils and Crops of the Corn Belt Region, United States - 1970. *Pestic.Monit.J. 6: 369-376.*
Rejection Code: SURVEY.
63. Cashman, J. R., Olsen, L. D., Young, G., and Bern, H. (1989). S-Oxygenation of Eptam in Hepatic Microsomes From Freshwater and Saltwater Striped Bass (Morone Saxatilis). *Chem res toxicol 2: 392-399.*
Rejection Code: IN VITRO.
64. Casida, J. E., Kimmel, E. C., Ohkawa, H., and Ohkawa, R. (Sulfoxidation of Thiocarbamate Herbicides and Metabolism of Thiocarbamate Sulfoxides in Living Mice and Liver Enzyme Systems. *Pestic. Biochem. Physiol. 5(1): 1-11 1975.*
Rejection Code: FATE.
65. Casida, J. E. and Ruzo, L. O. (1986). Reactive Intermediates in Pesticide Metabolism Peracid Oxidations as Possible Biomimetic Models. *Issx (international society for the study of xenobiotics) first european meeting on foreign compound metabolism, malta, italy, 1985. Xenobiotica 16: 1003-1016.*
Rejection Code: MODELING.
66. Caswell, R. L. (Report on Pesticide Formulations. *J. Ass. Offic. Anal. Chem.57(2): 249-251; 1974.*
Rejection Code: CHEM METHODS.
67. Caswell, R. L. (Report on Pesticide Formulations. I. *J. Assoc. Off. Anal. Chem. 59(2): 296-297; 1976.*
Rejection Code: CHEM METHODS.
68. Cereghino, R., Giraudel, J. L., and Compin, A. (2001). Spatial analysis of stream invertebrates distribution in the Adour-Garonne drainage basin (France), using Kohonen self organizing maps. *Ecological Modelling 146: 167-180.*
Rejection Code: SURVEY.
69. Cervelli, S. , Perna, A., and Ekler, Z. (1989). A Simple Model to Evaluate Herbicide Fate in the Air-Water-Soil System. *International symposium on agricultural ecology and environment, padova, italy, april 5-7, 1988. Agric ecosyst environ 27: 523-530.*
Rejection Code: FATE.
70. Cervelli, S. and Perret, D. (1996). Mathematical Models and Their Significance in Environmental Chemistry: the Soil. *Annali di chimica 86: 635-652.*
Rejection Code: MODELING.
71. Chapalamadugu, S. and Chaudhry, G. R. (1992). Microbiological and Biotechnological Aspects of Metabolism of Carbamates and Organophosphates. *Crit rev biotechnol 12: 357-389.*
Rejection Code: FATE, MODELING.

72. Chen, Wei R. , Wu, Changlong, Elovitz, Michael S., Linden, Karl G., and (Mel) Suffet, I. H. (Reactions of thiocarbamate, triazine and urea herbicides, RDX and benzenes on EPA Contaminant Candidate List with ozone and with hydroxyl radicals. *Water Research* In Press, Corrected Proof.
Rejection Code : CHEM METHODS.
73. Chen, Y. S. and Casida, J. E. (Thiocarbamate Herbicide Metabolism: Microsomal Oxygenase Metabolism of Eptc Involving Mono- and Dioxygenation at the Sulfur and Hydroxylation at Each Alkyl Carbon. *J. Agric. Food chem.* 26(1): 263-267 1978 (11 references).
Rejection Code: IN VITRO, FATE.
74. Choudhury, T. K., Gerhardt, K. O., and Mawhinney, T. P. (1996). Solid-Phase Microextraction of Nitrogen- and Phosphorus-Containing Pesticides From Water and Gas Chromatographic Analysis. *Environmental science & technology* 30: 3259-3265.
Rejection Code: FATE, CHEM METHODS.
75. Clendening, L. D., Jury, W. A., and Ernst, F. F. (1990). A Field Mass Balance Study of Pesticide Volatilization Leaching and Persistence. *Kurtz, d. A. (Ed.). Long range transport of pesticides* 195th national meeting of the american chemical society held jointly with the third chemical congress of north america, toronto, ontario, canada, june 1988. Xv+462p. Lewis publishers, inc.: Chelsea, michigan, usa. Illus. Maps. Isbn 0-87371-168-8.; 0: 47-60.
Rejection Code: FATE.
76. Cliath, M. M., Spencer, W. F., Farmer, W. J., Shoup, T. D., and Grover, R. (Volatilization of S-Ethyl N,N-Dipropylthiocarbamate From Water and Wet Soil During and After Flood Irrigation of an Alfalfa Field. *J. Agric. Food chem.* 28(3): 610-613 1980 (18 references).
Rejection Code: FATE, METHODS.
77. Cloos, P. (Interactions Between Pesticides and the Mineral Fraction of Soil. *Pedologie*22(2): 148-173 1972.
Rejection Code: FATE.
78. Close, M. E. (1993). Assessment of Pesticide Contamination of Groundwater in New Zealand: 1. Ranking of Regions for Potential Contamination. *N z j mar freshwater res* 27: 257-266.
Rejection Code: FATE.
79. Close, M. E. and Canter, L. W. (1990). A Planning Index for Assessing Potential Pesticide Contamination in Ground Water Systems. *Environ prof* 12: 278-285.
Rejection Code: FATE.
80. Cobb, A. (1992). Herbicides and Plant Physiology. *Cobb, a. Herbicides and plant physiology.* Xv+176p. Chapman and hall: london, england, uk New york, new york, usa. Illus. Paper. Isbn 0-412-43860-7.; 0: Xv+176p.
Rejection Code: REVIEW.
81. Compin, Arthur and Cereghino, Regis (2003). Sensitivity of aquatic insect species richness to disturbance in the Adour-Garonne stream system (France). *Ecological Indicators* 3: 135-142.
Rejection Code: SURVEY.
82. Cotterill, E. G. and Owen, P. G. (1989). Enhanced Degradation in Soil of Tri-Allate and Other Carbamate Pesticides Following Application of Tri-Allate. *Weed res* 29: 65-68.
Rejection Code: FATE.
83. Crebelli, R. and Carere, A. (1987). Chemical and Physical Agents Assayed in Tests for Mitotic Intergenic and Intragenic Recombination in Aspergillus nidulans Diploid Strains. *Mutagenesis* 2: 469-476.
Rejection Code: REVIEW.

84. Crepeau, K. L., Kuivila, K. M., and Bergamaschi, B. (Dissolved Pesticides in the Alamo River and the Salton Sea, California, 1996-1997. *Govt reports announcements & index (gra&i), issue 09, 2006.*
Rejection Code: FATE.
85. Csitari, G., Debreczeni, K., and Sisak, I. (1996). Effect of Herbicides on the Urea Transformation in Soil. *Van cleemput, o., G. Hofman and a. Vermoesen (ed.). Developments in plant and soil sciences, vol. 68. Progress in nitrogen cycling studies 8th nitrogen workshop, ghent, belgium, september 5-8, 1994. Xiii+715p.* Kluwer academic publishers: dordrecht, netherlands; norwell, massachusetts, usa. Isbn 0-7923-3962-2.; 68: 191-194 .
Rejection Code: FATE.
86. Cubero-Ferradal, F., Rodriguez-Procopio, J., and Hernandez-Hernandez, L. (1992). Determination of Thiocarbamate Herbicides in Natural Water by Hplc With Spectrophotometric Detection. *Fresenius' j anal chem* 343: 382-385.
Rejection Code: FATE, CHEM METHODS.
87. Cullimore, D. R. and Ball, L. (New Monitoring System for Proteolysis in Soil as Influenced by Selected Herbicidal Applications. *Appl. Environ. Microbiol.* 36(6): 959-961 1978 (4 references).
Rejection Code: FATE.
88. D'amico, J. J. and Bollinger, F. G. (1990). Synthesis of Structurally Related Commercial Carbamate Herbicides Insecticides and Fungicides. *Baker, d. R., J. G. Fenyas and w. K. Moberg (ed.). Acs (american chemical society) symposium series, 443. Synthesis and chemistry of agrochemicals ii Meeting. Xiii+609p.* American chemical society: washington, d.c., Usa. Illus. Isbn 0-8412-1885-4.; 0: 300-320.
Rejection Code: CHEM METHODS.
89. Dellarco, V. L., Mavournin, K. H., and Waters, M. D. (1986). Aneuploidy Data Review Committee Summary Compilation of Chemical Data-Base and Evaluation of Test Methodology. *Mutat res* 167: 149-170.
Rejection Code: MODELING, REVIEW.
90. Demarco, A. C. and Hayes, E. R. (Photodegradation of Thiocarbamate Herbicides. *Chemosphere* 8(5): 321-326 1979 (8 references).
Rejection Code: FATE, CHEM METHODS.
91. Dest, W. M., Peters, R. A., and Barrett, M. (1976). The Control of Crabgrass and Redroot Pigweed in Silage Corn. *Proc.Northeast.Weed Sci.Soc.* 30: 55-58.
Rejection Code: MIXTURE.
- This is an efficacy study. Data are not conducive to determining measurable endpoints.**
92. Deuber, R. and Hiroce, R. (1974). Influence of Herbicides on the Macronutrient Concentration in Maize and Bean Plants. *Bragantia* 33(Nota 23): CXV-CXXI (POR) (ENG ABS).
Rejection Code: NON-ENGLISH.
93. Deuber, R. and Hiroce, R. (1974). Influence of Herbicides on the Macronutrient Concentration in Maize and Kidney Bean Plants. *Bragantia* 33(Nota 23): CXV-CXXI (POR) (ENG ABS).
Rejection Code: NON-ENGLISH.
94. Dick, W. A., Ankumah, R. O., Mcclung, G., and Abou-Assaf, N. (1990). Enhanced Degradation of S Ethyl N N-Dipropylcarbamothioate in Soil and by an Isolated Soil Microorganism. *Racke, k. D. And j. R. Coats (ed.). Acs (american chemical society) symposium series, vol. 426. Enhanced biodegradation of pesticides in the environment 198th national meeting, miami beach, florida, usa, september 10-15, 1989. X+302p.* American chemical society: washington, d.c., Usa. Illus. Isbn 0-8412-1784-x.; 0: 98-112.

Rejection Code: BACTERIA, FATE.

95. Dinelli, G., Vicari, A., and Catizone, P. (1996). Monitoring of Herbicide Pollution in Water by Capillary Electrophoresis. *Journal of chromatography a* 733: 337-347.
Rejection Code: FATE, CHEM METHODS.
96. Domagalski, J. (1997). Results of a Prototype Surface Water Network Design for Pesticides Developed for the San Joaquin River Basin, California. *Journal of hydrology (amsterdam)* 192: 33-50 .
Rejection Code: FATE.
97. Donald, W. W. and Ogg, A. G Jr (1991). Biology and Control of Jointed Goat Grass *Aegilops-Cylindrica* a Review. *Weed technol* 5: 3-17.
Rejection Code: REVIEW.
98. Done, A. K. (The Toxic Emergency. *Emerg. Med.* 11(4): 186-187, 191-193, 197 1979.
Rejection Code: HUMAN HEALTH.
99. Dourson, M. L., Knauf, L. A., and Swartout, J. C. (1992). On Reference Dose (Rfd) and Its Underlying Toxicity Data Base. *Toxicol ind health* 8: 171-189.
Rejection Code: REVIEW.
100. Dowler, C. C., Marti, L. R., Kvien, C. S., Skipper, H. D., Gooden, D. T., and Zublena, J. P. (1987). Accelerated Degradation Potential of Selected Herbicides in the Southeastern Usa. *Weed technol* 1: 350-358.
Rejection Code: FATE.
101. Dreistadt, S. H., Clark, J. K., and Flint, M. L. (1994). Pests of Landscape Trees and Shrubs an Integrated Pest Management Guide. *Dreistadt, s. H., J. K. Clark and m. L. Flint. Pests of landscape trees and shrubs: an integrated pest management guide. Vi+327p. University of california press: berkeley, california, usa. Isbn 1-879906-18-x. 0: Vi+327p.*
Rejection Code: REVIEW.
102. Drew, J. C. and Zajicek, J. M. (1988). Phytotoxic Response of Herbaceous Perennial Species to Pre-Emergence and Post-Emergence Herbicides. *85th annual meeting of the american society for horticultural science and the 33rd annual meeting of the canadian society for horticultural science, east lansing, michigan, usa, august 6-11, 1988. Hortscience* 23: 774.
Rejection Code: ABSTRACT.
103. Dubrovsky, N. M., Kratzer, C. R., Panshin, S. Y., Gronberg, J. M., and Kuivila, K. M. (1998). Pesticide Transport in the San Joaquin River Watershed. *215th american chemical society national meeting, dallas, texas, usa, march 29-april 2, 1998. Abstracts of papers american chemical society* 215: Agro 42.
Rejection Code: FATE.
104. Dugay, J., Miede, C., and Hennion, M. C. (1998). Effect of the Various Parameters Governing Solid-Phase Microextraction for the Trace-Determination of Pesticides in Water. *Journal of chromatography a* 795: 27-42.
Rejection Code: CHEM METHODS.
105. Dutka, F. (1991). Bioactive Chemical Bond Systems in Safeners and Prosafeners. *Z naturforsch sect c biosci* 46: 805-809.
Rejection Code: CHEM METHODS.
106. Ebbert, J. C. and Kim, M. H. (1998). Relation Between Irrigation Method, Sediment Yields, and Losses of Pesticides and Nitrogen. *Journal of environmental quality* 27: 372-380.

- Rejection Code: FATE.
107. Edmiston, S. and Maddy, K. T. (1987). Summary of Illnesses and Injuries Reported in California Usa by Physicians in 1986 as Potentially Related to Pesticides. *Vet hum toxicol* 29: 391-397.
Rejection Code: HUMAN HEALTH.
108. Edwards, C. A. (1989). Impact of Herbicides on Soil Ecosystems. *Crit rev plant sci* 8: 221-257.
Rejection Code: FATE.
109. Egli, M. A. , Low, D., White, K. R., and Howard, J. A. (1985). Effects of Herbicides Analogs on Carbon-14 Leucine Incorporation by Suspension-Cultured Solanum-Nigrum Cells. *Pestic biochem physiol* 24: 112-118.
Rejection Code: IN VITRO.
110. Ekler, Z. (1988). Behavior of Thiocarbamate Herbicides in Soils Adsorption and Volatilization. *Pestic sci* 22: 145-158.
Rejection Code: FATE.
111. Ekler, Z., Marton, A. F., and Dutka, F. (Model Laboratory Soil Experiments on the Leaching and Volatilization of Eptc. *Acta agron hung;* 35 (3-4). 1986 (recd. 1987). 309-314.
Rejection Code: FATE, MODELING.
112. Emnova, E. E. and Angelich, S. G. (Genetic Activity of Carbamate Herbicides in the Bacteria Escherichia-Coli and the Yeast Saccharomyces-Cerevisiae. *Genetika;* 22 (10). 1986 (recd. 1987). 2416-2422.
Rejection Code: BACTERIA, YEAST.
113. Erdmann, F. , Brose, C., and Schuetz, H. (1990). A Tlc Screening Program for 170 Commonly Used Pesticide Using the Corrected Rf Value (Rcf Value). *Int j leg med* 104: 25-32.
Rejection Code: CHEM METHODS.
114. Erusha, K. S., Fricker, C., Shearman, R. C., and Steinegger, D. H. (1991). Effect of Preemergence Herbicide on Wildflower Establishment. *Hortscience* 26: 209.
Rejection Code: ABSTRACT.
115. European, A. N. D. Mediterranean Plant Protection Organization (1994). Guideline on Good Plant Protection Practice Potato. *Bulletin oepp* 24: 825-845.
Rejection Code: REVIEW.
116. Ezra, G. and Gressel, J. (1982). Rapid effects of a thiocarbamate herbicide and its dichloroacetamide protectant on macromolecular syntheses and glutathione levels in maize cell cultures. *Pesticide Biochemistry and Physiology* 17: 48-58.
Rejection Code: IN VITRO.
117. Ezra, G., Gressel, J., and Flowers, H. M. (1983). Effects of the herbicide EPTC and the protectant DDCA on incorporation and distribution of [2-14C]acetate into major lipid fractions of maize cell suspension cultures. *Pesticide Biochemistry and Physiology* 19: 225-234.
Rejection Code: IN VITRO.
118. Ezra, G., Krochmal, E., and Gressel, J. (1982). Competition between a thiocarbamate herbicide and herbicide protectants at the level of uptake into maize cells in culture. *Pesticide Biochemistry and Physiology* 18: 107-112.
Rejection Code: IN VITRO.
119. Ezra, G. and Stephenson, G. R. (1985). Comparative metabolism of atrazine and EPTC in proso millet

- (*Panicum miliaceum* L.) and corn. *Pesticide Biochemistry and Physiology* 24: 207-212.
Rejection Code: FATE.
120. Felsot, A. S. and Shelton, D. R. (1993). Enhanced Biodegradation of Soil Pesticides Interaction Between Physicochemical Processes and Microbial Ecology. *Sssa special publication* 0: 227-251.
Rejection Code: FATE.
121. Ferge, A. and Sellei, L. (1995). Study on Organic Micropollutants of the Maros Mures River. *Hamar, j. And a. Sarkany-kiss (ed.). Tiscia monograph series: the maros river valley: a study of the geography, hydrobiology and ecology of the river and its environment. Ii+257p. Tisza klub: szolnok, hungary. Isbn 963-04-5103-4. 0: 135-141.*
Rejection Code: SURVEY.
122. Fick, G. W. and Power, A. G. (Pests and Integrated Control. *Pearson, c. J (ed.). Ecosystems of the world, 18. Field crop ecosystems. Xiii+576p. Elsevier science publishers b.v.: Amsterdam, netherlands; new york, new york, usa. Illus. Maps. Isbn 0-444-88675-3.; 0 (0). 1992. 59-83. Ab - biosis copyright: biol abs. Rrm arthropods insects weeds climate pesticides biological control integrated pest management.*
Rejection Code: REVIEW.
123. Finizio, A. , Vighi, M., and Sandroni, D. (1997). Determination of N-Octanol/Water Partition Coefficient (Kow) of Pesticide Critical Review and Comparison of Methods. *Chemosphere* 34: 131-161.
Rejection Code: METHODS.
124. Flashman, S. M. (1985). Use of a Non-Volatile Thiocarbamate to Select for Herbicide-Tolerant Tobacco *Nicotiana-Tabacum* Cell Lines. *Plant sci (shannon)* 38: 149-154.
Rejection Code: IN VITRO.
125. Flashman, S. M., Meredith, C. P., and Howard, J. A. (1985). Selection for increased vernolate tolerance in tobacco (*Nicotiana tabacum* L.) cell cultures. *Plant Science* 38: 141-148.
Rejection Code: IN VITRO.
126. Fodor-Csorba, K. (1992). Chromatographic Methods for the Determination of Pesticides in Foods. *J chromatogr* 624: 353-367.
Rejection Code: CHEM METHODS.
127. Fodor-Csorba, K. and Dutka, F. (1986). Selectivity and Sensitivity of Some Thin-Layer Chromatographic Detection Systems. *Fifth danube symposium on chromatography, part ii, yalta, ussr, nov. 11-16, 1985. J chromatogr* 365: 309-314 .
Rejection Code: CHEM METHODS.
128. Fodor-Csorba, K., Holly, S., Neszmelyi, A., and Bujtas, G. (1992). Characterization of Reaction Products Formed During Thin-Layer Chromatographic Detection of Thiocarbamate Herbicides. *Talanta* 39: 1361-1367.
Rejection Code: CHEM METHODS.
129. Fodor-Csorba, K., Komives, T., Marton, A. F., and Dutka, F. (Tiokarbatat Hericidek Szermaradek Meghatározása Novényi Eredeti Elelmiszerekben. [Determination of Residues of Thiocarbamate Herbicides in Foods of Vegetable of Origin.]. *Elelmiszervizsgalati kozl. 24(4-5): 205-209 1979 (13 references).*
Rejection Code: CHEM METHODS.
130. Fodornecsorba, K., Komives, T., Marton, A. F., and Dutka, F. (Detection of Thiocarbamate Herbicides by Thin-Layer Chromatography. *Magy. Kem. Foly. 84(11): 526-527 1978 (7 references).*

Rejection Code: CHEM METHODS.

131. Foster, G. D., Foreman, W. T., and Gates, P. M. (Performance of the Goulden Large-Sample Extractor in Multiclass Pesticide Isolation and Preconcentration From Stream Water. Rejection Code: FATE, METHODS.
132. Foster, G. D., Gates, P. M., Foreman, W. T., Mckenzie, S. W., and Rinella, F. A. (1993). Determination of Dissolved-Phase Pesticides in Surface Water From the Yakima River Basin, Washington, Using the Goulden Large-Sample Extractor and Gas Chromatography/Mass Spectrometry. *Environ sci technol* 27: 1911-1917. Rejection Code: FATE, CHEM METHODS.
133. Frank, R., Braun, H. E., Clegg, B. S., Ripley, B. D., and Johnson, R. (1990). Survey of Farm Wells for Pesticides Ontario Canada 1986 and 1987. *Bull environ contam toxicol* 44: 410-419. Rejection Code: FATE, SURVEY.
134. Frank, R. and Logan, L. (1988). Pesticide and Industrial Chemical Residues at the Mouth of the Grand Saugeen and Thames Rivers Ontario Canada 1981-1985. *Arch environ contam toxicol* 17: 741-754. Rejection Code: FATE.
135. Frank, R., Logan, L., and Clegg, B. S. (1991). Pesticide and Polychlorinated Biphenyl Residues in Waters at the Mouth of the Grand, Saugeen, and Thames Rivers, Ontario, Canada, 1986-1990. *Arch environ contam toxicol* 21: 585-595. Rejection Code: FATE.
136. Frankenberger, W. T. and Tabatabai, M. A. (1981). Amidase Activity in Soils: IV. Effects of Trace Elements and Pesticides. *Soil Sci.Soc.Am.J.* 45: 1120-1124. Rejection Code: BACTERIA.
137. Freemark, K. and Boutin, C. (1995). Impacts of Agricultural Herbicide Use on Terrestrial Wildlife in Temperate Landscapes: a Review With Special Reference to North America. *Agriculture ecosystems & environment* 52: 67-91. Rejection Code: REVIEW.
138. Gangbazo, G., Cluis, D., and Bernard, C. (1999). Knowledge Acquired on Agricultural Nonpoint Pollution in Quebec 1993-1998: Analysis and Perspectives. *Vecteur environnement* 32: 36-45. Rejection Code: FATE.
139. Garry, V. F., Schreinemachers, D., Harkins, M. E., and Griffith, J. (1996). Pesticide Appliers, Biocides, and Birth Defects in Rural Minnesota. *Environmental health perspectives* 104: 394-399. Rejection Code: HUMAN HEALTH.
140. Gaziev, M. T. (Vliianie Gerbitsidov Na Mikrofloru Pochvy Na Vinegradnikakh. [Effect of Herbicides on Soil Microflora in Vineyards.]. *Khim. Sel'sk. Khoz.* 17(5): 61-63 1979 (7 references). Rejection Code: BACTERIA.
141. Gee, S. J., Harrison, R. O., Goodrow, M. H., Braun, A. L. , and Hammock, B. D. (1991). Development of Immunoassays for Thiocarbamate Herbicides. *Vanderlaan, m., Et al. (Ed.). Acs (american chemical society) symposium series, 451. Immunoassays for trace chemical analysis: monitoring toxic chemicals in humans, food, and the environment* Meeting, honolulu, hawaii, usa, december 17-22, 1989. X+374p. American chemical society: washington, d.c., Usa. Illus. Isbn 0-8412-1905-2.; 0: 100-107. Rejection Code: IN VITRO, METHODS.
142. Gentner, W. A. (1952). Influence of EPTC on the Deposition of Surface Wax of Cabbage Leaves. *Weed Soc.Am.Abstr.* 1961: 53-54 (ABS).

Rejection Code: NO CONC/NO DURATION.

143. Getmanets, A. Ya, Kramarev, S. M., Vittsenko, V. P., Bovykin, B. A., Tishkina, N. S., and Matrosov, A. S. (1991). Chemical Compatibility of Zhku 10-34-O Ks-28 and Herbicides Combined Use in Intensive Maize Cultivation. *Agrokhimiya* 0: 38-44.
Rejection Code: NON-ENGLISH.
144. Ghani, A. and Allbrook, R. F. (1986). Influence of Several Soil Properties on the Degradation of S Ethyl N N-Dipropylthiocarbamate in Some New-Zealand Soils. *N z j agric res* 29: 469-474.
Rejection Code: FATE.
145. Gilbertson, R. L., Ruppel, E. G., and Schweizer, E. E. (1985). Effect of Herbicide Regimes on Bean Root Rot Severity and Dry Bean Yields in Colorado Usa. *Annual meeting of the american phytopathological society, reno, nevada, usa, aug. 11-15, 1985. Phytopathology* 75: 1296.
Rejection Code: ABSTRACT.
146. Gilliom, R. J., Barbash, J. E., Kolpin, D. W., and Larson, S. J. (1999). Testing Water Quality for Pesticide Pollution: U.s. Geological Survey Investigations Reveal Widespread Contamination of the Nation's Water Resources. *Environmental science & technology* 33: 164a-169a.
Rejection Code: FATE.
147. Goos, R. J. and Ahrens, W. H. (1992). Ammonium Thiosulfate Effect on Herbicide Longevity in Soil. *Agron j* 84: 459-463.
Rejection Code: FATE.
148. Griffini, O., Bao, M. L., Barbieri, C., Burrini, D., and Pantani, F. (1997). Occurrence of Pesticides in the Arno River and in Potable Water a Survey of the Period 1992-1995. *Bulletin of environmental contamination and toxicology* 59: 202-209.
Rejection Code: FATE.
149. Gronwald, J. W. (1991). Lipid Biosynthesis Inhibitors. *Weed sci* 39: 435-449.
Rejection Code: FATE.
150. Guttieri, M. J. and Eberlein, C. V. (1997). Preemergence Weed Control in Potatoes (*Solanum tuberosum*) with Rimsulfuron Mixtures. *Weed Technol.* 11: 755-761.
Rejection Code: MIXTURE.
- 0.875 kg/ha = 0.7805 lb/A; 875 g/ha = 0.7805 lb/A (ratio of 0.000892). 2240 g/ha = 2 lb/A; 4480 g/ha = 4 lb/A. **This is an efficacy study. Lowest amount tested is approximately 2 lb/A. Lowest weed control was 50% (hairy nightshade). Data are not conducive to determining measurable endpoints; nevertheless, based on these data, it is likely that the endpoint is higher than the endpoint from the submitted studies.**
151. Hale, M. G. and Moore, L. D. (Factors Affecting Root Exudation Ii: 1970-1978. *Adv. Agron.* 31: 93-124 1979 (140 references).
Rejection Code: REVIEW.
152. Halfon, E., Galassi, S., Bruggemann, R., and Provini, A. (1996). Selection of Priority Properties to Assess Environmental Hazard of Pesticides. *Chemosphere* 33: 1543-1562.
Rejection Code: METHODS.
153. Hall, G. L. , Whitehead, W. E., Mourer, C. R., and Shibamoto, T. (1986). A New Gas Chromatographic Retention Index for Pesticides and Related Compounds. *J high resolut chromatogr chromatogr commun* 9: 266-271.

Rejection Code: CHEM METHODS.

154. Hallberg, G. R. (1989). Pesticide Pollution of Groundwater in the Humid Usa. *Agric ecosyst environ* 26: 299-368.
Rejection Code: FATE.
155. Harvey, R. G. (1990). Biodegradation of Butylate, Eptc, and Extenders in Previously Treated Soils. *Weed sci* 38: 237-242.
Rejection Code: FATE.
156. Harvey, R. G. (1987). Herbicide Dissipation From Soils With Different Herbicide Use Histories. *Weed sci* 35: 583-589.
Rejection Code: FATE.
157. Harvey, R. G. (1990). Systems Allowing Continued Use of Carbamothioate Herbicides Despite Enhanced Biodegradation. *Racke, k. D. And j. R. Coats (ed.). Acs (american chemical society) symposium series, vol. 426. Enhanced biodegradation of pesticides in the environment* 198th national meeting, miami beach, florida, usa, september 10-15, 1989. X+302p. American chemical society: washington, d.c., Usa. Illus. Isbn 0-8412-1784-x.; 0: 214-221.
Rejection Code: FATE.
158. Harvey, R. G., Dekker, J. H., Fawcett, R. S., Roeth, F. W., and Wilson, R. G. (1987). Enhanced Biodegradation of Herbicides in Soil and Effects on Weed Control. *Weed Technol.* 1: 341-349.
Rejection Code: REVIEW.
159. Harwood, J. L. (1991). Lipid Synthesis. *Kirkwood, r. C. (Ed.). Topics in applied chemistry: target sites for herbicide action. Xv+339p. Plenum press: new york, new york, usa* London, england, uk. Illus. Isbn 0-306-43846-1.; 0: 57-94.
Rejection Code: IN VITRO.
160. Hashem, F. (1989). Effect of Herbicides on the Survival of Soil Microorganisms. *89th annual meeting of the american society for microbiology, new orleans, louisiana, usa, may 14-18, 1989. Abstr annu meet am soc microbiol* 89: 298.
Rejection Code: ABSTRACT.
161. Hatfield, J. L., Jaynes, D. B., Burkart, M. R., Cambardella, C. A., Moorman, T. B., Prueger, J. H., and Smith, M. A. (1999). Water Quality in Walnut Creek Watershed: Setting and Farming Practices. *Journal of environmental quality* 28: 11-24.
Rejection Code: FATE.
162. Hatrik, S. and Tekel, J. (1996). Extraction Methodology and Chromatography for the Determination of Residual Pesticides in Water. *Journal of chromatography a* 733: 217-233.
Rejection Code: FATE, CHEM METHODS.
163. Hatzios, K. K. (1991). An Overview of the Mechanisms of Action of Herbicide Safeners. *Z naturforsch sect c biosci* 46: 819-827.
Rejection Code: REVIEW.
164. Hauser, E. W., Shaw, W. C., Harrison, H. F., and Parham, S. A. (1962). Herbicides and Herbicide Mixtures for Weed Control in Peanuts. *Weeds* 10: 139-144.
Rejection Code: MIXTURE.

Efficacy study. Again, available data indicate that the rates are probably higher than those used for endpoints.

165. Helmeczi, B. (Effect of Herbicides on Quantitative Changes of Soil Bacteria. *Acta microbiol. Acad. Sci. Hung.* 24(1): 62-63 1977.
Rejection Code: BACTERIA.
166. Hess, F. D. (1987). Herbicide Effects on the Cell Cycle of Meristematic Plant Cells. *Rev weed sci* 3: 183-203.
Rejection Code: IN VITRO.
167. Hoffmann, O. L. (Herbicide Antidotes: Concept to Crop. *Chemtech* 8(8): 488-492 1978 (21 references).
Rejection Code: REVIEW.
168. Hooper, Alan B., Terry, Kathleen R., and Maxwell, Peter C. (1977). Hydroxylamine oxidoreductase of Nitrosomonas. Oxidation of diethyldithiocarbamate concomitant with stimulation of nitrite synthesis. *Biochimica et Biophysica Acta (BBA) - Bioenergetics* 462: 141-152.
Rejection Code: BACTERIA.
169. Hornsby, A. G., Buttler, T. M., and Brown, R. B. (1993). Managing Pesticides for Crop Production and Water Quality Protection: Practical Grower Guides. *Agriculture ecosystems & environment* 46: 187-196.
Rejection Code: FATE.
170. Horvath, L. and Pulay, A. (Metabolism of Eptc in Germinating Corn: Sulfone as the True Carbamoylating Agent. *Pestic. Biochem. Physiol.* 14(3): 265-270 1980 (13 references).
Rejection Code: FATE.
171. Howard, A. L., Braue, C., and Taylor, L. T. (1993). Analysis of Thiocarbamate Pesticides in Apples Employing Sfe and High Performance Liquid Chromatography Coupled Sulfur Chemiluminescence Detection. *205th acs (american chemical society) national meeting, denver, colorado, usa, march 28-april 2, 1993. Abstr pap am chem soc* 205: Envr 75.
Rejection Code: CHEM METHODS.
172. Howard, A. L., Braue, C., and Taylor, L. T. (1993). Feasibility of Thiocarbamate Pesticide Analysis in Apples by Supercritical Fluid Extraction and High-Performance Liquid Chromatography. *Journal of chromatographic science* 31: 323-329.
Rejection Code: CHEM METHODS.
173. Hubbell, J. P. and Casida, J. E. (Metabolic Fate of the N,N-Dialkylcarbamoyl Moiety of Thiocarbamate Herbicides in Rats and Corn. *J. Agric. Food chem.* 25(2): 404-413 1977..
Rejection Code: FATE.
174. Hull, M. R. and Cobb, A. H. (The Effect of Graminicides on Plant Plasma Membrane H⁺-Atpase Activity in Vitro. *British crop protection council. The 1997 brighton crop protection conference: weeds, vols. 1-3; international conference, brighton, england, uk, november 17-20, 1997. Xxiv+442p.(Vol. 1); xxiv+451p.(Vol. 2); xxiv+307p.(Vol. 3) british crop protection council (bcpc): farnham, england, uk. Isbn 1-901396-45-2(set); isbn 1-901396-46-0(vol. 1); isbn 1-901396-47-9(vol. 2); isbn 1-901396-48-7(vol. 3).; 0 (0). 1997. 819-824.*
Rejection Code: IN VITRO.
175. Hull, M. R. and Cobb, A. H. (1998). An Investigation of Herbicide Interaction With the H⁺-Atpase Activity of Plant Plasma Membranes. *Pesticide science* 53: 155-164.
Rejection Code: IN VITRO.
176. Hun'ko, N. V., Dubova, N. F., and Torbin, V. F. (1996). About the System of Medical and Social Security of the People of Ukraine Injured by Chernobyl Radiation Caused by Atomic Power Station

- Catastrophe. Au - Omel'yanets' Mi. *Farmatsevychnyi zhurnal (kiev)* 0: 58-62.
Rejection Code: HUMAN HEALTH.
177. Hutchinson, P. J., Shea, P. J., Takacs, J. M., and Staswick, P. E. (1993). Immunoassay to Detect Enhanced Carbamothioate Degradation in Soil. *Weed technol* 7: 396-403.
Rejection Code: FATE.
178. Ja, W. Y., Patchett, G. G., and Smith, W. J. (Eptom. In: *analytical methods for pesticides and plant growth regulators. Vol. Vi, gas chromatographic analysis. G. Zweig and j. Sherma, eds., Academic press, new york, 1972, p. 644-651.(1 reference).*
Rejection Code: CHEM METHODS.
179. Jablonkai, I. and Hatzios, K. K. (1994). Microsomal Oxidation of the Herbicides EPTC and Acetochlor and of the Safener MG-191 in Maize. *Pesticide Biochemistry and Physiology* 48: 98-109.
Rejection Code: IN VITRO.
180. Johansen, N. G., Hutte, R. S., and Legier, M. F. (1991). A Gas Chromatography Detector Based on Chemiluminescence for the Determination of Pesticides. *Hall, j. R. And g. D. Glysson (ed.). Astm (american society for testing materials) special technical publication, 1102. Monitoring water in the 1990's: meeting new challenges* Symposium, denver, colorado, usa, june 11-14, 1990. Viii+618p. Astm: philadelphia, pennsylvania, usa. Illus. Isbn 0-8031-1407-9.; 0: 255-266.
Rejection Code: CHEM METHODS.
181. Jones, L. S., Anderson, O. E., and Dowler, C. (Effects of Herbicides in a Crop-Herbicide Rotation on Sulfur Oxidation in Titfon Soil. *Agron. J.* 66(6): 744-747 1974..
Rejection Code: FATE.
182. Jurek, A. (Carcinogenicity of Pesticides. *Roczn. Panstw. Zakl. Hig.* 25(5): 563-576 1974..
Rejection Code: REVIEW.
183. Kadoum, A. M. and Mock, D. E. (Herbicide and Insecticide Residues in Tailwater Pits: Water and Pit Bottom Soil From Irrigated Corn and Sorghum Fields. *J. Agric. Food chem.* 26(1): 45-50 1978 (9 references).
Rejection Code: FATE.
184. Kamrin, M. A. (1997). Pesticide Profiles Toxicity Environmental Impact and Fate. *Kamrin, m. A. (Ed.). Pesticide profiles: toxicity, environmental impact, and fate. Xix+676p. Crc press publishers inc.: Boca raton, florida, usa London, england, uk. Isbn 1-56670-190-2.; 0: Xix+676p.*
Rejection Code: REVIEW.
185. Karns, J. S. (1990). Molecular Genetics of Pesticide Degradation by Soil Bacteria. *Racke, k. D. And j. R. Coats (ed.). Acs (american chemical society) symposium series, vol. 426. Enhanced biodegradation of pesticides in the environment* 198th national meeting, miami beach, florida, usa, september 10-15, 1989. X+302p. American chemical society: washington, d.c., Usa. Illus. Isbn 0-8412-1784-x.; 0: 141-152.
Rejection Code: BACTERIA, FATE.
186. Karunen, P. and Wilkinson, R. E. (1977). Experimental Results of EPTC and Atrazine--A Physiological Investigation (Sampelseffekter Mellan EPTC och Atrazin-en Fysiologisk Undersokning). *99 In Ogras Och Ograsbekampning, Svenska Ograskonf (SWE).*
Rejection Code: NON-ENGLISH.
187. Karunen, P. and Wilkinson, R. E. (1977). Experimental Results of EPTC and Atrazine--A Physiological Investigation (Sampelseffekter Mellan EPTC och Atrazin-en Fysiologisk Undersokning). *99 In Ogras Och Ograsbekampning, Svenska Ograskonf (SWE).*

Rejection Code: NON-ENGLISH.

188. Katan, J. and Aharonson, N. (1989). Accelerated Degradation of Pesticides. *Gerstl, z., Et al. (Ed.). Ecological studies, vol. 73. Toxic organic chemicals in porous media* Second international workshop on behavior of pollutants in porous media, bet dagan, israel, june 1987. Xiv+343p. Springer-verlag: berlin, west germany; new york, new york, usa. Illus. Isbn 3-540-50799-x; isbn 0-387-50799-x.; 0: 193-208.
Rejection Code: FATE.
189. Kearney, P. C. (A Challenge for Controlled Release Pesticide Technology. *Acs symp ser no. 53, controlled release pesticides, h. B. Scher, editor, acs, washington, dc pp. 30-36 1977 (14 references).*
Rejection Code: FATE.
190. Kimbrough, R. A. and Litke, D. W. (1996). Pesticides in Streams Draining Agricultural and Urban Areas in Colorado. *Environmental science & technology* 30: 908-916.
Rejection Code: FATE.
191. Kirchin, M. A., Wiseman, A., and Livingstone, D. R. (1988). Studies on the Mixed-Function Oxygenase System of the Marine Bivalve *Mytilus edulis*. *Mar Environ Res* 24: 117-118.
Rejection Code: NO TOXICANT.
192. Kleinschmidt, H. (1991). Queensland Department of Primary Industries Information Series Qi90037 Suburban Weeds Second Edition. *Kleinschmidt, h. Queensland department of primary industries information series, qi90037. Suburban weeds, second edition. V+86p. Queensland department of primary industries: brisbane, queensland, australia. Illus. Paper. Isbn 0-7242-3937-5. 0: V+86p.*
Rejection Code: REVIEW.
193. Knaak, J. B., Al-Bayati, M., Raabe, O. G., Wiedmann, J. L., Pency, J. W., Ross, J. H., Leber, A. P. , and Jones, P. (1987). Safety Related to Exposure Mixer-Loader-Applicator Exposure and Percutaneous Absorption Studies Involving Eptc Herbicide. *194th american chemical society national meeting, new orleans, louisiana, usa, august 30-september 4, 1987. Abstr pap am chem soc* 194: Agro 167.
Rejection Code: HUMAN HEALTH.
194. Kofman, I. S. H. and Kofanov, V. I. (Gas Chromatographic Analysis of Traces of Herbicides From the Thiocarbamate Group in Environmental Objects. *Gig. Sanit. 44(10): 41-44 1979 (7 references).*
Rejection Code: FATE, CHEM METHODS.
195. Kolpin, D. W., Barbash, J. E., and Gilliom, R. J. (1998). Occurrence of Pesticides in Shallow Groundwater of the United States: Initial Results From the National Water-Quality Assessment Program. *Environmental science & technology* 32: 558-566.
Rejection Code: FATE.
196. Kolpin, D. W., Goolsby, D. A., and Thurman, E. M. (1995). Pesticides in Near-Surface Aquifers: an Assessment Using Highly Sensitive Analytical Methods and Tritium. *Journal of environmental quality* 24: 1125-1132.
Rejection Code: FATE.
197. Komives, T. , Aproxovacs, V. A., and Marton, A. F. (Thin-Layer Chromatographic Detection of Herbicidal Thiocarbamates and Their Sulfoxide and Sulfone Metabolites. *J. Chromatogr. 175(1): 222-223 1979 (7 references).*
Rejection Code: CHEM METHODS.
198. Komives, T. and Hatzios, K. K. (1991). Chemistry and Structure-Activity Relationships of Herbicide Safeners. *Z naturforsch sect c biosci* 46: 798-804 .
Rejection Code: CHEM METHODS.

199. Komives, V. , Komives, T., and Dutka, F. (1984). Influence of Herbicides on the Glutathione S-Transferase Levels of Maize Zea-Mays Seedlings. *23rd meeting of the hungarian biochemical society, pecs, hungary, aug. 26-29, 1984. Acta biochim biophys acad sci hung* 19: 130.
Rejection Code: ABSTRACT.
200. Korotkova, O. A. (Thiocarbamates (Analytical Review. *Khim. Sel'sk. Khoz. (5): 66-69* 1976..
Rejection Code: REVIEW.
201. Kotoula-Syka, E., Hatzios, K. K., Berry, D. F., and Wilson, H. P. (1997). Degradation of Acetanilide Herbicides in History and Nonhistory Soils From Eastern Virginia. *Weed technology* 11: 403-409.
Rejection Code: FATE.
202. Koval'Chuk, L. Y., Perevozchenko, I. I., and Braginskii, L. P. (1971). Acute Toxicity of Yalan, Eptam and Sevin for Daphnia magna. *Exp. Water Toxicol. (Eksp. Vodn. Toksikol.)* 2: 56-64 (RUS) (ENG ABS).
Rejection Code: NON-ENGLISH.
203. Koval'Chuk, L. Y., Perevozchenko, I. I., and Braginskii, L. P. (1971). Acute Toxicity of Yalan, Eptam and Sevin for Daphnia magna. *Exp. Water Toxicol. (Eksp. Vodn. Toksikol.)* 2: 56-64 (RUS) (ENG ABS).
Rejection Code: NON-ENGLISH.
204. Kozlowski, T. T., Kramer, P. J., and Pallardy, S. G. (1991). Physiological Ecology the Physiological Ecology of Woody Plants. *Kozlowski, t. T., P. J. Kramer and s. G. Pallardy. Physiological ecology: the physiological ecology of woody plants. Xix+657p. Academic press, inc.: San diego, california, usa* London, england, uk. Illus. Maps. Isbn 0-12-424160-3.; 0: Xix+657p.
Rejection Code: REVIEW.
205. Kramer, M. and Leiderman, L. (1961). Use of Eptam and Tillam for Weed Control in Potato Culture (Aplicacao dos Herbicidas Eptam e Tillam no Controle de Ervas Infestantes da Cultura da Batatinha). *Arq. Inst. Biol. Sao Paulo* 28: 270-276.
Rejection Code: NON-ENGLISH.
206. Krapac, I. G., Roy, W. R., Smyth, C. A., and Barnhardt, M. L. (1995). Occurrence and Distribution of Pesticides in Soil at Agrichemical Facilities in Illinois. *Journal of soil contamination* 4: 209-226.
Rejection Code: FATE.
207. Krasnykh, A. A. (Chromatographic Determination of Eradicane in Water, Soil, and Plants. *Agrokhimiya (3): 131-132* 1980.
Rejection Code: FATE, METHODS.
208. Krasnykh, A. A. and Likhacheva, V. A. (1993). After-Effect of Herbicides on the Biological Activity of Soils. *Sel'skokhozyaistvennaya biologiya* 0: 107-110.
Rejection Code: NON-ENGLISH.
209. Krill, R. M. and Sonzogni, W. C. (1986). Chemical Monitoring of Wisconsin's Usa Groundwater. *Am water works assoc j* 78: 70-75.
Rejection Code: FATE.
210. Krueger, H. R. (Aldicarb Sulfoxidation by Plant Root Extracts. *Pestic. Biochem. Physiol.* 7(2): 154-160 1977..
Rejection Code: IN VITRO.
211. Kurtz, D. A. (1990). Long Range Transport of Pesticides 195th National Meeting of the American Chemical Society Held Jointly With the Third Chemical Congress of North America Toronto Ontario Canada June 1988. *Kurtz, d. A. (Ed.). Long range transport of pesticides* 195th national meeting of the american chemical society held jointly with the third chemical congress of north america, toronto,

- ontario, canada, june 1988. Xv+462p. Lewis publishers, inc.: Chelsea, michigan, usa. Illus. Maps. Isbn 0-87371-168-8.; 0: Xv+462p.
Rejection Code: FATE.
212. Kwok, E. Sc , Atkinson, R., and Arey, J. (1992). Gas-Phase Atmospheric Chemistry of Selected Thiocarbamates. *Environ sci technol* 26: 1798-1807.
Rejection Code: CHEM METHODS.
213. Ladonin, V. F. (1986). Herbicides and the Quality of Agricultural Crop Yield. *Agrokhimiya* 0: 130-135.
Rejection Code: REVIEW.
214. Ladonin, V. F., Kramarev, S. M., Klyavzo, S. P., Golovko, A. I., and Bondar', V. P. (1994). Features of the Behavior of Maize Complex Herbicides Applied by Various Techniques on Ordinary Chernozem in the Ukrainian Steppe Communication 2. Effectiveness of Fertilizers as a Function of Application Technology and Main Tillage Methods. *Agrokhimiya* 0: 65-74.
Rejection Code: NON-ENGLISH.
215. Lande, S. S. (Identification and Description of Chemical Deactivation Detoxification Methods for the Safe Disposal of Selected Pesticides. *Us ntis pb rep. Pb-285,208: 188 p. 1978 (178 references)*.
Rejection Code: METHODS.
216. Larson, S. J., Capel, P. D., Goolsby, D. A., Zaugg, S. D., and Sandstrom, M. W. (1995). Relations Between Pesticide Use and Riverine Flux in the Mississippi River Basin. *Chemosphere* 31: 3305-3321.
Rejection Code: FATE.
217. Lawrence, J. F. (Gas Chromatographic Separation of Herbicides of Major Interest in Canada, With Electrolytic Conductivity Detection in the Nitrogen and Chlorine Modes. *J. Chromatogr.* 121(1): 85-87 1976..
Rejection Code: CHEM METHODS.
218. Lawrence, J. F. and Mcleod, H. A. (Evaluation of Electrolytic Conductivity Detection for Gas-Liquid Chromatographic Screening of Some Organonitrogen Herbicides and Fungicides in Foods. *J. Assoc. Off. Anal. Chem.* 60(4): 979-981 1977 (3 references).
Rejection Code: CHEM METHODS.
219. Lay, M. M. and Casida, J. E. (Involvement of Glutathione and Glutathione S-Transferases in the Action of Dichloroacetamide Antidotes for Thiocarbamate Herbicides. *In: chemistry and action of herbicide antidotes. Pallos, f. M., Casida, j. E., Eds. (New york: academic press): pp. 151-160 1978 (20 references)*.
Rejection Code: REVIEW.
220. Leavitt, J. R. C. and Penner, D. (In Vitro Conjugation of Glutathione and Other Thiols With Acetanilide Herbicides and Eptc Sulfoxide and the Action of the Herbicide Antidote R-25788. *J. Agric. Food chem.* 27(3): 533-536 1979 (20 references).
Rejection Code: CHEM METHODS.
221. Lee, A. (1984). EPTC (S-Ethyl N,N-Dipropylthiocarbamate)-Degrading Microorganisms Isolated from a Soil Previously Exposed to EPTC. *Soil Biol.Biochem.* 16: 529-531.
Rejection Code: FATE.
222. Lehotay, S. J. (1997). Supercritical Fluid Extraction of Pesticides in Foods. *Journal of chromatography a* 785: 289-312.
Rejection Code: CHEM METHODS.

223. Levitan, L. , Merwin, I., and Kovach, J. (1995). Assessing the Relative Environmental Impacts of Agricultural Pesticides: the Quest for a Holistic Method. *Agriculture ecosystems & environment* 55: 153-168.
Rejection Code: METHODS.
224. Li, W., Merrill, D. E., and Haith, D. A. (1990). Loading Functions for Pesticide Runoff. *Res j water pollut control fed* 62: 16-26.
Rejection Code: MODELING, FATE.
225. Libra, J. A., Ro, K. S., Chung, K. H., and Chung, Y. C. (1996). Pesticides and Herbicides. *Water environment research* 68: 564-568.
Rejection Code: FATE, MODELING.
226. Lu, F. C. and Dourson, M. L. (1992). Safety-Risk Assessment of Pesticides Principles Procedures and Examples. *Vith international congress of toxicology on toxicology from discovery and experimentation to the human perspective, rome, italy, june 28-july 3, 1992. Toxicol lett (amst)* 64-65: 783-787.
Rejection Code: HUMAN HEALTH.
227. Luk'yanenko, N. G., Bogatskii, A. V., Nazarov, E. I., Portnaya, L. A., Storchilo, O. V., Oleshko, A. Ya, Konup, I. P., Neiman, L. A., and Antropova, L. P. (1985). Increasing Eptam Herbicide Activity by 15 Crown-5. *Fiziol biokhim kul't rast* 17: 497-501.
Rejection Code: NON-ENGLISH.
228. Luttik, R. and Aldenberg, T. (1997). Extrapolation Factors for Small Samples of Pesticide Toxicity Data: Special Focus on Ld50 Values for Birds and Mammals. *Environmental toxicology and chemistry* 16: 1785-1788.
Rejection Code: MODELING.
229. Lynch, V. P. (Chlormephos. *In: analytical methods for pesticides and plant growth regulators. Zweig, g., Sherma, j., Eds. (Academic press: ny): 10(chapter 6): 49-55 1978 (2 references).*
Rejection Code: CHEM METHODS.
230. Machemer, L. H. and Pickel, M. (1994). Health Surveillance of Pesticide Workers a Manual for Occupational Health Professionals Carbamate Herbicides and Fungicides. *Toxicology* 91: 105-109.
Rejection Code: HUMAN HEALTH.
231. Maddy, K. T., Edmiston, S., and Richmond, D. (1990). Illness Injuries and Deaths From Pesticide Exposures in California Usa 1949-1988. *Ware, g. W. (Ed.). Reviews of environmental contamination and toxicology, vol. 114. Ix+171p. Springer-verlag new york inc.: New york, new york, usa Berlin, west germany. Illus. Isbn 0-387-97207-2; isbn 3-540-97207-2.; 0: 57-124.*
Rejection Code: HUMAN HEALTH.
232. Magee, P. S. (1991). Complex Factors in Hydrocarbon/Water, Soil/Water and Fish/Water Partitioning. *In: J.L.M.Hermens and A.Opperhuizen (Eds.), Proc.4th Int.Workshop, QSAR in Environ.Toxicol.- IV, Sept.16-20, 1990, Veldhoven, Netherlands, Elsevier Sci.Publ., Amsterdam 155-178.*
Rejection Code: METHODS.
233. Mahara, B. M., Borossay, J., and Torkos, K. (1998). Liquid-Liquid Extraction for Sample Preparation Prior to Gas Chromatography and Gas Chromatography-Mass Spectrometry Determination of Herbicide and Pesticide Compounds. *Microchemical journal* 58: 31-38.
Rejection Code: CHEM METHODS.
234. Majewski, M. S. (1999). Micrometeorologic Methods for Measuring the Post-Application Volatilization of Pesticides. *Water air and soil pollution* 115: 83-113.

Rejection Code: METHODS.

235. Majewski, M. S., Foreman, W. T., Goolsby, D. A., and Nakagaki, N. (1998). Airborne Pesticide Residues Along the Mississippi River. *Environmental science & technology* 32: 3689-3698.
Rejection Code: FATE.
236. Margulies, L., Stern, T., and Rubin, B. (1994). Slow Release of S-Ethyl Dipropylcarbamothioate From Clay Surfaces. *Journal of agricultural and food chemistry* 42: 1223-1227.
Rejection Code: FATE.
237. Marshall, G. (1987). A Review of the Biology and Control of Selected Weed Species in the Genus Oxalis: Oxalis Stricta L., Oxalis Latifolia H.b.k. And Oxalis Pes Caprae L. *Crop prot* 6: 355-364.
Rejection Code: REVIEW.
238. Martens, D. A. and Bremner, J. M. (1993). Influence of Herbicides on Transformations of Urea Nitrogen in Soil. *J environ sci health part b pestic food contam agric wastes* 28: 377-395.
Rejection Code: FATE.
239. Mateen, A., Chapalamadugu, S., Kaskar, B., Bhatti, A. R., and Chaudhry, G. R. (1994). Microbial Metabolism of Carbamate and Organophosphate Pesticides. Chaudhry, g. R. (Ed.). *Biological degradation and bioremediation of toxic chemicals. 515p. Dioscorides press: portland, oregon, usa. Isbn 0-931146-27-5. 0: 198-233.*
Rejection Code: FATE.
240. Mayer, A. S., Mitchell, R. J., Carriere, P. Pe, Hein, G. L., Rabideau, A. J., and Wojick, C. L. (1995). Groundwater Quality. *Water environment research* 67: 629-685.
Rejection Code: FATE.
241. Mcclung, G. , Dick, W. A., and Karns, J. S. (1994). Eptc Degradation by Isolated Soil Microorganisms. *Journal of agricultural and food chemistry* 42: 2926-2931.
Rejection Code: BACTERIA, FATE.
242. Mccusker, V. W., Skipper, H. D., Gooden, D. T., and Zublena, J. P. (1990). Enhanced Biodegradation of Carbamothioates After Cold Storage of Treated Soil. *Weed sci* 38: 598-601.
Rejection Code: FATE.
243. Mccusker, V. W., Skipper, H. D., Zublena, J. P., and Gooden, D. T. (1988). Biodegradation of Carbamothioates in Butylate-History Soils. *Weed sci* 36: 818-823.
Rejection Code: FATE.
244. Meliyan, R. I. (1991). Effect of Pesticides on the Reproductive Function of the Freshwater Amphipod Gammarus Kischineffensis (Schellenberg). *Gidrobiol zh* 27: 107-111.
Rejection Code: NON-ENGLISH.
245. Menkveld, J. W. and Dekker, J. H. (1988). Persistence of Eptc-Plus and Butylate-Plus in Butylate-Plus Acclimatized Soils. *Phytoprotection* 69: 23-30.
Rejection Code: FATE.
246. Merenyuk, G. V. (The State and Methods for Controlling Soil Microbiocenoses in Intensive Farming in the Moldavian Ssr Ussr. *Izv akad nauk mold ssr ser biol khim nauk; 0 (6). 1986 (recd. 1987). 3-8.*
Rejection Code : NON-ENGLISH.
247. Messersmith, C. G. and Adkins, S. W. (1995). Integrating Weed-Feeding Insects and Herbicides for Weed Control. *Weed technology* 9: 199-208.
Rejection Code: REVIEW.

248. Metcalf, R. L. (1995). Carbamate and Thiocarbamate Neurotoxicity. *Chang, I. W. And r. S. Dyer (ed.). Neurological disease and therapy, vol. 36. Handbook of neurotoxicology. Xxi+1103p. Marcel dekker, inc.: New york, new york, usa Basel, switzerland. Isbn 0-8247-8873-7.; 0: 547-561.*
Rejection Code: HUMAN HEALTH.
249. Miege, C. and Dugay, J. (1998). Solid-Phase Microextraction and Gas Chromatography for Rapid Analysis of Pesticides. *Analisis 26: M137-m143.*
Rejection Code: CHEM METHODS.
250. Mikhaylova, Y. E. I. and Kruglov, Y. U. V. (Effect of Some Herbicides on Soil Algotflora. *Pochvovedenie8: 81-85 1973.*
Rejection Code: NON-ENGLISH.
251. Mineev, V. G., Rempe, E. Kh, and Solovei, I. N. (1993). Ecological Estimation of Chemicals Applied for Plant Protection in Sugar Beet Cultivation of Typical Chernozems. *Vestnik moskovskogo universiteta seriya 17 pochvovedenie 0: 32-37.*
Rejection Code: NON-ENGLISH.
252. Minyard, J. P Jr and Roberts, W. E. (1991). State Findings on Pesticide Residues in Foods: 1988 and 1989. *J assoc off anal chem 74: 438-452.*
Rejection Code: CHEM METHODS.
253. Mizuno, T., Nishiguchi, I., and Hirashima, T. (1993). Reactions of Unstable Dialkylcarbamoyl Lithiums With Sulfur Compounds. *Tetrahedron 49: 2403-2412.*
Rejection Code: CHEM METHODS.
254. Mizuno, Takumi, Iwai, Toshiyuki, and Ishino, Yoshio (2005). Solvent-assisted thiocarboxylation of amines and alcohols with carbon monoxide and sulfur under mild conditions. *Tetrahedron 61: 9157-9163.*
Rejection Code: CHEM METHODS.
255. Moorhouse, K. G. and Casida, J. E. (1992). Pesticides as Activators of Mouse Liver Microsomal Glutathione S-Transferase. *Pestic biochem physiol 44: 83-90.*
Rejection Code: IN VITRO.
256. Moorman, T. B. (1990). Adaptation of Microorganisms in Subsurface Environments Significance to Pesticide Degradation. *Racke, k. D. And j. R. Coats (ed.). Acs (american chemical society) symposium series, vol. 426. Enhanced biodegradation of pesticides in the environment 198th national meeting, miami beach, florida, usa, september 10-15, 1989. X+302p. American chemical society: washington, d.c., Usa. Illus. Isbn 0-8412-1784-x.; 0: 167-180.*
Rejection Code: BACTERIA, FATE, REVIEW.
257. Moorman, T. B., Broder, M. W., and Koskinen, W. C. (1992). Kinetics of Eptc Biodegradation and the Effects of the Inhibitor Dietholate in Solids. *Soil biol biochem 24: 121-127.*
Rejection Code: FATE.
258. Moustacchi, E., Carere, A., Morpurgo, G., Ramel, C., and Wurgler, F. E. (1986). Assays for Genetic Changes in Fungi. *Montesano, r., Et al. (Ed.). Iarc (international agency for research on cancer) scientific publications, no. 83. Long-term and short-term assays for carcinogens: a critical appraisal. Iii+564p. Oxford university press: new york, new york, usa. Iarc: lyon, france. Illus. Paper. Isbn 92-832-1183-9. 0: 303-350.*
Rejection Code: REVIEW.
259. Mueller, J. G., Skipper, H. D., and Kline, E. L. (1988). Loss of Butylate-Utilizing Ability by a Flavobacterium. *Pestic biochem physiol 32: 189-196.*

- Rejection Code: BACTERIA.
260. Mueller, J. G., Skipper, H. D., Lawrence, E. G., and Kline, E. L. (1989). Bacterial Stimulation by Carbamothioate Herbicides. *Weed sci* 37: 424-427.
Rejection Code: BACTERIA.
261. Mukerjee, S. K. (1986). Plant Protection Chemicals in 2000-A.d. *Seminar on plant protection in the year 2000 ad, new delhi, india, dec. 20-22, 1984. Proc indian natl sci acad part b biol sci* 52: 35-48.
Rejection Code: NO TOX DATA.
262. Mulbry, W. and Kearney, P. C. (1991). Degradation of Pesticides by Microorganisms and the Potential for Genetic Manipulation. *Crop prot* 10: 334-346.
Rejection Code: BACTERIA, FATE.
263. Nagy, I., Compernelle, F., Ghys, K., Vanderleyden, J., and De, M. O. T. R (1995). A Single Cytochrome P-450 System Is Involved in Degradation of the Herbicides Eptc (S-Ethyl Dipropylthiocarbamate) and Atrazine by Rhodococcus Sp. Strain Ni86/21. *Applied and environmental microbiology* 61: 2056-2060.
Rejection Code: BACTERIA, FATE.
264. Nagy, I., Schoofs, G., Compernelle, F., Proost, P., Vanderleyden, J., and De, M. O. T. R (1995). Degradation of the Thiocarbamate Herbicide Eptc (S-Ethyl Dipropylcarbamothioate) and Biosafening by Rhodococcus Sp. Strain Ni86/21 Involve an Inducible Cytochrome P-450 System and Aldehyde Dehydrogenase. *Journal of bacteriology* 177: 676-687.
Rejection Code: BACTERIA.
265. Nicholas, M. L., Powell, D. L., Williams, T. R., Thompson, R. Q., and Oliver, N. H. (Reference Raman Spectra of Eleven Miscellaneous Pesticides. *J. Assoc. Off. Anal. Chem.* 59(6): 1266-1275 1976..
Rejection Code: CHEM METHODS.
266. Nikolayenko Z, I., Geller, I. A., and Sklyarenko, A. T. (1977). Effects of Ro-Neet on Soil Microflora. *Sakh. Svekla* 12: 32-34.
Rejection Code: NON-ENGLISH.
267. Nikul'nikov, I. M. (1988). Evaluation the Effect of After-Sprouting Herbicide Mixtures on Sugar Beet Sowings Under Irrigation. *Agrokhimiya* 0: 94-98.
Rejection Code: NON-ENGLISH.
268. Nishimura, M. (1999). Repellents and Use of Prey Items for Delivering Toxicants for Control of Habu (*Trimeresurus flavoviridis*). In: *G.H.Rodda, Y.Sawai, D.Chiszar, and H.Tanaka (Eds.), Problem Snake Management: The Habu and the Brown Treesnake, Cornell Univ.Press, Ithaca, NY* 158-167.
Rejection Code: REVIEW.
269. Nishimura, M. (1999). Repellents and Use of Prey Items for Delivering Toxicants for Control of Habu (*Trimeresurus Flavoviridis*). In: *G.H.Rodda, Y.Sawai, D.Chiszar, and H.Tanaka (Eds.), Problem Snake Management: The Habu and the Brown Treesnake, Cornell Univ.Press, Ithaca, NY* 158-167.
Rejection Code: REVIEW.
270. Nishiuchi, Y. (1974). Control Effect of Pesticide to Duckweed. *Bull.Agric.Chem.Insp.Stn.(Noyaku Kensasho Hokoku)* 14: 69-72 (JPN) (ENG ABS).
Rejection Code: NON-ENGLISH.
271. Nishiuchi, Y. (1974). Control Effect of Pesticide to Duckweed. *Bull.Agric.Chem.Insp.Stn.(Noyaku Kensasho Hokoku)* 14: 69-72 (JPN) (ENG ABS).

- Rejection Code: NON-ENGLISH.
272. Nubbe, M. E., Adams, V. D., Watts, R. J., and Clark, Y. R. (1992). Chemical Analysis. *Water environ res* 64: 303-333.
Rejection Code: FATE.
273. Numata, T., Takahashi, M., and Takano, J. (Residue Analysis of Ethephon.). *Noyaku kagaku (j. Pestic. Sci.)*2(2): 49-50; 1974.
Rejection Code: CHEM METHODS, FATE.
274. Ogawa, M. and Kitamura, H. (1988). Biological Assay of Plant Growth-Regulating Compounds Using Lemnaceae Plants. *Annu.Rep.Sankyo Res.Lab.(Sankyo Kenkyusho Nempo)* 40: 91-99 (JPN)(ENG ABS).
Rejection Code: NON-ENGLISH.
275. Ogawa, M. and Kitamura, H. (1988). Biological Assay of Plant Growth-Regulating Compounds Using Lemnaceae Plants. *Annu.Rep.Sankyo Res.Lab.(Sankyo Kenkyusho Nempo)* 40: 91-99 (JPN)(ENG ABS).
Rejection Code: NON-ENGLISH.
276. Ogawa, M. and Kitamura, H. (1988). Biological Assay of Plant Growth-Regulating Compounds Using Lemnaceae Plants. *Annu.Rep.Sankyo Res.Lab.(Sankyo Kenkyusho Nempo)* 40: 91-99 (JPN)(ENG ABS).
Rejection Code: NON-ENGLISH.
277. Ogg, A. G Jr (1987). Factors Affecting the Loss of Eptc Applied Through a Sprinkler. *Weed technol* 1: 162-164.
Rejection Code: FATE.
278. Olefir, A. I. (Effect of Chronic Carbamate Pesticide Poisoning on Immunologic Reactivity and Infection Resistance. *Vrach. Delo*8: 137-140 1973.
Rejection Code: NON-ENGLISH.
279. Olefir, A. I. (Effects of Acute Carbamate Pesticide Poisoning on Immunologic Responses. *Vrach. Delo*4: 138-141 1973.
Rejection Code: NON-ENGLISH.
280. Olefir, A. I. (1976). Study of the Duration of the Afreffect of Acute and Chronic Intoxications With Chemical Substances. *Vrach. Delo* 2: 105-109 2: 105-109.
Rejection Code: NON-ENGLISH.
281. Olson, N. L., Carrell, R., Cumming, R., Rieck, R., and Reimer, S. (1995). Atomic Emission Detection for Gas Chromatographic Analysis of Nitrogen-Containing Herbicides in Water. *Journal of aoac international* 78: 1464-1473.
Rejection Code: CHEM METHODS.
282. Owen, W. J. (1992). Potential for Synergising Herbicides Through Modification of Metabolism. *Denholm, i., A. L. Devonshire and d. W. Hollomon (ed.). Resistance '91: achievements and developments in combating pesticide resistance* Sci symposium, harpenden, england, uk, july 15-17, 1991. Xiii+367p. Elsevier science publishers ltd.: London, england, uk; new york, new york, usa. Isbn 1-85166-886-1.; 0: 340-353.
Rejection Code: FATE.
283. Pace, V. and Gobbi, L. (1996). Contaminated Land: the Importance of Its Reclamation. *Gazzetta medica italiana archivio per le scienze mediche* 155: 5-14.

Rejection Code: BACTERIA.

284. Park, Young-Seuk, Cereghino, Regis, Compin, Arthur, and Lek, Sovan (2003). Applications of artificial neural networks for patterning and predicting aquatic insect species richness in running waters: Modelling the structure of aquatic communities: concepts, methods and problems. *Ecological Modelling* 160: 265-280.
Rejection Code: MODELING.
285. Patel, B. M., Moye, H. A., and Weinberger, R. (1990). Formation of Fluorophores From Nitrogenous Pesticides by Photolysis and Reaction With Opa-2-Mercaptoethanol for Fluorescence Detection in Liquid Chromatography. *J agric food chem* 38: 126-134.
Rejection Code: CHEM METHODS.
286. Paustovskaya, V. V. and Torbin, V. F. (1987). Diethylamine Chloride Toxicity. *Gig tr prof zabol* 0: 52.
Rejection Code: ABSTRACT.
287. Paustovskaya, V. V., Torbin, V. F., Okhota, I. N., Onikienko, F. A., and Morgunova, Y. A. I (1988). Toxicity of Dimorpholinephenylmethane and Benzylidencyclohexylamine. *Gig tr prof zabol* 0: 50-51.
Rejection Code: NON-ENGLISH.
288. Pereira, J. Cr, Chaves, G. M., Zambolim, L., Matsuoka, K., Silva-Acuna, R., and Vale, F. X Rd (1996). Integrated Control of Sclerotinia Sclerotiorum. *Fitopatologia brasileira* 21: 254-260.
Rejection Code: NON-ENGLISH.
289. Pertsovskiy, A. L., Botvin'eva, A. M., and Prismotrov, Y. U. A. (Gas-Chromatographic Determination of Residual Amounts of Herbicides Eptam and Tillam in Water by Using a Flame-Ionization Detector. *Zh. Anal. Khim.*29(1): 181-182 1974.
Rejection Code: CHEM METHODS.
290. Petach, M. C., Wagenet, R. J., and Degloria, S. D. (1991). Regional Water Flow and Pesticide Leaching Using Simulations With Spatially Distributed Data. *Geoderma* 48: 245-270.
Rejection Code: FATE, MODELING.
291. Petit, F., Le Goff P, Cravedi, J. P., Valotaire, Y., and Pakdel, F. (1997). Two Complementary Bioassays for Screening the Estrogenic Potency of Xenobiotics: Recombinant Yeast for Trout Estrogen Receptor and Trout Hepatocyte Cultures. *Journal of molecular endocrinology* 19: 321-335.
Rejection Code: IN VITRO.
292. Petrov, I. F. and Torbin, I. M. (1986). Exogenous Allergic Alveolitis Caused by Adiurecrine. *Probl tuberk* 0: 64-65.
Rejection Code: HUMAN HEALTH.
293. Piedade, J. R., Matsunaga, A. K., Vasques, R. M. P., and Yoneda, H. (Comparison Between Internal and External Standardization in Gas Chromatographic Analysis. *Biologico* 40(4): 123-124 1975..
Rejection Code: CHEM METHODS.
294. Pitina, M. R., Poznanskaya, N. L., Promonenkov, V. K., and Shvetsov-Shilovskii, N. I. (1986). Current Level of Advancement of the Protection of Agricultural Crops From the Undesirable Effects of the Use of Herbicides and Future Trends. *Agrokhimiya* 0: 107-136.
Rejection Code: REVIEW.
295. Ponomareva, O. N., Marfenina, O. E., and Ishchenko, I. A. (1995). Deterioration of the Dynamics of Soil Collembolan Population During Feeding by Fungal Mycelium Polluted With Herbicides. *Vestnik*

- moskovskogo universiteta seriya 17 pochvovedenie* 0: 61-68, 73.
Rejection Code: NON-ENGLISH.
296. Racke, K. D. (1990). Implications of Enhanced Biodegradation for the Use and Study of Pesticides in the Soil Environment. *Racke, k. D. And j. R. Coats (ed.). Acs (american chemical society) symposium series, vol. 426. Enhanced biodegradation of pesticides in the environment* 198th national meeting, miami beach, florida, usa, september 10-15, 1989. X+302p. American chemical society: washington, d.c., Usa. Illus. Isbn 0-8412-1784-x.; 0: 269-282.
Rejection Code: FATE.
297. Racke, K. D. (1990). Pesticides in the Soil Microbial Ecosystem. *Racke, k. D. And j. R. Coats (ed.). Acs (american chemical society) symposium series, vol. 426. Enhanced biodegradation of pesticides in the environment* 198th national meeting, miami beach, florida, usa, september 10-15, 1989. X+302p. American chemical society: washington, d.c., Usa. Illus. Isbn 0-8412-1784-x.; 0: 1-12.
Rejection Code: FATE.
298. Racz, I. and Lasztity, D. (1978). Effect of EPTC (Ethyl-N,N-Di-N-Propylthiocarbamate) and Antidotes on the Growth of *Chlorella vulgaris*. *Bot.Kozl.* 65: 75-79 (HUN) (ENG ABS).
Rejection Code: NON-ENGLISH.
299. Racz, I. and Lasztity, D. (1978). Effect of EPTC (Ethyl-N,N-Di-N-Propylthiocarbamate) and Antidotes on the Growth of *Chlorella vulgaris*. *Bot.Kozl.* 65: 75-79 (HUN) (ENG ABS).
Rejection Code: NON-ENGLISH.
300. Rahman, A. (1988). Recent Major Problems of Weed Control in Maize in New Zealand. *Int.Symp.Crop Prot.(Meded.Fac.Landbouwwet.Rijkuniv.Gent)* 53: 1335-1344.
Rejection Code: REFS CHECKED/REVIEW.
301. Rahman, A., Atkinson, G. C., Douglas, J. A., and Sinclair, D. P. (Eradicane Causes Problems. *N. Z. J. Agric.* 139(3): 47-49 1979.
Rejection Code: BACTERIA.
302. Rajasekharan, R. and Sastry, P. S. (1990). Effect of Thiocarbamate, Urea, and Uracil Herbicides on Lipid Metabolism in Groundnut (*Arachis Hypogaea*) Leaves. *Biochem cell biol* 68: 567-573.
Rejection Code: IN VITRO.
303. Ralphs, M. H. and Ueckert, D. N. (1991). Other Toxic Pyrrolizidine Alkaloid-Containing Plants Importance Distribution and Control. *James, l. F., Et al. (Ed.). Westview special studies in agriculture science and policy: noxious range weeds* National noxious range weed conference on a forum for continuing cooperation. Xvi+466p. Westview press: boulder, colorado, usa; oxford, england, uk. Illus. Maps. Paper. Isbn 0-8133-8395-1.; 0: 429-437.
Rejection Code: SURVEY.
304. Rao, P. Sc, Hornsby, A. G., and Jessup, R. E. (1985). Indices for Ranking the Potential for Pesticide Contamination of Groundwater. *44th annual meeting of the soil and crop science society of florida, jacksonville beach, fla., Usa, oct. 23-25, 1984. Soil crop sci soc fla proc* 44: 1-8.
Rejection Code: FATE.
305. Reddy, K. N. and Locke, M. A. (1996). Molecular Properties as Descriptors of Octanol-Water Partition Coefficients of Herbicides. *Water air and soil pollution* 86: 389-405.
Rejection Code: MODELING.
306. Reddy, K. N. and Locke, M. A. (1994). Prediction of Soil Sorption (Koc) of Herbicides Using Semiempirical Molecular Properties. *Weed science* 42: 453-461.
Rejection Code: FATE.

307. Reddy, M. B. and Bunge, A. (2002). Dermal Absorption from Pesticide Residues: Data Analysis. *In: J.Kruse, H.Verhaar, and W.K.DeRaaf (Eds.), The Practical Applicability of Toxicokinetic Models in the Risk Assessment of Chemicals, Kluwer Acad.Publ., Dordrecht, Netherlands 55: 55-78.*
Rejection Code: REFS CHECKED/REVIEW.
308. Reed, D. V. , Lombardo, P., Wessel, J. R., Burke, J. A., and McMahon, B. (1987). The Fda Pesticides Monitoring Program. *J assoc off anal chem 70: 591-595.*
Rejection Code: HUMAN HEALTH.
309. Reed, J. P. , Hall, F. R., and Trimmell, D. (1989). Effect of Encapsulating Thiocarbamate Herbicides Within Starch for Overcoming Enhanced Degradation in Soils. *Starch staerke 41: 184-186.*
Rejection Code: CHEM METHODS.
310. Reed, J. P. , Keaster, A. J., Kremer, R. J., and Kerr, H. D. (1989). Activities and Degradation of Several Insecticides and Herbicides in Soils Poised for Enhanced Carbamate and Thiocarbamate Degradation. *J environ sci health part b pestic food contam agric wastes 24: 23-36.*
Rejection Code: FATE.
311. Reed, J. P. , Keaster, A. J., Kremer, R. J., and Kerr, H. D. (1989). Microbial Degradation of Some Soil-Applied Insecticides Herbicides and Insecticide-Herbicide Combinations. *Bull environ contam toxicol 42: 676-681.*
Rejection Code: FATE.
312. Reed, J. P. , Kremer, R. J., and Keaster, A. J. (1990). Spectrophotometric Methodologies for Predicting and Studying Enhanced Degradation. *Racke, k. D. And j. R. Coats (ed.). Acs (american chemical society) symposium series, vol. 426. Enhanced biodegradation of pesticides in the environment 198th national meeting, miami beach, florida, usa, september 10-15, 1989. X+302p. American chemical society: washington, d.c., Usa. Illus. Isbn 0-8412-1784-x.; 0: 240-248.*
Rejection Code: FATE, CHEM METHODS.
313. Reeder, A. L., Foley, G. L., Nichols, D. K., Hansen, L. G., Wikoff, B., Faeh, S., Eisold, J., Wheeler, M. B., Warner, R., Murphy, J. E., and Beasley, V. R. (1998). Forms and Prevalence of Intersexuality and Effects of Environmental Contaminants on Sexuality in Cricket Frogs (*Acris Crepitans*). *Environmental health perspectives 106: 261-266.*
Rejection Code: SURVEY.
314. Renner, K. A. (1992). Timing of Herbicide Application and Potato Hilling. *Am.Potato J. 69: 167-177.*
Rejection Code: MIXTURE.
- Efficacy study. Data not conducive to determining measurable endpoints.**
315. Retzinger, E. J Jr and Mallory-Smith, C. (1997). Classification of Herbicides by Site of Action for Weed Resistance Management Strategies. *Weed technology 11: 384-393.*
Rejection Code: NO TOX DATA.
316. Riazanova, R. A. and Platonenko, V. I. (Raschetnyi Metod Opredeleeniia Dopustimykh Ostatochnykh Kolichestv Pestitsidov V Pishchevykh Produktakh. [Calculation of Permissible Residual Amounts of Pesticides in Food Products.]. *Gig. Sanit. 45(5): 29-30 1980 (3 references).*
Rejection Code: MODELING.
317. Richards, R. P. and Baker, D. B. (1993). Pesticide Concentration Patterns in Agricultural Drainage Networks in the Lake Erie Basin. *Environ toxicol chem 12: 13-26.*
Rejection Code: FATE.

318. Riesselman, J. H. (Effects of Non-Target Pesticides on *Corynebacterium Nebraskense* and Goss's Bacterial Wilt of Corn. *Diss. Abstr. Int. B* 40(8): 3518 1980.
Rejection Code: BACTERIA.
319. Robbins, J. D. and Storoni, H. R. (1997). Residue Analytical Method for the Hydroxy Derivatives of S-Ethyl Dipropylcarbamothioate Metabolites of Herbicide Eptc in Crops. *213th national meeting of the american chemical society, san francisco, california, usa, april 13-17, 1997. Abstracts of papers american chemical society* 213: Agro 115.
Rejection Code: CHEM METHODS, FATE.
320. Sabljic, A. (1987). On the Prediction of Soil Sorption Coefficients of Organic Pollutants From Molecular Structure Application of Molecular Topology Model. *Environ sci technol* 21: 358-366.
Rejection Code: FATE, MODELING.
321. Salaun, J. P. (1991). Metabolism of Xenobiotics by Cytochrome P-450 Monoxidase in Plants. *Meeting on the toxicology of the environment: biological effects of pollutants used as biomarkers of contaminations, november 30, 1990. Oceanis* 17: 459-474.
Rejection Code: NON-ENGLISH.
322. Saltzman, S. and Brates, N. (1990). Effects of Pesticides and Carbon Dioxide Stress on Ammonium Oxidation in Soil. *J environ sci health part b pestic food contam agric wastes* 25: 689-712.
Rejection Code: FATE.
323. Saltzman, S. and Brates, N. (1990). Stability of Emulsifiable Concentrate Pesticide Formulations in Liquid Fertilizers. *Pestic sci* 28: 181-196.
Rejection Code: CHEM METHODS.
324. Sanchez-Brunete, C., Perez, R. A., Miguel, E., and Tadeo, J. L. (1998). Multiresidue Herbicide Analysis in Soil Samples by Means of Extraction in Small Columns and Gas Chromatography With Nitrogen-Phosphorus and Mass Spectrometric Detection. *Journal of chromatography a* 823: 17-24.
Rejection Code: CHEM METHODS.
325. Sasaki, K., Nakamura, Y., Ninomiya, T., Tanaka, T., and Toyoda, M. (1998). Application of the Bulletin Method for Rapid Analysis of Pesticide Residues on the Analysis of 10 Pesticides Notified in 1997. *Journal of the food hygienic society of japan* 39: 448-452.
Rejection Code: CHEM METHODS.
326. Satarov, V. A. (Effektivnye Smesi Gerbitsidov V Kurskoy Oblasti. [Effectiveness of Herbicide Mixtures in Krusk Oblast.]. *Sakh. Svekla* 2: 21-23 1979.
Rejection Code: NON-ENGLISH.
327. Schaeffer, A. (1993). Pesticide Effects on Enzyme Activities in the Soil Ecosystem. *Bollag, j.-M. And g. Stotzky (ed.). Soil biochemistry, vol. 8. Xi+418p. Marcel dekker, inc.: New york, new york, usa* Basel, switzerland. Isbn 0-8247-9044-8.; 0: 273-340.
Rejection Code: REVIEW.
328. Scher, H. B., Rodson, M., and Lee, K. S. (1998). Microencapsulation of Pesticides by Interfacial Polymerization Utilizing Isocyanate or Aminoplast Chemistry. *Pesticide science* 54: 394-400.
Rejection Code: CHEM METHODS.
329. Schwippert, W. W. (1985). Structure-Activity Relationship of Herbicides Inhibiting Acetylcholine-Induced Contractions in a Molluscan *Helix-Pomatia* Smooth Muscle. *Pestic biochem physiol* 24: 174-181.
Rejection Code: IN VITRO.

330. Sergeev, G. I. (Gerbitsidy, Gustota Vskhodov I Produktivnost' Svekly. [Herbicides, Plant Density, and Beet Crop Yields.]. *Sakh. Svekla* (5): 39-40 1980.
Rejection Code: NON-ENGLISH.
331. Shao, Z. Q. and Behki, R. (1995). Cloning of the Genes for Degradation of the Herbicides Eptc (S-Ethyl Dipropylthiocarbamate) and Atrazine From Rhodococcus Sp. Strain Te1. *Applied and environmental microbiology* 61: 2061-2065.
Rejection Code: BACTERIA, FATE.
332. Sharma, R. P. and Reddy, R. V. (1987). Toxic Effects of Chemicals on the Immune System. *Haley, t. J. And w. O. Berndt (ed.). Handbook of toxicology. Xiv+697p. Hemisphere publishing corp.: New york, new york, usa Cambridge, england, uk. Illus. Isbn 0-89116-403-0.; 0: 555-591.*
Rejection Code: HUMAN HEALTH.
333. Sharom, M. S. and Solomon, K. R. (Adsorption and Desorption of Permethrin and Other Pesticides on Glass and Plastic Materials Used in Bioassay Procedures. *Can j. Fish. Aquat. Sci.* 38(2): 199-204 1981 (12 references).
Rejection Code: FATE.
334. Sherma, J. (1992). Pesticides. *Heftmann, e. (Ed.). Journal of chromatography library, vol. 51b. Chromatography, 5th edition: fundamentals and applications of chromatography and related differential migration methods, part b. Applications. Xxxii+630p. Elsevier science publishers b.v.: Amsterdam, netherlands New york, new york, usa. Isbn 0-444-88237-5.; 0: B513-b553.*
Rejection Code: CHEM METHODS.
335. Shvartau, V. V., Korneev, D. Yu, and Trach, V. V. (1997). Microamounts Herbicides Detection With Variable Fluorescence of Chloroplasts Applied to Tlc-Plates. *Fiziologiya i biokhimiya kul'turnykh rastenii* 29: 317-320.
Rejection Code: IN VITRO, CHEM METHODS.
336. Shvartau, V. V., Merezhinskii, Y. U. G, Rudkevich, D. M., and Kal'chenko, V. I. (1992). Modification of Thiocarbamate Activity by Means of Crown Ethers. *Fiziol biokhim kul't rast* 24: 172-178.
Rejection Code: NON-ENGLISH.
337. Singh, G., Spencer, W. F., Cliath, M. M., and Van Genuchten Mt (1990). Dissipation of S-Triazines and Thiocarbamates From Soil as Related to Soil Moisture Content. *Environ pollut* 66: 253-262.
Rejection Code: FATE.
338. Singh, G., Spencer, W. F., Cliath, M. M., and Van Gneuchten Mt (1990). Sorption Behavior of S-Triazine and Thiocarbamate Herbicides on Soils. *J environ qual* 19: 520-525.
Rejection Code: FATE.
339. Sipes, B. S. and Schmitt, D. P. (1998). Nematode-Pesticide Interactions. *Barker, k. R., G. A. Pederson and g. L. Windham (ed.). Agronomy (madison), 36. Plant and nematode interactions. Xvii+771p. Soil science society of america, inc., American society of agronomy, inc., Crop science society of america, inc.: Madison, wisconsin, usa. Isbn 0-89118-136-9. 0: 173-185.*
Rejection Code: REVIEW.
340. Skipper, H. D., Wollum, A. G li, Turco, R. F., and Wolf, D. C. (1996). Microbiological Aspects of Environmental Fate Studies of Pesticides. *Weed technology* 10: 174-190.
Rejection Code: BACTERIA, FATE.
341. Skoglund, L. G. and Brown, W. M. (1988). Effects of Tillage Regimes and Herbicides on Fusarium Species Associated with Corn Stalk Rot. *Can.J.Plant Pathol.* 10: 332-338.
Rejection Code: NO CONC.

342. Skoglund, L. G., Brown, W. M Jr, and Ruppel, R. R. (1986). Assessment of Rhizosphere Population Densities of Fusarium-Spp Associated With Corn Stalk Rot and Conservation Tillage. *1986 annual meeting of the american phytopathological society and of the caribbean and southern divisions, kissimmee, florida, usa, august 10-14, 1986. Phytopathology* 76: 1130.
Rejection Code: ABSTRACT.
343. Skoglund, L. G., Gilbertson, R. L., Brown, W. M Jr, and Ruppel, E. G. (1985). Effect of Tillage and Herbicides on Fusarium Stalk Rot of Corn. *Annual meeting of the american phytopathological society, reno, nevada, usa, aug. 11-15, 1985. Phytopathology* 75: 1296.
Rejection Code: ABSTRACT.
344. Smith, E. A. and Oehme, F. W. (1991). A Review of Selected Herbicides and Their Toxicities. *Vet hum toxicol* 33: 596-608.
Rejection Code: REVIEW.
345. Smulders, C. J. G. M., Bueters, T. J. H., Van Kleef, R. G. D. M., and Vijverberg, H. P. M. (2003). Selective Effects of Carbamate Pesticides on Rat Neuronal Nicotinic Acetylcholine Receptors and Rat Brain Acetylcholinesterase. *Toxicol.Appl.Pharmacol.* 193: 139-146.
Rejection Code: IN VITRO.
346. Smulders, Chantal J. G. M., Bueters, Tjerk J. H., Van Kleef, Regina G. D. M., and Vijverberg, Henk P. M. (2003). Selective effects of carbamate pesticides on rat neuronal nicotinic acetylcholine receptors and rat brain acetylcholinesterase. *Toxicology and Applied Pharmacology* 193: 139-146.
Rejection Code: IN VITRO.
347. Sojo, L. E. , Brocke, A., Fillion, J., and Price, S. M. (1997). Application of Activated Carbon Membranes for on-Line Cleanup of Vegetable and Fruit Extracts in the Determination of Pesticide Multiresidues by Gas Chromatography With Mass Selective Detection. *Journal of chromatography a* 788: 141-154.
Rejection Code: CHEM METHODS.
348. Somasundaram, L. and Coats, J. R. (1991). Interactions Between Pesticides and Their Major Degradation Products. *Somasundaram, l. And j. R. Coats (ed.). Acs (american chemical society) symposium series, vol. 459. Pesticide transformation products: fate and significance in the environment* 200th national meeting, washington, d.c., Usa, august 26-31, 1990. Xii+305p. American chemical society: washington, d.c., Usa. Illus. Isbn 0-8412-1994-x.; 0: 162-171.
Rejection Code: FATE.
349. Sorint, S. S. and Jackson, L. P. (1988). Evaluation of the toxicity characteristic leaching procedure (TCLP) on utility wastes. *Nuclear and Chemical Waste Management* 8: 217-223.
Rejection Code: FATE.
350. South, D. B. and Zwolinski, J. B. (1996). Chemicals Used in Southern Forest Nurseries. *Southern journal of applied forestry* 20: 127-135.
Rejection Code: SURVEY.
351. Spalding, R. F., Junk, G. A., and Richard, J. J. (Pesticides in Ground Water Beneath Irrigated Farmland in Nebraska, August 1978. *Pestic. Monit. J.* 14(2): 70-73 1980 (17 references).
Rejection Code: FATE.
352. Spalding, R. F. and Snow, D. D. (1989). Stream Levels of Agrichemicals During a Spring Discharge Event. *Chemosphere* 19: 1129-1140.
Rejection Code: FATE.
353. Spalding, R. F., Snow, D. D., Cassada, D. A., and Burbach, M. E. (1994). Study of Pesticide

- Occurrence in Two Closely Spaced Lakes in Northeastern Nebraska. *Journal of environmental quality* 23: 571-578.
Rejection Code: FATE.
354. Spynu, E. I. and Sova, R. E. (Determination of Hygenic Standards for Pesticides in Soils by Calculation. Au - Medved' Li. *Gig. Sanit. 11: 22-54 1979 (8 references).*
Rejection Code: FATE.
355. Stamer, J. K. and Wieczorek, M. E. (1996). Pesticide Distribution in Surface Water. *American water works association journal* 88: 79-87.
Rejection Code: FATE.
356. Staub, Richard E., Quistad, Gary B., and Casida, John E. (1999). S-methyl N-butylthiocarbamate sulfoxide: Selective carbamoylating agent for mouse mitochondrial aldehyde dehydrogenase. *Biochemical Pharmacology* 58: 1467-1473.
Rejection Code: IN VITRO.
357. Suett, D. L. (The Threat of Accelerated Degradation of Pesticides Myth or Reality. *British crop protection council. Brighton crop protection conference: pests and diseases, 1990, vols. 1, 2 and 3; international conference, brighton, england, uk, november 19-22, 1990. Xxii+396p.(Vol. 1); xxii+482p.(Vol. 2); xxii+386p.(Vol. 3) british crop protection: farnham, england, uk. Illus. Maps. Paper. Isbn 0-948404-46-9(vol. 1); isbn 0-948404-47-4(vol. 2); isbn 0-948404-48-8(vol. 3); isbn 0-948404-45-0(set).; 0 (0). 1990. 897-906.*
Rejection Code: FATE.
358. Suett, D. L., Fournier, J.-C., Papadopoulou-Mourkidou, E., Pussemier, L., and Smelt, J. (1996). Accelerated Degradation: The European Dimension. *Soil Biol.Biochem.* 28: 1741-1748.
Rejection Code: NO TOX DATA.
359. Tal, A. and Rubin, B. (1993). Metabolism of Eptc by a Pure Bacterial Culture Isolated From Thiocarbamate-Treated Soil. *Pesticide science* 39: 207-212.
Rejection Code: BACTERIA.
360. Tal, A., Rubin, B., Katan, J., and Aharonson, N. (1989). Fate of Carbon-14-Labeled Eptc in a Soil Exhibiting Accelerated Degradation of Carbamothioate Herbicides and Its Control. *Weed sci* 37: 434-439.
Rejection Code: BACTERIA, FATE.
361. Tal, A., Rubin, B., Katan, J., and Aharonson, N. (1990). Involvement of Microorganisms in Accelerated Degradation of S-Ethylidipropylcarbamothioate in Soil. *J agric food chem* 38: 1100-1105.
Rejection Code: BACTERIA.
362. Tam, A. C., Behki, R. M., and Khan, S. U. (1988). Degradation of Thiocarbamate Herbicides by an Eptc-Degrading Bacterium and the Effect of Dietholate on Their Decomposition. *Third chemical congress of north america held at the 195th american chemical society meeting, toronto, ontario, canada, june 5-10, 1988. Abstr pap chem congr north am* 3: Agro 68.
Rejection Code: BACTERIA, FATE.
363. Taylor, A. W. and Spencer, W. F. (1990). Volatilization and Vapor Transport Processes. *Cheng, h. H. (Ed.). Sssa (soil science society of america) book series, no. 2. Pesticides in the soil environment: processes, impacts, and modeling. Xxiii+530p. Soil science society of america, inc.: Madison, wisconsin, usa. Illus. Isbn 0-89118-791-x. 0: 213-270.*
Rejection Code: FATE.
364. Tazuev, M. T. (Effect of Herbicides on the Level of Mobile Forms of Nutrient Substances in Soil.

- Agrokhimiya* (6): 117-118 1979.
Rejection Code: FATE.
365. Tereshchenko, P. V. (1997). Effect of Herbicides on Dew Worms. *Izvestiya timiryazevskoi sel'skokhozyaistvennoi akademii* 0: 99-107.
Rejection Code: NON-ENGLISH.
366. Thorhauge, F., Hansen, H., and Henriksen, K. (1990). Protection of Chinese Cabbage (*Brassica Pekinensis*) Against Insect Attacks by Covering the Crop With Plastic Net. *Tidsskr planteavl* 94: 307-312.
Rejection Code: NON-ENGLISH.
367. Thurman, E. M. and Meyer, M. T. (1996). Herbicide Metabolites in Surface Water and Groundwater Introduction and Overview. Meyer, m. T. And e. M. Thurman (ed.). *Acs symposium series, 630. Herbicide metabolites in surface water and groundwater* Symposium held during the 209th national meeting of the american chemical society, anaheim, california, usa, april 2-7, 1995. X+318p. American chemical society: washington, dc, usa. Isbn 0-8412-3405-1.; 630: 1-15.
Rejection Code: FATE.
368. Torbin, V. F. and Paustovskaya, V. V. (1987). Phenidone Toxicity. *Gig tr prof zabol* 0: 51-52.
Rejection Code: NON-ENGLISH.
369. Torstensson, L. (1988). Microbial Decomposition of Herbicides in the Soil. *Outlook agric* 17: 120-124.
Rejection Code: BACTERIA, FATE.
370. Trach, V. V., Shvartau, V. V., Dmitrenko, N. P., and Chmil', V. D. (1994). Express-Determination of Herbicides by Means of Chloroplasts Immobilized on Tlc-Matrix. *Dopovidi akademiyi nauk ukrayiny* 0: 159-161.
Rejection Code: IN VITRO, CHEM METHODS.
371. Trimmell, D., Wing, R. E., Carr, M. E., and Doane, W. M. (1991). Encapsulation of Eptc in Starch by Twin-Screw Extrusion. *Starch staerke* 43: 146-151.
Rejection Code: CHEM METHODS.
372. Trivedi, P. C. (1988). Interaction Between Herbicide and Nematode Diseases a Review. *J phytol res* 1: 1-14.
Rejection Code: REVIEW.
373. Tuxhorn, G. L., Roeth, F. W., Martin, A. R., and Wilson, R. G. (1986). Butylate Persistence and Activity in Soils Previously Treated With Thiocarbamates. *Weed sci* 34: 961-965.
Rejection Code: FATE.
374. Unlu, K., Ozenirler, G., and Sozudogru, S. (1997). Classification of Commonly Used Pesticides in Turkey Based on Pollution Potentials. *Turkish journal of engineering and environmental sciences* 21: 189-202.
Rejection Code: FATE, MODELING.
375. Uri, N. D. (1997). A Note on the Development and Use of Pesticides. *Science of the total environment* 204: 57-74.
Rejection Code: NO TOX DATA.
376. Van, D. E. N. Berg F, Kubiak, R., Benjey, W. G., Majewski, M. S., Yates, S. R., Reeves, G. L., Smelt, J. H., and Van, D. E. R. Linden Ama (1999). Emission of Pesticides Into the Air. *Water air and soil pollution* 115: 195-218.

- Rejection Code: FATE, MODELING.
377. Van, D. E. R. Werf H Mg and Zimmer, C. (1998). An Indicator of Pesticide Environmental Impact Based on a Fuzzy Expert System. *Chemosphere* 36: 2225-2249.
Rejection Code: MODELING, FATE.
378. Vanhoof, F. and Heyndrickx, A. (Thin Layer Chromatographic-Spectrophotofluorimetric Methods for the Determination of Dithio- and Thiolcarbamates After Hydrolysis and Coupling With Nbd-Cl. *Meded. Fac. Landbouwwetensch. Rijksuniv. Gent*38(3):911-916 1973.
Rejection Code: CHEM METHODS.
379. Vezina, L. and Tremblay, G. (1993). Effects of Catch Crops on Grain Maize Weeding. *85th annual meeting of the quebec society for the protection of plants and the 120th annual meeting of the entomological society of quebec, saint-georges de beauce, quebec, canada, october 13-14, 1993. Phytprotection* 74: 175.
Rejection Code: ABSTRACT.
380. Vidal, A. (1998). Developments in Solar Photocatalysis for Water Purification. *Chemosphere* 36: 2593-2606.
Rejection Code: CHEM METHODS.
381. Voronkin, A. S. and Loshakov, Y. T. (1973). Toxic Effect of Pesticides on Tubifex tubifex. *Exp. Water Toxicol.(Eksp.Vodn.Toksikol.)* 5: 169-178 (RUS) (ENG ABS).
Rejection Code: NON-ENGLISH.
382. Voronkin, A. S. and Loshakov, Y. T. (1973). Toxic Effect of Pesticides on Tubifex tubifex. *Exp. Water Toxicol.(Eksp.Vodn.Toksikol.)* 5: 169-178 (RUS) (ENG ABS).
Rejection Code: NON-ENGLISH.
383. Wagner, S. L. (1990). Pesticide Illness Surveillance Review of the National Pesticide Hazard Assessment Program. *Technical workshop of the conference on agricultural occupational and environmental health: policy strategies for the future, iowa city, iowa, usa* Des moines, iowa, usa, september 17-30, 1988. *Am j ind med*; 18: 307-312.
Rejection Code: HUMAN HEALTH.
384. Walker, C. H. (1983). Pesticides and Birds - Mechanisms of Selective Toxicity. *Agric.Ecos.Environ.* 9: 211-226.
Rejection Code: REFS CHECKED/REVIEW.
385. Wall, G. R. and Phillips, P. J. (1998). Pesticides in the Hudson River Basin, 1994-96. *Northeastern geology and environmental sciences* 20: 299-307.
Rejection Code: FATE.
386. Walton, J. D. and Casida, J. E. (1995). Specific Binding of a Dichloroacetamide Herbicide Safener in Maize at a Site that also Binds Thiocarbamate and Chloroacetanilide Herbicides. *Plant Physiol.* 109: 213-219.
Rejection Code: IN VITRO.
387. Watson, J. E. (1996). Pesticides as a Source of Pollution. *Pepper, i. L., C. P. Gerba and m. L. Brusseau (ed.). Pollution science. Xxiv+397p. Academic press, inc.: San diego, california, usa* London, england, uk. *Isbn* 0-12-550660-0.; 0: 253-266.
Rejection Code: FATE.
388. Weber, J. B. (1991). Fate and Behavior of Herbicides in Soils. *Appl plant sci* 5: 27-41.
Rejection Code: FATE.

389. Weber, J. B., Best, J. A., and Gonese, J. U. (1993). Bioavailability and Bioactivity of Sorbed Organic Chemicals. *Sssa special publication* 0: 153-196.
Rejection Code: FATE.
390. Weisz, R., Saunders, M., Smilowitz, Z., Huang, H., and Christ, B. (1994). Knowledge-Based Reasoning in Integrated Resistance Management: the Colorado Potato Beetle (Coleoptera: Chrysomelidae). *Journal of economic entomology* 87: 1384-1399.
Rejection Code: MODELING, REVIEW.
391. White, M. D., Wing, R. E., Trimnell, D., and Shasha, B. S. (1988). Bioactivity of Controlled Release Formulations of Starch-Encapsulated Eptc Au - Schreiber Mm. *J controlled release* 7: 237-242.
Rejection Code: CHEM METHODS.
392. White, R. E. and Kookana, R. S. (1998). Measuring Nutrient and Pesticide Movement in Soils: Benefits for Catchment Management. *Australian journal of experimental agriculture* 38: 725-743.
Rejection Code: FATE.
393. Wigfield, Y. Y. and Mclenaghan, C. C. (1990). Nitrosamines in Formulations of Deet and Eptc. *Bull environ contam toxicol* 44: 13-18.
Rejection Code: CHEM METHODS.
394. Wilkinson, R. E. (1983). Gibberellin Precursor Biosynthesis Inhibition by EPTC and Reversal by R-25788. *Pestic.Biochem.Physiol.* 19: 321-329.
Rejection Code: METABOLISM.
395. Wilkinson, R. E. (1985). S Ethyl Dipropylthiocarbamate N N Diallyl-2-Chloroacetamide and 2 Chloroallyldiethyldithiocarbamate Influence on Sulfhydryl-Dependent Sucrose Accumulation. *Pestic biochem physiol* 23: 95-101.
Rejection Code: FATE.
396. Wilson, R. G. and Rodebush, J. E. (1987). Degradation of Dichlormid and Dietholate in Soils With Prior Eptc Butylate Dichlormid and Dietholate Exposure. *Weed sci* 35: 289-294.
Rejection Code: FATE.
397. Wu, N., Shen, Y., and Lee, M. L. (1999). Fast Solvating Gas Chromatography of Environmentally Important Compounds Using Polymer-Encapsulated Silica Particles. *Hrc journal of high resolution chromatography* 22: 541-546.
Rejection Code: CHEM METHODS.
398. Wylie, P. L. and Oguchi, R. (1990). Pesticide Analysis by Gas Chromatography With a Novel Atomic Emission Detector. *J chromatogr* 517: 131-142.
Rejection Code: CHEM METHODS.
399. Yatsenko, V. G. and Skriabina, A. I. (Effectiveness of Herbicide Mixtures in the Orlov Oblast. *Sakh. Svekla* (2): 25 1979.
Rejection Code: NON-ENGLISH.
400. Yenne, S. P. and Hatzios, K. K. (1990). Molecular Comparisons of Selected Herbicides and Their Safeners by Computer-Aided Molecular Modeling. *J agric food chem* 38: 1950-1956.
Rejection Code: MODELING.
401. Yeomans, J. C. and Bremner, J. M. (1985). Denitrification in soil: Effects of herbicides. *Soil Biology and Biochemistry* 17: 447-452.
Rejection Code: BACTERIA.

402. Yess, N. J. (1988). Fda Pesticide Program Residues in Foods 1987. *J assoc off anal chem* 71: 156a-174a.
Rejection Code: HUMAN HEALTH.
403. Zanin, G., Berti, A., and Giannini, M. (1992). Economics of Herbicide Use on Arable Crops in North-Central Italy. *Crop prot* 11: 174-180.
Rejection Code: REVIEW.
404. Zhang, Y., Wade, K. L., Prestera, T., and Talalay, P. (1996). Quantitative Determination of Isothiocyanates, Dithiocarbamates, Carbon Disulfide, and Related Thiocarbonyl Compounds by Cyclocondensation With 1,2-Benzenedithiol. *Analytical biochemistry* 239: 160-167.
Rejection Code: CHEM METHODS.
405. Zhu, T., Desjardins, R. L., Macpherson, J. I., Pattey, E. , and St Amour G (1998). Aircraft Measurements of the Concentration and Flux of Agrochemicals. *Environmental science & technology* 32: 1032-1038.
Rejection Code: FATE, METHODS.
406. Zhukova, P. S. and Botvin'eva, A. M. (The Effectiveness of Eptam, Pyramine and Betanal in Red Beet Fields and Their Residues in Soil and Plants. *Khim. Sel. Khoz.*7: 53-56; 1974.
Rejection Code: NON-ENGLISH.
407. Zivkovic, N. (1977). Two Years Results of Weed Control in Maize with Herbicides Based on EPATM (Eradicane 6E) and Butilate (Sutan 6E) [Dvogodisnji Rezultati Suzbijanja Korova U Kukuruzu Herbicidima Na Bazi Eptama (Eradicane 6 E) I]. *Zastita Bilja* 28: 343-357 (SER) (ENG ABS).
Rejection Code: NON-ENGLISH.
408. Znad, H., Kasahara, N., and Kawase, Y. (2006). Biological decomposition of herbicides (EPTC) by activated sludge in a slurry bioreactor. *Process Biochemistry* 41: 1124-1128.
Rejection Code: FATE.
409. Zoun, P. E. F. and Spierenburg, T. J. (1989). Determination of Cholinesterase-Inhibiting Pesticides and Some of Their Metabolites in Cases of Animal Poisoning Using Thin-Layer Chromatography. *J.Chromatogr.* 462: 448-453.
Rejection Code: IN VITRO.

Spreadsheet: Part I of IV

Ref #	CAS Number	Chemical Name	Species Number	Phylum	Class	Order	Family	Genus	Species	Common Name
74324	759944	EPTC	4510	Chordata	Mammalia	Rodentia	Muridae	Rattus	norvegicus	Norway rat
74324	759944	EPTC	4510	Chordata	Mammalia	Rodentia	Muridae	Rattus	norvegicus	Norway rat
79085	759944	EPTC	4913	Chordata	Mammalia	Rodentia	Muridae	Mus	musculus	House mouse
73593	759944	EPTC	4510	Chordata	Mammalia	Rodentia	Muridae	Rattus	norvegicus	Norway rat
98227	759944	EPTC	11531	Arthropoda	Insecta	Lepidoptera	Plutellidae	Plutella	xylostella	Diamondback moth
98825	759944	EPTC	1161	Nemata	NR	NR	NR	NR	Nemata	Nematode phylum
98826	759944	EPTC	4913	Chordata	Mammalia	Rodentia	Muridae	Mus	musculus	House mouse
98275	759944	EPTC	17304	Ascomycota	Leotiomycetes	Helotiales	Sclerotiniaceae	Sclerotinia	sclerotiorum	Fungus
72796	759944	EPTC	2297	Magnoliophyta	Liliopsida	Arales	Lemnaceae	Lemna	aequinoctiales	Duckweed
42840	759944	EPTC	3896	Magnoliophyta	Liliopsida	Cyperales	Poaceae	Sorghum	bicolor	Sudangrass
42840	759944	EPTC	3369	Magnoliophyta	Magnoliopsida	Violales	Cucurbitaceae	Cucumis	sativus	Cucumber
98330	759944	EPTC	3708	Magnoliophyta	Magnoliopsida	Fabales	Fabaceae	Phaseolus	vulgaris	Bean
98330	759944	EPTC	3708	Magnoliophyta	Magnoliopsida	Fabales	Fabaceae	Phaseolus	vulgaris	Bean
98330	759944	EPTC	3708	Magnoliophyta	Magnoliopsida	Fabales	Fabaceae	Phaseolus	vulgaris	Bean
98228	759944	EPTC	3236	Magnoliophyta	Magnoliopsida	Capparales	Brassicaceae	Brassica	oleracea	Cabbage
98228	759944	EPTC	3236	Magnoliophyta	Magnoliopsida	Capparales	Brassicaceae	Brassica	oleracea	Cabbage
98228	759944	EPTC	3236	Magnoliophyta	Magnoliopsida	Capparales	Brassicaceae	Brassica	oleracea	Cabbage
98228	759944	EPTC	3236	Magnoliophyta	Magnoliopsida	Capparales	Brassicaceae	Brassica	oleracea	Cabbage
98228	759944	EPTC	3236	Magnoliophyta	Magnoliopsida	Capparales	Brassicaceae	Brassica	oleracea	Cabbage

98228	759944	EPTC	3236	Magnoliophyta	Magnoliopsida	Capparales	Brassicaceae	Brassica	oleracea	Cabbage
98228	759944	EPTC	3236	Magnoliophyta	Magnoliopsida	Capparales	Brassicaceae	Brassica	oleracea	Cabbage
98228	759944	EPTC	3236	Magnoliophyta	Magnoliopsida	Capparales	Brassicaceae	Brassica	oleracea	Cabbage
98228	759944	EPTC	3236	Magnoliophyta	Magnoliopsida	Capparales	Brassicaceae	Brassica	oleracea	Cabbage
98742	759944	EPTC	18194	Magnoliophyta	Magnoliopsida	Asterales	Asteraceae	Calendula	sp.	Marigold
98742	759944	EPTC	18194	Magnoliophyta	Magnoliopsida	Asterales	Asteraceae	Calendula	sp.	Marigold
98227	759944	EPTC	11531	Arthropoda	Insecta	Lepidoptera	Plutellidae	Plutella	xylostella	Diamondback moth
98227	759944	EPTC	11531	Arthropoda	Insecta	Lepidoptera	Plutellidae	Plutella	xylostella	Diamondback moth
98227	759944	EPTC	11531	Arthropoda	Insecta	Lepidoptera	Plutellidae	Plutella	xylostella	Diamondback moth
98227	759944	EPTC	11531	Arthropoda	Insecta	Lepidoptera	Plutellidae	Plutella	xylostella	Diamondback moth
98227	759944	EPTC	11531	Arthropoda	Insecta	Lepidoptera	Plutellidae	Plutella	xylostella	Diamondback moth
98228	759944	EPTC	11531	Arthropoda	Insecta	Lepidoptera	Plutellidae	Plutella	xylostella	Diamondback moth
98228	759944	EPTC	11531	Arthropoda	Insecta	Lepidoptera	Plutellidae	Plutella	xylostella	Diamondback moth
98228	759944	EPTC	11531	Arthropoda	Insecta	Lepidoptera	Plutellidae	Plutella	xylostella	Diamondback moth
71141	759944	EPTC	11533	Arthropoda	Insecta	Lepidoptera	Noctuidae	Spodoptera	littoralis	Egyptian cotton leafworm
71141	759944	EPTC	11533	Arthropoda	Insecta	Lepidoptera	Noctuidae	Spodoptera	littoralis	Egyptian cotton leafworm
71141	759944	EPTC	11533	Arthropoda	Insecta	Lepidoptera	Noctuidae	Spodoptera	littoralis	Egyptian cotton leafworm
14134	759944	EPTC	77	Arthropoda	Malacostraca	Decapoda	Penaeidae	Penaeus	setiferus	Northern white shrimp

13100	759944	EPTC	1583	Chlorophyta	Chlorophyceae	Volvocales	Dunaliellaceae	Dunaliella	bioculata	Green algae
4651	759944	EPTC	485	Chordata	Actinopterygii	Perciformes	Cichlidae	Tilapia	nilotica	Nile tilapia
4651	759944	EPTC	64	Chordata	Actinopterygii	Cypriniformes	Cyprinidae	Carassius	carassius	Crucian carp
3914	759944	EPTC	964	Arthropoda	Insecta	Diptera	Chironomidae	Chironomus	riparius	Midge
3914	759944	EPTC	964	Arthropoda	Insecta	Diptera	Chironomidae	Chironomus	riparius	Midge
86935	759944	EPTC	206	Chordata	Amphibia	Anura	Pipidae	Xenopus	laevis	African clawed frog
86935	759944	EPTC	206	Chordata	Amphibia	Anura	Pipidae	Xenopus	laevis	African clawed frog
98228	759944	EPTC	3236	Magnoliophyta	Magnoliopsida	Capparales	Brassicaceae	Brassica	oleracea	Cabbage
98228	759944	EPTC	3236	Magnoliophyta	Magnoliopsida	Capparales	Brassicaceae	Brassica	oleracea	Cabbage
98228	759944	EPTC	3236	Magnoliophyta	Magnoliopsida	Capparales	Brassicaceae	Brassica	oleracea	Cabbage
98228	759944	EPTC	3236	Magnoliophyta	Magnoliopsida	Capparales	Brassicaceae	Brassica	oleracea	Cabbage
98228	759944	EPTC	3236	Magnoliophyta	Magnoliopsida	Capparales	Brassicaceae	Brassica	oleracea	Cabbage
98843	759944	EPTC	3708	Magnoliophyta	Magnoliopsida	Fabales	Fabaceae	Phaseolus	vulgaris	Bean
98843	759944	EPTC	3708	Magnoliophyta	Magnoliopsida	Fabales	Fabaceae	Phaseolus	vulgaris	Bean
13583	759944	EPTC	7551	Plantae	NR	NR	NR	NR	Plantae	Plant kingdom
13583	759944	EPTC	7551	Plantae	NR	NR	NR	NR	Plantae	Plant kingdom
13583	759944	EPTC	7551	Plantae	NR	NR	NR	NR	Plantae	Plant kingdom
13583	759944	EPTC	7551	Plantae	NR	NR	NR	NR	Plantae	Plant kingdom
13583	759944	EPTC	7551	Plantae	NR	NR	NR	NR	Plantae	Plant kingdom

13583	759944	EPTC	7551	Plantae	NR	NR	NR	NR	Plantae	Plant kingdom
98228	759944	EPTC	16838	Arthropoda	Insecta	Lepidoptera	Noctuidae	Trichoplusia	ni	Cabbage looper
98228	759944	EPTC	10655	Arthropoda	Insecta	Lepidoptera	Pieridae	Pieris	rapae	Cabbage white
98228	759944	EPTC	11531	Arthropoda	Insecta	Lepidoptera	Plutellidae	Plutella	xylostella	Diamondback moth
98275	759944	EPTC	17304	Ascomycota	Leotiomycetes	Helotiales	Sclerotiniaceae	Sclerotinia	sclerotiorum	Fungus
18093	759944	EPTC	486	Chlorophyta	Chlorophyceae	Chlorococcales	Scenedesmaceae	Pseudokirchneriella	subcapitata	Green algae
18093	759944	EPTC	486	Chlorophyta	Chlorophyceae	Chlorococcales	Scenedesmaceae	Pseudokirchneriella	subcapitata	Green algae
18093	759944	EPTC	486	Chlorophyta	Chlorophyceae	Chlorococcales	Scenedesmaceae	Pseudokirchneriella	subcapitata	Green algae
86410	759944	EPTC	7679	Fungi	NR	NR	NR	NR	Fungi	Fungi Kingdom
18093	759944	EPTC	507	Magnoliophyta	Liliopsida	Arales	Lemnaceae	Lemna	minor	Duckweed
18093	759944	EPTC	507	Magnoliophyta	Liliopsida	Arales	Lemnaceae	Lemna	minor	Duckweed
18093	759944	EPTC	507	Magnoliophyta	Liliopsida	Arales	Lemnaceae	Lemna	minor	Duckweed
98843	759944	EPTC	5234	Magnoliophyta	Liliopsida	NR	NR	NR	Liliopsida	Monocot class
98843	759944	EPTC	5234	Magnoliophyta	Liliopsida	NR	NR	NR	Liliopsida	Monocot class
98825	759944	EPTC	3987	Magnoliophyta	Liliopsida	Cyperales	Poaceae	Zea	mays	Corn
46533	142847	Di-N-propylamine	3541	Magnoliophyta	Magnoliopsida	Asterales	Asteraceae	Lactuca	sativa	Lettuce
46533	142847	Di-N-propylamine	3541	Magnoliophyta	Magnoliopsida	Asterales	Asteraceae	Lactuca	sativa	Lettuce
46533	142847	Di-N-propylamine	3541	Magnoliophyta	Magnoliopsida	Asterales	Asteraceae	Lactuca	sativa	Lettuce

98330	759944	EPTC	3708	Magnoliophyta	Magnoliopsida	Fabales	Fabaceae	Phaseolus	vulgaris	Bean
98330	759944	EPTC	3708	Magnoliophyta	Magnoliopsida	Fabales	Fabaceae	Phaseolus	vulgaris	Bean
98330	759944	EPTC	3708	Magnoliophyta	Magnoliopsida	Fabales	Fabaceae	Phaseolus	vulgaris	Bean
98843	759944	EPTC	3708	Magnoliophyta	Magnoliopsida	Fabales	Fabaceae	Phaseolus	vulgaris	Bean
98843	759944	EPTC	3708	Magnoliophyta	Magnoliopsida	Fabales	Fabaceae	Phaseolus	vulgaris	Bean
98843	759944	EPTC	5235	Magnoliophyta	Magnoliopsida	NR	NR	NR	Magnoliopsida	Dicot class
98843	759944	EPTC	5235	Magnoliophyta	Magnoliopsida	NR	NR	NR	Magnoliopsida	Dicot class
98825	759944	EPTC	1161	Nemata	NR	NR	NR	NR	Nemata	Nematode phylum
98330	759944	EPTC	16352	Nemata	Secernentea	Tylenchida	Criconematidae	Criconemalla	ornata	Ring nematode
98330	759944	EPTC	10911	Nemata	Secernentea	Tylenchida	Heteroderidae	Meloidogyne	incognita	Root-knot nematode
98330	759944	EPTC	10911	Nemata	Secernentea	Tylenchida	Heteroderidae	Meloidogyne	incognita	Root-knot nematode
98330	759944	EPTC	16352	Nemata	Secernentea	Tylenchida	Criconematidae	Criconemalla	ornata	Ring nematode
98330	759944	EPTC	10911	Nemata	Secernentea	Tylenchida	Heteroderidae	Meloidogyne	incognita	Root-knot nematode
98742	759944	EPTC	17312	Nemata	Secernentea	Tylenchida	Heteroderidae	Meloidogyne	hapla	Northern Root Knot Nematode
98742	759944	EPTC	17312	Nemata	Secernentea	Tylenchida	Heteroderidae	Meloidogyne	hapla	Northern Root Knot Nematode
98843	759944	EPTC	7551	Plantae	NR	NR	NR	NR	Plantae	Plant kingdom
98843	759944	EPTC	7551	Plantae	NR	NR	NR	NR	Plantae	Plant kingdom
60074	759944	EPTC	1917	Protozoa	Lobosa	Amoebida	Acanthamoebidae	Acanthamoeba	castellanii	Amoeba
60074	759944	EPTC	1917	Protozoa	Lobosa	Amoebida	Acanthamoebidae	Acanthamoeba	castellanii	Amoeba

98275	759944	EPTC	17304	Ascomycota	Leotiomycetes	Helotiales	Sclerotiniaceae	Sclerotinia	sclerotiorum	Fungus
96666	759944	EPTC	17953	Ascomycota	Sordariomycetes	Diaporthales	Valsaceae	Phomopsis	amaranthicola	Fungus
96666	759944	EPTC	17953	Ascomycota	Sordariomycetes	Diaporthales	Valsaceae	Phomopsis	amaranthicola	Fungus

Spreadsheet: Part II of IV

Ref #	Effect Group	Effect	Meas	Endpt1	Endpt2	Habitat	Plant/ Animal	Media	Dur Orig	Dur Unit Orig	Dur Preferred	Dur Unit Preferred	Conc Type	Conc Value1 Orig	Conc Units Orig	Conc Value1 Purity Adjusted
74324	BCM	BCM	BGBN	LOAEL		terrestrial	Animal	NONE	6	d	6	d	F	100	mg/kg/d	99
74324	BCM	ENZ	ESTE	LOAEL		terrestrial	Animal	NONE	6	d	6	d	F	100	mg/kg/d	99
79085	BCM	ENZ	GSTR	NOAEL		terrestrial	Animal	NONE	1.5	h	0.0625	d	F	100	mg/kg	100
73593	BCM	ENZ	ALDH	ID50		terrestrial	Animal	NONE	8	h	0.33333333	d	A	5.2	mg/kg	5.2
98227	BEH	BEH	ACTV	LOAEL		terrestrial	Animal	NAT	4	ins	4	ins	A	10.4	Al mg	10.4
98825	BEH	BEH	PNPY	NOAEL		terrestrial	Animal	NAT	3	wk	21	d	A	1800	Al g/ha	1800
98826	CEL	GEN	CABR	LOAEL		terrestrial	Animal	NONE	7	d	7	d	F	1	%	1
98275	GRO	MPH	WGHT	NOAEL	LOAEL	terrestrial	NR	AGR	16	d	16	d	A	500	Al ug/ml	500
72796	GRO	GRO	GRRT	EC50		aquatic	Plant	FW	7	d	7	d	A	62.34	uM	62.34
42840	GRO	GRO	LGTH	EC50		Terrestrial	Plant	FLT	6	d	6	d	NR	6.87	1e-5 M	6.87
42840	GRO	GRO	LGTH	EC50		Terrestrial	Plant	FLT	5	d	5	d	NR	4.01	1e-5 M	4.01
98330	GRO	GRO	GREI	NOAEL		terrestrial	Plant	NAT	48	d	48	d	A	3.36	ai kg/ha	3.36
98330	GRO	GRO	GREI	NOAEL		terrestrial	Plant	NAT	48	d	48	d	A	3.36	ai kg/ha	3.36
98330	GRO	GRO	GREI	NOAEL		terrestrial	Plant	NAT	48	d	48	d	A	3.36	ai kg/ha	3.36
98228	GRO	MPH	WGHT	NOAEL		terrestrial	Plant	NAT	28	d	28	d	A	80	Al mg/org	80
98228	GRO	MPH	WGHT	NOAEL		terrestrial	Plant	NAT	28	d	28	d	A	80	Al mg/org	80
98228	GRO	MPH	WGHT	NOAEL		terrestrial	Plant	NAT	28	d	28	d	F	320	Al mg/org	320
98228	GRO	MPH	WGHT	NOAEL		terrestrial	Plant	NAT	28	d	28	d	F	80	Al mg/org	80
98228	GRO	MPH	WGHT	NOAEL		terrestrial	Plant	NAT	18	d	18	d	A	160	Al mg/org	160
98228	GRO	MPH	WGHT	NOAEL		terrestrial	Plant	NAT	26	d	26	d	F	80	mg/org	80
98228	GRO	MPH	WGHT	NOAEL		terrestrial	Plant	NAT	40	d	40	d	F	20	mg/org	20
98228	GRO	MPH	WGHT	NOAEL		terrestrial	Plant	NAT	na	hv	na	hv	A	160	Al mg/org	160
98228	GRO	MPH	WGHT	NOAEL		terrestrial	Plant	NAT	na	hv	na	hv	A	160	Al mg/org	160
98742	GRO	GRO	WGHT	NOAEL	LOAEL	terrestrial	Plant	NAT	12	wk	84	d	F	1	ml/m2	1
98742	GRO	GRO	WGHT	NOAEL		terrestrial	Plant	NAT	8	wk	56	d	F	1	ml/m2	1
98227	MOR	MOR	SURV	LOAEL		terrestrial	Animal	NAT	4	ins	4	ins	A	10.4	Al mg	10.4

98227	MOR	MOR	SURV	LOAEL		terrestrial	Animal	NAT	4	ins	4	ins	A	10.4	Al mg	10.4
98227	MOR	MOR	SURV	NOAEL		terrestrial	Animal	NAT	4	ins	4	ins	A	20.8	Al mg	20.8
98227	MOR	MOR	SURV	LOAEL		terrestrial	Animal	NAT	4	ins	4	ins	A	20.8	Al mg	20.8
98227	MOR	MOR	SURV	NOAEL		terrestrial	Animal	NONE	NA	lvp	NA	lvp	A	0.5	ppm	0.5
98228	MOR	MOR	SURV	LOAEL		terrestrial	Animal	NAT	4	inst	4	inst	F	20	mg/org	20
98228	MOR	MOR	SURV	LOAEL		terrestrial	Animal	NAT	4	inst	4	inst	F	80	mg/org	80
98228	MOR	MOR	SURV	NOAEL		terrestrial	Animal	NAT	4	inst	4	inst	F	160	mg/org	160
71141	MOR	MOR	MORT	NR-ZERO		terrestrial	Animal	NR	24	h	1	d	A	250	Al ug	250
71141	MOR	MOR	HTCH	NR-LETH		terrestrial	Animal	NR	na	ht	na	ht	F	250	ug/org	188.75
71141	MOR	MOR	HTCH	NR-LETH		terrestrial	Animal	NR	na	ht	na	ht	F	250	ug/org	188.75
14134	MOR	MOR	MORT	EC50		aquatic	Animal	SW	48	h	2	d	F	0.63	ppm	0.63
13100	MOR	MOR	MORT	NR-LETH		Aquatic	Plant	NR	48	h	2	d	F	100	uM	100
4651	MOR	MOR	MORT	LC50		aquatic	Animal	FW	96	h	4	d	F	225	ppm	225
4651	MOR	MOR	MORT	LC50		aquatic	Animal	FW	96	h	4	d	F	170	ppm	170
3914	PHY	ITX	IMBL	EC50		Aquatic	Animal	FW	48	h	2	d	A	56000	ug/L	56000
3914	PHY	ITX	IMBL	EC50		Aquatic	Animal	FW	24	h	1	d	A	100000	ug/L	100000
86935	PHY	PHY	CNVY	IC50		aquatic	Animal	NR	5	mi	3.47E-03	d	F	35	uM	35
86935	PHY	PHY	CNVY	IC50		aquatic	Animal	NR	5	mi	3.47E-03	d	F	13	uM	13
98228	PHY	INJ	DAMG	NOAEL		terrestrial	Plant	NAT	18	d	18	d	A	160	Al mg/org	160
98228	PHY	INJ	DAMG	NOAEL		terrestrial	Plant	NAT	26	d	26	d	F	80	mg/org	80
98228	PHY	INJ	DAMG	NOAEL		terrestrial	Plant	NAT	40	d	40	d	F	20	mg/org	20
98228	PHY	INJ	DAMG	NOAEL		terrestrial	Plant	NAT	na	hv	na	hv	A	160	Al mg/org	160
98228	PHY	INJ	DAMG	NOAEL		terrestrial	Plant	NAT	na	hv	na	hv	A	160	Al mg/org	160
98843	PHY	IMM	IFCT	NOAEL		terrestrial	Plant	NAT		hv		hv	F	3.4	kg	3.4
98843	PHY	IMM	IFCT	NOAEL		terrestrial	Plant	NAT		hv		hv	F	3.4	kg	3.4
13583	PHY	PHY	PSYN	EC50		aquatic	Plant	FW	4	h	0.16666667	d	A	75.0 TO 125	ai ppm	75.0 TO 125
13583	PHY	PHY	PSYN	EC100		aquatic	Plant	FW	4	h	0.16666667	d	A	250	ai ppm	250
13583	PHY	PHY	PSYN	EC100		aquatic	Plant	FW	4	h	0.16666667	d	A	250	ai ppm	250
13583	PHY	PHY	PSYN	EC50		aquatic	Plant	FW	4	h	0.16666667	d	A	0.025	ai ppm	0.025
13583	PHY	PHY	ASML	EC50		aquatic	Plant	FW	4	h	0.16666667	d	A	2.50 TO	ai ppm	2.50 TO 75.0

														75.0			
13583	PHY	PHY	ASML	EC100		aquatic	Plant	FW	4	h	0.16666667	d	A	250	ai ppm	250	
98228	POP	POP	ABND	NOAEL		terrestrial	Animal	NAT	na	hv	na	hv	A	160	AI mg/org	160	
98228	POP	POP	ABND	NOAEL		terrestrial	Animal	NAT	na	hv	na	hv	A	160	AI mg/org	160	
98228	POP	POP	ABND	LOAEL		terrestrial	Animal	NAT	na	hv	na	hv	A	160	AI mg/org	160	
98275	POP	POP	PGRT	LOAEL		terrestrial	NR	AGR	48	h	2	d	A	1	AI ug/ml	1	
18093	POP	POP	BMAS	LOEC		Aquatic	Plant	FW	24 to 96	h	1 TO 4	d	A	6250	ug/L	6250	
18093	POP	POP	BMAS	NOEC		Aquatic	Plant	FW	24 to 96	h	1 TO 4	d	A	6250	ug/L	6250	
18093	POP	POP	GPOP	EC50		Aquatic	Plant	FW	96	h	4	d	A	6451	ug/L	6451	
86410	POP	POP	ABND	LOAEL		terrestrial	NR	NAT	1	wk	7	d	A	10	ug/g soil	10	
18093	POP	POP	GPOP	EC50		Aquatic	Plant	FW	96	h	4	d	A	7512	ug/L	7512	
18093	POP	POP	BMAS	LOEC		Aquatic	Plant	FW	48 to 96	h	2 TO 4	d	A	10000	ug/L	10000	
18093	POP	POP	BMAS	NOEC		Aquatic	Plant	FW	48 to 96	h	2 TO 4	d	A	5000	ug/L	5000	
98843	POP	POP	ABND	LOAEL		terrestrial	Plant	NAT		hv		hv	F	3.4	kg	3.4	
98843	POP	POP	ABND	NOAEL		terrestrial	Plant	NAT		hv		hv	F	3.4	kg	3.4	
98825	POP	POP	BMAS	NOAEL		terrestrial	Plant	NAT	6	wk	42	d	A	1800	AI g/ha	1800	
46533	POP	POP	BMAS	EC50		Terrestrial	Plant	NAT	14	d	14	d	NR	370	ug/g soil	351.5	
46533	POP	POP	BMAS	EC50		Terrestrial	Plant	NAT	7	d	7	d	NR	383	ug/g soil	363.85	
46533	POP	POP	BMAS	EC50		Terrestrial	Plant	HYP	21	d	21	d	NR	100 TO <320	mg/L	95 TO <304	
98330	POP	POP	BMAS	NOAEL		terrestrial	Plant	NAT	48	d	48	d	A	3.36	ai kg/ha	3.36	
98330	POP	POP	BMAS	NOAEL		terrestrial	Plant	NAT	48	d	48	d	A	3.36	ai kg/ha	3.36	
98330	POP	POP	BMAS	NOAEL		terrestrial	Plant	NAT	48	d	48	d	A	3.36	ai kg/ha	3.36	
98843	POP	POP	BMAS	NOAEL		terrestrial	Plant	NAT		hv		hv	F	3.4	kg	3.4	
98843	POP	POP	BMAS	NOAEL		terrestrial	Plant	NAT		hv		hv	F	3.4	kg	3.4	
98843	POP	POP	ABND	NOAEL		terrestrial	Plant	NAT		hv		hv	F	3.4	kg	3.4	
98843	POP	POP	ABND	NOAEL		terrestrial	Plant	NAT		hv		hv	F	3.4	kg	3.4	
98825	POP	POP	ABND	NOAEL		terrestrial	Animal	NAT	6	wk	42	d	A	1800	AI g/ha	1800	

98330	POP	POP	CNTL	LOAEL		terrestrial	Animal	NAT	48	d	48	d	A	3.36	ai kg/ha	3.36
98330	POP	POP	CNTL	LOAEL		terrestrial	Animal	NAT	48	d	48	d	A	3.36	ai kg/ha	3.36
98330	POP	POP	CNTL	NOAEL		terrestrial	Animal	NAT	48	d	48	d	A	3.36	ai kg/ha	3.36
98330	POP	POP	CNTL	NOAEL		terrestrial	Animal	NAT	48	d	48	d	A	3.36	ai kg/ha	3.36
98742	POP	POP	ABND	NOAEL	LOAEL	terrestrial	Animal	NAT	12	wk	84	d	F	1	ml/m2	1
98742	POP	POP	ABND	LOAEL		terrestrial	Animal	NAT	8	wk	56	d	F	1	ml/m2	1
98843	POP	POP	ABND	LOAEL		terrestrial	Plant	NAT		hv		hv	F	3.4	kg	3.4
98843	POP	POP	ABND	NOAEL		terrestrial	Plant	NAT		hv		hv	F	3.4	kg	3.4
60074	POP	POP	PGRT	NOAEL	LOAEL	aquatic	Animal	FW	120	h	5	d	F	10	ppm	10
60074	POP	POP	PGRT	NOAEL	LOAEL	aquatic	Animal	FW	120	h	5	d	F	1	ppm	1
98275	REP	REP	GERM	NOAEL		terrestrial	NR	AGR	16	d	16	d	A	20	ai ug/g soil	20
96666	REP	REP	GERM	LOAEL		terrestrial	NR	AGR	24.3	h	1.0125	d	F	0.875	kg/ha	0.875
96666	REP	REP	GERM	LOAEL		terrestrial	NR	AGR	24.3	h	1.0125	d	F	0.875	kg/ha	0.875

Spreadsheet: Part III of IV

Ref #	Conc Value1 Preferred	Conc Value2 Orig	Conc Value2 Purity Adjusted	Conc Value2 Preferred	Conc Units Preferred	Number of Conc	pH	Organic Matter Value	Organic Matter Unit	Organic Matter Type	% Purity	Test Loc	Exp Type	Test ID
74324	99				mg/kg/d	1					>99	Lab	IP	NO
74324	99				mg/kg/d	1					>99	Lab	IP	NO
79085	100				mg/kg	1					100	Lab	IP	NO
73593	5.2				mg/kg	5					>96	Lab	IP	NO
98227	10.4				Al mg	1					100	Lab	EN	NO
98825	1800				Al g/ha	1					100	FieldA	SP	NO
98826	1				%	4					100	Lab	GV	NO
98275	500	1000	1000	1000	ppm	9					100	Lab	CM	NO
72796	62.34				uM		5.5*				100	Lab	NR	NO
42840	6.87				1e-5 M					NR	100	Lab	SO	32838
42840	4.01				1e-5 M					NR	100	Lab	DA	32835
98330	2.99712				lb/acre	1	6.2 to 6.5	0.5	%	OM	100	FieldN	EN	NO
98330	2.99712				lb/acre	1	6.2 to 6.5	0.5	%	OM	100	FieldN	EN	NO
98330	2.99712				lb/acre	1	6.2 to 6.5	0.5	%	OM	100	FieldN	EN	NO
98228	80				Al mg/org	4					95	FieldN	EN	NO
98228	80				Al mg/org	4					95	FieldN	EN	NO
98228	320				Al mg/org	4					100	FieldN	EN	NO
98228	80				Al mg/org	4					100	FieldN	EN	NO
98228	160				Al mg/org	1					95	FieldN	EN	NO
98228	80				mg/org	1					100	FieldN	EN	NO
98228	20				mg/org	1					100	FieldN	EN	NO
98228	160				Al mg/org	1					95	FieldN	EN	NO
98228	160				Al mg/org	1					95	FieldN	EN	NO
98742	1	2	2	2	ml/m2	4					100	Lab	DA	NO

98742	1				ml/m2	1					100	Lab	DA	NO
98227	10.4				Al mg	1					100	FieldA	EN	NO
98227	10.4				Al mg	1					100	FieldA	EN	NO
98227	20.8				Al mg	1					100	FieldN	EN	NO
98227	20.8				Al mg	1					100	FieldN	EN	NO
98227	0.5				ppm	5					100	Lab	FD	NO
98228	20				mg/org	1					100	FieldN	EN	NO
98228	80				mg/org	1					100	FieldN	EN	NO
98228	160				mg/org	1					100	FieldN	EN	NO
71141	250				Al ug	1					75.5	Lab	FD	NO
71141	188.75				ug/org	1					75.5	Lab	FD	NO
71141	188.75				ug/org	1					75.5	Lab	FD	NO
14134	0.63				mg/L						100	Lab	F	NO
13100	100				uM					NR	100	LAB	S	104006
4651	225				mg/L	10	7.2 to 7.9				100	Lab	S	NO
4651	170				mg/L	10	7.2 to 8.3				100	Lab	S	NO
3914	56				mg/L					NR	100	LAB	S	108062
3914	100				mg/L					NR	100	LAB	S	108061
86935	35				uM	8					100	Lab	NR	NO
86935	13				uM	5					100	Lab	NR	NO
98228	160				Al mg/org	1					95	FieldN	EN	NO
98228	80				mg/org	1					100	FieldN	EN	NO
98228	20				mg/org	1					100	FieldN	EN	NO
98228	160				Al mg/org	1					95	FieldN	EN	NO
98228	160				Al mg/org	1					95	FieldN	EN	NO
98843	3.4				kg	1					100	FieldN	NR	NO
98843	3.4				kg	1					100	FieldN	NR	NO
13583	75 TO 125				mg/L	9					100	Lab	S	NO
13583	250				mg/L	9					100	Lab	S	NO
13583	250				mg/L	9					100	Lab	S	NO
13583	0.025				mg/L	9					100	Lab	S	NO
13583	2.5 TO 75				mg/L	9					100	Lab	S	NO

13583	250				mg/L	9					100	Lab	S	NO
98228	160				AI mg/org	1					95	FieldN	EN	NO
98228	160				AI mg/org	1					95	FieldN	EN	NO
98228	160				AI mg/org	1					95	FieldN	EN	NO
98275	1				ppm	9					100	Lab	CM	NO
18093	6.25				mg/L					NR	100	LAB	S	159913
18093	6.25				mg/L					NR	100	LAB	S	159914
18093	6.451				mg/L					NR	100	LAB	S	159912
86410	10				ppm	1	7.6*	3.2	%	OM	100	Lab	DA	NO
18093	7.512				mg/L					NR	100	LAB	S	159915
18093	10				mg/L					NR	100	LAB	S	159916
18093	5				mg/L					NR	100	LAB	S	159917
98843	3.4				kg	1					100	FieldN	NR	NO
98843	3.4				kg	1					100	FieldN	NR	NO
98825	1.602				lb/acre	1					100	FieldA	SP	NO
46533	351.5				ppm	>=3	7.5*	1.8	%	OM	>=95	Lab	DA	51105
46533	363.85				ppm	>=3	7.5*	1.8	%	OM	>=95	Lab	DA	51105
46533	95 TO <304				ppm					NR	>=95	Lab	DA	51104
98330	2.99712				lb/acre	1	6.2 to 6.5	0.5	%	OM	100	FieldN	EN	NO
98330	2.99712				lb/acre	1	6.2 to 6.5	0.5	%	OM	100	FieldN	EN	NO
98330	2.99712				lb/acre	1	6.2 to 6.5	0.5	%	OM	100	FieldN	EN	NO
98843	3.4				kg	1					100	FieldN	NR	NO
98843	3.4				kg	1					100	FieldN	NR	NO
98843	3.4				kg	1					100	FieldN	NR	NO
98843	3.4				kg	1					100	FieldN	NR	NO
98825	1800				AI g/ha	1					100	FieldA	SP	NO
98330	3.36				ai kg/ha	1	6.2 to 6.5	0.5	%	OM	100	FieldN	EN	NO
98330	3.36				ai kg/ha	1	6.2 to 6.5	0.5	%	OM	100	FieldN	EN	NO
98330	3.36				ai kg/ha	1	6.2 to 6.5	0.5	%	OM	100	FieldN	EN	NO

98330	3.36				ai kg/ha	1	6.2 to 6.5	0.5	%	OM	100	FieldN	EN	NO
98330	3.36				ai kg/ha	1	6.2 to 6.5	0.5	%	OM	100	FieldN	EN	NO
98742	1	2	2	2	ml/m2	4					100	Lab	DA	NO
98742	1				ml/m2	1					100	Lab	DA	NO
98843	3.4				kg	1					100	FieldN	NR	NO
98843	3.4				kg	1					100	FieldN	NR	NO
60074	10	100	100	100	mg/L	4					100	Lab	S	NO
60074	1	10	10	10	mg/L	4					100	Lab	S	NO
98275	20				ppm	4					100	Lab	CM	NO
96666	0.7805				lb/acre	5					100	Lab	GM	NO
96666	0.7805				lb/acre	5					100	Lab	GM	NO

Spreadsheet: Part IV of IV

Ref #	Author	Title	Source	Publication Year	Comments
74324	Zimmerman LJ;Valentine HL;Valentine WM;	Characterization of S-(N,N-Dialkylaminocarbonyl)Cysteine Adducts and Enzyme Inhibition Produced by Thiocarbamate Herbicides in the Rat	Chem Res Toxicol 17(2): 258-267	2004	ORG/Sprague-Dawley strain, initial bw range 225 to 250// EXPDUR/injected for 5 days, rats sacrificed on day 6// EE/B3 globin hemoglobin side chain// EDES/Author tests miochemical effects in rats exposed to test chemical// GENERAL/OEF/ALDH and thiocarbamate metabolites also reported//
74324	Zimmerman LJ;Valentine HL;Valentine WM;	Characterization of S-(N,N-Dialkylaminocarbonyl)Cysteine Adducts and Enzyme Inhibition Produced by Thiocarbamate Herbicides in the Rat	Chem Res Toxicol 17(2): 258-267	2004	ORG/Sprague-Dawley strain, initial bw range 225 to 250// EXPDUR/injected for 5 days, rats sacrificed on day 6// EDES/Author tests miochemical effects in rats exposed to test chemical// GENERAL/OEF/ALDH and thiocarbamate metabolites also reported//
79085	Moorhouse KG;Casida JE;	Pesticides as Activators of Mouse Liver Microsomal Glutathione S-Transferase	Pestic Biochem Physiol 44(2): 83-90	1992	ORG/Initial BW. Albino Swiss Webster// EE/Multiple controls include concurrent and positive controls.//
73593	Hart BW;Faiman MD;	Inhibition of Rat Liver Low Km Aldehyde Dehydrogenase by Thiocarbamate Herbicides. Occupational Implications	Biochem Pharmacol 49(2): 157-163	1995	ORG/250 to 350g Sprague Dawley// EDES/Dose Response. Test concentrations taken from graph.// GENERAL/Time response study also reported without stats. In vitro data also reported.//
98227	Eigenbrode SD;Shelton AM;	Survival and Behavior of Plutella xylostella Larvae on Cabbages with Leaf Waxes Altered by Treatment with S-Ethyl Dipropylthiocarbamate	Entomol Exp Appl 62(2): 139-145	1992	EE/movement rate, endpoint measured in neonates// EDES/Author tests behavior effects in organisms, 200 eggs inoculated onto cabbage plants 1 week after chemical applied to soil of each pot, greenhouse study//
98825	Jordaan EM;De Waele D;	Effects of Four Herbicides on the Infestation of Maize by the Nematode <i>Pratylenchus zeae</i>	S Afr J Plant Soil5(3): 165-	1988	EDES/ten maize seeds inoculated with 10000 nematodes per pot//
98826	Kowalska-Wochna E;Pawlowska D;	In Vivo Analysis of Eptam Genotoxic Action on Mouse (<i>Mus musculus</i>) Chromosomes	Genet Pol 29(2): 171-180	1988	ORG/Swiss Strain// EXPDUR/Also at 14 days// BCF = NR//
98275	Cerkauskas RF;Verma PR;McKenzie DL;	Effects of Herbicides on In Vitro Growth and Carpogenic Germination of <i>Sclerotinia sclerotiorum</i>	Can J Plant Pathol 8(2): 161-166	1986	ORG/mono-ascosporic isolate// EE/sclerotia weight//
72796	Michel A;Johnson RD;Duke SO;Scheffler BE;	Dose-Response Relationships Between Herbicides with Different Modes of Action and Growth of <i>Lemna paucicostata</i> : An Improved Ecotoxicological Method	Environ Toxicol Chem 23(4): 1074-1079	2004	ORG/bilobed colony// GENERAL/solvent and water controls used// BCF = NR//

42840	Sund KA;Nomura N;	Laboratory Evaluation of Several Herbicides	Weed Res 3(): 35-43	1963	ORG/var. SA 372, Coleoptile OR HYPOCOTYL 2-4 MM// EE/ENDPT/MD50// CHAR/EPTC, CAS# 9016459 - ALSO USED AS SOLVENT//
42840	Sund KA;Nomura N;	Laboratory Evaluation of Several Herbicides	Weed Res 3(): 35-43	1963	ORG/var. Straight 8// EE/ENDPT/MD50// CHAR/EPTC, CAS# 9016459 - ALSO USED AS SOLVENT//
98330	Johnson AW;Smittle DA;Sumner DR;Glaze NC;	Efficacy and Compatibility for Fenamiphos and EPTC Applied in Irrigation Water for Nematode and Weed Control in Snapbean Production	J Nematol 26(4): 690-696	1994	ORG/cv. GV 50// EE/significant increase in growth index// EDES/applied through a sprinkle system// GENERAL/mixtures also reported //
98330	Johnson AW;Smittle DA;Sumner DR;Glaze NC;	Efficacy and Compatibility for Fenamiphos and EPTC Applied in Irrigation Water for Nematode and Weed Control in Snapbean Production	J Nematol 26(4): 690-696	1994	ORG/cv. Nemasnap// EE/significant increase in growth index// EDES/applied through a sprinkle system// GENERAL/mixtures also reported //
98330	Johnson AW;Smittle DA;Sumner DR;Glaze NC;	Efficacy and Compatibility for Fenamiphos and EPTC Applied in Irrigation Water for Nematode and Weed Control in Snapbean Production	J Nematol 26(4): 690-696	1994	ORG/cv. Eagle// EE/significant increase in growth index// EDES/applied through a sprinkle system// GENERAL/mixtures also reported //
98228	Eigenbrode SD;Shelton AM;Kain WC;Leichtweis H;Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	ORG/transplanted cv. Market Prize// EE/glossiness also reported// CHAR/7E//
98228	Eigenbrode SD;Shelton AM;Kain WC;Leichtweis H;Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	ORG/transplanted cv. Market Prize// EE/glossiness also reported// CHAR/7E//
98228	Eigenbrode SD;Shelton AM;Kain WC;Leichtweis H;Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	ORG/transplanted cv. Market Prize// EE/glossiness also reported// CHAR/10G//
98228	Eigenbrode SD;Shelton AM;Kain WC;Leichtweis H;Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	ORG/transplanted cv. Market Prize// EE/glossiness also reported// CHAR/10G//
98228	Eigenbrode SD;Shelton AM;Kain WC;Leichtweis H;Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	ORG/transplanted cv. Market Prize// CHAR/7E//

98228	Eigenbrode SD; Shelton AM; Kain WC; Leichtweis H; Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	ORG/transplanted cv. Market Prize// CHAR/10G//
98228	Eigenbrode SD; Shelton AM; Kain WC; Leichtweis H; Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	ORG/transplanted cv. Market Prize// CHAR/10G//
98228	Eigenbrode SD; Shelton AM; Kain WC; Leichtweis H; Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	ORG/transplanted cv. Market Prize// EDES/application rate is quantity per plant// CHAR/7E//
98228	Eigenbrode SD; Shelton AM; Kain WC; Leichtweis H; Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	ORG/transplanted cv. Bravo// EDES/application rate is quantity per plant// CHAR/7E//
98742	Feyaerts H; Coosemans J; Vander Elst I;	Synergistic Activity of Thiocarbamate Herbicides, Used Together with Carbamate Nematicides in the Control of Root Knot Nematodes (Meloidogyne)	Med Fac Landbouww Rijksuniv Gent 55(2b): 745-752	1990	EE/also reported for combined leaf, shoot and flower weights// EDES/Author tests growth effects in plants, soil infested with nematodes, chemical concentrations calculated from usual application dose of 1 ml/m ² as follows 0.5, 1, 2 and 4 times usual application dose// GENERAL/OEF/temperature study and MORT also reported, no endpoint, combined dosage concentrations//
98742	Feyaerts H; Coosemans J; Vander Elst I;	Synergistic Activity of Thiocarbamate Herbicides, Used Together with Carbamate Nematicides in the Control of Root Knot Nematodes (Meloidogyne)	Med Fac Landbouww Rijksuniv Gent 55(2b): 745-752	1990	EE/combined leaf, stem and flower weights// EDES/Author tests growth effects in plants, soil infested with nematodes, chemical concentrations calculated from usual application dose of 1 ml/m ² as follows 0.5, 1, 2 and 4 times usual application dose// GENERAL/mixture study also reported//
98227	Eigenbrode SD; Shelton AM;	Survival and Behavior of Plutella xylostella Larvae on Cabbages with Leaf Waxes Altered by Treatment with S-Ethyl Dipropylthiocarbamate	Entomol Exp Appl 62(2): 139-145	1992	EXPDUR/pots censused when larvae reached the 4th instar stage// EDES/Author tests survival effects in organisms, 200 eggs inoculated onto cabbage plants 1 week after chemical applied to soil of each pot, potted plant study 1//
98227	Eigenbrode SD; Shelton AM;	Survival and Behavior of Plutella xylostella Larvae on Cabbages with Leaf Waxes Altered by Treatment with S-Ethyl Dipropylthiocarbamate	Entomol Exp Appl 62(2): 139-145	1992	EXPDUR/pots censused when larvae reached the 4th instar stage// EDES/Author tests survival effects in organisms, 200 eggs inoculated onto cabbage plants 1 week after chemical applied to soil of each pot, potted plant study 2//
98227	Eigenbrode SD; Shelton AM;	Survival and Behavior of Plutella xylostella Larvae on Cabbages with Leaf Waxes Altered by Treatment with S-Ethyl Dipropylthiocarbamate	Entomol Exp Appl 62(2): 139-145	1992	EXPDUR/plants censused when larvae reached the 4th instar stage// EDES/Author tests survival effects in organisms, 300 eggs inoculated onto cabbage plants 1 week after chemical applied to soil at the base of each plant, field study 1//

98227	Eigenbrode SD; Shelton AM;	Survival and Behavior of <i>Plutella xylostella</i> Larvae on Cabbages with Leaf Waxes Altered by Treatment with S-Ethyl Dipropylthiocarbamate	Entomol Exp Appl 62(2): 139-145	1992	EXPDUR/plants censused when larvae reached the 4th instar stage// EDES/Author tests survival effects in organisms, 300 eggs inoculated onto cabbage plants 1 week after chemical applied to soil at the base of each plant, field study 2//
98227	Eigenbrode SD; Shelton AM;	Survival and Behavior of <i>Plutella xylostella</i> Larvae on Cabbages with Leaf Waxes Altered by Treatment with S-Ethyl Dipropylthiocarbamate	Entomol Exp Appl 62(2): 139-145	1992	EXPDUR/measured at pupation// EDES/Author tests survival effects in organisms, artificial diet study//
98228	Eigenbrode SD; Shelton AM; Kain WC; Leichtweis H; Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	CHAR/10G//
98228	Eigenbrode SD; Shelton AM; Kain WC; Leichtweis H; Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	CHAR/10G//
98228	Eigenbrode SD; Shelton AM; Kain WC; Leichtweis H; Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	EE/percent fresh marketable heads// EDES/application rate is quantity per plant// CHAR/10G//
71141	EI-Ibrashy MT;	The Herbicide Eptam 6-E: A Selective Female Chemosterilant for the Egyptian Cotton Leafworm, <i>Spodoptera littoralis</i>	Experientia27(): 808-809	1971	ORG/last instar//
71141	EI-Ibrashy MT;	The Herbicide Eptam 6-E: A Selective Female Chemosterilant for the Egyptian Cotton Leafworm, <i>Spodoptera littoralis</i>	Experientia27(): 808-809	1971	ORG/last instar// GENERAL/replicate 2//
71141	EI-Ibrashy MT;	The Herbicide Eptam 6-E: A Selective Female Chemosterilant for the Egyptian Cotton Leafworm, <i>Spodoptera littoralis</i>	Experientia27(): 808-809	1971	ORG/last instar// GENERAL/replicate 4//
14134	Butler PA;	Effects of Herbicides on Estuarine Fauna	Proc South Weed Conf 18(): 576-580	1965	
13100	Felix HR; Chollet R; Harr J;	Use of the Cell Wall-Less Alga <i>Dunaliella bioculata</i> in Herbicide Screening Tests	Ann Appl Biol 113(1): 55-60	1988	CHAR/T//
4651	Santiago LP; Recometa RD;	Bio-Assay: Evaluation of Three Agricultural Herbicides on the Survival of Nile Tilapia (<i>Tilapia nilotica</i>) and Crucian Carp (<i>Carassius carassius</i> Anon) Fingerlings	In: Tech Rep No 20, Freshwater Aquacult Cent, Cent Luzon State Univ :(): 19-29	1981	ORG/5.0 to 13.5 g, 69.0 to 87.0 mm// EXPDUR/other durations also reported// EE/reported as TL50//

4651	Santiago LP;Recometa RD;	Bio-Assay: Evaluation of Three Agricultural Herbicides on the Survival of Nile Tilapia (<i>Tilapia nilotica</i>) and Crucian Carp (<i>Carassius carassius</i> Anon) Fingerlings	In: Tech Rep No 20, Freshwater Aquacult Cent , Cent Luzon State Univ :(): 19-29	1981	ORG/3.5 to 12.0 g, 65.0 to 89.0 mm// EXPDUR/other durations also reported// EE/reported as TL50//
3914	Buhl KJ;Faerber NL;	Acute Toxicity of Selected Herbicides and Surfactants to Larvae of the Midge <i>Chironomus riparius</i>	Arch Environ Contam Toxicol 18(4): 530-536	1989	CHAR/ERADICANE, 82.6 % AI//
3914	Buhl KJ;Faerber NL;	Acute Toxicity of Selected Herbicides and Surfactants to Larvae of the Midge <i>Chironomus riparius</i>	Arch Environ Contam Toxicol 18(4): 530-536	1989	CHAR/ERADICANE, 82.6 % AI//
86935	Smulders CJGM;Van Kleef RGDM;De Groot A;Gotti C;Vijverberg HPM;	A Noncompetitive, Sequential Mechanism for Inhibition of Rat alpha4beta2 Neuronal Nicotinic Acetylcholine Receptors by Carbamate Pesticides	82(1): 219-227	2004	EDES/Author tests physiological effects in oocytes exposed to test chemical in saline solution, exposed to low 1 uM concentration of ACh, expressing rat a4B2 nAChRs//
86935	Smulders CJGM;Van Kleef RGDM;De Groot A;Gotti C;Vijverberg HPM;	A Noncompetitive, Sequential Mechanism for Inhibition of Rat alpha4beta2 Neuronal Nicotinic Acetylcholine Receptors by Carbamate Pesticides	82(1): 219-227	2004	EDES/Author tests physiological effects in oocytes exposed to test chemical in saline solution, exposed to high 1 mM concentration of ACh, expressing rat a4B2 nAChRs//
98228	Eigenbrode SD;Shelton AM;Kain WC;Leichtweis H;Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	ORG/transplanted cv. Market Prize// EE/percent fresh marketable heads// CHAR/7E//
98228	Eigenbrode SD;Shelton AM;Kain WC;Leichtweis H;Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	ORG/transplanted cv. Market Prize// EE/percent fresh marketable heads// CHAR/10G//
98228	Eigenbrode SD;Shelton AM;Kain WC;Leichtweis H;Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	ORG/transplanted cv. Market Prize// EE/percent fresh marketable heads// CHAR/10G//
98228	Eigenbrode SD;Shelton AM;Kain WC;Leichtweis H;Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	ORG/transplanted cv. Market Prize// EE/significant increase in marketable heads, plant damage score also reported// EDES/application rate is quantity per plant// CHAR/7E//
98228	Eigenbrode SD;Shelton AM;Kain WC;Leichtweis H;Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	ORG/transplanted cv. Bravo// EE/significant decrease in plant damage scores, percent marketable heads also reported// EDES/application rate is quantity per plant// CHAR/7E//

98843	Gilbertson RL;Ruppel EG;Schweizer EE;	Effects of Herbicides on Root Rot of Pinto Bean, Weeds, and Two Soilborne Fungi	Plant Dis 71(7): 627-629	1987	ORG/cv. Olathe// EE/Disease Severity Index// EDES/Bean Study conducted on fields under rotational planting of corn, barley and beet in addition to the bean.// GENERAL/Mixture studies also reported// BCF = NR//
98843	Gilbertson RL;Ruppel EG;Schweizer EE;	Effects of Herbicides on Root Rot of Pinto Bean, Weeds, and Two Soilborne Fungi	Plant Dis 71(7): 627-629	1987	ORG/cv. Olathe// EE/Disease Severity Index// EDES/Bean Study conducted on fields under rotational planting of corn, barley and beet in addition to the bean.// GENERAL/Mixture studies also reported// BCF = NR//
13583	Girman GR;	The Effects of a Number of Herbicides upon Photosynthesis and Heterotrophy of Naturally Occurring Algal and Bacterial Communities in Delta Marsh, Manitoba	M S Thesis, University of Manitoba, Winnipeg, Manitoba(): 179 p.-	1975	ORG/phytoplankton// CHAR/8 lb. a.i. per imperial gallon//
13583	Girman GR;	The Effects of a Number of Herbicides upon Photosynthesis and Heterotrophy of Naturally Occurring Algal and Bacterial Communities in Delta Marsh, Manitoba	M S Thesis, University of Manitoba, Winnipeg, Manitoba(): 179 p.-	1975	ORG/phytoplankton// CHAR/8 lb. a.i. per imperial gallon//
13583	Girman GR;	The Effects of a Number of Herbicides upon Photosynthesis and Heterotrophy of Naturally Occurring Algal and Bacterial Communities in Delta Marsh, Manitoba	M S Thesis, University of Manitoba, Winnipeg, Manitoba(): 179 p.-	1975	ORG/periphyton// CHAR/8 lb. a.i. per imperial gallon//
13583	Girman GR;	The Effects of a Number of Herbicides upon Photosynthesis and Heterotrophy of Naturally Occurring Algal and Bacterial Communities in Delta Marsh, Manitoba	M S Thesis, University of Manitoba, Winnipeg, Manitoba(): 179 p.-	1975	ORG/periphyton// CHAR/8 lb. a.i. per imperial gallon//
13583	Girman GR;	The Effects of a Number of Herbicides upon Photosynthesis and Heterotrophy of Naturally Occurring Algal and Bacterial Communities in Delta Marsh, Manitoba	M S Thesis, University of Manitoba, Winnipeg, Manitoba(): 179 p.-	1975	ORG/phytoplankton// EE/assimilation of C14-glucose// CHAR/8 lb. a.i. per imperial gallon//
13583	Girman GR;	The Effects of a Number of Herbicides upon Photosynthesis and Heterotrophy of Naturally Occurring Algal and Bacterial Communities in Delta Marsh, Manitoba	M S Thesis, University of Manitoba, Winnipeg, Manitoba(): 179 p.-	1975	ORG/phytoplankton// EE/assimilation of C14-glucose// CHAR/8 lb. a.i. per imperial gallon//

98228	Eigenbrode SD; Shelton AM; Kain WC; Leichtweis H; Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	EDES/application rate is quantity per plant// CHAR/7E//
98228	Eigenbrode SD; Shelton AM; Kain WC; Leichtweis H; Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	EDES/application rate is quantity per plant// CHAR/7E//
98228	Eigenbrode SD; Shelton AM; Kain WC; Leichtweis H; Spittler TD;	Managing Lepidopteran Pests in Cabbage with Herbicide-Induced Resistance, in Combination with a Pyrethroid Insecticide	Entomol Exp Appl 69(1): 41-50	1993	EDES/application rate is quantity per plant// CHAR/7E//
98275	Cerkauskas RF; Verma PR; McKenzie DL;	Effects of Herbicides on In Vitro Growth and Carpogenic Germination of Sclerotinia sclerotiorum	Can J Plant Pathol 8(2): 161-166	1986	ORG/mono-ascospore isolate//
18093	Fairchild JF; Ruessler DS; Haverland PS; Carlson AR;	Comparative Sensitivity of Sclerotinia capricornutum and Lemna minor to Sixteen Herbicides	Arch Environ Contam Toxicol 32(): 353-357	1997	ORG/20000 CELLS/ML// EDES/ASTM MEDIA// CHAR/EPTC//
18093	Fairchild JF; Ruessler DS; Haverland PS; Carlson AR;	Comparative Sensitivity of Sclerotinia capricornutum and Lemna minor to Sixteen Herbicides	Arch Environ Contam Toxicol 32(): 353-357	1997	ORG/20000 CELLS/ML// EDES/ASTM MEDIA// CHAR/EPTC//
18093	Fairchild JF; Ruessler DS; Haverland PS; Carlson AR;	Comparative Sensitivity of Sclerotinia capricornutum and Lemna minor to Sixteen Herbicides	Arch Environ Contam Toxicol 32(): 353-357	1997	ORG/20000 CELLS/ML// EE/FLUORESCENCE// EDES/ASTM MEDIA// CHAR/EPTC//
86410	Tu CM;	Influence of Ten Herbicides on Activities of Microorganisms and Enzymes in Soil	Bull Environ Contam Toxicol 51(1): 30-39	1993	EXPDUR/other duration also reported// GENERAL/bacterial effects also reported//
18093	Fairchild JF; Ruessler DS; Haverland PS; Carlson AR;	Comparative Sensitivity of Sclerotinia capricornutum and Lemna minor to Sixteen Herbicides	Arch Environ Contam Toxicol 32(): 353-357	1997	ORG/12 FRONDS// EE/FROND COUNT// EDES/NUTRIENT ENRICHED WATER// CHAR/EPTC//
18093	Fairchild JF; Ruessler DS; Haverland PS; Carlson AR;	Comparative Sensitivity of Sclerotinia capricornutum and Lemna minor to Sixteen Herbicides	Arch Environ Contam Toxicol 32(): 353-357	1997	ORG/12 FRONDS// EDES/NUTRIENT ENRICHED WATER// CHAR/EPTC//
18093	Fairchild JF; Ruessler DS; Haverland PS; Carlson AR;	Comparative Sensitivity of Sclerotinia capricornutum and Lemna minor to Sixteen Herbicides	Arch Environ Contam Toxicol 32(): 353-357	1997	ORG/12 FRONDS// EDES/NUTRIENT ENRICHED WATER// CHAR/EPTC//
98843	Gilbertson RL; Ruppel EG; Schweizer EE;	Effects of Herbicides on Root Rot of Pinto Bean, Weeds, and Two Soilborne Fungi	Plant Dis 71(7): 627-629	1987	ORG/Grassy Weeds// EDES/Bean Study conducted on fields under rotational planting of corn, barley and beet in addition to the bean.// GENERAL/Mixture studies also

					reported// BCF = NR//
98843	Gilbertson RL;Ruppel EG;Schweizer EE;	Effects of Herbicides on Root Rot of Pinto Bean, Weeds, and Two Soilborne Fungi	Plant Dis 71(7): 627-629	1987	ORG/Grassy Weeds// EDES/Bean Study conducted on fields under rotational planting of corn, barley and beet in addition to the bean.// GENERAL/Mixture studies also reported// BCF = NR//
98825	Jordaan EM;De Waele D;	Effects of Four Herbicides on the Infestation of Maize by the Nematode <i>Pratylenchus zeae</i>	S Afr J Plant Soil5(3): 165-	1988	ORG/inbred line K64R// EE/fresh weight of root mass, only conc tested, also reported dry weight// EDES/one maize plant inoculated with 2500 nematodes per pot//
46533	Hulzebos EM;Adema DMM;Dirven-Van Breemen EM;Henzen L;Van Dis WA;Herbold HA;Hoekstra JA;Baerselman R;Van Gestel CAM;	Phytotoxicity Studies with <i>Lactuca sativa</i> in Soil and Nutrient Solution	Environ Toxicol Chem 12(6): 1079-1094	1993	ORG/Ravel R2// EDES/RIVM//
46533	Hulzebos EM;Adema DMM;Dirven-Van Breemen EM;Henzen L;Van Dis WA;Herbold HA;Hoekstra JA;Baerselman R;Van Gestel CAM;	Phytotoxicity Studies with <i>Lactuca sativa</i> in Soil and Nutrient Solution	Environ Toxicol Chem 12(6): 1079-1094	1993	ORG/Ravel R2// EDES/RIVM//
46533	Hulzebos EM;Adema DMM;Dirven-Van Breemen EM;Henzen L;Van Dis WA;Herbold HA;Hoekstra JA;Baerselman R;Van Gestel CAM;	Phytotoxicity Studies with <i>Lactuca sativa</i> in Soil and Nutrient Solution	Environ Toxicol Chem 12(6): 1079-1094	1993	ORG/Ravel R2// EDES/RIVM//
98330	Johnson AW;Smittle DA;Sumner DR;Glaze NC;	Efficacy and Compatibility for Fenamiphos and EPTC Applied in Irrigation Water for Nematode and Weed Control in Snapbean Production	J Nematol 26(4): 690-696	1994	ORG/cv. GV 50// EE/yield, plant abundance also reported// EDES/applied through a sprinkle system// GENERAL/mixtures also reported //

98330	Johnson AW;Smittle DA;Sumner DR;Glaze NC;	Efficacy and Compatibility for Fenamiphos and EPTC Applied in Irrigation Water for Nematode and Weed Control in Snapbean Production	J Nematol 26(4): 690-696	1994	ORG/cv. Nemasnap// EE/yield, plant abundance also reported// EDES/applied through a sprinkle system// GENERAL/mixtures also reported //
98330	Johnson AW;Smittle DA;Sumner DR;Glaze NC;	Efficacy and Compatibility for Fenamiphos and EPTC Applied in Irrigation Water for Nematode and Weed Control in Snapbean Production	J Nematol 26(4): 690-696	1994	ORG/cv. Eagle// EE/yield, plant abundance also reported// EDES/applied through a sprinkle system// GENERAL/mixtures also reported //
98843	Gilbertson RL;Ruppel EG;Schweizer EE;	Effects of Herbicides on Root Rot of Pinto Bean, Weeds, and Two Soilborne Fungi	Plant Dis 71(7): 627-629	1987	ORG/cv. Olathe// EE/Yield// EDES/Bean Study conducted on fields under rotational planting of corn, barley and beet in addition to the bean.// GENERAL/Mixture studies also reported// BCF = NR//
98843	Gilbertson RL;Ruppel EG;Schweizer EE;	Effects of Herbicides on Root Rot of Pinto Bean, Weeds, and Two Soilborne Fungi	Plant Dis 71(7): 627-629	1987	ORG/cv. Olathe// EE/Yield// EDES/Bean Study conducted on fields under rotational planting of corn, barley and beet in addition to the bean.// GENERAL/Mixture studies also reported// BCF = NR//
98843	Gilbertson RL;Ruppel EG;Schweizer EE;	Effects of Herbicides on Root Rot of Pinto Bean, Weeds, and Two Soilborne Fungi	Plant Dis 71(7): 627-629	1987	ORG/Broadleaf Weeds// EDES/Bean Study conducted on fields under rotational planting of corn, barley and beet in addition to the bean.// GENERAL/Mixture studies also reported// BCF = NR//
98843	Gilbertson RL;Ruppel EG;Schweizer EE;	Effects of Herbicides on Root Rot of Pinto Bean, Weeds, and Two Soilborne Fungi	Plant Dis 71(7): 627-629	1987	ORG/Broadleaf weeds// EDES/Bean Study conducted on fields under rotational planting of corn, barley and beet in addition to the bean.// GENERAL/Mixture studies also reported// BCF = NR//
98825	Jordaan EM;De Waele D;	Effects of Four Herbicides on the Infestation of Maize by the Nematode <i>Pratylenchus zeae</i>	S Afr J Plant Soil5(3): 165-	1988	EE/other durations reported, also reported reproduction rate, only conc tested// EDES/one maize plant inoculated with 2500 nematodes per pot//
98330	Johnson AW;Smittle DA;Sumner DR;Glaze NC;	Efficacy and Compatibility for Fenamiphos and EPTC Applied in Irrigation Water for Nematode and Weed Control in Snapbean Production	J Nematol 26(4): 690-696	1994	ORG/host crop snapbean, cv. Eagle// EE/root gall index also reported// EDES/applied through a sprinkle system// GENERAL/mixtures also reported //
98330	Johnson AW;Smittle DA;Sumner DR;Glaze NC;	Efficacy and Compatibility for Fenamiphos and EPTC Applied in Irrigation Water for Nematode and Weed Control in Snapbean Production	J Nematol 26(4): 690-696	1994	ORG/host crop snapbean, cv. Eagle// EE/root gall index also reported// EDES/applied through a sprinkle system// GENERAL/mixtures also reported //
98330	Johnson AW;Smittle DA;Sumner DR;Glaze NC;	Efficacy and Compatibility for Fenamiphos and EPTC Applied in Irrigation Water for Nematode and Weed Control in Snapbean Production	J Nematol 26(4): 690-696	1994	ORG/host crop snapbean, cv. Nemasnap// EE/root gall index also reported// EDES/applied through a sprinkle system// GENERAL/mixtures also reported //

98330	Johnson AW;Smittle DA;Sumner DR;Glaze NC;	Efficacy and Compatibility for Fenamiphos and EPTC Applied in Irrigation Water for Nematode and Weed Control in Snapbean Production	J Nematol 26(4): 690-696	1994	ORG/host crop snapbean, cv. Nemasnap// EE/root gall index also reported// EDES/applied through a sprinkle system// GENERAL/mixtures also reported //
98330	Johnson AW;Smittle DA;Sumner DR;Glaze NC;	Efficacy and Compatibility for Fenamiphos and EPTC Applied in Irrigation Water for Nematode and Weed Control in Snapbean Production	J Nematol 26(4): 690-696	1994	ORG/host crop snapbean, cv. GV 50// EE/root gall index also reported// EDES/applied through a sprinkle system// GENERAL/mixtures also reported //
98742	Feyaerts H;Coosemans J;Vander Elst I;	Synergistic Activity of Thiocarbamate Herbicides, Used Together with Carbamate Nematicides in the Control of Root Knot Nematodes (Meloidogyne)	Med Fac Landbouww Rijksuniv Gent 55(2b): 745-752	1990	EE/root knots per plant, also reported as per gram of root weight// EDES/Author tests population effects in nematodes, soil infested with nematodes, chemical concentrations calculated from usual application dose of 1 ml/m2 as follows 0.5, 1, 2 and 4 times usual application dose// GENERAL/OEF/temperature study and MORT also reported, no endpoint, combined dosage concentrations//
98742	Feyaerts H;Coosemans J;Vander Elst I;	Synergistic Activity of Thiocarbamate Herbicides, Used Together with Carbamate Nematicides in the Control of Root Knot Nematodes (Meloidogyne)	Med Fac Landbouww Rijksuniv Gent 55(2b): 745-752	1990	EE/root knots per gram of root weight// EDES/Author tests population effects in nematode, soil infested with nematodes, chemical concentrations calculated from usual application dose of 1 ml/m2 as follows 0.5, 1, 2 and 4 times usual application dose// GENERAL/mixture study also reported//
98843	Gilbertson RL;Ruppel EG;Schweizer EE;	Effects of Herbicides on Root Rot of Pinto Bean, Weeds, and Two Soilborne Fungi	Plant Dis 71(7): 627-629	1987	EDES/Bean Study conducted on fields under rotational planting of corn, barley and beet in addition to the bean.// GENERAL/Mixture studies also reported// BCF = NR//
98843	Gilbertson RL;Ruppel EG;Schweizer EE;	Effects of Herbicides on Root Rot of Pinto Bean, Weeds, and Two Soilborne Fungi	Plant Dis 71(7): 627-629	1987	EDES/Bean Study conducted on fields under rotational planting of corn, barley and beet in addition to the bean.// GENERAL/Mixture studies also reported// BCF = NR//
60074	Prescott LM;Olson DL;	The Effect of Pesticides on the Soil Amoeba <i>Acanthamoeba castellanii</i> (Neff)	Proc South D Acad Sci 51(): 136-141	1972	ORG/10000 amoebae / cc, I-12 STRAIN// EE/Beneficial at 10 ppm// EDES/Trial 1//
60074	Prescott LM;Olson DL;	The Effect of Pesticides on the Soil Amoeba <i>Acanthamoeba castellanii</i> (Neff)	Proc South D Acad Sci 51(): 136-141	1972	ORG/10000 amoebae / cc, I-12 STRAIN// EDES/Trial 2//
98275	Cerkauskas RF;Verma PR;McKenzie DL;	Effects of Herbicides on In Vitro Growth and Carpogenic Germination of <i>Sclerotinia sclerotiorum</i>	Can J Plant Pathol 8(2): 161- 166	1986	ORG/mono-ascosporic isolate// EE/carpogenic germination//

96666	Wyss GS;Charudattan R;Roskopf EN;Littell RC;	Effects of Selected Pesticides and Adjuvants on Germination and Vegetative Growth of <i>Phomopsis amaranthicola</i> , a Biocontrol Agent for <i>Amaranthus</i> spp.	Weed Res 44(6): 469-482	2004	EXPDUR/20 m in suspension followed by 24 h incubation// EE/inhibited germination at all concentrations// EDES/Tests performed at 0.25x, 05x, .75x, 1x, and 2x Highest Labelled product rate, based on application volume 468 L per ha, spore suspension mixed with test solution, let stand for 20 min, spread evenly on 1.4% water agar and then cultured// CHAR/Lorox DF ai 500 g per kg//
96666	Wyss GS;Charudattan R;Roskopf EN;Littell RC;	Effects of Selected Pesticides and Adjuvants on Germination and Vegetative Growth of <i>Phomopsis amaranthicola</i> , a Biocontrol Agent for <i>Amaranthus</i> spp.	Weed Res 44(6): 469-482	2004	EXPDUR/20 m in suspension followed by 24 h incubation// EE/inhibited germination at all concentrations// EDES/Tests performed at 0.25x, 05x, .75x, 1x, and 2x Highest Labelled product rate, based on application volume 468 L per ha, spore suspension mixed with test solution, let stand for 20 min, spread evenly on 1.4% water agar and then cultured// CHAR/Lorox DF ai 500 g per kg//